

U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Registration Division (7505P) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460

95055-3

Date of Issuance:

EPA Reg. Number:

9/17/20

NOTICE OF PESTICIDE:	Term of Issuance:
X Registration	
Reregistration	Unconditional
(under FIFRA, as amended)	

Name of Pesticide Product:

Clethodim YF 37 MUP

Name and Address of Registrant (include ZIP Code):

Yifan Biotechnology Group Co., Ltd c/o Compliance Services International 7501 Bridgeport Way West Lakewood, WA 94899

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration/registration/registration review of your product when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:	Date:
for Jordan Page, Product Manager 24 (Acting) Fungicide and Herbicide Branch, Registration Division (7505P)	9/17/20

EPA Form 8570-6

- 2. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, "EPA Reg. No. 95055-3."
- 3. Submit one copy of the revised final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

• Basic CSF dated 11/01/2019

If you have any questions, please contact Francisco Llarena-Arias by phone at 703-347-0459, or via email at llarena-arias.francisco@epa.gov

Enclosure

CLETHODIM GROUP 1 HERBICIDE

Clethodim YF 37 MUP

ACTIVE INGREDIENT:	% BY WT.
*Clethodim	37%
OTHER INGREDIENTS:	<u>63%</u>
TOTAL:	100%
*(E)-2[1-[[(3-chloro-2-propenyl)oxy]imino]propyl]-5-[2(ethylthio)propyl]-3-hydroxy-2-cyclohexen-1-one	
Contains petroleum distillates	

KEEP OUT OF REACH OF CHILDREN CAUTION / PRECAUCIÓN

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you DO NOT understand the label, find someone to explain it to you in detail.)

See [front][back][side][inside] panel for First Aid Instructions and [Leaflet][Booklet] for complete Precautionary Statements and Directions for Use.

FIRST AID		
IF SWALLOWED:	Immediately call a poison control center or doctor.	
	DO NOT induce vomiting unless told to do so by a poison control center	
	or doctor.	
	DO NOT give any liquid to the person.	
	DO NOT give anything by mouth to an unconscious person.	
IF ON SKIN OR	Take off contaminated clothing.	
CLOTHING:	 Rinse skin immediately with plenty of water for 15-20 minutes. 	
	Call a poison control center or doctor for treatment advice.	
IF IN EYES:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. 	
	Remove contact lenses, if present, after the first 5 minutes, then continue	
	rinsing eye.	
	Call a poison control center or doctor for treatment advice.	
IF INHALED:	Move person to fresh air	
	 If person is not breathing, call 911 or an ambulance, then give artificial 	
	respiration, preferably by mouth-to-mouth, if possible.	
	Call a poison control center or doctor for further treatment advice.	
NOTE TO PHYSICIAN: This product contains petroleum distillate. Vomiting may cause aspiration		
pneumonia.		
Have the product container or label with you when calling a poison control center or doctor, or going for		
treatment.		
In the event of a leak, fire or medical emergency involving a human or animal please call		

EPA Reg. No. 95055-xxx

LI A Reg. No. 33033-XX

xxxxxxV001

[Batch Code will be placed on the container.]

Manufactured for:

Yifan Biotechnology Group Co., Ltd. No. 555, Changan Road, Yaoxi subdistrict, Longwan district, Wenzhou City, Zhejiang, China 325013 EPA EST. No.: NET CONTENTS:

ACCEPTED

09/17/2020

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 95055-3

INFOTRAC at 1-800-535-5053 or Outside the USA and Canada at 1-352-323-3500, 24/7/365.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Harmful if absorbed through skin. Causes skin irritation and moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants;
- Chemical-resistant gloves made of any waterproof material (barrier laminate or viton ≥ 14 mils);
- Shoes plus socks;
- Protective eyewear.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. **DO NOT** reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and change into clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS:

DO NOT discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. **DO NOT** discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS:

Combustible. **DO NOT** use or store near heat or open flame. Do not mix or allow to come in contact with oxidizing agents. Hazardous chemical reaction may occur.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL AND PAMPHLET. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

THIS PRODUCT IS FOR USE IN FURTHER PREPARATION OF HERBICIDE PRODUCTS. **DO NOT** USE FOR ANY OTHER PURPOSES.

Products formulated with Clethodim YF 37 MUP will require registration with the Environmental Protection Agency.

Only for Formulation into Herbicide Products For The Following Use(s):

TERRESTRIAL, FOOD USES:

Alfalfa, Artichoke (Globe), Asparagus, Canola, Clover, Corn (Field), Cotton, Cranberry, Beans (Dry), Beets (Sugar), Flax, Garlic, Hops, Lettuce (Leaf), Mint (peppermint, tops; spearmint, tops), Mustard Greens, Mustard Seed, Peach, Peanuts, Radish tops, Safflower, Sesame, Soybeans, Strawberry, Sugar Beet tops, Sunflower, Tomatoes;

Root Vegetables (except sugar beet) Crop Subgroup 1B [Beets (Garden), Burdock (edible), Carrot, Celeriac, Chervil (Turnip-rooted), Chicory, Ginseng, Horseradish, Parsley (Turnip-rooted), Parsnip, Radish, Radish (Oriental), Rutabaga, Salsify, Salsify (Black and Spanish), Skirret, Turnip];

Tuberous and Corm Vegetables Crop Subgroup 1C [Arracacha, Arrowroot, Artichoke (Chinese and Jerusalem), Canna (Edible), Cassava (Bitter and Sweet), Chayote (Root), Chufa, Dasheen, Ginger, Leren, Potato, Sweet Potato, Tainer, Tumeric, Turnip, Yam (Bean and True)];

Onion, Bulb, Crop Subgroup 3-07A [Garlic (Bulb and Great head (Elephant)), Leek, Onion (Dry Bulb and Green, Welsh), and Shallot];

Leafy Greens Crop Subgroup 4-16A [Amaranth, Arugula, Chervil, Chrysanthemum (Edible leaved and Garland), Corn Salad, Cress (Garden and Upland), Dandelion, Dock, Endive, Lettuce, Orach, Parsley, Purslane (Garden and Winter), Radicchio (Red Chicory), Spinach (New Zealand and Vine)];

Leaf Petiole Vegetable Crop Subgroup 22B [Cardoon, Celery, Celery (Chinese), Celtuce, Fennel (Florence), Rhubarb, Swiss Chard];

Brassica Head and Stem Vegetable Crop Group 5-16 [Broccoli, Broccoli (Chinese), Brussels Sprouts, Cabbage, Cabbage (Chinese (napa) and Chinese Mustard), Cauliflower, Cavalo Broccolo, Kohlrabi];

Brassica Leafy Greens Crop Subgroup 4-16B [Broccoli Raab, Cabbage (Bok Choy), Collards, Kale, Mizuna, Mustard Greens, Mustard Spinach, Rape Greens];

Legume Vegetables (Succulent or Dried) Crop Group 6 (except soybeans) [Bean (Lupinus spp.) (includes grain lupin, sweet lupin, white lupin, and white sweet lupin), Bean (Phaseolus spp.) (includes field bean, kidney bean, lima bean, navy bean, pinto bean, runner bean, snap bean, tepary bean, wax bean), Bean (Vigna spp.) (includes adzuki bean, asparagus bean, blackeyed pea, catjang, Chinese longbean, cowpea, Crowder pea, moth bean, mung bean, rice bean, southern pea, urd bean, yardlong bean), Broad bean (fava bean) (Vicia faba), Chickpea (garbanzo bean) (Cicer arietinum), Guar (Cyamopsis tetragonoloba), Jackbean (Canavalia ensiformis), Lablab bean (hyacinth bean) (Lablab purpureus), Lentil (Lens esculenta), Pea (Pisum spp.) (includes dwarf pea, edible-pod pea, English pea, field pea, garden pea, green pea, snow pea, sugar snap pea), Pigeon pea (Cajanus cajan), and Sword bean (Canavalia gladiata)];

Fruiting Vegetable Group Crop Group 8-10 (except okra) [Eggplant, Groundcherry, Pepino, Pepper including bell pepper, chili pepper, cooking pepper, pimento and sweet pepper, Tomatillo, and Tomato];

Melon Crop Subgroup 9A [Citron Melon, Muskmelon, and Watermelon];

Squash/Cucumber Crop Subgroup 9B [Chayote (fruit), Chinese Waxgourd, Cucumber, Gherkin, Gourd (Edible), *Momordica* spp., Pumpkin, Squash (Summer and Winter)];

Caneberry Crop Subgroup 13-07A [Blackberry, Loganberry, raspberry (Red and Black), Wild Raspberry, cultivars, varieties and/or hybrids of these];

Bushberry Crop Subgroup 13-07B [Aronia Berry, Blueberry (Highbush and Lowbush), Buffalo Currant, Chilean Guava, Currant (Black and Red), Elderberry, European Barberry, Gooseberry, Cranberry (Highbush), Honeysuckle (Edible), Huckleberry, Jostaberry, Juneberry, Lingonberry, Native Currant, Salal, Sea Buckthorn, Cultivars, varieties and/or hybrids of these];

Herb Crop Subgroup 19A [Angelica, Balm, Basil, Borage, Burnet, Camomile, Catnip, Chervil (Dried), Chive, Chive (Chinese and Clary), Coriander (Leaf), Costmary, Culantro (Leaf), Dillweed, Horehound, Hyssop, Lavender, Lemongrass, Lovage (Leaf), Marigold, Marjoram (Origanum spp.), Nasturtium, Parsley (Dried), Pennyroyal, Rosemary, Rue, Sage, Savory (Summer and Winter), Sweet Bay, Tansy, Tarragon, Thyme, Wintergreen, Woodruff, and Wormwood].

TERRESTRIAL, GREENHOUSE, SHADEHOUSES, LATHHOUSES, AND OUTDOORS, NON-FOOD USES: Ornamentals, Non-Bearing Food Crops, Conifer Trees, Fallow Land (and other non-producing agricultural areas), and Non-Crop or Non-Planted Areas.

Uses for which US EPA has accepted the required data and/or citations of data that the formulator has submitted in support of registration; and Uses for experimental purposes that are in compliance with US EPA requirements.

STORAGE AND DISPOSAL

DO NOT contaminate water, feed or food by storage and disposal.

PESTICIDE STORAGE:

Store product in original container only. Store in a cool, dry place.

PESTICIDE DISPOSAL:

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING:

Containers equal to or less than 5 gallons: Nonrefillable container.

DO NOT reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Containers greater than 5 gallons: Nonrefillable container.

DO NOT reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll is back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into manufacturing equipment. Repeat this procedure two more times.

Offer for recycling, if available, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Refillable Containers:

Refill this container with pesticide only. DO NOT reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into manufacturing equipment. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into manufacturing equipment. Repeat this procedure two more times.

Warranty and Disclaimer Statement

Read the entire DIRECTIONS FOR USE and Warranty and Disclaimer Statement before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The DIRECTIONS FOR USE of this product must be followed carefully. It is impossible to eliminate all risks associated with the use of this product including risks that may arise from weather conditions, soil factors, off-target movement, unconventional farming techniques, the presence of other materials, the manner of use or application, or other unknown factors. Such risks are all beyond the control of Yifan Biotechnology Group Co., Ltd. ("YIFAN") and can cause crop injury, injury to non-target crops or plants, ineffectiveness of the product, or other unintended consequences. All such risks shall be assumed by the user or buyer and to the extent permitted by applicable law, the user or buyer agree to hold YIFAN harmless for any claims relating to such risks.

YIFAN warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the DIRECTIONS FOR USE, subject to the inherent risks described above, when used in accordance with the DIRECTIONS FOR USE under normal conditions. To the extent permitted by applicable law, this warranty does not extend to the use of this product contrary to label instructions or under conditions not reasonably foreseeable to or beyond the control of YIFAN, and the user or buyer assume the risk of any such use.

To the extent permitted by applicable law, YIFAN disclaims all other warranties, expressed or implied, including any warranty of merchantability or fitness for a particular purpose. To the extent permitted by applicable law, YIFAN, manufacturer, and seller disclaim and shall not be liable for any special, incidental, indirect, or consequential damages (including claims based on breach of warranty, contract, negligence, tort, strict liability or otherwise) resulting from the use, handling, application, storage, or disposal of this product or for damages in the nature of penalties, and the user and buyer waive any right that they may have to such damages. No agent, representative or employee of YIFAN is authorized to make any warranty, guarantee or representation beyond those contained herein or to modify the warranties contained herein.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE TOTAL LIABILITY OF YIFAN, MANUFACTURER, AND SELLER, SHALL BE LIMITED TO THE PURCHASE PRICE PAID, OR AT YIFAN'S ELECTION, THE REPLACEMENT OF THE PRODUCT.