



U.S. ENVIRONMENTAL PROTECTION AGENCY
 Office of Pesticide Programs
 Registration Division (7505T)
 1200 Pennsylvania Ave., N.W.
 Washington, D.C. 20460

EPA Reg. Number:

95055-27

Date of Issuance:

2/25/26

NOTICE OF PESTICIDE:

Registration
 Reregistration
 (under FIFRA, as amended)

Term of Issuance:

Unconditional

Name of Pesticide Product:

Metalaxyl-M YF Technical

Name and Address of Registrant (include ZIP Code):

Yifan Biotechnology Group Co., Ltd.
 c/o Compliance Services International
 7501 Bridgeport Way West
 Lakewood, WA 94899

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA).

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product when the Agency requires all registrants of similar products to submit such data.

Continues page 2

Signature of Approving Official:

Manjula Unnikrishnan, Product Manager 21
 Fungicide Branch, Registration Division (7505T)

Date:

2/25/26

2. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, "EPA Reg. No. 95055-27."
3. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

The record for this product currently contains the following CSF(s):

- Basic CSF dated 7/22/2024

If you have any questions, please contact Carmen Swinger at swinger.carmen@epa.gov.

Enclosure

ACCEPTED

02/25/2026

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 95055-27

[Text in brackets is optional]

Metalaxyl-M YF Technical

For Formulation into End-Use Fungicide and Seed Treatment Products

ACTIVE INGREDIENT	% BY WT.
Mefenoxam*	97.45%
OTHER INGREDIENTS	2.55%
TOTAL	100.0%

*CAS Nos. 70630-17-0 and 69516-34-3

KEEP OUT OF REACH OF CHILDREN

WARNING / AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

Complete First Aid Instructions affixed to front panel. See [Leaflet] [Booklet] for complete Precautionary Statements and Directions for Use.

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Do not give anything by mouth to an unconscious person.
IF IN EYES:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
In the event of a leak, fire or medical emergency involving a human or animal please call INFOTRAC at 1-800-535-5053 or Outside the USA and Canada at 1-352-323-3500, 24/7/365.	

EPA Reg. No. 95055-xxx

xxxxxxV001

[Batch Code will be placed on the container.]

Manufactured for:

Yifan Biotechnology Group Co., Ltd.

No. 555, Changan Road, Yaoxi subdistrict,

Longwan district, Wenzhou City, Zhejiang, China 325013

EPA Est. No.:

NET CONTENTS:

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: May be fatal if swallowed. Causes substantial but temporary eye injury. **Do not** get in eyes or on clothing. Harmful if absorbed through skin. Avoid contact with skin. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below. Applicators and other handlers must wear:

- Wear long-sleeved shirt, long pants, socks, shoes, and chemical-resistant gloves.

ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. **Do not** discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This product is intended for the formulation of fungicide products. This product may be used to formulate products for specific use(s) not listed on the MP label if the formulator, user group, or grower has complied with the U.S. EPA data submission requirements regarding the support of such use(s).

For manufacturing use only into a fungicide for the following uses:

1. **Terrestrial Food Crops:** asparagus, atemoya, avocado, beets, caneberry subgroup 13-07A, bushberry subgroup 13-07B, small fruit vine climbing, except grape subgroup 13-07E, bulb vegetable crop subgroups 3-07A and 3-07B, cacao, canistel, canola, cherimoya, cole crops (broccoli, cabbage, cauliflower), cranberry, cucurbit vegetables crop group 9, custard apple, dill, eggplant, garbanzos, ginseng, globe artichoke, herbs (dried and fresh), leafy greens crop subgroup 4-16A, ilama, mango, okra, papaya, pepper, radish, sapodilla, sapote (black and mamey), snap bean, soursop, birida, spinach, star apple, star fruit, stone fruits crop group 12, succulent shelled beans*, sugar apple, strawberry, turnip greens, walnut, wasabi (greenhouse).

Terrestrial Food and Feed Crops: apple, barley, buckwheat, carrot, citrus fruit crop group 10, corn, cotton, grapes, hops, millet, peanuts, peas, pineapple, potato, rice, root and tuber vegetables, rye, small grains, sorghum, soybean, sunflower, tomato, triticale, wheat.

Terrestrial Feed Crops: alfalfa, birdsfood trefoil, beans, clover, cowpeas, grasses (forage, fodder, hay), lespedeza, lupine, vetch.

*End use product labels that allow use on succulent shelled beans must include the following sentence: Use of this product on succulent shelled beans is permitted only east of the Mississippi River.

2. Uses on golf courses, lawns, and landscape areas around residential, institutional, public, commercial and industrial buildings, parks, recreational areas and athletic fields, uses on ornamentals grown in container, bench, flat, plug, bed or in the field, in greenhouses, shade houses, outdoor nurseries, retail nurseries, and other landscape areas.

Terrestrial Nonfood Crops: fruit trees, golf course turf, tree nut crop group 14-12, ornamental and/or shade trees, ornamental herbaceous plants, ornamental lawns and turf, ornamental woody shrubs and vines, tobacco.

Terrestrial Nonfood and Outdoor Residential: ornamental and/or shade trees, ornamental herbaceous plants, ornamental lawn and turf, ornamental woody shrubs and vines.

Terrestrial and greenhouse nonfood crops: Epcot display crops.

Greenhouse Nonfood Crops: ornamental and/or shade trees, ornamental herbaceous plants, ornamental woody shrub and vines.

3. Seed Treatment Uses

Globe artichoke, brassica head and stem vegetables crop group 5-16, bulb onion subgroup 3-07, cereal grains, cotton, cucurbit vegetables crop group 9, foliage of legume vegetables crop group 7, fruiting vegetables group 8-10; grass forage, fodder and hay crop group 17; leaf petiole vegetables crop subgroup 22B, leafy vegetables crop group 4-16, legume vegetables crop group 6-22, nongrass animal feeds (forage, fodder, straw and hay), rapeseed crop subgroup 20A, peanuts, root and tuber vegetables crop group 1 (except potato), sunflower, turfgrasses.

For export uses: brassica head and stem vegetables crop group 5-16, bulb vegetables crop group 3-07, corn (field, sweet and pop), cucurbit vegetables crop group 9, fruiting vegetables crop group 8-10, leaf petiole vegetables crop subgroup 22B, leafy vegetables crop group 4-16, millet, peas, root and tuber vegetables crop group 1 (except potato), sorghum, sunflower.

4. Uses for which USEPA has accepted the required data and/or citations of data that the formulator has submitted in support of registrations; and
5. Uses for experimental purposes that are in compliance with USEPA requirements.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE

Store in a cool, dry place. Store in original containers only. Keep container closed when not in use. **Do not** store near food or feed.

PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Handling [(less than or equal to 5 gallons)]

Non-refillable container. DO NOT reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into formulation equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into formulation equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling (if available), or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

Container Handling [(greater than 5 gallons)]

Non-refillable container. DO NOT reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into formulation equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into formulation equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling (if available), or dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

Container Handling [(greater than 5 gallons)]

Refillable container. Refill this container with pesticide only. **DO NOT** reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the person refilling. To clean container before final disposal, empty the remaining contents from this container into formulation equipment or a mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into formulation equipment or rinsate collection system.

Repeat this rinsing procedure two more times. Then offer for recycling (if available), or dispose of liner in a sanitary landfill or by other procedures approved by state and local authorities.

CONTAINER IS NOT SAFE FOR FOOD, FEED OR DRINKING WATER.

Warranty and Disclaimer Statement

Read the entire DIRECTIONS FOR USE and Warranty and Disclaimer Statement before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The DIRECTIONS FOR USE of this product must be followed carefully. It is impossible to eliminate all risks associated with the use of this product including risks that may arise from weather conditions, soil factors, off-target movement, unconventional farming techniques, the presence of other materials, the manner of use or application, or other unknown factors. Such risks are all beyond the control of Yifan Biotechnology Group Co., Ltd. ("YIFAN") and can cause crop injury, injury to non-target crops or plants, ineffectiveness of the product, or other unintended consequences. All such risks shall be assumed by the user or buyer and to the extent permitted by applicable law, the user or buyer agree to hold YIFAN harmless for any claims relating to such risks.

YIFAN warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the DIRECTIONS FOR USE, subject to the inherent risks described above, when used in accordance with the DIRECTIONS FOR USE under normal conditions. To the extent permitted by applicable law, this warranty does not extend to the use of this product contrary to label instructions or under conditions not reasonably foreseeable to or beyond the control of YIFAN, and the user or buyer assume the risk of any such use.

To the extent permitted by applicable law, YIFAN disclaims all other warranties, expressed or implied, including any warranty of merchantability or fitness for a particular purpose. To the extent permitted by applicable law, YIFAN, manufacturer, and seller disclaim and shall not be liable for any special, incidental, indirect, or consequential damages (including claims based on breach of warranty, contract, negligence, tort, strict liability or otherwise) resulting from the use, handling, application, storage, or disposal of this product or for damages in the nature of penalties, and the user and buyer waive any right that they may have to such damages. No agent, representative or employee of YIFAN is authorized to make any warranty, guarantee or representation beyond those contained herein or to modify the warranties contained herein.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE TOTAL LIABILITY OF YIFAN, MANUFACTURER, AND SELLER, SHALL BE LIMITED TO THE PURCHASE PRICE PAID, OR AT YIFAN'S ELECTION, THE REPLACEMENT OF THE PRODUCT.