U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Biopesticides and Pollution Prevention Division (7511P) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460	EPA Reg. Number: 95993-1	Date of Issuance: 12/19/2022	
NOTICE OF PESTICIDE:	Term of Issuance:	•	
X Registration Reregistration	Unconditional		
(under FIFRA, as amended)	Name of Pesticide Product:		
	GreeNeem Neem Oil 100% Cold Pressed		
Name and Address of Registrant (include ZIP Code):			
Greeneem Agri (P) Ltd. 3-229 Varalotti, Villipathir Post Virudhunagar, India 626-001			
Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Biopesticides and Pollution Prevention Division prior to use of the label in commerce. In any correspondence on this product, always refer to the above EPA Registration Number.			
On the basis of information furnished by the registrant, the above number the Federal Insecticide, Fungicide, and Rodenticide Act (FIF	-	hereby registered	
Registration is in no way to be construed as an endorsement or recommendation of this product by the U.S. Environmental Protection Agency (EPA). In order to protect health and the environment, the Administrator, on his or her motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under the Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.			
This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:			
1. Submit and/or cite all data required for registration or registration review of your product when EPA requires all registrants of similar products to submit such data.			
Signature of Approving Official:	Date:		
James Carter	12/1	9/2022	

For Andrew Bryceland, Team Leader Biochemical Pesticides Branch Biopesticides and Pollution Prevention Division (7511M) Office of Pesticide Programs EPA Form 8570-6

Page 2 of 2 EPA Reg. No. 95993-1 Action Case No. 00332032

- 2. Make the following labeling change before you release this product for shipment:
 - Revise the EPA Registration Number to read, "EPA Reg. No. 95993-1."
- 3. Submit one (1) copy of the final printed labeling for the record before you release this product for shipment.

Should you wish to add/retain a reference to your company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by EPA. If the website is false or misleading, the product will be considered to be misbranded and sale or distribution of the product is unlawful under FIFRA section 12(a)(1)(E). 40 CFR § 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should EPA find or if it is brought to our attention that a website contains statements or claims substantially differing from statements or claims made in connection with obtaining a FIFRA section 3 registration, the website will be referred to EPA's Office of Enforcement and Compliance Assurance.

Your release for shipment of this product constitutes acceptance of these terms. If these terms are not complied with, this registration will be subject to cancellation in accordance with FIFRA section 6. A stamped copy of the labeling is enclosed for your records. Please also note that the record for this product currently contains the following acceptable Confidential Statement of Formula (CSF):

• Basic CSF dated 09/23/2022

If you have any questions, please contact Alex Horansky via email at Horansky.alex@epa.gov.

Sincerely,

For Andrew Bryceland, Team Leader Biochemical Pesticides Branch Biopesticides and Pollution Prevention Division (7511M) Office of Pesticide Programs

Enclosure



GreeNeem® Neem Oil 100% Cold Pressed MASTER LABEL Sublabel A is for Agricultural Use Sublabel B is for Residential Use

GreeNeem[®] Neem Oil 100% Cold Pressed

Biological Fungicide/Insecticide/Miticide Nematicide

Anti-Feedant, Insect Repellent, Insect Growth Regulator, Mycelial Growth Inhibition

For use on floral and vegetable crops such as fruits, citrus, nuts, ornamentals, including roses, shrubs and foliage plants and agronomic crops such as hemp

Active Ingredient:	
Cold Pressed Neem Oil	100.0%
Other Ingredients	<u>0.0%</u>
Total	100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

READ ALL DIRECTIONS BEFORE USING THIS PRODUCT Consult attached booklet on back panel for Precautionary Statements, First Aid, Directions for Use, Storage, Disposal, and Warranty

Shake Well Before Use

NET CONTENTS: 8 FL. OZ. to 55 GALLONS

©GreeNeem Agri Pvt Ltd.

Manufactured by: GreeNeem Agri Pvt Ltd. 3-229, Varalotti, Villipathiri Post Virudhunagar, 626 001 IND EPA Reg No. EPA Est. No. 95993-IND-1 Batch No.

[BARCODE HERE]

GreeNeem® Neem Oil 100% Cold Pressed Sublabel A: Agricultural Use

GreeNeem[®] Neem Oil 100% Cold Pressed

Biological Fungicide/Insecticide/Miticide/Nematicide

Anti-Feedant, Insect Repellent, Insect Growth Regulator, Mycelial Growth Inhibitor

For use on floral and vegetable crops such as fruits, citrus, nuts, ornamentals, including roses, shrubs and foliage plants and agronomic crops such as hemp

FOR ORGANIC PRODUCTION



Active Ingredient:

Cold Pressed Neem Oil	100.0%
Other Ingredients	<u>0.0%</u>
Total	100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

READ ALL DIRECTIONS BEFORE USING THIS PRODUCT

Consult attached booklet on back panel for Precautionary Statements, First Aid, Directions for Use, Storage, Disposal, and Warranty

Shake Well Before Use

NET CONTENTS: 8 FL. OZ. to 55 GALLONS

©GreeNeem Agri Pvt Ltd.

Manufactured by: GreeNeem Agri Pvt Ltd. 3-229, Varalotti, Villipathiri Post Virudhunagar, 626 001 IND EPA Reg No. EPA Est. No. 95993-Batch No.

[BARCODE HERE]

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse. Wear long-sleeved shirt and long pants, shoes and socks, waterproof or chemical resistant gloves.

First Aid

If on skin or clothing:	 Remove contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call Poison Control Center or doctor for treatment advice. 	
	available when calling or visiting the doctor or Poison Control Center ational Pesticide Information Center: 1-800-858-7378	

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Shoes and socks
- Waterproof or chemical resistant gloves

Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions are available, wash with detergent and hot water. Store PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. When handlers use closed systems, enclosed cabs or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides (40CFR170.240(d) (4-6), the handler PPE requirements may be reduced or modified as specified in the WPS. IMPORTANT: When reduced PPE is worn because a closed system is being used, handlers must be provided all PPE specified above for "applicators and other handlers" and have such PPE immediately available for use in an emergency, such as a spill or equipment break-down.

ENVIRONMENTAL HAZARDS

Bee Hazard: This product is toxic to bees exposed to direct contact. Do not apply while bees are actively visiting the treatment area.

Terrestrial Uses: Do not apply directly to water or to areas where surface water is present, i.e. intertidal areas below the mean high-water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash or rinse water.

PHYSICAL AND CHEMICAL HAZARDS Flammable. Keep away from heat and open flame.

User Safety Recommendations

- Wash hands before eating, drinking, chewing gum, using tobacco or using thetoilet.
- Remove clothing immediately if contaminated with pesticide. Wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. Use product strictly in accordance with precautionary statements and directions, and with applicable state and federal regulations. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during product application. For any requirements specific to your state or tribe, consult the state or tribal agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), restricted- entry interval and notification to workers. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard (WPS).

Do not enter or allow entry into treated areas during the restricted entry interval (REI) of 4 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and involves contact with anything that has been treated, i.e. plants, soil, or water:

- Long-sleeved shirt and long pants
- Shoes and socks
- Waterproof or chemical resistant gloves

NON-AGRICULTURAL USE REQUIREMENTS

These requirements apply to uses of this product that are NOT within the scope of the WPS for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries or greenhouses. For other uses, including golf courses and other non-agricultural uses, do not enter treated areas without protective clothing until spray has dried.

PRODUCT MODE OF ACTION

GreeNeem® Neem Oil 100% Cold Pressed controls target pests primarily by ingestion and by contact. The modes of action on insects are repellence, anti-feeding action and interference with the molting process. GreeNeem® Neem Oil controls target diseases by inhibiting mycelial growth.

GENERAL INFORMATION

Read all directions before using this product.

Apply Product as directed to any food or non-food crop up to and including

the day of harvest, at a maximum rate of 3½ pints per acre (emulsified by using at least 11 fl. oz. of surfactant plus 40 gallons of water). In most cases, use a concentration of 0.5% in water plus surfactant. In case of severe infestation, use a 1.1% concentration. Do not use a concentration above 1.1%. Refer to the Mixing and Application Instructions for mixing and rate instructions and to Use Site Section for a complete listing of crops.

Do not store this product above 104°F or below 20°F for extended periods of time. Keep containers tightly closed and in original containers when not in use. Do not store exposed to ultraviolet light (sunlight) or moisture. Neem oil clouds and solidifies at temperatures below 59°F. If oil has solidified, gently thaw by exposing to temperatures over 80°F. Refer to thawing instructions below.

	If all has calledified, they by standing bottle in warm water. Make
1-Gallon bottles and smaller	If oil has solidified, thaw by standing bottle in warm water. Make sure cap is tightly closed. Avoid direct exposure to temperatures over 104°F. Alternatively, follow instructions #1 or 2 below for 55- gallon drums.
55-Gallon Drums	1. Set the drum (cap tightly closed) out in the sun in 80°F and over until melted. Do not expose to temperatures over 104°F. Move to a cool place after oil has melted.
	2. Set the drum (cap tightly closed) in a heated room, 80°F ⁺ until melted. Do not expose to temperatures over 104°F. Move to a cool place after oil has melted.
	3. Strap drum heating bands around drum, either one in the middle or one on top and one below. Set thermostat between 80-90°F

Avoid spraying under conditions of high humidity and high temperature (>90°F).

Do not introduce any kind of heating element into the drum and oil. This will destroy the active ingredients.

MIXING

GreeNeem® Neem Oil 100% Cold Pressed is pure neem oil and requires a surfactant/emulsifier, a non-ionic surfactant/emulsifier or other emulsifier for dilution with water. Note: Product must be diluted with water and a surfactant in order to form an emulsifiable spray. Do not attempt application without adding adequate quantity of surfactant as improper emulsification will result in phytotoxicity such as leaf burn.

• Use a concentration of 0.5% (1 part of Product to approximately 200 parts of water).

- In cases of severe infestation, use 1.1% (1.1 parts of Product to approximately 100 parts of water). Do not use a concentration above 1.1%.
- Do not attempt application without adding adequate quantity of surfactant as improper emulsification will result in phytotoxicity.
- Add the surfactant/emulsifier and product to a mixing tank with a water, and agitate. The ratio of surfactant to product must be in the ratio 1:5. For every pint of product, use at least 3 fl. oz. of surfactant. Then add the remaining water to the spray tank with continuous agitation. Use warm water if ambient temperature is below 60° F.
- Complete filling the tank with water. To prevent separation of the emulsion, mix thoroughly and continue agitation while spraying. Non-uniform mixing can cause crop injury or result in lowered effectiveness.
- For tank mixtures add components to the tank containing the spray mixture and agitating thoroughly. If tank mixture is allowed to sit, agitation is necessary prior to application.
- Adjusting the spray mixture pH between 5.5 and 7 will provide optimal performance.
- Always use this product promptly after mixing with water and do not let tank mix sit for any extended period. For optimal efficacy, use within 8 hours of mixing.

If the water is cold, use warm water to premix the product and surfactant/emulsifier in a small container. Shake or stir well till milky and then add to the remaining water in the spray tank. Agitate or mix well to make sure the oil is completely emulsified before spraying. Increase surfactant/emulsifier, if needed.

COMPATIBILITY: Along with the recommended quantity of surfactant or emulsifier, **GreeNeem® Neem Oil 100% Cold Pressed** is best applied independently, but has been found to be compatible with tank mixes including liquid fertilizers such a fish emulsion and adjuvants like karanja oil, cottonseed oil, sesame oil and castor oil. Always read and follow the directions for use, precautions and limitations for use on all product labels used in combination. Applications must follow the precautions and limitations of the most restrictive product label in the mixture. Do not exceed the dosage rates of any product. Check compatibility by using the correct proportion of the products in a small test container. Test the tank-mix combinations for possible adverse effects (such as settling out, flocculation, etc.) and for phyto-toxic effects on a small sample of plants prior to use. As environmental conditions can alter the interactions between compounds, in order to test for compatibility a test shall be conducted for both new and previously used combinations. Avoid mixtures of several materials and highly concentrated spray mixtures. Do not use if this oil does not form a uniform emulsion.

TANK MIX COMBINATIONS: The product in combination with the proper surfactant or emulsifier has been found to be compatible with most other tank mixes including fertilizers such as seaweed, kelp, fish emulsion and adjuvants like karanja oil, cottonseed oil and castor oil.

PHYTO-TOXICITY: When used according to label instructions, the product has been evaluated for phyto-toxicity on a wide range of crops and ornamentals. However, it is recommended that testing of a small portion of the area to be treated for phyto-toxicity be conducted before treating the entire area. Further, all possible mixtures of pesticide sprays, other fertilizers, surfactants, adjuvants, have not been tested. Therefore, testing for phyto-

toxicity of spray mixtures is recommended. Spray equipment used to apply must be thoroughly cleaned before use. Tank mix combinations of the product may be incompatible with other oil-based formulations.

APPLICATION INSTRUCTIONS

Spray when the onset of pests (see Pest List) is detected. When used as a foliar application, spray the product in a suitable high volume sprayer with adequate spray pressure to ensure complete and thorough coverage of the plant surfaces. Ensure that both the top and bottom of leaves are wet. For optimum results, repeat the applications at intervals of 7-10 days. Use higher rates and increase spray frequency when pest pressure is high. Spray early in the morning or in the evening for best results. Repeat application if it rains within four hours of spraying.

SPRAY DIRECTIONS

Apply the product as a foliar spray or as soil drench to control insects. When needed, soil drenches may also be used to control soil borne pests and larvae of pests. When applied as a soil drench, avoid excessive run off. The product may also be applied through sub-surface soil treatment equipment. Always follow equipment manufacturer's use directions. The product may be applied using any powered or manual pesticide application equipment which includes high volume, low volume, and ultra-low volume, electrostatic and fogging devices. Consult and follow the original manufacturer's instructions when using these types of equipment.

RATES

For most pest and crop conditions, use 1-2 pints/acre using a 0.5% concentration of product in water. Use at least 3 - 6 ½ fl. oz. of surfactant for emulsification, for example:

- 1 pint of product + 3 fl. oz of surfactant + 25 gallons of water
- 2 pints of product + 6 1/2 fl. oz. of surfactant + 50 gallons of water

In the case of very heavy pest pressure, use up to 3½ pints per acre in a 1.1% concentration of the product in water. Use at least 11 fl. oz. of surfactant for emulsification, i.e.

• 3 ¹/₂ pints of product + 11 fl. oz. of surfactant + 40 gallons of water.

When used alone (without fertilizers or other pesticides) for sensitive crops such as lettuce, spinach and asparagus, use 6 fluid ounces per acre of product for a 0.5% concentration in water. Use 1 fl. oz. of surfactant for emulsification. The amount of product may be reduced by 50% when tank mixed with other compatible products.

Agricultural Insect Control		
Spray Target	% Concentration (Neem Oil to Water Ratio)	Spray Intervals
Citrus, Pome, Stone and Tropical Fruits	0.5% to 1.1% (1:200 to 1.1:00)	7 to 14 days
Cucurbits	0.5% to 1.0% (1:200 to 1:100)	7 to 14 days
Small Fruits And Berries	0.5% to 1.0% (1:200 to 1:100)	7 to 14 days
Nuts	0.5% to 1.1% (1:200 to 1.1:00)	7 to 14 days
Legumes and Fruiting Vegetables	0.5% to 1.0% (1:200 to 1:100)	7 to 14 days
Roots and Tuber Vegetables	0.5% to 1.0% (1:200 to 1:100)	7 to 14 days
Vegetable , Cereal Grains & Other Misc. Crops	0.5% to 1.0% (1:200 to 1:100)	7 to 14 days

Insect Use

Fungicide Use

GreeNeem® Neem Oil 100% Cold Pressed controls powdery mildew, Botrytis, and suppresses stem mildew and sour rot on grapes. Do not apply with any sulfur or sulfur containing products within 14 days of an application.

Disease	Concentration	Rate	Spray Interval
Powdery Mildew, rust, blackspot	Dilution Ratio of 1:50 or 2.0% neem oil to water	2.5 Tbsps.per gallon of water.	10-14 days from pre- bloom through veraison
Botrytis on grapes.		gallon of water.	Spray at bloom, pre- bunch closure, veraison and 14 days after veraison

USE SITES

CROP USES – Use on crops and crop groupings such as: Alfalfa, Beans, Berries (including strawberries), Brassicas, Bulb Vegetables, Cereal Grains, Citrus fruits, Cole Crops, Cotton, Cucurbits, Fruits, Grapes, Hemp, Herbs, Legumes (including soybeans), Leafy and Fruiting Vegetables, Peanuts, Roots and Tubers (including potatoes), Pome and Stone Fruits, Tobacco, Tree Nuts and Tropical Fruits.

Other Plants – Use on other plantings including ornamentals, nurseries, fence rows and turf, i.e. golf courses, parks, and other grass areas.

TARGET PESTS - INSECTS and DISEASES

Aphids	Cotton Aphid, Cowpea Aphid, Green Peach Aphid, Mustard Aphid, Okra Aphid, Pea Aphid, Rice Aphid
Beetles	Brinjal (Egg Plant) Spotted Leaf Beetle, Chick Pea Beetle, Cow Pea Beetle, Colorado Potato Beetle, Cucumber Beetle, Mexican Bean Beetle, Radish Flea Beetle, Red Pumpkin Beetle, Spotted Cucumber Beetle, Soybean Japanese Beetle
Stink Bugs	Tomato Stink Bugs

Caterpillars	Black Headed Caterpillar, Cabbage Caterpillar, Ear Cutting Caterpillar, Tobacco Caterpillar, Yellow Hairy Caterpillar ,Fall Armyworm
Leafhoppers	Brown Plant Hopper, Carolina Grasshopper, Leafhopper, Potato
Leafminers	Leafminers of Ornamental Plants, Tomato Leafminer
Whiteflies	Cotton Whitefly, Sugarcane Whitefly, Banded Wing Whitefly, Citrus Whitefly
Mealy Bugs	Mealy Bugs of Ornamental Plants and Grapes
Midges	Brassica Pod Midge
Mites	Spider Mites
Nematodes	Root Knot Nematodes, [Soybean Cyst Nematodes*]
Weevils	Black Vine Weevil
Scales	California Red Scale, Yellow Scale, Coffee Green Scale
Thrips	Peanut Thrips, Grape Thrips
Fungal Disease	Powdery Mildew, Stem Mildew, Botrytis, Sour Rot, Black Spot

* Except in California

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by pesticide storage or disposal.

PESTICIDE STORAGE: Do not store this product above 104°F or below 20°F for extended periods. Keep containers tightly closed and in original containers when not in use. Do not store exposed to sunlight or moisture. Neem oil clouds and solidifies at temperatures below 59°F. If oil has solidified, gently thaw by exposing to temperatures over 80°F. Store in such a manner to prevent cross contamination with other pesticides, fertilizers, food and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Keep container closed when not in use.

PESTICIDAL DISPOSAL: To avoid waste, use all material in this container by application according to label directions. If waste cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by state or local governments or by industry).

CONTAINER DISPOSAL: This is a non-refillable container. Do not reuse or refill this container. Offer for recycling, if available.

Five Gallon or Smaller Containers: Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty remaining contents into application equipment or mix tank. Fill the container ¹/₄ with water and recap. Shake for 10 seconds. Pour rinse into application equipment or a mix tank or store rinse for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Containers Larger than Five Gallons: Triple rinse as follows -Empty remaining contents into application equipment or mix tank. Fill container ¹/₄ with water. Replace and tighten closures. Tip container on its side and roll back and forth, ensuring at least one complete revolution for 30 seconds. Stand the container on end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinse into application equipment or mix tank or store rinse for later use or disposal. Repeat procedure two more times.

NOTICE ON CONDITIONS OF SALE

By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Seller. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, Seller makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond the statements made on this label. No agent of Seller is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Seller disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid or at Seller election, the replacement of product.

GreeNeem® Neem Oil 100% Cold Pressed Sublabel B: Residential Use

GreeNeem[®] Neem Oil 100% Cold Pressed Biological Fungicide/Insecticide/Miticide/Nematicide

Anti-Feedant, Insect Repellent, Insect Growth Regulator, Mycelial Growth Inhibitor

For use on floral crops and vegetables

fruits, citrus, nuts, hemp, and ornamentals, including roses, shrubs and foliage plants

4 in 1 Multi-Purpose Protection

V FOR ORGANIC GARDENING



Active Ingredient	
Cold Pressed Neem Oil	
Other Ingredients	<u>0.0%</u>
Total	100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

READ ALL DIRECTIONS BEFORE USING THIS PRODUCT

Shake Well Before Use

See attached booklet on back panel for additional precautionary statements, first aid, directions for use, storage, disposal, and warranty

NET CONTENTS: 8 FL. OZ. to 5 GALLONS

©GreeNeem Agri Pvt Ltd.

Manufactured by: GreeNeem Agri Pvt Ltd. 3-229, Varalotti, Villipathiri Post Virudhunagar, 626 001 IND EPA Reg No. EPA Est. No.95993-IND-1 Batch No.

[BARCODE HERE]

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse. Wear long-sleeved shirt and long pants, shoes and socks, waterproof or chemical resistant gloves.

First	Aid

If on skin or clothing:	 Remove contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call Poison Control Center or doctor for treatment advice. 	
	available when calling or visiting the doctor or Poison Control Center ational Pesticide Information Center: 1-800-858-7378	

ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run-off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure wind or rain does not blow or wash pesticide from treatment area. Rinsing application equipment over the treated area will help avoid run-off to water or drainage systems.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

GENERAL INFORMATION

GreeNeem® Neem Oil 100% Cold Pressed controls target pests on contact or by ingestion. The product acts on pests by way of repellence, anti-feedant action and interference with the molting process. The buyer or user is reminded that the degree of efficacy of the product is largely dependent on weather conditions, intensity of pest population, area of application, type of pest, and physical stages of pests and crops.

Do not store this product above 104°F or below 20°F for extended periods of time. Keep containers tightly closed and in original containers when not in use. Do not store exposed to ultraviolet light (sunlight) or moisture. Neem oil clouds and solidifies at temperatures below 59°F. If oil has solidified, gently thaw by exposing to temps over 80°F.

Avoid spraying under conditions of high humidity and high temperature (>90°F).

THAWING (MELTING) INSTRUCTIONS

Thaw (melt) solidified or frozen oil as suggested below:

8oz., 32 oz and 1-Gallon bottles	If oil has solidified, thaw by standing bottle in warm water. Make sure
	cap is tightly closed. Or set out in temps over 80°F. Avoid direct
	exposure to temperatures over 104°F.

MIXING INSTRUCTIONS

GreeNeem® Neem Oil 100% Cold Pressed contains pure cold pressed Neem Oil and requires a surfactant/emulsifier, a non- ionic surfactant/emulsifier or other organic emulsifier for dilution with water. NOTE: Do not attempt application without adding adequate quantity of surfactant/emulsifier as improper emulsification will result in phyto-toxicity such as leaf burn.

Add the surfactant/emulsifier and product to a mixing tank or spray bottle with a little water and agitate thoroughly. Then add remaining water to the spray tank or spray bottle with continuous agitation. Use warm water (not hot) if water temperature is below 60°F.

Use Sites: May be used on various plants including beans, berries, corn, citrus trees, cole crops, cucurbits, herbs, fruit and nut trees, vegetables, roots and tubers, grass, lawns and ornamentals.

Use Rates: For best results, apply at 0.5-2.0% (2.0% only for trees, other applications 0.5% to 1.0%) plus surfactant or emulsifier in sufficient amounts of water to achieve complete coverage GreeNeem® Neem is most effective when applied before insects or eggs are present in large numbers. Repeat application every 7 to 14 days.

Spray Directions: Apply as a foliar spray or as soil drench to control insects. When needed, soil drenches can also be used to control soil borne pests and larvae of pests. When applied as a soil drench, avoid excessive run-off.

Concentration	Fluid Ounces (oz) Neem Oil per Gallon Water	Tablespoons (approx.) per Gallon Water	Surfactant (approx.) RecommendatioN
0.5%	1⁄2 OZ	1½ Tbs	¹ ⁄₂ − ¹ ∕₂ teaspoon
1.0%	1½ oz	21⁄2 Tbs	$\frac{1}{2} - 1\frac{1}{2}$ teaspoon
2.0% (trees only)	21⁄2 oz	5 Tbs	1½ – 2½ teaspoon

Instructions for 1 Gallon Sprayer

Instructions for 32 oz. (1 Qt.) Spray Bottle

Concentration	Teaspoons (approx.) Neem Oil per 32 ozs. (1 Qt) Water	Surfactant (approx.) Recommendation
0.5%	1 teaspoon	1/12 - 1/6 teaspoon
1.0%	2 teaspoons	1/6 – ½ teaspoon
2.0% (trees only)	4 teaspoons	½ – ½ teaspoon

- 1. Use adequate amount of surfactant/emulsifier to form a good emulsion. Initially, use 1/2 to 1 teaspoon surfactant/emulsifier per ounce of product Use more as needed.
- 2. Amount of surfactant/emulsifier required varies according to the nature of the emulsifier/surfactant used. Start with a smaller quantity and increase as needed to create a milky solution with no oil floating on the surface of the solution.

PESTS

Aphids	Cotton Aphid, Cowpea Aphid, Green Peach Aphid, Mustard Aphid, Okra Aphid, Pea Aphid, Rice Aphid
Beetles	Brinjal (Egg Plant) Spotted Leaf Beetle, Chick Pea Beetle, Cow Pea Beetle, Colorado Potato Beetle, Cucumber Beetle, Mexican Bean Beetle, Radish Flea Beetle, Red Pumpkin Beetle, Spotted Cucumber Beetle, Soybean Japanese Beetle
Stink Bugs	Tomato Stink Bugs
Caterpillars	Black Headed Caterpillar, Cabbage Caterpillar, Ear Cutting Caterpillar, Tobacco Caterpillar, Yellow Hairy Caterpillar
Leafhoppers	Brown Plant Hopper, Carolina Grasshopper, Leafhopper, Potato Leafhopper, Rice Brown Plant Hopper, Rice Grasshopper, Rice Green
	Leafhopper, Grape Leafhopper
Leafminers	Leafminers of Ornamental Plants, Tomato Leafminer
Whiteflies	Cotton Whitefly, Sugarcane Whitefly, Banded Wing Whitefly, Citrus Whitefly
Mealy Bugs	Mealy Bugs of Ornamental Plants and Grapes
Midges	Brassica Pod Midge
Mites	Spider Mites
Nematodes	Root knot nematodes, [Soybean Cyst Nematodes*]
Weevils	Black Vine Weevil
Scales	California Red Scale, Yellow Scale, Coffee Green Scale
Thrips	Peanut Thrips, Grape Thrips
Diseases	Powdery Mildew, Stem Mildew, Botrytis, Sour Rot on Grapes
* Excont in Cali	

* Except in California

STORAGE AND DISPOSAL

Store in a cool dry place out of reach of children and pets and away from direct sunlight, windows, flames and other sources of heat or ignitions. Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE: Research and testing have determined the "Directions for Use" are appropriate for the proper use of this product under expected conditions. To the extent consistent with applicable law, user assumes responsibility for the lack of performance or safety if not used as directed.

[Optional Marketing Claims]

- [Use] The Power of Neem
- [Cold Pressed] [Pure] Neem Oil
- Derived From Neem
- Plant-based [biopesticide] [spray]
- Botanical insecticide and fungicide
- Non-toxic [mode of] action
- Ready-to-Use [spray] [formula]
- Protect your plants from insects and diseases
- [4-in-1,] multi-purpose product fungicide, insecticide, miticide and nematicide
- [For] Use as part of an Integrated Pest Management [program][strategy]
- GreeNeem Neem Oil 100% Cold Pressed is an effective biological fungicide, insecticide, miticideand nematicide for organic gardening use on vegetables, tree fruits, nuts and vines, citrus, ornamental flowers, shrubs and trees, grass lawns, and houseplants.
- For use on vegetables, [fruits,] [nuts,] [vines,] [citrus,] [ornamental plants,] [shrubs and trees,] [grass lawns,] [houseplants]
- [Also] controls aphids, [beetles,] [stink bugs,] [caterpillars,] [leafhoppers,] [leafminers,] [whiteflies,] [mealy bugs,] [midges,] [spider mites,] [nematodes,] [weevils,] [scales,] [and] [&] [thrips] [other listed insects and nematodes]
- Controls powdery mildew, botrytis, [stem mildew,] [and] [&] [sour rot]
- Use for the prevention and control of various fungal diseases such as powdery mildew, botrytis, stem mildew and others as listed on label.
- Can be applied up to day of harvest [as a [4 in 1,] multi-purpose product [– fungicide, insecticide, miticide and nematicide]]
- For use in and around home and home garden
- Peel Here for Directions & Precautions
- Concentrate
- [8 fl. oz. concentrate] [this bottle] makes up to 11 gallons
- [12 fl. oz. concentrate] [this bottle] makes up to 16 gallons
- [16 fl. oz. concentrate] [this bottle] makes up to 21 gallons
- [24 fl. oz. concentrate] [this bottle] makes up to 32 gallons
- [32 fl. oz. concentrate] [this bottle] makes up to 43 gallons
- [128 fl. oz. concentrate] [this container] makes up to 172 gallons
- [320 fl. oz. concentrate] [this container] makes up to 430gallons