



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Biopesticides and Pollution Prevention Division (7511M)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

99765-2

Date of Issuance:

2/14/2025

NOTICE OF PESTICIDE:

☒ Registration

☐ Reregistration

(under FIFRA, as amended)

Term of Issuance:

Unconditional

Name of Pesticide Product:

Karbicure RTU

Name and Address of Registrant (include ZIP Code):

Agronaturalis Ltd.
Suite 2 Crown House
2 Southampton Rd
Ringwood Hampshire
BH24 1HY United Kingdom

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Biopesticides and Pollution Prevention Division prior to use of the label in commerce. In any correspondence on this product, always refer to the above EPA Registration Number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide, and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the U.S. Environmental Protection Agency. In order to protect health and the environment, the Administrator, on his or her motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under the Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration or registration review of your product when the EPA requires all registrants of similar products to submit such data.

Signature of Approving Official:

Andrew Bryceland, Team Leader
Biochemical Pesticides Branch
Biopesticides and Pollution Prevention Division (7511M)
Office of Pesticide Programs

Date:

2/14/2025

2. Make the following labeling change before you release this product for shipment:
 - Revise the EPA Registration Number to read, "EPA Reg. No. 99765-2."
3. Submit one (1) copy of the final printed labeling for the record before you release this product for shipment.

Should you wish to add/retain a reference to your company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the EPA. If the website is false or misleading, the product will be considered to be misbranded, and sale or distribution of the product is unlawful under FIFRA section 12(a)(1)(E). 40 CFR § 156.10(a)(5) lists examples of statements the EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the EPA find or if it is brought to our attention that a website contains statements or claims substantially differing from statements or claims made in connection with obtaining a FIFRA section 3 registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

Your release for shipment of this product constitutes acceptance of these terms. If these terms are not complied with, this registration will be subject to cancellation in accordance with FIFRA section 6. A stamped copy of the labeling is enclosed for your records. Please also note that the record for this product currently contains the following acceptable Confidential Statements of Formula (CSFs):

- Basic CSF dated 05/24/2023
- Alternate CSF #1 dated 05/24/2023
- Alternate CSF #2 dated 05/24/2023
- Alternate CSF #3 dated 05/24/2023
- Alternate CSF #4 dated 05/24/2023
- Alternate CSF #5 dated 05/24/2023
- Alternate CSF #6 dated 05/24/2023
- Alternate CSF #7 dated 05/24/2023
- Alternate CSF #8 dated 05/24/2023
- Alternate CSF #9 dated 05/24/2023

Page 3 of 3

EPA Reg. No. 99765-2

Action Case No. 00419557

If you have any questions, please contact Menyon Adams by phone at (202) 566-1604 or via email at adams.menyon@epa.gov.

Sincerely,

A handwritten signature in blue ink, reading "Andrew C. Bryceland". The signature is fluid and cursive, with the first name "Andrew" and last name "Bryceland" clearly legible.

Andrew Bryceland, Team Leader
Biochemical Pesticides Branch
Biopesticides and Pollution
Prevention Division (7511M)
Office of Pesticide Programs

Enclosure

Karbicare RTU


[ABN: Armicarb Spray/Karbicare Spray/Jardizen Armicarb Spray]

For use as a home & garden fungicide

Karbicare RTU can be used for disease control on a range of Ornamentals: Annual and Perennial Flowers, Bedding Plants, Foliage Plants, Cut Foliage and Flowers, Ground Covers, Woody and Ornamental Shade Trees, Woody and Herbaceous Ornamentals, Ornamental Nut and Fruit Trees also Vegetables, Herbs and Flowers for seed production.

Karbicare RTU can be used on a wide range of edible crops in residential Greenhouses, Orchards, Nurseries, as well as Garden situations for disease control.

Karbicare RTU can also be used for disease control on residential turf and lawns.



ACTIVE INGREDIENT:

Potassium Bicarbonate..... 0.425%

OTHER INGREDIENTS:..... 99.575%

TOTAL 100.0%

Keep Out of Reach of Children

CAUTION

EPA Reg. No. 99765 -

EPA Est. No.

Net Weight:

Lot No:

Manufactured for:
Agronaturalis Ltd.
Suite 2 Crown House
2 Southampton Rd
Ringwood Hampshire
BH24 1HY United Kingdom

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none"> • Call poison control center or doctor immediately for treatment advice. • Have person drink several glasses of water. • Do not induce vomiting. • Do not give anything by mouth to an unconscious person.
IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-255-3924 for emergency medical treatment information.	

PRECAUTIONARY STATEMENTS**HAZARD TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters. [For containers greater than 50 lbs: Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer system without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.]

PERSONAL PROTECTIVE EQUIPMENT

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Shoes plus socks

Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Karbicure RTU is a ready-to-use product, no dilution is required.

Pull the trigger and apply evenly on leaves and fruits.

The product can be used preventively or curatively (maximum 12h after infection).

High humidity during and/or after application promotes the efficacy of the product.

Disease control may be reduced when conditions are very dry or after rain.

In case of greater than 1 inch of rain, it is necessary to repeat the treatment to ensure good protection.

Before spraying the whole plants, test a small area of plant to ensure the absence of phytotoxicity.

Rinse harvested products before eating.

Do not apply at temperatures greater than 80°F in vegetable crops, herbs and berries and in greenhouses.

Allow at least 7 days between applications on all crops.

It is recommended to apply Armicarb Spray either in the morning or in the evening when the humidity is high.

California Uses Are Listed In A Separate Section.**Ornamental Plant Types**

Karbicure RTU is for use on the following plant types: Annual and Perennial Flowers, Bedding Plants, Foliage Plants, Cut Foliage and Flowers, Ground Covers, Woody and Ornamental Shade Trees, Woody and Herbaceous Ornamentals, Ornamental Nut and Fruit Trees and Vegetables, Herbs and Flowers for seed production.

For Use On

Ageratum, Ajuga, Almond-Ornamental, Alyssum, Andromeda, Aphelandra, Apple-Ornamental, Apricot-Ornamental, Artemisia, Aster, Azalea, Begonia, Boxwood, Calendula, Carnation, Centaurea montana, Cherry-Ornamental, Chrysanthemum, Cineraria, Citrus, Coleus, Columbine, Coral Bells (Heuchera), Clematis, Crabapple-Ornamental, Crape Myrtle, Crassula, Croton, Daylily, Delphinium, Dianthus, Dizygotheca, Dogwood, English Ivy, Episcia, Euonymus, Fern, Fir, Forsythia, Gazania, Geranium, Gerbera daisy, Ginseng, Gladiolus, Gloxinia, Gypsophila, Hawthorn, Heliopsis scabra, Hibiscus, Holly, Hoya, Hydrangea, Impatiens*, India hawthorn, Iris, Juniper, Kalanchoe, Lavender, Lemon balm, Lilac, Lipstick balm, Lipstick Vine (Aeschynanthus), Marigold, Monarda (Bee balm), Nectarine-Ornamental, Pachysandra, Palm, Pansy*, Peach-Ornamental, Peony, Peperomia, Periwinkle, Philodendron, Phlox, Photinia, Pilea, Pine, Pittosporum, Plum-Ornamental, Poinsettia*, Poppy, Pothos, Primrose, Privet, Protea, Prune-Ornamental, Pulmonaria, Pyracantha, Rhododendron,

Rose, Rose-of-Sharon, Schefflera, Snapdragon, Spruce, Statice, Tree Ivy, Verbena, Viburnum, Violet, Zinnia.

Diseases Controlled

Alternaria blight, Anthracnose, Ascochyta blight, Black spot, Botrytis blight, Botrytis gray mold, Cercospora leaf spot, Corynespora leaf spot, Didymellina leaf spot, Diplodia tip blight, Entomosporium leaf spot, Fusarium, Helminthosporium leaf spot, Ink spot, Monilinia fruit and blossom rot, Ovulinia sp., Penicillium spp., Phomopsis blight, Powdery mildew, Ramularia leaf spot, Ray blight, Rust, Scab, Septoria leaf spot.

Special Instructions

Poinsettia - For the control of high powdery mildew, apply weekly during vegetative growth prior to bract formation, and apply every 7- 14 days thereafter. Impatiens - apply during vegetative growth; discontinue spraying when blossom buds are visible. Pansy - Do not use on pansies at early stages of growth.

EDIBLE PLANT APPLICATIONS

Karbicure Spray is for use in the following use sites: residential Greenhouses, Orchards, Nurseries, as well as Garden situations.

For Use On

Acorn squash, Alfalfa, Almonds, Apples, Apricots, Artichokes, Avocado, Barley, Basil, Blueberries, Broccoli, Cabbage, Caneberries, Cantaloupe, Carrot, Cauliflower, Celery, Cherries, Chicory, Citrus, Crabapple, Crenshaw melon, Cucumber, Dry Beans, Dry Onion, Eggplant, Endive, Escarole, Guerkin, Grapes, Green Onion, Honeydew, Hops, Kale, Lambs lettuce, Lettuce, Lima bean, Mango, Melon, Muskmelon, Mustard greens, Nectarines, Okra, Onion, Oregano, Peaches, Pears, Peas, Pecans, Peppers, Pistachio, Plums, Potatoes, Prunes, Pumpkin, Radicchio, Rosemary, Sage, Scallion, Snap beans, Snow peas, Soybeans, Spinach, Strawberries, Sugar Beets, Summer squash, Sweet potatoes, Thyme, Tobacco, Tomatoes, Turnip, Walnut, Watermelon, Wheat, Winter squash, Zucchini.

Diseases Controlled

Alternaria leaf spot/end rot/fruit rot, Colletotrichum anthracnose, Botrytis, Cercospora leaf spot, Schizothyrium fly speck, Fusarium, Gloeodes sooty blotch, Glomerella spot anthracnose, Monilinia fruit and blossom rot, Penicillium spp., Phoma, Phomopsis blight, Powdery mildew, Scab, Septoria leaf spot.

RESIDENTIAL TURF AND LAWN APPLICATIONS

For Use On

Bentgrass, Bermudagrass, Bluegrass (Kentucky, annual), Centipedegrass, Fescue (fine, tall, chewings, red), Ryegrass (perennial, annual), St. Augustinegrass, Zoysiagrass.

Diseases Controlled

Alternaria leaf spot, Anthracnose, Ascochyta blight, Brown blight, Cercospora leaf spot, Dollar spot, Helminthosporium leaf spot, Powdery mildew, Rust, Septoria leaf spot.

CALIFORNIA USE**For Use On**

Acorn squash, Almonds, Apples, Apricots, Cantaloupe, Cherries, Chicory, Crenshaw Melon, Cucumber, Endive, Escarole, Grapes, Honeydew, Lettuce, Muskmelon, Peaches, Pears, Peppers, Pistachio, Plums, Prunes, Pumpkin, Radicchio, Rose, Spinach, Strawberries, Summer squash, Tomatoes, Walnut, Watermelon, Winter squash, Zucchini.

Diseases Controlled

Powdery mildew.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container in a cool, dry place. Prevent exposure to moisture. Keep container tightly closed and out of the reach of children. Avoid contamination with other pesticides or fertilizers.

PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incinerations, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

[See Container for Batch Code]

WARRANTY

Agronaturalis, Ltd warrants that the material contained herein conforms to the description on the label and is reasonably fit for the purpose referred to in the directions for use. Timing and method of application, weather, watering practices, nature of soil, the disease problem, condition of the crop, incompatibility with other influencing factors in the use of this product are beyond the control of the seller. To the extent consistent with applicable law, buyer assumes all risks of use, storage, or handling of this material not in strict accordance with directions given herein. NO OTHER EXPRESS OR IMPLIED WARRANTY OF THE FITNESS OR MERCHANTABILITY IS MADE.