



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

April 24, 2025

Catherine Rice
Country Manager US – GSS Portfolio
Environmental Science US, LLC
5000 CentreGreen Way, Suite 400
Cary, NC 27513

Subject: Label Amendment - Registration Review Mitigation for Bifenthrin
Product Name: TALSTAR 0.086 LAWN GRANULAR INSECTICIDE WITH FERTILIZER
XX-XX-XX¹
EPA Registration Number: 101563-254
Application Date: March 24, 2021
Decision Number: 572674
Case Number: 00482319

Dear Catherine Rice,

The Agency, in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, has completed reviewing all the information submitted with your application to support the Registration Review of the above referenced product in connection with the *Bifenthrin Interim Registration Review Decision*, and has concluded that your submission is acceptable. The label referred to above, submitted in connection with registration under FIFRA, as amended, is acceptable.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling and must be used at your next label printing. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

If you have any questions about this letter, please contact Samantha Thomas by phone at 202-566-2368, or via email at thomas.samantha@epa.gov.

Sincerely,

A handwritten signature in blue ink that reads "Cathryn Britton". The signature is fluid and cursive, with the first name and last name clearly distinguishable.

Cathryn Britton
Chief, Risk Management and Implementation
Branch V
Pesticide Re-evaluation Division (7508M)
Office of Pesticide Programs

ENCLOSURE: Stamped label

[FRONT PANEL]


TALSTAR®

0.086 Lawn Granular Insecticide with Fertilizer XX-XX-XX¹

[photo: beautiful lawn] or [photo: insects and photo: grass]

Optional Branding

- Lawn Pro(R)® “Available only at authorized Scotts® Lawn Pro® retailers”
- Step 3™
- Our Best Annual Program- Scotts- LawnPro 4-Step Program
- Lawn Pro®
- (Scotts®)
- Turf Builder® with SummerGuard™
- Super Turf Builder® with SummerGuard™
- Turf Builder¹ with SummerGuard (¹ Zero-Phosphorus Formula)



Optional Product Descriptor

- Summer Lawn Fertilizer and Insect Control
- Insect Control with Fertilizer
- Insect Control with Lawn Fertilizer
- Insect Control Plus Lawn Fertilizer
- STEP™ 3 Insect Control Plus Lawn Fertilizer

Optional Front Panel Claims:

- Builds thick, green turf from the roots up without burning your lawn
- Kills listed surface insects that cause your lawn to thin and turn brown
- Feeds and strengthens your lawn against heat and drought
- Corrects lawn insect problems [for grub control, use Scotts® GrubEx®]
- For best results, apply a Scotts Annual Lawn Care Program™ (see back for details)
- Apply in Summer: [June – August] / [Jun/Jul/Aug]
- Thicker, greener turf – satisfaction guaranteed
- Formulated with Scotts® Poly S® timed-release fertilizer, used by Landscape Professionals
- Controls chinch bugs, sod webworms (lawn moth), fleas, ticks (including ticks that may transmit Lyme Disease), and other lawn pests listed on the back
- Contains both readily available nitrogen for quick green-up and controlled release nitrogen for uniform growth and extended feeding
- Kills Listed Insects, Builds Thick, Green Lawns
- Kills Listed Insects & Feeds Your Lawn
- Heat-friendly formula won't burn your lawn...GUARANTEED!
- Feeds your lawn and controls ants, fleas, ticks and listed lawn damaging insects
- Strengthens [your] lawn against heat and drought
- Helps lawn lock in/retain/hold water/moisture to protect against heat and drought
- Apply in summer when bugs are present
- Apply in summer if bugs are a problem
- Apply in summer when bugs are a problem
- Improves lawn's ability to absorb water and nutrients
- Builds stronger, deeper roots for more effective water use
- Helps protect lawn against heat and drought

¹ Note to EPA Reviewer – The fertilizer value will be filled in to match the Confidential Statement of Formula values.

- Kills listed bugs/insects
- Kills and protects against listed bugs/insects
- Kills listed damaging insects
- Feeds and strengthens against heat and drought
- Water Smart [makes the most of every drop]
- With Water Smart Crystals
- Won't burn lawn guaranteed
- Resealable bag
- Easy open/close
- **insert photo/illustration: ants, chinch bug, fleas, sod webworm, ticks, lawn moth**

Optional Coverage Statements:

Treats/ Feeds/ Covers 5,000 square feet

Net Wt. 13.35 lb (6.06 kg)

EPA Reg. No. 101563-254

EPA Est. ^x

Subscript used is first letter of run code on end of container

Active Ingredient:	By Wt.
Bifenthrin[=][*]	0.086%
Other Ingredients:.....	<u>99.914%</u>
	100.000%

=CAS# 82657-04-3

*CIS isomers 97% minimum, trans isomers 3% maximum.

[U.S. Patent No. X,XXX,XXX]

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional precautionary statements [and directions for use.][See back for directions.] [optional text]

XX-XX-XX (insert analysis here)

PRODUCED FOR
Environmental Science U.S., LLC
5000 CentreGreen Way, Suite 400
Cary, NC 27513

[LEFT GUSSET]

[UPC Code]	Feeds and Treats XX,XXX Square Feet	(Branding)	TALSTARr 0.086 Lawn Granular Insecticide with Fertilizer	(XXXX – stock number)
------------	--	------------	--	-----------------------

[RIGHT GUSSET]

[UPC Code]	Feeds and Treats XX,XXX Square Feet	(Branding)	TALSTAR 0.086 Lawn Granular Insecticide with Fertilizer	(XXXX – stock number)
------------	--	------------	---	-----------------------

**(Scotts®)
Turf Builder®
WITH
SummerGuard™**

The Scotts Advantage™: All-in-One Particles deep feed and protect every square inch of your lawn.

Harsh summer elements such as heat and drought can make your lawn thin, brown, and weak, leaving it vulnerable to insect attacks. When used with a regular watering program, Turf Builder® with SummerGuard™ strengthens and protects your lawn against these warm weather problems. Its unique summer formula deep feeds your turf so that it can grow thicker and greener in hot weather, while at the same time controlling both nuisance and lawn-damaging insects. Plus, every particle in Turf Builder® with SummerGuard™ contains both fertilizer and insect control – giving every square inch of your lawn the nourishment and protection it needs.

[Before/After photo]

Without
Turf Builder® with SummerGuard™

With
Turf Builder® with SummerGuard™

Heat, drought and insect damage, as seen in the photo on the left, can be controlled by using Turf Builder® with SummerGuard™

[BACK PANEL] [DIAGONAL LINE – SCISSORS ART]

-----CUT HERE TO OPEN-----

Optional Back Panel Claims

For best results, apply Scotts Annual Lawn Care Program™.

- Start the program at any time.
- Allow 2 months between applications.

The phrase “Scotts Annual Lawn Care Program” is a trademark of The Scotts Company and its related companies.

Choose the Right Product for the Situation

If you don’t have any insect problem, your lawn still needs a deep summer feeding to keep it thick and green. Apply Scotts® Turf Builder Lawn Fertilizer in the summer and spot treat for insects with Ortho® Bug-B-Gon® Max™ products as necessary.

Take the guesswork out of lawn care

For customized Scotts annual Lawn Care program for your area, visit scotts.com. Sign up for our free Scotts Lawn Care E-mail reminder service. Receive timely tips about what products to use and when to apply them for your best lawn ever.

The Scotts Advantage™: All-in-One* Particles™

All-in-One* Particles™ contain plant nutrients and Scotts® exclusive insect control ingredient. Scotts® provides consistent feeding and insect control to every square inch of turf for a thick, green lawn. Guaranteed!

[Art] TALSTAR 0.086 Lawn Granular Insecticide With Fertilizer

All-in-One* Particles™ contain nutrients and Scotts® exclusive insect control ingredient for a thick, green lawn – guaranteed!

*All-in-One = nitrogen, phosphorous, potassium and the insect control ingredient contained in every particle.

OR

(Scotts®) Value-Priced Annual Program*

To improve your lawn, apply the Scotts Lawn Pro Value-Priced Annual Program. Start anytime! Just check the month and apply products at two-month intervals.

*For an even better lawn, consider Scotts Best Annual Program, which provides more feeding and weed control. Your Lawn Pro retailer can help you with this selection.

[Illus. – Lawn Pro Crabgrass Preventer plus Lawn Fertilizer, Lawn Pro Weed and Feed, Lawn Pro Insect Control plus Lawn Fertilizer, Lawn Pro Lawn Fertilizer, Lawn Pro Super Winterizer]

(Scotts®) Lawn Pro® Annual Program
Now it's easy for you to have a better lawn!

Start Anytime

You can begin the Annual Program anytime of the year. Just check the month and select the appropriate STEP™ listed. Apply the remaining STEPs™ at two-month intervals.

Simple and Easy

No more guesswork! You simply apply the right product – one STEP at a time.

Guaranteed Results

Each STEP™ is designed for the specific season to help give you a greener lawn.

OR

[ILLUS. The 4 STEP products listed below]

(Scotts®) 4 STEP™ Program
Now it's easy for you to have a better lawn!

Start Anytime

You can begin the Annual Program anytime of the year. Just check the month and select the appropriate STEP™ listed. Apply the remaining STEPs™ at two-month intervals. If weeds or bugs are not a problem, substitute STEP™ 4 Lawn Fertilizer.

Simple and Easy

No more guesswork! You simply apply the right product – one STEP at a time.

Guaranteed Results

Each STEP™ is designed for the specific season to help give you a greener lawn.

Florida Annual Fertilizer Applications

On Centipede lawns, do not exceed [a] rate of 2 lbs [of] Nitrogen per 1,000 sq. ft. in the north and 3 lbs [of] Nitrogen per 1,000 sq. ft. in the central and south. On Bahia lawns, do not exceed [a] rate of 3 lbs [of] Nitrogen per 1,000 sq. ft. in the north.

STEP™ 1
Early Spring
February-April

Crabgrass Preventer plus Fertilizer – prevents crabgrass, foxtail, spurge, oxalis, chickweed and other annual grassy weeds while providing deep, thick greening for up to 2 months. In the Pacific Northwest, STEP™ 1 is Turf Builder® with Moss Control. For St. Augustinegrass, STEP™ 1 is Super Bonus® S.

STEP™ 2
Late Spring
April-June

Weed Control plus Fertilizer – controls dandelion, clover, chickweed and other broadleaf weeds while greening your lawn for up to 2 months. For St. Augustinegrass, STEP™ 2 is Super Turf Builder®.

STEP™ 3
Summer
June-August

Insect Control with Fertilizer – controls chinch bugs, sod webworms (lawn moths) and other lawn insects while greening your lawn through the summer. For grub control, apply Scotts® GrubEx® anytime from late-April to mid-August.

STEP™ 4
Fall
August-November

Lawn Fertilizer – specially formulated for the fall – the best time to develop a stronger root system for a more vigorous, thicker lawn.

Additional Super Winterizer™ Feeding
Super Winterizer™
Late Fall
September-November

Apply 4 to 6 weeks after the Early Fall application. This last feeding in fall will help prepare your lawn for winter and will help your lawn green-up quicker next Spring. [optional text: 4 to 6 weeks after early fall lawn fertilizer feeding. Apply as last feeding in fall to help prepare your lawn for winter.]

OR

[ILLUS. The “Super” products listed below]

Super Turf Builder® with Halts® Crabgrass Preventer
Early Spring
February-April

Crabgrass Preventer plus Fertilizer – prevents crabgrass, foxtail, spurge, oxalis, chickweed and other annual grassy weeds while providing deep, thick greening for up to 2 months. In the Pacific Northwest, STEP™ 1 is Turf Builder® with Moss Control. For St. Augustinegrass, STEP™ 1 is Super Bonus® S.

Super Turf Builder® with Plus 2® Weed Control
Late Spring
April-June

Weed Control plus Fertilizer – controls dandelion, clover, chickweed and other broadleaf weeds while greening your lawn for up to 2 months. For St. Augustinegrass, STEP™ 2 is Super Turf Builder®.

Super Turf Builder® with Insect Control
Summer
June-August

Insect Control with Fertilizer – controls chinch bugs, sod webworms (lawn moths) and other lawn insects while greening your lawn through the summer. For grub control, apply Scotts® GrubEx® anytime from late-April to mid-August.

Super Turf Builder®
Fall
August-November

Lawn Fertilizer – specially formulated for the fall – the best time to develop a stronger root system for a more vigorous, thicker lawn.

Super Winterizer™
Late Fall
September-November

Apply 4 to 6 weeks after the Early Fall application. This last feeding in fall will help prepare your lawn for winter and will help your lawn green-up quicker next Spring.

OR

Scotts and Your Environment

We care.

Scotts products are designed with care to grow thicker, greener lawns.

Because a green lawn is a good lawn.

A healthy lawn *can* clean the air, produce oxygen and prevent runoff and soil erosion.

You can make a difference.

Help keep our water resources clean. Apply this product only to your lawn, and sweep [up] any product that lands in the driveway, sidewalk or street back on to your lawn.

Use any of these products next to keep your lawn looking great all season!

Turf Builder®

ANYTIME

Use anytime if weeds and insect are not a problem.

Turf Builder WinterGuard®

FALL

Use to build stronger, deeper roots for a thicker, greener spring lawn.

Turf Builder with Halts® – Just After Winter -or- Early Fall

Use to prevent crabgrass all season and build a thicker, greener lawn.

[Art: More Nitrogen/Nutrients/Nutrition than regular Turf Builder]

The Super Turf Builder Advantage - Your lawn requires essential nutrients to thrive. The Super Turf Builder line of fertilizer is exclusively formulated to deliver the most greening power/nutrition/nutrients you can get from Scotts. The special formula in Super Turf Builder with SummerGuard gives your lawn more nitrogen/nutrition/nutrients than regular Turf Builder with Summerguard for your best lawn ever.

[Water Smart formula art] Well-fed lawns are more efficient at using available water. Feeding with Scotts [Water Smart] [Formula] helps build -and/or- grow a thick lawn with more roots to better absorb water and nutrients. This helps protect your lawn against heat, drought and other stresses.

[Question Mark Artwork] [Product Wheel artwork] [Telephone artwork] [Computer mouse artwork]

Get Expert Advice for your lawn NOW!

Want information on what to use and when? Signup today to get free expert advice specifically for your lawn.

Visit scotts.com -and/or- or call -and/or- Consumer Helpline 1-800-543-TURF (8873)

OR

Now it's easy for you to have a better lawn

Additional Late Fall Feeding - Super WinterGuard with Plus 2 Weed Control

September - November

4-6 weeks after Early Fall Lawn Fertilizer feeding. Apply as last feeding in fall to help prepare your lawn for winter and kill fall weeds.

OR

Feed Regularly For Your Best Lawn - Regular feedings of Scotts Turf Builder will help build a lawn you and your family can enjoy. Scotts Turf Builder provides the nutrients your lawn needs to look its weed-free best and withstand the stresses of heat, drought and family activity [4 photos, optional]

- One Annual Feeding- Feeding once a year starts the growth process by greening and building new roots.

- 2-3 Annual Feedings - Each feeding builds on the last. The roots grow thicker and stronger, and the lawn starts to crowd out weeds.

- 4 Annual Feedings - The root system is deep and strong and the lawn has more resources to survive stresses.

OR

Plan your feeding schedule. Choose the right product for your lawn.

- Early Spring - February-April

Scotts Turf Builder Lawn Fertilizer

To prevent crabgrass: Scott Turf Builder with Halts Crabgrass Preventer

- Late Spring - April-June

Scotts Turf Builder Lawn Fertilizer

If you have weeds: Scotts Turf Builder with Plus 2 Weed Control

- Summer - July-August

Scotts Turf Builder Lawn Fertilizer

If you have bugs: Scotts Turf Builder with Summerguard

- Fall - September-November

Scotts Turf Builder Winterguard

If you have fall weeds: Scotts Turf Builder Winterguard with Plus 2 Weed Control

OR

Plan your feeding schedule. Choose the right product for your lawn.

-Any season

Apply any season if weeds or bugs are not a problem: [bag art]

Scotts [Super] Turf Builder Lawn Fertilizer

-Early Spring – February-April

To prevent crabgrass: [bag art]

Scotts [Super] Turf Builder with Halts Crabgrass Preventer

-Late Spring – April-June

To kill weeds: [bag art]

Scotts [Super] Turf Builder with Plus 2 Weed Control

-Summer – July-August

To kill bugs: [bag art]

Scotts [Super] Turf Builder with Summerguard

-Fall – September-November

To kill fall weeds: [bag art]

Scotts [Super] Turf Builder Winterguard with Plus 2 Weed Control

[3 optional photos depicting growth of lawn with] One annual feeding, 2-3 annual feedings and 4 annual feeding]

Tips for Lawncare Success:

Mow your lawn high. A mowing height of 3" allows the grass to develop a deep root system & helps your lawn use water more effectively.

Leave the grass clippings on your lawn. This recycles the plant nutrients back into the soil.

Conserve water. Your lawn will begin to wilt when water is needed. As much as possible, take advantage of nature's sprinkler and rely on the rain to water your lawn. It's free!

OR

Tips for Lawncare Success

Feed regularly for your best lawn. Regular feedings of Scotts XXXX will help build -and.or- grow a lawn you and your family can enjoy. Scotts XXXX provides the nutrients your lawn needs to look its best and withstand the stresses of heat, drought and family activity.

Mow your lawn high. Mowing high allows the grass to develop a deep root system and helps your lawn use water more effectively.

Leave the grass clippings on your lawn. This recycles the plant nutrients back into the soil.

Conserve water. Your lawn will begin to wilt when water is needed. As much as possible, take advantage of nature's sprinkler and rely on the rain to water your lawn.

Optional Florida Urban Turf Language

Check with your local Cooperative Extension Agency to obtain specific information on local turf best management practices.

Check with your county or city government to determine if there are local regulations for fertilizer use.

KEY PRODUCT FACTS

[How and When to Apply]

[Application]

Directions for Use

It is a violation of Federal law to use the product in a manner inconsistent with its labeling.

- For outdoor use only.
- Do not allow to enter indoor or outdoor drains. *No permita la entrada a desagües internos o externos.*
- Apply product to the entire lawn when insect activity or damage is first observed.
- Spread uniformly over your lawn using the suggested spreader settings. For best results, use a Scotts spreader.
- Apply product to a dry lawn.
- [Watering in Icon] Water-in product after application.
- Do not use any other weed, disease, or insect control products for at least one week after application.
- For best results, apply a Scotts® Annual Lawn Care Program™ and allow two months between applications.
- For grub control, apply [Scotts® GrubEx® [Season -Long Grub Control] -or- [Scotts® GrubEx® Season Long Grub Killer] between late April and mid-August.
- In New York State, this product may NOT be applied to any grass or turf area (lawns) within 100 feet of a water body (lake, pond, river, stream, wetland, or drainage ditch).
- Do not apply by ground within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries and commercial fish farm ponds.
- Do make a single repeat application of this product if there are signs of renewed insect activity but not sooner than two weeks after first application.
- Do not apply the product into fish pools, ponds, streams, or lakes. Do not apply directly to sewers or storm drains, or to any area like a drain or gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur.
- Do not apply directly to impervious horizontal surfaces such as sidewalks, driveways, and patios.
- Do not irrigate to the point of runoff.

Set spreader to the setting indicated by the chart below before

[What to Expect]

TALSTAR 0.086 Lawn Granular Insecticide with Fertilizer kills these lawn pests:

Ants (black turf, carpenter, red harvester, odorous, pyramid, argentine, and pharaoh (sugar)	European Crane Fly
Armyworms (including Fall Armyworms)	Fleas (including Cat Fleas)
Billbugs (including Bluegrass Billbugs)	Grasshoppers
Black Turfgrass Ataenius	Leafhoppers
Chiggers	Mealybugs
Chinch Bugs	Mole Crickets (Including Tawny Mole Crickets)
Crickets	Sod Webworms (lawn moth)
Cutworms (including Black Cutworms)	Spiders (including Brown Recluse Spiders)
Earwigs	Ticks (including ticks that may transmit Lyme[‘s] Disease)
	Weevils (including Annual Bluegrass Weevils)

[Optional Spreader information]

This package applies 2.7 lbs of product per 1,000 sq. ft. Do not apply more than twice per year.

Spreading Tips

Apply header strips. Then apply product in longest direction of lawn.
For best results, use a Scotts® spreader. [Set spreader to the setting indicated by the chart below before applying.]

Spreader Settings

	Covers XX,XXX sq. ft.	Directions
Scotts® PrecisionGreen® Drop Spreaders	XXX	Mow lawn first; apply 2 header strips; apply longest direction of lawn, overlapping wheel marks.
Scotts® AccuGreen® Drop Spreaders	XXX	
Scotts® EasyGreen® Rotary	XXX	Make each pass about 30 inches from previous pass to overlap spread width.
Scotts® SpeedyGreen® & EdgeGuard™ Rotary Spreaders	XXX	Make each pass about 5 feet from previous pass to overlap spread width.

Additional Spreader Settings
EZ Drop, Republic (#530).....XX
EZ Broadcast, Republic (#540).....XX
Scotts Broadcast Tractor Spreader.....XX
(Non-Scotts spreader settings are approximate. You may need to adjust for proper coverage.)
[Illustrations: spreading patterns]
[Optional text: Close spreader when filing, stopping or turning]

Optional Spreader information

To provide proper distribution, calibrate spreader before application. For best results, always use a Scotts® rotary spreader.

	Regular Rate Covers 15,150 Sq. Feet	Width of Coverage (in ft)
Scotts ProRotary	X	x
Scotts AccuPro 2000 Rotary (cone 4)	X	x
SR 2000 Rotary (cone 4)	X	x
Scotts SpeedyGreen® Rotary	X	x
Scotts Broadcast Tractor	x	x

Optional Spreader information

Set Spreader / Spreading Tips

Spreader Settings	Covers 5,000 sq. ft.
Scotts Broadcast/Rotary Spreaders [Apply header strip. Then apply product in longest direction of lawn.] [For best results, use a Scotts® spreader.] [Shut off spreader or stop each time you reach a header strip. Each pass should be within 5 feet of each other to ensure an overlap.]	
Scott Basic™, Standard™, Deluxe™ Edgeguard, Lawn Pro™, or SpeedyGreen®	X
Scotts EasyGreen® Each pass should be within 30" of each other to ensure an overlap	x
Scotts Drop Spreaders Make sure spreader wheel completely overlaps previous wheel marks	x
Scotts AccuGreen®	x

For additional spreader settings, please call 1-800-543-TURF (8873)

First Aid and Environmental Information

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals [Icon of Human & Dog]

CAUTION. Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes and clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Storage and Disposal [Icon of Trash can]

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal.

STORAGE: Keep out of reach of children and animals. Store in original container only. Store in a cool, dry, well-vented place and avoid excess heat. For bags after partial use, reseal opened bag by folding top down and securing.

DISPOSAL: **If Empty:** Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

If Partly Filled: Do not pour or dispose down-the drain or sewer. Call your local solid waste agency for disposal options.

FIRST AID [First Aid Icon]

If Swallowed: Call A poison control center immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If on skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If In Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling poison control center or doctor, or going for treatment.

Note to Physician: This product is a pyrethroid. If large amounts have been ingested, milk, cream, or other digestible fats and oils may increase absorption and so should be avoided.

Environmental Hazards:

This pesticide is extremely toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

[OPTIONAL FERTILIZER TEXT]

Guaranteed Analysis

Product Name XX-XX-XX F XXX

Total nitrogen (N).....XX%
 XX.XX% ammoniacal nitrogen
 XX.XX% urea nitrogen
 XX.XX% other water soluble nitrogen*
 XX.XX% water insoluble nitrogen
Available Phosphate (P₂O₅).....XX%
Soluble Potash (K₂O).....XX%
Sulfur (S).....XX%
 XX% combined sulfur (S)
 XX% free sulfur (S)
Iron (Fe) (Total)**XX%
Manganese (Mn) (Total).....XX%
 XX% water soluble manganese (Mn)

Derived from: polymer-coated sulfur-coated urea, polymer coated urea, monoammonium phosphate, urea, methylene ureas, and potassium sulfate, ammonium phosphate, ammonium sulfate, iron oxide and manganese oxide, -and/or- potassium chloride

*Contains X.X% slowly available methylenediurea and dimethylenetriurea nitrogen.

*A portion of the urea has been coated to provide X.X% coated slow-release nitrogen.

**In Colorado, no guarantee for iron.

* A portion of the nitrogen has been coated to provide XX% coated slow-release nitrogen (N).

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-sc.com>

Your Do-It-Yourself Lawn Care Headquarters

Scotts Lawn Pro retailers can provide you with the do-it-yourself expertise and products to have a beautiful Scotts lawn simply and easily....for less money than hiring a lawn care service. That's why we call them Lawn Pros!

For additional questions, comments and information, contact the Scotts Lawn Pro retailer where you bought this product or you can contact Scotts directly!

[Phone Art]

Questions/Information

[Optional text: **Call Scotts' toll-free**]

Consumer Helpline:

1-800-543-TURF (8873)

[Computer Art]

[optional text: **Lawn Success Made Easy™**]

[Visit Scotts' website at]

Visit our website:

www.scotts.com

Distributed by:

The Scotts Company [SMG-NYSE Icon]

14111 Scottslawn Road

Marysville, OH 43041

Scotts No-Quibble Guarantee®:

(XXXX – stock number)

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase, and we will mail you a refund check promptly.

[optional Scotts No-Quibble Guarantee®:]

If for any reason you, the consumer are not satisfied after using this product, you are entitled to get your money back. Simply send us evidence of purchase, and we will mail you a refund check promptly.

Notice: To extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

Dedicated To A Beautiful World™ - Trusted by generation of homeowners, Scotts is dedicated to helping you enhance and protect the beauty of your home environment.

Scotts®...the lawn people – Marysville, Ohio 43041

[U.S. Pat. Nos. X,XXX,XXX and X,XXX,XXX]

[U.S. Patent No. 6,251,415 (SFR chemical technology)]

[Owned or Licensed U.S. Patents for this product can be found at <https://patent.envu.com>]

Product of –or- Made in U.S.A.

©2007 Licensed by The Scotts Company LLC.

World rights reserved. Made in U.S.A.

[UPC Code]

[BOTTOM BACK]

Envu, the Envu logo are trademarks and Talstar® is a registered trademark owned by Environmental Science U.S., LLC or one of its affiliates.