



**OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION**

WASHINGTON, D.C. 20460

July 09, 2025

**SENT BY EMAIL**

Catherine Rice  
catherine.rice@envu.com  
ENVIRONMENTAL SCIENCE U.S., LLC

Subject: Labeling Notification per Pesticide Registration Notice (PRN) 98-10 - Label notification adding optional graphic image for recycling steel.  
Product Name: CB-80 FOR INSECT CONTROL  
Admin Number: 101563-320  
EPA Receipt Date: 06/10/2025  
Action Case Number: 00659803

Dear Catherine Rice:

The U.S. Environmental Protection Agency is in receipt of your application for notification under Pesticide Registration Notice 98-10 for the above referenced product. The EPA has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The labeling submitted with this application has been stamped "Notification" and will be placed in our records.

Should you wish to add/retain a reference to your company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the EPA. If the website is false or misleading, the product will be considered to be misbranded and sale or distribution of the product is unlawful under FIFRA section 12(a)(1)(E). 40 CFR § 156.10(a)(5) lists examples of statements the EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the EPA find or if it is brought to our attention that a website contains statements or claims substantially differing from statements or claims made in connection with obtaining a FIFRA section 3 registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

If you have questions, please contact Eric Ingram via email at [ingram.eric@epa.gov](mailto:ingram.eric@epa.gov).

Sincerely,

Elizabeth Fertich, Product Manager 4  
IVB1, RD  
Office of Pesticide Programs

# NOTIFICATION

101563-320

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

07/09/2025

## [Flushing & Contact]

[Featuring U-Straw® Technology]  
[With U-Straw® Technology]  
[Graphic of U-straw® Actuator]

# CB-80®

For insect control

**Alternate Brand Name**  
**CB-80® Insecticide**

INSECTICIDE WITH PYRETHRINS  
Contains Pyrethrins, A Botanical Insecticide

- Provides Rapid Kill of Residential, Industrial, and Barn Pests
- Excellent Flushing •8 to 1 Synergist Ratio
- Quick Knockdown •Nonaqueous
- Highly Active Solvent System
- Fast Knockdown and Kill

**KILLS:** Ants, Bed Bugs, Beetles (Carpet Beetles, Confused Flour Beetles, Red Flour Beetles, Sawtoothed Grain Beetles) Cockroaches, Crickets, Fleas, Flies (Barn Flies, Deer Flies, Stable Flies, Horn Flies), Gnats, Grain Mites, Mosquitoes, Moths (Small Flying Moths, Indianmeal Moths, Angoumois Grain Moths), Spiders, Silverfish, Weevils (Granary Weevils, Rice Weevils), Wasps

**FOR USE** in and around Homes, Offices, Hotels, Motels, Schools, Hospitals, Nursing Homes, Day-care Centers, Factories, Warehouses, Stores, Supermarkets, Restaurants, Food Handling Establishments, Commercial or Institutional Kitchens, Food Processing Plants, Bottling Plants, Transportation Equipment (Automobiles, Buses, Trucks, Trailers, Boats, Ships, Trains, Aircraft), Barns, Stables, Farms, Animal Quarters, Milkrooms, and Poultry Houses

EPA Reg. No. 101563-320

EPA Est.

### ACTIVE INGREDIENTS:

Pyrethrins.....	0.50%
Piperonyl Butoxide*.....	4.00%
OTHER INGREDIENTS**.....	95.50%
	100.00%

\* (butylcarbityl) (6-propylpiperonyl) ether and related compounds.

\*\* Contains Petroleum Distillates

CONTAINS NO CFCs OR OTHER OZONE DEPLETING SUBSTANCES.  
FEDERAL REGULATIONS PROHIBIT CFC PROPELLANTS IN AEROSOLS.

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

See Back Panel for Additional Precautionary Statements.

### PRODUCED FOR

Environmental Science U.S., LLC  
5000 CentreGreen Way, Suite 400  
Cary, NC 27513

NET WEIGHT 17 oz / 482 g

**PRECAUTIONARY STATEMENTS**  
**Hazards to Humans & Domestic Animals**

**CAUTION**

**CAUTION: Contains Petroleum Distillate.** Causes moderate eye irritation. Harmful if swallowed, inhaled, or absorbed through the skin. Avoid contact with skin, eyes, or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Remove and wash contaminated clothing before reuse.

**Personal Protective Equipment (PPE)**

Applicators and other handlers must wear the following: long-sleeve shirt, long pants, and shoes and socks.

In addition to the above PPE, applicators using a high pressure wand or handheld foggers in an enclosed area must wear a half-face, full-face, or hood-style NIOSH-approved respirator with:

- a dust/mist filtering cartridge (MSHA/NIOSH approval number prefix TC-21C), or
- a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G), or
- a cartridge or canister with any N,R, P or HE filter.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

**User Safety Recommendations**

User should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. User should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

**ENVIRONMENTAL HAZARDS**

This product is toxic to aquatic organisms, including fish and invertebrates. Drift and run-off may be hazardous to aquatic organisms in water adjacent to treated areas. This product may contaminate water through run-off. This product has a potential for run-off for several months or more after application. Poorly draining soils and soils with shallow water tables are prone to produce run-off for that contains this product. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash-waters or rinsate.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the area.

**PHYSICAL OR CHEMICAL HAZARDS**

Flammable. Contents under pressure. Keep away from heat, sparks and open flames. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not spray on plastic, painted or varnished surfaces or directly into electronic equipment such as radios, TVs, computers, etc.

[For Cylinder Application:] Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not spray on plastic, painted or varnished surfaces or directly into electronic equipment such as radios, TVs, computers, etc.

[For Reviewer: Boxed and "bulleted" format will be used if label space permits; otherwise a paragraph format will be used.]

**FIRST AID**

**If In Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**If Swallowed: Immediately call** a poison control center or doctor. Do not give any liquid to the person. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

**If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**Note to Physician:** Contains petroleum distillates – may cause an aspiration pneumonia hazard.

**HOTLINE NUMBER-** For additional information on this product (including health concerns, medical emergencies or pesticide incidents), you may call Environmental Science U.S., LLC Emergency Response Telephone No. 1-800-424-9300, twenty-four (24) hours per day, seven (7) days per week.

**USE RESTRICTIONS**

Entry Restrictions

- For surface spray use: Except when applying to horses and livestock, do not enter or allow others to enter treated area until sprays have dried.
- For space spray use: Except when applying to horses and livestock, do not enter or allow others to enter until vapors, mists, and aerosols have dispersed, and the treated area has been thoroughly ventilated.
- When used in hospitals, remove patients prior to treatment. Thoroughly ventilate treated area for 2 hours following treatment prior to returning patients.

#### Application Restrictions

- Apply this product only as specified on this label
- Not for use in outdoor residential misting systems.
- Except when applying to horses and livestock, do not apply this product in a way that will contact workers or other persons, either directly or through drift.
- Except when applying to horses and livestock, only protected handlers may be in the area during application.
- Do not remain in treated area. Exit immediately and remain outside the treated area until aerosols, vapors and/or mists have dispersed.
- Do not wet articles to point of runoff or drip.
- Do not use treated article until spray has dried.
- Remove or cover exposed food and drinking water before application.
- Remove or cover dishes, utensils, food processing equipment and food preparation surfaces, or wash them before use.
- Do not contaminate food or feedstuffs.
- Do not use in aircraft cabins.
- Do not make applications during rain.
- All outdoor applications, if permitted elsewhere on this label, must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses, if allowed elsewhere on this label: (1) Applications to soil or vegetation, as listed on this label, around structures; (2) Applications to lawns, turf, and other vegetation, as listed on this label; (3) Applications to the side of a building, up to a maximum height of 3 feet above grade; (4) Applications to underside of eaves, soffits, doors, or windows permanently protected from rainfall by a covering, overhang, awning, or other structure; (5) Applications around potential pest entry points into buildings, when limited to a surface band not to exceed one inch in width; and (6) Applications made through the use of a coarse, low pressure spray to only those portions of surfaces that are directly above bare soil, lawn, turf, mulch or other vegetation, as listed on this label, and not over an impervious surface, drainage or other condition that could result in runoff into storm drains, drainage ditches, gutters, or surface waters, in order to control occasional invaders or aggregating pests.
- For indoor food handling/processing facilities: Do not make space spray applications when facility is in operation. During space spray applications, cover or remove exposed food. Prior to space spray applications, cover food processing surfaces or clean after treatment and before use. Do not apply more than 1 time per day.
- For agricultural premises and commercial animal housing: Do not apply more than 1 time per day.
- For direct application to non-domestic animals/livestock: Do not apply more than 1 time per day.
- When used in dairy barns or facilities: Close milk bulk tank lids to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking.
- Remove pets, birds and cover fish aquariums before application.
- Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to storm sewers, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Test first for staining on an inconspicuous area of surface to be treated prior to use.

[For Cylinder Application:] For Cylinder Applications: Use appropriate equipment, with fogging tips and crack & crevice extension tips for voids. Place injection tips into cracks, crevices, holes and small openings. Release approximately one-second of product. Repeat as necessary. Several holes may be required in long-running voids.

#### General Volumetric Application (Including Inaccessible Voids - Attics, False Ceilings, Wall and Equipment Voids):

[Cockroach Icon] [Ant Icon] [Spider Icon] [Flies Icon] [Hornet Icon]

Open cabinets and doors in area to be treated. Shut off air conditioners, fans, and close doors and windows before spraying. Spray for 20 seconds per 1,000 cubic feet of space. Direct spray toward areas suspected of harboring insects. Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible. Keep area closed for 15 minutes. Open and ventilate before reoccupying. Repeat treatment as necessary. Note: when using this product in an enclosed area, such as a milkroom, barn or stable, remove animals before spraying.

- **FLYING INSECTS: Flies, Mosquitoes, Small Flying Moths, Wasps, Hornets & Gnats**—Calculate cubic feet of space to be treated. Close all doors and windows. Spray in sweeping motion to all parts of the room. Apply for 2-3 seconds per 1,000 cubic feet of space. Remove fallen insects. Repeat treatment as necessary.
- **FOR INDIANMEAL MOTHS AND ANGOUMOIS GRAIN MOTHS:** Close doors and windows. Direct spray into all parts of room especially around stored food product containers, pallets and darkened areas. Spray 7 to 10 seconds for each 1,000 cubic feet of space. Keep area closed for 15 minutes following treatment. Repeat application weekly or as needed.

#### Crack & Crevice Applications:

[Cockroach Icon] [Ant Icon] [Spider Icon] [Flies Icon]

Spray in cracks and crevices, using the crack and crevice [nozzle][injector] provided. Spray the insect directly when possible. Spray all probable hiding places such as cracks, crevices, baseboards, sinks, cabinets, shelves, under appliances, and in food storage areas.

- **FOR COCKROACHES, SPIDERS, CRICKETS AND SILVERFISH:** For best results, spray directly on cockroaches and thoroughly spray all parts of the room suspected of harboring these pests. Special attention should be paid to cracks, hidden surfaces, under sinks, behind stoves and refrigerators, food storage areas, and wherever these pests are suspected of hiding. Also, spray around door- and windowframes. Repeat as necessary.
- **FOR ANTS:** Spray ant trails, nests and points of entry. For initial clean-up, apply for 10-15 seconds per 100 square feet of floor area. Then periodically spray as a space treatment for 3-5 seconds per 100 cubic feet of space.

- **FOR CONFUSED FLOUR BEETLES, SAWTOOTHED GRAIN BEETLES, GRANARY WEEVILS, RICE WEEVILS, RED FLOUR BEETLES, GRAIN MITES:** Spray into cracks and crevices, processing and handling equipment, around cartons or containers and other areas where these insects tend to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Repeat application as necessary. Infested stored food products in the home should be disposed of.
- **FOR BED BUGS:** Thoroughly inspect area of suspected bed bug infestation, and note potential harborage sites or actual infestations. Remove all clothing and other articles from area to be treated (including inside of dressers or closets). Infested bedding (pillows and linens), clothing, and other items must be removed and sanitized prior to application. Do not use directly on pillows, bed linens or clothes. Apply to mattresses as a spot treatment to mattress seams, edges, and tufts of bed only. Apply as a crack & crevice or spot application where evidence of bed bugs occurs, including box springs, bedsprings, the interior of the bed frame and headboard, including all crack and crevices, and joints. Do not saturate the mattress, and do not make surface applications to the mattress or bedding. Allow mattress to dry thoroughly before remaking bed. Apply as a surface application to carpeting, drapes, and flooring. Allow all treated areas to dry thoroughly before use. Use straw applicator for crack and crevice applications.

#### Surface Applications:

[Flea Icon] [Carpet Beetle Icon]

- **FOR FLEAS:** Do not use this product directly on domestic (companion) animals (dogs, cats, puppies, or kittens). Spray sleeping quarters, bedding, floor and floor covering where pets are kept. Repeat as necessary. **FOR CARPET BEETLES:** Spray directly on beetles, baseboards, floors, shelves and carpets. Repeat treatment as necessary.

#### Dairy Farm, Horse Barn, Beef, Cattle, Hog/Swine, and Poultry Operation Use:

Close all windows and doors. Direct spray upwards, spraying for 2-3 seconds per 1,000 cubic feet of space. Do not remain in treated areas. Thoroughly ventilate after treatment. Cover milking utensils and milk to prevent contamination from spray or dead and falling insects.

- **POULTRY OPERATIONS:** In poultry houses, close all windows and doors. Spray roosts, walls, nests, and cages thoroughly. Spray at the rate of 2-3 seconds per 1,000 cubic feet of space. Do not remain in treated areas. After 15 minutes, ventilate the area. Treat daily or as necessary.

#### For Direct Application to Livestock Animals:

**Do not use this product directly on domestic (companion) animals (dogs, cats, puppies, or kittens).** Thoroughly spray entire animal from approximately 2 feet distance. Do not spray directly toward animal's eyes. Spot treat withers, shoulders, and back where saliva accumulates from head tossing.

- **STANCHION BARN USE:** Walk behind animals and direct spray over backs, allowing 5 seconds per animal. For most effective results, apply each morning.
- **HORSE BARN OR STABLES:** For animal application, lightly mist over back of horses and ponies from a distance of 2 feet. Do not spray directly toward the animal's face or eyes. Repeat application daily or as necessary.
- **HOG/SWINE USE:** For animal application, direct spray over back of hogs and spray for 5 seconds per hog. Do not spray directly towards the animal's face or eyes. Repeat application daily or as necessary.

#### Applications in Aircraft:

- This product can be applied to cargo areas of aircraft only. Do not use in aircraft cabins.

#### **STORAGE & DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage:** Do not store near heat or open flame. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals.

**Pesticide Disposal and Container Handling:** Do not Puncture or Incinerate! **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions.



[For Reviewer: The Steel graphics symbol is optional if label space allows it.]

[For Reviewer: Optional – CFCs logo]

**Commented [CR1]:** Added by notification 6/10/2026

Owned or Licensed U.S. Patents for this product can be found at <https://patent.envu.com>

Envu and the Envu logo are trademarks and CB-80® is a registered trademark are owned by Environmental Science U.S., LLC or one of its affiliates.

U-Straw® is a registered trademark are owned by Berry Plastic Corp.