



November 21, 2024

FIFRA 24(c) Special Local Need Label (SLN)
For distribution and use only in the state of California

For use on Flowers (Ranunculus Spp.) for control of Black Medic.

Quicksilver T & O Herbicide

EPA Reg. No.: 279-3265

SLN # CA-190001

Manufacturer: FMC Corporation
2029 Walnut Street
Philadelphia, Pennsylvania 19104

This label expires and shall not be distributed or used in accordance with this SLN registration after January 31, 2029.

DIRECTIONS FOR USE

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This state-specific Section 24(c) labeling must be in the possession of the user at the time of application.
- Follow all applicable directions, restrictions, and precautions on the EPA registered label for Quicksilver T & O Herbicide (EPA Reg. No. 279-3265) and this label.

Location: County of San Diego

Crop/Site/Commodity: Flowers (Ranunculus spp.)

Target Pest/Problem: Black Medic

Dosage: 1.0 fl. oz. to 2.0 fl. oz. of product per acre. Do not apply more than a total of 2.0 fl. ounces of product per acre per season. Use the lower rates for lower weed infestations and higher rates for dense infestations.

Dilution Rate: Apply in 50 gallons of water per acre.

Method of Application: Ground (only)

Frequency/Timing of Application: Use the lower rates for lower weed infestations and higher rates for dense infestations

Restricted Entry Interval (REI): 12 hours

Preharvest Interval (PHI): N/A

Other Requirements:

1. Maintain the pH of the spray solution in the range of pH 5 to 8. Spray solution in the range of pH 6 to 7 is optimal.
2. Avoid spray drift onto non-target susceptible plants such as vegetables, flowers, ornamentals, trees, shrubs and other desirable plants.
3. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:
 - a. Coveralls
 - b. Waterproof gloves, and
 - c. Shoes plus socks

Specific Use Restrictions:

1. Do not apply by air.
2. Do not apply this product through any type of irrigation system.
3. Do not apply when conditions are conducive to spray drift or poor spray coverage.

Valid until withdrawn, suspended or cancelled by the United States Environmental Protection Agency (USEPA), the manufacturer, the 24(c) registrant, or the Department of Pesticide Regulation, or expires.


The County Agricultural Commissioner's (or designee's) signature must be obtained prior to this use. This does not constitute a recommendation of the Department of Pesticide Regulation and will not prevent quarantine action if illegal residues are found on or in the crop.

To the extent consistent with applicable law, neither the Department nor the county agricultural commissioner, makes any warranty of merchantability, fitness of purpose, or otherwise, expressed or implied, concerning the use of a pesticide in accordance with these provisions. The user and/or grower acknowledge the preceding disclaimer.

Do not use in mixture with other pesticides unless provided for in the labeling. Trial on a small area to check out unanticipated problems is suggested.

24(c) Registrant: Mellano & Company
P.O. Box 100
San Luis Rey, California 92068
(800) 635-5266

USEPA SLN No. CA-190001



John E. Inouye
Senior Environmental Scientist
Pesticide Registration Branch
(916) 324-3538
E-mail: John.Inouye@cdpr.ca.gov

COUNTY AGRICULTURAL COMMISSIONER'S SIGNATURE

Date: _____

USER'S SIGNATURE _____