

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

June 16, 2020

John E. Inouye Senior Environmental Scientist Pesticide Registration Branch Department of Pesticide Regulation 1001 I Street Sacramento, CA 95812-4015

Subject: FIFRA 24(c) Registration - SLN Amendment Acknowledgment Letter

**SLN Registration Number**: CA200001

**EPA Decision Number**: 560110

SLN Expiration Date: January 31, 2025

Parent EPA Reg. No.: 100-1571

Product Name: Orondis

Active Ingredients: Oxathiapiprolin

Dear Mr. Inouye:

This letter acknowledges receipt of the notification of the above-noted Special Local Need (SLN) registration pursuant to section 24(c) of the Federal Insecticide, Fungicide, and Rodenticide Act. The SLN registration is for the use by aerial application of Orondis (containing oxathiapiprolin) in citrus orchards with standing water to control certain fungal diseases. You indicate that severe unusual wet weather resulted in standing water in some orchards, precluding application with ground equipment and thus aerial application is needed to allow treatment in these orchards. All other parameters of use such as rate, PHI, etc. remain unchanged from the registered product label.

The Agency has completed a review of the use and acknowledges the State's special local need registration. Please inform the registrant that we have placed a copy of the SLN label in our file. If you have any questions, please contact Andrea Conrath by phone at (703) 308-9356 or via email at conrath.andrea@epa.gov.

Sincerely,

Tawanda Maignan

Emergency Response Team Leader

Jawanda Marguan

Minor Use and Emergency Response Branch

Registration Division (7505P) Office of Pesticide Programs



# FIFRA 24(c) SPECIAL LOCAL NEED LABEL (SLN) FOR DISTRIBUTION AND USE ONLY IN THE STATE OF CALIFORNIA

For Aerial Applications to Citrus Fruit, Crop Group 10-10 with Standing Water

# **Orondis®**

EPA Reg. No. 100-1571

**EPA SLN No. CA-200001** 

This label expires and must not be distributed or used in accordance with this SLN registration after January 31, 2025.

## **DIRECTIONS FOR USE**

- It is a violation of federal law to use this product in a manner inconsistent with its labeling.
- This state-specific Section 24(c) labeling must be in the possession of the user at the time of application.
- Follow all applicable directions, restrictions, and precautions on the EPA-registered Orondis, EPA Reg. No. 100-1571 label and this label.

# Citrus Fruit, Crop Group 10-10

Australian desert lime Lemon Satsuma mandarin Sweet lime Australian finger lime Lime Tachibana orange Australian round lime Mediterranean mandarin Brown River finger lime Tahiti lime Mount White lime Calamondin New Guinea wild lime Tangelo Tangerine (Mandarin) Citron Orange, sour Citrus hybrids Orange, sweet Tangor Trifoliate orange Grapefruit Pummelo Japanese summer grapefruit Russell River lime Uniq fruit Kumquat

Target Disease	Rate (fl oz/A)	Use Directions
Brown rot Citrus foot rot Gummosis Root rot Trunk canker (Phytophthora spp.)	2.4	For aerial applications only to citrus orchards with standing water. Apply in sufficient volume to provide uniform and complete coverage of trees.
Brown rot ( <i>Phytophthora</i> spp.)	1.2 – 2.4	

## **USE RESTRICTIONS**

- 1) Maximum Single Application Rate:
  - a) Foliar Application: 2.4 fl. oz./A (0.03 lb.ai/A of oxathiapiprolin-containing products)
- 2) Maximum Number of Applications:
  - a) Do not make more than one foliar application per year.
- 3) Pre-harvest Interval (PHI): 0 days

#### Requirements:

- 1. For aerial applications to citrus orchards that have standing water due to a storm event(s).
- 2. Water must be standing and will not flow into state waterways where fish and wildlife are likely to be affected.
- 3. Applications are made in accordance with all other label directions.
- 4. The County Agriculture Commissioner must assure the required conditions are met.

#### Restrictions:

- 1. No fungicide application shall occur if:
  - a. Soil moisture is at field capacity and a storm event, forecasted by the National Oceanic and Atmospheric Administration (NOAA) or National Weather Service (NWS), is to occur within 48 hours following the application; or
  - b. A storm event likely to produce runoff from the treated area is forecasted by NOAA/NWS to occur within 48 hours following the application.
- 2. Applications are not allowed if water is flowing off the intended application site.
- 3. Standing water will not be pumped or removed from the orchard after the fungicide application.
- 4. Do not apply this product through any type of irrigation system.

The County Agricultural Commissioner's (or designee's) signature must be obtained prior to this use.

COUNTY AGRICULTURAL COMMISSIONER'S SIGNATURE

	Date:	
USER'S SIGNATURE		

Orondis® registered trademark of a Syngenta Group Company

©2019 Syngenta

24(c) Registrant: Syngenta Crop Protection, LLC. P. O. Box 18300 Greensboro, North Carolina 27419 Telephone: 1-800-334-9481

Label Code: CA1571192AA0819