



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

November 17, 2021

Ms. Jolynn Morris
Pesticide Registration Coordinator
Colorado Department of Agriculture
305 Interlocken Parkway,
Broomfield, CO 80021

Subject: FIFRA 24(c) Registration –SLN Amendment Acknowledgment Letter
SLN Registration Number: CO-160001
EPA Decision Number: 578333
SLN Expiration Date: 12/31/2026
Parent EPA Reg. No.: 10163-277
Product Name: Onager Miticide

Dear Ms. Morris:

This letter acknowledges receipt of an amendment for the above-listed Special Local Need (SLN) registration pursuant to Section 24(c) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. The original SLN registration permits use of Onager Miticide (hexythiazox) for mite control on grass grown for seed in Colorado. This amendment will extend the expiration date to December 31, 2026 for use of products containing Onager Miticide. All other aspects remain the same.

The Agency has completed a review of the amendment of this use and acknowledges the State's Special Local Need registration, as amended. Please inform the registrant that we have placed a copy of the amended SLN label in our files. If you have any questions, please contact Maya Wheeler by phone at (202)-566-2957 or via email at wheeler.maya.b@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "Eric W. Bohnenblust", is located below the "Sincerely," text.

Eric W. Bohnenblust, Ph.D., Chief
Minor Use and Emergency Response Branch
Registration Division
Office of Pesticide Programs

CC: Kimberly Pardue-Welch, USEPA Region 8 Coordinator and Tribal Coordinator

REGISTRATION FOR SPECIAL LOCAL NEED FOR DISTRIBUTION AND USE ONLY WITHIN COLORADO



EMULSIFIABLE CONCENTRATE FOR AGRICULTURAL USE ONLY

EPA Reg. No. 10163-277

This label expires and must not be distributed or used after December 31, 2026.

ACTIVE INGREDIENT: Hexythiazox	% By Wt.
<i>trans</i> -5-(4-Chlorophenyl)-N-cyclohexyl-4-methyl-2-oxothiazolidine-3-carboxamide	11.8%
OTHER INGREDIENTS	88.2%
TOTAL	100.00%

Onager contains 1.0 lb. active ingredient per gallon
Contains Petroleum Distillate

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- All applicable directions, restrictions, Worker Protection Standard Requirements and precautions on the USEPA registered label are to be followed.
- This labeling must be in the possession of the user at the time of pesticide application.

CROP	PEST	RATE OzS./Acre	COMMENTS
GRASS SEED	Banks grass mite, Twospotted Spider Mite	12 – 24	<p>Ground Application: Apply the recommended rate of Onager by ground equipment at 15 – 20 GPA.</p> <p>Air Application: Apply the recommended rate of Onager by air in a minimum of 5 GPA. Applications made by air to dense foliage may not provide adequate coverage of lower leaf surfaces for sufficient control. Use of higher labeled rates may be necessary.</p> <p>Chemigation: This product may be applied through irrigation systems*. Refer to the EPA registered label for chemigation directions.</p>
	<ul style="list-style-type: none"> • Do not cut current year's treated seed crop for hay or forage. • Do not graze or feed livestock on cover crops growing in treated areas. • Screenings from seed processing are prohibited from food or feed channels. All Onager treated seed screenings must be removed from the food or feed market. • Treated seed is not to be used for sprouting. All seed treated with Onager is to be tagged at processing plants "NOT FOR HUMAN OR ANIMAL CONSUMPTION". It shall be the grower's responsibility to notify the processing plants of any seed crop treated with Onager. • Do not apply more than a total of 24 oz. formulated product per acre per year. • Do not make more than one application per year. 		

- Onager is an emulsifiable concentrate to be diluted with water for application in commercial plantings only.
- Apply Onager prior to adult mite build up. Onager will not control adult spider mites. Use higher rates on moderate to high mite infestations or for larger plants with a dense canopy. If adult mites are present in medium to high populations, better results may be obtained using Onager in combination with a registered contact adulticide. The use of less than label rates is not recommended with Onager.
- Do not make more than one application of Onager or any other Hexythiazox product to the same crop per year.
- Do not plant rotational crops other than those on the Section 3 label within 120 days of this application.

* **Types of Irrigation Systems:** Apply Onager only through sprinkler, including center pivot, lateral move, Low Energy Precision Applications (LEPA), end tow, side (wheel) roll, traveler, big gun, solid set, or hand move irrigation systems. Do not apply Onager through any other type of irrigation system.

24(c) REGISTRANT

Gowan Company
PO Box 5569
Yuma, AZ 85366