

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

March 31, 2022

Jennifer Wren Ag Inputs Division Director Georgia Department of Agriculture 19 M.L.K. Jr Dr SW, Atlanta, GA 30334

Subject: FIFRA 24(c) Registration –SLN Acknowledgment Letter

SLN Registration Number: GA220003

EPA Decision Number: 580832 SLN Expiration Date: 12/31/2022 Parent EPA Reg. No.: 264-1106

Product Name: Alion® Herbicide (Alternate brand name for Indaziflam 200 SC

Herbicide)

Dear Ms. Wren:

This letter acknowledges receipt of the above-listed Special Local Need (SLN) registration pursuant to Section 24(c) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. This original SLN registration permits use of Alion® Herbicide (indaziflam) on citrus tress less than one year old to control various weed species. This SLN will expire 12/31/2022.

The Agency has completed a review of this use and acknowledges the State's SLN registration. Please inform the registrant that we have placed a copy of the SLN label in our files. If you have any questions, please contact Maya Wheeler by phone at (202)-566-2957 or via email at wheeler.maya.b@epa.gov.

Sincerely,

Ruthanne Louden, Acting Senior Regulatory Specialist

Emergency Response Team

Minor Use and Emergency Response Branch

Registration Division

Rutham Lenden

Office of Pesticide Programs

CC: Randy Dominy, USEPA Region 4 Coordinator

Patricia Livingston, USEPA Region 4 Tribal Coordinator



FIFRA Section 24(c) Special Local Need Label FOR DISTRIBUTION AND USE ONLY WITHIN GEORGIA

Application in citrus groves to trees established less than one year

Alion® Herbicide

EPA Reg. No. 264-1106

SLN. No. GA-220003

THIS LABEL IS VALID UNTIL DECEMBER 31, 2022 UNLESS OTHERWISE AMENDED, WITHDRAWN, CANCELED, OR SUSPENDED.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This label must be in the possession of the user at the time of pesticide application. Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label.

APPLICATION DIRECTIONS FOR USE IN CITRUS

Only apply Alion Herbicide in citrus groves where the soil has completely settled around citrus trees and there are no open channels or depressions in the soil that would allow the product to move into the root zone through open channels.

Citrus Crops: Crop group 10-10 including Australian desert lime; Australian finger-lime; Australian round lime; Brown River finger lime; calamondin; citron; citrus hybrids; clementine; grapefruit; Japanese summer grapefruit; kumquat; lemon; lime; Mediterranean mandarin; mount white lime; New Guinea wild lime; orange, sour; orange, sweet; pummelo; Russell River lime; satsuma mandarin; sweet lime; tachibana orange; Tahiti lime; tangelo; tangerine (mandarin); tangor; trifoliate orange; uniq fruit; cultivars, varieties, and or hybrids of these

Dose Rate Chart for Citrus

Soil Texture	Alion Herbicide (fl oz product / broadcast acre)
Any soil except those that contain 20% or greater gravel content	5.0 to 6.5 fl oz/A (0.065 to 0.085 lb ai/A)

USE RESTRICTIONS

- Do not apply more than 10.3 fl oz product/A (0.134 lb ai/A) per year or in a 12 month period.
- When making more than one application per year, allow a minimum of 90 days between applications.



USE PRECAUTIONS

Avoid direct or indirect spray contact with crop foliage, green bark, roots, or fruit as it may cause
localized crop injury or death. Only the trunks of trees transplanted more than one year may be
sprayed with Alion Herbicide if the trunk is callused, mature brown bark. Contact of Alion Herbicide
with tissues other than mature brown bark can result in serious damage or plant death.

For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577.

For PRODUCT USE Information Call 1-866-99BAYER (1-866-992-2937).

As with any crop-protection product, always read and follow label directions. For additional information call toll-free 1-866-99BAYER (1-866-992-2937).



Bayer CropScience LP 800 N. Lindbergh Blvd. St. Louis, MO 63167 1-866-99BAYER (1-866-992-2937)