



FIFRA Section 24(c) Special Local Need (SLN) Label
FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF IDAHO

Oberon® 4 SC Insecticide/Miticide

EPA REG No. 264-850

EPA SLN No. ID-210003

For Control of Twospotted Spider Mite in Mint

ACTIVE INGREDIENT:

Spiromesifen: 2-oxo-3-(2,4,6-trimethylphenyl)-1-oxaspiro[4.4]non-3-en-4-yl 3,3-dimethylbutanoate 45.20%

OTHER INGREDIENTS: 54.80%

TOTAL: **100.00%**

Oberon 4 SC Insecticide/Miticide contains 4 pounds of spiromesifen per US gallon (480 grams per liter).

KEEP OUT OF REACH OF CHILDREN
CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Do not contaminate surface water through spray drift. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwater.

Surface Water Advisory

This product may impact surface water quality due to runoff of rain water. This is especially true for poorly draining soils and soils with shallow ground water. This product is classified as having a high potential for reaching surface water via runoff for several months or more after application. A level, well-maintained vegetative buffer strip between areas to which this product is applied and surface water features such as ponds, streams, and springs will reduce the potential loading of spiromesifen from runoff water and sediment. Runoff of this product will be reduced by avoiding applications when rainfall or irrigation is expected to occur within 48 hours. Sound erosion control practices will reduce this product's potential to reach aquatic sediment via runoff.

Groundwater Advisory

Degradates of spiromesifen have properties and characteristics associated with chemicals detected in groundwater. This chemical may leach into groundwater if used in areas where soils are permeable, particularly where the water table is shallow.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This Special Local Need (SLN) label and the label affixed to the main container of Oberon 4 SC Insecticide/Miticide must be in the possession of the user at the time of pesticide application.

Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label for Oberon 4 SC Insecticide/Miticide (EPA Reg. No. 264-850) and this SLN label.

ENGINEERING CONTROLS

In addition to the PPE for all handlers, mixer/loaders supporting aerial applications to mint must use closed mixing/loading systems that meet the requirements listed in the WPS for agricultural pesticides [40 CFR 170.607(d)(2)(i) &(ii)] for dermal protection.

Removable chemical extraction probes (also known as “stingers”) used in suction/extraction systems must be rinsed within the pesticide container prior to removal.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry intervals. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of **12 hours** following application.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated such as plants, soil or water, are:

- Coveralls over short sleeved shirt and short pants.
- Chemical resistant gloves (such as natural rubber, selection category A)
- Shoes plus socks

MINT

PEST CONTROLLED	RATE PER APPLICATION	USE DIRECTIONS
Twospotted spider mite	4.0 – 8.0 fl oz/A (0.13 – 0.25 lb ai/A spiromesifen)	Make a foliar application at the onset of infestation, prior to the establishment of a damaging population. Repeat as necessary but no closer than a 7-day interval. Application may be made by ground, by air, or by chemigation (refer to Restrictions/Precautions). Please refer to the Oberon 4 SC Insecticide/Miticide Section 3 label for additional information.

RESTRICTIONS/PRECAUTIONS

- **DO NOT** apply during crop flowering. Apply only after petal-fall / pollination is complete.
- **DO NOT** apply when bees are foraging in target crop or foraging on blooming weeds within the target crop.
- Pre-harvest Interval (PHI): 7 days.
- Maximum single application rate: 8.0 fl oz/A of Oberon 4 SC Insecticide/Miticide (0.25 lb ai/A spiromesifen)
- Maximum annual application rate: 11.2 fl oz/A of Oberon 4 SC Insecticide/Miticide (0.35 lb ai/A spiromesifen)
- Maximum number of applications per year: 2 (total application not to exceed 11.2 fl oz/A (0.35 lb ai/A spiromesifen))
- Minimum retreatment interval: 7 days
- **DO NOT** enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours following application. After the 12-hour REI expires, **DO NOT** allow workers to move hand set irrigation equipment within 11 days of application, except if the agricultural employer ensures that all of the following requirements are met as permitted by the WPS [40 CFR 170.603]:
 - (1) No worker is allowed in the treated area for more than eight hours in a 24-hour period.
 - (2) The worker has no contact with pesticide-treated surfaces other than minimal contact with feet, lower legs, hands, and forearms.
 - (3) At least coveralls over long-sleeved shirt and long pants, chemical-resistant gloves made of any waterproof material and shoes plus socks are worn.
 - (4) Notify workers of this prohibition and conditions for early entry.
- Minimum application volume: 10.0 GPA – ground, 5.0 GPA – aerial application

This product may be applied through irrigation systems. Refer to the label affixed to the main container for chemigation directions.

Types of Irrigation Systems: Apply Oberon 4 SC Insecticide/Miticide only through sprinkler, including center pivot, lateral move, side roll, or overhead solid set irrigation systems. **DO NOT** apply Oberon 4 SC Insecticide/Miticide through any other type of irrigation system.

IMPORTANT - READ BEFORE USE

TO THE EXTENT PERMITTED BY APPLICABLE LAW, BAYER CROPSCIENCE LP INTENDS THAT THIS SECTION 24(C) LABEL FOR OBERON 4 SC INSECTICIDE/MITICIDE BE DISTRIBUTED ONLY TO END USERS AND/OR GROWERS WHO AGREE IN WRITING TO A WAIVER AND RELEASE FROM ALL LIABILITY AND INDEMNIFICATION OF BAYER AND OTHERS FOR FAILURE TO PERFORM AND FOR CROP INJURY, CROP YIELD REDUCTION, AND/OR CROP LOSS FROM USE OF OBERON 4 SC INSECTICIDE/MITICIDE ON MINT. IF SUCH WAIVER IS UNACCEPTABLE, THE USER SHOULD IMMEDIATELY RETURN THE PRODUCT UNOPENED OR USE THE PRODUCT FOR A DIFFERENT USE PERMITTED BY THE PRODUCT LABEL.

OBERON 4 SC INSECTICIDE/MITICIDE, WHEN USED ON MINT UNDER THIS SECTION 24(C) LABEL, MAY RESULT IN CROP INJURY, CROP YIELD REDUCTION, AND/OR CROP LOSS. BAYER RECOMMENDS THAT THE USER AND/OR GROWER TEST OBERON 4 SC INSECTICIDE/MITICIDE IN ORDER TO DETERMINE ITS COMPATIBILITY WITH THE INTENDED USE. BECAUSE OF THE RISK OF CROP INJURY, CROP YIELD REDUCTION, AND/OR CROP LOSS, ALL SUCH USE IS AT USER'S AND/OR GROWER'S RISK.

By using this Product in the manner described in this Section 24(C) label, the User or Grower acknowledges, agrees, and accepts that, to the extent consistent with applicable law:

- 1) He or she assumes all risk of crop injury, crop yield reduction, and crop loss resulting from the use of Oberon 4 SC Insecticide/Miticide on mint;
- 2) Bayer CropScience LP does not make, and does not authorize any agent or representative to make, any representations or recommendations regarding the use of Oberon 4 SC Insecticide/Miticide on mint other than the statements on the Section 24(C) label;
- 3) Bayer CropScience LP does not make, and does not authorize any agent or representative to make, any warranties, express or implied, with respect to the use of Oberon 4 SC Insecticide/Miticide on mint and disclaims all warranties, express or implied, including any implied warranty of merchantability;
- 4) Bayer CropScience LP disclaims all liability for any damages, losses, expenses, claims or causes of action arising out of or relating to crop injury, crop yield reduction, and/or crop loss; and
- 5) The terms and conditions contained herein and on this Section 24(C) label supersede any contrary representations or recommendations by Bayer CropScience LP or its respective agents or representatives, as well as any provisions in or on any literature or labeling for Oberon 4 SC Insecticide/Miticide, including any provisions on the product label.

If these terms and conditions for use of Oberon 4 SC Insecticide/Miticide on mint are unacceptable to the User and/or Grower, the User and/or Grower should return the product unopened or use the product for a different use permitted by the product label. These terms and conditions for use on Oberon 4 SC Insecticide/Miticide on mint are required by Bayer CropScience and not specified by the U.S. EPA or the State of Idaho.

For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577

For PRODUCT USE Information Call 1-866-99BAYER (1-866-992-2937)

*As with any crop-protection product, always read and follow label directions.
For additional information call toll-free 1-866-99BAYER (1-866-992-2937).*

Section 24c SLN Registrant:

**Bayer CropScience, LP
800 N. Lindbergh Blvd.
St. Louis, MO 63167**