



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

September 24, 2020

Anne Rush
Environmental Scientist
New Jersey Department of Environmental Protection
Pesticide Evaluation and Monitoring
P.O. Box 420, MC 380-01B
Trenton, NJ 08625-0420

Subject: FIFRA 24(c) Registration –SLN Acknowledgment Letter
SLN Registration Number: NJ-190003
EPA Decision Number: 559156
SLN Expiration Date: December 31, 2022
Parent EPA Reg. No.: 70506-301
Product Name: Devrinol® 2-XT Selective Herbicide

Dear Ms. Rush:

This letter acknowledges receipt the above-listed Special Local Need (SLN) registration pursuant to Section 24(c) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. The SLN registration permits use of Devrinol® 2-XT Selective Herbicide (napropamide) on cranberries to control redroot, nutsedge, western panicgrass, broomsedge, bluestem, rice cutgrass, and purplestem beggarticks. You indicated that the current Section 3 label restrains the use of this product on cranberry beds to a single application made before spring growth begins which does not allow efficient control of late spring emerging weeds, and thus a need for this SLN registration. All other aspects remain the same.

The Agency has completed a review of this use and acknowledges the State's special local need registration. Please inform the registrant that we have placed a copy of the SLN label in our files. If you have any questions, please contact Tamica Cain by phone at (703) 347-8110 or via email at cain.tamica@epa.gov.

Sincerely,

A handwritten signature in black ink, reading "Tawanda Maignan", is positioned above the typed name.

Tawanda Maignan
Emergency Response Team Leader
Minor Use and Emergency Response Branch
Registration Division (7505P)
Office of Pesticide Programs

cc: EPA Region 2, Audrey Moore and Tara Glynn
EPA Tribal Coordinator, Michael Brannick



FIFRA Section 24(c)
SPECIAL LOCAL NEED LABEL

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF
NEW JERSEY

DEVRINOL® 2-XT SELECTIVE HERBICIDE

EPA REG NO. 70506-301

EPA SLN NO. NJ-190003

This label expires Dec. 31, 2022

DIRECTIONS FOR USE ON CRANBERRIES

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Follow all applicable directions, restrictions and precautions on the EPA registered label. This label and the container label must be in the possession of the user at the time of pesticide application.

Established beds (over one year old): For control of Carolina Redroot (*Lachnanthes caroliniana*), nutsedge (*Cyperus dentatus*), Western panicgrass (*Panicum acuminatum*), broomsedge bluestem (*Andropogon virginicus*), rice cutgrass (*Leersia oryzoides*) and purplestem beggarticks (*Bidens connata*). Apply DEVRINOL 2-XT at a rate indicated below to a weed free soil surface before bloom or in the fall after harvest. Do not apply when beds are under winter flood.

In Beds with Sandy Soils: Apply 8-18 quarts (4-9 lbs ai) DEVRINOL 2-XT per acre through ground application equipment or through the sprinkler irrigation system. Do not apply more than 18 quarts (9 lbs ai) DEVRINOL 2-XT per acre per year.

New and established plantings: Apply up to 9 quarts (4.5 lbs ai) DEVRINOL 2-XT per acre to a weed free soil surface after planting using ground spray equipment or through the sprinkler irrigation system. Multiple applications may be made, but do not apply more than 18 quarts (9 lbs ai) DEVRINOL 2-XT per acre per year.

APPLICATIONS THROUGH SPRINKLER IRRIGATION SYSTEMS

- Remove existing weed growth before application.
- For best results, the treatment must reach the zone of weed seed germination. If rainfall does not occur the treatment must be shallowly incorporated or irrigated-in following application with sufficient water to wet the soil to a depth of 2 to 4 inches.
- Meter the DEVRINOL 2-XT into the irrigation water during the entire period.
- Apply with sufficient water to wet the soil to a depth of 2-4 inches.
- Good agitation should be maintained during the entire application period.
- Avoid run-off.

UPL NA Inc.
630 Freedom Business Center, Suite 402
King of Prussia, PA 19406
1-800-438-6071

USE PRECAUTIONS FOR SPRINKLER IRRIGATION SYSTEMS:

- ✓ A. Apply this product only through sprinkler including center pivot, lateral move, end tow, side (wheel) roll, traveler, microsprinkler, solid set, or hand move systems. Do not apply this product through any other type of irrigation system.
- ✓ B. Crop injury, lack of effectiveness, or illegal pesticide residues in the crop can result from nonuniform distribution of treated water.
- ✓ C. If you have questions about calibration, you should contact State Extension Service specialists, equipment manufacturers or other experts.
- ✓ D. Do not connect an irrigation system (including greenhouse systems) used for pesticide application to a public water system unless the pesticide label-prescribed safety devices for public water systems are in place.
- ✓ E. A person knowledgeable of the chemigation system and responsible for its operation, or under the supervision of the responsible person, shall shut the system down and make necessary adjustments should the need arise.

FOR SPRINKLER IRRIGATION:

- ✓ 1. The system must contain a functional check valve, vacuum relief valve, and low pressure drain appropriately located on the irrigation pipeline to prevent water source contamination from backflow.
- ✓ 2. The pesticide injection pipeline must contain a functional, automatic, quick-closing check valve to prevent the flow of fluid back toward the injection pump.
- ✓ 3. The pesticide injection pipeline must also contain a functional, normally closed, solenoid-operated valve located on the intake side of the injection pump and connected to the system interlock to prevent fluid from being withdrawn from the supply tank when the irrigation system is either automatically or manually shut down.
- ✓ 4. The system must contain functional interlocking controls to automatically shut off the pesticide injection pump when the water pump motor stops.
- ✓ 5. The irrigation line or water pump must include a functional pressure switch which will stop the water pump motor when the water pressure decreases to the point where pesticide distribution is adversely affected.
- ✓ 6. Systems must use a metering pump, such as a positive displacement injection pump (e.g., diaphragm pump) effectively designed and constructed of materials that are compatible with pesticides and capable of being fitted with a system interlock.
- ✓ 7. Do not apply when wind speed favors drift beyond the area intended for treatment.

24(c) Registrant:

UPL NA Inc.
630 Freedom Business Center
King of Prussia, PA 19406
610-491-2800