

## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

December 17, 2021

Robert Avalos Manager of Registrations Loveland Products Inc. P.O. Box 1286 Greeley, CO 80632-1286

Subject: Registration Review Label Mitigation for Pendimethalin –SLN Amendment

Acknowledgment Letter

Product Name: STEALTH HERBICIDE EPA Registration Number: NV-060006 Parent EPA Reg. No.: 34704-868 Application Date: 06/15/2018 Decision Number: 580535

Dear Mr. Avalos:

The Agency acknowledges receipt of the label for the above-listed Special Local Need (SLN) registration pursuant to Section 24(c) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, submitted to support the Registration Review of Pendimethalin. The Agency has completed its review of the SLN label and acknowledges that the label, as amended, complies with the Pendimethalin Interim Decision.

We have placed a copy of the amended SLN label in our files. If you have any questions, please contact DeMariah Koger by phone at 202-566-2288 or via email at <a href="mailto:koger.demariah@epa.gov">koger.demariah@epa.gov</a>.

Sincerely

Linda Arrington, Branch Chief

Risk Management and Implementation Branch 4

Pesticide Re-Evaluation Division Office of Pesticide Programs

Cc: RD PM contact: Emily Schmid

RD MUERB PM contact: Eric Bohnenblust

State regulatory contact: Jian (Jim) Zhang, JianZhang@agri.nv.gov

## SUPPLEMENTAL LABELING

PENDIMETHALIN GROUP 3 HERBICIDE

# STEALTH® HERBICIDE

FOR DISTRIBUTION AND USE ONLY WITHIN NEVADA EPA Reg. No. 34704-868 EPA SLN No.: NV-060006

# FOR WEED CONTROL IN CLOVER GROWN FOR SEED PRODUCTION

This label is valid until December 31, 2023 or until otherwise amended, withdrawn, canceled or suspended.

Follow all applicable directions, restrictions, Worker Protection Standard requirements, Spray Drift, and precautions on the EPA-registered product label for STEALTH®, EPA Reg. No. 34704-868. This labeling must be in the possession of the user at the time of application.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Keep Out of Reach of Children

### **CAUTION**

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-800-301-7976. FOR A TRANSPORTATION EMERGENCY INVOLVING THIS PRODUCT CALL: 1-800-424-9300.

### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high-water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent aquatic sites and other nontarget organisms. Do not contaminate water when disposing of equipment washwaters or rinsate.

**NON-TARGET ORGANISM ADVISORY STATEMENT:** This product is toxic to plants and may adversely impact the forage and habitat of non-target organisms, including pollinators, in areas adjacent to the treated site. Protect the forage and habitat of non-target organisms by following label directions intended to minimize spray drift.

Do not allow spray to drift from the application site and contact people, structure people occupy at any time and the associated property, parks, and recreation areas, nontarget crops, aquatic and wetland areas, woodlands, pastures, rangelands, or animals.

See container label for Endangered Species Protection Information.

**STEALTH** controls most annual grasses and certain broadleaf weeds as they germinate, but it will not control established weeds. Unusually cold, excessively wet, or hot and dry conditions that delay germination or extend it over a long period of time may reduce weed control.

Some stunting and chlorosis of the clover may occur with postemergence applications. Applications when clover exceeds 6 inches in height may result in poor weed control in the crop row due to possible reduced

**spray coverage to the soil. DO NOT** exceed 4.8 quarts of product per acre in any one crop season. **DO NOT** apply this product through any type of irrigation system. Uniformly apply in 10 or more gallons of water per acre with ground equipment.

Apply **STEALTH** at optimum application timing for dodder or other weed control to established clover at a broadcast rate of 1.2 to 4.8 quarts per acre prior to weed emergence. Apply STEALTH before clover exceeds 6 inches in height.

**STEALTH** is most effective when mechanically incorporated, or when incorporated in the weed germination zone by rainfall or irrigation within 7 days of application.

**DO NOT** apply to seedling clover. **DO NOT** use on peat or muck soils.

SPECIAL CROP USE RESTRICTIONS: Use of this product according to this label is deemed a non-food use and as such is not for use on field producing clover for livestock feed.

**DO NOT** feed or graze clover following **STEALTH** application.

**DO NOT** cut treated clover for hay or forage.

**DO NOT** use harvested seed for sprouting.

No portion of the treated field, including seed, seed screenings, hay, forage, or stubble may be used for human or animal feed.

Producers of clover seed who use this product, or cause the product to be used on a field they operate, are required to inform, in writing, conditioners receiving seed produced on fields treated with STEALTH Herbicide. A copy of the label must be given by the producer to the conditioner. Processed seed must be labeled "Not for human or animal consumption" at the processing plant. All clover seed screenings must be disposed of in such a way that they cannot be distributed or used for food or feed.

**NOTE**: If loss of clover stand occurs due to adverse weather conditions, any crop registered for **STEALTH** preplant incorporated use can be replanted the same year into **STEALTH** treated soil without adverse effects. If replanting is necessary, soil should not be reworked deeper than the **STEALTH** treated zone.

**STEALTH herbicide** applied at a rate of 1.2 to 2.4 quarts per acre prior to weed emergence will control the following weeds:

**Grasses:** Barnyardgrass, Crabgrass, Crowfootgrass, Foxtail, Giant, Foxtail, Green, Foxtail, Yellow, Goosegrass, Johnsongrass (seedling), Panicum, Fall; Panicum, Texas; Sandbur, Field; Signalgrass, Witchgrass

Broadleaf Weeds: Carpetweed, Florida Pusley, Kochia, Lambsquarters, Pigweed, Purslane, Spurge, annual

**STEALTH** applied at a rate of 2.4 to 4.8 quarts per acre prior to weed emergence will control the following weeds in addition to those listed above:

**Grasses:** Bluegrass (annual), Cupgrass, Wooly; Itchgrass, Junglerice, Lovegrass, Millet, Wild-proso, Panicum, Browntop, Shattercane, Sprangletop, Mexican, Sprangletop, Red

**Broadleaf Weeds:** Chickweed (common), Dodder\*, Fiddleneck, Henbit, Knotweed (prostrate), Puncturevine, Rocket, London; Shepherdspurse, Smartweed, Pennsylvania; Velvetleaf (Buttonweed)

#### ROTATIONAL CROP RESTRICTIONS

The following crops may be planted after the indicated time interval depending on the crop and rate used.

Rate per Acre
---------------

Сгор	Less than 1.8 quarts	1.9 to 3.6 quarts	3.7 to 4.8 quarts
Crops labeled for Preplant Incorporated Application	Same season	4 months	4 months
Wheat	4 months	12 months	18 months
Red beets, sugar beets and spinach	12 months	18 months	24 months
Other crops*	Following year	18 months	24 months

24c Registrant: Loveland Products Inc. PO Box 1286 Greeley, CO 80632-1286

REV. 06/15/2018