

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

October 21, 2024

Matthew Bucy
Pesticide Registration
Oregon Department of Agriculture
635 Capitol St. NE
Salem, OR 97301-2532

Subject: FIFRA 24(c) Registration –SLN Acknowledgment Letter

SLN Registration Number: OR180009

EPA Decision Number: 596063

SLN Expiration Date: December 31, 2028

Parent EPA Reg. No.: 66222-277 Product Name: Bravo Ultrex

Dear Mr. Bucy:

This letter acknowledges receipt of the above-listed Special Local Need (SLN) registration pursuant to Section 24(c) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. The SLN registration permits use of Bravo Ultrex (containing chlorothalonil) for control of downy mildew on sugar beets grown for seed. This registration has an expiration date of December 31, 2028.

The Agency has completed a review of this use and acknowledges the State's SLN registration. Please inform the registrant that we have placed a copy of the SLN label in our files. If you have any questions, please contact Anna Katrina Briley via email at briley.anna-katrina@epa.gov.

Sincerely,

Jennifer Gaines, Senior Regulatory Specialist

Emergency Response Team

Minor Use and Emergency Response Branch

Registration Division/Office of Pesticide Programs

cc: Chad Schulze, USEPA Region 10 Coordinator
Dirk Helder, USEPA Region 10 Tribal Coordinator



FIFRA Section 24(c) Special Local Need (SLN) Label

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF OREGON

BRAVO ULTREX®

EPA Reg. No. 66222-277

SLN No. OR-180009

For Control of Downy Mildew on Sugar Beets Grown for Seed

This label is valid until December 31, 2028 or until otherwise amended, withdrawn, cancelled, or suspended.

Active Ingredient: Chlorothalonil (tetrachloroisophthalonitrile)	
Total:	100.0%

Bravo Ultrex is formulated as a water-dispersible granule (WDG). Contains 0.825 lb ai chlorothalonil per pound of product.

KEEP OUT OF REACH OF CHILDREN **DANGER /PELIGRO**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

DIRECTIONS FOR USE

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This SLN label and the label affixed to the main container for Bravo Ultrex must be in the possession of the user at the time of application.
- Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on this SLN label and the label affixed to the main container of Bravo Ultrex.

ENVIRONMENTAL HAZARDS

Follow all applicable directions, restrictions, and precautions in the Environmental Hazards section of the label affixed to the main container of Bravo Ultrex (EPA Reg. No. 66222-277).

APPLICATION DIRECTIONS

CROP	DISEASE	RATE PER ACRE	APPLICATION DIRECTIONS
	Downy mildew	(1.3 lb. a.i.)	Use in sufficient water to obtain adequate coverage, normally 20 to 150 gallons per acre for dilute sprays and 5 to 10 gallons per acre for concentrate ground sprays and aircraft applications.
			Make the first application in mid-October when disease conditions become favorable, and make additional applications as favorable disease conditions warrant, through April of the following year.
			DO NOT apply Bravo Ultrex to sugar beet plants after bolting and seedhead emergence has occurred.
			Bravo Ultrex may be applied through sprinkler irrigation systems. See Application and Calibration Techniques for Chemigation on the Bravo Ultrex container label.

SPECIAL CROP USE RESTRICTIONS

The pesticide applicator, the producer of the crop, and the seed conditioner must be aware that use of this product according to this labeling is deemed a nonfeed/non-food use by the Oregon Department of Agriculture, and is regulated by Oregon Administrative Rule (OAR) 603-057-0535, Pesticide Use On Crops Grown For Seed. If the applicator of this pesticide is not the producer, the applicator must provide a copy of this labeling to the producer of the crop. Producers of this crop who use this product, or cause the product to be used on a field they operate, must provide a copy of this pesticide label to the seed conditioner.

This pesticide does not have an established pesticide residue tolerance for this crop. Consequently, no portion of this seed crop may be used or distributed for food or feed for 1 year (365 days) after the last application of this product. This restriction pertains to, but is not limited to: green chop, forage, hay, pellets, meal, whole seed, cracked seed, straw, roots, bulbs, foliage or seed screenings, and to the grazing of the crop field, stubble or regrowth. All seed screenings shall be disposed of in such a manner that the screenings cannot be distributed or used for food or feed purposes, as indicated in OAR 603-057-0535. Additional regulations concerning seed screenings are stated in OAR 603-057-0535.

Any seed from a field treated with this pesticide product shall bear specific and conspicuous container labeling, or if shipped in bulk, on the shipment invoice or bill of lading. The labeling shall contain the following statement:

"This seed was produced using one or more products for which the United States Environmental Protection Agency has not established pesticide residue tolerances. This seed, in whole, as sprouts, or in any form, may not be used for human consumption or animal feed. Failure to comply with this condition may violate

requirements of the Federal Food and Drug Administration, the Oregon Department of Agriculture and other regulatory agencies."

Bravo Ultrex is a registered trademark of an ADAMA Group Company

Section 24(c) Registrant: Makhteshim Agan of North America, Inc. d/b/a ADAMA 8601 Six Forks Road, Suite 300 Raleigh, NC 27615



Rev. 05/08/2024