

## OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

March 12, 2024

Philip Wright, Regulatory Affairs Texas Department of Agriculture P.O. Box 12847 Austin, TX 78711

Subject: FIFRA 24(c) Registration –SLN Acknowledgment Letter

SLN Registration Number: TX180005

EPA Decision Number: 594848

SLN Expiration Date: December 31, 2028

Parent EPA Reg. No.: 228-742

Product Name: Duplosan® Herbicide

Dear Mr. Wright:

This letter acknowledges receipt of the above-listed Special Local Need (SLN) registration pursuant to Section 24(c) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. The SLN registration permits use of Duplosan® Herbicide (containing 2,4-DP-p) for post-harvest destruction/removal of all cotton including 2,4-D and Dicamba tolerant varieties utilized by the Texas Boll Weevil Eradication Program. This registration has an expiration date of December 31, 2028.

The Agency has completed a review of this use and acknowledges the State's SLN registration. Please inform the registrant that we have placed a copy of the SLN label in our files. If you have any questions, please contact Anna Katrina Briley via email at <a href="mailto:briley.anna-katrina@epa.gov">briley.anna-katrina@epa.gov</a>.

Sincerely,

Jennifer Gaines, Senior Regulatory Specialist

**Emergency Response Team** 

Minor Use and Emergency Response Branch

Registration Division/Office of Pesticide Programs

cc: Amy Camacho, USEPA Region 6 Coordinator
Monica Smith, USEPA Region 6 Tribal Coordinator



# Nufarm | FIFRA 24(c) Special Local Need

**SLN No. TX-180005** 

# **DUPLOSAN®**

## Herbicide

EPA Reg. No. 228-742

## For Post-Harvest Destruction / Removal of All Cotton Including 2,4-D and Dicamba Tolerant Varieties

## FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF TEXAS

This SLN label expires on 12-31-2028 and must not be used or distributed after this date

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN ANY MANNER INCONSISTENT WITH ITS LABELING. THIS LABELING MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF APPLICATION.

READ THIS SLN LABELING AND THE ENTIRE LABEL AFFIXED TO THE PRODUCT CONTAINER BEFORE APPLYING.

FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THIS SLN LABELING AND THE LABEL AFFIXED TO THE PRODUCT CONTAINER.

> 2,4-DP-p **GROUP HERBICIDE**

#### **ENVIRONMENTAL HAZARDS**

NON-TARGET ORGANISM ADVISORY: This product is toxic to plants and may adversely impact the forage and habitat of non-target organisms, including pollinators, in areas adjacent to the treated site. Protect the forage and habitat of nontarget organisms by following label directions intended to minimize spray drift.

GROUNDWATER ADVISORY: 2,4-DP-p is known to leach through soil into groundwater under certain conditions as a result of label use. This chemical may leach into groundwater if used in areas where soils are permeable, particularly where the water table is shallow.

#### **DIRECTIONS FOR USE**

## **USE FOR:**

Post-harvest destruction / removal of all cotton including 2,4-D and Dicamba tolerant varieties.

#### SPRAY MIXTURE PREPARATION:

Add one-half the required amount of water to the spray tank, then add this product with agitation, then add any tank mix partners and finally, add the balance of the water with continued agitation. This material forms an emulsion in water. Emulsions tend to separate on standing. Provide continuous agitation to prevent separation and to form a uniform mixture.

## **RESTRICTIONS & LIMITATIONS:**

Do not replant fields treated with this product within 30 days of application.

Do not exceed 3 pints of Duplosan Herbicide (1.5 lb dichlorprop-p acid equivalent) per acre per application.

Do not make more than 2 applications / year.

Do not harvest cotton treated with Duplosan Herbicide.

## POST HARVEST COTTON DESTRUCTION:

Mix 32 – 48 fl oz (2 – 3 pints) of Duplosan Herbicide (1 – 1.5 lb dichlorprop-p ae) per acre treated. For best results, apply Duplosan 2 weeks after final cotton harvest. Some leaf regrowth on the mowed or standing stalks will increase product uptake and performance. Applications of Duplosan may commence immediately after harvest to freshly shredded stalks or standing stalks, but this may result in less consistent control. Cotton stalks should not be shredded within 2 weeks after application due to reduced translocation to the root and reduced efficacy.

A second application after the initial treatment may be required for complete kill. Add crop oil concentrate at 1% v/v.

## **NOTICE**

Read the "WARRANTY DISCLAIMER" and "LIMITATION OF LIABILITY" in the label booklet for this product before using this product. Those terms apply to this supplemental labeling and if those terms are not acceptable, return the product unopened at once.

Manufactured for Nufarm Americas Inc., 11901 S. Austin Ave, Alsip, IL 60803

(RV111723) Page 1 of 1