

ACCEPTED

DENIED

VDAC

*Mitch B. Park*



EPA SLN No.: **VA-200002**  
24(c) Special Local Need  
Label for Command 3ME  
Microencapsulated  
Herbicide in Lima Bean and  
Recropping Directions  
**FOR DISTRIBUTION AND USE  
ONLY IN VIRGINIA**

EPA Reg. No. 279-3158

This label for Command 3ME Microencapsulated Herbicide expires and must not be distributed or used in accordance with this SLN registration after December 31, 2029, or if withdrawn, canceled, or suspended.

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA REGISTERED LABEL MUST BE FOLLOWED SUBJECT TO THE TERMS AND CONDITIONS OF THE PRODUCT LABELING.

THESE USE DIRECTIONS MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.

**LIMA BEAN**

**Application Information**

For the suppression of annual grasses and broadleaf weeds in lima beans, apply Command 3ME Microencapsulated Herbicide broadcast at 4 to 6 fl oz/A as a soil applied treatment after seeding but prior to crop and weed emergence. This use recommendation is only for suppression of early season grass and certain broadleaf weeds to provide additional time for follow up cultivation and application of other labeled post emergent herbicides.

**Restrictions**

- Do not apply more than 6 fl oz/A Command 3ME Microencapsulated Herbicide (0.141 lb ai/A clomazone) per application to lima beans.
- Do not apply more than 10.7 fl oz/A Command 3ME Microencapsulated Herbicide (0.25 lb ai/A clomazone) to lima beans per year.
- Do not make more than two applications to lima bean per year.


**Replanting Instructions**

If the initial seeding fails to produce the desired stand, lima bean may be replanted in a field treated with Command 3ME Microencapsulated Herbicide. Do not retreat field with a second application of Command 3ME Microencapsulated Herbicide. Do not replant treated fields with any crop at intervals which are inconsistent with the Rotational Crop Restrictions on the Command 3ME Microencapsulated Herbicide federally registered label.

24 (c) Registrant



FMC Corporation  
2929 Walnut St  
Philadelphia, PA 19104



When tank mixing with a labeled product, refer to the replant instructions for that product. Where a tank mixture is used, refer to the product(s) labels for any additional replant instructions.

### **Recrop Rotation Interval to Lima Bean Following Command 3ME Microencapsulated Herbicide Use in Prior Crop**

Lima bean may be replanted as early as, but not before 60 days following a maximum of 12 fl oz/A or less Command 3ME Microencapsulated Herbicide use rate in the prior crop.

For use rates exceeding 12 fl oz/A applied to the crop prior to rotating to lima beans, refer to the Rotational Crop Restrictions on the Command 3ME Microencapsulated Herbicide federally registered label.

### **Precautions**

FMC Corporation intends to offer this product only to those end users and/or growers who have liability and indemnification agreements with FMC Corporation for failure to perform and crop damage from the use of Command 3ME Microencapsulated Herbicide on Lima Bean. If, after purchasing the product, the release of liability and indemnification is unacceptable to the user and/or grower, FMC Corporation requests that the user and/or grower return Command 3ME Microencapsulated Herbicide to the place of purchase at once, unopened.

This product when used on Lima Bean may lead to crop injury, loss, or damage. FMC Corporation recommends that the user and/or grower test product in order to determine its suitability for such intended use. FMC Corporation makes the product available to the user and/or grower solely to the extent the benefit and utility, in sole opinion of the user and/or grower, outweigh the extent of potential injury associated with the use of this product. The decision to use or not to use this herbicide must be made by each individual user and/or grower on the basis of possible crop injury from Command 3ME Microencapsulated Herbicide, the severity of weed infestation, the cost of alternative weed controls and other factors, because of the risk of crop damage all such use is at the user's and/or grower's risk.

These Crop Specific Use directions are based upon the interactive effects of Command 3ME Microencapsulated Herbicide and the primary soil and environmental factors, which affect its activity on various weed species and tolerance among crops. The user is required to observe the instructions and guidance previously presented under General Application Instructions, Rotational Crop Guidelines, Replanting Instructions, Liability Disclaimer and any other section listed in the Command 3ME Microencapsulated Herbicide Section 3 label pertinent to the anticipated crop use. It is important to note that not all varieties or cultivars of a given crop species have been evaluated under treatment with Command 3ME Microencapsulated Herbicide. Consult university or extension weed management specialists for additional information on specific local varieties or cultivars and any other pertinent information on Command 3ME Microencapsulated Herbicide under specific local conditions.

### **MANUFACTURER'S CONDITIONS AND RISK OF USE**

**NOTICE:** This 24(c) label will only be utilized by growers located in the State of Virginia. **SUCH GROWER USERS AGREE FMC CORPORATION WILL NOT BE HELD RESPONSIBLE FOR FAILURE TO PERFORM AND/OR CROP RESPONSE AND OR YIELD LOSSES RESULTING FROM THE USE OF COMMAND 3ME MICROENCAPSULATED HERBICIDE IN LIMA BEAN.** Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability on the commercial Command 3ME Microencapsulated Herbicide Section 3 label and this 24(c) label before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product shall be followed carefully.

**USE OF COMMAND 3ME MICROENCAPSULATED HERBICIDE ON LIMA BEAN IN ACCORDANCE WITH THIS LABELING MAY RESULT IN FAILURE TO PERFORM, CROP INJURY, CROP YIELD REDUCTION AND/OR CROP LOSS. READ AND UNDERSTAND THESE CONDITIONS AND RISKS OF USE FOR THE SECTION 24(C) REGISTRATION BEFORE USING THIS PRODUCT ON THE CROP. FMC Corporation recommends that the user and/or grower test product in order to determine its suitability for such intended use.**

FMC Corporation makes the Product available for use in the manner described in this Labeling on the basis that, in the sole opinion of the user, the benefits and utility derived from the use of the Product on the Crop outweigh the potential risk of failure to perform, Crop injury, Crop yield reduction and/or Crop loss. The decision to use the Product in the manner described in the Labeling must be made by each individual user on the basis of anticipated benefits versus (i) the potential risk of failure to perform, Crop injury, Crop yield reduction and Crop loss, (ii) the severity of the target pest infestation, (iii) the cost and availability of alternative pest controls and (iv) any other relevant factors.

**By purchasing the Product for use, or using the Product, in the manner described in this Labeling, you acknowledge and accept that, to the extent consistent with applicable law:**

- (1) You assume all risk of failure to perform, Crop injury, Crop yield reduction and Crop loss;
- (2) FMC Corporation does not make, and does not authorize any agent or representative to make, any representations or recommendations regarding the use of this Product on the Crop other than the statements on this Labeling;
- (3) FMC Corporation does not make, and does not authorize any agent or representative to make, any warranties, expressed or implied, with respect to the use of the Product on the Crop and disclaim all warranties, expressed or implied, including any implied warranty;
- (4) FMC Corporation disclaims all liability for any damages, losses, expenses, claims or causes of actions arising out of or relating to failure to perform, Crop injury, Crop yield reductions and/or Crop loss, including without limitation incidental, consequential or special damages;
- (5) These Conditions and Risks of Use for 24(c) label registration supersede any contrary representations or recommendations by FMC Corporation, its agents or representatives, and any provisions in or on any Product literature or labeling including any provisions on the label affixed to the Product container.

**If these Conditions and Risk of Use for this 24(c) Registration are not acceptable, the unopened Product may be returned to the seller for a refund or used for a different labeled use in accordance with the label affixed to the Product container.**

FMC, the FMC logo, and COMMAND are trademarks of FMC Corporation and/or an affiliate.

© 2024 FMC Corporation All rights reserved.

Label Code: DR-4911 091224