



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

May 2, 2024

Matt Sunseri  
Registration Specialist/ Pesticide Management Division  
Washington State Department of Agriculture  
Natural Resources Building  
P.O. Box 42560  
1111 Washington St SE  
Olympia, WA 98504-2560

Subject: FIFRA 24(c) Registration –Amended SLN Acknowledgment Letter  
SLN Registration Number: WA070019  
EPA Decision Number: 594775  
SLN Expiration Date: 12/31/2024  
Parent EPA Reg. No.: 7173-242  
Product Name: Rozol Vole Bait

Dear Mr. Sunseri:

This letter acknowledges receipt for the above-listed Special Local Need (SLN) registration pursuant to Section 24(c) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. This SLN will permit use of Rozol Vole Bait (chlorophacinone) on pome and stone fruit tree orchards to control meadow or mountain voles. It also extends the expiration date to December 31, 2024 so this SLN aligns with the expiration schedule for the other WA SLNs for Rozol Vole Bait (WA180006) for aerial application. The word "toxicity" was changed to "hazard" in the RUP box and edits the surface water restriction bullet to align with the Sec3 label. This SLN will expire 12/31/2024.

The Agency has completed a review and acknowledges the State's amended SLN registration. Please inform the registrant that we have placed a copy of the SLN label in our files. If you have any questions, please contact Maya Wheeler by phone at (202) 566-2957 or via email at [wheeler.maya.b@epa.gov](mailto:wheeler.maya.b@epa.gov).

Sincerely,

A handwritten signature in cursive script that reads "Jennifer Gaines".

Jennifer Gaines, Senior Regulatory Specialist  
Emergency Response Team  
Minor Use and Emergency Response Branch  
Registration Division/Office of Pesticide Programs

Page 2 of 2  
SLN Reg. No.: WA070019  
Decision No.: 594775

CC: *Chad Schulze, USEPA Region 10 Regional Coordinator*  
*Derrick Terada, USEPA Region 10 Tribal Coordinator*

**RESTRICTED USE PESTICIDE****DUE TO HAZARD TO NONTARGET ORGANISMS**

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certificate.

**Section 24(c) Special Local Need Label**

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF WASHINGTON

**rozol<sup>®</sup> VOLE BAIT**

**FOR AERIAL BROADCAST APPLICATION TO CONTROL MEADOW OR  
MOUNTAIN VOLES IN POME FRUIT  
(APPLE, PEAR) AND STONE FRUIT (APRICOT, CHERRY, NECTARINE,  
PEACH, PLUM, PRUNE) TREE ORCHARDS AFTER FALL HARVEST**

EPA Reg. No. 7173-242 EPA SLN No. WA-070019

This label for Rozol Vole Bait expires and must not be distributed or used in accordance with this SLN registration after December 31, 2024.

- It is a violation of federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Follow all applicable directions, restrictions and precautions on this SLN label and the EPA registered label.

**DIRECTIONS FOR USE:****POME AND STONE FRUIT TREE ORCHARDS FOR MEADOW OR MOUNTAIN  
VOLE CONTROL:**

**APPLICATION DIRECTIONS:** Before application, examine orchard floor to locate trails and runway systems to be treated. Apply bait when three days of rain-free and snow-free weather are expected. Apply bait after harvest (including all harvestable fruit drops) and before new growth in the spring.

**Aerial broadcast baiting:** Uniformly apply 10 pounds of bait per acre. If populations are high, make a second application 1 to 2 months after the first. Do not apply more than 20 pounds of bait per acre per season. To avoid exposing nontarget organisms, clean up any bait in piles for reuse or disposal according to the federal label.

**RESTRICTIONS / PRECAUTIONS:**

- Do not apply more than 10 pounds of bait per acre per application.
- Do not apply more than 20 pounds of bait per acre per season.
- Do not apply bait during the growing season.
- Do not apply bait over bare ground or to crops not specified above.
- Do not expose humans (including children), pets, livestock or other nontarget animals to bait during application, handling, storage or disposal. Do not allow livestock to graze or clean up fruit drops in treated areas. Do not use hay cut after application for livestock feed or bedding.
- Do not apply this product directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.
- Do not apply by air within 50 feet of any body of surface water (i.e. streams, rivers, lakes) or where raptors are actively feeding on voles.
- This pesticide is extremely toxic to fish and wildlife. Rozol Vole Bait should not be used under this SLN label where impact on listed threatened or endangered species is likely. You may refer to the Natural Resources Assessment Section on WSDA's website for additional information on pesticide use and endangered species protection. You may use the Washington Department of Fish and Wildlife's online SalmonScape mapping tool to determine if listed salmonid species occur in or near a proposed application site.

**WSDA Container Disposal Guidance:**

Completely empty the contents of the container into application equipment, and apply to a labeled crop or site. The empty container may be disposed of in a sanitary landfill. Burning is not a legal method of container disposal in Washington.

Section 24(c) SLN registrant:

Liphatech, Inc.  
3600 W. Elm Street  
Milwaukee, WI 53209

Rev. 11/01/2023