### RESTRICTED USE PESTICIDE

**DUE TO HAZARDS TO NON-TARGET SPECIES** 

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

### FIFRA SECTION 24(c) SPECIAL LOCAL NEED LABEL

For Distribution and Use Only in the State of Wyoming

## ZP® Rodent Bait AG

EPA Reg. No. 12455-17 EPA SLN No. WY-150001

## For Control of Wyoming Ground Squirrels Only for Uses and Application Methods on this 24(c) SLN Label

This label is valid until December 31, 2029, or until otherwise amended, withdrawn, canceled, or suspended.

ACTIVE INGREDIENT		
Zinc Phosphide CAS#1314-84-7	KILOMOROMANIA KANDANIA KANDANIA KANDANIA KANDANIA	2.0%
OTHER INGREDIENTS	14.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.	98.0%
TOTAL		100.0%

# KEEP OUT OF REACH OF CHILDREN CAUTION

Section 24(c) SLN Registrant:



#### DIRECTIONS FOR USE

#### It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This Section 24(c) SLN label and the Section 3 package label for ZP® Rodent Bait AG (EPA Reg. No. 12455-17) must be in the user's possession at the time of application. The user must follow all applicable directions, restrictions, and precautions on the package label and on this SLN label.

#### **Use Restrictions:**

Do not apply this product in a way that will contact workers or other persons, either directly or through Drift. Only protected handlers may be in the area during application. Keep all other persons out of the treated area during this application.

#### **Application Directions:**

#### **ALFALFA**

#### Use Restrictions:

For control of Wyoming ground squirrels (*Urocitellus elegans*) in alfalfa. All applications must occur shortly after a cutting of the hay and/or prior to the next growth's attaining a length of 2 inches. Alfalfa forage from treated areas must not be harvested until it reaches maturity.

#### Pre-Baiting (Mandatory)

Pre-bait with a 50/50 mixture of ground corn and wheat to enhance bait acceptance by Wyoming ground squirrels. Apply the pre-bait mixture at 6 lbs, per acre 2-3 days prior to using ZP® Rodent Bait Ag.

#### **Broadcast Baiting**

This product may be broadcast by dispensing devices that utilize air vacuum, pressurized air, or ground-drive. Apply at a rate of up to 6 lbs. (0.12 lbs. active ingredient) per acre. Make only one application per year. Do not apply in piles or permit piles to be formed by application equipment.

#### BARLEY

#### **Use Restrictions:**

To control Wyoming ground squirrels (*Urocitellus elegans*) in the growing season and pre-plant applications in barley. Do not apply this product to barley within 50 days of harvest. Do not graze animals in treated areas.

#### Pre-Baiting (Mandatory)

Pre-bait with a 50/50 mixture of ground corn and wheat to enhance bait acceptance by Wyoming ground squirrels. Apply the pre-bait mixture at 6 lbs. per acre 2-3 days prior to using ZP® Rodent Bait Ag.

#### **Broadcast Baiting**

This product may be broadcast by dispensing devices that utilize air vacuum, pressurized air, or ground-drive. Apply at a rate of up to 6 lbs. (0.12 lbs. active ingredient) per acre. Make only one application per year. All applications must be made prior to the boot stage. Do not apply in piles or permit piles to be formed by application equipment.

