United States Environmental Protection Agency Office of Prevention, Pesticides and Toxic Substances (7501C)

Field Pesticide Fact Sheet

Name of Chemical: Reason for Issuance: Date Issued: Tetraconazole New Chemical April 2005

Description of Chemical

Generic Name:	Tetraconazole (1-[2-(2,4-dichlorophenyl)-3- (1,1,2,2-tetrafluoroethoxy)propyl]-1H-1,2,4-triazole)
Common Name:	Tetraconazole
Trade Name:	Eminent 125SL
Chemical Class:	Triazole
EPA Chemical Code:	120603
Chemical Abstracts Service (CAS) Number:	112281-77-3
Year of Initial Registration:	2005
Pesticide Type:	Fungicide
U.S. Producer:	Sipcam Agro USA, Inc., 300 Colonial Center Parkway, Roswell, GA 30076

Limitations:	Time limited tolerance to expire Nov.30, 2012.
	Use is limited to the states of CO, MI, MN, MT, ND, NE
	and WY


Use Pattern and Formulations

The end-use product, Eminent 125SL, contains 11.6% tetraconazole by weight and is a liquid fungicide for control of Cercospora leafspot and powdery mildew on sugar beets. The proposed application method is ground and aerial application as a foliar spray or by chemigation. The applications must by alternated with non-triazole fungicides. Applications should begin when disease conditions are favorable and be repeated at 21-28 day intervals. A maximum of two applications per growing season may be made using 13 fluid ounces of a 1pound per gallon product per acre. The preharvest interval is 14 days. The product is for agricultural use only. The pesticide's use is proposed in seven U.S. states: CO, MI, MN, MT, ND, NE, and WY.

Science Findings

Available product chemistry, toxicology, ecological effects and environmental fate data supporting the proposed uses are summarized below.

Physical/Chemical Structure:



(star denotes chiral carbon)

Table 1. Physical-Chemical Properties of Tetraconazole				
Parameter	Value and Unit	Source		
Chemical 1-[2-(2,4-dich Structure	lorophenyl)-3-(1,1,2,2-tetrafluoroetho	xy)propyl]-1H-1,2,4-triazole		
Chemical Name	Tetraconazole			
CAS Number	112281-77-3			
PC Code	120603			
Empirical Formula	$C_{13}H_{11}N_{3}O Cl_{2}F_{4}$			
Molecular Weight	372.16			
Appearance	Viscous liquid			
Color	Yellow			
Odor	Slight aromatic			
Density	1.4382 g/mL at 20 ° C			
Boiling Point	decomposition at 240 ° C			
Octanol/Water Partition Coefficient	$\log K_{ow} = 3.56 \text{ at } 23^{\circ} \text{C}$			
pH saturated solution	5.47			
Organic Solvents Solubility	Readily dichloromathane, acetone, and methanol			
Vapor pressure	1.35e ⁻⁶ mm Hg	Exp VP (EPI Suite)		
Water Solubility (pH 7, 20°C)	159 mg/L	MRID 44268104		
Henry's law constant (K _H)	$4.24e^{-9}$ atm m ³ /mole	Exp HLC (EPI Suite)		
Hydrolysis	stable up to 30 days	MRID 44367002		
Aerobic Soil Metabolism	stable	MRID 44367005		
Aerobic Aquatic Metabolism $(t_{1/2})^1$	382 days (high organic) and 320 days (low organic)	MRID 44751319		
Aquatic Photolysis $t_{1/2}$ (days) ²	215 (sun in Sept) and 107 (July)	MRID 44367003		
Partition Coefficient normalized to Organic Carbon Content $(K_{oc})^3$	428 mL/g	MRID 44367006		
Soil Photolysis t _{1/2} (days)	106	MRID 44367004		

¹ Half-life values calculated for water and sediment compartment together (382 days Mill stream pond-high organic), 320 days in Iron Hatch run-off aquatic system- low organic)
 ² a half-life adjusted for typical sunlight in Milano, Italy

RISK ASSESSMENT

Toxicological Endpoints:

- Acute Toxicity: Tetraconazole has low acute toxicity (Toxicity category III or IV) via the oral, dermal, and inhalation routes. It is a slight eye irritant, but is not a dermal irritant or a dermal sensitizer.
- **Chronic Toxicity**: The liver and kidney are the primary target organs of tetraconazole. In the subchronic, chronic, and reproduction rat studies, subchronic and carcinogenicity mouse studies, and the chronic dog study increases in liver weight, increases in liver serum enzymes, or gross and microscopic liver pathology were noted at various doses, providing evidence of liver toxicity.
- **Reproductive and Developmental Toxicity:** There is no evidence of increased susceptibility of rat or rabbit fetuses to in-utero exposure to tetraconazole. In the developmental toxicity study in rats, developmental effects were seen at the same dose that induced maternal toxicity. In the developmental toxicity study in rabbits, no developmental toxicity was seen at the highest dose tested. In the two generation reproduction study, offspring toxicity occurred at doses higher than the dose that induced parental/systemic toxicity.
- **Neurotoxicity:** No evidence of neurotoxicity was noted in any oral study. No acute or subchronic neurotoxicity studies were submitted.
- **Mutagenicity:** The Agency concluded that there is not a concern for mutagenicity resulting from exposure to Tetraconazole since it was not mutagenic in various mutagenic assays.
- **Cancer Classification:** Tetraconazole was classified as "likely to be carcinogenic to humans" based on the occurrence of liver tumors in male and female mice. The Carcinogenicity Assessment Review Committee recommended that a low dose extrapolation model be applied to the experimental animal tumor data and that quantification of risk be estimated for male and female mouse liver tumors for Tetraconazole. The most potent unit risk will be used for the purpose of lifetime cancer risk assessment by the Agency. In this case, the most potent unit risk, Q1*, is that for male mouse liver benign and/or malignant combined tumor rates at 2.30 x 10-2 in human equivalents.

HAZARD CHARACTERIZATION

Exposure Scenario	Dose Used in Risk Assessment, UF	FQPA SF [*] and Special Level of Concern for Risk Assessment	Study and Toxicological Effects
Acute Dietary General Population (Infants and Children)	Not available	None	An end-point of concern attributable to a single dose was not identified. An acute RfD was not established.
Acute Dietary <u>Females 13 - 50</u> <u>years of age</u>	NOAEL = 22.5 mg/kg/day UF = 100 Acute RfD = 0.225 mg/kg	FQPA SF = 1X $\mathbf{aPAD} = \frac{\text{acute RfD}}{\text{FQPA SF}}$ = 0.225 mg/kg	Oral developmental toxicity study - rat Developmental NOAEL = 22.5 mg/kg/day, based on increased incidence of small fetuses, and supernumerary ribs.
Chronic Dietary <u>all populations</u>	NOAEL= 0.73 mg/kg/day UP = 100 Chronic RfD = 0.0073 mg/kg/day	FQPA SF = 1X $cPAD = chronic RfD$ $FQPA SF$ $= 0.0073 mg/kg/day$	Chronic oral toxicity - dog Systemic Toxicity LOAEL = 2.95/3.33 (M/F) mg/kg/day, based on absolute and relative kidney weights and histopathological changes in the male kidney.
Short-Term Dermal (1- 30 days) (Occupational/ Residential)	oral NOAEL = 5.9 mg/kg/day (dermal absorption rate = 12%)	Occupational LOC for MOE = 100 Residential LOC for MOE = 100	Oral 2-Gen Reproduction Toxicity Study - rat Offspring LOAEL = 40.6 mg/kg/day , based on decreased litter weight and mean pup weight in litters of all generations before weaning and increased relative liver weights at weaning in both sexes of all litters.
Intermediate- Term Dermal (1 - 6 months) (Occupational/ Residential)	oral NOAEL= 0.73 mg /kg/day (dermal absorption rate = 12%)	Occupational LOC for MOE = 100 Residential LOC for MOE = 100	Chronic oral toxicity - dog Systemic Toxicity LOAEL = 2.95/3.33 (M/F) mg/kg/day, based on increased absolute and relative kidney weights and histopathological changes in the male kidney.

Table 2. Summary of Toxicological Dose and Endpoints for Tetraconazole for Use in Human Risk Assessment

Exposure Scenario	Dose Used in Risk Assessment, UF	FQPA SF [*] and Special Level of Concern for Risk Assessment	Study and Toxicological Effects
Short-Term Inhalation (1 day -30 days) (Occupational/ Residential)	oral NOAEL= 5.9 mg ai/kg/day (inhalation absorption rate = 100%)	Occupational LOC for MOE = 100 Residential LOC for MOE = 100	Oral 2-Gen Reproduction Toxicity Study - rat Offspring LOAEL = 40.6 mg/kg/day , based on decreased litter weight and mean pup weight in litters of all generations before weaning and increased relative liver weights at weaning in both sexes of all litters.
Intermediate- Term Inhalation (1 - 6 months) (Occupational/ Residential)	oral NOAEL = 0.73 mg/kg/day (inhalation absorption rate = 100%)	Occupational LOC for MOE = 100 Residential LOC for MOE = 100	Chronic oral toxicity - dog Systemic Toxicity LOAEL = 2.95/3.33 (M/F) mg/kg/day, based on increased absolute and relative kidney weights and histopathological changes in the male kidney.
Cancer (oral, dermal, inhalation)	"likely to be carcinogenic to humans"		$Q_1^* = 2.30 \times 10^{-2}$, based on male mouse liver benign and/or malignant combined tumor rates.

¹ UF = uncertainty factor, FQPA SF = FQPA safety factor, NOAEL = no observed adverse effect level, LOAEL = lowest observed adverse effect level, PAD = population adjusted dose (a = acute, c = chronic) RfD = reference dose, MOE = margin of exposure

* **NOTE:** The Special FQPA Safety Factor recommended by the HIARC **assumes** that the exposure databases (dietary food, drinking water, and residential) are complete and that the risk assessment for each potential exposure scenario includes all metabolites and/or degradates of concern and does not underestimate the potential risk for infants and children.

Food Quality Protection Act Considerations:

FQPA Safety Factor:

Based on the following, EPA concluded that the additional safety factor for the protections of infants and children could be removed:

1. There is no quantitative or qualitative evidence of increased susceptibility of rat and rabbit fetuses to in

utero exposure in developmental studies. There is no quantitative or qualitative evidence of increased susceptibility of rat offspring in the multi-generation reproduction study.

- 2. There are no residual uncertainties for pre-/post-natal toxicity
- 3. The toxicological database is complete for FQPA assessment.

4. The chronic non-cancer dietary food exposure assessment utilizes anticipated residue data and assumed 100% crop treated. The chronic assessment will not underestimate exposure or risk since the refinement is based on reliable data derived from studies designed to produce worst-case residues.

5. At this time, only agricultural uses have been proposed for tetraconazole. There are no uses that would result in residential or recreational exposures.

Exposure Assumptions:

This action uses the conclusions of a dietary exposure assessment carried out for tetraconazole on soybeans which included the proposed uses of tetraconazole on sugar beets. These conclusions included the assumption that tetraconazole residues were present in soybeans as well as sugar beets.

Estimated Drinking Water Concentrations

Monitoring data were not available for tetraconazole. Thus, the Agency used the PRZM 3.12/ EXAMS 2.7.97 screening model to calculate the surface water EECs and the screening model SCI-GROW (Screening Concentrations in Ground Water) to calculate the groundwater EEC. The EECs of tetraconazole for acute exposures are estimated to be 8.38 parts per billion (ppb) for surface water, representing the 1 in 10 year annual peak concentrations. The surface water EECs are estimated to be 5.58 ppb for chronic non-cancer exposures (the 1 in 10 year annual average concentration) and 4.46 ppb for chronic cancer exposures (the 30 year annual average concentration). Based on the SCI-GROW model the ground water EECs for all exposures are estimated to be 0.5 ppb.

Aggregate Dietary Exposure

Aggregate exposure risk assessments were performed for the following scenarios: acute aggregate exposure (food + drinking water) for women 13-50 years of age, chronic non-cancer aggregate exposure (food + drinking water) for the general population and chronic cancer aggregate exposure (food + drinking water) for the general population. The Dietary Exposure Evaluation Model (DEEM[™]-FCID[™]) analysis evaluated the individual food consumption as reported by respondents in the USDA [1994-1996] Nationwide Continuing Surveys of Food Intake by Individuals (CSFII) and accumulated exposure to the chemical for each commodity.

- *i. Acute:* DWLOC's were calculated for acute aggregate exposure for women 13-50 years of age and chronic non-cancer aggregate exposure (food + drinking water)for the general population: the EEC's were found to fall below the DWLOC so that aggregate acute exposures do not exceed the level of concern. The acute exposure assessments used tolerance level residues for all sugarbeet and soybean commodities and it was assumed that 100% of all crops were treated.
- *ii. Chronic non-cancer:* DWLOC's were calculated for chronic non-cancer aggregate exposure (food + drinking water)for the general population: the EEC's were found to fall below the DWLOC so that chronic non-cancer exposures do not exceed the level of concern. Tolerance

level residues were assumed for all soybean commodities, poultry liver, poultry meat, byproducts, and eggs. Anticipated residues were assumed for poultry fat, poultry meat, milk, and all sugar beet, cattle, goat, horse, sheep and swine commodities. It was assumed that 100% of all crops were treated.

Cancer: The cancer dietary assessment was identical to the chronic dietary assessment iii. except for the following additional refinements: drinking water was incorporated into dietary analysis as a food commodity with the tetraconazole level set at 0.00446 the (30-year average surface water concentration); lower anticipated residues were ppm, soybean seed and soybean oil (refined from 0.05 to 0.025); the concentration used for sovbean oil was refined from 12 to 4.6; it was estimated that 67% of the factor for would be treated and; it was estimated that 52% of the sugar beet crop soybean crop would be treated. Using these added refinements, the aggregate cancer risk for the U.S. population was estimated to be 2.5 x 10-6, a value that falls within the Agency's risk standard as an acceptable cancer risk.

Residential Exposure and Risk

At this time, tetraconazole is not registered for any homeowner use, nor for any professional use that could result in residential post-application exposures. Therefore, the potential for residential exposure and risk is nil.

Occupational Exposure:

Tetraconazole is to be applied to sugar beets in Colorado, Michigan, Minnesota, Montana, Nebraska, North Dakota and Wyoming as a foliar spray by ground boom machinery, by aircraft and by chemigation including center pivot, lateral move, end tow, side (wheel) roll, traveler, big gun, solid set or hand move irrigation systems. The rate of application is 13 fluid ounces of product per acre (0.1 lb a.i./A) with a maximum application rate of two applications per season. Dilute spray volumes are 20 - 150 gallons of water per acre and concentrate sprays are delivered in 5 - 10 gallons of water per acre.

Handler risks do not exceed the Agency's level of concern when handlers wear the personal protective equipment (PPE) and clothing listed on the proposed labels (long-sleeved shirt, long pants, chemical resistant gloves, and shoes plus socks). The re-entry interval (REI) is 24 hours.

The highest estimated cancer risk is $6.7 \times 10-4$ for mixer/loaders working without gloves, However, the labeling requires gloves and the estimated cancer risk for mixer/loaders wearing gloves falls to $7.5 \times 10-6$. The remaining risks to agricultural workers applying tetraconazole to sugarbeets range from $7.5 \times 10-6$ - $7.7 \times 10-7$. Post-application cancer risk is $5.1 \times 10-6$ or lower, which does not exceed the Agency's level of concern.

ENVIRONMENTAL FATE AND EFFECTS

A. Environmental Fate Characterization

A racemic mixture of tetraconazole was used as the active ingredient in all laboratory and field studies with the exception of the hydrolysis study (MRID 44367002) where the (+) isomer was used as

the active ingredient. There are insufficient environmental fate data to evaluate the fate and transport properties of individual tetraconazole isomers.

Tetraconzole does not have a single predominant route of dissipation. The compound is expected to be persistent (laboratory and field half-lives ranged from 106 days to more than 1 year) and moderately to slightly mobile in soil (linearized Kd values ranged from 7.7 ml/g in sandy soil to 580 ml/g for clay loam soil). Successive applications will result in year to year soil accumulation. Tetraconazole has potential to reach surface water via run-off and spray drift, and is less likely to reach ground water.

Tetraconazole is stable to hydrolysis in sterile pH 5, 7 and 9 aqueous buffer solutions (MRID 44367002). It is stable to photolysis on soil (t1/2 = 106 days; MRID 44367004) and photolysis in water (t1/2 = 107-215 days; MRID 44367003). Photo degradates in soil were identified as M14360-acid (8.9% of applied), M14360-difluoroacetic acid (6.1% of applied), triazolylacetic acid (4.9% of applied), M14360-alcohol (4.3% of applied), 1,2,4-triazole (3.7% of applied), and M14360-dihydro-isoquinoline-triazole (0.91% of applied). In water, photo degradates were identified as hydroxy-triazolyl-isobutanoic acid (15.6% of applied), tetrafluoroethoxy-triazolyl-isobutanoic acid (10.3% of applied), M14360-dihydro-isoquinoline-triazole (9.3% of applied), and 1,2,4-triazole (6.7% of applied).

Tetraconazole is stable to aerobic soil metabolism (t1/2 > 1 year; MRID 44367005)) and aerobic aquatic metabolism (t1/2 = 382 days and 320 days; MRID 44751319). Aerobic soil metabolism data show that bound residues were up to 16% of applied radioactivity suggesting tetraconazole has a tendency to bind to soil particles. Aerobic aquatic metabolism data show that tetraconazole partitioned from the water phase into the sediment phase (t1/2 (in water) = 7.9 and 27 days). CO2 production in the laboratory studies was generally low (< 0.3% of applied radioactivity). The registrant proposed that tetraconazole degrades to form M14360-difluoroacetic acid and M14360-alcohol, which further degrade to form M14360-acid and 1,2,4-triazole.

Tetraconazole has slight to moderate mobility potential (McCall et al., 1980) in most soils (linearized Kd (Kdl) values were 7.7 mL/g in sandy soil, 7.0 mL/g in loamy sand, 10.7 mL/g in clay soil, and 580 mL/g in clay loam soil) (MRID 44367006). There is a strong correlation between soil organic carbon (% OC) and Kdl values for different soils (R2 = 0.99), which indicates tetraconazole sorption is dependent on soil organic carbon. Column leaching studies indicate that tetraconazole has a low potential for leaching. There were no residues detected in the leachate below a depth of 10 inches and the total residues in the leachate did not exceed 0.37% of applied radioactivity.

The results of terrestrial field dissipation studies conducted in the U.S. are consistent with laboratory findings. On bare ground plots in GA and CA, tetraconazole (Eminent 125SL) dissipated very slowly (t1/2 > 1 year) and did not show movement below a depth of 6-inches (MRID 44865405). The results indicate that tetraconazole has the potential to accumulate in soil with successive annual applications.

Tetraconazole has the potential to reach surface water due to its persistence and its tendency to accumulate in the top soil layer. Upon entering surface waters, tetraconazole is expected to readily partition from the water column into the sediment, sorb onto the sediment and then degrade very slowly (MRID 44751319), most likely forming polar compounds. Tetraconazole's slight to moderate mobility in soil imply a low potential to contaminate ground water. However, under some environmental conditions,

such as preferential flow conditions and in structural and sandy soils, tetraconazole residues may reach ground water resources.

Although tetraconazole has some potential to bioaccumulate in fish tissue (log Kow = 3.56 at 23 0 C), there was nearly complete elimination (> 98% of the accumulated [14C]residues) by day 2 for the 4 Fg/L dose or day 5 for the 40 Fg/L dose of the depuration period. The bioaccumulation factor in whole rainbow trout was 39-42x (MRID 44751320).

B. Ecological Effects Characterization

Tetraconazole is moderately toxic to freshwater and estuarine/marine fish; moderately toxic to freshwater invertebrates; and highly toxic to estuarine/marine invertebrates. At the proposed application rate, there were no statistically significant toxic effects to terrestrial or aquatic plants. Tetraconazole is practically non-toxic to honeybees on an acute contact basis. In addition, no toxic effects were observed in a honeybee oral acute study. Tetraconazole is slightly toxic to mammals on an oral acute basis. The chemical is moderately toxic to birds on an acute oral basis. It is highly toxic to the Mallard duck, but only moderately toxic to the bobwhite quail on a subacute dietary basis. Reproductive chronic effects were observed in birds and mammals. Tables 3, 4, and 5 summarize the most sensitive ecological toxicity endpoints for aquatic organisms, terrestrial organisms, and aquatic and terrestrial plants, respectively, which were used for risk characterization. Discussions of the effects of tetraconazole on aquatic and terrestrial taxonomic groups are presented below.

Table 3. Summary of Acute and Chronic Aquatic Toxicity Data used for RiskQuotient Calculation for Tetraconazole Application to Sugarbeets					
	Acute Toxicity			Chronic Toxicity	
Species	96-hr LC ₅₀ (mg/L)	48-hr EC ₅₀ (mg/L)	MRID	NOAEC / LOAEC (mg/L)	Most Sensitive Endpoint (MRID)
Bluegill sunfish Lepomis macrochirus Freshwater Fish	3.85		Moderately Toxic (443670-17)		
Water flea Daphnia magna Freshwater Invertebrate		2.63	Moderately Toxic (443670-18)	0.19/0.29	Reproduction (458232-01)
Fathead minnow <i>Pimephales promelas</i> Freshwater Fish Early Life Stage				0.30/0.96	Growth (458232-08)
Sheepshead minnow <i>Cyprinodon</i> <i>variegatus</i> Estuarine/Marine Fish	> 3.4		Moderately Toxic (458232-06)	NOAEC = 0.26	Estimated value*
Eastern oyster <i>Crassostrea virginica</i> Estuarine/Marine Invertebrate	EC ₅₀ = 0.99		Highly Toxic (458232-02)		
Mysid shrimp <i>Americamysis bahia</i> Estuarine/Marine Invertebrate	0.44		Highly Toxic (458232-03)	NOAEC = 0.032	Estimated value**

* A chronic estuarine/marine fish study was not proved. Estimated value is based on the assumption that the estuarine/marine fish acute to chronic ratio is similar to the freshwater fish acute to chronic ratio.

****** A chronic estuarine/marine mysid study was not proved. Estimated value is based on the assumption that the estuarine/marine mysid acute to chronic ratio is similar to the freshwater invertebrate acute to chronic ratio.

Table 4. Summary of Aquatic and Terrestrial Plant Toxicity Data used for RiskQuotient Calculation for Tetraconazole Application to Sugarbeets				
Species	Toxicity	NOAEC	Affected Endpoint (MRID)	
Duckweed Lemna gibba	$EC_{50} = 0.31 \text{ mg/L}$	0.032 mg/L	Frond Number (458422-01)	
Terrestrial plants, Seedling Emergence * Tier I Study	EC ₂₅ >0.1 lb a.i./A	0.1 lbs a.i./A	(458232-09) no statistically significant reduction in measured endpoints at the single application rate of 0.1 lbs/acre	
Terrestrial plants, Vegetative Vigor * Tier I Study	EC ₂₅ >0.1 lb a.i./A	0.1 lbs a.i./A	(458232-10) no statistically significant reduction in measured endpoints at the single application rate of 0.1 lbs/acre	

Table 5. Summary of Terrestrial Acute and Chronic Toxicity Data used for RiskQuotient Calculation for Tetraconazole Application to Sugarbeets						
		Acute	Toxicity		Chronic	Toxicity
Species	LD ₅₀	Acute Oral Toxicity (MRID)	5-day LC ₅₀	Subacute Dietary Toxicity (MRID)	NOAEC(L)/ LOAEC(L)	Affected Endpoints (MRID)
Mallard duck Anas platyrhynchos	131 mg/kg- bwt	Moderately Toxic (443670-11)	382 mg ai/kg-diet	Highly Toxic (443670-12)	10/50 mg/kg diet	Survival and Growth (443670-14)
Laboratory rat <i>Rattus norvegicus</i> male	1030 mg/kg- bwt	Slightly Toxic (442681-12)			10/70 mg/kg bw	Parental mortality and reproductive toxicity (443053-06)

* species tested: monocot: corn, onion, ryegrass, wheat; dicot: bean, cabbage, lettuce, radish, soybean, tomato

IV. RISK CHARACTERIZATION

A. Risk Estimation - Integration of Exposure and Effects Data

Results of the exposure and toxicity effects data are used to evaluate the likelihood of adverse ecological effects on non-target species. For the assessment of tetraconazole risks, the risk quotient (RQ) method is used to compare exposure and measured toxicity values. Estimated environmental concentrations (EECs) are divided by acute and chronic toxicity values. The RQs are compared to the Agency's Levels of Concern (LOCs). These LOCs are the Agency's interpretive policy and are used to analyze potential risk to non-target organisms and the need to consider regulatory action. These criteria are used to indicate when a pesticide's use as directed on the label has the potential to cause adverse effects on non-target organisms.

1. Nontarget Aquatic Animals, Invertebrates, and Plants

No LOCs are exceeded for aquatic organisms (freshwater and estuarine/marine fish and invertebrates and aquatic plants) on an acute or chronic basis. Acute and chronic RQs could not be calculated for estuarine/marine fish. Although a definitive LC50 for estuarine/marine fish was not available, the non-definitive LC50 (>3400 μ g/L, MRID 458232-06) is comparable to the definitive freshwater fish LC50 (3850 μ g/L, MRID 443670-17), suggesting similar or reduced acute sensitivity to tetraconazole.

2. Nontarget Terrestrial Animals

Avian Risk

For the single-oral dose scenario at the proposed label rate of two applications per year, small birds (20 g) consuming short grass exceeds the Acute Risk LOC (0.5), and small birds consuming tall grass and broadleaf plants and small insects exceed the Acute Restricted Use LOC (0.2). Medium-sized birds (100 g) consuming short grass exceed the Acute Restricted LOC. Small and medium-sized birds consuming all food groups except the fruits, pods, and large insects group, exceed the Acute Endangered LOC (0.1). For the alternative one application scenario, there are still exceedances for both small and medium sized birds. Acute Restricted Use LOC's are exceeded for small birds consuming short grass. Acute Endangered LOC's are exceeded for small birds consuming tall grass and broadleaf plants/small insects and medium sized birds consuming short grass. There are no exceedances for large birds (1000 g) for one and two applications. There are no exceedances for the food group, fruits, pods, and large insects for all sized birds and both application scenarios.

For the dietary-based scenario, the Acute Endangered LOC for birds consuming short grass is exceeded for two applications (RQ = 0.11). There are no acute LOC exceedances for birds when one application of tetraconozole is applied. For both single and double applications, avian chronic LOCs (1.0) are exceeded for all wildlife food types except fruits, pods, seeds, and large insects (exceeding RQs range from 1.12 to 4.06).

Mammalian Risk

There were no acute oral dose-based LOCs exceeded for mammals for both one and two applications per year. However, mammalian chronic oral dose-based LOCs are exceeded for all food types except seeds for both application rates. Exceeding RQs range from 1.14 to 21.16 for one application and 1.88 to 35.12 for two applications per year. The chronic oral dose-based RQs were greatest for small mammals consuming short grass.

Acute dietary-based LOCs were not determined because a subacute dietary laboratory test is not regularly performed. For both single and double applications, mammalian chronic dietary-based LOCs are exceeded for all food types except fruits, pods, seeds, and large insects, ranging from 1.86 to 4.06 for two applications.

- B. Risk Description Interpretation of Direct Effects
 - 1. Risks to Aquatic Organisms and Plants

Freshwater fish and aquatic invertebrates are not at an acute or chronic risk from exposure to tetraconazole (RQs were orders of magnitude less than the LOCs) at the proposed application rate based on the Minnesota and California scenarios. Similar conclusions were reached for marine/estuarine fish and invertebrates, although chronic risk is based on an extrapolation using the acute-to-chronic ratios in freshwater species and the acute toxicity values for estuarine/marine species. Acute RQ values for aquatic plants are also well below the LOC for acute risk and acute endangered risk.

2. Risks to Terrestrial Organisms and Plants

Direct application of tetraconazole to the field leads to the conclusion that exposure is likely to terrestrial organisms that are foraging or nesting in or near the treated field. Birds and mammals in treated fields may be exposed to spray applications of pesticides by ingesting material directly with the diet. They may also be exposed by other routes, such as incidental ingestion of contaminated soil, dermal contact with treated plant surfaces and soil during activities in the treated areas, direct impingement of sprayed material on the body at the time of application, preening activities, inhalation of pesticide vapor and contaminated particulate, and ingestion of drinking water contaminated by the pesticide. Currently, acute exposures to birds and mammals are estimated only via the dietary route in the screening assessment.

C. Threatened and Endangered Species Concern

1. Avian Species: Four threatened and endangered birds, the bald eagle, whooping crane, piping plover, and interior least tern, were identified that are collocated within counties in the seven states where sugar beets. However, these species are not likely to be adversely altered by direct or indirect effects. These species usually do not forage or inhabit grasses or broadleaf plants near farm fields.

2. **Mammalian Species:** Four threatened and endangered mammals, the gray wolf, grizzly bear, black-footed ferret, and Preble's meadow jumping mouse, were identified that are collocated within counties in the seven states where sugar beets are grown. The gray wolf and the grizzly bear are not likely to be adversely altered by direct or indirect effects due to their diet and habitat preferences.

The US Fish and Wildlife Service is currently considering a petition to delist the Preble's mouse. This petition is based on the review of available information which indicates that the Preble's mouse is not a discrete taxonomic entity, does not meet the definition of a subspecies, and was listed in error. Risk refinements will not be necessary if this species is removed from the list. A final rule will be made in May 2005 (FR Vol. 70. No. 21. February 2, 2005).

The black-footed ferret is possibly collocated in a total of 13 counties in three states (MT, NE, and WY) based on EFED's LOCATES Database. There may be a potential for indirect adverse effects based on an endpoint of increased length of gestation. It is possible that the availability of prey for the black-footed ferret could be reduced. The black-footed ferret feed on prairie dogs and other small mammals that may chronically contain tetraconazole residues.

SUMMARY OF DATA GAPS

As a condition of registration, the registrant will be required to provide the following:

1. One side-by-side sugar beet field trial comparing two and six applications of Eminent® 125SL at 0.10 lb ai/acre/application.

2. 28-Day Inhalation study based on the current use pattern. This study can be performed as OPPTS Guideline 870.3465, 90-Day inhalation, but carried out only for 28 days rather than 90 days.

3. A study determining the toxicity of tetraconazole residues to benthic organisms (including chronomid) is requested (850.1790, Chironomid Sediment Toxicity Test).

4. Because tetraconazole accumulates and persists in the soil of treated fields, there are uncertainties associated with risks to soil invertebrates. A study determining the toxicity of tetraconazole residues to earthworms is requested (850.6200, Earthworm Subchronic Toxicity Test).

5. A new guideline adsorption/desorption study (163-1) is requested to address uncertainties in the risk assessment and satisfy the data requirements. The study should fulfill the following requirements:

a. One of the soils used should be the same type of soil used in the aerobic soil metabolism study. The aerobic soil metabolism study (MRID 44367005) used a sandy loam soil from Davidson, Georgia.

b. The study should avoid the use of soils with high organic matter content. Soils with high organic matter content may not be representative of the agricultural soils in intended use areas and may not be appropriate for assessing the mobility of the test material.

c. One of the soils used in the study should have an organic matter content of < 1%.

d. Soil columns should be leached with 0.01-0.02 N CaCl2 solution and not distilled water. The use of distilled water could cause particles to disperse, thereby decreasing the rate of infiltration and leaching. Also, the use of distilled water may lead to the removal of sorbed ions from soil particles, thereby affecting the degree of adsorption of the test material.

e. The soils used in the adsorption/desorption study should be characterized using the USDA soil textural classification system."

6. Well documented estimates of how many pounds of tetraconazole will be placed on the market to treat sugar beets;

7. Tetraconazole use reporting on sugar beets. This information should be reported as how many pounds tetraconazole will be applied per acre on sugar beets and how many acres of sugar beets will be treated.

Contact person at USEPA

Mailing address

Mary L. Waller Product Manager (21) Environmental Protection Agency Office of Pesticide Programs Registration Division (7505C) Fungicide Branch 1200 Pennsylvania Avenue NW Washington, D.C. 20460

Office location and telephone number:

Room 249, Crystal Mall #2 1921 Jefferson Davis Highway Arlington, VA 22202 703-308-9354

DISCLAIMER: The information in this Pesticide Fact Sheet is for information only and is not to be used to satisfy data requirements for pesticide registration. The information is believed to be accurate as of the date on the document.

APPENDIX I:

GLOSSARY OF TERMS AND ABBREVIATIONS

ADNT	Acute delayed neurotoxicity
------	-----------------------------

- a.i. **Active Ingredient**
- aPAD **Acute Population Adjusted Dose**
- **Aggregate Risk Index** ARI
- BCF **Bioconcentration Factor**
- CAS **Chemical Abstracts Service**
- ChE Cholinesterase
- ChEI **Cholinesterase inhibition**
- cPAD **Chronic Population Adjusted Dose**
- %CT **Percent crop treated**
- DAT **Days after treatment**
- **DEEM-FCID** Dietary Exposure Evaluation Model Food Consumption Intake Database
- DNA **Deoxyribonucleic acid**
- DNT **Developmental neurotoxicity**
- DIT **Developmental immunotoxicity**

DWLOC **Drinking Water Level of Comparison.**

- EC **Emulsifiable Concentrate Formulation**
- Estimated Environmental Concentration. The estimated pesticide EEC concentration in an environment, such as a terrestrial ecosystem.
- EPA **U.S. Environmental Protection Agency**
- FOPA **Food Quality Protection Act**
- GLC **Gas Liquid Chromatography**
- GLN **Guideline Number**
- Median Lethal Concentration. A statistically derived LC₅₀ concentration of a substance that can be expected to cause death in 50% of test animals. It is usually expressed as the weight of substance per weight or volume of water, air or feed, e.g., mg/l, mg/kg or ppm.
- Median Lethal Dose. A statistically derived single dose that can be LD₅₀ expected to cause death in 50% of the test animals when administered by the route indicated (oral, dermal, inhalation). It is expressed as a weight of substance per unit weight of animal, e.g.,

mg/kg.

- LOAEL **Lowest Observed Adverse Effect Level**
- LOAEC **Lowest Observed Adverse Effect Concentration**
- LOC Level of Concern
- LOD **Limit of Detection**

LOQ	Limit of quantitation
-	Milligram Per Kilogram Per Day
mg/L	Milligrams Per Liter
MOE	Margin of Exposure
MRID	Master Record Identification (number), EPA's system of
rec	ording and tracking studies submitted
MTD	Maximum tolerated dose
NA	Not Applicable
NOEC	No Observable Effect Concentration
NOEL	No Observed Effect Level
NOAEL	No Observed Adverse Effect Level
NOAEC	No Observed Adverse Effect Concentration
NPDES	National Pollutant Discharge Elimination System
ОР	Organophosphate
OPP	EPA Office of Pesticide Programs
OPPTS	EPA Office of Prevention, Pesticides and Toxic Substances
PAD	Population Adjusted Dose
PAG	Pesticide Assessment Guideline
PAM	Pesticide Analytical Method
PHED	Pesticide Handler's Exposure Data
PHI	Preharvest Interval
ppb	Parts Per Billion
PPE	Personal Protective Equipment
ppm	Parts Per Million
PRZM/	
EXAMS	Tier II Surface Water Computer Model
RAC	Raw Agriculture Commodity
RBC	Red Blood Cell
RED	Reregistration Eligibility Decision
REI	Restricted Entry Interval
RfD	Reference Dose
SCI-GROV	W Tier I Ground Water Computer Model
SF	Safety Factor
TGAI	Technical Grade Active Ingredient
UF	Uncertainty Factor
μg	micrograms
μg/L	Micrograms Per Liter
μL/g	Microliter per gram

USDA United States Department of Agriculture

WPS Worker Protection Standard

Appendix II

Citations Considered to be Part of the Data Base Supporting the Registration of Tetraconazole

- 44268100 Sostram Corp. (1997) Submission of Product Chemistry, Metabolism, Residue, and Toxicity Data in Support of the Petition for Tolerance for Tetraconazole on Imported Bananas. Transmittal of 20 Studies.
- 44268101 Sostram Corp. (1997) Tetraconazole Technical: Food Quality Protection Act (FQPA) Supplemental Information Document. Unpublished study. 7 p.
- 44268102 Landis, W. (1997) Tetraconazole Technical: Product Identity and Disclosure of Ingredients, Including Manufacturing Process and Discussion of Formation of Impurities. Unpublished study prepared by Sostram Corp. 27 p.
- 44268103 Landis, W. (1997) Tetraconazole Technical: Analysis and Certification of Product Ingredients, Including Analytical Methods: Lab Project Number: 032/94. Unpublished study prepared by Sostram Corp. 59 p.
- 44268104 Albanese, P. (1989) Tetraconazole Technical: Physical and Chemical Properties: Lab Project Number: 011/88-PART 2. Unpublished study prepared by Istituto Guido Donegani. 25 p.
- 44268105 Pulici, L. (1990) Tetraconazole Technical: Stability: Lab Project Number: E208/C29. Unpublished study prepared by Agrimont. 26 p.
- 44268106 Burke, B.; Jalal, M. (1990) Metabolism of the Fungicide M14360 by Wheat Plants: Lab Project Number: PCRI 90-ML-02-002: PCRI 90-ML-02. Unpublished study prepared by Plant Cell Research Institute, Inc. 122 p.
- 44268107 Pizzingrilli, G.; Rizzo, F. (1992) ((Carbon 14)-Triazole) M 14360 Metabolism in Grapes and Wine (Main Study): Lab Project Number: R/ABT.91.05. Unpublished study prepared by Isagro S.r.I. 88 p.
- 44268108 Pizzingrilli, G.; Rizzo, F. (1992) ((Carbon 14)-Phenyl) M 14360 Metabolism in Grapes and Wine (Main Study): Lab Project Number: R/ABT.91.06. Unpublished study prepared by Isagro S.r.I. 88 p.
- 44268109 Schweitzer, M. (1994) Metabolism of Phenyl-(Carbon 14)-M-14360 in Spray Treated Spring Wheat: Final Report: Lab Project Number: SC900044. Unpublished study prepared by Battelle Memorial Institute. 72 p.
- 44268110 Schweitzer, M. (1994) Metabolism of Triazole-(Carbon 14)-M-14360 in Spray Treated Spring Wheat: Final Report: Lab Project Number: SC900045. Unpublished study prepared by Battelle Memorial Institute. 72 p.
- 44268111 Hattermann, D. (1997) Raw Agricultural Commodity (RAC) Residue Evaluation of Tetraconazole Applied to Bananas to Support Import Tolerance: Final Report: Lab Project Number: 38023D001: AGR 95/963239: 1714-95-380-01-23D-0. Unpublished study prepared by Landis International, Inc. 245 p.
- 44268112 Cuthbert, J.; Carr, S. (1986) M 14360: Acute Oral Toxicity Test in Rats: Lab Project Number: 235409: 3632. Unpublished study prepared by Inveresk Research International. 27 p.
- 44268113 Shults, S.; Brock, A.; Killeen, J. (1990) Dermal Sensitization Study (Closed-Patch Repeated Insult) in Guinea Pigs with M 14360 Technical: Lab Project Number: 3441-

89-0289-TX-001: 89-0289. Unpublished study prepared by Ricerca, Inc. 36 p.

- 44268114 Savides, M.; Marciniszyn, J.; Killeen, J. (1990) Study of the Excretion and Distribution of Radiolabel Following Oral Administration of Phenyl-(carbon 14)-ASC-66811 to Sprague-Dawley Rats: Lab Project Number: 2050-89-0303-AM-001: ASC-66811: 89-0303. Unpublished study prepared by Ricerca, Inc. 125 p.
- 44268115 Lee, D.; McCall, B. (1995) Study to Identify the Metabolites of (carbon 14)-Phenyl Labeled M 14360 in Rats: Lab Project Number: 5085-91-0341-AM-001: 91-0341: 5085-91-0341-AM-000. Unpublished study prepared by Ricerca, Inc. 131 p.
- 44268116 Savides, M.; Marciniszyn, J.; Killeen, J. (1990) Study of the Excretion and Distribution of Radiolabel Following Oral Administration of Triazole-(carbon 14)-ASC-66811 to Sprague-Dawley Rats: Lab Project Number: 2045-89-0180-AM-001: ASC-66811: 89-0180. Unpublished study prepared by Ricerca, Inc. 137 p.
- 44268117 Lee, D.; McCall, B. (1990) Study to Identify the Metabolites of (carbon 14)-Triazole Labeled M 14360 in Rats: Lab Project Number: 3786-91-0093-AM-001: 91-0093. Unpublished study prepared by Ricerca, Inc. 105 p.
- 44268118 Andre, J.; Laveglia, J. (1995) Study of the Elimination and Distribution of Radiolabel Following Repeated Oral Administration of M 14360 to Sprague-Dawley Rats: Lab Project Number: 5084-91-0340-AM-001: 91-0340: 5084-91-0340-AM-000. Unpublished study prepared by Ricerca, Inc. 351 p.
- 44268119 Andre, J.; Laveglia, J. (1994) Study of the Elimination and Distribution of Radiolabel Following Repeated Oral Administration of M 14360 to Sprague-Dawley Rats: Lab Project Number: 3772-90-0490-AM-001: 90-0490. Unpublished study prepared by Ricerca, Inc. 263 p.
- 44268120 Landis, W. (1997) Tetraconazole Technical: Reduction of Residue. Unpublished study prepared by Sostram Corp. 3 p.
- 44305300 Sostram Corp. (1997) Submission of Product Chemistry, Toxicology, and Metabolism Data in Support of the Petition for Tolerance for Tetraconazole on Imported Bananas. Transmittal of 8 Studies.
- 44305301 Albanese, P. (1989) Tetraconazole Technical: Vapor Pressure & Octanol/Water Partition Coefficient: Lab Project Number: 011/88-PART 1: 01/88. Unpublished study prepared by Istituto Guido Donegani. 23 p.
- 44305302 Hardy, C.; Jackson, G.; Suttie, A.; et al. (1989) M 14360 Technical Grade: Acute Inhalation Toxicity Study in Rats, 4-Hour Exposure: Lab Project Number: AGR 79/90217: AGR 79: INH 0219. Unpublished study prepared by Huntingdon Research Centre Ltd. 54 p.
- 44305303 Makin, A.; McLean, T.; Buist, D.; et al. (1991) M 14360: Dietary Toxicity in Beagle Dogs: (Final Report--Repeated Daily Dosage for 52 Weeks): Lab Project Number: AGR 72-G/901546: AGR/72-G: AGR 72/901546. Unpublished study prepared by Huntingdon Research Centre Ltd. 224 p.
- 44305304 Crome, S.; Bellringer, M.; Gopinath, C.; et al. (1992) M 14360: Potential Tumorigenic and Toxic Effects in Prolonged Dietary Administration to Rats: Lab Project Number:

	AGR 74/911683. Unpublished study prepared by Huntingdon Research Centre Ltd. 2201 p.
44305305	Crome, S.; Bellringer, M.; Gopinath, C.; et al. (1992) M 14360: Potential Tumorigenic Effects in Prolonged Dietary Administration to Mice: Lab Project Number: AGR 73/920469. Unpublished study prepared by Huntingdon Research Centre Ltd. 1705
44305306	p. Ryle, P.; Masters, R.; Offer, J.; et al. (1991) A Study of the Effect of M 14360 (Technical) on Reproduction Function of Two Generations in the Rat: Lab Project Number: AGR 46/9076: AGR/46. Unpublished study prepared by Huntingdon Research Centre Ltd. 471 p.
44305307	Andre, J.; Johnson, D.; Laveglia, J. (1993) Toxicokinetic Study with (carbon 14)- Phenyl M 14360 (in Rats): Lab Project Number: 5082-91-0338-AM-001: 91-0338. Unpublished study prepared by Ricerca, Inc. 168 p.
44305308	Andre, J.; Marciniszyn, J.; Laveglia, J. (1992) Toxicokinetic Study with (carbon 14)- Triazole M 14360 (in Rats): Lab Project Number: 3770-91-0015-AM-001: 91-0015: 3770-91-0015-AM-000. Unpublished study prepared by Ricerca, Inc. 179 p.
44335500	Sostram Corp. (1997) Submission of Toxicology Data in Support of the Tolerance Petition for Tetraconazole on Imported Bananas. Transmittal of 11 Studies.
44335501	Liggett, M. (1988) Acute Dermal Toxicity to Rats of M 14360 Tech: Lab Project Number: 881400D/AGR 60/AC. Unpublished study prepared by Huntingdon Research Centre Ltd. 15 p.
44335502	Liggett, M. (1988) Irritant Effects on the Rabbit Eye of M 14360 Tech: Lab Project Number: 881240D/AGR 62/SE. Unpublished study prepared by Huntingdon Research Centre Ltd. 11 p.
44335503	Liggett, M. (1988) Irritant Effects on Rabbit Skin of M 14360 Tech: Lab Project Number: 881238D/AGR 61/SE. Unpublished study prepared by Huntingdon Research Centre Ltd. 10 p.
44335504	Mayfield, R.; Crook, D.; Gopinath, C.; et al. (1988) M 14360: Toxicity to Rats by Dietary Administration for 13 Weeks: (Final Report): Lab Project Number: AGR 23/881322. Unpublished study prepared by Huntingdon Research Centre Ltd. 218 p.
44335505	Ryle, P.; John, D.; Dawe, I.; et al. (1990) A Study of the Effect of M 14360 on Pregnancy of the Rat: (Final Report): Lab Project Number: AGR 47/89915: AGR/47. Unpublished study prepared by Huntingdon Research Centre Ltd. 196 p.
44335506	Ryle, P.; John, D.; Anderson, A.; et al. (1990) A Study of the Effect of M 14360 on Pregnancy of the Rabbit: (Final Report): Lab Project Number: AGR 78/9049: AGR/78. Unpublished study prepared by Huntingdon Research Centre Ltd. 170 p.
44335507	Brooker, P.; Gray, V.; Akhurst, L.; et al. (1989) Analysis of Metaphase Chromosomes Obtained from CHO Cells Cultured in vitro and Treated with M 14360: Lab Project Number: AGR 52/89244. Unpublished study prepared by Huntingdon Research Centre Ltd. 76 p.

44335508 Allen, J.; Ransome, S.; Henly, S.; et al. (1988) An Assessment of the Mutagenic

	Potential of (M14360) Using the Mouse Lymphoma TK Locus Assay: Lab Project Number: AGR 54/8923. Unpublished study prepared by Huntingdon Research Centre Ltd. 48 p.
44335509	Proudlock, R.; Haynes, P.; Meaking, K. (1988) Mouse Micronucleus Test on M 14360: Lab Project Number: AGR 53/881637. Unpublished study prepared by Huntingdon Research Centre Ltd. 45 p.
44335510	Proudlock, R. (1988) Assessment of Unscheduled DNA Repair Synthesis in Mammalian Cells after Exposure to M 14360: Lab Project Number: AGR 55/882800. Unpublished study prepared by Huntingdon Research Centre Ltd. 35 p.
44335511	Bianchi, A.; Ardia, A.; Castellino, S. (1987) Microbiological Study of Mutagenesis on M 14360: in vitro Gene Mutation Test According to Ames in Salmonella typhimurium: Lab Project Number: 86/170. Unpublished study prepared by Farmitalia Carlo Erba. 33 p.
44367000	Sostram Corp. (1997) Submission of Toxicity and Environmental Fate Data in Support of Application for the Registration of Tetraconazole Technical on Turf. Transmittal of 19 Studies.
44367001	Sostram Corp. (1997) Tetraconazole Technical: Food Quality Protection Act (FQPA) Supplemental Information Document. Unpublished study. 12 p.
44367002	Valcamonica, C.; Pizzingrilli, G.; Guarnieri, R. (1988) (Carbon 14)-M 14360 Hydrolysis. Unpublished study prepared by Agrimont SpA. 23 p.
44367003	Pizzingrilli, G.; Rizzo, F. (1995) Photodegradation of ((carbon 14)-Triazole) Tetraconazole in pH 7 Buffer Solution: Lab Project Number: R/ABT.94.01. Unpublished study prepared by Isagro Ricerca S.r.I. 99 p.
44367004	Pizzingrilli, G.; Scacchi, A.; Castoldi, F. (1995) Aerobic Soil Metabolism of ((carbon 14)-U-Triazole) Tetraconazole (Under Sunlight): Lab Project Number: R/ABT.94.10. Unpublished study prepared by Isagro Ricerca S.r.I. 119 p.
44367005	Waller, R. (1991) Aerobic Soil Metabolism of the Triazole Fungicide M-14360: Lab Project Number: 89-0245: 2047-89-0245-EF-002: REPORT 14360. Unpublished study prepared by Ricerca, Inc. 280 p.
44367006	Pizzingrilli, G.; Scacchi, A. (1993) Adsorption-Desorption of the Fungicide ((carbon 14)-U-Triazole) M14360 in Soil: Lab Project Number: R/ABT.93.04. Unpublished study prepared by Isagro S.r.I. 86 p.
44367007	Pizzingrilli, G.; Guarnieri, R. (1990) Soil Column Leaching on Fungicide (carbon 14)- M14360: Lab Project Number: R/ABT.90.04. Unpublished study prepared by Agrimont. 33 p.
44367008	Pizzingrilli, G.; Guarnieri, R. (1990) Soil Column Leaching on Fungicide Triazole (carbon 14)-M 14360: Lab Project Number: R/ART.90.09. Unpublished study prepared by Agrimont. 33 p.
44367009	Pizzingrilli, G.; Guarnieri, R. (1991) Soil Column Leaching on (carbon 14)-M 14360: Lab Project Number: R/ABT.91.04. Unpublished study prepared by Agrimont. 29 p.

- 44367010 Hattermann, D. (1997) Terrestrial Field Dissipation of LX 1380-01 (Tetraconazole) Applied to Bareground in California and Georgia: Interim Report: Lab Project Number: 38023D003: AGR 94/970887: 1641-95-380-021E-09. Unpublished study prepared by Huntingdon Life Sciences Ltd. 233 p.
- 44367011 Hakin, B.; Rodgers, M.; Anderson, A. et al. (1992) M 14360: Acute Oral Toxicity (LD50) to Bobwhite Quail: Lab Project Number: AGR 83/911248. Unpublished study prepared by Huntingdon Research Centre Ltd. and EniChem Agricoltura S.p.a. 36 p.
- Hakin, B.; Rodgers, M.; Anderson, A. et al. (1989) The Dietary Toxicity (LC50) of M 14360 to the Mallard Duck: Lab Project Number: AGR 64/89882: AGR/64.
 Unpublished study prepared by Huntingdon Research Centre Ltd. and Agrimont SpA. 31 p.
- 44367013 Hakin, B.; Rodgers, M.; Anderson, A. et al. (1989) The Dietary Toxicity (LC50) of M 14360 to the Bob White Quail: Lab Project Number: AGR 66/89883: AGR/66. Unpublished study prepared by Huntingdon Research Centre Ltd. and Agrimont SpA. 31 p.
- 44367014 Johnson, A. (1997) Tetraconazole: Reproduction in the Mallard Duck: Lab Project Number: AGR 92/961928: AGR 92. Unpublished study prepared by Huntingdon Research Centre Ltd. 207 p.
- 44367015 Johnson, A. (1997) Tetraconazole: Effects on Reproduction in Bobwhite Quail: Lab Project Number: AGR 93/961929: AGR 93. Unpublished study prepared by Huntingdon Research Centre Ltd. 246 p.
- 44367016 Douglas, M.; Sewell, I.; Macdonald, I. (1989) The Acute Toxicity of M14360 Technical to Rainbow Trout (Salmo gairdneri): Lab Project Number: AGR 71/(C)/89821. Unpublished study prepared by Huntingdon Research Centre Ltd. and Agrimont SpA. 22 p.
- 44367017 Douglas, M.; Sewell, I.; Macdonald, I. (1989) The Acute Toxicity of M14360 Technical to Bluegill Sunfish (Lepomis macrochirus): Lab Project Number: AGR 71 (D)/89803. Unpublished study prepared by Huntingdon Research Centre Ltd. and Agrimont SpA. 22 p.
- 44367018 Douglas, M.; Sewell, I.; Macdonald, I. (1989) The Acute Toxicity of M14360 Technical to Daphnia magna: Lab Project Number: AGR 71(A)/89802. Unpublished study prepared by Huntingdon Research Centre Ltd. and Agrimont SpA. 22 p.
- 44367019 Douglas, M.; Bell, G.; Macdonald, I. (1989) An Assessment of the Effects of M14360 Technical on the Reproduction of Daphnia magna: Final Report: Lab Project Number: AGR 71(B)/891053. Unpublished study prepared by Huntingdon Research Centre Ltd. and Agrimont SpA. 65 p.
- 44384500 Sostram Corp. (1997) Submission of Toxicity Data in Support of the Application for Registration of Tetraconazole Technical. Transmittal of 1 Study.
- 44384501 Hakin, B.; Anderson, A. (1990) Acute Oral Toxicity (LD50) of M 14360 to the Mallard Duck: Lab Project Number: AGR 65/891836: AGR/65. Unpublished study prepared by Huntingdon Research Centre Ltd. 31 p.

44398200 Sostram Corp. (1997) Submission of Product Chemistry Data in Support of the Application for Registration of Eminent 125SL. Transmittal of 2 Studies. 44398201 Landis, R. (1997) Eminent 125SL: Product Identity and Disclosure of Ingredients, Including Manufacturing Process and Discussion of Formation of Impurities: Lab Project Number. Unpublished study prepared by Sostram Corp. 14 p. 44398202 Landis, R. (1997) Eminent 125SL: Analysis and Certification of Product Ingredients. Including Analytical Methods: Lab Project Number: 009/94. Unpublished study prepared by Sostram Corp. 27 p. 44444700 Sostram Corp. (1997) Submission of Product Chemistry and Toxicity Data in Support of the Application for Registration of Eminent 125SL. Transmittal of 7 Studies. 44444701 Landis, W. (1997) Eminent 125SL: Physical and Chemical Properties. Unpublished study prepared by Sostram Corp. 11 p. Shults, S.; Brock, A.; Killeen, J. (1990) Acute Oral Toxicity (LD50) Study in Rats with 44444702 M 14360 Seed Dressing Formulation: Lab Project Number: 89-0295: 3443-89-0295-TX-001. Unpublished study prepared by Ricerca, Inc. 30 p. 44444703 Shults, S.; Brock, A.; Killeen, J. (1989) Acute Dermal Toxicity Study in Albino Rabbits with M 14360 Seed Dressing Formulation: Lab Project Number: 89-0296: 3443-89-0296-TX-001. Unpublished study prepared by Ricerca, Inc. 23 p. 44444704 Hardy, C.; Jackson, G.; Suttie, A. et al. (1990) M14360 125LS Acute Inhalation Toxicity Study in Rats 4-Hour Exposure: Lab Project Number: AGR 80/90218: AGR/80: INH/0220. Unpublished study prepared by Huntingdon Research Centre Ltd. 54 p. 44444705 Shults, S.; Brock, A.; Killeen, J. (1989) Primary Eye Irritation Study in Albino Rabbits with M 14360 Seed Dressing Formulation: Lab Project Number: 89-0297: 3443-89-0297-TX-001. Unpublished study prepared by Ricerca, Inc. 25 p. Shults, S.; Brock, A.; Killeen, J. (1990) Primary Dermal Irritation Study in Albino 44444706 Rabbits with M 14360 Seed Dressing Formulation: Lab Project Number: 89-0298: 3443-89-0298-TX-001. Unpublished study prepared by Ricerca, Inc. 17 p. 44444707 Shults, S.; Brock, A.; Killeen, J. (1990) Dermal Sensitization Study (Closed-Patch Repeated Insult) in Guinea Pigs with M 14360 Seed Dressing Formulation: Lab Project Number: 89-0299: 3443-89-0299-TX-001. Unpublished study prepared by Ricerca, Inc. 37 p. 44751300 Sostram Corporation (1999) Submission of Toxicity, Environmental Fate, Residue Chemistry, Risk Assessment and Exposure Data in Support of the Application for Registration of Eminent 125SL and the Petition for Tolerance of Tetraconazole in/on Milk, Cattle, and Sugarbeets. Transmittal of 22 Studies. 44751301 French, J. (1999) United States of America Food Quality Protection Act (FQPA) Supplemental Information Document: In Support of the Petition for Establishment of Tolerances for Tetraconazole on Sugarbeets, Sugarbeet Tops, Sugarbeet Pulp,

(Sugarbeet) Molasses, (Sugarbeet) Sugar, Milk, Cattle Meat, Cattle Meat Byproducts and Cattle Fat. Unpublished study prepared by Sostram Corporation. 14 p. Baugher, D. (1999) Chronic and Acute Dietary and Drinking Water Exposure and 44751302 Risk Assessments for Tetraconazole Used on Bananas, Plantains, and Sugarbeets: Lab Project Number: 99004/TET. Unpublished study prepared by EXP Corporation. 20 p. Harnish. W.: Hatterman. D.: Landis. W. (1998) Summary: The Metabolism of 44751303 Tetraconazole (M-14360) in Plants and Mammals. Unpublished study prepared by Sostram Corporation. 54 p. 44751304 Dean, G.; Stuart, V.; Crook, D. et al. (1998) M-14360 Toxicity to Rats by Repeated Oral Administration for 4 Weeks: Lab Project Number: AGR 24/871709. Unpublished study prepared by Huntingdon Research Centre Ltd. 108 p. {OPPTS 870.3100} 44751305 Mavfield, R.: Gibson, W.: Crook, D. et al. (1998) M-14360 Preliminary Toxicity to Rats by Dietary Administration for 4 Weeks: Lab Project Number: AGR 21/871271. Unpublished study prepared by Huntingdon Research Centre Ltd. 221 p. (OPPTS 870.1300} 44751306 Crome, S.; Gibson, W.; Crook, D. et al. (1989) M-14360 Toxicity to Male Rats by Dietary Administration for 4 Weeks: Final Report: Lab Project Number: AGR25/88970. Unpublished study prepared by Huntingdon Research Centre Ltd. 139 p. 44751307 Laveglia, J.; Gelin, M. (1992) A 21-Day Repeated Dose Dermal Toxicity Study in Albino Rabbits with M 14360 125 SL: Lab Project Number: 3842-91-0064-TX-002. Unpublished study prepared by Ricerca, Inc. 265 p. Ryle, P.; Masters, R.; Parker, C. (1990) A Preliminary Study of the Effect of M 14360 44751308 on Reproduction of the Rat-Dietary Administration: Lab Project Number: AGR 70/891051. Unpublished study prepared by Huntingdon Research Centre Ltd. 126 p. **{OPPTS 870.3800}** Waterson, L. (1996) Effect of Tetraconazole on Hepatic Enzyme Activites After 4 44751309 Weeks of Treatment in Mice: Lab Project Number: AGR 90/952463. Unpublished study prepared by Huntingdon Life Sciences, Ltd. 156 p. Waterson, L. (1998) Tetraconazole: Investigation of Liver Enzyme Induction 44751310 Following Dietary Administration to CD Rats for 4 Weeks: Lab Project Number: AGR 112/974061. Unpublished study prepared by Huntingdon Life Sciences, Ltd. 163 p. **{OPPTS 870.4200}** Pizzingrilli, G.; Rizzo, F. (1996) Metabolism of ((carbon-14)-triazole) Tetraconazole in 44751311 the Sugar Beet: Lab Project Number: R/ABT.95.06. Unpublished study prepared by Isagro Ricerca S.R.L. 210 p. Elsom, L. (1994) (Carbon-14)-Tetraconazole: The Metabolism in the Lactating Goat: 44751312 Lab Project Number: AGR87/942017. Unpublished study prepared by Huntingdon Life Sciences, Ltd. 185 p. {OPPTS 860.1300} 44751313 Elsom, L. (1998) (Dichlorophenyl-(carbon-14))-Tetraconazole: The Metabolism in the Lactating Goat: Lab Project Number: AGR96/971551. Unpublished study prepared by Huntingdon Life Sciences, Ltd. 114 p. {OPPTS 860.1300} 26

- 44751314 Hattermann, D. (1999) Raw Agricultural Commodity (RAC) Residue and Residue Decline Evaluation of Tetraconazole Applied to Sugar Beets: Lab Project Number: 38008A015: 190C-101: 1714-98-380-01-08B47. Unpublished study prepared by Landis International, Inc. 419 p. {OPPTS 860.1500, 860.1000}
- 44751315 Hattermann, D. (1999) Processed Commodity (PC) Residue Evaluation of Tetraconazole Applied to Sugar Beets: Lab Project Number: 38008A016: 1714-98-380-01-08B54. Unpublished study prepared by Landis International, Inc. 180 p. {OPPTS 860.1520, 860.1000}
- 44751316 Redgrave, V. (1997) Tetraconazole: Residues in Milk and Tissues of Dairy Cows: Lab Project Number: AGR 97/963664. Unpublished study prepared by Huntingdon Life Sciences, Ltd. 109 p. {OPPTS 860.1480}
- 44751317 Redgrave, V. (1998) Tetraconazole: Residues in Milk and Tissues of Dairy Cows: Lab Project Number: AGR 99/972293. Unpublished study prepared by Huntingdon Life Sciences, Ltd. 219 p. {OPPTS 860.1480}
- 44751318 Zini, D. (1997) Analysis of 1.2.4-Triazole: Residues in Bovine Biological Substrates (Milk, Cream, Skimmed Milk and Tissues): Lab Project Number: 2221. Unpublished study prepared by Isagro Ricerca. 233 p. {OPPTS 860.1480}
- 44751319 Lewis, C. (1995) (Carbon-14)-Tetraconazole: Degradation and Retention in Water-Sediment Systems: Lab Project Number: 1320/1-1015: P9312D. Unpublished study prepared by Corning Hazleton. 102 p.
- 44751320 Wyness, L. (1995) Tetraconazole: Flow-Through Fish Bioconcentration Test with Oncorhynchus mykiss: Lab Project Number: 1320/3-1018. Unpublished study prepared by Corning Hazleton. 57 p. {OPPTS 850.1730}
- 44751321 Johnson, A. (1998) Tetraconazole Effects on Reproduction in Bobwhite Quail: Lab Project Number: AGR101: AGR101/973413. Unpublished study prepared by Huntingdon Life Sciences Ltd. 225 p.
- 44751322 Schmitzer, S. (1997) Laboratory Testing for Toxicity (Acute Contact and Oral LD50) of Tetraconazole Technical (M14360) to Honey Bees (Apis mellifera L.)(Hymenoptera, Apidae): Lab Project Number: 2290036. Unpublished study prepared by Institut fur Biologishe Analytik. 28 p.
- 44778700 Sip Cam Agro USA, Inc. (1999) Submission of Toxicity Data in Support of the Application for Registration of Eminent 125SL and Petition for Tolerance of Tetraconazole in/on Sugarbeets, Milk and Cattle. Transmittal of 1 Study.
- 44778701 Mayfield, R.; Inglis, R.; Crook, D. et al. (1989) M 14360: Toxicity to Mice by Dietary Administration for 13 Weeks: Final Report: Lab Project Number: AGR 49/89715: AGR/49. Unpublished study prepared by Huntingdon Research Centre, Ltd. 192 p. {OPPTS 870.1300}
- 44865400 Sipcam Agro USA, Inc. (1999) Submission of Toxicity, Environmental Fate, Residue Chemistry, Risk Assessment and Exposure Data in Support of the Application for Registration of Eminent 125SL, and the Petition for Tolerance of Tetraconazole in/on Peanuts. Transmittal of 7 Studies.
- 44865401 French, J. (1999) United States of America Food Quality Protection Act (FQPA) Supplemental Information Document: Tetraconazole. Unpublished study prepared by Sipcam Agro USA, Inc. 13 p.

- 44865402 Landis, W. (1999) Assessment of Potential Environmental Concentrations and Ecological Risk Following Applications of Tetraconazole. Unpublished study prepared by Sipcam Agro USA, Inc. 12 p.
- 44865403 Hattermann, D. (1999) Raw Agricultural Commodity (RAC) Residue and Residue Decline Evaluation of Tetraconazole Applied to Peanuts: Lab Project Number: 38007A017: 1714-98-380-01-07C-55. Unpublished study prepared by Landis International, Inc. 422 p. {OPPTS 860.1500}
- 44865404 Zini, G. (1998) Analysis of Tetraconazole Residues in Soil: Final Report: Lab Project Number: 2226. Unpublished study prepared by Isagro Ricerca. 99 p.
- 44865405 Hattermann, D. (1999) Terrestrial Field Dissipation of Tetraconazole Applied to Bare Ground in California and Georgia: Final Report: Lab Project Number: 38023D003: AGR 94C/984988: AGR 94A/971754. Unpublished study prepared by Landis International. 331 p.
- 44865406 Bieber, W.; Jonas, W. (1999) Field Study: Dissipation of Tetraconazole from Four Agricultural Field Soils in Germany: Lab Project Number: NA 92 9822/1: NA 92 9752. Unpublished study prepared by NATEC Institut. 131 p.
- 44865407 Rizzo, F.; Pizzingrilli, G. (1999) Uptake Translocation and Metabolism of ((carbon-14)-Triazole)Tetraconazole in Rotated Crops of Winter Wheat, Carrots and Lettuce: Lab Project Number: R/ABT.96.05: PR/ABT.96.05. Unpublished study prepared by Isagro Ricerca Srl. 284 p. {OPPTS 860.1850}
- 44900500 Sipcam Agro USA, Inc. (1999) Submission of Residue Chemistry Data in Support of the Application for Registration of Eminent 125SL, and the Petition for Tolerance of Tetraconazole in/on Peanuts. Transmittal of 1 Study.
- 44900501 Hattermann, D. (1999) Processed Commodity (PC) Residue Evaluation of Tetraconazole Applied to Peanuts: Final Report: Lab Project Number: 38007A018: AGR 95/963239: 1714-98-380-01-07C-66. Unpublished study prepared by Landis International, Inc. 143 p. {OPPTS 860.1520}
- 45068400 Sipcam Agro USA, Inc. (2000) Submission of Toxicity and Residue Chemistry Data in Support of the Application for Registration of Tetraconazole Technical. Transmittal of 5 Studies.
- 45068401 Andres, J.; Marciniszyn, J.; Laveglia, J. (1993) Pilot Toxicokinetic Study with (carbon-14)-Phenyl M 1460 (in Rats): Lab Project Number: 5081-91-0337-AM-001: M 14360: 91-0337. Unpublished study prepared by Ricerca, Inc. 94 p.
- 45068402 Andres, J.; Marciniszyn, J.; Kileen, J. (1991) Pilot Toxicokinetic Study with (carbon-14)-Triazole M 14360 (in Rats): Lab Project Number: 90-0467: 3747-90-0467-AM-001: M 14360. Unpublished study prepared by Ricerca, Inc. 89 p.
- 45068403 Andres, J.; Marciniszyn, J.; Laveglia, J. (1992) Study of the Elimination and Distribution of Radiolabel Following Oral Administration of (carbon-14)-Triazole M 1460 to Sprague-Dawley Rats: Lab Project Number: 3771-90-0489-AM-001: M 14360: 90-0489. Unpublished study prepared by Ricerca, Inc. 236 p.
- 45068404 Seymour, D. (2000) Validation of a Method for the Determination of Tetraconazole in Agricultural Commodities: Lab Project Number: 310031.1.001: 38007A018. Unpublished study prepared by Midwest Research Institute. 41 p. {OPPTS 860.1340}

- 45068405 Zini, G. (1998) Validation of a Method for Residues of Tetraconazole in Drinking Water, Vegetal Crops, and Food of Animal Origin: Lab Project Number: 2258. Unpublished study prepared by Isagro Ricerca. 199 p. {OPPTS 860.1340}
- 45072100 SipCam Agro USA, Inc. (2000) Transmittal of Toxicity Data in Support of the Application for Registration of Tetraconazole Technical. Transmittal of 1 Study.
- 45072101 Andre, J.; Laveglia, J. (1995) Study of the Elimination and Distribution of Radiolabel Following Oral Administration of (carbon-14)-Phenyl M 14360 to Sprague-Dawley Rats: Lab Project Number: 5083-91-0339-AM-001: M14360: 91-0339. Unpublished study prepared by Ricerca, Inc. 322 p.
- 45080900 SipCam Agro USA, Inc. (2000) Submission of Environmental Fate Data in Support of the Application for Registration of Tetraconazole Technical. Transmittal of 1 Study.
- 45080901 Pizzingrilli, G.; Scacchi, A. (2000) Degradation of ((carbon-14)-U-Triazole) M 14360 on Soil Irradiated with Sun Light or Xenon Lamp (Pilot Study): Lab Project Number: R/ABT. 93.03. Unpublished study prepared by ISAGRO Srl. 27 p.
- 45155000 Sipcam Agro USA, Inc. (2000) Submission of Residue, Risk Assessment and Exposure Data in Support of the Application for Registration of Tetraconazole Technical. Transmittal of 7 Studies.
- 45155001 Rizzo, F.; Pizzingrilli, G.; Valcamonica, C. (2000) Summary: The Metabolism of Tetraconazole in Wheat: Lab Project Number: R/ABT.00.11: R/ABT.92.05: AGR 98/974128. Unpublished study prepared by Isagro Ricerca Srl. 422 p. {OPPTS 860.1300}
- 45155002 Castoldi, F.; Pizzingrilli, G.; Valcamonica, C. (2000) The Metabolism of Tetraconazole in Rats: Isolation, Identification and Acute Oral Toxicity of Additional Minor Compounds: Lab Project Number: R/ABT.00.12: R/ABT.98.08: 980472. Unpublished study prepared by Isagro Ricerca Srl. 201 p. {OPPTS 870.7485}
- 45155003 Piccardi, P.; Pizzingrilli, G.; Valcamonica, C. (2000) Summary of the Metabolism of Tetraconazole in Plants and Animals: Lab Project Number: R/ABT.00.13. Unpublished study prepared by Isagro Ricerca Srl. 19 p. {OPPTS 860.1300, 870.7485}
- 45155004 Girkin, R. (2000) Tetraconazole Residue Methods Radiovalidation: Lab Project Number: PSA/001: PSA 001/003179. Unpublished study prepared by Huntingdon Life Sciences, Ltd. 31 p. {OPPTS 860.1340}
- 45155005 Rizzo, F.; Pizzingrilli, G. (2000) Uptake, Translocation and Metabolism of (carbon 14)-Phenyl Tetraconazole in Rotated Crops of Cereals, Carrots and Lettuce: Interim Report: Lab Project Number: ABT.98.11: PR/ABT.98.11. Unpublished study prepared by Isagro Ricerca Srl. 150 p {OPPTS 860.1850}
- 45155006 Camaggi, G.; Piccardi, P. (2000) Synthetic Feasability of ((carbon-14)-Tetrafluoroethyl) Tetraconazole: Lab Project Number: R/ABT.00.14. Unpublished study prepared by Isagro Ricerca Srl. 6 p.
- 45155007 Barraj, L. (2000) Chronic Dietary Exposure Assessment for Tetraconazole: Lab Project Number: TETRACONAZOLE 00-01. Unpublished study prepared by Novigen Sciences, Inc. 41 p.

- 45180000 Ricerca, LLC (2000) Submission of Toxicity Data in Support of the Registration of Tetraconazole Technical. Transmittal of 1 Study.
- 45180001 Marciniszyn, J. (2000) Tetraconazole Metabolism-Response to HED: Lab Project Number: RICERCA 3-24-2000. Unpublished study prepared by Ricerca, LLC. 7 p. {OPPTS 870.7485}
- 45206900 Sipcam Agro USA, Inc. (2000) Submission of Toxicity Data in Support of the Application for Registration of Tetraconazole Technical. Transmittal of 1 Study.
- 45206901 Savides, M.; Watson, M. (2000) Study of the Elimination and Distribution of Radiolabel Following Repeated Oral Administration of M 14360 to Male Sprague-Dawley Rats: Lab Project Number: 3772-90-0490-AM-001-001. Unpublished study prepared by Ricerca, LLC. 28 p.
- 45226100 Sipcam Agro USA, Inc. (2000) Submission of Residue Data in Support of the Application for Registration of Tetraconazole Technical. Transmittal of 1 Study.
- 45226101 Rizzo, F.; Pizzingrilli, G. (2000) Tetraconazole: Radiovalidation of Residue Analytical Method in Wheat: Lab Project Number: ABT.00.10: R/ABT.00.10. Unpublished study prepared by Isagro Ricerca Srl. 84 p. {OPPTS 860.1340}
- 45264200 SIPCAM Agro USA, Inc. (2000) Submission of Residue Chemistry and Environmental Fate Data in Support of the Application for Registration of Tetraconazole Technical and the Petition for Tolerance of Tetraconazole in/on Bananas, Sugarbeets, Peanuts and Turfgrass. Transmittal of 7 Studies.
- 45264201 Pizzingrilli, G.; Rizzo, F. (2000) Metabolism of (carbon 14-triazole) Tetrazole in Sugar Beet: Supplemental Information on Sample Storage Intervals: Lab Project Number: R/ABT.95.06 ADDENDUM. Unpublished study prepared by Isagro Ricerca S.r.I. 4 p. {OPPTS 860.1300}
- 45264202 Pizzingrilli, G.; Rizzo, F. (2000) (Carbon 14-triazole) M 14360 Metabolism in Grapes and Wine (Main Study): Supplemental Information on Sample Storage Intervals: Lab Project Number: R/ABT.91.05 ADDENDUM. Unpublished study prepared by Isagro Ricerca S.r.I. 4 p. {OPPTS 860.1300}
- 45264203 Pizzingrilli, G.; Rizzo, F. (2000) (Carbon 14-phenyl) M 14360 Metabolism in Grapes and Wine (Main Study): Supplemental Information on Sample Storage Intervals: Lab Project Number: R/ABT.91.06 ADDENDUM. Unpublished study prepared by Isagro Ricerca S.r.I. 4 p. {OPPTS 860.1300}
- 45264204 Pizzingrilli, G.; Rizzo, F. (2000) Uptake, Translocation and Metabolism of (carbon 14triazole) Tetraconazole in Rotated Crops of Winter Wheat, Carrots and Lettuce: Supplemental Information on Sample Storage Intervals: Lab Project Number: R/ABT.96.05 ADDENDUM. Unpublished study prepared by Isagro Ricerca S.r.I. 4 p. {OPPTS 860.1850}
- 45264205 Pizzingrilli, G.; Rizzo, F. (2000) Uptake, Translocation and Metabolism of (carbon 14phenyl) Tetraconazole in Rotated Crops of Cereals, Carrots and Lettuce: Supplemental Information on Sample Storage Intervals: Lab Project Number: R/ABT.98.11 ADDENDUM. Unpublished study prepared by Isagro Ricerca S.r.I. 4 p. {OPPTS 860.1850}
- 45264206 Camaggi, G. (2000) Comments on the Likely Metabolic Fate of the Tetrafluroethyl Group of Tetraconazole: Lab Project Number: SA-JRF-00-03. Unpublished study

prepared by Isagro Ricerca S.r.I. 7 p. {OPPTS 860.1300}

- 45264207 Pizzingrilli, G.; Rizzo, F. (2000) Addendum to the Study Tetraconazole: Radiovalidation of Residue Analytical Method in Wheat (Storage Stability of Extractable TRR in Wheat Straw): Lab Project Number: ADDENDUM R/ABT.00.10. Unpublished study prepared by Isagro Ricerca S.r.I. 26 p. {OPPTS 860.1340}
- 45299200 Sipcam Agro USA, Inc. (2000) Submission of Residue Chemistry Data in Support of the Application for Registration of Tetraconazole Technical. Transmittal of 3 Studies.
- 45299201 Zini, G. (2000) Stability of Tetraconazole in Sugar Beet Roots Stored Frozen for Three Years: Lab Project Number: GZ0300: 1998. Unpublished study prepared by Isagro Ricerca S.r.I. 48 p. {OPPTS 860.1380}
- 45299202 Zini, G. (2000) Stability of Tetraconazole in Wheat Grain Stored Frozen for Three Years: Lab Project Number: GZ0400: 2022. Unpublished study prepared by Isagro Ricerca S.r.I. 50 p. {OPPTS 860.1380}
- 45299203 Zini, G. (2000) Stability of Tetraconazole in Wheat Straw Stored Frozen for Three Years: Lab Project Number: GZ0500: 2023. Unpublished study prepared by Isagro Ricerca S.r.I. 52 p. {OPPTS 860.1380}
- 45299400 Sipcam Agro USA, Inc. (2001) Submission of Toxicity Data in Support of the Application for Registration of Eminent 125SL. Transmittal of 6 Studies.
- 45299401 Kuhn, J. (2000) Acute Oral Toxicity Study in Rats: Eminent 125SL: Final Report: Lab Project Number: 5944-00. Unpublished study prepared by Stillmeadow, Inc. 11 p. {OPPTS 870.1100}
- 45299402 Kuhn, J. (2000) Acute Dermal Toxicity Study in Rabbits: Eminent 125SL: Final Report: Lab Project Number: 5945-00. Unpublished study prepared by Stillmeadow, Inc. 13 p. {OPPTS 870.1200}
- 45299403 Carter, L. (2000) Acute Inhalation Toxicity Study in Rats: Eminent 125SL: Final Report: Lab Project Number: 5946-00. Unpublished study prepared by Stillmeadow, Inc. 21 p. {OPPTS 870.1300}
- 45299404 Kuhn, J. (2000) Acute Eye Irritation Study in Rabbits: Eminent 125SL: Final Report: Lab Project Number: 5947-00. Unpublished study prepared by Stillmeadow, Inc. 17 p. {OPPTS 870.2400}
- 45299405 Kuhn, J. (2000) Acute Dermal Irritation Study in Rabbits: Eminent 125SL: Final Report: Lab Project Number: 5948-00. Unpublished study prepared by Stillmeadow, Inc. 14 p. {OPPTS 870.2500}
- 45299406 Kuhn, J. (2000) Skin Sensitization Study in Guinea Pigs: Eminent 125SL: Final Report: Lab Project Number: 5949-00. Unpublished study prepared by Stillmeadow, Inc. 19 p. {OPPTS 870.2600}
- 45318800 Sipcam Agro USA, Inc. (2001) Submission of Residue Data in Support of the Application for the Registration of Tetraconazole Technical. Transmittal of 3 Studies.
- 45318801 Zini, G. (2001) Confirmatory Method for Residue of Tetraconazole in Sugar Beet (Roots and Leaves): Lab Project Number: 2347: 28100. Unpublished study prepared

by Isagro Ricerca. S.r.l. 84 p. {OPPTS 860.1340} 45318802 Weeren, R.; Pelz, S. (2001) Validation of DFG Method S 19 with Modified Extraction(with DFG Cleanup Method 5 for Fat) For the Determination of the Residues of Tetraconazole in Plant Material and in Foodstuffs of Animal Origin: Lab Project Number: TET-9801V: 64641/98. Unpublished study prepared by Chemische Laboratorien GmbH. 59 p. {OPPTS 860.1340} Martin, K.: Nixon, W. (2001) Assessment of Multiresidue Methodology as Presented 45318803 in Pesticide Analytical Manual(PAM), Volume I, for the Determination of Tetraconazole in Nonfatty and Fatty Plant Substrates: Lab Project Number: 468C-107. Unpublished study prepared by Sipcam Agro USA, Inc. 41 p. {OPPTS 830.1360} Sipcam Agro USA, Inc. (2000) Submission of Residue Chemistry Data in Support of 45320900 the Application for Registration of Tetraconazole Technical. Transmittal of 2 Studies. 45320901 Zini, G. (2000) Tetraconazole Residues in Rotational Crops After Treatment of Bare Soil: Lab Project Number: GZ0100. Unpublished study prepared by Isagro Ricerca S.r.l. 661 p. 45320902 Zini, G. (2000) Tetraconazole Residues in Rotational Crops Following Three Years of Consecutive Applications to Primary Treated Crops: Lab Project Number: GZ0200. Unpublished study prepared by Isagro Ricerca S.r.l. 1161 p. 45332600 Sipcam Agro USA (2001) Submission of Toxicity Data in Support of the Application for Registration of Tetraconazole Technical. Transmittal of 2 Studies. 45332601 Savides, M.; Watson, M. (2001) Study of the Elimination and Distribution of Radiolabel Following Oral Administration of (carbon 14)-Phenyl M 14360 to Sprague-Dawley Rats: Lab Project Number: 5083-91-0339-AM-001-001. Unpublished study prepared by Ricerca, LLC. 26 p. 45332602 Savides, M.: Watson, M. (2001) Study of the Elimination and Distribution of Radiolabel Following Repeated Oral Administration of M 14360 to Sprague-Dawley Rats: Lab Project Number: 5084-91-0340-AM-001-001. Unpublished study prepared by Ricerca, LLC. 28 p. Sipcam Agro USA, Inc. (2001) Submission of Toxicity and Risk Assessment Data in 45343200 Support of the Application for the Registration of Tetraconazole Technical. Transmittal of 1 Study. 45343201 Gemert, M.; Pizzingrilli, G.; Valcamonica, C. (2001) Arguments Against the Need for a Specific 1.2.4-triazole Risk Assessment for the Regulation of Tetraconazole. Unpublished study prepared by Sipcam Agro USA, Inc. 15 p. {OPPTS 870.3700 and 870.7485 45419400 Sipcam Agro USA, Inc. (2001) Submission of Residue Data in Support of the Application for Registration of Tetraconazole Technical and the Petition for Tolerances of Tetraconazole in/on Sugarbeets, Peanuts, Turfgrass, and Bananas. Transmittal of 1 Study. 45419401 Rizzo, F.; Pizzingrilli, G. (2001) Metabolism of ((Carbon-14)-phenyl) Tetraconazole Technical in Sugar Beet: Lab Project Number: ABT.00.09: R/ABT.00.09. Unpublished study prepared by Isagro Ricerca Srl. 198 p. {OPPTS 860.1300}

45504400	Sipcam Agro USA, Inc. (2001) Submission of Residue Data in Support of the Application for Registration of Tetraconazole Technical and the Petition for Tolerances of Tetraconazole on Peanuts. Transmittal of 1 Study.
45504401	Pizzingrilli, G.; Castoldi, F.; Oriolo, D. (2001) The Metabolism of [(Carbon 14)-U- Triazolyl] Tetraconazole and [(Carbon 14)-U-phenyl] Tetraconazole in the Laying Hen: Analytical Phase: Lab Project Number: MEF.00.18. Unpublished study prepared by Isagro Ricerca Srl. 154 p. {OPPTS 860.1300}
45545500	Sipcam Agro USA, Inc. (2001) Submission of Residue Data in Support of the Application for Registration of Tetraconazole Technical. Transmittal of 1 Study.
45545501	Alcaraz, S. (2001) Magnitude of Residue Study with Eminent 125 SL (Tetraconazole) Applied to Sugar Beets in the Imperial Valley of Southern California (Final Report): Lab Project Number: CA01-1909-01: 468C-108. Unpublished study prepared by Research Designed for Agriculture, and Wildlife International. 141 p.
45560400	Sipcam Agro USA, Inc. (2001) Submission of Residue Data in Support of the Application for Registration of Tetraconazole Technical. Transmittal of 2 Studies.
45560401	French, J. (1997) Stability of 1,2,4-Triazole in Milk Stored at -20 (Degrees Celsius) in the Dark: Final Report: Lab Project Number: 2176: RM-12360. Unpublished study prepared by Isagro Ricerca. 91 p.
45560402	French, J. (1998) Stability of 1,2,4-Triazole in Biological Substrates Stored at -20 (Degrees Celsius) in the Dark: Final Report: Lab Project Number: 2220: RM-12360. Unpublished study prepared by Isagro Ricerca. 93 p.
45569900	Sipcam Agro USA, Inc. (2001) Submission of Residue Data in Support of the Application for Registration of Tetraconazole Technical. Transmittal of 1 Study.
45569901	Rizzo, F.; Pizzingrilli, G. (2001) Metabolism of ((Carbon-14) phenyl) Tetraconazole in Sugar Beet (Experimental Addendum to R/ABT.00.09 Study): Lab Project Number: R/ABT.00.09. Unpublished study prepared by ISAGRO RICERCA Srl. 60 p. {OPPTS 860.1300}
45605200	Sipcam Agro USA, Inc. (2002) Submission of Environmental Fate Data in Support of the Application for Registration of Tetraconazole Technical. Transmittal of 1 Study.
45605201	Rizzo, F.; Pizzingrilli, G. (2002) Uptake, Translocation and Metabolism of ((Carbon 14)-Phenyl) Tetraconazole in Rotated Crops of Cereals, Carrots and Lettuce: Lab Project Number: R/ABT.98.11: ABT.98.11. Unpublished study prepared by Isagro Ricerca Srl. 294 p. {OPPTS 860.1850}
45651000	Sipcam Agro USA, Inc. (2002) Submission of Residue Data in Support of the Application for Registration of Tetraconazole Technical. Transmittal of 1 Study.
45651001	Martin, K.; Van Hoven, R.; Nixon, W. (2002) Independent Laboratory Validation of a Method for the Analysis of 1,2,4-Triazole in Milk, Eggs and Tissue: Lab Project Number: 468C-109. Unpublished study prepared by Wildlife International, Ltd. 51 p. {OPPTS 860.1340}
45823200	Sipcam Agro USA, Inc. (2002) Submission of Toxicity and Environmental Fate Data

in Support of the Application for Registration of Tetraconazole Technical. Transmittal of 10 Studies.

- 45823201 Albuquerque, R. (2001) Tetraconazole Technical: Acute Toxicity to Daphnia magna: Lab Project Number: IGA 016: IGA 016/014030. Unpublished study prepared by Huntingdon Life Sciences Ltd. 38 p. {OPPTS 850.1010}
- 45823202 Drottar, K.; Kendall, T.; Krueger, H. (2001) Tetraconazole: A 96-Hour Shell Deposition Test with the Eastern Oyster (Crassostrea virginica): Final Report: Lab Project Number: 468A-103. Unpublished study prepared by Wildlife International, Ltd. 40 p. {OPPTS 850.1025}
- 45823203 Blankinship, A.; Drottar, K.; Palmer, S.; et al. (2002) Tetraconazole: A 96-Hour Flow-Through Acute Toxicity Test with the Saltwater Mysid (Americamysis bahia): Final Report: Lab Project Number: 468A-101C. Unpublished study prepared by Wildlife International, Ltd. 41 p. {OPPTS 850.1035}
- 45823204 Albuquerque, R. (2001) Tetraconazole Technical: Acute Toxicity to Rainbow Trout: Lab Project Number: IGA 014: IGA 014/014028. Unpublished study prepared by Huntingdon Life Sciences Ltd. 37 p. {OPPTS 850.1075}
- 45823205 Albuquerque, R. (2002) Tetraconazole Technical: Acute Toxicity to Fish (Bluegill Sunfish): Lab Project Number: IGA 015: IGA 015/014029: 17028. Unpublished study prepared by Huntingdon Life Sciences Ltd. 41 p. {OPPTS 850.1075}
- 45823206 Blankinship, A.; Drottar, K.; Kendall, T.; et al. (2001) Tetraconazole: A 96-Hour Flow-Through Acute Toxicity Test with the Sheepshead Minnow (Cyprinodon variegatus): Final Report: Lab Project Number: 468A-102. Unpublished study prepared by Wildlife International, Ltd. 41 p. {OPPTS 850.1075}
- 45823207 Albuquerque, R. (2002) Tetraconazole Technical: Prolonged Toxicity to the Daphnia magna: Lab Project Number: IGA 017: IGA 017/014031. Unpublished study prepared by Huntingdon Life Sciences Ltd. 53 p. {OPPTS 850.1300}
- 45823208 Albuquerque, R. (2002) Tetraconazole Technical: Fish Early Life Stage Toxicity Test for Fathead Minnow (Pimephales promelas): Lab Project Number: IGA 018: IGA 018/022558: 16499. Unpublished study prepared by Huntingdon Life Sciences Ltd. 80 p. {OPPTS 850.1400}
- 45823209 Porch, J.; Martin, K.; Krueger, H. (2001) Eminent 125 SL: A Toxicity Test to Determine the Effects of the Test Substance on Seedling Emergence of Ten Species of Plants: Final Report: Lab Project Number: 468-101A. Unpublished study prepared by Wildlife International, Ltd. 54 p. {OPPTS 850.4100}
- 45823210 Porch, J.; Martin, K.; Krueger, H. (2001) Eminent 125 SL: A Toxicity Test to Determine the Effects of the Test Substance on Vegetative Vigor of Ten Species of Plants: Final Report: Lab Project Number: 468-102A: 468-102. Unpublished study prepared by Wildlife International, Ltd. 75 p. {OPPTS 850.4150}
- 45840000 Sipcam Agro USA, Inc. (2002) Submission of Environmental Fate Data in Support of the Application for Registration of Tetraconazole Technical. Transmittal of 1 Study.
- 45840001 Scacchi, A.; Oriolo, D.; Pizzingrilli, G. (2002) Anaerobic Aquatic Metabolism of (Carbon 14)-Tetraconazole: Lab Project Number: MEF.01.12. Unpublished study prepared by Isagro Ricerca Srl. and Agvise Laboratories, Inc. 155 p.
- 45842200 Sipcam Agro USA, Inc. (2002) Submission of Environmental Fate Data in Support of the Application for Registration of Tetraconazole Technical. Transmittal of 1 Study.

45842201	Hertl, J. (2000) Toxicity of Tetraconazole Technical to the Aquatic Plant Lemna gibba in a Growth Inhibition Test: Final Report Revision No. 1: Lab Project Number: 7240240: 7240240A. Unpublished study prepared by Institut fur Biologische Analytik und Consulting IBACON GmbH. 68 p. {OPPTS 850.4400}
45851800	Sipcam Agro USA, Inc. (2003) Submission of Environmental Fate Data in Support of the Application for Registration of Tetraconazole Technical. Transmittal of 3 Studies.
45851801	Scacchi, A.; Pizzingrilli, G. (1995) Aerobic Soil Degradation of (Carbon 14)- Tetraconazole in Three German Standard Soils: Lab Project Number: R/ABT.95.01. Unpublished study prepared by Isagro Ricerca S.r.I. 103 p.
45851802	Scacchi, A.; Pizzingrilli, G. (1996) Aerobic Soil Degradation of ((Carbon 14)-U- Triazole) Tetraconazole in Three German Standard Soils Under Sunlight: Lab Project Number: R/ABT.95.03. Unpublished study prepared by Isagro Ricerca S.r.I. 187 p.
45851803	Castoldi, F.; Pizzingrilli, G. (1995) Soil Column Leaching After Ageing (Under Sunlight) of ((Carbon 14)-U-Triazole)Tetraconazole: Lab Project Number: R/ABT.95.04. Unpublished study prepared by Isagro Ricerca S.r.I. 100 p.
45875500	Sipcam Agro USA, Inc. (2003) Submission of Residue and Environmental Fate Data in Support of the Registration of Tetraconazole, Triazolylalanine and Triazolylacetic Acid. Transmittal of 2 Studies.
45875501	Zini, G. (2000) Analysis of Tetraconazole, Triazolylalanine and Triazolyl Acetic Acid in Winter Barley: Final Report: Lab Project Number: 2287: R6/99: FRG99-1. Unpublished study prepared by Isagro Ricerca S.R.L. 158 p.
45881300	Sipcam Agro USA, Inc. (2003) Submission of Residue Data in Support of the Registration of Triazoles. Transmittal of 1 Study.
45881301	Zini, G. (2000) Analysis of Tetraconazole, Triazolylalanine and Triazolyl Acetic Acid in Winter Wheat: Final Report: Lab Project Number: 2286: S 2286 TETRACONAZOLO: CH12286.MTH. Unpublished study prepared by Isagro Ricerca S.R.L. 160 p.
46037600	Sipcam Agro USA, Inc. (2003) Submission of Residue Data in Support of the Application for Registration of Eminent 125SL. Transmittal of 1 Study.
46037601	Willard, T. (2003) Magnitude of the Residues of Eminent 125 SL in Pecan Raw Agricultural Commodities: Final Study Report. Project Number: AA000902, GA1, BA2. Unpublished study prepared by American Agricultural Services. 181 p.
46055600	Spicam Agro USA, Inc. (2003) Submission of Product Chemistry Data in Support of the Application for Registration of Tetraconazole Technical. Transmittal of 3 Studies.
46055601	Saldi, S. (2000) Viscosity at 20 Degrees C of Tetraconazole Technical. Project Number: 018/99. Unpublished study prepared by Enichem Agricoltura S.P.A. 21 p.
46055602	Saldi, S. (2000) Viscosity at 40 Degrees C of Tetraconazole Technical. Project Number: 026/99. Unpublished study prepared by Enichem Agricoltura S.P.A. 21 p.
46055603	Canova, L. (2001) Determination of Dissociation Constant (Ka) of Tetraconazole

Analytical Standard. Project Number: 029/00. Unpublished study prepared by Enichem Agricoltura S.P.A. 20 p.

- 46071500 Sipcam Agro USA, Inc. (2003) Submission of Residue and Product Chemistry Data in Support of the Application for Registration of Eminent 125SL. Transmittal of 2 Studies.
- 46071501 Willard, T. (2002) Magnitude of the Residues of Eminent 125SL in Pecan Raw Agricultural Commodities: Final Study Report Amendment. Project Number: AA000902, LA2. Unpublished study prepared by American Agricultural Services and Wildlife International, Ltd. 128 p.
- 46071502 French, J. (2003) Corrosion Characteristics of Eminent 125SL. Project Number: SA/JRF/03/04. Unpublished study prepared by Sipcam Agro USA, Inc. 12 p.
- 46150600 Sipcam Agro USA, Inc. (2003) Submission of Residue Data in Support of the Application for Registration of Tetraconazole Technical and Eminent 125SL Fungicide. Transmittal of 1 Study.
- 46150601 Chafey, K.; Nixon, W. (2003) Analysis of Soybeans for Residues of Tetraconazole. Project Number: 468C/114. Unpublished study prepared by Wildlife International, Ltd. 40 p.
- 46409400 Sipcam Agro USA, Inc. (2004) Submission of Fate Data in Support of the Application for Registrations of Tetraconazole Technical and Eminent 125SL Fungicide. Transmittal of 1 Study.
- 46409401 French, J. (2004) Toxicity of Tetraconazole Technical to the Aquatic Plant Lemna gibba in a Growth Inhibition Test [MRID 45842201] Addendum - Raw Data. Project Number: IBACON/7240240. Unpublished study prepared by Institut fuer Biologische Analytik und Consulting IBACON. 11 p.