

Appendix J-1: Bibliography of ECOTOX Open Literature Not Evaluated

ATRAZINE IRED 2003
Papers that Were Accepted ECOTOX

Acceptable for ECOTOX and OPP

- Belden, J. B. and Lydy, M. J. (2000). Impact of Atrazine on Organophosphate Insecticide Toxicity. *Environ.Toxicol.Chem.* 19: 2266-2274.
EcoReference No.: 56553
Chemical of Concern: ATZ,CPY,MLN,MP,DZ; Habitat: A; Effect Codes: ACC,BEH,BCM; Rejection: **Less sensitive endpoint.**
- EG&G Bionomics (1973). Acute Toxicity of Atrazine to Mud Crab (*Neopanope texana*). *Bioassay Rep.Submitted to CIBA-Giegy Chemical Corp., Greensboro, NC* 1-9.
EcoReference No.: 61020
Chemical of Concern: ATZ; Habitat: A; Effect Codes: MOR; Rejection Code: **Less sensitive endpoint.**
- El Jay, A. (1996). Effects of Organic Solvents and Solvent-Atrazine Interactions on Two Algae, *Chlorella vulgaris* and *Selenastrum capricornutum*. *Arch.Environ.Contam.Toxicol.* 31: 84-90.
EcoReference No.: 17086
Chemical of Concern: ATZ; Habitat: A; Effect Codes: BCM,POP; Rejection Code: **Less sensitive endpoint.**
- Fairchild, J. F., Ruessler, D. S., and Carlson, A. R. (1998). Comparative Sensitivity of Five Species of Macrophytes and Six Species of Algae to Atrazine, Metribuzin, Alachlor, and Metolachlor. *Environ.Toxicol.Chem.* 17: 1830-1834.
EcoReference No.: 19461
Chemical of Concern: ACR,ATZ,MBZ,MTL,DMM; Habitat: A; Effect Codes: POP; Rejection Code: **Less sensitive endpoint.**
- Forget, J., Pavillon, J. F., Menasria, M. R., and Bocquene, G. (1998). Mortality and LC50 Values for Several Stages of the Marine Copepod *Tigriopus brevicornis* (Muller) Exposed to the Metals Arsenic and Cadmium and the. *Ecotoxicol.Environ.Saf.* 40: 239-244.
EcoReference No.: 19281
Chemical of Concern: ATZ,CBF,MLN,DOVP,As,Cd,AZ; Habitat: A; Effect Codes: MOR; Rejection Code: **Less sensitive endpoint.**
- Gaggi, C., Sbrilli, G., El Naby, A. M. H., Bucci, M., Duccini, M., and Bacci, E. (1995). Toxicity and Hazard Ranking of s-Triazine Herbicides Using Microtox, Two Green Algal Species and a Marine Crustacean. *Environ.Toxicol.Chem.* 14: 1065-1069.
EcoReference No.: 15077
Chemical of Concern: ATZ,PMT,AMTR; Habitat: A; Effect Codes: POP,PHY; Rejection Code: **Less sensitive endpoint.**
- Guasch, H., Ivorra, N., Lehmann, V., Paulsson, M., Real, M., and Sabater, S. (1998). Community Composition and Sensitivity of Periphyton to Atrazine in Flowing Waters: The Role of Environmental Factors. *J.Appl.Phycol.* 10: 203-213.
EcoReference No.: 70206
Chemical of Concern: ATZ; Habitat: A; Effect Codes: POP,ACC; Rejection Code: **Less sensitive endpoint.**
- Guasch, H., Munoz, I., Roses, N., and Sabater, S. (1997). Changes in Atrazine Toxicity Throughout Succession of Stream Periphyton Communities. *J.Appl.Phycol.* 9: 137-146.
EcoReference No.: 20359

Chemical of Concern: ATZ; Habitat: A; Effect Codes: BCM, POP; Rejection Code: **Less sensitive endpoint.**

Kotrikla, A., Lekkas, T., and Blets, G. (1997). Toxicity of the Herbicide Atrazine, Two of Its Degradation Products and the Herbicide Metolachlor in Photosynthetic Microorganisms. *Fresenius Environ.Bull.* 6: 502-507.
EcoReference No.: 20116

Chemical of Concern: ATZ, MTL,DEATZ,DIATZ; Habitat: A; Effect Codes: POP; Rejection Code: **Less sensitive endpoint.**

Marchini, S., Passerini, L., Cesareo, D., and Tosato, M. L. (1988). Herbicidal Triazines: Acute Toxicity on Daphnia, Fish, and Plants and Analysis of its Relationships with Structural Factors. *Ecotoxicol.Environ.Saf.* 16: 148-157.

EcoReference No.: 13154

Chemical of Concern: ATZ,PMT,PPZ,SZ,AMTR,CZE; Habitat: A; Effect Codes: PHY; Rejection Code: **Less sensitive endpoint.**

Tang, J. X., Hoagland, K. D., and Siegfried, B. D. (1997). Differential Toxicity of Atrazine to Selected Freshwater Algae . *Bull.Environ.Contam.Toxicol.* 59: 631-637 .

EcoReference No.: 18457

Chemical of Concern: ATZ; Habitat: A; Effect Codes: POP; Rejection Code: **Less sensitive endpoint.**

Atrazine IRED (2003): Acceptable for ECOTOX but not OPP

Alazemi, B. M., Lewis, J. W., and Andrews, E. B. (1996). Gill Damage in the Freshwater Fish *Gnathonemus petersii* (Family: Mormyridae) Exposed to Selected Pollutants: An Ultrastructural Study. *Environ.Technol.* 17: 225-238.

EcoReference No.: 19563

Chemical of Concern: ATZ,CuS,CN,Cr,Cd; Habitat: A; Effect Codes: CEL; Rejection Code: NO ENDPOINT(ALL CHEMS).

Atkins, E. L., Greywood, E. A., and Macdonald, R. L. (1975). Toxicity of Pesticides and Other Agricultural Chemicals to Honey Bees. *Leaflet 2287, Division of Agricultural Sciences, University of California, Davis,* CA 36.

EcoReference No.: 40218

Chemical of Concern: ATZ; Habitat: T; Effect Codes: MOR; Rejection Code: NO CONTROL(ALL CHEMS).

Baird, D. J., Barber, I., Soares, A. M. V. M., and Calow, P. (1991). An Early Life-Stage Test with *Daphnia magna* Straus: An Alternative to the 21-Day Chronic Test? *Ecotoxicol.Environ.Saf.* 22: 1-7.

EcoReference No.: 3949

Chemical of Concern: NaBr; Habitat: A; Effect Codes: REP; Rejection Code: LITE EVAL CODED(NaBr),NO COC(ATZ).

Bester, K., Huhnerfuss, H., Brockmann, U., and Rick, H. J. (1995). Biological Effects of Triazine Herbicide Contamination on Marine Phytoplankton. *Arch.Environ.Contam.Toxicol.* 29: 277-283.

EcoReference No.: 14926

Chemical of Concern: ATZ; Habitat: A; Effect Codes: PHY,BCM; Rejection Code: NO ENDPOINT(ATZ).

Beynon, K. I., Stoydin, G., and Wright, A. N. (1972). A Comparison of the Breakdown of the Triazine Herbicides Cyanazine, Atrazine and Simazine in Soils and in Maize. *Pestic.Biochem.Physiol.* 2: 153-161.

EcoReference No.: 70863

Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: ACC; Rejection Code: TARGET(SZ,ATZ).

Brockway, D. L., Smith, P. D., and Stancil, F. E. (1984). Fate and Effects of Atrazine in Small Aquatic Microcosms. *Bull.Environ.Contam.Toxicol.* 32: 345-353.

- EcoReference No.: 11290
Chemical of Concern: ATZ; Habitat: A; Effect Codes: SYS; Rejection Code: NO ENDPOINT(ATZ).
- Burken, J. G. and Schnoor, J. L. (1997). Uptake and Metabolism of Atrazine by Poplar Trees. *Environ.Sci.Technol.* 31: 1399-1406.
EcoReference No.: 63404
Chemical of Concern: ATZ; Habitat: T; Effect Codes: ACC; Rejection Code: TARGET(ATZ).
- Butler, G. L., Deason, T. R., and O'Kelley, J. C. (1975). The Effect of Atrazine, 2,4-D, Methoxychlor, Carbaryl and Diazinon on the Growth of Planktonic Algae. *Br.Phycol.J.* 10: 371-376.
EcoReference No.: 7429
Chemical of Concern: 24DXY,ATZ,CBL,DZ; Habitat: A; Effect Codes: POP; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Carney, C. E. (1983). The Effects of Atrazine and Grass Carp on Freshwater Macrophyte Communities. *M.A.Thesis, University of Kansas, Lawrence, KS* 33 p.
EcoReference No.: 12404
Chemical of Concern: ATZ; Habitat: A; Effect Codes: GRO,POP; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Cohn, S. L. (1985). An Evaluation of the Toxicity and Sublethal Effects of Atrazine on the Physiology and Growth Phases of the Aquatic Macrophyte *Vallisneria spiralis* L. *Diss.Abst.Int.B Sci.Eng.* 46(4):1042 / *Ph.D.Thesis, The American University, Washington, D.C.* 142 p.
EcoReference No.: 9962
Chemical of Concern: ATZ; Habitat: A; Effect Codes: GRO,POP,MOR,REP; Rejection Code: NO ABSTRACT(ATZ).
- Douglas, W. S., McIntosh, A., and Clausen, J. C. (1993). Toxicity of Sediments Containing Atrazine and Carbofuran to Larvae of the Midge *Chironomus tentans*. *Environ.Toxicol.Chem.* 12: 847-853 (OECDG Data File).
EcoReference No.: 7284
Chemical of Concern: ATZ,CBF; Habitat: A; Effect Codes: MOR; Rejection Code: LITE EVAL CODED(CBF),NO ENDPOINT(ATZ).
- El-Sheekh, M. M., Kotkat, H. M., and Hammouda, O. H. E. (1994). Effect of Atrazine Herbicide on Growth, Photosynthesis, Protein Synthesis, and Fatty Acid Composition in the Unicellular Green Alga *Chlorella kessleri*. *Ecotoxicol.Environ.Saf.* 29: 349-358.
EcoReference No.: 13751
Chemical of Concern: ATZ; Habitat: A; Effect Codes: POP,BCM,PHY; Rejection Code: NO ENDPOINT(ATZ).
- Farooqui, M. A., Rao, A. V., Jayasree, T., and Sadanandam, A. (1997). Induction of Atrazine Resistance and Somatic Embryogenesis in *Solanum melongena*. *Theor.Appl.Genet.* 95: 702-705.
EcoReference No.: 72789
Chemical of Concern: ATZ; Habitat: T; Rejection Code: TARGET(ATZ).
- Fischer-Scherl, T., Veese, A., Hoffmann, R. W., Kuhnhauser, C., Negele, R. D., and Ewringmann, T. (1991). Morphological Effects of Acute and Chronic Atrazine Exposure in Rainbow Trout (*Oncorhynchus mykiss*). *Arch.Environ.Contam.Toxicol.* 20: 454-461 .
EcoReference No.: 146
Chemical of Concern: ATZ; Habitat: A; Effect Codes: CEL; Rejection Code: NO ENDPOINT(ATZ).
- Gimenez-Espinosa, R., Romera, E., Tena, M., and De Prado, R. (1996). Fate of Atrazine in Treated and Pristine Accessions of Three *Setaria* Species. *Pestic.Biochem.Physiol.* 56: 196-207.
EcoReference No.: 78695
Chemical of Concern: PPZ,MBZ,PMT,AMTR,SZ,ATZ; Habitat: T; Effect Codes: PHY; Rejection Code: LITE EVAL CODED(PPZ),OK(ALL CHEMS),OK TARGET(ATZ).

- Gonzalez-Murua, C., Munoz-Rueda, A., Hernando, F., and Sanchez-Diaz, M. (1985). Effect of Atrazine and Methabenzthiazuron on Oxygen Evolution and Cell Growth of *Chlorella pyrenoidosa*. *Weed Res.* 25: 61-66.
EcoReference No.: 10675
Chemical of Concern: ATZ; Habitat: A; Effect Codes: POP,BCM; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Gough, B. J. and Shellenberger, T. E. (1972). In Vivo Inhibition of Rabbit Whole Blood Cholinesterase with Organophosphate Inhibitors and Reactivation with Oximes. *Drug Chem.Toxicol.* 1: 25-43.
EcoReference No.: 81777
Chemical of Concern: ATZ,DCTP,DDVP; Habitat: AT; Effect Codes: BCM; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Grande, M., Andersen, S., and Berge, D. (1994). Effects of Pesticides on Fish. Experimental and Field Studies. *Norw.J.Agric.Sci.* Suppl.13: 195-209.
EcoReference No.: 62367
Chemical of Concern: PCZ,SZ,DPP,CSF,ES,ATZ,DZ,DMT,GYP; Habitat: A; Effect Codes: MOR; Rejection Code: LITE EVAL CODED(DMT,PCZ),OK(DMT,CSF,PCZ),NO CONTROL(SZ,ES,GYP,MCPA,DPP,ATZ).
- Grenier, G., Proteau, L., Marier, J. P., and Beaumont, G. (1987). Effects of a Sublethal Concentration of Atrazine on the Chlorophyll and Lipid Composition of Chlorophyll-Protein Complexes of *Lemna minor*. *Plant Physiol.Biochem.* 24: 409-413.
EcoReference No.: 4176
Chemical of Concern: ATZ; Habitat: A; Effect Codes: BCM; Rejection Code: NO ENDPOINT(ATZ).
- Hall, J. K., Pawlus, M., and Higgins, E. R. (1972). Losses of Atrazine in Runoff Water and Soil Sediment. *J.Environ.Qual.* 1: 172-176.
EcoReference No.: 69624
Chemical of Concern: ATZ; Habitat: T; Effect Codes: INJ; Rejection Code: TARGET(ATZ).
- Hamilton, P. B., Jackson, G. S., Kaushik, N. K., and Solomon, K. R. (1987). The Impact of Atrazine on Lake Periphyton Communities, Including Carbon Uptake Dynamics using Track Autoradiography. *Environ.Pollut.* 46: 83-103.
EcoReference No.: 12619
Chemical of Concern: ATZ; Habitat: A; Effect Codes: POP,PHY,PRS; Rejection Code: NO ENDPOINT(ATZ).
- Hannan, P. J. (1995). A Novel Detection Scheme for Herbicidal Residues. *Environ.Toxicol.Chem.* 14: 775-780.
EcoReference No.: 69628
Chemical of Concern: ATZ,PPZ,THF,CRME,TNM,AMTR,CZE; Habitat: AT; Effect Codes: PHY; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Herman, D., Kaushik, N. K., and Solomon, K. R. (1986). Impact of Atrazine on Periphyton in Freshwater Enclosures and Some Ecological Consequences. *Can.J.Fish.Aquat.Sci.* 43(10): 1917-1925.
EcoReference No.: 11959
Chemical of Concern: ATZ; Habitat: A; Effect Codes: POP; Rejection Code: NO ENDPOINT(ATZ).
- Hoagland, K. D., Drenner, R. W., Smith, J. D., and Cross, D. R. (1993). Freshwater Community Responses to Mixtures of Agricultural Pesticides: Effects of Atrazine and Bifenthrin. *Environ.Toxicol.Chem.* 12: 627-637 (OECDG Data File).
EcoReference No.: 6359
Chemical of Concern: ATZ,BFT; Habitat: A; Effect Codes: BCM,POP; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Hofmann, A. and Winkler, S. (1990). Effects of Atrazine in Environmentally Relevant Concentrations on

- Submersed Macrophytes. *Arch.Hydrobiol.* 118: 69-79.
EcoReference No.: 7313
Chemical of Concern: ATZ; Habitat: A; Effect Codes: PHY; Rejection Code: NO ENDPOINT(ATZ).
- Isensee, A. R. (1976). Variability of Aquatic Model Ecosystem-Derived Data. *Int.J.Environ.Stud.* 10: 35-41.
EcoReference No.: 682
Chemical of Concern: EDT,ATZ,DU,CBZ; Habitat: A; Effect Codes: ACC; Rejection Code: NO CONTROL(ALL CHEMS).
- Jones, T. W. and Estes, P. S. (1984). Uptake and Phytotoxicity of Soil-Sorbed Atrazine for the Submerged Aquatic Plant, *Potamogeton perfoliatus* L. *Arch.Environ.Contam.Toxicol.* 13: 237-241.
EcoReference No.: 10154
Chemical of Concern: ATZ; Habitat: A; Effect Codes: ACC,PHY; Rejection Code: NO ENDPOINT(ATZ).
- Juttner, I., Peither, A., Lay, J. P., Kettrup, A., and Ormerod, S. J. (1995). An Outdoor Mesocosm Study to Assess Ecotoxicological Effects of Atrazine on a Natural Plankton Community. *Arch.Environ.Contam.Toxicol.* 29: 435-441.
EcoReference No.: 16127
Chemical of Concern: ATZ; Habitat: A; Effect Codes: POP; Rejection Code: NO ENDPOINT(ATZ).
- Kaushik, N. K., Solomon, K. R., Stephenson, G., and Day, K. (1985). Assessment of Sublethal Effects of Atrazine on Zooplankton. In: P.G.Wells and R.F.Addison (Eds.), *Proc.10th Ann.Aquat.Toxic.Workshop, Nov.7-10, 1983, Halifax, Nova Scotia, Can.Tech.Rep.Fish.Aquat.Sci.No.1368* 377-379.
EcoReference No.: 12888
Chemical of Concern: ATZ; Habitat: A; Effect Codes: REP; Rejection Code: NO ENDPOINT(ATZ).
- Khan, S. U. and Marriage, P. B. (1977). Residues of Atrazine and Its Metabolites in an Orchard Soil and Their Uptake by Oat Plants. *J.Agric.Food Chem.* 25: 1408-1413.
EcoReference No.: 70997
Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO,ACC; Rejection Code: TARGET(ATZ).
- Klaassen, H. E. and Kadoum, A. M. (1979). Distribution and Retention of Atrazine and Carbofuran in Farm Pond Ecosystems. *Arch.Environ.Contam.Toxicol.* 8: 345-353.
EcoReference No.: 564
Chemical of Concern: CBF,ATZ; Habitat: A; Effect Codes: ACC; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Lakshminarayana, J. S. S., O'Neill, H. J., Jonnavithula, S. D., Leger, D. A., and Milburn, P. H. (1992). Impact of Atrazine-Bearing Agricultural Tile Drainage Discharge on Planktonic Drift of a Natural Stream. *Environ.Pollut.* 76: 201-210.
EcoReference No.: 12746
Chemical of Concern: ATZ; Habitat: A; Effect Codes: POP; Rejection Code: NO ENDPOINT(ATZ).
- Marrs, R. H., Williams, C. T., Frost, A. J., and Plant, R. A. (1989). Assessment of the Effects of Herbicide Spray Drift on a Range of Plant Species of Conservation Interest. *Environ.Pollut.* 59: 71-86.
EcoReference No.: 81776
Chemical of Concern: MCPA,GYP,MTSM,CSF,ASM,MCP; Habitat: T; Effect Codes: GRO,MOR; Rejection Code: NO CONTROL(ALL CHEMS),NO COC(ATZ).
- Mathew, R., Nelson, S., and Khan, S. U. (1996). Transformation Products Distribution of Atrazine in Corn Plants Treated with Radiolabelled Herbicide. *Chemosphere* 33: 2395-2402.
EcoReference No.: 51975
Chemical of Concern: ATZ; Habitat: T; Effect Codes: ACC; Rejection Code: TARGET(ATZ).
- Mayasich, J. M., Karlander, E. P., and Terlizzi, D. E. Jr. (1987). Growth Responses of *Nannochloris oculata* Droop

- and *Phaeodactylum tricornutum* Bohlin to the Herbicide Atrazine as Influenced by Light Intensity and Temperature in Unialgal and Bialgal Assemblage. *Aquat.Toxicol.* 10: 187-197.
EcoReference No.: 12580
Chemical of Concern: ATZ; Habitat: A; Effect Codes: POP; Rejection Code: NO ENDPOINT(ATZ).
- Neugebauer, K., Zieris, F. J., and Huber, W. (1990). Ecological Effects of Atrazine on Two Outdoor Artificial Freshwater Ecosystems. *Z.Wasser- Abwasser- Forsch.* 23: 11-17.
EcoReference No.: 65532
Chemical of Concern: ATZ; Habitat: A; Effect Codes: POP; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Raveton, M., Ravanel, P., Serre, A. M., Nurit, F., and Tissut, M. (1997). Kinetics of Uptake and Metabolism of Atrazine in Model Plant Systems. *Pestic.Sci.* 49: 157-163.
EcoReference No.: 64405
Chemical of Concern: ATZ; Habitat: T; Effect Codes: ACC; Rejection Code: TARGET(ATZ).
- Roberts, S., Vasseur, P., and Dive, D. (1990). Combined Effects Between Atrazine, Copper and pH, on Target and Non Target Species. *Water Res.* 24: 485-491.
EcoReference No.: 3139
Chemical of Concern: ATZ,CuS; Habitat: A; Effect Codes: POP; Rejection Code: NO CONTROL(ALL CHEMS).
- Schober, U. and Lampert, W. (1977). Effects of Sublethal Concentrations of the Herbicide Atrazin on Growth and Reproduction of *Daphnia pulex*. *Bull.Environ.Contam.Toxicol.* 17: 269-277 (OECDG Data File).
EcoReference No.: 7553
Chemical of Concern: ATZ; Habitat: A; Effect Codes: REP,MOR; Rejection Code: NO ENDPOINT(ATZ).
- Trapp, S., Matthies, M., Scheunert, I., and Topp, E. M. (1990). Modeling the Bioconcentration of Organic Chemicals in Plants. *Environ.Sci.Technol.* 24: 1246-1252.
EcoReference No.: 80266
Chemical of Concern: ATZ,DLD,DDT,HCB,PCB; Habitat: T; Effect Codes: BCM,CEL,PHY; Rejection Code: OK TARGET(ATZ).
- Walker, C. R. (1964). Simazine and Other S-Triazine Compounds as Aquatic Herbicides in Fish Habitats. *Weeds* 12: 134-139.
EcoReference No.: 8041
Chemical of Concern: SZ,ATZ; Habitat: A; Effect Codes: POP,MOR; Rejection Code: LITE EVAL CODED(SZ),NO ENDPOINT(ATZ).
- Walker, S. R., Robinson, G. R., and Hargreaves, P. A. (1997). Weed Control with Atrazine and Chlorsulfuron is Determined by Herbicide Availability and Persistence in Soils. *Aust.J.Agric.Res.* 48: 1003-1009.
EcoReference No.: 62727
Chemical of Concern: ATZ,CSF; Habitat: T; Effect Codes: POP; Rejection Code: TARGET(ATZ).

ATRAZINE post-IREDD (October 2003 - February 2006)
Papers that Were Accepted for ECOTOX

Acceptable for ECOTOX and OPP

- Abdel-Hamid, M. I. (1996). Development and Application of a Simple Procedure for Toxicity Testing Using Immobilized Algae. *Water Sci.Technol.* 33: 129-138.
EcoReference No.: 69584
Chemical of Concern: SZ,ATZ,GYP,DMT,CSF,PCZ,MCPA,DPP; Habitat: A; Effect Codes: POP; Rejection Code: Less sensitive endpoint.

- Allran, J. W. and Karasov, W. H. (2000). Effects of Atrazine and Nitrate on Northern Leopard Frog (*Rana pipiens*) Larvae Exposed in the Laboratory from Posthatch Through Metamorphosis. *Environ.Toxicol.Chem.* 19: 2850-2855.
EcoReference No.: 56572
Chemical of Concern: ATZ; Habitat: A; Effect Codes: GRO,MOR,BCM; Rejection Code: **Less sensitive endpoint. No effect at highest test concentration.**
- Anderson, T. D. and Lydy, M. J. (2002). Increased Toxicity to Invertebrates Associated with a Mixture of Atrazine and Organophosphate Insecticides. *Environ.Toxicol.Chem.* 21: 1507-1514.
EcoReference No.: 64955
Chemical of Concern: ATZ,DZ,CPY,MP; Habitat: AT; Effect Codes: ACC,MOR,BCM; Rejection Code: **No effect at single test concentration. Biochemical enzymatic endpoints cannot be quantitatively linked to the selected assessment endpoints.**
- Anderson, T. D. and Zhu, K. Y. (2004). Synergistic and Antagonistic Effects of Atrazine on the Toxicity of Organophosphorodithioate and Organophosphorothioate Insecticides to *Chironomus tentans* (Diptera: Chironomidae). *Pestic.Biochem.Physiol.* 80: 54-64.
EcoReference No.: 74947
Chemical of Concern: DMT,DS,DEM,ATZ,PPB,OMT; Habitat: A; Effect Codes: MOR,BCM; Rejection Code: **Less sensitive endpoint. No effect at single test concentration. Biochemical endpoints cannot be quantitatively linked to the selected assessment endpoints.**
- Ashby, J., Tinwell, H., Stevens, J., Pastoor, T., and Breckenridge, C. B. (2002). The Effects of Atrazine on the Sexual Maturation of Female Rats. *Regul.Toxicol.Pharmacol.* 35: 468-473.
EcoReference No.: 81454
Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO; Rejection Code: **Terrestrial mammalian endpoints were not considered for this assessment.**
- Babic-Gojmerac, T., Kniewald, Z., and Kniewald, J. (1989). Testosterone Metabolism in Neuroendocrine Organs in Male Rats Under Atrazine and Deethylatrazine Influence. *J.Steroid Biochem.* 33: 141-146.
EcoReference No.: 81750
Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO,BCM; Rejection Code: **Terrestrial mammalian endpoints were not considered for this assessment.**
- Baekken, T. and Aanes, K. J. (1991). Pesticides in Norwegian Agriculture. Their Effects on Benthic Fauna in Lotic Environments. Preliminary Results. *Int.Assoc.Theor.Appl.Limnol.Proc./Int.Ver.Theor.Angew.Limnol.Verh.* 24: 2277-2281.
EcoReference No.: 13409
Chemical of Concern: ATZ,DMT,PCZ,MCPA,DPDP; Habitat: A; Effect Codes: MOR,POP; Rejection Code: **No effect at the highest test concentration.**
- Bathe, R., Ullman, L., Sachsse, K., and Hess, R. (1975). Relationship between Toxicity to Fish and to Mammals: A Comparative Study Under Defined Laboratory Conditions. *U.S.EPA-OPP Registration Standard.*
EcoReference No.: 12999
Chemical of Concern: ATZ,DZ; Habitat: A; Effect Codes: MOR; Rejection Code: **Proprietary paper. Data not available.**
- Baturo, W. and Lagadic, L. (1996). Benzo(a)pyrene Hydroxylase and Glutathione S-Transferase Activities as Biomarkers in *Lymnaea palustris* (Mollusca, Gastropoda) Exposed to Atrazine and Hexachlorobenzene in Freshwater Mesocosms. *Environ.Toxicol.Chem.* 15: 771-781.
EcoReference No.: 16860
Chemical of Concern: ATZ; Habitat: A; Effect Codes: ACC,BCM; Rejection Code: **Biomarker endpoint not relevant to assessment endpoints.**
- Beauvais, S. L., Atchison, G. J., Stenback, J. Z., and Crumpton, W. G. (1999). Use of Cholinesterase Activity to

- Monitor Exposure of *Chironomus riparius* (Diptera: Chironomidae) to a Pesticide Mixture in Hypoxic Wetland Mesocosms. *Hydrobiologia* 416: 163-170.
EcoReference No.: 62050
Chemical of Concern: ATZ,CPY,MTL; Habitat: A; Effect Codes: BCM; Rejection Code: **Biochemical enzymatic endpoints cannot be quantitatively linked to the selected assessment endpoints.**
- Bednarz, T. (1981). The Effect of Pesticides on the Growth of Green and Blue-Green Algae Cultures. *Acta Hydrobiol.* 23: 155-172.
EcoReference No.: 17259
Chemical of Concern: 24DXY,ATZ,DU,SZ,MXC,DDT; Habitat: A; Effect Codes: POP,CEL; Rejection Code: **Less sensitive endpoint.**
- Belden, J. B. and Lydy, M. J. (2001). Effects of Atrazine on Acetylcholinesterase Activity in Midges (*Chironomus tentans*) Exposed to Organophosphorus Insecticides. *Chemosphere* 44: 1685-1689.
EcoReference No.: 62046
Chemical of Concern: ATZ,PRN,MLN; Habitat: A; Effect Codes: BCM; Rejection Code: **No effect at single test concentration. Biochemical enzymatic endpoints cannot be quantitatively linked to the selected assessment endpoints.**
- Benhra, A., Radetski, C. M., and Ferard, J. F. (1997). Cryoalgotox: Use of Cryopreserved Alga in a Semistatic Microplate Test. *Environ.Toxicol.Chem.* 16: 505-508.
EcoReference No.: 17613
Chemical of Concern: ATZ,CuS,Cd,Cr; Habitat: A; Effect Codes: POP; Rejection Code: **Less sensitive endpoint.**
- Berard, A. and Benninghoff, C. (2001). Pollution-Induced Community Tolerance (PICT) and Seasonal Variations in the Sensitivity of Phytoplankton to Atrazine in Nanocosms. *Chemosphere* 45: 427-437.
EcoReference No.: 62042
Chemical of Concern: ATZ; Habitat: A; Effect Codes: BCM.POP,SYS; Rejection Code: **Less sensitive endpoint.**
- Berard, A., Dorigo, U., Mercier, I., Becker-Van Slooten, K., Grandjean, D., and Leboulanger, C. (2003). Comparison of the Ecotoxicological Impact of the Triazines Irgarol 1051 and Atrazine on Microalgal Cultures and Natural Microalgal Communities in Lake Geneva. *Chemosphere* 53: 935-944.
EcoReference No.: 72626
Chemical of Concern: ATZ; Habitat: A; Effect Codes: POP; Rejection Code: **Less sensitive endpoint.**
- Berard, A., Leboulanger, C., and Pelte, T. (1999). Tolerance of *Oscillatoria limnetica* Lemmermann to Atrazine in Natural Phytoplankton Populations and in Pure Culture: Influence of Season and Temperature. *Arch.Environ.Contam.Toxicol.* 37: 472-479 .
EcoReference No.: 20576
Chemical of Concern: ATZ; Habitat: A; Effect Codes: POP; Rejection Code: **Endpoint Less Sensitive and/or equal to 10 ppb value from the IRED.**
- Berard, A., Pelte, T., and Druart, J. C. (1999). Seasonal Variations in the Sensitivity of Lake Geneva Phytoplankton Community Structure to Atrazine. *Arch.Hydrobiol.* 145: 277-295.
EcoReference No.: 47486
Chemical of Concern: ATZ; Habitat: A; Effect Codes: POP; Rejection Code: **Used in CASM.**
- Bird, K. T. (1993). Comparisons of Herbicide Toxicity Using In Vitro Cultures of *Myriophyllum spicatum*. *J.Aquat.Plant Manag.* 31 : 43-45.
EcoReference No.: 13730
Chemical of Concern: 24DXY,ATZ,GYP; Habitat: A; Effect Codes: GRO; Rejection Code: **Less sensitive endpoint.**
- Bogaerts, P., Bohatier, J., and Bonnemoy, F. (2001). Use of the Ciliated Protozoan *Tetrahymena pyriformis* for the

- Assessment of Toxicity and Quantitative Structure-Activity Relationships of Xenobiotics: Comparison with the Microtox Test. *Ecotoxicol.Environ.Saf.* 49: 293-301.
EcoReference No.: 62033
Chemical of Concern:
Hg,Cd,CuS,CrAC,Zn,Mn,Fe,Pb,Co,Ni,As,CBL,MLN,PRN,HCCH,DM,ATZ,DU,PL, Habitat: A; Effect Codes: POP; Rejection Code: **Less sensitive endpoint.**
- Bolle, P., Mastrangelo, S., Tucci, P., and Evandri, M. G. (2004). Clastogenicity of Atrazine Assessed with the Allium cepa Test. *Environ.Mol.Mutagen.* 43: 137-141.
EcoReference No.: 81735
Chemical of Concern: ATZ; Habitat: T; Effect Codes: CEL; Rejection Code: **Genetic chromosomal aberration endpoints cannot be quantitatively linked to the selected assessment endpoints.**
- Bouilly, K., Leitao, A., McCombie, H., and Lapegue, S. (2003). Impact of Atrazine on Aneuploidy in Pacific Oysters, Crassostrea gigas. *Environ.Toxicol.Chem.* 22: 219-223.
EcoReference No.: 68194
Chemical of Concern: ATZ; Habitat: A; Effect Codes: CEL; Rejection Code: **Less sensitive endpoint.**
- Bouilly, K., McCombie, H., Leitao, A., and Lapegue, S. (2004). Persistence of Atrazine Impact on Aneuploidy in Pacific Oysters, Crassostrea gigas. *Mar.Biol.* 145: 699-705.
EcoReference No.: 81756
Chemical of Concern: ATZ; Habitat: A; Effect Codes: REP,GRO,CEL; Rejection Code: **Genetic cellular endpoints cannot be quantitatively linked to the selected assessment endpoints.**
- Bringolf, R. B., Belden, J. B., and Summerfelt, R. C. (2004). Effects of Atrazine on Fathead Minnow in a Short-Term Reproduction Assay. *Environ.Toxicol.Chem.* 23: 1019-1025.
EcoReference No.: 72793
Chemical of Concern: ATZ; Habitat: A; Effect Codes: REP,GRO,BCM; Rejection Code: **No statistically significant effects observed at the highest test concentration (44 ppb).**
- Britson, C. A. and Threlkeld, S. T. (1998). Abundance, Metamorphosis, Developmental, and Behavioral Abnormalities in Hyla chrysoscelis Tadpoles Following Exposure to Three Agrichemicals and Methyl Mercury in Outdoors Mesocosms. *Bull.Environ.Contam.Toxicol.* 61: 154-161.
EcoReference No.: 19806
Chemical of Concern: ATZ,MSMA,CPY; Habitat: A; Effect Codes: POP,GRO,BEH; Rejection Code: **Not applicable: mixtures of atrazine, chlorpyrifos, MSMA, and methyl mercury tested.**
- Brown, L. S. and Lean, D. R. S. (1995). Toxicity of Selected Pesticides to Lake Phytoplankton Measured Using Photosynthetic Inhibition Compared to Maximal Uptake Rates of Phosphate and Ammonium. *Environ.Toxicol.Chem.* 14: 93-98.
EcoReference No.: 13724
Chemical of Concern: 24DXY,ATZ,DBN,DU,PMT,SZ,TFN,PPZ; Habitat: A; Effect Codes: BCM; Rejection Code: **Endpoint Less Sensitive.**
- Brust, G. E. (1990). Direct and Indirect Effects of Four Herbicides on the Activity of Carabid Beetles (Coleoptera: Carabidae) . *Pestic.Sci.* 30: 309-320.
EcoReference No.: 70406
Chemical of Concern: SZ,ATZ,GYP,PAQT; Habitat: T; Effect Codes: BEH,MOR; Rejection Code: **Terrestrial invertebrate endpoints were not considered for this assessment.**
- Butler, P. A. (1965). Effects of Herbicides on Estuarine Fauna. *Proc.South.Weed Conf.* 18: 576-580.
EcoReference No.: 14134
Chemical of Concern:
DU,ATZ,AMTR,PMT,PRO,ACL,DCCA,PAQT,MLT,NTP,TBF,VNT,EPTC,PCL,PEB,DDT,24DXY,BEE;
Habitat: A; Effect Codes: MOR,GRO,POP; Rejection Code: **No effect level at highest test concentration.**

- Cain, J. R. and Cain, R. K. (1983). The Effects of Selected Herbicides on Zygosphaera Germination and Growth of Chlamydomonas moewusii (Chlorophyceae, Volvocales). *J. Phycol.* 19: 301-305.
EcoReference No.: 61203
Chemical of Concern:
EDT,ATZ,DU,PCL,24DXY,PAQT,PRO,PPN,DMB,LNR,ACR,AMTR,BMN,AMTL; Habitat: A; Effect Codes: POP,REP,MOR; Rejection Code: **Less sensitive endpoint.**
- Carr, J. A., Gentles, A., Smith, E. E., Goleman, W. L., Urquidí, L. J., Thuett, K., Kendall, R. J., Giesy, J. P., Gross, T. S., Solomon, K. R., and Van der Kraak, G. (2003). Response of Larval Xenopus laevis to Atrazine: Assessment of Growth, Metamorphosis, and Gonadal and Laryngeal Morphology. *Environ.Toxicol.Chem.* 22: 396-405.
EcoReference No.: 68175
Chemical of Concern: ATZ; Habitat: A; Effect Codes: BEH,GRO,MOR; Rejection Code: **Reviewed as part of the Amphibian White Paper.**
- Carrasco, J. M. and Sabater, C. (1997). Toxicity of Atrazine and Chlorsulfuron to Algae. *Toxicol.Environ.Chem.* 59: 89-99.
EcoReference No.: 6712
Chemical of Concern: ATZ,CSF; Habitat: A; Effect Codes: POP; Rejection Code: **Less sensitive endpoint.**
- Chang, L. W., Toth, G. P., Gordon, D. A., Graham, D. W., Meier, J. R., Knapp, C. W., DeNoyelles, F. J. Jr., Campbell, S., and Lattier, D. L. (2005). Responses of Molecular Indicators of Exposure in Mesocosms: Common Carp (Cyprinus carpio) Exposed to the Herbicides Alachlor and Atrazine. *Environ.Toxicol.Chem.* 24: 190-197. .
EcoReference No.: 78289
Chemical of Concern: ATZ,ACR; Habitat: A; Effect Codes: BCM,CEL; Rejection Code: **Biomolecular indicators of genetic cell damage cannot be quantitatively linked to the selected assessment endpoints.**
- Chio, H. and Sanborn, J. R. (1978). The Metabolism of Atrazine, Chloramben, and Dicamba in Earthworms (Lumbricus terrestris) from Treated and Untreated Plots. *Weed Sci.* 26: 331-335.
EcoReference No.: 36146
Chemical of Concern: ATZ,DMB; Habitat: T; Effect Codes: ACC; Rejection Code: **Terrestrial invertebrate endpoints were not considered for this assessment.**
- Christensen, E. R., Chen, D., Nyholm, N., and Kusk, K. O. (2001). Joint Action of Chemicals in Algal Toxicity Tests: Influence of Response Level and Dose-Response Regression Model. *Environ.Toxicol.Chem.* 20: 2361-2369.
EcoReference No.: 62292
Chemical of Concern: ATZ; Habitat: A; Effect Codes: POP; Rejection Code: **Less sensitive endpoint.**
- Christl, T. J., Pennington, P., DeLorenzo, M., Karnaky, K. J. Jr., and Scott, G. I. (2004). Effect of Multiple Atrazine Exposure Profiles on Hemocyte DNA Integrity in the Eastern Oyster (Crassostrea virginica). *Bull.Environ.Contam.Toxicol.* 73: 404-410.
EcoReference No.: 79392
Chemical of Concern: ATZ; Habitat: A; Effect Codes: CEL; Rejection Code: **Cellular genetic endpoints cannot be quantitatively linked to the selected assessment endpoints.**
- Clements, C., Ralph, S., and Petras, M. (1997). Genotoxicity of Select Herbicides in Rana catesbeiana Tadpoles Using the Alkaline Single-Cell Gel DNA Electrophoresis (Comet) Assay. *Environ.Mol.Mutagen.* 29: 277-288.
EcoReference No.: 20274
Chemical of Concern: 24DXY,ATZ,GYP,MBZ,MTL,DMM; Habitat: A; Effect Codes: CEL,MOR; Rejection Code: **Less sensitive endpoint.**
- Connors, D. E. and Black, M. C. (2004). Evaluation of Lethality and Genotoxicity in the Freshwater Mussel

- Utterbackia imbecillis (Bivalvia: Unionidae) Exposed Singly and in Combination to Chemicals Used in Lawn Care. *Arch.Environ.Contam.Toxicol.* 46: 362-371.
EcoReference No.: 74236
Chemical of Concern: ATZ,GYP,DZ,CBL; Habitat: A; Effect Codes: MOR; Rejection Code: **Less sensitive endpoint. Cellular genetic endpoint cannot be quantitatively linked to the selected assessment endpoints.**
- Connor, K., Howell, J., Chen, I., Liu, H., Berhane, K., Sciarretta, C., Safe, S., and Zacharewski, T. (1996). Failure of Chloro-s-Triazine-Derived Compounds to Induce Estrogen Receptor-Mediated Responses In Vivo and In Vitro. *Fundam.Appl.Toxicol.* 30: 93-101.
EcoReference No.: 69587
Chemical of Concern: ATZ,SZ; Habitat: T; Effect Codes: GRO,BCM; Rejection Code: **Terrestrial mammalian endpoints were not considered for this assessment.**
- Conrad, R., Buchel, C., Wilhelm, C., Arsalane, W., Berkloff, C., and Duval, J. C. (1993). Changes in Yield of In-Vivo Fluorescence of Chlorophyll a as a Tool for Selective Herbicide Monitoring. *J.Appl.Phycol.* 5: 505-516.
EcoReference No.: 14619
Chemical of Concern: ATZ,DU,SZ; Habitat: A; Effect Codes: BCM; Rejection Code: **Less sensitive endpoint.**
- Cooper, R. L., Stoker, T. E., Goldman, J. M., Parrish, M. B., and Tyrey, L. (1996). Effect of Atrazine on Ovarian Function in the Rat. *Reprod.Toxicol.* 10: 257-264.
EcoReference No.: 68625
Chemical of Concern: ATZ; Habitat: T; Effect Codes: BCM,PHY,GRO; Rejection Code: **Terrestrial mammalian endpoints were not considered for this assessment.**
- Cortet, J., Gillon, D., Joffre, R., Ourcival, J. M., and Poinso-Balaguer, N. (2002). Effects of Pesticides on Organic Matter Recycling and Microarthropods in a Maize Field: Use and Discussion of the Litterbag Methodology. *Eur.J.Soil Biol.* 38: 261-265.
EcoReference No.: 75784
Chemical of Concern: ATZ,ACR,CBF,FPN; Habitat: T; Effect Codes: POP; Rejection Code: **Terrestrial invertebrate endpoints were not considered for this assessment.**
- Dabydeen, S. and Leavitt, J. R. C. (1981). Absorption and Effect of Simazine and Atrazine on Elodea canadensis. *Bull.Environ.Contam.Toxicol.* 26: 381-385.
EcoReference No.: 69588
Chemical of Concern: ATZ,SZ; Habitat: A; Effect Codes: CEL,ACC,PHY; Rejection Code: **Plant residue studies were not considered for this assessment.**
- Day, K. E. (1993). Short-Term Effects of Herbicides on Primary Productivity of Periphyton in Lotic Environments. *Ecotoxicology* 2: 123-138.
EcoReference No.: 13325
Chemical of Concern: ATZ,HXZ,MTL,TET,PHY; Habitat: A; Rejection Code: **Endpoint Less Sensitive.**
- Del carmen Alvarez, M. and Fuiman, L. A. (2005). Environmental Levels of Atrazine and Its Degradation Products Impair Survival Skills and Growth of Red Drum Larvae. *Aquat.Toxicol.* 74: 229-241.
EcoReference No.: 81463
Chemical of Concern: ATZ; Habitat: A; Effect Codes: GRO,BEH,PHY; Rejection Code: **Behavioral endpoint cannot be quantitatively linked to the selected assessment endpoints. Survival endpoint less sensitive.**
- DeLorenzo, M. E., Lauth, J., Pennington, P. L., Scott, G. I., and Ross, P. E. (1999). Atrazine Effects on the Microbial Food Web in Tidal Creek Mesocosms. *Aquat.Toxicol.* 46: 241-251.
EcoReference No.: 20335
Chemical of Concern: ATZ; Habitat: A; Effect Codes: PHY,POP; Rejection Code: **Endpoints to**

saltwater species not evaluated in this assessment.

- DeLorenzo, M. E., Leatherbury, M., Weiner, J. A., Lewitus, A. J., and Fulton, M. H. (2004). Physiological Factors Contributing to the Species-Specific Sensitivity of Four Estuarine Microalgal Species Exposed to the Herbicide Atrazine. *Aquat.Ecosyst.Health Manage.* 7: 137-146.
EcoReference No.: 81739
Chemical of Concern: ATZ; Habitat: A; Effect Codes: GRO,POP,BCM; Rejection Code: **Less sensitive endpoint.**
- DeLorenzo, M. E., Scott, G. I., and Ross, P. E. (1999). Effects of the Agricultural Pesticides Atrazine, Deethylatrazine, Endosulfan, and Chlorpyrifos on an Estuarine Microbial Food Web. *Environ.Toxicol.Chem.* 18: 2824-74.
EcoReference No.: 48627
Chemical of Concern: ATZ,CPY,ES,DEATZ; Habitat: A; Effect Codes: POP,PHY; Rejection Code: **Less sensitive endpoint.**
- DeLorenzo, M. E. and Serrano, L. (2003). Individual and Mixture Toxicity of Three Pesticides; Atrazine, Chlorpyrifos, and Chlorothalonil to the Marine Phytoplankton Species *Dunaliella tertiolecta*. *J.Environ.Sci.Health Part B* 38: 529-538.
EcoReference No.: 81619
Chemical of Concern: ATZ,CPY,CTN; Habitat: A; Effect Codes: POP; Rejection Code: **Less sensitive endpoint.**
- DeNoyelles, F. and Kettle, D. (1980). Herbicides in Kansas Waters - Evaluations of the Effects of Agricultural Runoff and Aquatic Weed Control on Aquatic Food Chains. *Project Completion Rep., Project No.A-092-KAN, Office of Water Res.Technol., U.S.D.I., Washington, D.C.* 40 p.
EcoReference No.: 13213
Chemical of Concern: ATZ; Habitat: A; Effect Codes: POP,PHY,REP; Rejection Code: **Used in CASM.**
- DeNoyelles, F. Jr. and Kettle, W. D. (1985). Experimental Ponds for Evaluating Bioassay Predictions. In: T.P.Boyle (Ed.), *Validation and Predictability of Laboratory Methods for Assessing the Fate and Effects of Contaminants in Aquatic Ecosystems, 1st Symposium, ASTM STP 865, Philadelphia, PA* 91-103.
EcoReference No.: 9504
Chemical of Concern: ATZ; Habitat: A; Effect Codes: PHY; Rejection Code: **Used in CASM.**
- DeNoyelles, F. Jr., Kettle, W. D., Fromm, C. H., Moffett, M. F., and Dewey, S. L. (1989). Use of Experimental Ponds to Assess the Effects of a Pesticide on the Aquatic Environment. In: J.R.Voshell,Jr.(Ed.), *Using Mesocosms to Assess the Aquatic Ecological Risk of Pesticides: Theory and Practice, Misc.Publ.No.75* 41-56.
EcoReference No.: 61566
Chemical of Concern: ATZ; Habitat: A; Effect Codes: POP; Rejection Code: **Used in CASM.**
- Detenbeck, N. E., Hermanutz, R., Allen, K., and Swift, M. C. (1996). Fate and Effects of the Herbicide Atrazine in Flow-Through Wetland Mesocosms. *Environ.Toxicol.Chem.* 15: 937-946.
EcoReference No.: 16839
Chemical of Concern: ATZ; Habitat: A; Effect Codes: SYS,PHY,POP,GRO,BCM,MOR; Rejection Code: **Used in CASM.**
- Donna, A., Betta, P. G., Robutti, F., and Bellingeri, D. (1986). Carcinogenicity Testing of Atrazine: Preliminary Report on a 13-Month Study on Male Swiss Albino Mice Treated by Intraperitoneal Administration. *G.Ital.Med.Lav.* 8: 119-121.
EcoReference No.: 79999
Chemical of Concern: ATZ; Habitat: T; Effect Codes: CEL,MOR; Rejection Code: **Terrestrial mammalian endpoints were not considered for this assessment.**
- Dorigo, U. and Leboulanger, C. (2001). A Pulse-Amplitude Modulated Fluorescence-Based Method for Assessing the Effects of Photosystem II Herbicides on Freshwater Periphyton. *J.Appl.Phycol.* 13: 509-515.

- EcoReference No.: 81753
Chemical of Concern: ATZ; Habitat: A; Effect Codes: BCM; Rejection Code: **Less sensitive endpoint.**
- Downs, C. A., Dillon, R. T. Jr., Fauth, J. E., and Woodley, C. M. (2001). A Molecular Biomarker System for Assessing the Health of Gastropods (*Ilyanassa obsoleta*) Exposed to Natural and Anthropogenic Stressors. *J.Exp.Mar.Biol.Ecol.* 259: 189-214.
EcoReference No.: 66412
Chemical of Concern: Cd,ATZ,ES; Habitat: A; Effect Codes: BCM; Rejection Code: **Biochemical endpoints cannot be quantitatively linked to the selected assessment endpoints.**
- Downs, C. A., Fauth, J. E., and Woodley, C. M. (2001). Assessing the Health of Grass Shrimp (*Palaeomonetes pugio*) Exposed to Natural and Anthropogenic Stressors: A Molecular Biomarker System. *Mar.Biotechnol.* 3: 380-397.
EcoReference No.: 75616
Chemical of Concern: Cd,ATZ; Habitat: A; Effect Codes: BCM; Rejection Code: **Biochemical enzymatic endpoints cannot be quantitatively linked to the selected assessment endpoints.**
- Drost, W., Backhaus, T., Vassilakaki, M., and Grimme, L. H. (2003). Mixture Toxicity of s-Triazines to *Lemna minor* Under Conditions of Simultaneous and Sequential Exposure. *Fresenius Environ.Bull.* 12: 601-607.
EcoReference No.: 81431
Chemical of Concern: ATZ,AMTR,PMT,PRO; Habitat: A; Effect Codes: POP; Rejection Code: **Less sensitive endpoint.**
- Du Preez, H. H. and Van Vuren, J. H. J. (1992). Bioconcentration of Atrazine in the Banded Tilapia, *Tilapia sparrmanii*. *Comp.Biochem.Physiol.C* 101: 651-655.
EcoReference No.: 6455
Chemical of Concern: ATZ; Habitat: A; Effect Codes: ACC; Rejection Code: **Bioconcentration factor.**
- Du Preez, L. and Solomon, K. R. (2003). Exposure of *Xenopus laevis* Larvae to Different Concentrations of Atrazine in Semi-natural Microcosms. *Final Rep.SA-01-D, Schl.of Environ.Sci.and Dev., Zool.Dep., Potchefstroom Univ.of CHE, Potchefstroom, South Africa* 44 p.
EcoReference No.: 78091
Chemical of Concern: ATZ; Habitat: A; Effect Codes: GRO,CEL; Rejection Code: **Reviewed as part of the Amphibian White Paper.**
- EG&G Bionomics (1979). Effect of Atrazine on Developing Communities of Benthic Macroinvertebrate Estuarine Organisms. *Rep.No.BP-79-11-163R, Submitted to CIBA-Geigy Corp., Greensboro, NC, by the EG&G Bionomics, Mar.Res.Lab., Pensacola, FL* 21 p.
EcoReference No.: 61556
Chemical of Concern: ATZ; Habitat: A; Effect Codes: POP; Rejection Code: **Study reported an increase in arthropod population values at all test concentrations of atrazine. No other adverse effects were reported; therefore, this study does not provide a more sensitive endpoint.**
- Egaas, E., Skaare, J. U., Svendsen, N. O., Sandvik, M., Falls, J. G., Dauterman, W. C., Collier, T. K., and Netland, J. (1993). A Comparative Study of Effects of Atrazine on Xenobiotic Metabolizing Enzymes in Fish and Insect, and of the In Vitro Phase II Atrazine Metabolism in Some Fish, Insects, Mammals and One Plant Species. *Comp.Biochem.Physiol.C* 106: 141-149.
EcoReference No.: 19175
Chemical of Concern: ATZ; Habitat: AT; Effect Codes: BCM,MOR,GRO; Rejection Code: **Biochemical enzymatic endpoint cannot be quantitatively linked to the selected assessment endpoints.**
- El Jay, A., Ducruet, J. M., Duval, J. C., and Pelletier, J. P. (1997). A High-Sensitivity Chlorophyll Fluorescence Assay for Monitoring Herbicide Inhibition of Photosystem II in the Chlorophyte *Selenastrum capricornutum*: Comparison with Effect on Cell Growth. *Arch.Hydrobiol.* 140: 273-286.
EcoReference No.: 59914
Chemical of Concern: ATZ,SZ,DU; Habitat: A; Effect Codes: POP,ACC; Rejection Code: **Less**

sensitive endpoint.

Eldridge, J. C., Fleenor-Heyser, D. G., Extrom, P. C., Wetzel, L. T., Breckenridge, C. B., Gillis, J. H., Luempert, III L. G. I., and Stevens, J. T. (1994). Short-Term Effects of Chlorotriazines on Estrus in Female Sprague-Dawley and Fischer 344 Rats. *J.Toxicol.Environ.Health* 43: 155-167.

EcoReference No.: 48959

Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: GRO,BCM,REP,MOR; Rejection Code:

Terrestrial mammalian endpoints were not considered for this assessment.

Eldridge, J. C., Tennant, M. K., Wetzel, L. T., Breckenridge, C. B., and Stevens, J. T. (1994). Factors Affecting Mammary Tumor Incidence in Chlorotriazine-Treated Female Rats: Hormonal Properties, Dosage, and Animal Strain. *Environ.Health Perspect.* 102: 29-36.

EcoReference No.: 69944

Chemical of Concern: ATZ; Habitat: T; Effect Codes: REP,BCM,CEL; Rejection Code: Terrestrial

mammalian endpoints were not considered for this assessment.

Elezovic, I., Budimir, M., Karan, V., and Neskovic, N. K. (1994). Herbicides in Water: Subacute Toxic Effects on Fish. In: R.Muller and R.Lloyd (Eds.), *Sublethal and Chronic Effects of Pollutants on Freshwater Fish, Chapter 3, Fishing News Books, London* 30-38 (Publ in Part As 4321, 6681, 16438).

EcoReference No.: 18518

Chemical of Concern: 24DXY,ATZ,DBN,GYP; Habitat: A; Effect Codes: BCM,MOR; Rejection Code:

Less sensitive endpoint. Study also includes less sensitive biochemical endpoints that cannot be quantitatively linked to the selected assessment endpoints.

Elia, A. C., Waller, W. T., and Norton, S. J. (2002). Biochemical Responses of Bluegill Sunfish (*Lepomis macrochirus*, Rafinesque) to Atrazine Induced Oxidative Stress. *Bull.Environ.Contam.Toxicol.* 68: 809-816.

EcoReference No.: 81458

Chemical of Concern: ATZ; Habitat: A; Effect Codes: BCM; Rejection Code: Less sensitive endpoint.

Biochemical endpoints cannot be quantitatively linked to the selected assessment endpoints.

Fairchild, J. F., La Point, T. W., and Schwartz, T. R. (1994). Effects of an Herbicide and Insecticide Mixture in Aquatic Mesocosms. *Arch.Environ.Contam.Toxicol.* 27: 527-533.

EcoReference No.: 13679

Chemical of Concern: ATZ,EFV; Habitat: A; Effect Codes: POP,MOR,SYS; Rejection Code: Used in CASM.

Faust, M., Altenburger, R., Backhaus, T., Blanck, H., Boedeker, W., Gramatica, P., Hamer, V., Scholze, M., Vighi, M., and Grimme, L. H. (2001). Predicting the Joint Algal Toxicity of Multi-component s-Traizine Mixtures at Low-Effect Concentrations of Individual Toxicants. *Aquat.Toxicol.* 56: 13-32.

EcoReference No.: 62304

Chemical of Concern: SZ,PPZ,AMTR,PMT,CZE,ATZ,PRO; Habitat: A; Effect Codes: POP; Rejection Code: Less sensitive endpoint.

Filipov, N. M., Pinchuk, L. M., Boyd, B. L., and Crittenden, P. L. (2005). Immunotoxic Effects of Short-Term Atrazine Exposure in Young Male C57BL/6 Mice. *Toxicol.Sci.* 86: 324-332.

EcoReference No.: 80508

Chemical of Concern: ATZ; Habitat: T; Effect Codes: CEL, GRO, PHY; Rejection Code: Terrestrial mammalian endpoints were not considered for this assessment.

Forbis, A. D. (1987). Uptake, Depuration, and Bioconcentration and Metabolite Characterization of 14C-Atrazine by Bluegill Sunfish (*Lepomis macrochirus*). *Final Rep.#34737,Analytical Bio-Chemistry Lab.,Columbia,MO* 107 p.

EcoReference No.: 78793

Chemical of Concern: ATZ; Habitat: A; Effect Codes: ACC; Rejection Code: Bioconcentration factor.

- Forney, D. R. (1979). Effects of Atrazine on Chesapeake Bay Aquatic Plants. *M.S.Thesis, Auburn University, Auburn, AL, Prepared for the Office of Water Res.and Technol., Washington, D.C.* 86 p. (U.S.NTIS PB81-115560).
EcoReference No.: 6331
Chemical of Concern: ATZ; Habitat: A; Effect Codes: GRO,MOR; Rejection Code: **Less sensitive endpoint.**
- Forster, B., Heifetz, P. B., Lardans, A., Boynton, J. E., and Gillham, N. W. (1997). Herbicide Resistance and Growth of D1 Ala251 Mutants in Chlamydomonas. *Z.Naturforsch.Sect.C* 52: 654-664.
EcoReference No.: 71603
Chemical of Concern: ATZ,BMC,MBZ; Habitat: A; Effect Codes: POP; Rejection Code: **Less sensitive endpoint.**
- Fort, D. J., Rogers, R. L., Thomas, J. H., Buzzard, B. O., Noll, A. M., and Spaulding, C. D. (2004). Comparative Sensitivity of Xenopus tropicalis and Xenopus laevis as Test Species for the FETAX Model. *J.Appl.Toxicol.* 24: 443-457.
EcoReference No.: 81751
Chemical of Concern: ATZ,CU; Habitat: AT; Effect Codes: MOR,GRO; Rejection Code: **Less sensitive endpoint.**
- Foster, S., Thomas, M., and Korth, W. (1998). Laboratory-Derived Acute Toxicity of Selected Pesticides to Ceriodaphnia dubia. *Australas.J.Ecotoxicol.* 4: 53-59.
EcoReference No.: 67777
Chemical of Concern: SZ,ATZ,CPY; Habitat: A; Effect Codes: PHY; Rejection Code: **Less sensitive endpoint.**
- Fox, C. J. S. (1964). The Effects of Five Herbicides on the Numbers of Certain Invertebrate Animals in Grassland Soil. *Can.J.Plant Sci.* 44: 405-409.
EcoReference No.: 36668
Chemical of Concern: ATZ,24DXY; Habitat: T; Effect Codes: POP; Rejection Code: **Terrestrial invertebrate endpoints were not considered for this assessment.**
- Francois, D. L. and Robinson, G. G. C. (1990). Indices of Triazine Toxicity in Chlamydomonas geitleri Ettl. *Aquat.Toxicol.* 16: 205-228.
EcoReference No.: 69582
Chemical of Concern: SZ,ATZ; Habitat: A; Effect Codes: POP,PHY; Rejection Code: **Less sensitive endpoint.**
- Fratello, B., Bertolani, R., Sabatini, M. A., Mola, L., and Rassu, M. A. (1985). Effects of Atrazine on Soil Microarthropods in Experimental Maize Fields. *Pedobiologia* 28: 161-168.
EcoReference No.: 59428
Chemical of Concern: ATZ; Habitat: T; Effect Codes: POP; Rejection Code: **Terrestrial invertebrate endpoints were not considered for this assessment.**
- Freeman, J. L., Beccue, N., and Rayburn, A. L. (2005). Differential Metamorphosis Alters the Endocrine Response in Anuran Larvae Exposed to T3 and Atrazine. *Aquat.Toxicol.* 75: 263-276.
EcoReference No.: 81460
Chemical of Concern: ATZ; Habitat: AT; Effect Codes: GRO,CEL; Rejection Code: **Less sensitive endpoint.**
- Freeman, J. L. and Rayburn, A. L. (2005). Developmental Impact of Atrazine on Metamorphosing Xenopus laevis as Revealed by Nuclear Analysis and Morphology. *Environ.Toxicol.Chem.* 24: 1648-1653.
EcoReference No.: 81459
Chemical of Concern: ATZ; Habitat: A; Effect Codes: GRO,CEL; Rejection Code: **Less sensitive endpoint.**

- Freeman, J. L. and Rayburn, A. L. (2004). In Vivo Genotoxicity of Atrazine to Anuran Larvae. *Mutat.Res.* 560: 69-78.
EcoReference No.: 78644
Chemical of Concern: ATZ; Habitat: A; Effect Codes: CEL; Rejection Code: Genotoxicity endpoints cannot be quantitatively linked to the assessment endpoints.
- Friedmann, A. S. (2002). Atrazine Inhibition of Testosterone Production in Rat Males Following Peripubertal Exposure. *Reprod.Toxicol.* 16: 275-279.
EcoReference No.: 81461
Chemical of Concern: ATZ; Habitat: T; Effect Codes: BCM; Rejection Code: Terrestrial mammalian endpoints were not considered for this assessment.
- Friesen-Pankratz, B., Doebel, C., Farenhorst, A., and Goldsborough, L. G. (2003). Interactions Between Algae (*Selenastrum capricornutum*) and Pesticides: Implications for Managing Constructed Wetlands for Pesticide Removal. *J.Environ.Sci.Health Part B* 38: 147-155.
EcoReference No.: 78287
Chemical of Concern: ATZ,HCCH; Habitat: A; Effect Codes: POP; Rejection Code: Less sensitive endpoint.
- Gagnaire, B., Renault, T., Bouilly, K., Lapegue, S., and Thomas-Guyon, H. (2003). Study of Atrazine Effects on Pacific Oyster, *Crassostrea gigas*, Haemocytes. *Curr.Pharm.Des.* 8: 99-110.
EcoReference No.: 71602
Chemical of Concern: ATZ; Habitat: A; Effect Codes: BCM,MOR; Rejection Code: No effect at highest test concentration. Cellular and biochemical endpoints cannot be quantitatively linked to the selected assessment endpoints.
- Gala, W. R. and Giesy, J. P. (1990). Flow Cytometric Techniques to Assess Toxicity to Algae. In: W.G.Landis and W.H.Van der Schalie (Eds.), *Aquatic Toxicology and Risk Assessment, 13th Volume, ASTM STP 1096, Philadelphia, PA* 237-246.
EcoReference No.: 18933
Chemical of Concern: ATZ; Habitat: A; Effect Codes: PHY,POP,MOR,CEL; Rejection Code: Less sensitive endpoint.
- Gaunt, P. S. (1996). Extraction and Analysis of Triazines in Fish Tissues Following a Toxic Exposure; Environmental Factors Affecting Atrazine Toxicity in Fish. *Ph.D.Thesis, Louisiana State Univ., Baton Rouge, LA* 211 p.
EcoReference No.: 70836
Chemical of Concern: ATZ,MBZ,SZ; Habitat: A; Effect Codes: ACC,MOR; Rejection Code: Less sensitive endpoint.
- Genoni, G. P. (1992). Short-Term Effect of a Toxicant on Scope for Change in Ascendency in a Microcosm Community. *Ecotoxicol.Environ.Saf.* 24: 179-191.
EcoReference No.: 5986
Chemical of Concern: ATZ; Habitat: A; Effect Codes: POP; Rejection Code: Less sensitive endpoint.
- Gerard, C. and Poullain, V. (2005). Variation in the Response of the Invasive Species *Potamopyrgus antipodarum* (Smith) to Natural (Cyanobacterial Toxin) and Anthropogenic (Herbicide Atrazine) Stressors. *Environ.Pollut.* 138: 28-33.
EcoReference No.: 81462
Chemical of Concern: ATZ; Habitat: A; Effect Codes: BEH; Rejection Code: Behavioral effects including horizontal movement cannot be quantitatively linked to the selected assessment endpoints.
- Geyer, H., Scheunert, I., and Korte, F. (1985). The Effects of Organic Environmental Chemicals on the Growth of the Alga *Scenedesmus subspicatus*: A Contribution to Environmental Biology. *Chemosphere* 14: 1355-1369.
EcoReference No.: 11677

- Chemical of Concern: PCP,ATZ,BNZ,4WP,HCCH,DBN; Habitat: A; Effect Codes: POP; Rejection Code: **Less sensitive endpoint.**
- Girling, A. E., Pascoe, D., Janssen, C. R., Peither, A., Wenzel, A., Schafer, H., Neumeier, B., Mitchell, G. C., Taylor, E. J., Maund, S. J., Lay, J. P., Juttner, I., Crossland, N. O., Stephenson, R. R., and Persoone, G. (2000). Development of Methods for Evaluating Toxicity to Freshwater Ecosystems. *Ecotoxicol.Environ.Saf.* 45: 148-176.
EcoReference No.: 49576
Chemical of Concern: HCCH,ATZ,CuS,Cu; Habitat: A; Effect Codes: BEH,PHY,POP,MOR,GRO,REP; Rejection Code: **Endpoint for gammarus (precopula separation 24-h NOAEC of 11 ppb) cannot be quantitatively linked to the selected assessment endpoints. No effects on population density, drift, and neonate growth at highest concentration of 370 ppb. All aquatic plant endpoints are less sensitive.**
- Girman, G. R. (1975). The Effects of a Number of Herbicides upon Photosynthesis and Heterotrophy of Naturally Occurring Algal and Bacterial Communities in Delta Marsh. *M.S.Thesis, University of Manitoba* 179 p.
EcoReference No.: 13583
Chemical of Concern: 24DXY,MCPA,SZ,ATZ,AMTL,LNR,EPTC,TRL,PAQT,Cu; Habitat: A; Effect Codes: PHY; Rejection Code: **Less sensitive endpoint.**
- Gluth, G. and Hanke, W. (1984). A Comparison of Physiological Changes in Carp, *Cyprinus carpio*, Induced by Several Pollutants at Sublethal Concentration - II. The Dependency on. *Comp.Biochem.Physiol.C* 79: 39-45.
EcoReference No.: 11249
Chemical of Concern: ATZ,AND,TOL,EN,HCCH,4NP,DDT; Habitat: A; Effect Codes: BCM; Rejection Code: **Biochemical hormonal cortisol endpoint cannot be quantitatively linked to the selected assessment endpoints.**
- Gojmerac, T., Kartal, B., Zuric, M., Curic, S., and Mitak, M. (1995). Serum Biochemical and Histopathological Changes Related to the Hepatic Function in Pigs Following Atrazine Treatment. *J.Appl.Toxicol.* 15: 233-236.
EcoReference No.: 49616
Chemical of Concern: ATZ; Habitat: T; Effect Codes: BCM; Rejection Code: **Terrestrial mammalian endpoints were not considered for this assessment.**
- Gojmerac, T., Pleadin, J., Zuric, M., Rajkovic-Janje, R., and Korsic, M. (2004). Serum Luteinizing Hormone Response to Administration of Gonadotropin-Releasing Hormone to Atrazine-Treated Gilts. *Vet.Hum.Toxicol.* 46: 245-247.
EcoReference No.: 81732
Chemical of Concern: ATZ; Habitat: T; Effect Codes: BCM; Rejection Code: **Terrestrial mammalian endpoints were not considered for this assessment. Biochemical hormonal endpoints cannot be quantitatively linked to the selected assessment endpoints.**
- Goleman, W. L. and Carr, J. A. (2003). Response of Larval *Xenopus laevis* to Atrazine Exposure: Assessment of Metamorphosis and Gonadal and Laryngeal Morphology. *Final Rep.TTU-01, Inst.of Environ.and Hum.Health, Texas Tech Univ., Texas Tech Univ.Health Sci.Ctr., Lubbock, TX* 104 p.
EcoReference No.: 78089
Chemical of Concern: ATZ; Habitat: A; Effect Codes: MOR,GRO; Rejection Code: **In White Paper on Amphibians.**
- Gonzalez-Barreiro, O., Rioboo, C., Cid, A., and Herrero, C. (2004). Atrazine-Induced Chlorosis in *Synechococcus elongatus* Cells. *Arch.Environ.Contam.Toxicol.* 46: 301-307.
EcoReference No.: 74232
Chemical of Concern: ATZ; Habitat: A; Effect Codes: POP,BCM,CEL; Rejection Code: **Less sensitive endpoint.**
- Gorge, G. and Nagel, R. (1990). Kinetics and Metabolism of 14C-Lindane and 14C-Atrazine in Early Life Stages of Zebrafish (*Brachydanio rerio*). *Chemosphere* 21: 1125-1137.

- EcoReference No.: 246
Chemical of Concern: ATZ,HCCH; Habitat: A; Effect Codes: ACC; Rejection Code: **Bioconcentration factor.**
- Greenlee, A. R., Ellis, T. M., and Berg, R. L. (2004). Low-Dose Agrochemicals and Lawn-Care Pesticides Induce Developmental Toxicity in Murine Preimplantation Embryos. *Environ.Health Perspect.* 112: 703-709.
EcoReference No.: 82041
Chemical of Concern: ATZ,CPY,DMB,MTL,DEAC,PDM,MCP,P,TBO,PMR,CTN,MZB,NHN; Habitat: T; Effect Codes: GRO,CEL; Rejection Code: **Terrestrial mammalian endpoints were not considered for this assessment.**
- Grossmann, K., Berghaus, R., and Retzlaff, G. (1992). Heterotrophic Plant Cell Suspension Cultures for Monitoring Biological Activity in Agrochemical Research. Comparison with Screens Using Algae, Germinating Seeds and Whole Plants. *Pestic.Sci.* 35: 283-289.
EcoReference No.: 78497
Chemical of Concern: AZT,PMT,MBZ,BT,DU,PPN,PQT,PHMD,MCPA,24DXY,ACR,SXD,DFPM,DBN,GYP,IZT,IMQ,CSF; Habitat: AT; Effect Codes: GRO,POP; Rejection Code: **Less sensitive endpoint.**
- Guasch, H., Admiraal, W., and Sabater, S. (2003). Contrasting Effects of Organic and Inorganic Toxicants on Freshwater Periphyton. *Aquat.Toxicol.* 64: 165-175.
EcoReference No.: 71806
Chemical of Concern: Zn,ATZ; Habitat: A; Effect Codes: BCM; Rejection Code: **Less sensitive endpoint.**
- Guasch, H. and Sabater, S. (1998). Light History Influences the Sensitivity to Atrazine in Periphytic Algae. *J.Phycol.* 34: 233-241.
EcoReference No.: 59874
Chemical of Concern: ATZ; Habitat: A; Effect Codes: BCM; Rejection Code: **Less sensitive endpoint.**
- Gunkel, G. (1984). Investigations of the Ecotoxicological Effect of a Herbicide in an Aquatic Model Ecosystem. II. Food Chain Significance and Pesticide Balance. *Arch.Hydrobiol.Suppl.* 69: 130-168 (GER) (ENG ABS) (ENG TRANSL).
EcoReference No.: 11887
Chemical of Concern: ATZ; Habitat: A; Effect Codes: ACC; Rejection Code: **Bioconcentration factor.**
- Gunther, P. and Pestemer, W. (1990). Risk Assessment for Selected Xenobiotics by Bioassay Methods with Higher Plants. *Environ.Manag.* 14: 381-388 (OECDG Data File).
EcoReference No.: 40564
Chemical of Concern: Cd,NaPCP,Cr,ATZ,DBN; Habitat: T; Effect Codes: GRO,REP; Rejection Code: **LITE EVAL CODED(ATZ,NaPCP),OK(ALL CHEMS). No control data presented. No raw data were provided; therefore EC25 and NOAEC endpoints could not be derived.**
- Gustavson, K. and Wangberg, S. A. (1995). Tolerance Induction and Succession in Microalgae Communities Exposed to Copper and Atrazine. *Aquat.Toxicol.* 32: 283-302 .
EcoReference No.: 4060
Chemical of Concern: ATZ,CuCl; Habitat: A; Effect Codes: PHY,POP,GRO; Rejection Code: **Used in CASM.**
- Hall, L. W. Jr., Anderson, R. D., and Ailstock, M. S. (1997). Chronic Toxicity of Atrazine to Sago Pondweed at a Range of Salinities: Implications for Criteria Development and Ecological Risk. *Arch.Environ.Contam.Toxicol.* 33: 261-267.
EcoReference No.: 18592
Chemical of Concern: ATZ; Habitat: A; Effect Codes: POP,REP,BCM; Rejection Code: **Less sensitive endpoint.**

- Hamilton, P. B., Jackson, G. S., Kaushik, N. K., Solomon, K. R., and Stephenson, G. L. (1988). The Impact of Two Applications of Atrazine on the Plankton Communities of In Situ Enclosures. *Aquat.Toxicol.* 13: 123-140.
EcoReference No.: 13146
Chemical of Concern: ATZ; Habitat: A; Effect Codes: POP; Rejection Code: **Used in CASM.**
- Hanioka, N., Jinno, H., Tanaka-Kagawa, T., Nishimura, T., and Ando, M. (1998). Changes in Rat Liver Cytochrome P450 Enzymes by Atrazine and Simazine Treatment. *Xenobiotica* 28: 683-698.
EcoReference No.: 69580
Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: GRO,BCM; Rejection Code: **Terrestrial mammalian endpoints were not considered for this assessment.**
- Hanke, W., Gluth, G., Bubel, H., and Muller, R. (1983). Physiological Changes in Carps Induced by Pollution. *Ecotoxicol.Environ.Saf.* 7: 229-241.
EcoReference No.: 10466
Chemical of Concern: ATZ,PCP,DDT; Habitat: A; Effect Codes: BCM; Rejection Code: **Biochemical hormonal cortisol endpoint cannot be quantitatively linked to the selected assessment endpoints.**
- Haque, A. and Ebing, W. (1983). Toxicity Determination of Pesticides to Earthworms in the Soil Substrate. *J.Plant Dis.Prot.(Z.Pflanzenkr.Pflanzensch.)* 90: 395-408 (OECDG Data File).
EcoReference No.: 40493
Chemical of Concern:
Cu,Folpet,CBF,ATZ,TBO,ADC,ES,MDT,PPX,BMY,HCCH,PQT,CQTC,APA6,Captan,TDF,PAQT,CN,A DB; Habitat: T; Effect Codes: MOR,GRO,POP,BEH; Rejection Code: **Terrestrial invertebrate endpoints were not considered for this assessment.**
- Hayes, T. B., Collins, A., Lee, M., Mendoza, M., Noriega, N., Stuart, A. A., and Vonk, A. (2002). Hermaphroditic, Demasculinized Frogs After Exposure to the Herbicide Atrazine at Low Ecologically Relevant Doses. *Proc.Natl.Acad.Sci.* 99: 5476-5480.
EcoReference No.: 70207
Chemical of Concern: ATZ; Habitat: AT; Effect Codes: GRO,MOR; Rejection Code: **In White Paper on Amphibians.**
- Hecker, M., Coady, K. K., Villeneuve, D. L., Murphy, M. B., Jones, P. D., and Giesy, J. P. (2003). A Pilot Study of Response of Larval *Rana clamitans* to Atrazine Exposure: Assessment of Metamorphosis and Gonadal and Laryngeal Morphology and Selected Hormones and Enzyme Activities. *Interim Rep.MSU-03, Aquat.Toxicol.Lab., Mich.State Univ., Natl.Food Saf.and Toxicol.Ctr., E.Lansing, MI* 79 p.
EcoReference No.: 78082
Chemical of Concern: ATZ; Habitat: A; Effect Codes: MOR,GRO; Rejection Code: **In White Paper on Amphibians.**
- Hecker, M., Coady, K. K., Villeneuve, D. L., Murphy, M. B., Jones, P. D., and Giesy, J. P. (2003). Response of *Xenopus laevis* to Atrazine Exposure: Assessment of the Mechanism of Action of Atrazine. *Interim Rep.MSU-04, Aquat.Toxicol.Lab., Mich.State Univ., Natl.Food Saf.and Toxicol.Ctr., E.Lansing, MI* 143 p.
EcoReference No.: 78088
Chemical of Concern: ATZ; Habitat: A; Effect Codes: MOR,GRO; Rejection Code: **In White Paper on Amphibians.**
- Hecker, M., Kim, W. J., Park, J. W., Murphy, M. B., Villeneuve, D., Coady, K. K., Jones, P. D., Solomon, K. R., Van der Kraak, G., Carr, J. A., Smith, E. E., Du Preez, L., Kendall, R. J., and Giesy, J. P. (2005). Plasma Concentrations of Estradiol and Testosterone, Gonadal Aromatase Activity and Ultrastructure of the Testis in *Xenopus laevis* Exposed to Estradiol or Atrazine. *Aquatic.Toxicol.* 72: 383-396 .
EcoReference No.: 79288
Chemical of Concern: ATZ; Habitat: A; Effect Codes: GRO,BCM,REP; Rejection Code: **Less sensitive endpoint. Biochemical endpoints cannot be quantitatively linked to the selected assessment endpoints.**
- Hersh, C. M. and Crumpton, W. G. (1989). Atrazine Tolerance of Algae Isolated From Two Agricultural Streams. *Environ.Toxicol.Chem.* 8: 327-332.

- EcoReference No.: 393
Chemical of Concern: ATZ; Habitat: A; Effect Codes: PHY; Rejection Code: **Less sensitive endpoint.**
- Hershner, C., Ward, K., Illowsky, J., Delistraty, D., and Martorana, J. (1982). Effects of Atrazine on *Zostera marina* in Chesapeake Bay, Virginia. *U.S.EPA, Annapolis, MD* 286 p.
EcoReference No.: 62763
Chemical of Concern: ATZ; Habitat: A; Effect Codes: BCM,GRO,POP; Rejection Code: **Less sensitive endpoint.**
- Hess, F. D. (1980). A *Chlamydomonas* Algal Bioassay for Detecting Growth Inhibitor Herbicides. *Weed Sci.* 28: 515-520.
EcoReference No.: 6513
Chemical of Concern: ACR,ATZ,BMN,BS,DBN,GYP,MLT,TFN,BTY,CPP,AMTL,EPTC,PAQT,FDE;
Habitat: A; Effect Codes: POP; Rejection Code: **Less sensitive endpoint.**
- Hiltbran, R. C. (1967). Effects of Some Herbicides on Fertilized Fish Eggs and Fry. *Trans.Am.Fish.Soc.* 96: 414-416.
EcoReference No.: 2751
Chemical of Concern: EDT,SZ,24DXY,ATZ,DBN,AMTL,IODP,As; Habitat: A; Effect Codes: MOR;
Rejection Code: **Less sensitive endpoint. No effect reported at the atrazine test concentrations.**
- Hiranpradit, H. and Foy, C. L. (1992). Effect of Four Triazine Herbicides on Growth of Nontarget Green Algae. *Weed Sci.* 40: 134-142.
EcoReference No.: 62116
Chemical of Concern: SZ,ATZ,CZE; Habitat: A; Effect Codes: POP,BCM; Rejection Code: **Less sensitive endpoint.**
- Hoagland, K. D., Matteen, S. A., Tang, J., and Siegfried, B. D. (2002). Relative Toxicity of the Herbicide Atrazine and Its Metabolites to Freshwater Diatoms. *In: J.John (Ed.), Proc.15th Int.Diatom Symp., Sept.28-Oct.2, 1998, Perth, Australia* 135-141.
EcoReference No.: 69808
Chemical of Concern: ATZ; Habitat: A; Effect Codes: POP; Rejection Code: **Less sensitive endpoint.**
- Hoffman, D. J. and Albers, P. H. (1984). Evaluation of Potential Embryotoxicity and Teratogenicity of 42 Herbicides, Insecticides, and Petroleum Contaminants to Mallard Eggs. *Arch.Environ.Contam.Toxicol.* 13 : 15-27.
EcoReference No.: 35249
Chemical of Concern:
ACP,CBL,DZ,DMT,EN,HCCH,MLN,MOM,Naled,PRN,PMR,PSM,SPS,TMP,TXP,AMTL,ATZ,BMN,M
CPA,24DXY,DMB,GYP,PAQT,PCL,PRO,PPN,TFN,ALSV; Habitat: T; Effect Codes:
MOR,GRO,DVP; Rejection Code: **Less sensitive endpoint.**
- Holst, R. W., Yopp, J. H., and Kapusta, G. (1982). Effect of Several Pesticides on the Growth and Nitrogen Assimilation of the *Azolla-anabaena* Symbiosis. *Weed Sci.* 30: 54-58.
EcoReference No.: 70299
Chemical of Concern: SZ,ATZ,LNR,MBZ,24DXY,DMB; Habitat: A; Effect Codes: POP,PHY,BCM;
Rejection Code: **Less sensitive endpoint.**
- Huggins, D. G. (1990). Ecotoxic Effects of Atrazine on Aquatic Macroinvertebrates and Its Impact on Ecosystem Structure. *Ph.D.Thesis, Univ.of Kansas, Manhattan, KS* 380 p.
EcoReference No.: 19011
Chemical of Concern: ATZ; Habitat: A; Effect Codes: POP; Rejection Code: **Less sensitive endpoint.**
- Hughes, J. S., Alexander, M. M., and Balu, K. (1988). An Evaluation of Appropriate Expressions of Toxicity in Aquatic Plant Bioassays as Demonstrated by the Effects of Atrazine on Algae and Duckweed. *In: W.J.Adams, G.A.Chapman, and W.G.Landis (Eds.), Aquatic Toxicology and Hazard Assessment, 10th*

- Volume, ASTM STP 971, Philadelphia, PA 531-547.
EcoReference No.: 5119
Chemical of Concern: ATZ; Habitat: A; Effect Codes: GRO,MOR; Rejection Code: Less sensitive endpoint.
- Infurna, R., Levy, B., Meng, C., Yau, E., Traina, V., Rolofson, G., Stevens, J., and Barnett, J. (1988). Teratological Evaluations of Atrazine Technical, a Triazine Herbicide, in Rats and Rabbits. *J.Toxicol.Environ.Health* 24: 307-319.
EcoReference No.: 81026
Chemical of Concern: ATZ; Habitat: T; Effect Codes: BEH,MOR,REP,GRO,PHY; Terrestrial mammalian endpoints were not considered for this assessment.
- Innes, J. R. M., Ulland, B. M., Valerio, M. G., Petrucelli, L., Fishbein, L., Hart, E. R., Pallotta, A. J., Bates, R. R., Falk, H. L., Gart, J. J., Klein, M., Mitchell, I., and Peters, J. (1969). Bioassay of Pesticides and Industrial Chemicals for Tumorigenicity in Mice: A Preliminary Note. *J.Natl.Cancer Inst.* 42: 1101-1114.
EcoReference No.: 71346
Chemical of Concern: DU,PNB,DDT,SZ,ATZ,RTN,FBM,MRX,PPZ,THM,CBL,24DXY,Maneb,Zineb,Captan,Nabam,Folpet; Habitat: T; Effect Codes: CEL; Rejection Code: Terrestrial mammalian endpoints were not considered for this assessment.
- Isakeit, T. and Lockwood, J. L. (1989). Lethal Effect of Atrazine and Other Triazine Herbicides on Ungerminated Conidia of *Cochliobolus sativus* in Soil. *Soil Biol.Biochem.* 21: 809-817.
EcoReference No.: 70027
Chemical of Concern: SZ,ATZ,PPZ,AMTR,CZE,PRO,PMT; Habitat: T; Effect Codes: POP,REP; Rejection Code: Soil fungal endpoints were not considered for this assessment.
- Jin-Clark, Y., Lydy, M. J., and Zhu, K. Y. (2002). Effects of Atrazine and Cyanazine on Chlorpyrifos Toxicity in *Chironomus tentans* (Diptera: Chironomidae). *Environ.Toxicol.Chem.* 21: 598-603.
EcoReference No.: 62472
Chemical of Concern: ATZ,CPY,CZE; Habitat: A; Effect Codes: BCM; Rejection Code: Study reports toxicity of mixtures of atrazine and chlorpyrifos. The biochemical enzymatic endpoints cannot be quantitatively linked to the selected assessment endpoints.
- Johnson, I. C., Keller, A. E., and Zam, S. G. (1993). A Method for Conducting Acute Toxicity Tests with the Early Life Stages of Freshwater Mussels. In: W.G.Landis, J.S.Hughes, and M.A.Lewis (Eds.), *Environmental Toxicology and Risk Assessment, ASTM STP 1179, Philadelphia, PA* 381-396.
EcoReference No.: 50679
Chemical of Concern: ATZ,CBL,CYH; Habitat: A; Effect Codes: MOR; Rejection Code: Less sensitive endpoint.
- Jones, R. J. and Kerswell, A. P. (2003). Phytotoxicity of Photosystem II (PSII) Herbicides to Coral. *Mar.Ecol.Prog.Ser.* 261: 149-159.
EcoReference No.: 75334
Chemical of Concern: SZ,AMTR,ATZ,DU,HXZ,TET; Habitat: A; Effect Codes: ACC,BCM; Rejection Code: Endpoints associated with saltwater coral were not considered for this assessment.
- Jones, R. J., Muller, J., Haynes, D., and Schreiber, U. (2003). Effects of Herbicides Diuron and Atrazine on Corals of the Great Barrier Reef, Australia. *Mar.Ecol.Prog.Ser.* 251: 153-167.
EcoReference No.: 78651
Chemical of Concern: ATZ,DU; Habitat: A; Effect Codes: POP,BCM; Rejection Code: Impacts on saltwater coral are not relevant to the assessment.
- Jordan, L. S., Day, B. E., and Hendrixson, R. T. (1962). Chemical Control of Filamentous Green Algae. *Hilgardia* 32: 433-441.
EcoReference No.: 14395

- Chemical of Concern: EDT,SZ,ACL,24DXY,ATZ,DU,Cu,CuS; Habitat: A; Effect Codes: POP; Rejection Code: **Less sensitive endpoint.**
- Kallqvist, T. and Romstad, R. (1994). Effects of Agricultural Pesticides on Planktonic Algae and Cyanobacteria - Examples of Interspecies Sensitivity Variations. *Norw.J.Agric.Sci.Suppl.* 13: 117-131.
EcoReference No.: 16010
Chemical of Concern: ATZ,DMT,SZ,MCPA,CSF,PCZ,DPP; Habitat: A; Effect Codes: POP; Rejection Code: **Less sensitive endpoint.**
- Kandori, H., Suzuki, S., Asamoto, M., Murasaki, T., Mingxi, T., Ogawa, K., and Shirai, T. (2005). Influence of Atrazine Administration and Reduction of Calorie Intake on Prostate Carcinogenesis in Probasin/SV40 T Antigen Transgenic Rats. *Cancer Sci.* 96: 221-226.
EcoReference No.: 81743
Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO,BEH,PHY; Rejection Code: **Terrestrial mammalian endpoints were not considered for this assessment.**
- Karlander, E. P., Mayasich, J. M., and Terlizzi, D. E. (1983). Effects of the Herbicide Atrazine on an Oyster-Food Organism. *Maryland Water Resources Research Center, Tech.Rep.No.73, University of Maryland College Park, A-060-MD* 20 p.
EcoReference No.: 13820
Chemical of Concern: ATZ; Habitat: A; Effect Codes: POP; Rejection Code: **Less sensitive endpoint.**
- Karrow, N. A., McCay, J. A., Brown, R. D., Musgrove, D. L., Guo, T. L., Germolec, D. R., and White, K. L. Jr. (2005). Oral Exposure to Atrazine Modulates Cell-Mediated Immune Function and Decreases Host Resistance to the B16F10 Tumor Model in Female B6C3F1 Mice. *Toxicology* 209: 15-28.
EcoReference No.: 80462
Chemical of Concern: ATZ; Habitat: T; Effect Codes: PHY,CEL,GRO,ACC; Rejection Code: **Terrestrial mammalian endpoints were not considered for this assessment.**
- Kazeto, Y., Place, A. R., and Trant, John M. (2004). Effects of Endocrine Disrupting Chemicals on the Expression of CYP19 Genes in Zebrafish (Danio rerio) Juveniles. *Aquat.Toxicol.* 69: 25-34.
EcoReference No.: 78647
Chemical of Concern: BAP,ATZ,4NP; Habitat: A; Effect Codes: BCM; Rejection Code: **No effects at the highest test concentration. Study also includes cellular endpoints that cannot be quantitatively linked to the selected assessment endpoints.**
- Kearney, P. C., Oliver, J. E., Helling, C. S., Isensee, A. R., and Kontson, A. (1977). Distribution, Movement, Persistence, and Metabolism of N-Nitrosoatrazine in Soils and a Model Aquatic Ecosystem. *J.Agric.Food Chem.* 25: 1177-1181 (Used Refs 682, 2208).
EcoReference No.: 7525
Chemical of Concern: ATZ; Habitat: A; Effect Codes: ACC; Rejection Code: **Bioconcentration factor.**
- Kegel, B. (1989). Laboratory Experiments on the Side Effects of Selected Herbicides and Insecticides on the Larvae of Three Sympatric Poecilius-Species (Col., Carabidae). *J.Appl.Entomol.* 108: 144-155.
EcoReference No.: 64007
Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: GRO,REP,MOR; Rejection Code: **Terrestrial invertebrate endpoints were not considered for this assessment.**
- Kemp, W. M., Boynton, W. R., Stevenson, J. C., Means, J. C., Twilley, R. R., and Jones, T. W. (1983). Submerged Aquatic Vegetation in Upper Chesapeake Bay: Studies Related to Possible Causes of the Recent Decline in Abundance. *Final Report, U.S.EPA, Annapolis, MD* 202 p.
EcoReference No.: 69627
Chemical of Concern: ATZ,LNR; Habitat: A; Effect Codes: POP,PHY,SYS,GRO,BCM; Rejection Code: **Less sensitive endpoint.**
- Kettle, W. D. (1982). Description and Analysis of Toxicant-Induced Responses of Aquatic Communities in Replicated Experimental Ponds. *Ph.D.Thesis, University of Kansas, KS:146 p.; Diss.Abstr.Int.B*

- Sci.Eng.43(8) (Publ in Part As 10984, 12338, 5049).
EcoReference No.: 4547
Chemical of Concern: ATZ,Cd; Habitat: A; Effect Codes: SYS,POP; Rejection Code: **Used in CASM.**
- Kirby, M. F. and Sheahan, D. A. (1994). Effects of Atrazine, Isoproturon, and Mecoprop on the Macrophyte Lemna minor and the Alga Scenedesmus subspicatus. *Bull. Environ. Contam. Toxicol.* 53: 120-126.
EcoReference No.: 13695
Chemical of Concern: ATZ; Habitat: A; Effect Codes: POP,GRO,BCM; Rejection Code: **Less sensitive endpoint.**
- Kish, P. A. (2004). Effects of Roundup, Glean, Aatrex, and Their Active Ingredients (Glyphosate, Chlorsulfuron, and Atrazine) on Periphyton Communities Studied by Using Matlock Periphytometer and Bottle Tests. *Ph.D.Thesis, Oklahoma State Univ., Stillwater, OK* 166 p.
EcoReference No.: 81674
Chemical of Concern: ATZ,GYP,CSF; Habitat: A; Effect Codes: BCM,GRO; Rejection Code: **Less sensitive endpoint.**
- Kligerman, A. D., Doerr, C. L., Tennant, A. H., and Peng, B. (2000). Cytogenetic Studies of Three Triazine Herbicides II. In Vivo Micronucleus Studies in Mouse Bone Marrow. *Mutat. Res.* 471: 107-112.
EcoReference No.: 69595
Chemical of Concern: ATZ,SZ,CZE; Habitat: T; Effect Codes: MOR,CEL; Rejection Code: **Terrestrial mammalian endpoints were not considered for this assessment.**
- Kniewald, J., Jakominic, M., Tomljenovic, A., Simic, B., Romac, P., Vranesic, D., and Kniewald, Z. (2000). Disorders of Male Rat Reproductive Tract Under the Influence of Atrazine. *J. Appl. Toxicol.* 20: 61-68.
EcoReference No.: 80519
Chemical of Concern: ATZ; Habitat: T; Effect Codes: REP,BCM,CEL,GRO; Rejection Code: **Terrestrial mammalian endpoints were not considered for this assessment.**
- Kniewald, J., Osredecki, V., Gojmerac, T., Zechner, V., and Kniewald, Z. (1995). Effect of s-Triazine Compounds on Testosterone Metabolism in the Rat Prostate. *J. Appl. Toxicol.* 15: 215-218.
EcoReference No.: 75398
Chemical of Concern: DEATZ,PMT,ATZ; Habitat: T; Effect Codes: BCM,CEL; Rejection Code: **Terrestrial mammalian endpoints were not considered for this assessment.**
- Kniewald, J., Peruzovic, M., Gojmerac, T., Milkovic, K., and Kniewald, Z. (1987). Indirect Influence of S-Triazines on Rat Gonadotropic Mechanism at Early Postnatal Period. *J. Steroid Biochem.* 27: 1095-1100.
EcoReference No.: 75128
Chemical of Concern: ATZ,DEATZ; Habitat: T; Effect Codes: GRO,BCM; Rejection Code: **Terrestrial mammalian endpoints were not considered for this assessment.**
- Kratky, B. A. and Warren, G. F. (1971). The Use of Three Simple, Rapid Bioassays on Forty-Two Herbicides. *Weed Res.* 11: 257-262.
EcoReference No.: 40616
Chemical of Concern: EDT,SZ,24DC,ATZ,24DXY,ACR,BMC,BMN,BS,DBN,DMB,LNR,PQT,TRB,TFN,PYZ,NaN₃; Habitat: AT; Effect Codes: POP,GRO; Rejection Code: **Less sensitive endpoint.**
- L'Haridon, J., Fernandez, M., Ferrier, V., and Bellan, J. (1993). Evaluation of the Genotoxicity of N-Nitrosoatrazine, N-Nitrosodiethanolamine and Their Precursors In Vivo Using the Newt Micronucleus Test. *Water Res.* 27: 855-862.
EcoReference No.: 4324
Chemical of Concern: ATZ,NaNO₃,DEAC; Habitat: A; Effect Codes: CEL; Rejection Code: **Less sensitive endpoint. No effects at the single test concentration. Cellular endpoints cannot be quantitatively linked to the selected assessment endpoints.**

- Leboulanger, C., Rimet, F., Heme de Lacotte, M., and Berard, A. (2001). Effects of Atrazine and Nicosulfuron on Freshwater Microalgae. *Environ.Int.* 26: 131-135.
EcoReference No.: 59970
Chemical of Concern: ATZ,NSF; Habitat: A; Effect Codes: POP,PHY; Rejection Code: **Less sensitive endpoint. No effect at single test concentration.**
- Leigh, J. (1980). Atrazine. Acute Toxicity in Sunfish. *Woodard Res.Corp.* 1-3.
EcoReference No.: 71600
Chemical of Concern: ATZ,DDT; Habitat: A; Effect Codes: MOR; Rejection Code: **Less sensitive endpoint.**
- Lichtenstein, E. P., Liang, T. T., and Anderegg, B. N. (1973). Synergism of Insecticides by Herbicides. *Science* 181: 847-849.
EcoReference No.: 2939
Chemical of Concern: SZ,24DXY,ATZ,DZ,PRT,PRN,CBF,DDT,DLD; Habitat: AT; Effect Codes: MOR; Rejection Code: **Less sensitive endpoint.**
- Londono, D. K., Siegfried, B. D., and Lydy, M. J. (2004). Atrazine Induction of a Family 4 Cytochrome P450 Gene in Chironomus tentans (Diptera: Chironomidae). *Chemosphere* 56: 701-706.
EcoReference No.: 81745
Chemical of Concern: ATZ; Habitat: T; Effect Codes: PHY,BCM; Rejection Code: **Biochemical enzymatic endpoints cannot be quantitatively linked to the selected assessment endpoints.**
- Losso, C., His, E., Ghetti, P. F., and Volpi Ghirardini, A. (2004). Sensitivity of Embryotoxicity Test with Mytilus galloprovincialis (LMK) Towards Some Compounds of Environmental Interest (Copper and Pesticides). *Environ.Technol.* 25: 841-846 .
EcoReference No.: 81741
Chemical of Concern: ATZ,CU,CBF,MLN; Habitat: A; Effect Codes: GRO,BEH; Rejection Code: **Less sensitive endpoint.**
- Lydy, M. J. and Linck, S. L. (2003). Assessing the Impact of Triazine Herbicides on Organophosphate Insecticide Toxicity to the Earthworm Eisenia fetida. *Arch.Environ.Contam.Toxicol.* 45: 343-349.
EcoReference No.: 71459
Chemical of Concern: CPY,ATZ,SZ; Habitat: T; Effect Codes: MOR; Rejection Code: **Terrestrial invertebrate endpoints were not considered for this assessment.**
- Lytle, J. S. and Lytle, T. F. (1996). Responses of the Estuarine Plant Scirpus olneyi to Two Herbicides, Atrazine and Metolachlor. In: *D.A.Bengtson and D.S.Henshel (Eds.), Environmental Toxicology and Risk Assessment: Biomarkers and Risk Assessment, 5th Volume, ASTM STP 1306, Philadelphia, PA* 270-284.
EcoReference No.: 61985
Chemical of Concern: ATZ,MTL; Habitat: A; Effect Codes: BCM,GRO; Rejection Code: **Less sensitive endpoint.**
- Lytle, T. F. and Lytle, J. S. (2005). Growth Inhibition as Indicator of Stress Because of Atrazine Following Multiple Toxicant Exposure of the Freshwater Macrophyte, Juncus effusus L. *Environ.Toxicol.Chem.* 24: 1198-1203.
EcoReference No.: 81731
Chemical of Concern: ATZ,CPY; Habitat: A; Effect Codes: GRO; Rejection Code: **Endpoint Less Sensitive.**
- Ma, J. (2002). Differential Sensitivity to 30 Herbicides Among Populations of Two Green Algae Scenedesmus obliquus and Chlorella pyrenoidosa. *Bull.Environ.Contam.Toxicol.* 68: 275-281.
EcoReference No.: 65945
Chemical of Concern: SZ,MLT,DFP,QZF,FNP,HFP,FZF,NSF,TN,EMSF,BP,ANL,PDM,BTC,AMTR,PMT,DU,PAQT,FXP,QN C,ATZ,MCPA,GYP,OXF; Habitat: A; Effect Codes: POP; Rejection Code: **Less sensitive endpoint.**

- Ma, J., Liang, W., Xu, L., Wang, S., Wei, Y., and Lu, J. (2001). Acute Toxicity of 33 Herbicides to the Green Alga *Chlorella pyrenoidosa*. *Bull.Environ.Contam.Toxicol.* 66: 536-541.
EcoReference No.: 61983
Chemical of Concern:
DFP,FZF,QZP,HFP,FNP,BP,TN,EMSF,NSF,BTC,PAQT,AMTR,DU,ANL,MCPA,FXP,QNC,OXF,GYP,S
Z,ATZ,MLT; Habitat: A; Effect Codes: POP; Rejection Code: **Less sensitive endpoint.**
- Ma, J., Lin, F., Wang, S., and Xu, L. (2003). Toxicity of 21 Herbicides to the Green Alga *Scenedesmus quadricauda*. *Bull.Environ.Contam.Toxicol.* 71: 594-601.
EcoReference No.: 71458
Chemical of Concern: ATZ,SZ,BTC,MTL,DU,BMN,GYP; Habitat: A; Effect Codes: POP; Rejection Code: **Less sensitive endpoint.**
- Ma, J., Xu, L., Wang, S., Zheng, R., Jin, S., Huang, S., and Huang, Y. (2002). Toxicity of 40 Herbicides to the Green Alga *Chlorella vulgaris*. *Ecotoxicol.Environ.Saf.* 51: 128-132.
EcoReference No.: 65938
Chemical of Concern:
DFP,QZF,HFP,FNP,FZF,CLT,NSF,TN,EMSF,BSFM,CRME,FTS,BP,ANL,TFN,PDM,BTC,MTL,ACO,S
Z,ATZ,MLT,CZE,DU,PAQT,BMN,FXP,QNC,OXF,GFS,GYP; Habitat: A; Effect Codes: POP;
Rejection Code: **Less sensitive endpoint.**
- Mailhot, H. (1987). Prediction of Algal Bioaccumulation and Uptake Rate of Nine Organic Compounds by Ten Physicochemical Properties. *Environ.Sci.Technol.* 21: 1009-1013.
EcoReference No.: 12891
Chemical of Concern: ATZ,BZO,DDT,CF; Habitat: A; Effect Codes: ACC; Rejection Code: **Endpoint Equal to 10 ppb Value Used in IRED.**
- Maria, C. S., Moreno, J., and Lopez-Campos, J. L. (1987). Hepatotoxicity Induced by the Herbicide Atrazine in the Rat. *J.Appl.Toxicol.* 7: 373-378.
EcoReference No.: 39617
Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO,BCM,PHY; Rejection Code: **Terrestrial mammalian endpoints were not considered for this assessment.**
- Maria, C. S., Vilas, M. G., Muriana, F. G., and Relimpio, A. (1986). Subacute Atrazine Treatment Effects on Rat Renal Functions. *Bull.Environ.Contam.Toxicol.* 36: 325-331.
EcoReference No.: 81746
Chemical of Concern: ATZ; Habitat: T; Effect Codes: BCM; Rejection Code: **Terrestrial mammalian endpoints were not considered for this assessment.**
- Maule, A. and Wright, S. J. L. (1984). Herbicide Effects on the Population Growth of Some Green Algae and Cyanobacteria. *J.Appl.Bacteriol.* 57: 369-379.
EcoReference No.: 12028
Chemical of Concern: ATZ,MCPA,DU,PPN,GYP; Habitat: A; Effect Codes: POP; Rejection Code: **Less sensitive endpoint.**
- McMullin, T. S., Andersen, M. E., Nagahara, A., Lund, T. D., Pak, T., Handa, R. J., and Hanneman, W. H. (2004). Evidence that Atrazine and Diaminochlorotriazine Inhibit the Estrogen/Progesterone Induced Surge of Luteinizing Hormone in Female Sprague-Dawley Rats Without Changing Estrogen Receptor Action. *Toxicol.Sci.* 79: 278-286 .
EcoReference No.: 80506
Chemical of Concern: ATZ; Habitat: T; Effect Codes: BCM, CEL; Rejection Code: **Terrestrial mammalian endpoints were not considered for this assessment.**
- Meisner, L. F., Belluck, D. A., and Roloff, B. D. (1992). Cytogenetic Effects of Alachlor and/or Atrazine In Vivo and In Vitro. *Environ.Mol.Mutagen.* 19: 77-82.

- EcoReference No.: 80104
Chemical of Concern: ACR,ATZ; Habitat: T; Effect Codes: GRO,BEH; Rejection Code: **Terrestrial mammalian endpoints were not considered for this assessment.**
- Melius, T. O. (1975). Effects of Atrazine on Pinned Hen Pheasants. *Proc.S.D.Acad.Sci.* 54: 137-142.
EcoReference No.: 37924
Chemical of Concern: ATZ; Habitat: T; Effect Codes: REP,GRO,BEH; Rejection Code: LITE EVAL CODED(ATZ). **Terrestrial mammalian endpoints were not considered for this assessment.**
- Mencoboni, M., Lerza, R., Bogliolo, G., Flego, G., and Pannacciulli, I. (1992). Effect of Atrazine on Hemopoietic System. *In Vivo (Athens)* 6: 41-44.
EcoReference No.: 80330
Chemical of Concern: ATZ; Habitat: T; Effect Codes: PHY,BCM,CEL,MOR; Rejection Code: **Terrestrial mammalian endpoints were not considered for this assessment.**
- Menzel, R., Rodel, M., Kulas, J., and Steinberg, C. E. W. (2005). CYP35: Xenobiotically Induced Gene Expression in the Nematode *Caenorhabditis elegans*. *Arch.Biochem.Biophys.* 438: 93-102.
EcoReference No.: 81719
Chemical of Concern: ATZ,PAH,FA; Habitat: T; Effect Codes: REP,CEL; Rejection Code: **Terrestrial invertebrate endpoints were not considered for this assessment.**
- Merriam, T. L. and Axtell, R. C. (1983). Relative Toxicity of Certain Pesticides to *Lagenidium giganteum* (Oomycetes: Lagenidiales), a Fungal Pathogen of Mosquito Larvae. *Environ.Entomol.* 12: 515-521.
EcoReference No.: 66427
Chemical of Concern: MTPN,ACR,CPY,FNTH,MLN,TMP,DFZ,Captan,ATZ,DDT,HCCH,CBL,PPX,PMR,TXP; Habitat: A; Effect Codes: GRO; Rejection Code: **Soil fungal endpoints were not considered for this assessment.**
- Messaad, I. A., Peters, E. J., and Young, L. (2000). Thermal Tolerance of Red Shiner (*Cyprinella lutrensis*) After Exposure to Atrazine, Terbufos, and Their Mixtures. *Bull.Environ.Contam.Toxicol.* 64: 748-754.
EcoReference No.: 52188
Chemical of Concern: ATZ,TBO; Habitat: A; Effect Codes: PHY; Rejection Code: **Behavioral thermal endpoints cannot be quantitatively linked to the selected assessment endpoints.**
- Meydani, M. and Hathcock, J. N. (1984). Effect of Dietary Methionine on Methylmercury and Atrazine Toxicity. *Drug-Nutr.Interact.* 2: 217-233.
EcoReference No.: 79696
Chemical of Concern: MeHg,ATZ,Met; Habitat: T; Effect Codes: BCM,GRO; Rejection Code: **Terrestrial mammalian endpoints were not considered for this assessment.**
- Michel, A., Johnson, R. D., Duke, S. O., and Scheffler, B. E. (2004). Dose-Response Relationships Between Herbicides with Different Modes of Action and Growth of *Lemna paucicostata*: An Improved Ecotoxicological Method. *Environ.Toxicol.Chem.* 23: 1074-1079.
EcoReference No.: 72796
Chemical of Concern: DMB,DBN,ATZ,PQT,ACR,BT,GYP,FDM,NPM,EPTC,CPH,CPP,ASM,GFS,CMZ,FDE,NFZ,ACF,PAQT,CSF,FZFPB,DFPM; Habitat: A; Effect Codes: GRO; Rejection Code: **Less sensitive endpoint.**
- Millie, D. F. and Hersh, C. M. (1987). Statistical Characterizations of the Atrazine-Induced Photosynthetic Inhibition of *Cyclotella meneghiniana* (Bacillariophyta). *Aquat.Toxicol.* 10: 239-249.
EcoReference No.: 12582
Chemical of Concern: ATZ; Habitat: A; Effect Codes: PHY; Rejection Code: **Less sensitive endpoint.**
- Mitchell, C. A. (1985). Effects of Atrazine on *Halodule wrightii* Ascherson in the Laboratory. *M.S.Thesis, Corpus Christi State Univ., Corpus Christi, TX* 82 p.
EcoReference No.: 4899

- Chemical of Concern: ATZ; Habitat: A; Effect Codes: GRO,MOR; Rejection Code: **Less sensitive endpoint.**
- Mola, L., Sabatini, M. A., Fratello, B., and Bertolani, R. (1987). Effects of Atrazine on Two Species of Collembola (Onychiuridae) in Laboratory Tests. *Pedobiologia* 30: 145-149.
EcoReference No.: 71417
Chemical of Concern: ATZ; Habitat: T; Effect Codes: MOR; Rejection Code: **Terrestrial invertebrate endpoints were not considered for this assessment.**
- Moody, D. E., Narloch, B. A., Shull, L. R., and Hammock, B. D. (1991). The Effect of Structurally Divergent Herbicides on Mouse Liver Xenobiotic-Metabolizing Enzymes (P-450-Dependent Monooxygenases, Epoxide Hydrolases and Glutathione S-Transferases) and Carnitine Acetyltransferase. *Toxicol.Lett.* 59: 175-185.
EcoReference No.: 77500
Chemical of Concern: MLT,DMB,MCP,ACR,ATZ,TFN,CFRM; Habitat: T; Effect Codes: BCM; Rejection Code: **Terrestrial mammalian endpoints were not considered for this assessment.**
- Moore, A., Scott, A. P., Lower, N., Katsiadaki, I., and Greenwood, L. (2003). The Effects of 4-Nonylphenol and Atrazine on Atlantic Salmon (*Salmo salar* L) Smolts. *Aquaculture* 222: 253-263.
EcoReference No.: 72092
Chemical of Concern: NYP,ATZ; Habitat: A; Effect Codes: BCM; Rejection Code: **No effects observed at the highest test concentration.**
- Morgan, M. K., Scheuerman, P. R., Bishop, C. S., and Pyles, R. A. (1996). Teratogenic Potential of Atrazine and 2,4-D Using FETAX. *J.Toxicol.Environ.Health* 48: 151-168.
EcoReference No.: 63246
Chemical of Concern: ATZ,2,4-DXY,EDT; Habitat: A; Effect Codes: GRO,MOR; Rejection Code: **Less sensitive endpoint.**
- Mosleh, Y. Y., Ismail, S. M. M., Ahmed, M. T., and Ahmed, Y. M. (2003). Comparative Toxicity and Biochemical Responses of Certain Pesticides to the Mature Earthworm *Aporrectodea caliginosa* Under Laboratory Conditions. *Environ.Toxicol.* 18: 338-346 .
EcoReference No.: 77549
Chemical of Concern: ADC,CYP,ATZ,MLX,PFF; Habitat: T; Effect Codes: MOR,GRO,BCM; Rejection Code: **Terrestrial invertebrate endpoints were not considered for this assessment.**
- Munoz, I., Real, M., Guasch, H., Navarro, E., and Sabater, S. (2001). Effects of Atrazine on Periphyton Under Grazing Pressure. *Aquat.Toxicol.* 55: 239-249.
EcoReference No.: 61966
Chemical of Concern: ATZ; Habitat: A; Effect Codes: BCM,POP; Rejection Code: **No effect at single test concentration.**
- Murnik, M. R. and Nash, C. L. (1977). Mutagenicity of the Triazine Herbicides Atrazine, Cyanazine, and Simazine in *Drosophila melanogaster*. *J.Toxicol.Environ.Health* 3: 691-697.
EcoReference No.: 70000
Chemical of Concern: SZ,ATZ,CZE; Habitat: T; Effect Codes: REP,CEL,GRO,MOR; Rejection Code: **Terrestrial invertebrate endpoints were not considered for this assessment.**
- Naessens, M., Leclerc, J. C., and Tran-Minh, C. (2000). Fiber Optic Biosensor Using *Chlorella vulgaris* for Determination of Toxic Compounds. *Ecotoxicol.Environ.Saf.* 46: 181-185.
EcoReference No.: 52533
Chemical of Concern: ATZ,SZ,DU,GYP,ACR; Habitat: A; Effect Codes: POP; Rejection Code: **Less sensitive endpoint.**
- Narotsky, M. G., Best, D. S., Guidici, D. L., and Cooper, R. L. (2001). Strain Comparisons of Atrazine-Induced Pregnancy Loss in the Rat. *Reprod.Toxicol.* 15: 61-69.

- EcoReference No.: 81662
Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO,REP,MOR; Rejection Code: **Terrestrial mammalian endpoints were not considered for this assessment.**
- Navarro, E., Guasch, H., and Sabater, S. (2002). Use of Microbenthic Algal Communities in Ecotoxicological Tests for the Assessment of Water Quality: The Ter River Case Study. *J.Appl.Phycol.* 14: 41-48.
EcoReference No.: 82037
Chemical of Concern: ATZ,CU; Habitat: A; Effect Codes: POP; Rejection Code: **Less sensitive endpoint.**
- Nelson, S. D. and Khan, S. U. (1992). Uptake of Atrazine by Hyphae of Glomus Vesicular-Arbuscular Mycorrhizae and Root Systems of Corn (Zea mays L.). *Weed Sci.* 40: 161-170.
EcoReference No.: 80071
Chemical of Concern: ATZ,FNF; Habitat: T; Effect Codes: ACC,PHY,GRO; Rejection Code: **Less sensitive endpoint.**
- Nicolau, G. Y. and Socoliuc, E. (1980). Effects of Atrazine on Circadian RNA, DNA and Total Protein Rhythms in the Thyroid and Adrenal. *Rev.Roum.Med.Endocrinol.* 18: 161-166.
EcoReference No.: 79964
Chemical of Concern: ATZ; Habitat: T; Effect Codes: CEL,BCM,PHY; Rejection Code: **Terrestrial mammalian endpoints were not considered for this assessment.**
- Nollenberger, E. L. (1981). Toxicant-Induced Changes in Brain, Gill, Liver, and Kidney of Brook Trout Exposed to Carbaryl, Atrazine, 2,4-Dichlorophenoxyacetic Acid, and Parathion: A Cytochemical Study. *Ph.D.Thesis, Pennsylvania State Univ., University Park, PA* 213 p.
EcoReference No.: 72745
Chemical of Concern: ATZ,CBL,24DXY,PRN; Habitat: A; Effect Codes: PHY,CEL,BCM,BEH; Rejection Code: **Biochemical and cellular endpoints cannot be quantitatively linked to the selected assessment endpoints.**
- Nystrom, B., Paulsson, M., Almgren, K., and Blank, H. (2000). Evaluation of the Capacity for Development of Atrazine Tolerance in Periphyton from a Swedish Freshwater Site as Determined by Inhibition of Photosynthesis and Sulfolipid Synthesis. *Environ.Toxicol.Chem.* 19: 1324-1331.
EcoReference No.: 52769
Chemical of Concern: ATZ; Habitat: A; Effect Codes: POP; Rejection Code: **Less sensitive endpoint.**
- O'Connor, J. C., Plowchalk, D. R., Van Pelt, C. S., Davis, L. G., and Cook, J. C. (2000). Role of Prolactin in Chloro-s-Triazine Rat Mammary Tumorigenesis. *Drug Chem.Toxicol.* 23: 575-601.
EcoReference No.: 72255
Chemical of Concern: SZ,ATZ,CZE; Habitat: T; Effect Codes: GRO,CEL,BCM,PHY; Rejection Code: **Terrestrial mammalian endpoints were not considered for this assessment.**
- Orton, F., Carr, J. A., and Handy, R. D. (2006). Effects of Nitrate and Atrazine on Larval Development and Sexual Differentiation in the Northern Leopard Frog *Rana pipiens*. *Environ.Toxicol.Chem.* 25: 67-71.
EcoReference No.: 82034
Chemical of Concern: ATZ; Habitat: A; Effect Codes: REP,CEL; Rejection Code: **Less sensitive endpoint.**
- Osterloh, J., Letz, G., Pond, S., and Becker, C. (1983). An Assessment of the Potential Testicular Toxicity of 10 Pesticides Using the Mouse-Sperm Morphology Assay. *Mutat.Res.* 116: 407-415.
EcoReference No.: 74322
Chemical of Concern: ATZ,MLT,DPDP,BMY,CBL; Habitat: T; Effect Codes: REP,MOR; Rejection Code: **Terrestrial mammalian endpoints were not considered for this assessment.**
- Owen, R., Knap, A., Ostrander, N., and Carbery, K. (2003). Comparative Acute Toxicity of Herbicides to Photosynthesis of Coral Zooxanthellae. *Bull.Environ.Contam.Toxicol.* 70: 541-548.

- EcoReference No.: 71903
Chemical of Concern: ATZ,DU,SZ,DEATZ,24DXY; Habitat: A; Effect Codes: POP; Rejection Code: **Less sensitive endpoint.**
- Pace, E., Pompili, L., Margonelli, A., Giardi, P., and Giardi, M. T. (2001). Pulse-Chase Experiments with [35S]Methionine Show D1 Reaction II Protein Turnover in Various Herbicide Tolerant Species. *Pestic.Biochem.Physiol.* 69: 92-99.
EcoReference No.: 81736
Chemical of Concern: ATZ,SZ,DV; Habitat: T; Effect Codes: GRO,BCM; Rejection Code: **Biochemical fluorescence endpoint cannot be quantitatively linked to the selected assessment endpoints.**
- Pantani, C., Pannunzio, G., De Cristofaro, M., Novelli, A. A., and Salvatori, M. (1997). Comparative Acute Toxicity of Some Pesticides, Metals, and Surfactants to *Gammarus italicus* Goedm. and *Echinogammarus tibaldii* Pink. and Stock (Crustacea: Amphipoda). *Bull.Environ.Contam.Toxicol.* 59: 963-967.
EcoReference No.: 18621
Chemical of Concern: ACR,ATZ,AZ,CBF,CBL,DMT,FMP,HCCH,MLT,MOM,MP,Cd,ADC,DDT,MXC,OML,TBC,CuCl,Cr,PPX,Zn,Hg; Habitat: A; Effect Codes: MOR; Rejection Code: **Less sensitive endpoint.**
- Park, E. K. and Lees, E. M. (2005). Application of an Artificial Sea Salt Solution to Determine Acute Toxicity of Herbicides to *Proisotoma minuta* (Collembola). *J.Environ.Sci.Health Part B* 40: 595-604.
EcoReference No.: 81754
Chemical of Concern: ATZ,TFN,PDM,MTL,PMT,PAQT,FMU,DU; Habitat: A; Effect Codes: MOR; Rejection Code: **Less sensitive endpoint.**
- Pascoe, D., Kedwards, T. J., Maund, S. J., Muthi, E., and Taylor, E. J. (1994). Laboratory and Field Evaluation of a Behavioural Bioassay - the *Gammarus pulex* (L.) Precopula Separation (GaPPS) Test. *Water Res.* 28: 369-372.
EcoReference No.: 67942
Chemical of Concern: ATZ,Cu,HCCH; Habitat: A; Effect Codes: REP; Rejection Code: **Less sensitive endpoint.**
- Pennington, P. L. and Scott, G. I. (2001). Toxicity of Atrazine to the Estuarine Phytoplankter *Pavlova* sp. (Prymnesiophyceae): Increased Sensitivity After Long-Term, Low-Level Population Exposure. *Environ.Toxicol.Chem.* 20: 2237-2242.
EcoReference No.: 62448
Chemical of Concern: ATZ; Habitat: A; Effect Codes: POP; Rejection Code: **Less sensitive endpoint.**
- Peterson, S. M. and Stauber, J. L. (1996). New Algal Enzyme Bioassay for the Rapid Assessment of Aquatic Toxicity. *Bull.Environ.Toxicol.Chem.* 56: 750-757.
EcoReference No.: 19926
Chemical of Concern: ATZ,DU,Cu,PL,DU,Cd,Hg,Cr,Zn; Habitat: A; Effect Codes: BCM,POP; Rejection Code: **Less sensitive endpoint.**
- Phyu, Y. L., St.J.Warne, M., and Lim, R. P. (2004). Toxicity of Atrazine and Molinate to the Cladoceran *Daphnia carinata* and the Effect of River Water and Bottom Sediment on Their Bioavailability. *Arch.Environ.Contam.Toxicol.* 46: 308-315.
EcoReference No.: 74233
Chemical of Concern: ATZ,MLT; Habitat: A; Effect Codes: MOR; Rejection Code: **Less sensitive endpoint.**
- Phyu, Y. L., Warne, M. S., and Lim, R. P. (2005). The Toxicity and Bioavailability of Atrazine and Molinate to *Chironomus tepperi* Larvae in Laboratory and River Water in the Presence and Absence of Sediment. *Chemosphere* 58: 1231-1239.
EcoReference No.: 81223
Chemical of Concern: ATZ,MLT; Habitat: A; Effect Codes: MOR; Rejection Code: **Less sensitive**

endpoint.

- Phyu, Y. L., Warne, M. S. J., and Lim, R. P. (2005). Toxicity and Bioavailability of Atrazine and Molinate to the Freshwater Shrimp (*Paratya australiensis*) Under Laboratory and Simulated Field Conditions. *Ecotoxicol.Environ.Saf.* 60: 113-122.
EcoReference No.: 76267
Chemical of Concern: ATZ,MLT; Habitat: A; Effect Codes: MOR; Rejection Code: Less sensitive endpoint.
- Pillai, C. G. P., Weete, J. D., and Davis, D. E. (1977). Metabolism of Atrazine by *Spartina alterniflora*. 1. Chloroform-Soluble Metabolites. *J.Agric.Food Chem.* 25: 852-855.
EcoReference No.: 9042
Chemical of Concern: ATZ; Habitat: A; Effect Codes: ACC,GRO,POP; Rejection Code: Less sensitive endpoint.
- Pinckney, J. L., Ornlófsdóttir, E. B., and Lumsden, S. E. (2002). Estuarine Phytoplankton Group-Specific Responses to Sublethal Concentrations of the Agricultural Herbicide, Atrazine. *Mar.Pollut.Bull.* 44: 1109-1116.
EcoReference No.: 66307
Chemical of Concern: ATZ; Habitat: A; Effect Codes: POP; Rejection Code: Less sensitive endpoint.
- Pizl, V. (1985). The Effect of the Herbicide Zeazin 50 on the Earthworm Infection by Monocystid Gregarines. *Pedobiologia* 28 : 399-402.
EcoReference No.: 64846
Chemical of Concern: ATZ; Habitat: T; Effect Codes: BEH; Rejection Code: Terrestrial invertebrate endpoints were not considered for this assessment.
- Portmann, J. E. and Wilson, K. W. (1971). The Toxicity of 140 Substances to the Brown Shrimp and Other Marine Animals. *Shellfish Information Leaflet No.22 (2nd Ed.)*, Ministry of Agric.Fish.Food, Fish.Lab.Burnham-on-Crouch, Essex, and Fish Exp.Station Conway, North Wales 12 p.
EcoReference No.: 906
Chemical of Concern:
SZ,24DXY,ATZ,AZ,DBN,DMT,MLN,CuS,CrAC,SFL,HgCl2,NYP,Cd,Pb,Maneb,DDT,FML,PRN,EPRN, DLD,DPDP,PAQT,PL,ACY,ES,HCCH,MCRE,Tl; Habitat: A; Effect Codes: MOR; Rejection Code: Less sensitive endpoint.
- Prasad, T. A. V., Srinivas, T., Janardan Reddy, S., and Reddy, D. C. (1995). Atrazine Toxicity on Transport Properties of Hemocyanin in the Crab *Oziotelphusa senex senex*. *Ecotoxicol.Environ.Saf.* 30: 124-126.
EcoReference No.: 15356
Chemical of Concern: ATZ; Habitat: A; Effect Codes: BCM,PHY; Rejection Code: Less sensitive endpoint. Biochemical endpoints cannot be quantitatively linked to the selected assessment endpoints.
- Prasad, T. A. V., Srinivas, T., Rafi, M., and Reddy, D. C. (1990). Chronic Effect of Atrazine on Hydromineral Balance in the Crab. *Biochem.Int.* 22: 435-440 .
EcoReference No.: 8536
Chemical of Concern: ATZ; Habitat: A; Effect Codes: GRO,PHY,BCM; Rejection Code: Less sensitive endpoint.
- Prasad, T. A. V., Srinivas, T., and Reddy, D. C. (1991). Modulations in Nitrogen Metabolism in the Hepatic and Neuronal Tissues of Fish, *Tilapia mossambica* Exposed to Atrazine. *Biochem.Int.* 23: 271-279.
EcoReference No.: 67281
Chemical of Concern: ATZ; Habitat: A; Effect Codes: BCM; Rejection Code: Less sensitive endpoint; Biochemical endpoint cannot be quantitatively linked to the selected assessment endpoints.
- Prescott, L. M., Kubovec, M. K., and Tryggestad, D. (1977). The Effects of Pesticides, Polychlorinated Biphenyls and Metals on the Growth and Reproduction of *Acanthamoeba castellanii*. *Bull.Environ.Contam.Toxicol.* 18: 29-34.

- EcoReference No.: 7625
Chemical of Concern: SZ,ATZ,CBL,LNR,DLD,AND,Hg,Pb,PCB,CuS,Zn; Habitat: A; Effect Codes: POP; Rejection Code: **Less sensitive endpoint.**
- Prescott, L. M. and Olson, D. L. (1972). The Effect of Pesticides on the Soil Amoeba *Acanthamoeba castellanii* (Neff). *Proc.South D.Acad.Sci.* 51: 136-141.
EcoReference No.: 60074
Chemical of Concern: DDT,24DXY,ATZ,EPTC,PPN; Habitat: A; Effect Codes: POP,REP; Rejection Code: **Effects to soil amoeba are not assessed as part of the effects determination.**
- Prushing, M. (1985). Effect of Certain Toxicants on the Survival Rate of *Daphnia magna* in a Three-Factor Experiment. *Hydrobiol.J.* 21: 1-4.
EcoReference No.: 67282
Chemical of Concern: ATZ,Cu; Habitat: A; Effect Codes: MOR; Rejection Code: **Less sensitive endpoint.**
- Purcell III, T. W. (1989). The Effects of Atrazine and Nitrate, Alone and in Combination, on a Natural Phytoplankton Population of the Potomac River. *Ph.D.Thesis, Univ.of Maryland, College Park, MD:133 p.(1988) / Diss.Abst.Int.B Sci.Eng.* 49: 3080.
EcoReference No.: 9980
Chemical of Concern: ATZ; Habitat: A; Effect Codes: POP; Rejection Code: **Endpoint Less Sensitive.**
- Radetski, C. M., Ferard, J. F., and Blaise, C. (1995). A Semistatic Microplate-Based Phytotoxicity Test. *Environ.Toxicol.Chem.* 14: 299-302.
EcoReference No.: 13728
Chemical of Concern: ATZ,CuS,Cr,Cd; Habitat: A; Effect Codes: POP,MOR; Rejection Code: **Less sensitive endpoint.**
- Ralph, P. J. (2000). Herbicide Toxicity of *Halophila ovalis* Assessed by Chlorophyll a Fluorescence. *Aquat.Bot.* 66: 141-152.
EcoReference No.: 61925
Chemical of Concern: SZ,ATZ,GYP; Habitat: A; Effect Codes: POP,BCM; Rejection Code: **Less sensitive endpoint.**
- Rayner, J. L., Enoch, R. R., and Fenton, S. E. (2005). Adverse Effects of Prenatal Exposure to Atrazine During a Critical Period of Mammary Gland Growth. *Toxicol.Sci.* 87: 255-266.
EcoReference No.: 80614
Chemical of Concern: ATZ; Habitat: T; Effect Codes: BCM, GRO; Rejection Code: **Terrestrial mammalian endpoints were not considered for this assessment.**
- Rayner, J. L., Wood, C., and Fenton, S. E. (2004). Exposure Parameters Necessary for Delayed Puberty and Mammary Gland Development in Long-Evans Rats Exposed In Utero to Atrazine. *Toxicol.Appl.Pharmacol.* 195: 23-34.
EcoReference No.: 81663
Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO,BCM,CEL,REP; Rejection Code: **Terrestrial mammalian endpoints were not considered for this assessment.**
- Roche, H. and Boge, G. (1996). Fish Blood Parameters as a Potential Tool for Identification of Stress Caused by Environmental Factors and Chemical intoxication. *Mar.Environ.Res.* 41: 27-43.
EcoReference No.: 20090
Chemical of Concern: ATZ,CuS, ZnCl₂, PL, NP, 4NP; Habitat: A; Effect Codes: BCM; Rejection Code: **Biochemical endpoints cannot be quantitatively linked to the selected assessment endpoints.**
- Rohr, J. R. and Palmer, B. D. (2005). Aquatic Herbicide Exposure Increases Salamander Desiccation Risk Eight Months Later in a Terrestrial Environment. *Environ.Toxicol.Chem.* 24: 1253-1258.
EcoReference No.: 81664

- Chemical of Concern: ATZ; Habitat: A; Effect Codes: BEH,MOR,GRO; Rejection Code: Not used because study evaluates effects to terrestrial-phase salamanders.
- Rohr, J. R., Sager, T., Sesterhenn, T. M., and Palmer, B. D. (2006). Exposure, Postexposure, and Density-Mediated Effects of Atrazine on Amphibians: Breaking Down Net Effects into Their Parts. *Environ.Health Perspect.* 114: 46-50.
EcoReference No.: 82038
Chemical of Concern: ATZ; Habitat: T; Effect Codes: MOR; Rejection Code: Not used because study evaluates effects to terrestrial-phase salamanders.
- Rohwer, F. and Fluckiger, W. (1979). Effect of Atrazine on Growth, Nitrogen Fixation and Photosynthetic Rate of *Anabaena cylindrica*. *Angew.Bot.* 53: 59-74.
EcoReference No.: 18857
Chemical of Concern: ATZ; Habitat: A; Effect Codes: BCM,PHY,POP; Rejection Code: Less sensitive endpoint.
- Rojickova-Padrtova, R. and Marsalek, B. (1999). Selection and Sensitivity Comparisons of Algal Species for Toxicity Testing. *Chemosphere* 38: 3329-3338.
EcoReference No.: 19852
Chemical of Concern: ATZ,OXF,PDM,CuS,Zn,Cr; Habitat: A; Effect Codes: POP; Rejection Code: Less sensitive endpoint.
- Roloff, B. D., Belluck, D. A., and Meisner, L. F. (1992). Cytogenetic Studies of Herbicide Interactions In Vitro and In Vivo Using Atrazine and Linuron. *Arch.Environ.Contam.Toxicol.* 22: 267-271.
EcoReference No.: 78659
Chemical of Concern: ATZ,LNR; Habitat: T; Effect Codes: CEL; Rejection Code: Terrestrial mammalian endpoints were not considered for this assessment.
- Rooney, A. A., Matulka, R. A., and Luebke, R. W. (2003). Developmental Atrazine Exposure Suppresses Immune Function in Male, but not Female Sprague-Dawley Rats. *Toxicol.Sci.* 76: 366-375.
EcoReference No.: 81749
Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO,BCM; Rejection Code: Terrestrial mammalian endpoints were not considered for this assessment.
- Roshon, R. D. (1997). A Toxicity Test for the Effects of Chemicals on the Non-target Submersed Aquatic Macrophyte, *Myriophyllum sibiricum* Komarov. *Ph.D.Thesis, Univ.of Guelph, Canada*.
EcoReference No.: 74985
Chemical of Concern: MTL,PL,ZnCl₂,TPR,24DXY,ATZ,DQTBr,FDE,GYP,HXZ; Habitat: A; Effect Codes: GRO,BCM,CEL; Rejection Code: Less sensitive endpoint.
- Russo, J. and Lagadic, L. (2004). Effects of Environmental Concentrations of Atrazine on Hemocyte Density and Phagocytic Activity in the Pond Snail *Lymnaea stagnalis* (Gastropoda, Pulmonata). *Environ.Pollut.* 127: 303-311.
EcoReference No.: 72619
Chemical of Concern: ATZ; Habitat: A; Effect Codes: BCM; Rejection Code: Less sensitive endpoint. Biochemical, cellular and esophagitis endpoints cannot be quantitatively linked to the selected assessment endpoints.
- Samsøe-Petersen, L. (1995). Effects of 67 Herbicides and Plant Growth Regulators on the Rove Beetle *Aleochara bilineata* (Col.: Staphylinidae) in the Laboratory. *Entomophaga* 40: 95-104.
EcoReference No.: 63490
Chemical of Concern: SZ,ATZ,DU,HFP,MCP,PYD,FXP,BT,MTL,PDM,CBL,MTSM,AMTL,CQTC; Habitat: T; Effect Codes: MOR,REP,GRO; Rejection Code: Terrestrial invertebrate endpoints were not considered for this assessment.
- Schafer, H., Hettler, H., Fritsche, U., Pitzen, G., Roderer, G., and Wenzel, A. (1994). Biotests Using Unicellular Algae and Ciliates for Predicting Long-Term Effects of Toxicants. *Ecotoxicol.Environ.Saf.* 27: 64-81.

- EcoReference No.: 4008
Chemical of Concern: ATZ,HCCH,MP,BMC,DU,CuS,PCP; Habitat: A; Effect Codes: POP,PHY; Rejection Code: **Less sensitive endpoint.**
- Schafer, H., Wenzel, A., Fritsche, U., Roderer, G., and Traunsburger, W. (1993). Long-Term Effects of Selected Xenobiotica on Freshwater Green Algae: Development of a Flow-Through Test System. *Sci.Total Environ. Suppl.*: 735-740.
EcoReference No.: 4335
Chemical of Concern: ATZ,HCCH,MP,CuS,PCP,Cd; Habitat: A; Effect Codes: POP,ACC; Rejection Code: **Less sensitive endpoint.**
- Schmitt-Jansen, M. and Altenburger, R. (2005). Predicting and Observing Responses of Algal Communities to Photosystem II-Herbicide Exposure Using Pollution-Induced Community Tolerance and Species-Sensitivity Distributions. *Environ.Toxicol.Chem.* 24: 304-312.
EcoReference No.: 80430
Chemical of Concern: ATZ,PMT; Habitat: A; Effect Codes: ACC,POP,PHY; Rejection Code: **Less sensitive endpoint.**
- Schrader, K. K., De Regt, M. Q., Tidwell, P. D., Tucker, C. S., and Duke, S. O. (1998). Compounds with Selective Toxicity Towards the Off-Flavor Metabolite-Producing Cyanobacterium *Oscillatoria cf. chalybea*. *Aquaculture* 163: 85-99.
EcoReference No.: 69879
Chemical of Concern: SXD,PAQT,ACF,ATZ,DU,FMU,NFZ,IMQ,DFP,HFP,CLT,BMN,DBN,DFQ,EDT,FDE,GYP,Cu; Habitat: A; Effect Codes: POP; Rejection Code: **Less sensitive endpoint.**
- Schwarz, E. and Hanke, W. (1987). The Influence of Atrazine and Pentachlorophenol on the Regulation of T4 and T3 in the Blood of the Carp (*Cyprinus carpio*). *Acta Endocrinol.* 114: 16-17.
EcoReference No.: 16361
Chemical of Concern: ATZ,PCP; Habitat: A; Effect Codes: BCM; Rejection Code: **Biochemical hormonal endpoints cannot be quantitatively linked to the selected assessment endpoints.**
- Scutaru, B., Giersch, T., Cozmei, C., and Hock, B. (1998). Immunoenzymatic Determination of Atrazine in Rat Tissue Samples. *Toxicology* 127: 11-16.
EcoReference No.: 78788
Chemical of Concern: ATZ; Habitat: T; Effect Codes: ACC,BCM; Rejection Code: **Terrestrial mammalian endpoints were not considered for this assessment.**
- Seguin, F., Le Bihan, F., Leboulanger, C., and Berard, A. (2002). A Risk Assessment of Pollution: Induction of Atrazine Tolerance in Phytoplankton Communities in Freshwater Outdoor Mesocosms, Using Chlorophyll Fluorescence as an Endpoint. *Water Res.* 36: 3227-3236.
EcoReference No.: 66314
Chemical of Concern: ATZ; Habitat: A; Effect Codes: BCM,POP; Rejection Code: **Less sensitive endpoint.**
- Seguin, F., Leboulanger, C., Rimet, F., Druart, J. C., and Berard, A. (2001). Effects of Atrazine and Nicosulfuron on Phytoplankton in Systems of Increasing Complexity. *Arch.Environ.Contam.Toxicol.* 40: 198-208.
EcoReference No.: 62246
Chemical of Concern: ATZ,NSF; Habitat: A; Effect Codes: POP; Rejection Code: **Endpoint Less Sensitive.**
- Shabana, E. F. (1987). Use of Batch Assays to Assess the Toxicity of Atrazine to Some Selected Cyanobacteria. II. Effect of Atrazine on Heterocyst Frequency, Nitrogen and Phosphorus Metabolism of Four Heterocystous Cyanobacteria. *J.Basic Microbiol.* 27: 215-223.
EcoReference No.: 71802
Chemical of Concern: ATZ; Habitat: A; Effect Codes: BCM,PHY; Rejection Code: **Less sensitive**

endpoint.

- Sharma, H. C., Sullivan, D. J., Sharma, M. M., and Shetty, S. V. R. (2004). Influence of Weeding Regimes and Pearl Millet Genotypes on Parasitism of the Oriental Armyworm, *Mythimna separata*. *Biocontrol* 49: 689-699.
EcoReference No.: 81734
Chemical of Concern: ATZ; Habitat: T; Effect Codes: POP; Rejection Code: Less sensitive endpoint.
- Silvestre, F., Trausch, G., Spano, L., and Devos, P. (2002). Effects of Atrazine on Osmoregulation in the Chinese Mitten Crab, *Eriocheir sinensis*. *Comp.Biochem.Physiol.C* 132: 385-390.
EcoReference No.: 66352
Chemical of Concern: ATZ; Habitat: A; Effect Codes: PHY; Rejection Code: No effect at single test concentration. Less sensitive endpoint. Biochemical and osmoregulatory endpoints cannot be quantitatively linked to the selected assessment endpoints.
- Simard, S., Grenier, G., and Beaumont, G. (1990). Morphometric Analysis of Ultrastructural Changes Induced by a Sublethal Concentration of Atrazine on Young *Lemna minor* Chloroplasts. *Plant Physiol.Biochem.* 28: 49-55.
EcoReference No.: 65658
Chemical of Concern: ATZ; Habitat: A; Effect Codes: BCM; Rejection Code: Less sensitive endpoint.
- Simard, S., Proteau, L., Beaumont, G., and Grenier, G. (1991). Increase of Chloroplast Granum Stability, Induced by a Sublethal Concentration of Atrazine, in *Lemna minor* Fronds Grown on a Medium Partially Deficient in Calcium or Magnesium. *Plant Physiol.Biochem.* 29: 631-638.
EcoReference No.: 65657
Chemical of Concern: ATZ; Habitat: A; Effect Codes: BCM,PHY; Rejection Code: Less sensitive endpoint.
- Simic, B., Kniewald, J., and Kniewald, Z. (1994). Effect of Atrazine on Reproductive Performance in the Rat. *J.Appl.Toxicol.* 14: 401-404.
EcoReference No.: 71445
Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO,REP; Rejection Code: Terrestrial mammalian endpoints were not considered for this assessment.
- Simic, B., Kniewald, Z., Davies, J. E., and Kniewald, Z. (1991). Reversibility of the Inhibitory Effect of Atrazine and Lindane on Cytosol 5alpha-Dihydrotestosterone Receptor Complex Formation in Rat Prostate. *Bull.EnvIRON.Contam.Toxicol.* 46: 92-99.
EcoReference No.: 78321
Chemical of Concern: ATZ,HCCH; Habitat: T; Effect Codes: BCM; Rejection Code: Terrestrial mammalian endpoints were not considered for this assessment.
- Singh, R. K. and Dwivedi, R. S. (1988). Laboratory Evaluation of Some Pesticides Against *Sclerotium rolfsii* Sacc. a Foot-Rot Pathogen of Barley (*Hordeum vulgare* L.). *Pesticides* 22: 20-23.
EcoReference No.: 70487
Chemical of Concern: PNB,HCCH,ATZ,Cu,ADC,CLNB,PPN,PAQT,24DXY,THM,Captan; Habitat: T; Effect Codes: GRO; Rejection Code: Less sensitive endpoint. Fungal endpoints not considered for this assessment.
- Son, H. Y., Nishikawa, A., Okazaki, K., Lee, K. Y., Imazawa, T., and Hirose, M. (2003). Lack of Modifying Effects of Atrazine and/or Tamoxifen on Thyroid Carcinogenesis in Rats Pretreated with N-bis(2-Hydroxypropyl)Nitrosamine (DHPN). *Food Chem.Toxicol.* 41: 1811-1816.
EcoReference No.: 81667
Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO,BEH,BCM; Rejection Code: Terrestrial mammalian endpoints were not considered for this assessment.
- Spano, L., Tyler, C. R., Van Aerle, R., Devos, P., Mandiki, S. N. M., Silvestre, F., Thome, J. P., and Kestemont, P. (2004). Effects of Atrazine on Sex Steroid Dynamics, Plasma Vitellogenin Concentration and Gonad

- Development in Adult Goldfish (*Carassius auratus*). *Aquat.Toxicol.* 66: 369-379.
EcoReference No.: 73297
Chemical of Concern: ATZ; Habitat: A; Effect Codes: BCM,PHY,GRO; Rejection Code: **Less sensitive endpoint.**
- Stevens, J. T., Breckenridge, C. B., Wetzel, L., Thakur, A. K., Liu, C., Werner, C., Luempert III, L. G., and Eldridge, J. C. (1999). A Risk Characterization for Atrazine: Oncogenicity Profile. *J.Toxicol.Environ.Health Part A* 56: 69-109.EcoReference No.: 79510
Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO,BEH,MOR; Rejection Code: **Terrestrial mammalian endpoints were not considered for this assessment.**
- Stevens, J. T., Breckenridge, C. B., Wetzel, L. T., Gillis, J. H., Luempert III, L. G., and Eldridge, J. C. (1994). Hypothesis for Mammary Tumorigenesis in Sprague-Dawley Rats Exposed to Certain Triazine Herbicides. *J.Toxicol.Environ.Health* 43: 139-153.
EcoReference No.: 69611
Chemical of Concern: SZ,ATZ,AMTR,PRO,PMT,PPZ; Habitat: T; Effect Codes: CEL,BCM; Rejection Code: **Terrestrial mammalian endpoints were not considered for this assessment.**
- Stoker, T. E., Guidici, D. L., Laws, S. C., and Cooper, R. L. (2002). The Effects of Atrazine Metabolites on Puberty and Thyroid Function in the Male Wistar Rat. *Toxicol.Sci.* 67: 198-206.
EcoReference No.: 75117
Chemical of Concern: DEATZ,DIATZ,DCT; Habitat: T; Effect Codes: CEL,GRO,BCM; Rejection Code: **Terrestrial mammalian endpoints were not considered for this assessment.**
- Stoker, T. E., Laws, S. C., Guidici, D. L., and Cooper, R. L. (2000). The Effect of Atrazine on Puberty in Male Wistar Rats: An Evaluation in the Protocol for the Assessment of Pubertal Development and Thyroid Function. *Toxicol.Sci.* 58: 50-59.
EcoReference No.: 71275
Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO,BCM; Rejection Code: **Terrestrial mammalian endpoints were not considered for this assessment.**
- Stoker, T. E., Robinette, C. L., and Cooper, R. L. (1999). Maternal Exposure to Atrazine During Lactation Suppresses Suckling-Induced Prolactin Release and Results in Prostatitis in the Adult Offspring. *Toxicol.Sci.* 52: 68-79.
EcoReference No.: 71277
Chemical of Concern: ATZ; Habitat: T; Effect Codes: BEH,REP,GRO,BCM,CEL; Rejection Code: **Terrestrial mammalian endpoints were not considered for this assessment.**
- Stratton, G. W. and Giles, J. (1990). Importance of Bioassay Volume in Toxicity Tests Using Algae and Aquatic Invertebrates. *Bull.Environ.Contam.Toxicol.* 44: 420-427.
EcoReference No.: 2554
Chemical of Concern: ATZ,PMR,DDT; Habitat: A; Effect Codes: PHY; Rejection Code: **Less sensitive endpoint.**
- Stratton, G. W., Huber, A. L., and Corke, C. T. (1980). The Effect of Pesticides and Their Metabolites, Alone and in Combination, on Algal Processes. In: *J.F.Klaverkamp, S.L.Leonard and K.E.Marshall (Eds.), Proc.6th Annu.Tox.Workshop, Can.Tech.Rep.Fish Aquat.Sci.No.975* 131-139.
EcoReference No.: 4684
Chemical of Concern: PMR,ATZ,DU,PYT,DEATZ,DIATZ,DCT; Habitat: A; Effect Codes: GRO,BCM,POP; Rejection Code: **Less sensitive endpoint.**
- Sund, K. A. and Nomura, N. (1963). Laboratory Evaluation of Several Herbicides. *Weed Res.* 3: 35-43.
EcoReference No.: 42840
Chemical of Concern: PNB,SZ,ATZ,DU,24DXY,DBN,DMB,LNR,PMT,AMTL,CPP,MLH,PL,NaCLO,PCP,EPTC,2CP,4NP,AMTR,PCP,DLPCP,DL; Habitat: T; Effect Codes: GRO,REP,MOR; Rejection Code: **Less sensitive**

endpoint.

- Svobodova, Z., Vykusova, B., and Machova, J. (1994). The Effects of Pollutants on Selected Haematological and Biochemical Parameters in Fish. In: R.Muller and R.Lloyd (Eds.), *Sublethal and Chronic Effects of Pollutants on Freshwater Fish, Chapter 4, Fishing News Books, London* 39-52.
EcoReference No.: 18553
Chemical of Concern: ATZ,CuS,Zn,Cr; Habitat: A; Effect Codes: CEL,BCM,ACC; Rejection Code: Less sensitive endpoint; endpoint based on biochemical hemoglobin, which cannot be quantitatively linked to the selected assessment endpoints.
- Tanaka, T., Kohno, H., Suzuki, R., and Sugie, S. (2004). Lack of Modifying Effects of an Estrogenic Compound Atrazine on 7,12-Dimethylbenz(a)anthracene-Induced Ovarian Carcinogenesis in Rats. *Cancer Lett.* 210: 129-137.
EcoReference No.: 81670
Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO,BEH,PHY,CEL; Rejection Code Terrestrial mammalian endpoints were not considered for this assessment.
- Tang, J., Hoagland, K. D., and Siegfried, B. D. (1998). Uptake and Bioconcentration of Atrazine by Selected Freshwater Algae. *Environ.Toxicol.Chem.* 17: 1085-1090.
EcoReference No.: 19284
Chemical of Concern: ATZ; Habitat: A; Effect Codes: ACC,GRO,POP; Rejection Code: Plant residue studies were not considered for this assessment.
- Tavera-Mendoza, L., Ruby, S., Brousseau, P., Fournier, M., Cyr, D., and Marcogliese, D. (2002). Response of the Amphibian Tadpole (*Xenopus laevis*) to Atrazine During Sexual Differentiation of the Testis . *Environ.Toxicol.Chem.* 21: 527-531.
EcoReference No.: 60639
Chemical of Concern: ATZ; Habitat: A; Effect Codes: MOR,GRO,REP,CEL; Rejection Code: LITE In White Paper on Amphibians.
- Tavera-Mendoza, L., Ruby, S., Brousseau, P., Fournier, M., Cyr, D., and Marcogliese, D. (2002). Response of the Amphibian Tadpole *Xenopus laevis* to Atrazine During Sexual Differentiation of the Ovary. *Environ.Toxicol.Chem.* 21: 1264-1267.
EcoReference No.: 77830
Chemical of Concern: ATZ; Habitat: A; Effect Codes: GRO,CEL; Rejection Code: In White Paper on Amphibians.
- Tennant, A. H., Peng, B., and Kligerman, A. D. (2001). Genotoxicity Studies of Three Triazine Herbicides: In Vivo Studies Using the Alkaline Single Cell Gel (SCG) Assay. *Mutat.Res.* 493: 1-10.
EcoReference No.: 69613
Chemical of Concern: ATZ,SZ,CZE; Habitat: T; Effect Codes: PHY; Rejection Code: Terrestrial mammalian endpoints were not considered for this assessment.
- Tennant, M. K., Hill, D. S., Eldridge, J. C., Wetzel, L. T., Breckenridge, C. B., and Stevens, J. T. (1994). Chloro-s-Triazine Antagonism of Estrogen Action: Limited Interaction with Estrogen Receptor Binding. *J.Toxicol.Environ.Health* 43: 197-211.
EcoReference No.: 69614
Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: BCM; Rejection Code: Terrestrial mammalian endpoints were not considered for this assessment.
- Tennant, M. K., Hill, D. S., Eldridge, J. C., Wetzel, L. T., Breckenridge, C. B., and Stevens, J. T. (1994). Possible Antiestrogenic Properties of Chloro-s-Triazines in Rat Uterus. *J.Toxicol.Environ.Health* 43: 183-196.
EcoReference No.: 69615
Chemical of Concern: ATZ,SZ; Habitat: T; Effect Codes: BCM,GRO; Rejection Code: Terrestrial mammalian endpoints were not considered for this assessment.

- Toth, D. and Tomasovicova, D. (1979). Effect of Pesticides on Survival of *Tetrahymena pyriformis* in Danube Waters. *Biologia (Bratisl.)* 34: 233-239 (Author Communication Used).
EcoReference No.: 5950
Chemical of Concern: ATZ,MLN,Folpet; Habitat: A; Effect Codes: MOR; Rejection Code: **Less sensitive endpoint.**
- Trentacoste, S. V., Friedmann, A. S., Youker, R. T., Breckenridge, C. B., and Zirkin, B. R. (2001). Atrazine Effects on Testosterone Levels and Androgen-Dependent Reproductive Organs in Peripubertal Male Rats. *J.Androl.* 22: 142-148.
EcoReference No.: 81742
Chemical of Concern: ATZ; Habitat: T; Effect Codes: BCM; Rejection Code: **Terrestrial mammalian endpoints were not considered for this assessment.**
- Tubbing, M. J., De Ruyter van Steveninck, E. D., and Admiraal, W. (1993). Sensitivity of Planktonic Photosynthesis to Various Toxicants in the River Rhine. *Environ.Toxicol.Water Qual.* 8: 51-62.
EcoReference No.: 16872
Chemical of Concern: ATZ,CuCl; Habitat: A; Effect Codes: PHY,BCM,POP; Rejection Code: **Less sensitive endpoint.**
- Turbak, S. C., Olson, S. B., and McFeters, G. A. (1986). Comparison of Algal Assay Systems for Detecting Waterborne Herbicides and Metals. *Water Res.* 20: 91-96.
EcoReference No.: 11780
Chemical of Concern: SZ,24DXY,ATZ,GYP,CuCl,Cr,Ag,Zn,Cd; Habitat: A; Effect Codes: POP,PHY; Rejection Code: **Less sensitive endpoint.**
- Ueda, M., Imai, T., Takizawa, T., Onodera, H., Mitsumori, K., Matsui, T., and Hirose, M. (2005). Possible Enhancing Effects of Atrazine on Growth of 7,12-Dimethylbenz(a)anthracene-Induced Mammary Tumors in Ovariectomized Sprague-Dawley Rats. *Cancer Sci.* 96: 19-25.
EcoReference No.: 81744
Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO,MOR,CEL; Rejection Code: **Terrestrial mammalian endpoints were not considered for this assessment.**
- Ugazio, G., Bosio, A., Burdino, E., Ghigo, L., and Nebbia, C. (1991). Lethality, Hexobarbital Narcosis and Behavior in Rats Exposed to Atrazine, Bentazon and Molinate. *Res.Commun.Chem.Pathol.Pharmacol.* 74: 349-362.
EcoReference No.: 73826
Chemical of Concern: MLT,ATZ,BT; Habitat: T; Effect Codes: MOR,BEH; Rejection Code: **Terrestrial mammalian endpoints were not considered for this assessment.**
- Ugazio, G., Bosio, A., Nebbia, C., and Soffietti, M. G. (1991). Age-and Sex-Related Effects on Hepatic Drug Metabolism in Rats Chronically Exposed to Dietary Atrazine. *Res.Commun.Chem.Pathol.Pharmacol.* 73: 231-243.
EcoReference No.: 81738
Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO,BEH,BCM; Rejection Code: **Terrestrial mammalian endpoints were not considered for this assessment.**
- Ugazio, G., Burdino, E., Dacasto, M., Bosio, A., Van 't Klooster, G., and Nebbia, C. (1993). Induction of Hepatic Drug Metabolizing Enzymes and Interaction with Carbon Tetrachloride in Rats After a Single Oral Exposure to Atrazine. *Toxicol.Lett.* 69: 279-288.
EcoReference No.: 78657
Chemical of Concern: ATZ,CTC; Habitat: T; Effect Codes: BCM; Rejection Code: **Terrestrial mammalian endpoints were not considered for this assessment.**
- Van der Heever, J. A. and Grobbelaar, J. U. (1996). Evaluation of Short-Incubation-Time Small-Volume Radiocarbon-Uptake Algal Toxicity Test. *J.Appl.Phycol.* 8: 65-71.
EcoReference No.: 18763
Chemical of Concern: Cu,PL,ATZ,Hg,Cd; Habitat: A; Effect Codes: PHY; Rejection Code: **Less**

sensitive endpoint.

- Van der Heever, J. A. and Grobbelaar, J. U. (1998). In Vivo Chlorophyll a Fluorescence of *Selenastrum capricornutum* as a Screening Bioassay in Toxicity Studies. *Arch.Environ.Contam.Toxicol.* 35: 281-286.
EcoReference No.: 19800
Chemical of Concern: ATZ,AZ,CuCl,PL,Hg,Cd; Habitat: A; Effect Codes: BCM; Rejection Code: Less sensitive endpoint.
- Van der Heever, J. A. and Grobbelaar, J. U. (1997). The Use of Oxygen Evolution to Assess the Short-Term Effects of Toxicants on Algal Photosynthetic Rates. *Water S.A.* 23: 233-237.
EcoReference No.: 19854
Chemical of Concern: ATZ,AZ,Cu,PL,Cd,Hg; Habitat: A; Effect Codes: PHY; Rejection Code: Less sensitive endpoint.
- Van der Heever, J. A. and Grobbelaar, J. U. (1996). The Use of *Selenastrum capricornutum* Growth Potential as a Measure of Toxicity of a Few Selected Compounds. *Water S.A.* 22: 183-191.
EcoReference No.: 18440
Chemical of Concern: ATZ,AZ,Cu,Cd,PL,Hg; Habitat: A; Effect Codes: POP; Rejection Code: Less sensitive endpoint.
- Versteeg, D. J. (1990). Comparison of Short- and Long-Term Toxicity Test Results for the Green Alga, *Selenastrum capricornutum*. In: W.Wang, J.W.Gorsuch, and W.R.Lower (Eds.), *Plants for Toxicity Assessment*, ASTM STP 1091, Philadelphia, PA 40-48.
EcoReference No.: 17639
Chemical of Concern: ATZ,CBL,SZ,PCP,Cu₂O,Cd; Habitat: A; Effect Codes: PHY,POP; Rejection Code: Less sensitive endpoint.
- Villeneuve, D. L., Coady, K., Hecker, M., Murphy, M. B., Jones, P. D., and Giesy, J. P. (2003). Methods Development for the Study of Mechanism of Action of Atrazine in Adult and Metamorphosing *Xenopus laevis* and *Rana clamitans*: Aromatase Induction. *Final Rep.MSU-01, Aquat.Toxicol.Lab., Mich.State Univ., Natl.Food Saf.and Toxicol.Ctr., E.Lansing, MI* 111 p.
EcoReference No.: 78086
Chemical of Concern: ATZ; Habitat: T; Effect Codes: BCM; Rejection Code: In White Paper on Amphibians.
- Vos, J. G., Krajnc, E. I., Beekhof, P. K., and Van Logten, M. J. (1983). Methods for Testing Immune Effects of Toxic Chemicals: Evaluation of the Immunotoxicity of Various Pesticides in the Rat. In: J.Miyamoto and P.C.Kearney (Eds.), *Pesticide Chemistry: Human Welfare and the Environment*, Volume 3, Pergamon Press, Oxford, England 497-504.
EcoReference No.: 70803
Chemical of Concern: PNB,ATZ,DDT,EN,Pb,AZ,BMY,Captan,DU,ES,Zineb,HCB,TPTH; Habitat: T; Effect Codes: GRO,BCM,PHY,CEL; Rejection Code: Terrestrial mammalian endpoints were not considered for this assessment.
- Walsh, G. E. (1981). Effects of Pesticides and Industrial Wastes on Unicellular Algae and Seagrass. In: *Research and Development: Experimental Environments Branch, Prog.Rep.for Fiscal Year 1981, Unpubl.Lab.Data, U.S.EPA, ERL-Gulf Breeze, FL* 3-26.
EcoReference No.: 4803
Chemical of Concern: ATZ,CPY,PCP; Habitat: A; Effect Codes: PHY,MOR,POP; Rejection Code: Less sensitive endpoint.
- Walsh, G. E., Hansen, D. L., and Lawrence, D. A. (1982). A Flow-Through System for Exposure of Seagrass to Pollutants. *Mar.Environ.Res.* 7: 1-11.
EcoReference No.: 11630
Chemical of Concern: PCP,ATZ; Habitat: A; Effect Codes: PHY; Rejection Code: Less sensitive endpoint.

- Walsh, G. E., McLaughlin, L. L., Yoder, M. J., Moody, P. H., Lores, E. M., Forester, J., and Wessinger-Duvall, P. B. (1988). Minutocellus Polymorphus: A New Marine Diatom for Use in Algal Toxicity Tests. *Environ.Toxicol.Chem.* 7: 925-929.
EcoReference No.: 13180
Chemical of Concern: Cd,Pb,Zn,TBT,CPY,ATZ; Habitat: A; Effect Codes: POP; Rejection Code: **Less sensitive endpoint.**
- Weiner, J. A., DeLorenzo, M. E., and Fulton, M. H. (2004). Relationship Between Uptake Capacity and Differential Toxicity of the Herbicide Atrazine in Selected Microalgal Species. *Aquat.Toxicol.* 68: 121-128.
EcoReference No.: 78648
Chemical of Concern: ATZ; Habitat: A; Effect Codes: POP,ACC; Rejection Code: **Less sensitive endpoint.**
- Wetzel, L. T., Luempert, L. G. I., Breckenridge, C. B., Tisdell, M. O., Stevens, J. T., Thakur, A. K., Extrom, P. J., and Eldridge, J. C. (1994). Chronic Effects of Atrazine on Estrus and Mammary Tumor Formation in Female Sprague-Dawley and Fischer 344 Rats. *J.Toxicol.Environ.Health* 43: 169-182.
EcoReference No.: 55538
Chemical of Concern: ATZ; Habitat: T; Effect Codes: PHY; Rejection Code: **Terrestrial mammalian endpoints were not considered for this assessment.**
- Wiegand, C., Krause, E., Steinberg, C., and Pflugmacher, S. (2001). Toxicokinetics of Atrazine in Embryos of the Zebrafish (Danio rerio). *Ecotoxicol.Environ.Saf.* 49: 199-205.
EcoReference No.: 62460
Chemical of Concern: ATZ; Habitat: A; Effect Codes: BCM,GRO; Rejection Code: **Less sensitive endpoint.**
- Wiegand, C., Pflugmacher, S., Giese, M., Frank, H., and Steinberg, C. (2000). Uptake, Toxicity, and Effects on Detoxication Enzymes of Atrazine and Trifluoroacetate in Embryos of Zebrafish. *Ecotoxicol.Environ.Saf.* 45: 122-131.
EcoReference No.: 55587
Chemical of Concern: ATZ; Habitat: A; Effect Codes: MOR,BCM,ACC; Rejection Code: **Less sensitive endpoint.**
- Wilkins, R. M. and Metcalfe, R. J. (1993). Toxicity of Soil Applied Herbicides to Brine Shrimp Larvae (Artemia salina) and Synergism with Other Pesticides. *Brighton Crop Prot.Conf.- Weeds* 1: 163-74.
EcoReference No.: 70574
Chemical of Concern: SZ,ATZ,CBF,MLN,BMC; Habitat: A; Effect Codes: MOR; Rejection Code: **Less sensitive endpoint.**
- Wong, A. T. S., Tylka, G. L., and Hartzler, R. G. (1993). Effects of Eight Herbicides on In Vitro Hatching on Heterodera glycines. *J.Nematol.* 25: 578-584.
EcoReference No.: 72076
Chemical of Concern: ATZ,Zn,ACR,BT; Habitat: T; Effect Codes: MOR; Rejection Code: **Terrestrial invertebrate endpoints were not considered for this assessment.**
- Yu, S. J. (2004). Induction of Detoxification Enzymes by Triazine Herbicides in the Fall Armyworm, Spodoptera frugiperda (J.E. Smith). *Pestic.Biochem.Physiol.* 80: 113-122.
EcoReference No.: 78019
Chemical of Concern: SZ,AMTR,CZE,ATZ; Habitat: T; Effect Codes: BCM,MOR; Rejection Code: **Terrestrial invertebrate endpoints were not considered for this assessment. No effect at any test concentration.**
- Zagorc-Koncan, J. (1996). Effects of Atrazine and Alachlor on Self-Purification Processes in Receiving Streams. *Water Sci.Technol.* 33: 181-187.
EcoReference No.: 71615

Chemical of Concern: ATZ,ACR; Habitat: A; Effect Codes: POP; Rejection Code: Less sensitive endpoint.

Zeljezic, D. and Garaj-Vrhovac, V. (2004). Genotoxicity Evaluation of Pesticide Formulations Containing Alachlor and Atrazine in Multiple Mouse Tissues (Blood, Kidney, Liver, Bone Marrow, Spleen) by Comet Assay. *Neoplasma* 51: 198-203.

EcoReference No.: 80768

Chemical of Concern: ACR,ATZ; Habitat: T; Effect Codes: MOR,CEL; Rejection Code: Terrestrial mammalian endpoints were not considered for this assessment.

Zou, E. and Bonvillain, R. (2004). Chitinase Activity in the Epidermis of the Fiddler Crab, *Uca pugilator*, as an In Vivo Screen for Molt-Interfering Xenobiotics. *Comp.Biochem.Physiol.C* 139: 225-230.

EcoReference No.: 81669

Chemical of Concern: DDT,MTPN,DLD,PMR,TBT,ATZ; Habitat: A; Effect Codes: BCM,MOR; Rejection Code: No effect at the single test concentration. Biochemical enzymatic endpoints cannot be quantitatively linked to the selected assessment endpoints.

ATRAZINE post-IREC (October 2003 - February 2006): Acceptable for ECOTOX but not OPP

Aanes, K. J. (1992). Some Pesticides Used in Norwegian Agriculture and Their Environmental Effects on Common Inhabitants in Freshwater Ecosystems. Tolerance Limits. In: A.Helweg (Ed.), *Pesticides in the Aquatic Environment.Appearance and Effects*, Nov.12-14, 1991, Tunde Landboskole, Denmark 108-131.

EcoReference No.: 19224

Chemical of Concern: DMT,ATZ,GYP,SZ,CSF,PCZ,DPP,ES,MCPA; Habitat: A; Effect Codes: MOR,SYS,BEH,GRO; Rejection Code: NO CONTROL(DMT,SZ,MCPA,ES,DPP,GYP,ATZ,CSF),ENDPOINT(PCZ).

Abe, T., Shimizu, R., Iwamura, H., and Kameya, T. (1987). Flower Induction by Atrazine Analogues in Seedlings of *Asparagus officinalis*. *Physiol.Plant.* 70: 228-230 .

EcoReference No.: 70695

Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: REP,GRO; Rejection Code: TARGET(SZ,ATZ).

Aberg, E. (1976). Effect of Triazine Herbicides on the Production of Plant Proteins. *Vaxtodling* 30: 41 p.

EcoReference No.: 71524

Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: POP,BCM; Rejection Code: TARGET(SZ,ATZ).

Abou-Waly, H., Abou-Setta, M. M., Nigg, H. N., and Mallory, L. L. (1991). Dose-Response Relationship of *Anabaena flos-aquae* and *Selenastrum capricornutum* to Atrazine and Hexazinone Using Chlorophyll(a) Content and ¹⁴C Uptake. *Aquat.Toxicol.* 20: 195-204.

EcoReference No.: 5322

Chemical of Concern: ATZ,HXZ; Habitat: A; Effect Codes: BCM; Rejection Code: NO ENDPOINT(ALL CHEMS).

Adkins, S. W., Wills, D., Boersma, M., Walker, S. R., Robinson, G., McLeod, R. J., and Einam, J. P. (1997). Weeds Resistant to Chlorsulfuron and Atrazine from the North-East Grain Region of Australia. *Weed Res.* 37: 343-349.

EcoReference No.: 72914

Chemical of Concern: ATZ; Habitat: T; Effect Codes: MOR,GRO; Rejection Code: TARGET(ATZ).

Agrawal, S. B., Tomar, G. S., and Dubey, K. M. (1994). Effect of Atrazine Under Different Nitrogen Levels on Forage Yield of Sorghum (*Sorghum bicolor* (L.) Moench). *Crop Res.* 7: 190-192.

EcoReference No.: 80148

Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO; Rejection Code: TARGET(ATZ).

- Akkanen, J. and Kukkonen, J. V. K. (2001). Effects of Water Hardness and Dissolved Organic Material on Bioavailability of Selected Organic Chemicals. *Environ.Toxicol.Chem.* 20: 2303-2208.
EcoReference No.: 63524
Chemical of Concern: PAH,ATZ; Habitat: A; Effect Codes: ACC; Rejection Code: NO CONTROL(ALL CHEMS).
- Akkanen, J., Penttinen, S., Haitzer, M., and Kukkonen, J. V. K. (2001). Bioavailability of Atrazine, Pyrene and Benzo(a)pyrene in European River Waters. *Chemosphere* 45: 453-462.
EcoReference No.: 61870
Chemical of Concern: ATZ,PAH; Habitat: A; Effect Codes: ACC; Rejection Code: NO CONTROL(ALL CHEMS).
- Alabaster, J. S. (1969). Survival of Fish in 164 Herbicides, Insecticides, Fungicides, Wetting Agents and Miscellaneous Substances. *Int.Pest Control* 11: 29-35 (Author Communication Used).
EcoReference No.: 542
Chemical of Concern: 24DXY,ATZ,CMPH,DBN,DZ,PQT,SZ,ACL,DZM,TFN,TBT,PYZ,FUR,NaPCP;
Habitat: A; Effect Codes: MOR; Rejection Code: NO CONTROL(ALL CHEMS).
- Aladesanwa, R. D., Adenawoola, A. R., and Olowolafe, O. G. (2001). Effects of Atrazine Residue on the Growth and Development of Celosia (Celosia argentea) Under Screenhouse Conditions in Nigeria. *Crop Prot.* 20: 321-324.
EcoReference No.: 79511
Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO; Rejection Code: TARGET(ATZ).
- Almeida, R. G., Florio, J. C., Spinosa, H. S., and Bernardi, M. M. (2002). Comparative Effects of Maternal Prenatal and Postnatal Exposures to Astemizole on Reproductive Parameters of Rats. *Neurotoxicol.Teratol.* 24: 255-265.
EcoReference No.: 81465; Habitat: T; Effect Codes: GRO,REP; Rejection Code: NO COC(ATZ).
- Altenburger, R., Bodeker, W., Faust, M., and Grimme, L. H. (1990). Evaluation of the Isobologram Method for the Assessment of Mixtures of Chemicals. *Ecotoxicol.Environ.Saf.* 20: 98-114.
EcoReference No.: 3023
Chemical of Concern: ATZ,AMTL,MBZ,GFS; Habitat: A; Effect Codes: PHY,GRO,REP,POP;
Rejection Code: NO CONTROL(ALL CHEMS).
- Anderson, R. L. (1990). No-Till Proso Millet Production. *Agron.J.* 82: 577-580.
EcoReference No.: 80105
Chemical of Concern: ATZ; Habitat: T; Effect Codes: POP; Rejection Code: TARGET(ATZ).
- Anderson, R. L. and Greb, B. W. (1987). Residual Herbicides for Weed Control in Proso Millet (Panicum miliaceum L.). *Crop Prot.* 6: 61-63.
EcoReference No.: 78676
Chemical of Concern: PPZ,MBZ,CZE,ATZ; Habitat: T; Effect Codes: GRO,PHY; Rejection Code: LITE EVAL CODED(PPZ),OK(ALL CHEMS),OK TARGET(ATZ).
- Anhalt, J. C., Arthur, E. L., Anderson, T. A., and Coats, J. R. (2000). Degradation of Atrazine, Metolachlor, and Pendimethalin in Pesticide-Contaminated Soils: Effects of Aged Residues on Soil Respiration and Plant Survival. *J.Environ.Sci.Health Part B* 35: 417-38.
EcoReference No.: 73903
Chemical of Concern: MTL,ATZ,PDM; Habitat: T; Effect Codes: MOR; Rejection Code: NO ENDPOINT(MTL),TARGET(ATZ).
- Antychowicz, J., Szymbor, E., and Roszkowski, J. (1979). Investigations upon the Effects of Some Pesticides on Carp (Cyprinus carpio). *Bull.Vet.Inst.Pulawy* 23: 124-130.
EcoReference No.: 6308
Chemical of Concern: ATZ,MP,PQT; Habitat: A; Effect Codes: MOR; Rejection Code: NO

ENDPOINT(ALL CHEMS).

- Appleby, A. P. and Somabhi, M. (1978). Antagonistic Effect of Atrazine and Simazine on Glyphosate Activity. *Weed Sci.* 26: 135-139.
EcoReference No.: 41478
Chemical of Concern: SZ,ATZ,GYP; Habitat: T; Effect Codes: GRO,PHY; Rejection Code: OK(ALL CHEMS),OK TARGET(ATZ,SZ).
- Applegate, V. C., Howell, J. H., Hall, A. E. Jr., and Smith, M. A. (1957). Toxicity of 4,346 Chemicals to Larval Lampreys and Fishes. *Spec.Sci.Rep.Fish.No.207, Fish Wildl.Serv., U.S.D.I., Washington, D.C.* 157 p.
EcoReference No.: 638
Chemical of Concern: 24DXY,DZ,HCCH,MLN,MP,ACL,NAA,NYP,CST,Cu,RTN,NaN₃,Ni,CuS,PCP,NaPCP,NaCr,DBAC,Zn,ATZ; Habitat: A; Effect Codes: BEH,MOR; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Arnold, G. W., Weeldenberg, J. W., and Leone, J. (1998). Herbicide Control of Exotic Annual Plant Species in *Acacia acuminata*-*Eucalyptus loxephleba* Woodland in South-Western Australia and Effects on Native Ground Flora. *Plant Prot.Q.* 13: 39-43.
EcoReference No.: 70505
Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: POP; Rejection Code: TARGET(SZ,ATZ).
- Ashton, F. M., Bisalputra, T., and Risley, E. B. (1966). Effect of Atrazine on *Chlorella vulgaris*. *Am.J.Bot.* 53: 217-219.
EcoReference No.: 18852
Chemical of Concern: ATZ; Habitat: A; Effect Codes: BCM; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Ashton, F. M., Devilliers, O. T., Glenn, R. K., and Duke, W. B. (1977). Localization of Metabolic Sites of Action on Herbicides. *Pestic.Biochem.Physiol.* 7: 122-141.
EcoReference No.: 42644
Chemical of Concern: 24DXY,ATZ,BMC,DBN,TFN,PAQT,EPTC; Habitat: T; Effect Codes: PHY,CEL,BCM; Rejection Code: NO ENDPOINT(ALL CHEMS) .
- Ashton, F. M., Gifford, E. M. Jr., and Bisalputra, T. (1963). Structural Changes in *Phaseolus Vulgaris* Induced by Atrazine I. Histological Changes. *Bot.Gaz.* 124: 329-335.
EcoReference No.: 42102
Chemical of Concern: ATZ; Habitat: T; Effect Codes: PHY; Rejection Code: NO ENDPOINT(ATZ).
- Ashton, F. M., Gifford, E. M. Jr., and Bisalputra, T. (1963). Structural Changes in *Phaseolus vulgaris* Induced by Atrazine II. Effects on Fine Structure of Chloroplasts. *Bot.Gaz.* 124: 332-343.
EcoReference No.: 27324
Chemical of Concern: ATZ; Habitat: T; Effect Codes: CEL; Rejection Code: TARGET(ATZ).
- Ashton, F. M., Penner, D., and Hoffman, S. (1968). Effect of Several Herbicides on Proteolytic Activity of Squash Seedlings. *Weed Sci.* 16: 169-171.
EcoReference No.: 43990
Chemical of Concern: TFN,EDT,24DXY,ATZ,BMC,BMN,BS,DBN,DMB; Habitat: T; Effect Codes: BCM,GRO; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Ashton, F. M. and Uribe, E. G. (1962). Effect of Atrazine on Sucrose-C14 and Serine-C14 Metabolism. *Weeds* 10: 295-297.
EcoReference No.: 30757
Chemical of Concern: ATZ; Habitat: T; Effect Codes: BCM,PHY; Rejection Code: TARGET(ATZ).
- Atkins, C. A. and Tchan, Y. T. (1967). Study of Soil Algae. VI. Bioassay of Atrazine and the Prediction of Its Toxicity in Soils Using an Algal Growth Method. *Plant Soil* 27: 432-442.

- EcoReference No.: 63367
Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO,POP; Rejection Code: TARGET(ATZ).
- Bachthaler, G. and Fischbeck, G. (1977). Zytologische Wirkungen Von Herbiziden Auf Kulturpflanzen Unter Berücksichtigung Ihres Einsatzes Bei der Erhaltungszucht. *Ber Arbeitstag Arbeitsgem Saatzuchtleiter* 28: 77.
EcoReference No.: 26484
Chemical of Concern: ATZ; Habitat: T; Rejection Code: NO FOREIGN.
- Bacon, R. K., Collins, F. C., and Lavy, T. L. (1986). Evaluation of Wheat Cultivars for Seedling Tolerance to Atrazine. *Field Crops Res.* 14: 135-139.
EcoReference No.: 79730
Chemical of Concern: ATZ; Habitat: T; Effect Codes: MOR; Rejection Code: TARGET(ATZ).
- Baker, E. A., Hayes, A. L., and Butler, R. C. (1992). Physicochemical Properties of Agrochemicals: Their Effects on Foliar Penetration. *Pestic.Sci.* 34: 167-182 .
EcoReference No.: 70752
Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: ACC; Rejection Code: TARGET(SZ,ATZ).
- Bakke, J. E., Larson, J. D., and Price, C. E. (1972). Metabolism of Atrazine and 2-Hydroxyatrazine by the Rat. *J.Agric.Food Chem.* 20: 602-607.
EcoReference No.: 81668
Chemical of Concern: ATZ; Habitat: T; Effect Codes: ACC; Rejection Code: NO CONTROL,ENDPOINT(ALL CHEMS).
- Balasubrahmanyam, V. R. and Khanduja, S. D. (1973). Effect of Foliar Sprays of Uracil, Xanthine and Caffeine on the Nucleic Acid and Protein Content of Leaves and Fruiting of Thompson Seedless Grapes (Der Einfluss von Spruhbehandlungen mit Uracil, Xanthin und Coffein auf den Nukleinsäure- und Proteingehalt der Blätter Sowie den Fruchtansatz bei Thompson-Seedless-Reben). *Vitis* 12: 100-104.
EcoReference No.: 63528
Chemical of Concern: ATZ; Habitat: T; Rejection Code: TARGET(ATZ).
- Ballhorn, L., Freitag, D., Geyer, H., Quast, I., and et al. (1984). Überprüfung der Durchführbarkeit von Prüfungsvorschriften und der Aussagekraft der Stufe I und II des E. Chem. G. *Forschungsbericht No.106 04 011/02, Umweltbundesamt Berlin (OECDG Data File)*.
EcoReference No.: 56310
Chemical of Concern: ATZ,HCCH,PCP; Habitat: T; Effect Codes: GRO; Rejection Code: NO FOREIGN.
- Balyan, R. S. and Bhan, V. M. (1989). Competing Ability of Maize, Pearl Millet, Mung bean and Cowpea with Carpetweed Under Different Weed Management Practices. *Crop Res.(Hisar)* 2: 147-153.
EcoReference No.: 79734
Chemical of Concern: ATZ; Habitat: T; Effect Codes: BCM,GRO,POP; Rejection Code: TARGET(ATZ).
- Banaszkiewicz, T., Radecki, J., and Kozaczenko, H. (1991). Atrazine and Lead Content in Maize Seedlings (Zea mays L.) Treated by Herbicide and Lead Compounds. *Acta Physiol.Plant.* 13: 91-94.
EcoReference No.: 79733
Chemical of Concern: ATZ,Pb; Habitat: T; Effect Codes: BCM,ACC; Rejection Code: TARGET(ATZ).
- Banks, K. E., Turner, P. K., Wood, S. H., and Matthews, C. (2005). Increased Toxicity to Ceriodaphnia dubia in Mixtures of Atrazine and Diazinon at Environmentally Realistic Concentrations. *Ecotoxicol.Environ.Saf.* 60: 28-36.
EcoReference No.: 76752
Chemical of Concern: ATZ,DZ; Habitat: A; Effect Codes: MOR; Rejection Code: OK(DZ),NO MIXTURE(ATZ).

- Barba, R. C. and Romanowski, R. R., Jr. (1969). Differential Phytotoxicity of Atrazine and Ametryne to Bananas. *Weed Res.* 9: 114-120.
EcoReference No.: 43360
Chemical of Concern: ATZ; Habitat: T; Effect Codes: MOR,PHY; Rejection Code: NO
ENDPOINT(ATZ).
- Bartoli, C. G., Beltrano, J., Fernandez, L. V., and Caldiz, D. O. (1993). Control of the Epiphytic Weeds *Tillandsia recurvata* and *Tillandsia aeranthos* with Different Herbicides. *For.Ecol.Manag.* 59: 289-294.
EcoReference No.: 70693
Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: POP; Rejection Code: TARGET(SZ,ATZ).
- Bathe, R., Sachsse, K., Ullmann, L., Hormann, W. D., Zak, F., and Hess, R. (1975). The Evaluation of Fish Toxicity in the Laboratory. *Proc.Eur.Soc.Toxicol.* 16: 113-124 .
EcoReference No.: 7199
Chemical of Concern: SZ,ATZ,DZ,MDT,DDT,AMTR,PRO,FMU,PPHD; Habitat: A; Effect Codes: MOR,CEL; Rejection Code: NO CONTROL(ALL CHEMS).
- Bathe, R., Ullmann, L., and Sachsse, K. (1973). Determination of Pesticide Toxicity to Fish. *Schriftenr.Ver.Wasser-Boden-Lufthyg.Berlin-Dahlem* 37: 241-256 (ENG TRANSL).
EcoReference No.: 546
Chemical of Concern: ATZ,SZ,AMTR,PMT,FMU; Habitat: A; Effect Codes: MOR; Rejection Code: NO CONTROL(ALL CHEMS).
- Bean, B. W., Piccinni, G., and Salisbury, C. D. (1999). Wheat Cultivar Tolerance to Atrazine. *J.Prod.Agric.* 12: 596-600.
EcoReference No.: 79713
Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO; Rejection Code: TARGET(ATZ).
- Beaumont, G., Bastin, R., and Therrien, H. P. (1976). Physiological Effects of Sublethal Doses of Atrazine on *Lemna minor*. II. Influence on Photosynthesis and Respiration (Effets Physiologiques de l'Atrazine A Doses Sublethales sur *Lemna minor* L. II. Influence sur la Photosynthese et sur la Respiration). *Nat.Can.* 103: 535-541(FRE) (ENG ABS).
EcoReference No.: 7346
Chemical of Concern: ATZ; Habitat: A; Effect Codes: PHY; Rejection Code: NO FOREIGN(ATZ).
- Beaumont, G., Bastin, R., and Therrien, H. P. (1978). Physiological-Effects of Sublethal Doses of Atrazine on *Lemna minor* L. 3. Soluble-Proteins and Nucleic Acids (Effets Physiologiques de l'Atrazine a Doses Sublethales sur *Lemna minor* L. III. Influence sur les Proteines Solubles et les Acides Nucleiques). *Nat.Can.* 105: 103-113 (FRE) (ENG ABS).
EcoReference No.: 6987
Chemical of Concern: ATZ; Habitat: A; Effect Codes: BCM,CEL; Rejection Code: NO
FOREIGN(ATZ).
- Beaumont, G., Bastin, R., and Therrien, H. P. (1976). Physiological Effects of Sublethal Doses of Atrazine on *Lemna minor* L. I. Influence on Growth and Chlorophyll Protein, and Total Soluble Nitrogen. *Nat.Can.* 103: 527-533(FRE)(ENG ABS).
EcoReference No.: 589
Chemical of Concern: ATZ; Habitat: A; Effect Codes: GRO; Rejection Code: NO FOREIGN(ATZ).
- Beaumont, G., Lord, A., and Grenier, G. (1980). Physiologic Effects of Atrazine at Sublethal Doses on *Lemna minor* V. Influence on Ultrastructure of Chloroplasts. *Can.J.Bot.* 58: 1571-1577 (FRE) (ENG ABS).
EcoReference No.: 6185
Chemical of Concern: ATZ; Habitat: A; Effect Codes: CEL; Rejection Code: NO FOREIGN(ATZ).
- Bednarz, T. (1981). The Evaluation of the Adaptation Ability of Some Green Algae to 2,4-D Acid, Monuron, and

- Diuron Admixtures, Under Laboratory Conditions. *Acta Hydrobiol.* 23: 251-257.
EcoReference No.: 60995
Chemical of Concern: SZ,ATZ,DU,24DXY; Habitat: A; Effect Codes: POP; Rejection Code: NO
ENDPOINT(ALL CHEMS).
- Behra, R., Genoni, G. P., and Joseph, A. L. (1999). Effect of Atrazine on Growth, Photosynthesis, and Between-Strain Variability in *Scenedesmus subspicatus* (Chlorophyceae). *Arch.Environ.Contam.Toxicol.* 37: 36-41.
EcoReference No.: 20444
Chemical of Concern: ATZ; Habitat: A; Effect Codes: PHY,POP; Rejection Code: NO
ENDPOINT(ATZ).
- Bell, A. M. and Duke, N. C. (2005). Effects of Photosystem II Inhibiting Herbicides on Mangroves-Preliminary Toxicology Trials. *Mar.Pollut.Bull.* 51: 297-307.
EcoReference No.: 78782
Chemical of Concern: DU,AMTR,ATZ; Habitat: T; Effect Codes: POP,MOR,BCM; Rejection Code: TARGET(ATZ).
- Benoit, P., Barriuso, E., and Calvet, R. (1998). Biosorption Characterization of Herbicides, 2,4-D and Atrazine, and Two Chlorophenols on Fungal Mycelium. *Chemosphere* 37: 1271-1282.
EcoReference No.: 47478
Chemical of Concern: ATZ,24DXY,24DC; Habitat: T; Effect Codes: ACC; Rejection Code: TARGET(ATZ).
- Berard, A., Rimet, F., Capowiez, Y., and Le Boulanger, C. (2004). Procedures for Determining the Pesticide Sensitivity of Indigenous Soil Algae: A Possible Bionindicator of Soil Contamination? *Arch.Environ.Contam.Toxicol.* 46: 24-31.
EcoReference No.: 73639
Chemical of Concern: ATZ; Habitat: T; Effect Codes: POP,BCM; Rejection Code: TARGET(ATZ).
- Berry, C. D. and Buchanan, G. A. (1975). Tolerance of Phalaris and Tall Fescue to Postemergence Herbicide Treatments. *Proc.South.Weed Sci.Soc.* 28: 102-110.
EcoReference No.: 41413
Chemical of Concern: TFN,ATZ,PCL,DMB,24DXY; Habitat: T; Effect Codes: MOR,PHY,GRO,POP; Rejection Code: OK TARGET(ATZ,DMB),OK(ALL CHEMS).
- Berry, C. D. and Buchanan, G. A. (1974). Tolerance of Phalaris tuberosa L. and Festuca arundinacea Schreb. to Preemergence Herbicide Treatment. *Crop Sci.* 14: 96-99.
EcoReference No.: 41566
Chemical of Concern: TFN,CPP,ACR,FMU,ATZ,SZ,PMT,VNT,NPM,DU,BS,EFS,DMB ; Habitat: T; Effect Codes: POP,PHY,MOR,REP; Rejection Code: OK TARGET(ATZ,DMB),OK(ALL CHEMS).
- Besplug, J., Filkowski, J., Burke, P., Kovalchuk, I., and Kovalchuk, O. (2004). Atrazine Induces Homologous Recombination but not Point Mutation in the Transgenic Plant-Based Biomonitoring Assay. *Arch.Environ.Contam.Toxicol.* 46: 296-300.
EcoReference No.: 74214
Chemical of Concern: ATZ; Habitat: T; Effect Codes: CEL; Rejection Code: OK TARGET(ATZ).
- Bhargava, J. N., Sharma, J. P., and Sharma, Y. P. (1987). Effect of Herbicides on the Nutrient Uptake by July Elberta Peach Trees. *Prog.Hortic.* 19: 227-230.
EcoReference No.: 80887
Chemical of Concern: ATZ,Du,OXF; Habitat: T; Effect Codes: BCM,CEL,PHY; Rejection Code: TARGET(ATZ).
- Bhutani, V. P., Bhan, S., and Chopra, S. K. (1984). The Influence of Herbicides on the Soil Microflora in a Plum Orchard. *Sci.Hortic.* 23: 191-194.
EcoReference No.: 70502

- Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: POP; Rejection Code: TARGET(SZ,ATZ).
- Biagianti-Risbourg, S. (1992). An Histo-cytological Approach to Study the Hepatic Responses of Mulletts (Teleosts) to Subacute Concentrations of Atrazine. *ASFA, 1988-12/95 CDROM, Prepared by SilverPlatter Information Inc., Updated to 12/95:AN 2849398 (ABS) / Ichthyophysiol.Acta* 15: 205-223.
EcoReference No.: 16346
Chemical of Concern: ATZ; Habitat: A; Effect Codes: CEL; Rejection Code: NO
CONTROL,ENDPOINT(ATZ).
- Biagianti, S. (1985). Ultrastructural Alterations of the Liver of Young Mulletts by a Herbicide - Atrazine (S-Triazine). *Aquat.Sci.Fish.Abstr.15(11):23639-1Q15 / Ichthyophysiol.Acta* 9: 242.
EcoReference No.: 578
Chemical of Concern: ATZ; Habitat: A; Effect Codes: PHY,CEL; Rejection Code: NO
ABSTRACT(ATZ).
- Birschbach, E. D., Myers, M. G., and Harvey, R. G. (1993). Triazine-Resistant Smooth Pigweed (*Amaranthus hybridus*) Control in Field Corn (*Zea mays* L.). *Weed Technol.* 7: 431-436.
EcoReference No.: 73999
Chemical of Concern:
MTL,ACO,ACR,BMN,LNR,PDM,PYD,THF,ATZ,BT,CZE,DMB,MBZ,DMM,SZ,24DXY; Habitat: T;
Effect Codes: POP,PHY; Rejection Code: OK TARGET(SZ,DMB,ATZ).
- Blumhorst, M. R., Weber, J. B., and Swain, L. R. (1990). Efficacy of Selected Herbicides as Influenced by Soil Properties. *Weed Technol.* 4: 279-283.
EcoReference No.: 74065
Chemical of Concern: MTL,CZE,ACR,ATZ,PDM; Habitat: T; Effect Codes: POP; Rejection Code: NO
ENDPOINT(MTL),TARGET(ATZ).
- Bogacka, T., Trzcinska, B., and Groenwald, M. (1990). Toxicity and Biodegradation of Atrazine and Symazine in Water Medium (Toksychnosc i Biodegradacja Atrazyny i Symazyny w Srodowisku Wodnym). *Bromatol.Chem.Toksykol.* 23: 26-34 (POL) (ENG ABS).
EcoReference No.: 61069
Chemical of Concern: ATZ,SZ; Habitat: A; Effect Codes: POP,MOR,PHY,GRO; Rejection Code: NO
FOREIGN.
- Bohm, H. H. and Muller, H. (1976). Model Studies on the Accumulation of Herbicides by Microalgae. *Naturwissenschaften* 63: 296.
EcoReference No.: 7729
Chemical of Concern: 24DXY,ATZ; Habitat: A; Effect Codes: ACC; Rejection Code: NO
CONTROL(ALL CHEMS).
- Bouilly, K., Leitao, A., Chaves, R., Guedes-Pinto, H., Boudry, P., and Lapegue, S. (2005). Endonuclease Banding Reveals that Atrazine-Induced Aneuploidy Resembles Spontaneous Chromosome Loss in *Crassostrea gigas*. *Genome* 48: 177-180.
EcoReference No.: 81757
Chemical of Concern: ATZ; Habitat: A; Effect Codes: CEL,REP; Rejection Code: NO
ENDPOINT(ALL CHEMS).
- Boura-Halfon, S., Rise, M., Arad (Malis), S., and Sivan, A. (1997). Characterization of Mutants of the Red Microalga *Porphyridium aeruginosum* (Rhodophyceae) Resistant to DCMU and Atrazine. *Phycologia* 36: 479-487.
EcoReference No.: 63613
Chemical of Concern: ATZ,DU; Habitat: A; Effect Codes: POP,BCM; Rejection Code: NO
ENDPOINT(ALL CHEMS).

Boutet, I., Tanguy, A., and Moraga, D. (2004). Characterisation and Expression of Four mRNA Sequences Encoding Glutathione S-Transferases pi, mu, omega and sigma Classes in the Pacific Oyster (*Crassostrea gigas*) Exposed to Hydrocarbons and Pesticides. *Mar.Biol.* 146: 53-64.

EcoReference No.: 81781

Chemical of Concern: ATZ,GYP,DU; Habitat: A; Effect Codes: CEL; Rejection Code: NO MIXTURE(ATZ).

Boutet, I., Tanguy, A., and Moraga, D. (2004). Molecular Identification and Expression of Two Non-P450 Enzymes, Monoamine Oxidase A and Flavin-Containing Monooxygenase 2, Involved in Phase I of Xenobiotic Biotransformation in the Pacific Oyster, *Crassostrea gigas*. *Biochim.Biophys.Acta* 1679: 29-36.

EcoReference No.: 78499

Chemical of Concern: GYP,ATZ,DU; Habitat: A; Effect Codes: CEL,MOR; Rejection Code: NO MIXTURE(ATZ,DU).

Bowman, M. C., Oller, W. L., Cairns, T., Gosnell, A. B., and Oliver, K. H. (1981). Stressed Bioassay Systems for Rapid Screening of Pesticide Residues. Part I: Evaluation of Bioassay Systems. *Arch.Environ.Contam.Toxicol.* 10: 9-24.

EcoReference No.: 2192

Chemical of Concern: ATZ,CBL,HgCl₂,DLD,PRN,Maneb; Habitat: A; Effect Codes: MOR; Rejection Code: NO CONTROL(ALL CHEMS).

Bowran, D. G. (1993). Tolerance of Crop Legumes and Pastures to Herbicides. In: J.Dodd, R.J.Martin, and K.M.Howes (Eds.), *Management of Agricultural Weeds in Western Australia*, Dep.Agric., Western Australia, Bull.No.4243 173-178.

EcoReference No.: 72748

Chemical of Concern: ATZ; Habitat: T; Effect Codes: POP; Rejection Code: TARGET(ATZ).

Boydston, R. A. and Slife, F. W. (1986). Alterations of Atrazine Uptake and Metabolism by Tridiphane in Giant Foxtail *Setaria faberi* and Corn (*Zea mays*). *Weed Sci.* 34: 850-858.

EcoReference No.: 80070

Chemical of Concern: ATZ; Habitat: T; Effect Codes: BCM,POP,PHY; Rejection Code: TARGET(ATZ).

Bradley, P. R., Johnson, W. G., and Smeda, R. J. (2000). Response of Sorghum (*Sorghum bicolor*) to Atrazine, Ammonium Sulfate, and Glyphosate. *Weed Technol.* 14: 15-18.

EcoReference No.: 59354

Chemical of Concern: ATZ,GYP; Habitat: T; Effect Codes: GRO; Rejection Code: TARGET(ATZ).

Braginskii, L. P. and Migal, A. K. (1973). Effect of Atrazine on the Vital Activity of Some Aquatic Plants. *Exp.Water Toxicol.(Eksp.Vodn.Toksikol.)* 5: 179-187 (RUS) (ENG ABS).

EcoReference No.: 8775

Chemical of Concern: ATZ; Habitat: A; Effect Codes: PHY; Rejection Code: NO FOREIGN(ATZ).

Braunbeck, T. (1994). Detection of Environmentally Relevant Concentrations of Toxic Organic Compounds Using Histological and Cytological Parameters: Substance-Specificity in the Reaction of Rainbow Trout Liver? In: R.Muller and R.Lloyd (Eds.), *Sublethal and Chronic Effects of Pollutants on Freshwater Fish*, Chapter 2, Fishing News Books, London 15-29.

EcoReference No.: 18554

- Chemical of Concern: ATZ,DS,DZ,LNR; Habitat: A; Effect Codes: CEL; Rejection Code: NO ENDPOINT(ATZ).
- Brewer, P. E. and Slife, F. W. (1979). Soybeans (Glycine Max) as a Rescue Crop Following Cyanazine and Procyazine Application. *Weed Sci.* 27: 263-266.
- EcoReference No.: 42826
Chemical of Concern: ATZ,CZE; Habitat: T; Effect Codes: POP,PHY; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Bridges, D. C. (1998). Differential Tolerance of Wild Radish and Canola to Herbicides. In: *G.D.Buntin (Ed.), Res.Bull.No.435, Assessment of Crop Protectants for Use in Canola, Univ.of Ga., Athens, GA* 32-33.
- EcoReference No.: 73098
Chemical of Concern: ATZ,BT; Habitat: T; Effect Codes: POP; Rejection Code: TARGET(ATZ).
- Bridges, D. C. and Murphy, T. R. (1998). Canola Tolerance to Residues from Spring-Applied Herbicides. In: *G.D.Buntin (Ed.), Res.Bull.No.435, Assessment of Crop Protectants for Use in Canola, Univ.of Ga., Athens, GA* 29-32.
- EcoReference No.: 73100
Chemical of Concern: ATZ,DU; Habitat: T; Effect Codes: POP,PHY; Rejection Code: TARGET(ATZ).
- Bridges, D. C. and Raymer, P. L. (1998). Response of Canola Cultivars and Wild Radish to Atrazine. In: *G.D.Buntin (Ed.), Res.Bull.No.435, Assessment of Crop Protectants for Use in Canola, Univ.of Ga., Athens, GA* 34-36.
- EcoReference No.: 73096
Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO; Rejection Code: TARGET(ATZ).
- Bringmann, G. and Kuhn, R. (1977). Limiting Values for the Damaging Action of Water Pollutants to Bacteria (*Pseudomonas putida*) and Green Algae (*Scenedesmus quadricauda*) in the Cell Multiplication Inhibition Test. *Wasser-Abwasser-Forsch.*10(3/4):87-98 (GER) (ENG ABS) / TR-80-0400, TR-78-0043, Literature Research Company (GER)(ENG TRANSL)(OECD Data File).
- EcoReference No.: 7453
Chemical of Concern: CBL,HCCH,NaCr,CN,FUR,CuS,BZO,As,Ni,Cd,Se,ATZ,Pb,AMSV,NaBr; Habitat: A; Effect Codes: POP; Rejection Code: NO FOREIGN(ALL CHEMS).
- Bringmann, G. and Kuhn, R. (1978). Limiting Values for the Noxious Effects of Water Pollutant Material to Blue Algae (*Microcystis aeruginosa*) and Green Algae (*Scenedesmus quadricauda*) in Cell Propagation Inhibition Tests (Grenzwerte der Schadwirkung Wassergefahrdender Stoffe Gegen Blaualgen (*Microcystis aeruginosa*) und Grunalgen (*Scenedesmus quadricauda*) im Zellvermehrungshemmtest). *Vom Wasser* 50: 45-60.
- EcoReference No.: 19121
Chemical of Concern: ATZ,CBL,HCCH,NaCr,CN,FUR,CuS,BZO,As,Ni,Zn,Ag,Cd,Pb,AMSV,NaBr,Se; Habitat: A; Effect Codes: POP; Rejection Code: NO FOREIGN(ALL CHEMS).
- Bringmann, G. and Kuhn, R. (1978). Testing of Substances for Their Toxicity Threshold: Model Organisms *Microcystis* (*Diplocystis*) *aeruginosa* and *Scenedesmus quadricauda*. *Mitt.Int.Ver.Theor.Angew.Limnol.* 21: 275-284 (Author Communication Used).
- EcoReference No.: 15134
Chemical of Concern:
Be,Cd,Ag,CuS,Ni,SFL,HgCl₂,ATZ,LNR,Pb,CN,DNT,24DC,FRN,PL,CBZ,MCRE,ETHB,FUR,NBZ,PHT

H,3CE,NP,AN,CBL,CF,HCCH,ATC,Urea,CTC,NaCr,Cu,BZO,As,Se,AMSV,NaBr; Habitat: A; Effect Codes: POP; Rejection Code: NO ENDPOINT(ALL CHEMS).

Brinkman, M. A., Langer, D. K., Harvey, R. G., and Hardie, A. R. (1980). Response of Oats to Atrazine. *Crop Sci.* 20: 185-189.

EcoReference No.: 29472

Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO,PHY,POP; Rejection Code: TARGET(ATZ).

Britson, C. A. and Threlkeld, S. T. (2000). Interactive Effects of Anthropogenic, Environmental, and Biotic Stressors on Multiple Endpoints in *Hyla chrysoscelis*. *J.Iowa Acad.Sci.* 107: 61-66.

EcoReference No.: 69857

Chemical of Concern: ATZ,CPY,Hg; Habitat: A; Effect Codes: GRO,MOR,POP; Rejection Code: NO ENDPOINT(ALL CHEMS).

Brooks, D. R., Clark, S. J., Perry, J. N., Bohan, D. A., Champion, G. T., Firbank, L. G., Houghton, A. J., Hawes, C., Heard, M. S., and Woiwod, I. P. (2005). Invertebrate Biodiversity in Maize Following Withdrawal of Triazine Herbicides. *Proc.R.Soc.Lond.Ser.B* 272: 1497-1502.

EcoReference No.: 81778

Chemical of Concern: ATZ; Habitat: T; Rejection Code: NO CONTROL(ALL CHEMS).

Brown, S. M., Chandler, J. M., and Morrison, J. E. Jr. (1987). Weed Control in a Conservation Tillage Rotation in the Texas Blacklands. *Weed Sci.* 35: 695-699.

EcoReference No.: 78601

Chemical of Concern: PPZ,OYZ,CBF,GYP,ATZ,FZF,MTL,PQT,BMN; Habitat: T; Effect Codes: POP; Rejection Code: NO CONTROL(ALL CHEMS,TARGET-ATZ).

Bruce, J. A., Penner, D., and Kells, J. J. (1993). Absorption and Activity of Nicosulfuron and Primisulfuron in Quackgrass (*Elytrigia repens*) as Affected by Adjuvants. *Weed Sci.* 41: 218-224.

EcoReference No.: 80058

Chemical of Concern: NSF,PMS,ATZ; Habitat: T; Effect Codes: POP,MOR; Rejection Code: TARGET(ATZ).

Bruggemann, R., Schwaiger, J., and Negele, R. D. (1995). Applying Hasse Diagram Technique for the Evaluation of Toxicological Fish Tests. *Chemosphere* 30: 1767-1780.

EcoReference No.: 16035

Chemical of Concern: ATZ,LNR,CBZ; Habitat: A; Effect Codes: CEL,BCM; Rejection Code: NO CONTROL(ALL CHEMS).

Bucher, A. S. and Schenk, M. K. (1999). Influence of Additional Cd and Cu Supply on Zn Toxicity in Compost-Peat Substrates (Einfluss von Zusatzlicher Cd- und Cu-Belastung auf die Toxizität von Zn in Kompost-Torf-Substraten). *Gartenbauwissenschaft* 64: 241-246.

EcoReference No.: 69288

Chemical of Concern: Cu,Zn,Cd,ATZ; Habitat: T; Rejection Code: TARGET(ATZ).

Bucholtz, D. L. and Lavy, T. L. (1978). Pesticide Interactions in Oats (*Avena sativa* L. 'Neal'). *J.Agric.Food* 26: 520-524.

EcoReference No.: 43477

- Chemical of Concern: ATZ,DU,ACR,PRT,TFN; Habitat: T; Effect Codes: PHY,GRO; Rejection Code: LITE EVAL CODED(PRT),OK(ALL CHEMS),OK TARGET(ATZ).
- Buhler, D. D. and Daniel, T. C. (1988). Influence of Tillage Systems on Giant Foxtail, *Setaria faberi* and Velvetleaf, *Abutilon theophrasti*, Density and Control in Corn, *Zea mays*. *Weed Sci.* 36: 642-647.
- EcoReference No.: 74056
Chemical of Concern: MTL,ATZ,PDM,CZE; Habitat: T; Effect Codes: POP; Rejection Code: NO MIXTURE(MTL,ATZ).
- Buhler, D. D., Doll, J. D., Proost, R. T., and Visocky, M. R. (1995). Integrating Mechanical Weeding with Reduced Herbicide Use in Conservation Tillage Corn Production Systems. *Agron.J.* 87: 507-512.
- EcoReference No.: 73980
Chemical of Concern: MTL,CZE,ATZ; Habitat: T; Effect Codes: POP; Rejection Code: OK(MTL),TARGET(ATZ).
- Bultelle, F., Panchout, M., Leboulenger, F., and Danger, J. M. (2002). Identification of Differentially Expressed Genes in *Dreissena polymorpha* Exposed to Contaminants. *Mar.Environ.Res.* 54: 385-389.
- EcoReference No.: 81466
Chemical of Concern: ATZ; Habitat: A; Effect Codes: CEL; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Burnet, M. W. M., Hart, Q., Holtum, J. A. M., and Powles, S. B. (1994). Resistance to Nine Herbicide Classes in a Population of Rigid Ryegrass (*Lolium rigidum*). *Weed Sci.* 42: 369-377.
- EcoReference No.: 70736
Chemical of Concern: SZ,ATZ,SXD,IZP; Habitat: T; Effect Codes: GRO,PHY; Rejection Code: TARGET(SZ,SXD,IZP,ATZ).
- Burnet, M. W. M., Hildebrand, O. B., Holtum, J. A. M., and Powles, S. B. (1991). Amitrole, Triazine, Substituted Urea, and Metribuzin Resistance in a Biotype of Rigid Ryegrass (*Lolium rigidum*). *Weed Sci.* 39: 317-323.
- EcoReference No.: 70098
Chemical of Concern: SZ,ATZ,MBZ,DMM,SXD,PPZ,AMTL,CZE,PRO,AMTR,DU,FMU,MTZ,CSF,GYP,OXF; Habitat: T; Effect Codes: MOR,PHY; Rejection Code: LITE EVAL CODED(PPZ),OK(ALL CHEMS),OK TARGET(SZ,SXD,ATZ).
- Burnside, O. C. and Moomaw, R. S. (1975). Sorghum Growth as Affected by Annual Applications of Atrazine. *Weed Sci.* 23: 494-498.
- EcoReference No.: 41714
Chemical of Concern: ATZ; Habitat: T; Effect Codes: PHY,POP; Rejection Code: OK TARGET(ATZ).
- Burnside, O. C., Wicks, G. A., and Fenster, C. R. (1964). Influence of Tillage, Row Spacing and Atrazine on Sorghum and Weed Yields from Nonirrigated Sorghum Across Nebraska. *Weeds* 12: 211-215.
- EcoReference No.: 42119
Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO; Rejection Code: OK TARGET(ATZ).
- Busey, P., Broschat, T. K., and Johnston, D. L. (2003). Injury to Landscape and Vegetable Plants by Volatile Turf Herbicides. *Horttechnology* 13: 650-653.
- EcoReference No.: 81733

- Chemical of Concern: ATZ,MCPA,24DP,MCP; Habitat: T; Effect Codes: GRO; Rejection Code: OK(ALL CHEMS),OK TARGET(ATZ).
- Bush, P. B. and Ries, S. K. (1974). Effect of Atrazine on Elongation of the Embryonic Axis of Red Kidney Bean. *Weed Sci.* 22: 227-229.
- EcoReference No.: 43399
Chemical of Concern: ATZ; Habitat: T; Rejection Code: OK TARGET(ATZ).
- Butler, G. L., Deason, T. R., and O'Kelley, J. C. (1975). Loss of Five Pesticides from Cultures of Twenty-One Planktonic Algae. *Bull.Environ.Contam.Toxicol.* 13: 149-152 .
- EcoReference No.: 60703
Chemical of Concern: DZ,ATZ,MXL,24DXY; Habitat: A; Effect Codes: ACC; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Butler, P. A. (1965). Commercial Fishery Investigations. In: *Effects of Pesticides on Fish and Wildl.Circ.226, U.S.D.I., Washington, D.C.* 65-77.
- EcoReference No.: 807
Chemical of Concern: ATZ,BS,CMFH,DU,HCC,MLT,PMT,PRT,ACL,NTP,PCLK; Habitat: A; Effect Codes: GRO,MOR,BEH; Rejection Code: NO CONTROL(ALL CHEMS).
- Campbell, M. H. (1990). Distribution, Ecology and Control of Cassinia arcuata (Sifton Bush) in New South Wales. *Aust.J.Exp.Agric.* 30: 215-220.
- EcoReference No.: 70755
Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: POP,MOR; Rejection Code: TARGET(SZ,ATZ).
- Carson, A. G. and Bandeen, J. D. (1975). Chemical Control of Canada Thistle. *Weed Sci.* 23: 116-118.
- EcoReference No.: 43665
Chemical of Concern: 24DXY,DMB,ATZ; Habitat: T; Effect Codes: POP; Rejection Code: OK TARGET(ATZ,DMB),OK(ALL CHEMS).
- Casale, W. L. and Hart, L. P. (1986). Influence of Four Herbicides on Carpogenic Germination and Apothecium Development of Sclerotinia sclerotiorum. *Phytopathology* 76: 980-984.
- EcoReference No.: 70651
Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: POP; Rejection Code: TARGET(SZ,ATZ).
- Caux, P. Y. and Kent, R. (1996). Towards the Development of a Site-Specific Water Quality Objective for Atrazine in the Yamaska River, Quebec for the Protection of Aquatic Life. In: *Haya,K.and A.J.Niimi (Eds.), Proc.22nd Annual Aquatic Toxicity Workshop, Oct.2-4, 1995, St.Andrews, New Brunswick, Can.Tech.Rep.Fish.Aquat.Sci.No.2093* 18 (ABS).
- EcoReference No.: 17625
Chemical of Concern: ATZ; Habitat: A; Effect Codes: POP; Rejection Code: NO ABSTRACT(ATZ).
- Cellier, K. M. and Stephens, C. G. (1980). Effect of Weed Control and Fertilizer Placement on the Establishment and Early Growth of Pinus radiata in Southern Australia. *Aust.For.Res.* 10: 361-369.
- EcoReference No.: 71353
Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO; Rejection Code: TARGET(ATZ).

Cervelli, S., Ciardi, C., and Perna, A. (1982). Effect of Atrazine on Soil Transformations of Nitrogen and Uptake by Corn. *J.Environ.Qual.* 11: 82-86.

EcoReference No.: 71011

Chemical of Concern: ATZ; Habitat: T; Effect Codes: BCM; Rejection Code: TARGET(ATZ).

Chadhokar, P. A. and Mani, V. S. (1972). Effect of Herbicides on Weed Control and Grain Production in Sorghum. *Int.J.Agric.Sci.* 42: 610-613.

EcoReference No.: 41360

Chemical of Concern: SZ,ATZ,PPZ,24DXY; Habitat: T; Effect Codes: POP,GRO; Rejection Code: LITE EVAL CODED(PPZ),OK TARGET(ATZ,SZ),OK(ALL CHEMS).

Challa, P. (1987). Chemical Weed Control in Grape (*Vitis vinifera* L.) Nurseries. *Pesticides* 21: 27-29.

EcoReference No.: 70684

Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: GRO; Rejection Code: TARGET(SZ,ATZ).

Chalupsky, J. Jr. (1989). The Influence of Zeazin 50 on Enchytraeidae (Oligochaeta) in an Apple Orchard Soil. *Pedobiologia* 33 : 361-371.

EcoReference No.: 63329

Chemical of Concern: ATZ; Habitat: T; Effect Codes: POP; Rejection Code: NO ENDPOINT(ATZ).

Charles, G. W. (1997). Herbicide Strategies for Reducing Nutgrass (*Cyperus rotundus* L.) Density in Cotton (*Gossypium hirsutum* L.). *Aust.J.Exp.Agric.* 37: 231-241.

EcoReference No.: 73428

Chemical of Concern: 24DXY,PDM,GYP,ATZ,DU,NFZ,IZP; Habitat: T; Effect Codes: GRO; Rejection Code: NO COC(MTL),TARGET(IZP,ATZ).

Cherifi, M., Raveton, M., Picciocchi, A., Ravanel, P., and Tissut, M. (2001). Atrazine Metabolism in Corn Seedlings. *Plant Physiol.Biochem.* 39: 665-672.

EcoReference No.: 63267

Chemical of Concern: ATZ; Habitat: T; Effect Codes: BCM; Rejection Code: TARGET(ATZ).

Christin, M. S., Menard, L., Gendron, A. D., Ruby, S., Cyr, D., Marcogliese, D. J., Rollins-Smith, L., and Fournier, M. (2004). Effects of Agricultural Pesticides on the Immune System of *Xenopus laevis* and *Rana pipiens*. *Aquat.Toxicol.* 67: 33-43.

EcoReference No.: 72734

Chemical of Concern: MBZ,ATZ,ES,HCCH,DLD,ADC; Habitat: A; Effect Codes: CEL,MOR; Rejection Code: NO MIXTURE(MBZ,ATZ,ES,HCCH,DLD,ADC).

Clay, S. A., Clay, D. E., Koskinen, W. C., and Berg, R. K. Jr. (1998). Application Method: Impacts on Atrazine and Alachlor Movement, Weed Control, and Corn Yield in Three Tillage Systems. *Soil Tillage Res.* 48: 215-224.

EcoReference No.: 63170

Chemical of Concern: ACR,ATZ; Habitat: T; Effect Codes: POP; Rejection Code: TARGET(ATZ).

Cole, A. W. and Coats, G. E. (1973). Tall Morningglory Germination Response to Herbicides and Temperature. *Weed Sci.* 21: 443-446.

EcoReference No.: 41496

- Chemical of Concern: ATZ,BMC,DU,SZ,MBZ,TRB,TFN,EPTC,NPM,DCPA; Habitat: T; Effect Codes: REP,GRO; Rejection Code: OK TARGET(ATZ,SZ),OK(ALL CHEMS).
- Conner, A. J. and Christey, M. C. (1997). A Seed Treatment for Eliminating Non-hybrid Plants when Using Atrazine Resistance as a Genetic Marker for Hybrid Seed Production. *Ann.Bot.* 80: 561-564.
- EcoReference No.: 67128
Chemical of Concern: ATZ; Habitat: T; Effect Codes: REP; Rejection Code: TARGET(ATZ).
- Coote, D. R. and Saidak, W. J. (1984). Influence of Herbicide Use and Inter-Row Tillage on Corn Yields and Soil Conditions. *Can.J.Plant Sci.* 64: 405-409.
- EcoReference No.: 44130
Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO; Rejection Code: OK TARGET(ATZ).
- Copping, L. G., Davis, D. E., and Pillai, C. G. P. (1972). Growth Regulator-Like Activity of Atrazine and Ametryne. *Weed Sci.* 20: 274-277.
- EcoReference No.: 43280
Chemical of Concern: ATZ; Habitat: T; Effect Codes: REP; Rejection Code: TARGET(ATZ).
- Corkern, C. B., Jordan, D. L., Griffin, J. L., Vidrine, P. R., Williams, B. J., and Reynolds, D. B. (1999). Influence of Adjuvants on Interactions of Sethoxydim with Selected Broadleaf Herbicides Used in Corn (*Zea mays*). *Weed Technol.* 13: 821-824 .
- EcoReference No.: 63264
Chemical of Concern: ATZ,24DXY,BMN,BT,SXD; Habitat: T; Effect Codes: POP; Rejection Code: NO CONTROL(TARGET-SXD),MIXTURE(24DXY,BMN,BT,TARGET-ATZ).
- Cossarini-Dunier, M. (1987). Effects of the Pesticides Atrazine and Lindane and of Manganese Ions on Cellular Immunity of Carp, *Cyprinus carpio*. *J.Fish Biol.* 31: 67-73.
- EcoReference No.: 6236
Chemical of Concern: HCCH,ATZ; Habitat: A; Effect Codes: MOR; Rejection Code: OK(HCCH),NO IN VITRO(ATZ).
- Costa, J. and Appleby, A. P. (1976). Response of Two Yellow Nutsedge Varieties to Three Herbicides. *Weed Sci.* 24: 54-58.
- EcoReference No.: 41686
Chemical of Concern: 24DXY,ATZ; Habitat: T; Effect Codes: POP,GRO,BCM; Rejection Code: OK(ALL CHEMS),OK TARGET(ATZ).
- Couch, R. W., Gramlich, J. V., Davis, D. E., and Funderburk, H. H. Jr. (1965). The Metabolism of Atrazine and Simazine by Soil Fungi. *Proc.South.Weed Conf.* 18: 623-631 .
- EcoReference No.: 57169
Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: PHY; Rejection Code: NO ENDPOINT(SZ),TARGET(ATZ).
- Court de Billot, M. R. and Nel, P. C. (1978). Effect of Atrazine and Cyanazine on the Composite Lines and Crosses of Three Maize Hybrids. *Gewasprod Crop Prod* 7: 181-183.
- EcoReference No.: 26548
Chemical of Concern: ATZ; Habitat: T; Rejection Code: TARGET(ATZ).

Court de Billot, M. R. and Nel, P. C. (1977). Metolachlor Herbicide Injury to Waxy Maize as Affected by Temperature, Seed Size and Planting Depth. *Crop Prod.* 6: 73-76.

EcoReference No.: 26546

Chemical of Concern: MTL,ATZ; Habitat: T; Effect Codes: GRO,POP; Rejection Code: NO MIXTURE(MTL,ATZ).

Crafts, A. S. and Yamaguchi, S. (1964). The Autoradiography of Plant Materials. *Manual 35, The Autoradiography of Plant Materials, Calif.Agric.Exp.Stn., Davis, CA* 143 p.

EcoReference No.: 72130

Chemical of Concern: 24DXY,ATZ,PCP,SZ,Zn; Habitat: T; Effect Codes: GRO,ACC,BCM; Rejection Code: NO CONC(SZ),ENDPOINT(ALL CHEMS,TARGET-ATZ).

Creager, R. A. (1990). Control of Young Mediterranean Saltwort (*Salsola vermiculata*) with Postemergence Herbicides. *Weed Technol.* 4: 376-379.

EcoReference No.: 70416

Chemical of Concern: SZ,ATZ,IZP,DMB; Habitat: T; Effect Codes: MOR,GRO; Rejection Code: TARGET(SZ,DMB,IZP,ATZ).

Crisinel, A., Delaunay, L., Rossel, D., Tarradellas, J., Meyer, H., Saiah, H., Vogel, P., Delisle, C., and Blaise, C. (1994). Cyst-Based Ecotoxicological Tests Using Anostracans: Comparison of Two Species of *Streptocephalus*. *Environ.Toxicol.Water Qual.* 9: 317-326.

EcoReference No.: 17289

Chemical of Concern: Cd,ATZ,HCCH,MLN,TBT,Cu,CuS,PCP,PL,Zn,Cr,Cd; Habitat: A; Effect Codes: MOR,PHY; Rejection Code: NO CONTROL(ALL CHEMS).

Crowley, R. H., Teem, D. H., Buchanan, G. A., and Hoveland, C. S. (1979). Responses of *Ipomoea* spp. and *Cassia* spp. to Preemergence Applied Herbicides. *Weed Sci.* 27: 531-535.

EcoReference No.: 41464

Chemical of Concern: ATZ,DU,DMM,ACR,LNR,MBZ,NFZ,PMT; Habitat: T; Effect Codes: POP; Rejection Code: NO ENDPOINT,CONTROL(ALL CHEMS).

Culpepper, A. S. and York, A. C. (1999). Weed Management in Glufosinate-Resistant Corn (*Zea mays*). *Weed Technol.* 13: 324-333.

EcoReference No.: 74064

Chemical of Concern: MTL,ATZ,AMTR,NSF,GFS; Habitat: T; Effect Codes: POP; Rejection Code: NO MIXTURE(MTL,ATZ).

Curic, S., Gojmerac, T., and Zuric, M. (1999). Morphological Changes in the Organs of Gilts Induced with Low-Dose Atrazine. *Vet.Arhiv.* 69: 135-148.

EcoReference No.: 79706

Chemical of Concern: ATZ; Habitat: T; Effect Codes: PHY,CEL; Rejection Code: NO ENDPOINT(ALL CHEMS).

Currie, R. S., Li, Y. Z., and Liang, G. H. (1996). Cytological and Morphological Effects of Atrazine and Propazine Application on Grain Sorghum. *Cytologia* 61: 359-363 .

EcoReference No.: 78696

Chemical of Concern: PPZ,ATZ; Habitat: T; Effect Codes: CEL,GRO,PHY; Rejection Code: LITE EVAL CODED(PPZ),OK(ALL CHEMS),OK TARGET(ATZ).

Damalas, C. A. and Eleftherohorinos, I. G. (2001). Dicamba and Atrazine Antagonism on Sulfonylurea Herbicides Used for Johnsongrass (*Sorghum halepense*) Control in Corn (*Zea mays*). *Weed Technol.* 15: 62-67.

EcoReference No.: 67057

Chemical of Concern: ATZ,DMB; Habitat: T; Effect Codes: POP; Rejection Code: TARGET(DMB,ATZ).

Daris, B. T., Papadopoulou, C., Kelperis, J., and Grimanis, A. P. (1970). Herbicide Influence on the Arsenic Uptake of Grapes. A Study by Neutron Activation Analysis. *Proc.Br.Weed Control Conf.* 10: 429-433.

EcoReference No.: 44496

Chemical of Concern: As,ATZ; Habitat: T; Effect Codes: ACC,BCM; Rejection Code: OK TARGET(ATZ).

Darwazeh, H. A. and Mulla, M. S. (1974). Toxicity of Herbicides and Mosquito Larvicides to the Mosquito Fish *Gambusia affinis*. *Mosq.News* 34: 214-219 (Also Used ECOREF 2131, 2894) (Author Communication Used).

EcoReference No.: 6210

Chemical of Concern: ATZ,CPY,PMT,SZ,PPZ; Habitat: A; Effect Codes: MOR; Rejection Code: NO CONTROL(SZ,ATZ),ENDPOINT(PPZ),OK(CPY).

Davis, D. E., Gramlich, J. V., and Funderburk, H. H., Jr. (1965). Atrazine Absorption and Degradation by Corn, Cotton and Soybeans. *Weeds* 13: 252-255.

EcoReference No.: 27794

Chemical of Concern: ATZ; Habitat: T; Rejection Code: TARGET(ATZ).

Davis, M. A., Jardine, D. J., and Todd, T. C. (1994). Selected Pre-emergent Herbicides and Soil pH Effect on Seedling Blight of Grain Sorghum. *J.Prod.Agric.* 7: 269-276.

EcoReference No.: 73920

Chemical of Concern: MTL,ATZ,ACR; Habitat: T; Effect Codes: POP; Rejection Code: NO MIXTURE(MTL,ATZ).

Davis, P. M. and Coleman, S. (1997). Managing Corn Rootworms: (Coleoptera Chrysomelidae) on Dairy Farms: The Need for a Soil Insecticide. *J.Econ.Entomol.* 90: 205-217 .

EcoReference No.: 73930

Chemical of Concern: CPY,TFT,TBO,ACR,ATZ,PDM,MTL,DMB,CZE; Habitat: T; Effect Codes: POP,GRO; Rejection Code: NO MIXTURE(MTL),TARGET(DMB,ATZ).

De Arevalo, R. C. G., Lusarreta, C. A., Neyra, C. B., Sanchez, M. A., and Algarra, P. J. H. (1992). Chemical Control of Annual Weeds in Field Beans (*Vicia faba*) in Central Spain. *Weed Sci.* 40: 96-100.

EcoReference No.: 70089

Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: MOR,POP,REP; Rejection Code: TARGET(SZ,ATZ).

De Jong, F. M. W. and De Haes, H. A. U. (2001). Development of a Field Bioassay for the Side-Effects of Herbicides on Vascular Plants Using *Brassica napus* and *Poa annua*. *Environ.Toxicol.* 16: 397-407.

EcoReference No.: 69331

Chemical of Concern: ATZ,BT,GYP; Habitat: T; Effect Codes: GRO,POP; Rejection Code: TARGET(ATZ).

De Prado, R., Dominguez, C., and Tena, M. (1989). Characterization of Triazine-Resistant Biotypes of Common Lambsquarters (*Chenopodium album*), Hairy Fleabane (*Conyza bonaeriensis*) and Yellow Foxtail (*Setaria glauca*) Found in Spain. *Weed Sci.* 37: 1-4 .

EcoReference No.: 70088

Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: GRO,PHY; Rejection Code: TARGET(SZ,ATZ).

De Prado, R., Dominguez, C., and Tena, M. (1993). Triazine Resistance in Biotypes of *Solanum nigrum* and Four *Amaranthus* Species Found in Spain. *Weed Res.* 33: 17-24.

EcoReference No.: 70746

Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: PHY,GRO; Rejection Code: TARGET(SZ,ATZ).

De Prado, R., Lopez-Martinez, N., and Gonzalez-Gutierrez, J. (2000). Identification of Two Mechanisms of Atrazine Resistance in *Setaria faberi* and *Setaria viridis* Biotypes. *Pestic.Biochem.Physiol.* 67: 114-74.

EcoReference No.: 71388

Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO,ACC,BCM; Rejection Code: TARGET(ATZ).

Dean, J. V., Gronwald, J. W., and Anderson, M. P. (1991). Glutathione-S-Transferase Activity in Nontreated and CGA-154281-Treated Maize Shoots. *Z.Naturforsch.Sect.C* 46: 850-855.

EcoReference No.: 73904

Chemical of Concern: MTL,ATZ; Habitat: T; Effect Codes: BCM; Rejection Code: NO ENDPOINT,CONTROL(MTL),TARGET(ATZ).

Declaire, M., De Cat, W., and Bastin, R. (1976). Rapid Detection of Various Kinds of Herbicides in Water by the In Vivo Determination of Nitrate Reductase Activity in *Lemna minor* L. (Detection Rapide de Divers Herbicides dans l'eau par la Mesure In Vivo de l'Activite de la Nitrate Reductase de *Lemna minor* L.). *Z.Pflanzenphysiol.Bodenkd.* 77: 315-322 (FRE) (ENG ABS).

EcoReference No.: 61796

Chemical of Concern: ACR,PCH,PPN,DBN,PHMD,BMC,TRB,PAQT,TFN,ATZ,PMT,SZ,FMU; Habitat: A; Rejection Code: NO FOREIGN.

Delmonte, A. A., Bedmar, F., Mantecon, J. D., Echeverria, H., and Barassi, C. A. (1997). Residual Phytotoxicity and Chemical Persistence of Atrazine in Soils of the Southeast of Buenos Aires Province, Argentina. *J.Environ.Biol.* 18: 201-207.

EcoReference No.: 48625

Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO; Rejection Code: TARGET(ATZ).

DePrado R., E.Romera, and J.Menendez (1995). Atrazine Detoxification in *Panicum dichotomiflorum* and Target Site *Polygonum lapathifolium*. *Pestic.Biochem.Physiol.* 52: 1-11.

EcoReference No.: 78787

Chemical of Concern: ATZ; Habitat: T; Effect Codes: ACC,BCM,GRO,PHY; Rejection Code: TARGET(ATZ).

Dest, W. M., Peters, R. A., and Barrett, M. (1976). The Control of Crabgrass and Redroot Pigweed in Silage Corn. *Proc.Northeast.Weed Sci.Soc.* 30: 55-58.

EcoReference No.: 40803

- Chemical of Concern: ATZ,ACR,PDM,24DXY,EPTC,BTY,CZE; Habitat: T; Effect Codes: POP; Rejection Code: OK(CZE,PDM),OK TARGET(ATZ),NO MIXTURE(BTY,EPTC,24DXY,ACR).
- DeVos, S., De Bosscher, K., Staels, B., Bauer, E., Roels, F., Berghe, W. V., Haegeman, G., Hooghe, R., and Hooghe-Peters, E. L. (2003). Inhibition of Cytokine Production by the Herbicide Atrazine. Search for Nuclear Receptor Targets. *Biochem.Pharmacol.* 65: 303-308.
- EcoReference No.: 81464
Chemical of Concern: ATZ; Habitat: T; Effect Codes: CEL,PHY; Rejection Code: NO
ENDPOINT(ATZ).
- Diawara, M. M. and Banks, P. A. (1990). Weed Control in Barley (*Hordeum vulgare*): No-Till Grain Sorghum (*Sorghum bicolor*) Production. *Weed Sci.* 38: 50-53.
- EcoReference No.: 73760
Chemical of Concern: MTL,PPZ,DMB,24DXY,MBZ,OYZ,PAQT,ATZ; Habitat: T; Effect Codes: POP; Rejection Code: LITE EVAL CODED(PPZ),OK(ALL CHEMS),OK TARGET(DMB,ATZ).
- Dickens, R., Sharpe, S. S., and Turner, D. L. (1989). Herbicide Effects on Tensile Strength and Rooting of Zoysiagrass Sod. *J.Prod.Agric.* 2: 369-373.
- EcoReference No.: 70519
Chemical of Concern: SZ,ATZ,SXD; Habitat: T; Effect Codes: GRO,PHY; Rejection Code: TARGET(SZ,SXD,ATZ).
- Dixon, D., Cole, D. J., and Edwards, R. (1997). Characterisation of Multiple Glutathione Transferases Containing the GST I Subunit with Activities Toward Herbicide Substrates in Maize (*Zea mays*). *Pestic.Sci.* 50: 72-82.
- EcoReference No.: 73901
Chemical of Concern: ATZ,ACR,MTL; Habitat: T; Effect Codes: BCM; Rejection Code: NO
ENDPOINT,CONTROL(MTL),TARGET(ATZ).
- Dixon, D. P., Edwards, R., and Cole, D. J. (1997). Regulation of Maize Glutathione Transferases During Development and Their Induction by Xenobiotics. In: *The 1997 Brighton Crop Prot.Conf.- Weeds* 759-764.
- EcoReference No.: 73420
Chemical of Concern: ATZ,24DXY,ACR; Habitat: T; Effect Codes: BCM; Rejection Code: NO
COC(MTL),TARGET(ATZ).
- Djurkic, M., Knezevic, M., and Ostojic, Z. (1997). Effect of Rimsulfuron Application on Weeds in Maize Inbred Lines in Croatia. *Cereal Res.Commun.* 25: 203-209.
- EcoReference No.: 73941
Chemical of Concern: RIM,MTL,ATZ; Habitat: T; Effect Codes: POP; Rejection Code: NO
MIXTURE(MTL,ATZ).
- Dotray, P. A. and McKenney, C. B. (1996). Established and Seeded Buffalograss Tolerance to Herbicides Applied Preemergence. *Hortscience* 31: 393-395.
- EcoReference No.: 76103
Chemical of Concern:
QNC,PPZ,MBZ,LNR,DMB,CZE,ACR,SZ,PRM,PDM,OYZ,MTL,DU,DTP,PPN,ATZ; Habitat: T; Effect Codes: PHY,POP; Rejection Code: LITE EVAL CODED(PPZ),OK(ALL CHEMS),OK
TARGET(DMB,ATZ),NO COC(BZO).

Dunachie, J. F. and Fletcher, W. W. (1970). The Toxicity of Certain Herbicides to Hens' Eggs Assessed by the Egg-Injection Technique. *Ann.Appl.Biol.* 66: 515-520.

EcoReference No.: 81159

Chemical of Concern: ATZ,BMN,DMB,DPP,DQTBBr,LNR,MCPA,MCPB,MCPB,PAQT,PCP,SZ,24DXY;
Habitat: T; Effect Codes: MOR; Rejection Code: NO ENDPOINT(ALL CHEMS).

Dupont, S. and Khan, S. U. (1993). Bound and Extractable 14C Residues in Canola (Brassica napus) Plants Treated with Radiolabelled Atrazine. *Weed Res.* 33: 9-16.

EcoReference No.: 79715

Chemical of Concern: ATZ; Habitat: T; Effect Codes: BCM; Rejection Code: TARGET(ATZ).

Eadie, A. G., Swanton, C. J., Shaw, J. E., and Anderson, G. W. (1992). Banded Herbicide Applications and Cultivation in a Modified No-Till Corn (Zea mays) System. *Weed Technol.* 6: 535-542.

EcoReference No.: 70990

Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO; Rejection Code: TARGET(ATZ).

Eastin, E. F. and Davis, D. E. (1971). Effects of Atrazine and Hydroxyatrazine on Nitrogen Metabolism of Selected Species. *Weeds* 15: 306-309.

EcoReference No.: 30096

Chemical of Concern: ATZ; Habitat: T; Rejection Code: TARGET(ATZ).

Eberbach, P. L. and Douglas, L. A. (1991). Effect of Herbicide Residues in a Sandy Loam on the Growth, Nodulation and Nitrogenase Activity (C₂H₂/C₂H₄) of Trifolium subterraneum. *Plant Soil* 131: 67-76.

EcoReference No.: 79710

Chemical of Concern: ATZ,AMTL,24DXY,DQT,DFPM,PAQT,TFN; Habitat: T; Effect Codes: GRO,BCM; Rejection Code: TARGET(ATZ).

Ebert, E. and Van Assche, C. J. (1969). Influence of Atrazine (2-Chloro-4-Ethylamino-6-Isopropylamino-s-Triazine) on Auxin Metabolism of Plants. *Experientia* 25: 758-759.

EcoReference No.: 69325

Chemical of Concern: ATZ; Habitat: T; Effect Codes: BCM; Rejection Code: NO ENDPOINT(ALL CHEMS,TARGET-ATZ).

Edwards, C. A. (1993). Effects of Herbicides on Soil and Surface-Inhabiting Invertebrates. *Brighton Crop Prot.Conf.- Weeds* 1: 133-138.

EcoReference No.: 71319

Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: POP; Rejection Code: NO ENDPOINT(ALL CHEMS).

Edwards, R. and Owen, W. J. (1986). Comparison of Glutathione S-Transferases of Zea mays Responsible for Herbicide Detoxification in Plants and Suspension-Cultured Cells. *Planta* 169: 208-215.

EcoReference No.: 74057

Chemical of Concern: MTL,ATZ; Habitat: T; Effect Codes: BCM,ACC; Rejection Code: NO IN VITRO(MTL),ENDPOINT(TARGET-ATZ).

Edwards, R. and Owen, W. J. (1988). Regulation of Glutathione S-Transferases of Zea mays in Plants and Cell Cultures. *Planta (Berl.)* 175: 99-106.

- EcoReference No.: 81002
Chemical of Concern: ATZ,MTL; Habitat: T; Effect Codes: BCM; Rejection Code: OK
TARGET(ATZ),OK(ALL CHEMS).
- Egaas, E. (2000). Effects of Atrazine, Endosulfan and Butylated Hydroxyanisole on Glutathione-S-Transferases in *Orthosia gothica*. *Comp.Biochem.Physiol.C* 127: 117-122.
- EcoReference No.: 57017
Chemical of Concern: ATZ,ES; Habitat: A; Effect Codes: GRO,BCM; Rejection Code: NO
ENDPOINT(ALL CHEMS).
- Einhellig, F. A. (1996). Interactions Involving Allelopathy in Cropping Systems. *Agron.J.* 88: 886-893.
- EcoReference No.: 79958
Chemical of Concern: ACR,SLA,ATZ; Habitat: T; Effect Codes: GRO,BCM; Rejection Code:
TARGET(ATZ).
- Eisenbrand, G., Ungerer, O., and Preussmann, R. (1975). Formation of N-Nitroso Compounds from Agricultural Chemicals and Nitrite. *I.A.R.C (Int.Agency Res.Cancer) Sci.Publ.* 9: 71-74.
- EcoReference No.: 72101
Chemical of Concern: SZ,CBL,ATZ,Ziram,PPX; Habitat: T; Effect Codes: PHY; Rejection Code: NO
IN VITRO(SZ,CBL,PPX,ATZ),OK(Ziram).
- El-Nawawy, A. S., Zein, A. A., Ashri, M. A., Tag El-Din, A., Kadous, E. A., El-Deeb, S., and Mineesy, F. (1977). The Phytotoxidal Effects of Certain Herbicides on Young Citrus Seedlings. *Meded.Fac.Landbouwk.Rijksuniv.Gent* 42: 949-55.
- EcoReference No.: 70862
Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: GRO,BCM; Rejection Code:
TARGET(SZ,ATZ).
- El-Shal, S. A., El-Banna, E. S., and Fathi, M. A. (1993). Effect of Some Pre-emergence Herbicides on Weed Control and Growth of MM106 Apple Rootstock in Nursery. *Egypt.J.Hortic.* 20: 293-306.
- EcoReference No.: 70434
Chemical of Concern: SZ,ATZ; Habitat: T; Rejection Code: NO MIXTURE(SZ),TARGET(ATZ).
- Ellgehausen, H., Guth, J. A., and Esser, H. O. (1980). Factors Determining the Bioaccumulation Potential of Pesticides in the Individual Compartments of Aquatic Food Chains. *Ecotoxicol.Envirion.Saf.* 4: 134-157.
- EcoReference No.: 6458
Chemical of Concern: 24DXY,ATZ,MTL; Habitat: A; Effect Codes: ACC; Rejection Code: NO
CONTROL(ALL CHEMS).
- Emmerich, H. (1942). Der Einfluss Zusatzlicher Wirkstoffbehandlung Auf Wachstum und Entwicklung der Pflanzen. *Jar Wis Bot* 90: 99-140.
- EcoReference No.: 29457
Chemical of Concern: ATZ; Habitat: T; Rejection Code: NO FOREIGN.
- Engel, R. E., Funk, C. R., and Kinney, D. A. (1968). Effect of Varied Rates of Atrazine and Simazine on the Establishment of Several Zoysia Strains. *Agron.J.* 60: 261-262 .
- EcoReference No.: 72169
Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: POP,REP; Rejection Code:

TARGET(SZ,ATZ).

Eno, C. F. (1962). The Effect of Simazine and Atrazine on Certain of the Soil Microflora and Their Metabolic Processes. *Soil Crop Sci.Soc.Fla.Proc.* 22: 49-56.

EcoReference No.: 68156

Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: POP,GRO; Rejection Code: OK
TARGET(SZ,ATZ).

Entry, J. A. (1999). Influence of Nitrogen on Atrazine and 2, 4 Dichlorophenoxyacetic Acid Mineralization in Blackwater and Redwater Forested Wetland Soils. *Biol.Fertil.Soils* 29: 348-353.

EcoReference No.: 67410

Chemical of Concern: ATZ,24DXY; Habitat: T; Effect Codes: POP; Rejection Code: TARGET(ATZ).

Entry, J. A., Donelly, P. K., and Emmingham, W. H. (1994). Microbial Mineralization of Atrazine and 2,4-Dichlorophenoxyacetic Acid in Riparian Pasture and Forest Soils. *Biol.Fertil.Soils* 18: 89-94.

EcoReference No.: 67407

Chemical of Concern: ATZ,24DXY; Habitat: T; Effect Codes: PHY,POP; Rejection Code:
TARGET(ATZ).

EPA/OTS (1987). Assessments of the Feasibility and Evidence of Test Methods of Levels I and II of the Chemicals Act on Thiourea. *Doc.#FYI-OTS-0787-0551* 213 p. (NTIS/OTS0000551-0).

EcoReference No.: 78669

Chemical of Concern: BNZ,3CE,PCP,ATZ,HCCH,4NP; Habitat: AT; Effect Codes:
GRO,POP,MOR,BEH; Rejection Code: NO CONTROL(ALL CHEMS).

EPA/OTS (1987). Unpublished Information on 4-Chloro-2-Methylaniline and Thiourea with Attachments and Cover Letter Dated 060187. *EPA/OTS Doc.#FYI-OTS-0687-0551*.

Chemical of Concern: ATZ,PCP; Habitat: T; Rejection Code: TARGET(ATZ).

Ernst, W. and et al. (1987). Entwicklung eines Bioakkumulationstests mit der Muschel *Mytilus edulis*. *Umweltforschungsplan des Bundesministers des Innern.Umweltchemikalien.Forschungsbericht 106-020-24/05 (OECDG Data File)*.

EcoReference No.: 56332

Chemical of Concern: ATZ,DBN,HCCH,PCP; Habitat: A; Effect Codes: ACC; Rejection Code: NO
FOREIGN.

Erturk, H. and Walker, P. N. (2003). Effect of Atrazine on Algal Contamination and Sugarcane Shoots During Photoautotrophic Micropropagation. *Trans.ASAE (Am.Soc.Agric.Eng)* 45: 189-191.

EcoReference No.: 79739

Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO,MOR,BCM; Rejection Code:
TARGET(ATZ).

Ezra, G., Dekker, J. H., and Stephenson, G. R. (1985). Tridiphane as a Synergist for Herbicides in Corn (*Zea mays*) and Proso Millet (*Panicum miliaceum*). *Weed Sci.* 33: 287-290.

EcoReference No.: 44216

Chemical of Concern: ATZ,ACR; Habitat: T; Effect Codes: GRO; Rejection Code: NO
ENDPOINT(TARGET-ATZ).

Fairchild, J. F., Ruessler, S. D., Nelson, M. K., and Carlson, A. R. (1994). An Aquatic Risk Assessment of Four Herbicides Using Six Species of Algae and Five Species of Aquatic Macrophytes. *Presented at the 1994 Meet. of the Soc. of Environ. Toxicol. Chem.*, Oct.30-Nov.3, 1994, Denver, CO 8 p.

EcoReference No.: 61707

Chemical of Concern: ATZ,ACR,MTL,MBZ,DMM; Habitat: A; Effect Codes: POP,GRO,SYS; Rejection Code: NO CONTROL(ALL CHEMS).

Farenhorst, A., Tomlin, A. D., and Bowman, B. T. (2003). Impact of Herbicide Application Rates and Crop Residue Type on Earthworm Weights. *Bull. Environ. Contam. Toxicol.* 70: 477-484.

EcoReference No.: 73543

Chemical of Concern: MTL,ATZ; Habitat: T; Effect Codes: GRO; Rejection Code: NO MIXTURE(MTL,ATZ).

Faust, M., Altenburger, R., Boedeker, W., and Grimme, L. H. (1993). Additive Effects of Herbicide Combinations on Aquatic Non-target Organisms. *Sci. Total Environ. (Suppl.)* 941-951.

EcoReference No.: 4332

Chemical of Concern: 24DXY,ATZ,BT,GYP,SZ,TRL; Habitat: A; Effect Codes: POP; Rejection Code: NO CONTROL(ALL CHEMS).

Fay, P. K., Hunt, J. F., Duke, W. B., and Lucey, R. F. (1974). Quackgrass Control the Season After Glyphosate Application in Three Agronomic Crops. *Proc. Northeast. Weed Sci. Soc.* 28: 87-92.

EcoReference No.: 25326

Chemical of Concern: GYP,ATZ,ACR,LNR,MBZ,DMM; Habitat: T; Effect Codes: POP; Rejection Code: TARGET(ATZ).

Fedtko, C. (1991). Mode of Action Studies with Mefenacet. *Pestic. Sci.* 33: 421-426 .

EcoReference No.: 73931

Chemical of Concern: MTL,GYP,SXD,HFP,PCP,ATZ,ACR,BTC,DU,CPP,BSF,PAQT; Habitat: A; Effect Codes: GRO; Rejection Code: NO CONTROL(ALL CHEMS) .

Feese, H. and Wilde, G. (1975). Planting Time Applications of Systemic Insecticides on Grain Sorghum for Greenbug Control. Interactions with Herbicides and Effect on Predators (Hemiptera (Homoptera): Aphididae). *J. Kans. Entomol. Soc.* 48: 396-402 .

EcoReference No.: 78658

Chemical of Concern: ATZ,PPZ,PRT,DS,CBF,PCH; Habitat: T; Effect Codes: MOR; Rejection Code: OK(PCH,CBF,DS),NO MIXTURE(PPZ,ATZ),OK TARGET(PRT).

Felix, H. R., Chollet, R., and Harr, J. (1988). Use of the Cell Wall-Less Alga *Dunaliella bioculata* in Herbicide Screening Tests . *Ann. Appl. Biol.* 113: 55-60.

EcoReference No.: 13100

Chemical of Concern: 24DXY,ACR,ATZ,DBN,DU,GYP,NFZ,OXF,OYZ,TFN,SXD,ASM,AMTL,PAQT,NFZ,EPTC,FZFB,ACF,CSF; Habitat: A; Effect Codes: MOR,POP; Rejection Code: NO ENDPOINT(ALL CHEMS).

Ferrari, G., Nardi, S., Cacco, G., and Dell'Agnola, G. (1981). Sulfate Transport of Excised Roots as an Index of Genotype Response to Herbicides. *Physiol. Plant.* 52: 29-32.

EcoReference No.: 74961

Chemical of Concern: MLT,PPN,ATZ; Habitat: T; Effect Codes: CEL; Rejection Code: NO

ENDPOINT,DURATION(MTL),TARGET(ATZ).

Fink, R. J. and Fletchall, O. H. (1967). The Influence of Atrazine or Simazine on Forage Yield and Nitrogen Components of Corn. *Weeds* 15: 272-274.

EcoReference No.: 43378

Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: PHY,GRO; Rejection Code: OK
TARGET(ATZ,SZ).

Finke, R. L., Warner, R. L., and Muzik, T. J. (1977). Effect of Herbicides on In Vivo Nitrate and Nitrite Reduction. *Weed Sci.* 25: 18-22.

EcoReference No.: 42823

Chemical of Concern:

24DXY,ATZ,BMC,DU,SZ,BMN,DMB,TRB,TFN,CNR,CZE,MTZ,AMTL,CPP,IPN,MCPA,HgCl₂,PCL,PPZ; Habitat: T; Effect Codes: BCM; Rejection Code: OK
TARGET(ATZ,SZ,DMB),OK(24DXY,BMC,DU,BMN,TRB,TFN,LNR,CZE,MTZ,AMTL,CPP,IPN,MCPA,HgCl₂,PCL),NO ENDPOINT(AMTR,PPZ).

Fischer, E. (1989). Effects of Atrazine and Paraquat-Containing Herbicides on Eisenia foetida (Annelida, Oligochaeta). *Zool.Anz.* 223: 291-300.

EcoReference No.: 61719

Chemical of Concern: ATZ,PAQT; Habitat: T; Effect Codes: MOR,GRO; Rejection Code: NO
ENDPOINT(ATZ),OK(ALL CHEMS).

Fitzgerald, C. H., Richards, R. F., Selden, C. W., and May, J. T. (1975). Three Year Effects of Herbaceous Weed Control in a Sycamore Plantation. *Weed Sci.* 23: 32-35.

EcoReference No.: 41357

Chemical of Concern: SZ,ATZ,AMTR; Habitat: T; Effect Codes: POP,PHY,MOR,GRO; Rejection Code: OK
TARGET(ATZ,SZ),OK(ALL CHEMS).

Fitzgerald, C. H. and Selden III, C. W. (1973). Effects of Herbaceous Weed Control in a Yellow Poplar Plantation - I. *Proc.South.Weed Sci.Soc.* 26: 288-293.

EcoReference No.: 41361

Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: POP,GRO; Rejection Code: OK
TARGET(SZ,ATZ).

Fleming, A. A., Banks, P. A., and Legg, J. G. (1988). Differential Response of Maize Inbreds to Bentazon and Other Herbicides. *Can.J.Plant Sci.* 68: 501-508.

EcoReference No.: 73255

Chemical of Concern: MTL,ATZ,BT; Habitat: T; Effect Codes: GRO,MOR; Rejection Code: LITE
EVAL CODED(MTL),TARGET(ATZ).

Fletcher, R., Reynoldson, T. B., and Taylor, W. D. (2001). The Use of Benthic Mesocosms for the Assessment of Sediment Contamination. *Environ.Pollut.* 115: 173-182.

EcoReference No.: 62287

Chemical of Concern: Cd,ATZ; Habitat: A; Effect Codes: POP; Rejection Code: NO ENDPOINT(ALL CHEMS).

Flocco, C. G., Lindblom, S. D., and Smits, E. A. (2004). Overexpression of Enzymes Involved in Glutathione Synthesis Enhances Tolerance to Organic Pollutants in Brassica juncea. *Int.J.Phytoremed.* 6: 289-304.

- EcoReference No.: 80772
Chemical of Concern: ATZ,MTL; Habitat: T; Effect Codes: GRO,BCM; Rejection Code: TARGET(ATZ).
- Foes, M. J., Liu, L., Tranel, P. J., Wax, L. M., and Stoller, E. W. (1998). A Biotype of Common Waterhemp (*Amaranthus rudis*) Resistant to Triazine and ALS Herbicides. *Weed Sci.* 46: 514-520.
- EcoReference No.: 66147
Chemical of Concern: ATZ,FTS,THF,IZT; Habitat: T; Effect Codes: BCM; Rejection Code: OK(ALL CHEMS),OK TARGET(ATZ).
- Forcella, F. (1987). Herbicide Resistant Crops: Yield Penalties and Thresholds for Oilseed Rape (*Brassica napus* L.). *Weed Res.* 27: 31-34.
- EcoReference No.: 72301
Chemical of Concern: ATZ; Habitat: T; Effect Codes: POP; Rejection Code: TARGET(ATZ).
- Foster, T. S. and Khan, S. U. (1976). Metabolism of Atrazine by the Chicken. *J.Agric.Food Chem.* 24: 566-570.
- EcoReference No.: 36661
Chemical of Concern: ATZ,DIATZ,DEATZ; Habitat: T; Effect Codes: ACC,GRO,REP; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Foster, T. S., Morley, H. V., Purkayastha, R., Greenhalgh, R., and Hunt, J. R. (1972). Residues in Eggs and Tissues of Hens Fed a Ration Containing Low Levels of Pesticides with and Without Charcoal. *J.Econ.Entomol.* 65: 982-988.
- EcoReference No.: 81780
Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO,BEH,MOR; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Foy, C. L. and Penner, D. (1965). Effect of Inhibitors and Herbicides on Tricarboxylic Acid Cycle Substrate Oxidation by Isolated Cucumber Mitochondria. *Weeds* 13: 226-231.
- EcoReference No.: 42287
Chemical of Concern: ATZ,DU,DBN,DMB; Habitat: T; Effect Codes: PHY; Rejection Code: NO IN VITRO.
- Francis, B. M., Lampman, R. L., and Metcalf, R. L. (1985). Model Ecosystem Studies of the Environmental Fate of Five Herbicides Used in Conservation Tillage. *Arch.EnvIRON.Contam.Toxicol.* 14: 693-704.
- EcoReference No.: 49310
Chemical of Concern: ACR,ATZ,LNR,OYZ,PAQT; Habitat: A; Effect Codes: ACC; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Frank, R., Sirons, G. J., and Anderson, G. W. (1983). Atrazine: The Impact of Persistent Residues in Soil on Susceptible Crop Species. *Can.J.Soil Sci.* 63: 315-325 .
- EcoReference No.: 41150
Chemical of Concern: ATZ; Habitat: T; Effect Codes: PHY,ACC; Rejection Code: OK TARGET(ATZ).
- Frans, R., McClelland, M., Jordan, D., and Carey, F. (1991). Herbicide Trials on Field Crops 1990. *Ark.Agric.Exp.Stn.Res.Ser.* 1-88.
- EcoReference No.: 73743

Chemical of Concern:

ACF,CLT,CMZ,CZE,FZF,FMU,FSF,HFP,IMQ,IZT,LCF,MTZ,MBZ,DMM,MSMA,BMN,BT,DMB,24DXY,ATZ,ACR,PDM,DU,OXF,LNR,PMT,MTL,PAQT,NSF,NFZ,PYD,SXD,THFM,TFN,24DB; Habitat: T; Effect Codes: POP,PHY; Rejection Code: OK(MTL),TARGET(SXD,DMB,ATZ).

Frans, R., McClelland, M., Smith, C., and Jordan, D. (1993). Herbicide Trials on Field Crops, 1992. *Ark.Agric.Exp.Stn.Res.Ser.* 427: 1-63.

EcoReference No.: 73962

Chemical of Concern:

MTL,PYD,SYD,PMT,TFN,PMD,24DXY,24BF,QZF,PAQT,OXF,NFZ,ACF,ACR,ATZ,BT,BMN,CRM,CLT,CMZ,CZE,DU,FZFP,FMU,FSF,IMQ,IZT,LCF,FNP,LNR,MTZ,MBZ,MSMA,NSF; Habitat: T; Effect Codes: POP,PHY; Rejection Code: NO MIXTURE(MTL),OK(24DXY),TARGET(ATZ).

Frans, R. E., Richardson, J. T., and Gordon, E. C. (1977). Herbicide Field Evaluation Trials on Field Crops, 1976. *Mimeogr.Ser.Ark.Agric.Exp.Stn.* 249: 33 p.

EcoReference No.: 78899

Chemical of Concern: PPZ,BT,DU,ACR,LNR,ATZ; Habitat: T; Effect Codes: PHY,GRO; Rejection Code: OK(ALL CHEMS),OK TARGET(ATZ).

Freeman, J. A. (1967). The Effects of Applying Paraquat, Atrazine, and Simazine for Weed Control in Raspberries in Coastal British Columbia. *Can.J.Plant Sci.* 47: 25-31.

EcoReference No.: 28198

Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: POP; Rejection Code: TARGET(SZ,ATZ).

Friesel, P., Hansen, P. D., Kuhn, R., and Trenel, J. (1984). Überprüfung der Durchführbarkeit von Prüfungsvorschriften und der Aussagekraft der Stufe 1 und 2 des Chemikaliengesetzes - Teil IV. *Forschungsvorhaben 106 04 011/08, Umweltbundesamt Berlin (OECDG Data File)*.

EcoReference No.: 56339

Chemical of Concern: ATZ,HCCH; Habitat: T; Effect Codes: GRO; Rejection Code: NO FOREIGN.

Froment, M. A. and Doney, J. (1999). Effect of Atrazine Herbicide Applied to Forage Maize on the Survival of Undersown Italian Ryegrass (*Lolium multiflorum*) Cover Crops. *Ann.Appl.Biol.* 134: 28-29.

EcoReference No.: 66214

Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO,POP; Rejection Code: TARGET(ATZ).

Froment, M. A. and Peel, S. (1998). Tolerance of Italian Ryegrass Varieties (*Lolium multiflorum*) to Atrazine Herbicide. *Ann.Appl.Biol.* 132: 30-31.

EcoReference No.: 66215

Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO,POP; Rejection Code: TARGET(ATZ).

Fuerst, E. P., Arntzen, C. J., Pfister, K., and Penner, D. (1986). Herbicide Cross-Resistance in Triazine-Resistant Biotypes of Four Species. *Weed Sci.* 34: 344-353.

EcoReference No.: 72067

Chemical of Concern: ATZ,BMC,MBZ,LNR,PMB,BMN,BT,PMT,DU,TET,DMM; Habitat: T; Effect Codes: PHY; Rejection Code: TARGET(ATZ).

Fuerst, E. P., Sterling, T. M., Norman, M. A., Prather, T. S., Irzyk, G. P., Wu, Y., Lownds, N. K., and Callihan, R. H. (1996). Physiological Characterization of Picloram Resistance in Yellow Starthistle. *Pestic.Biochem.Physiol.* 56: 149-161.

- EcoReference No.: 78786
Chemical of Concern: PCL,ATZ; Habitat: T; Effect Codes: ACC,BCM,GRO; Rejection Code: TARGET(ATZ).
- Fukushima, T., Kato, M., Adachi, T., Hamada, Y., Horimoto, M., Komiyama, M., Mori, C., and Horii, I. (2005). Effects of Sulfasalazine on Sperm Acrosome Reaction and Gene Expression in the Male Reproductive Organs of Rats. *Toxicol.Sci.* 85: 675-682 .
- EcoReference No.: 80511; Habitat: T; Effect Codes: REP; Rejection Code: NO COC(ATZ).
- Funderburk, H. H. Jr. and Davis, D. E. (1963). The Metabolism of C14 Chain-and Ring-Labeled Simazine by Corn and the Effect of Atrazine on Plant Respiratory Systems. *Weeds* 11: 101-104.
- EcoReference No.: 44065
Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: PHY; Rejection Code: NO ENDPOINT(ATZ,SZ).
- Gaines, T. B. and Linder, R. E. (1986). Acute Toxicity of Pesticides in Adult and Weanling Rats. *Fundam.Appl.Toxicol.* 7: 299-308.
- EcoReference No.: 71303
Chemical of Concern: PNB,EDT,RSM,SZ,DDT,ATZ,DMB,PYZ,TCMTB; Habitat: T; Effect Codes: MOR; Rejection Code: NO CONTROL(ALL CHEMS).
- Ganassi, S., Mola, L., Bonvicini Pagliai, A. M., and Fratello, B. (1996). Effects of Atrazine on Corn Aphids. *Ital.J.Zool.* 63: 47-51.
- EcoReference No.: 79708
Chemical of Concern: ATZ; Habitat: T; Effect Codes: PHY,CEL; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Garcia-Baudin, J. M., Lansac, A. R., Ayerbe, L., Tenorio, J. L., and Cadahia, E. (1985). Use of Substituted Urea Herbicides for Weed Control in Euphorbia lathyris L., a Potential Fuel-Producing Crop. *Weed Res.* 25: 319-322.
- EcoReference No.: 70747
Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: POP; Rejection Code: TARGET(SZ,ATZ).
- Garcinuno, R. M., Fernandez-Hernando, P., and Camara, C. (2003). Evaluation of Pesticide Uptake by Lupinus Seeds. *Water Res.* 37: 3481-3489.
- EcoReference No.: 69589
Chemical of Concern: ATZ,SZ,CBL,FMP,PMR,LNR; Habitat: T; Effect Codes: ACC; Rejection Code: NO ENDPOINT,CONTROL(MTL),TARGET(ATZ).
- Gardner, G., Sanborn, J. R., and Goss, J. R. (1987). N-Alkylaryltriazine Herbicides: A Possible Link Between Triazines and Phenylureas. *Weed Sci.* 35: 763-769.
- EcoReference No.: 78600
Chemical of Concern: ATZ,DU; Habitat: T; Effect Codes: PHY; Rejection Code: NO ENDPOINT,CONTROL(ALL CHEMS,TARGET-ATZ),COC(PPZ).
- Gaskins, M. H. and Winters, H. F. (1962). Herbicide Trials with Young Tropical and Subtropical Fruit and Nut Trees. *Fla.State Hortic.Soc.* 75: 418-420.

- EcoReference No.: 43803
Chemical of Concern: ATZ,DU; Habitat: T; Effect Codes: GRO; Rejection Code: OK(ALL CHEMS),OK TARGET(ATZ).
- Gaynor, J. D. and Hamill, A. S. (1993). Timing of Atrazine Application for Control of Quackgrass (*Agropyron repens*). *Phytoprotection* 74: 89-99.
- EcoReference No.: 79724
Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO,POP; Rejection Code: TARGET(ATZ).
- Gentner, W. A. (1964). Herbicidal Activity of Several S-Triazines as Postemergence Sprays. *Weeds* 12: 115-117.
- EcoReference No.: 42147
Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: MOR,PHY; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Gevao, B., Mordaunt, C., Semple, K. T., Pearce, T. G., and Jones, K. C. (2001). Bioavailability of Nonextractable (Bound) Pesticide Residues to Earthworms. *Environ.Sci.Technol.* 35: 501-507.
- EcoReference No.: 58681
Chemical of Concern: ATZ,DMB; Habitat: T; Effect Codes: ACC; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Geyer, H., Politzki, G., and Freitag, D. (1984). Prediction of Ecotoxicological Behaviour of Chemicals: Relationship Between N-Octanol/Water Partition Coefficient and Bioaccumulation of Organic Chemicals by Alga *Chlorella*. *Chemosphere* 13: 269-284 .
- EcoReference No.: 11297
Chemical of Concern: PCP,24DXY,BZO,CYP,PNB,ATZ,CBL,DBN,HCCH; Habitat: A; Effect Codes: ACC; Rejection Code: NO CONTROL(ALL CHEMS).
- Ghabbour, S. I. and Imam, M. (1967). The Effect of Five Herbicides on Three Oligochaete Species. *Rev.Ecol.Biol.Sol* 4: 119-122.
- EcoReference No.: 57068
Chemical of Concern: SZ,ATZ,24DXY; Habitat: T; Effect Codes: MOR; Rejection Code: NO ENDPOINT,CONTROL(ALL CHEMS).
- Giardina, M. C., De Agazio, M., Giardi, M. T., and Buffone, R. (1983). Potassium Uptake in Atrazine-Treated Roots of Sensitive and Resistant Plants. *Pestic.Biochem.Physiol.* 19: 11-14.
- Chemical of Concern: ATZ; Habitat: T; Rejection Code: TARGET(ATZ).
- Gill, H. S., Brar, L. S., and Walla, U. S. (1987). Comparative Bioefficacy of New Brand Formulations of Atrazine and Simazine for Weed Control in Maize. *J.Res.Punjab Agric.Univ.* 24: 209-214.
- EcoReference No.: 70498
Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: POP,GRO; Rejection Code: TARGET(SZ,ATZ).
- Gill, H. S., Sandhu, K. S., Mehra, S. P., and Singh, T. (1988). Residual Effect of Simazine and Atrazine Applied to Maize on Succeeding Field and Vegetable Crops. *J.Res.Punjab Agric.Univ.* 25: 175-180.
- EcoReference No.: 70812
Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: GRO,POP; Rejection Code: TARGET(SZ,ATZ).

Gill, H. S., Thind, I. S., and Walia, U. S. (1985). Chemical Weed Control in Pearl Millet for Fodder. *Pesticides* 19: 47-48.

EcoReference No.: 70907

Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: POP; Rejection Code: TARGET(SZ,ATZ).

Gill, H. S., Walia, U. S., and Thind, I. S. (1987). Chemical Weed Control in Sorghum ('Jowar') Fodder. *J.Res.Punjab Agric.Univ.* 24: 15-18.

EcoReference No.: 70809

Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: POP; Rejection Code: TARGET(SZ,ATZ).

Glenn, S., Phillips II, W. H., and Kalnay, P. (1997). Long-Term Control of Perennial Broadleaf Weeds and Triazine-Resistant Common Lambsquarters (*Chenopodium album*) in No-Till Corn (*Zea mays*). *Weed Technol.* 11: 436-443.

EcoReference No.: 73807

Chemical of Concern: PMS,PQT,ATZ,NSF,24DXY,DMB; Habitat: T; Effect Codes: POP; Rejection Code: NO COC(MTL),MIXTURE(24DXY),TARGET(DMB,ATZ).

Gluth, G., Freitag, D., Hanke, W., and Korte, F. (1985). Accumulation of Pollutants in Fish. *Comp.Biochem.Physiol.C* 81: 273-277.

EcoReference No.: 11206

Chemical of Concern: ATZ,PCP; Habitat: A; Effect Codes: ACC; Rejection Code: NO CONTROL(ALL CHEMS).

Gode, P., Gerike, P., Keck, E., and Steber, J. (1984). Überprüfung der Durchführbarkeit von Prüfvorschriften und der Aussagekraft der Stufen 1 und 2 des Chem. -Gesetzes -Teil IV. *Forschungsbericht Nr.106 04 011/06, Umweltbundesamt Berlin (OECDG Data File).*

EcoReference No.: 56342

Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO; Rejection Code: NO FOREIGN.

Gogoi, A. K., Pathak, A. K., Deka, J., and Kalita, H. (1991). Pre-emergence Herbicides for Weed Control in Potato (*Solanum tubersum*). *Indian J.Agron.* 36: 313-314 .

EcoReference No.: 73958

Chemical of Concern: MTL,ATZ,TBC; Habitat: T; Effect Codes: POP; Rejection Code: LITE EVAL CODED(MTL),OK(TBC),OK TARGET(ATZ).

Gojmerac, T. and Kniewald, J. (1989). Atrazine Biodegradation in Rats - a Model for Mammalian Metabolism. *Bull.Enviroin.Contam.Toxicol.* 43: 199-206.

EcoReference No.: 35184

Chemical of Concern: ATZ; Habitat: T; Effect Codes: ACC; Rejection Code: NO ENDPOINT(ATZ).

Golik, Z. (1968). The Application of Simazine and Atrazine for the Control of Weeds in Fruit-Tree Nurseries (Zastosowanie Simazinu i Atrazinu do Zwalczenia Chwastow w Szkolkach Drzew Owocowych). *Pr.Inst.Sadow.Skierniewicach* 12: 279-294 (POL) (ENG ABS).

EcoReference No.: 30199

Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: GRO,POP,PHY,REP; Rejection Code: TARGET(SZ,ATZ).

Gonzalez Castanon, M. L. (1990). Early Flowering in Seedlings of Asparagus Promoted by Diuron and Atrazine.

- NATO ASI Ser.Ser.A Life Sci. 186: 445-448.
- EcoReference No.: 44255
Chemical of Concern: ATZ,DU; Habitat: T; Effect Codes: REP,GRO; Rejection Code: OK(ALL CHEMS),OK TARGET(ATZ).
- Gopal, V. R. and Medakkar, S. (1989). Effect of Atrazine on Nutrient Uptake by Sorghum. *Pesticides (Bombay)* 23: 31-34.
- EcoReference No.: 80771
Chemical of Concern: ATZ; Habitat: T; Effect Codes: POP,ACC; Rejection Code: TARGET(ATZ).
- Gotvajn, A. Z., Zagorc-Koncan, J., and Tisler, T. (2001). Estimation of Environmental Impact of Some of the Most Often Occurring Pesticides in Slovenian Surface and Underground Water. *Water Sci.Technol.* 44: 87-90.
- EcoReference No.: 81737
Chemical of Concern: ATZ,PCP,ACR; Habitat: A; Effect Codes: MOR,GRO; Rejection Code: NO CONTROL(ALL CHEMS).
- Gramlich, J. V. and Davis, D. E. (1967). Effect of Atrazine on Nitrogen Metabolism of Resistant Species. *Weeds* 15: 157-160.
- EcoReference No.: 64463
Chemical of Concern: ATZ; Habitat: T; Effect Codes: BCM; Rejection Code: TARGET(ATZ).
- Gramlich, J. V. and Frans, R. E. (1964). Kinetics of Chlorella Inhibition by Herbicides. *Weeds* 12: 184-189.
- EcoReference No.: 18756
Chemical of Concern: ATZ,24DXY,NAA; Habitat: A; Effect Codes: POP; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Gray, J. A., Balke, N. E., and Stoltenberg, D. E. (1996). Increased Glutathione Conjugation of Atrazine Confers Resistance in a Wisconsin Velvetleaf (*Abutilon theophrasti*) Biotype. *Pestic.Biochem.Physiol.* 55: 157-171.
- EcoReference No.: 78757
Chemical of Concern: ATZ; Habitat: T; Effect Codes: ACC,BCM; Rejection Code: TARGET(ATZ).
- Grenier, G. and Beaumont, G. (1983). Physiological Effects of Sublethal Doses of Atrazine on *Lemna minor*. VII. 1,2-[14C] Acetate Incorporation into the Groups of Lipids and Their Fatty Acids (Effets Physiologiques de l'Atrazine a Doses Subletales sur *Lemna minor*. VII. Incorporation d'Acetate-1,2-[14C] dans les Groupes de Lipides et Leurs Acides Gras). *Physiol.Plant.* 57: 477-484 (FRE) (ENG ABS).
- EcoReference No.: 11590
Chemical of Concern: ATZ; Habitat: A; Effect Codes: BCM; Rejection Code: NO FOREIGN(ATZ).
- Grenier, G., Marier, J. P., and Beaumont, G. (1982). Physiological Effects of Atrazine at Sublethal Doses on *Lemna minor* L. VI. Influence on the Main Classes of Phospholipids (Effets Physiologiques de l'Atrazine a Doses Subletales sur *Lemna minor*. VI. Influence sur les Classes Importantes de Phospholipids). *Physiol.Veg.* 20: 179-185 (FRE) (ENG ABS).
- EcoReference No.: 11591
Chemical of Concern: ATZ; Habitat: A; Effect Codes: BCM; Rejection Code: NO FOREIGN(ATZ).
- Grenier, G., Marier, J. P., and Beaumont, G. (1979). Physiological-Effects of Sublethal Concentrations of Atrazine on *Lemna-minor* L. 4. Effect on Lipid-Composition. *Can.J.Bot.* 57: 1015-1020 (FRE) (ENG ABS).

- EcoReference No.: 6859
Chemical of Concern: ATZ; Habitat: A; Effect Codes: BCM; Rejection Code: NO FOREIGN.
- Grenier, G., Proteau, L., and Beaumont, G. (1989). Lipid Synthesis by Isolated Duckweed (*Lemna minor*) Chloroplasts in the Presence of a Sublethal Concentration of Atrazine. *Can.J.Bot.* 67: 2261-2265.
- EcoReference No.: 62375
Chemical of Concern: ATZ; Habitat: A; Effect Codes: BCM; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Gressel, J., Shimabukuro, R. H., and Duysen, M. E. (1983). N-Dealkylation of Atrazine and Simazine in *Senecio vulgaris* Biotypes: A Major Degradation Pathway. *Pestic.Biochem.Physiol.* 19: 361-370.
- EcoReference No.: 80926
Chemical of Concern: ATZ,SZ; Habitat: T; Effect Codes: ACC; Rejection Code: NO CONTROL,ENDPOINT(ALL CHEMS,TARGET-ATZ).
- Grichar, W. J., Evers, G. W., Pohler, C. L., and Schubert, A. M. (1987). Use of Preemergence Herbicides for Establishment of Clovers. *Tex.Agric.Exp.Stn.Prog.Rep.* 4537: 73-75.
- EcoReference No.: 73911
Chemical of Concern: MTL,ACR,ATZ,OYZ; Habitat: T; Effect Codes: POP; Rejection Code: LITE EVAL CODED(MTL),TARGET(ATZ).
- Grobler-Van Heerden, E., Van Vuran, J. H. J., and Du Preez, H. H. (1991). Bioconcentration of Atrazine, Zinc and Iron in the Blood of *Tilapia sparrmanii* (Cichlidae). *Comp.Biochem.Physiol.C* 100: 629-633.
- EcoReference No.: 3935
Chemical of Concern: ATZ,ZnCl₂,FeCl₃; Habitat: A; Effect Codes: ACC; Rejection Code: NO ENDPOINT(ATZ).
- Gronwald, J. W., Andersen, R. N., and Yee, C. (1989). Atrazine Resistance in Velvetleaf (*Abutilon theophrasti*) due to Enhanced Atrazine Detoxification. *Pestic.Biochem.Physiol.* 34: 149-163.
- EcoReference No.: 71764
Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO,BCM,PHY; Rejection Code: TARGET(ATZ).
- Gunkel, G. (1981). Bioaccumulation of a Herbicide (Atrazine, S-Triazine) in the Whitefish (*Coregonus fera* J.): Uptake and Distribution of the Residue in Fish. *Arch.Hydrobiol. Suppl.* 59: 252-287.
- EcoReference No.: 58481
Chemical of Concern: ATZ; Habitat: A; Effect Codes: BCM; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Gunkel, G. and Kausch, H. (1976). Acute Toxicity of Atrazine (S-Triazine) on *Coregonus fera* Under Starvation Conditions. *Arch.Hydrobiol.Suppl.* 48: 207-234 (GER) (ENG ABS).
- EcoReference No.: 7792
Chemical of Concern: ATZ; Habitat: A; Effect Codes: MOR,PHY; Rejection Code: NO FOREIGN(ATZ).
- Gunkel, G. and Streit, B. (1980). Mechanisms of Bioaccumulation of a Herbicide (Atrazine, S-Triazine) in a Freshwater Mollusc (*Ancylus fluviatilis* Mull.) and a Fish (*Coregonus fera* Jurine). *Water Res.* 14: 1573-1584.

- EcoReference No.: 6494
Chemical of Concern: ATZ; Habitat: A; Effect Codes: ACC; Rejection Code: NO CONTROL(ATZ).
- Gupta, O. P. and Dhupia, B. K. (1971). Efficacy of Atrazine in Maize Planted on Different Dates as Affected by Its Residual Phytotoxicity Under Varying Levels and Methods of Its Application. *Indian J.Agric.Sci.* 41: 221-227.
- EcoReference No.: 25869
Chemical of Concern: ATZ; Habitat: T; Rejection Code: TARGET(ATZ).
- Gzhetotskii, M. I., Shkliaruk, L. V., and Dychok, L. A. (1977). Toxicological Characteristics of the Herbicide Zeazin. *Vrach.Delo* 5:133-136 (RUS) / *Pestab*:2826 (1977).
- EcoReference No.: 6265
Chemical of Concern: ATZ; Habitat: A; Effect Codes: MOR; Rejection Code: NO FOREIGN(ATZ).
- Hammerton, J. L. (1974). Weed Control Work in Progress at the University of the West Indies. Part 4. *PANS (Pest Artic.News Summ.)* 20: 429-436.
- EcoReference No.: 40607
Chemical of Concern: ATZ,ACR,BT,PDM; Habitat: T; Effect Codes: PHY,POP; Rejection Code: OK TARGET(ATZ).
- Hare, M. D., Rolston, M. P., Foote, A. G., Archie, W. J., and Hagerty, G. (1993). Herbicide Tolerance of Grasslands Puna Chicory. *Proc.N.Z.Plant Prot.Conf.* 46: 282-287.
- EcoReference No.: 77601
Chemical of Concern: MCPB,MCPA,MBZ,ATZ,BT,BMN,PCL,DMB,PAQT,GYP,24DB,24DXY,CPR,CRM; Habitat: T; Effect Codes: PHY,REP,GRO; Rejection Code: OK TARGET(MCPB,ATZ),NO MIXTURE(PCL,BMN).
- Harika, A. S. and Bains, D. S. (1985). Studies on Weed Control in Maize Fodder. *Agric.Sci.Dig.* 5: 13-16.
- EcoReference No.: 70187
Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: POP; Rejection Code: TARGET(SZ,ATZ).
- Harika, A. S., Tomer, P. S., and Ganguly, T. K. (1986). Effect of Dose and Time of Atrazine Application on Weed Infestation and Yield of Fodder Sorghum. *J Agric Sci* 107(Pt. 2): 449-451.
- EcoReference No.: 31156
Chemical of Concern: ATZ; Habitat: T; Rejection Code: TARGET(ATZ).
- Harvey, R. G. (1974). Susceptibility of Seven Annual Grasses to Herbicides. *Weed Res.* 14: 51-55.
- EcoReference No.: 41764
Chemical of Concern: ATZ,ACR,BTY,CZE; Habitat: T; Effect Codes: GRO,PHY; Rejection Code: OK(ALL CHEMS),OK TARGET(ATZ).
- Harvey, R. G., Rohweder, D. A., and Fawcett, R. S. (1976). Susceptibility of Alfalfa Cultivars to Triazine Herbicides. *Agron.J.* 68: 632-634.
- EcoReference No.: 41560
Chemical of Concern: SZ,ATZ,CZE; Habitat: T; Effect Codes: POP,PHY; Rejection Code: OK(ALL CHEMS),OK TARGET(ATZ,SZ).

Hatton, P. J., Cole, D. J., and Edwards, R. (1996). Influence of Plant Age on Glutathione Levels and Glutathione Transferases Involved in Herbicide Detoxification in Corn (*Zea mays* L.) and Giant Foxtail (*Setaria faberi* Herrm). *Pestic.Biochem.Physiol.* 54: 199-209.

EcoReference No.: 73273

Chemical of Concern: MTL,ATZ,ACR; Habitat: T; Effect Codes: BCM,PHY; Rejection Code: NO ENDPOINT(MTL),TARGET(ATZ).

Hatton, P. J., Dixon, D., Cole, D. J., and Edwards, R. (1996). Glutathione Transferase Activities and Herbicide Selectivity in Maize and Associated Weed Species. *Pestic.Sci.* 46: 267-275.

EcoReference No.: 73233

Chemical of Concern: MTL,ATZ,ACR; Habitat: T; Effect Codes: PHY; Rejection Code: NO ENDPOINT(MTL),TARGET(ATZ).

Hawton, D., Johnson, I. D. G., Loch, D. S., Harvey, G. L., Marley, J. M. T., Hazard, W. H. L., Bibo, J., and Walker, S. R. (1990). A Guide to the Susceptibility of Some Tropical Crop and Pasture Weeds and the Tolerance of Some Crop Legumes to Several Herbicides. *Trop.Pest Manag.* 36: 147-150.

EcoReference No.: 73776

Chemical of Concern:

ACR,ATZ,BT,DMB,DU,MTL,MBZ,DMM,PDM,ACF,BFL,24DXY,EPTC,FZFB,PCL,SXD,TFN,VNT;
Habitat: T; Effect Codes: POP; Rejection Code: NO ENDPOINT(ALL CHEMS,TARGET-ATZ).

Hawton, D. C. (1976). Atrazine for Weed Control in the Establishment of *Brachiaria decumbens* and *Panicum maximum*. *J.Aust.Inst.Agric.Sci.* 42: 189-191.

EcoReference No.: 26162

Chemical of Concern: ATZ; Habitat: T; Effect Codes: POP; Rejection Code: TARGET(ATZ).

Hayes, T., Haston, K., Tsui, M., Hoang, A., Haeffele, C., and Vonk, A. (2003). Atrazine-Induced Hermaphroditism at 0.1 ppb in American Leopard Frogs (*Rana pipiens*): Laboratory and Field Evidence. *Environ.Health Perspect.* 111: 568-575.

EcoReference No.: 72735

Chemical of Concern: ATZ; Habitat: A; Effect Codes: GRO,CEL,REP; Rejection Code: NO ENDPOINT(ALL CHEMS).

Hayes, T., Haston, K., Tsui, M., Hoang, A., Haeffele, C., and Vonk, A. (2002). Feminization of Male Frogs in the Wild. Water-Borne Herbicide Threatens Amphibian Populations in Parts of the United States. *Nature* 419: 895-896.

EcoReference No.: 68748

Chemical of Concern: ATZ; Habitat: T; Effect Codes: CEL,PHY; Rejection Code: NO ENDPOINT(ALL CHEMS).

Heisig-Gunkel, G. and Gunkel, G. (1982). Distribution of a Herbicide (Atrazine, s-Triazine) in *Daphnia pulex*: A New Approach to Determination. *Arch.Hydrobiol.Suppl.* 59: 359-376.

EcoReference No.: 71789

Chemical of Concern: ATZ; Habitat: A; Effect Codes: BCM,ACC; Rejection Code: NO CONTROL(ALL CHEMS).

Hendriks, A. J. and Stouten, M. D. A. (1993). Monitoring the Response of Microcontaminants by Dynamic *Daphnia magna* and *Leuciscus idus* Assays in the Rhine Delta: Biological Early Warning as a Useful Supplement. *Ecotoxicol.Environ.Saf.* 26: 265-279 .

- EcoReference No.: 13267
Chemical of Concern: DS,PCP,CPH,DZ,ES,Cd,PAQT,MP,PTP,MTL,ATZ,3CE,4CE,FA,ISO,EN,DS,SZ;
Habitat: A; Effect Codes: BEH,MOR; Rejection Code: NO CONTROL(ALL CHEMS).
- Herman, D. J. and Ilnicki, R. D. (1973). Weed Control in Corn by Alachlor and Prynachlor in Combination with Some S-Triazine Herbicides. *Proc.Northeast.Weed Sci.Soc.* 27: 41-46.
- EcoReference No.: 40609
Chemical of Concern: ATZ,SZ,ACR,CZE; Habitat: T; Effect Codes: GRO; Rejection Code: OK
TARGET(ATZ,SZ),OK(ALL CHEMS).
- Herman, D. J., Lay, M. M., and Ilnicki, R. D. (1974). The Response of Several Sweet Corn Varieties to Various Herbicides and Herbicide Combinations. *Proc.Northeast.Weed Sci.Soc.* 28: 175-181.
- EcoReference No.: 40652
Chemical of Concern: SZ,ATZ,DMM,ACR,MBZ,CZE; Habitat: T; Effect Codes: PHY,POP; Rejection Code: NO ENDPOINT(SZ,ATZ).
- Hickey, W. J., Fuster, D. J., and Lamar, R. T. (1994). Transformation of Atrazine in Soil by Phanerochaete chrysosporium. *Soil Biol.Biochem.* 26: 1665-1671.
- EcoReference No.: 78652
Chemical of Concern: ATZ; Habitat: T; Effect Codes: POP,ACC; Rejection Code: NO
ENDPOINT(ATZ).
- Higgins, E. R., Schnappinger, M. G., and Pruss, S. W. (1975). Procyazine for Annual Grass and Broadleaf Control in Corn. *Agricultural Division, CIBA-GEIGY Corporation, Washington, PA* 29: 63-67.
- EcoReference No.: 41212
Chemical of Concern: ATZ; Habitat: T; Rejection Code: TARGET(ATZ).
- Hill, E. R., Putala, E. C., and Vengris, J. (1968). Atrazine-Induced Ultrastructural Changes of Barnyardgrass Chloroplasts. *Weed Sci.* 16: 377-380.
- EcoReference No.: 43886
Chemical of Concern: ATZ; Habitat: T; Effect Codes: CEL; Rejection Code: NO ENDPOINT(ATZ).
- Hilton, H. W., Nomura, N. S., Kameda, S. S., and Yauger, W. L. (1976). Some Patterns of Herbicide and Growth Regulator Intake, Persistence, and Distribution in Sugarcane. *Arch.Environ.Contam.Toxicol.* 4: 385-394.
- EcoReference No.: 78661
Chemical of Concern: ATZ,PCP,EDT,AMTR,MBZ,PCL,ASM,GYP,CQTC; Habitat: T; Effect Codes: ACC,GRO; Rejection Code: TARGET(CQTC,ATZ).
- Hilton, J. L., Scharen, A. L., St.John, J. B., Moreland, D. E., and Norris, K. H. (1969). Modes of Action of Pyridazinone Herbicides. *Weed Sci.* 17: 541-547.
- EcoReference No.: 40797
Chemical of Concern: PYZ,ATZ; Habitat: T; Effect Codes: PHY,GRO,BCM; Rejection Code: NO
ENDPOINT(ALL CHEMS).
- Hinman, M. L. and Klaine, S. J. (1992). Uptake and Translocation of Selected Organic Pesticides by the Rooted Aquatic Plant Hydrilla verticillata Royle. *Environ.Sci.Technol.* 26: 609-613.
- EcoReference No.: 78645

- Chemical of Concern: ATZ,HCCH,CHD; Habitat: A; Effect Codes: ACC; Rejection Code: NO CONTROL(ALL CHEMS).
- Hiraki, M., Van Rensen, J. J. S., Vredenberg, W. J., and Wakabayashi, K. (2003). Characterization of the Alterations of the Chlorophyll a Fluorescence Induction Curve After Addition of Photosystem II Inhibiting Herbicides. *Photosynth.Res.* 78: 35-46.
- EcoReference No.: 82031
Chemical of Concern: ATZ,DU; Habitat: T; Effect Codes: BCM; Rejection Code: OK(DU),OK TARGET(ATZ).
- Hiranpradit, H., Foy, C. L., and Shear, G. M. (1972). Effects of Low Levels of Atrazine on Some Mineral Constituents and Forms of Nitrogen in Zea mays L. *Agron.J.* 64: 267-271.
- EcoReference No.: 63736
Chemical of Concern: ATZ; Habitat: T; Effect Codes: BCM,GRO; Rejection Code: TARGET(ATZ).
- Hoagland, K. D. and Drenner, R. W. (1991). Freshwater Community Responses to Mixtures of Agricultural Pesticides: Synergistic Effects of Atrazine and Bifenthrin. *Texas Water Resour.Inst., Texas A&M Univ., College Station, TX* 29 p.
- EcoReference No.: 81467
Chemical of Concern: BFT,ATZ; Habitat: A; Effect Codes: POP,MOR,BCM; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Hoagland, R. E. and Duke, S. O. (1983). Relationships Between Phenylalanine Ammonia-Lyase Activity and Physiological Responses of Soybean (Glycine max) Seedlings to Herbicides. *Weed Sci.* 31: 845-852.
- EcoReference No.: 41002
Chemical of Concern: 24DXY,ATZ,DMM,MBZ,NFZ,PAQT,AMTR; Habitat: T; Effect Codes: BCM; Rejection Code: NO ENDPOINT(ALL CHEMS,TARGET-ATZ).
- Holford, I. C. R., Haigh, B. M., and Ferris, I. G. (1989). Atrazine Persistence and Phytotoxicity on Wheat as Affected by Nitrogen and Rotation-Induced Changes in Soil Properties. *Aust.J.Agric.Res.* 40: 1143-1153.
- EcoReference No.: 80521
Chemical of Concern: ATZ; Habitat: T; Effect Codes: POP,ACC,BCM,MOR; Rejection Code: TARGET(ATZ).
- Holubowicz, T., Chabada, I., and Wojciechowska, B. (1968). The Results of Weeds Control Experiments with Using Simazin and Atrazin in the Bush-Fruits Plantations at the Poznan Conditions. *Pr.Inst.Sadow.Skierniewicach* 12: 249-260 (POL) (ENG ABS).
- EcoReference No.: 30472
Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: GRO,POP; Rejection Code: TARGET(SZ,ATZ).
- Hopkins, R. and Kain, J. M. (1971). The Effect of Marine Pollutants on Laminaria hyperborea. *Mar.Pollut.Bull.* 2: 75-77.
- EcoReference No.: 9356
Chemical of Concern: 24DXY,ATZ,CuS,Zn; Habitat: A; Effect Codes: POP,CEL; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Horowitz, M. (1980). Herbicidal Treatments for Control of Papaver somniferum L. *Bull.Narcotics* 32: 33-43.

- EcoReference No.: 70006
Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: MOR,GRO,PHY; Rejection Code: TARGET(SZ,ATZ).
- Houseworth, L. D. and Tweedy, B. G. (1973). Effect of Atrazine in Combination with Captan or Thiram upon Fungal and Bacterial Populations in the Soil. *Plant Soil* 38: 493-500.
- EcoReference No.: 50330
Chemical of Concern: ATZ,Captan; Habitat: T; Effect Codes: MOR,POP; Rejection Code: TARGET(ATZ).
- Hoyt, G. D. (1995). Applying Butylate- and EPTC-Impregnated Fertilizer to a Cover Crop for Weed Control in No-Till Corn, *Zea mays*, L. *Crop Prot.* 14: 75-79.
- EcoReference No.: 73247
Chemical of Concern: MTL,ATZ,ACR; Habitat: T; Effect Codes: POP,PHY; Rejection Code: NO MIXTURE(MTL,ATZ).
- Huang, H. C. and Blackshaw, R. E. (1995). Influence of Herbicides on the Carpogenic Germination of *Sclerotinia sclerotiorum* Sclerotia. *Bot.Bull.Acad.Sin.(Taipei)* 36: 59-64.
- EcoReference No.: 70745
Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: POP,GRO; Rejection Code: TARGET(SZ,ATZ).
- Huber, W., Hindelang, D., Strojic, V., and Neugebauer-Buchler, K. (1995). Relevance of Ecosystemic Studies for the Ecotoxicological Evaluation of Pesticides. In: B.Hock and R.Niessner (Eds.), *Immunochemical Detection of Pesticides and Their Metabolites in the Water Cycle, Chapter 9, Weinheim, VCH, Germany* 143-166.
- EcoReference No.: 69209
Chemical of Concern: ATZ,MTL,CBF; Habitat: A; Effect Codes: POP; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Hutber, G. N., Rogers, L. J., and Smith, A. J. (1979). Influence of Pesticides on the Growth of Cyanobacteria. *Z.Allg.Mikrobiol.* 19: 397-402.
- EcoReference No.: 62799
Chemical of Concern: ATZ,DDT,DU,GYP,MPCA,24DXY,THM; Habitat: A; Effect Codes: POP,GRO; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Ilnicki, R. D. and Michieka, R. W. (1977). Penoxalin Alone and in Combination with Atrazine, Cyanazine, and Rh 5205 for Weed Control in Corn. *Proc.Northeast.Weed Sci.Soc.* 31: 6-10.
- EcoReference No.: 40870
Chemical of Concern: ATZ,PDM,CZE; Habitat: T; Effect Codes: POP; Rejection Code: NO ENDPOINT(ALL CHEMS,TARGET-ATZ).
- Ilnicki, R. D. and Michieka, R. W. (1977). Weed Control in Corn with Vel 5052 and Buthiazole (Vel 5026) Applied Alone, and in Combination with Atrazine and Alachlor. *Proc.Northeast.Weed Sci.Soc.* 31: 15-19.
- EcoReference No.: 41317
Chemical of Concern: ATZ,ACR; Habitat: T; Effect Codes: PHY,POP; Rejection Code: NO ENDPOINT,CONTROL(ALL CHEMS).
- Ishaque, A. B., Tchounwou, P. B., Wilson, B. A., and Washington, T. (2004). Developmental Arrest in Japanese medaka (*Oryzias latipes*) Embryos Exposed to Sublethal Concentrations of Atrazine and Arsenic Trioxide.

- J. Environ. Biol.* 25: 1-6.
- EcoReference No.: 81716
Chemical of Concern: ATZ; Habitat: A; Effect Codes: CEL,PHY,GRO,MOR; Rejection Code: NO ENDPOINT(ATZ,As).
- Islam, M. O., Hara, M., and Miyake, J. (2002). Induction of P-Glycoprotein, Glutathione-S-Transferase and Cytochrome P450 in Rat Liver by Atrazine. *Environ. Toxicol. Pharmacol.* 12: 1-6.
- EcoReference No.: 81779
Chemical of Concern: ATZ; Habitat: T; Effect Codes: BCM; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Ivanova, A., Stefanov, K., and Yordanov, I. (1999). Effect of the Herbicide Atrazine on the Bean Leaf Lipids. *Biol. Plant.* 42: 417-422.
- EcoReference No.: 63737
Chemical of Concern: ATZ; Habitat: T; Effect Codes: BCM,PHY; Rejection Code: TARGET(ATZ).
- Ivany, J. A., Sadler, J. M., Kimball, E. R., and McRae, K. B. (1985). Atrazine Persistence and Residue Effects on Rotation Crops. *Can. J. Plant Sci.* 65: 363-368.
- EcoReference No.: 79700
Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO,BCM; Rejection Code: TARGET(ATZ).
- Ivany, J. A. and Sweet, R. D. (1971). Sweet Corn Response to Alachlor and Other Herbicides. *Proc. Northeast. Weed Sci. Soc.* 25: 47-52.
- EcoReference No.: 41876
Chemical of Concern: ATZ,SZ,ACR,CZE; Habitat: T; Effect Codes: MOR,PHY,POP; Rejection Code: NO ENDPOINT(SZ),OK(ACR),OK TARGET(ATZ).
- Ivens, G. W. (1975). Preliminary Evaluation of Pre- and Post-Emergence Herbicides in "Maku" Lotus. *Proc. N.Z. Weed Control Conf.* 28: 31-34.
- EcoReference No.: 40783
Chemical of Concern: ATZ,DMM,MBZ,MCPB,PZM,CZE,24DB; Habitat: T; Effect Codes: MOR,GRO; Rejection Code: OK(ALL CHEMS),OK TARGET(ATZ,MCPB).
- Ivens, G. W. and Withers, N. J. (1976). Effect of Herbicide Treatments on Three Lupin Species. *Proc. N.Z. Weed Pest Control* 29: 89-92.
- EcoReference No.: 40813
Chemical of Concern: SZ,ATZ,EFL,LNR,TFN; Habitat: T; Effect Codes: POP; Rejection Code: OK TARGET(ATZ,SZ),OK(ALL CHEMS).
- Jablonkai, I. and Dutka, F. (1989). Structure Alkylating Reactivity and Phytotoxicity Relationships of Chloroacetamides. In: *Brighton Crop Prot. Conf.- Weeds* 2: 455-462.
- EcoReference No.: 73270
Chemical of Concern: MTL,ATZ,ACR; Habitat: T; Effect Codes: GRO; Rejection Code: NO ENDPOINT(MTL),TARGET(ATZ).
- Jablonkai, I. and Hatzios, K. K. (1993). In Vitro Conjugation of Chloroacetanilide Herbicides and Atrazine with Thiols and Contribution of Nonenzymatic Conjugation to Their Glutathione-Mediated Metabolism in Corn. *J. Agric. Food Chem.* 41: 1736-1742.

- EcoReference No.: 73302
Chemical of Concern: MTL,ACR,ATZ; Habitat: T; Effect Codes: GRO,BCM; Rejection Code: NO ENDPOINT(MTL),TARGET(ATZ).
- Jadhav, N. S., Shelke, D. K., and Phosle, R. H. (1985). Studies on Availability and Uptake of Nitrogen and Phosphorus as Influenced by Different Methods of Weed Control in Hybrid Sorghum (*Sorghum bicolor*) CSH-1 in Marathwada Condition. *Pesticides* 19: 42-43.
- EcoReference No.: 70480
Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: BCM; Rejection Code: TARGET(SZ,ATZ).
- Jensen, K. I. N. (1986). Response to Lowbush Blueberry to Weed Control with Atrazine and Hexazinone. *Hortscience* 21: 1143-1144.
- EcoReference No.: 31218
Chemical of Concern: ATZ,HXZ; Habitat: T; Effect Codes: GRO,POP; Rejection Code: TARGET(ATZ).
- Jensen, K. I. N., Stephensen, G. R., Hunt, L. A., and Bandeen, J. D. (1977). The Effect of Atrazine, Cyanazine, and Cyprazine on Photosynthesis and Growth of Nine Grasses. *Weed Res.* 17: 379-386.
- EcoReference No.: 42995
Chemical of Concern: ATZ,CZE; Habitat: T; Effect Codes: PHY,POP; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Jensen, K. I. N., Stephenson, G. R., and Hunt, L. A. (1977). Detoxification of Atrazine in Three Gramineae Subfamilies. *Weed Sci.* 25: 212-220.
- EcoReference No.: 42631
Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO; Rejection Code: NO ENDPOINT(ATZ).
- Jensen, M., Linke, K., Dickhauser, A., and Feige, G. B. (1999). The Effect of Agronomic Photosystem-II Herbicides on Lichens. *Lichenologist* 31: 95-103.
- EcoReference No.: 64666
Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: PHY,BCM; Rejection Code: TARGET(SZ,ATZ).
- Jettner, R. J., Walker, S. R., Churchett, J. D., Blamey, F. P. C., Adkins, S. W., and Bell, K. (1999). Plant Sensitivity to Atrazine and Chlorsulfuron Residues in a Soil-Free System. *Weed Res.* 39: 287-295.
- EcoReference No.: 64668
Chemical of Concern: ATZ; Habitat: T; Effect Codes: POP; Rejection Code: TARGET(ATZ).
- Johnson, A. E., Van Kampen, K. R., and Binns, W. (1972). Effects on Cattle and Sheep of Eating Hay Treated with the Triazine Herbicides, Atrazine and Prometone. *Am.J.Vet.Res.* 33: 1433-1438.
- EcoReference No.: 37331
Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO,BCM; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Johnson, B. J. (1976). Effect of Activated Charcoal on Herbicide Injury During Establishment of Centipedegrass. *Agron.J.* 68: 802-805.
- EcoReference No.: 71375

- Chemical of Concern: SZ,ATZ; Habitat: T; Rejection Code: TARGET(SZ,ATZ).
- Johnson, B. J. (1975). Smutgrass Control with Herbicides in Turfgrasses. *Weed Sci.* 23: 87-90.
- EcoReference No.: 40771
Chemical of Concern: ATZ,BMC,24DXY,DU; Habitat: T; Effect Codes: PHY,POP; Rejection Code: OK(BMC),OK TARGET(ATZ),NO MIXTURE(24DXY,DU) .
- Johnson, B. J. (1983). Treatment Effects for Crabgrass Control from Winter-Applied Atrazine in Turf. *Rga U Aes Rr* 436: 1-7.
- EcoReference No.: 32349
Chemical of Concern: ATZ; Habitat: T; Rejection Code: TARGET(ATZ).
- Johnson, D. H., Beaty, J. D., Horton, D. K., Talbert, R. E., Guy, C. B., Mattice, J. D., Lavy, T. L., and Smith, R. J. Jr. (1995). Effects of Rotational Crop Herbicides on Rice (*Oryza sativa*). *Weed Sci.* 43: 648-654.
- EcoReference No.: 73739
Chemical of Concern: MTL,ACR,ATZ,NFZ,CMZ,FMU,IMQ,IZT,TFN; Habitat: T; Effect Codes: GRO,ACC; Rejection Code: NO ENDPOINT(MTL),TARGET(ATZ).
- Johnson, G. A., DeFelice, M. S., and Helsel, Z. R. (1993). Cover Crop Management and Weed Control in Corn (*Zea Mays*). *Weed Technol.* 7: 425-430.
- EcoReference No.: 80062
Chemical of Concern: GYP; Habitat: T; Effect Codes: POP; Rejection Code: TARGET(ATZ).
- Johnson, W. G., DeFelice, M. S., and Holman, C. S. (1997). Application Timing Affects Weed Control with Metolachlor plus Atrazine in No-Till Corn (*Zea mays*). *Weed Technol.* 11: 207-211.
- EcoReference No.: 64677
Chemical of Concern: ATZ, MTL,GYP,DMB; Habitat: T; Effect Codes: POP; Rejection Code: NO MIXTURE(MTL),TARGET(DMB,ATZ).
- Jones, D. W. and Foy, C. L. (1972). Tracer Studies with ¹⁴C-Labeled Herbicides, DMSO, and Surfactant. *Weed Sci.* 20: 81-86.
- EcoReference No.: 26798
Chemical of Concern: ATZ,DMB; Habitat: T; Effect Codes: ACC; Rejection Code: LITE EVAL CODED(DMB),OK(ALL CHEMS),OK TARGET(ATZ).
- Jones, K. H., Sanderson, D. M., and Noakes, D. N. (1968). Acute Toxicity Data for Pesticides (1968). *World Rev.Pest Control* 7: 135-143.
- EcoReference No.: 70074
Chemical of Concern:
24DXY,ABT,ACL,ADC,AMTL,AMTR,AND,ASM,ATN,ATZ,AZ,BFL,BMC,BMN,BS,BTY,Captan,CB L,CCA,CHD,CMPH,CPY,CQTC,CTHM,Cu,CuFRA,DBN,DCB,DCNA,DDD,DDT,DDVP,DEM,DI NO,DLD,DMB,DMT,DOD,DPP,DQTB,DS,DU,DZ,DZM,EDT,EN,EP,EPTC,ES,ETN,FLAC,FMU,FNF, FNT,FNTH,Folpet,HCCH,HPT,LNR,Maneb,MCB,MCPA,MCPB,MDT,MLH,MLN,MLT,MRX,MTM,M VP,MXC,Naled,NPM,PB,PCH,PCL,PCP,PEB,PHMD,PHSL,PMT,PPHD,PPN,PPX,PPZ,PQT,PRN,PRO,P RT,PYN,PYZ,RTN,SFT,SID,SZ,TCF,TFN,THM,TRB,TRL,TXP,VNT,Zineb; Habitat: T; Effect Codes: MOR; Rejection Code: NO PUBL
AS(24DXY,ABT,ACL,AMTL,AMTR,ASM,ATN,AZ,BFL,BMC,BMN,BS,BTY,CCA,CMPH,CPY,C QTC,CTHM,DBN,DCB,DCNA,DDT,DINO,DOD,DPP,DQTB,DU,DZM,EP,EPTC,ES,FMU,FNF,FNT,F olpet,HCCH,HPT,LNR,MCB,MCP,MLT,MP,MRX,MTM,MXC,Naled,NPM,Pb,PCH,PCL,PEB,PHSL,P

PN,PPZ,PQT,PRO,PYN,PYZ,RTN,RYA,SFT,SID,TFN,THM,TRL,VNT),NO
CONTROL,DURATION(ALL CHEMS).

Jooste, J. W. and Van Biljon, J. J. (1976). Metolachlor + Atrazine A Combination Pre-Emergence Herbicide for Broad Spectrum Weed Control in Maize. *Crop.Prod.* 5: 85-90.

EcoReference No.: 25020

Chemical of Concern: ATZ, MTL; Habitat: T; Effect Codes: POP; Rejection Code: NO
ENDPOINT,MIXTURE(MTL),TARGET(ATZ).

Juhnke, I. and Luedemann, D. (1978). Results of the Investigation of 200 Chemical Compounds for Acute Fish Toxicity with the Golden Orfe Test (Ergebnisse der Untersuchung von 200 Chemischen Verbindungen auf Akute Fischtoxizität mit dem Goldorfe Test). *Z.Wasser-Abwasser-Forsch.* 11: 161-164 (GER) (ENG TRANSL) (OECDG Data File).

EcoReference No.: 547

Chemical of Concern: ATZ,CBL,HCCH,ACL,FUR,BZO,AMSV,APAC; Habitat: A; Effect Codes: MOR; Rejection Code: NO FOREIGN,CONTROL(ALL CHEMS).

Kallio, S. and Wilkinson, R. E. (1977). The Effects of Some Herbicides on Nitrogenase Activity and Carbon Fixation in Two Subarctic Lichens. *Bot.Gaz.* 138: 468-473.

EcoReference No.: 71045

Chemical of Concern: ATZ,DU; Habitat: T; Effect Codes: BCM,PHY; Rejection Code: TARGET(ATZ).

Kasasian, L. (1964). Chemical Weed Control in Citrus Nursery Stock in Trinidad. *Trop.Agric.* 41: 329-333.

EcoReference No.: 42249

Chemical of Concern: ATZ,DU,SZ; Habitat: T; Effect Codes: GRO,PHY,POP; Rejection Code: OK
TARGET(ATZ,SZ),OK(ALL CHEMS).

Kaufman, D. D. and Blake, J. (1970). Degradation of Atrazine by Soil Fungi. *Soil Biol.Biochem.* 2: 73-80.

EcoReference No.: 50854

Chemical of Concern: ATZ,SZ; Habitat: T; Effect Codes: POP; Rejection Code: TARGET(SZ,ATZ).

Keckes, M., Borbely, F., and Borbely, I. (1977). Xenobiotics and Soil Microbiota Affected by Xenobiotic Interactions. VI. Lupine-rhizobium Symbiosis and Herbicide Combinations. *Acta Bot.Acad.Sci.Hung.* 23: 357-360.

EcoReference No.: 70900

Chemical of Concern: EDT,ATZ; Habitat: T; Rejection Code: NO CONC(EDT),TARGET(ATZ).

Keine Angabe zur Primärquelle vom Datenlieferanten (1993). Keine Angabe zur Primärquelle vom Datenlieferanten. *Atmos.Environ.(OECDG Data File)*.

EcoReference No.: 56355

Chemical of Concern: ATZ,HCCH,MP,Cu,CuS,PCP; Habitat: A; Effect Codes: REP; Rejection Code: NO FOREIGN.

Keul, G. and Soran, V. (1978). The Effect of Prometryne and Atrazine on Nuclear Dna Synthesis. *Trav Mus Ga* 19: 39-41.

EcoReference No.: 28922

Chemical of Concern: ATZ,PMT; Habitat: T; Rejection Code: TARGET(ATZ).

Khan, M. and Saghir, A. R. (1989). Residual Activity of Triazines and Some Other Herbicides in the Soil. *Sarhad J.Agric.* 5: 591-595.

EcoReference No.: 80144

Chemical of Concern: ATZ,ACR,CZE,DMB,MBZ,EPTC; Habitat: T; Effect Codes: POP; Rejection Code: OK TARGET(ATZ),OK(ALL CHEMS).

Khan, S. U. and Foster, T. S. (1976). Residues of Atrazine (2-Chloro-4-Ethylamino-6-Isopropylamino-s-Triazine) and Its Metabolites in Chicken Tissues. *J.Agric.Food Chem.* 24: 768-771.

EcoReference No.: 78656

Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO,ACC; Rejection Code: NO CONTROL(ATZ).

Khan, S. U., Kacew, S., and Molnar, S. J. (1985). Bioavailability in Rats of Bound ¹⁴C Residues from Corn Plants Treated with [¹⁴C] Atrazine. *J.Agric.Food Chem.* 33: 712-717.

EcoReference No.: 78654

Chemical of Concern: ATZ; Habitat: T; Effect Codes: ACC; Rejection Code: NO ENDPOINT(ATZ).

Khan, S. U., Marriage, P. B., and Hamill, A. S. (1981). Effects of Atrazine Treatment of a Corn Field Using Different Application Methods, Times, and Additives on the Persistence of Residues in Soil and Their Uptake by Oat Plants. *J.Agric.Food Chem.* 29: 216-219.

EcoReference No.: 78655

Chemical of Concern: ATZ; Habitat: T; Effect Codes: ACC; Rejection Code: TARGET(ATZ).

Khare, L. K. (1979). Effect of Four Commercial Herbicides on Some Aquatic Weeds. *Geobios* 6: 75-77.

EcoReference No.: 70114

Chemical of Concern: SZ,ATZ; Habitat: A; Effect Codes: MOR; Rejection Code: NO CONTROL(ALL CHEMS).

Kiesecker, J. M. (2002). Synergism Between Trematode Infection and Pesticide Exposure: A Link to Amphibian Limb Deformities in Nature? *Proc.Natl.Acad.Sci.* 99: 9900-9904.

EcoReference No.: 68326

Chemical of Concern: ATZ,EFV,MLN; Habitat: A; Effect Codes: CEL,GRO; Rejection Code: NO ENDPOINT(ALL CHEMS).

Kinfe, B. and Unger, J. (1985). The Effect of Soil-Acting Herbicides Versus Hand-Weeding in Tef (*Eragrostis Tef* (Zucc.) Trotter) Under Ethiopian Conditions. *Beitr.Trop.Landwirtsch.Vetmed.* 23: 295-299.

EcoReference No.: 31416

Chemical of Concern: AMTR,ATZ,PMT; Habitat: T; Effect Codes: PHY,POP; Rejection Code: NO ENDPOINT(ALL CHEMS).

Kleppe, C. D. and Harvey, R. G. (1991). Postemergence-Directed Herbicides Control Wild-Proso Millet (*Panicum miliaceum*) in Sweet Corn (*Zea mays*). *Weed Technol.* 5: 746-752.

EcoReference No.: 70515

Chemical of Concern: SZ,ATZ,SXD; Habitat: T; Effect Codes: POP; Rejection Code: TARGET(SZ,SXD,ATZ).

Kniewald, J., Mildner, P., and Kniewald, Z. (1979). Effects of s-Triazine Herbicides on Hormone-Receptor Complex Formation, 5alpha-Reductase and 3alpha-Hydroxysteroid Dehydrogenase Activity at the Anterior

Pituitary Level. *J.Steroid Biochem.* 11: 833-838.

EcoReference No.: 79711

Chemical of Concern: ATZ,PMT; Habitat: T; Effect Codes: BCM,ACC; Rejection Code: NO
ENDPOINT(ALL CHEMS).

Knight, W. G., Morgan, J. A., Guenzi, W. D., and Shoop, M. C. (1993). Soil-Applied Atrazine Alters Blue Grama Physiology and Indirectly Influences Soil Nitrogen. *Agron.J.* 85: 1029-1035.

EcoReference No.: 44253

Chemical of Concern: ATZ; Habitat: T; Effect Codes: PHY,GRO,BCM; Rejection Code: OK
TARGET(ATZ).

Konstantinovic, B. and Meseldzija, M. (2001). Determination of Resistant Biotypes of *Amaranthus retroflexus* L. on Triazines. *Meded.Fac.Landbouwwet.Univ.Gent* 66: 769-74.

EcoReference No.: 71380

Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO,PHY,POP; Rejection Code: NO
COC(SZ,ATZ).

Kozlowski, T. T. (1964). Effect of Soil Incorporation of Triazine Herbicides on Development of Young Red Pine Seedlings. *Univ.of Wisconsin Forestry Res.Notes* 110: :5 p.

EcoReference No.: 78677

Chemical of Concern: PPZ,PMT,SZ,ATZ; Habitat: T; Effect Codes: MOR,GRO; Rejection Code:
OK(PMT,SZ),NO ENDPOINT(TARGET-ATZ,PPZ).

Kozlowski, T. T. and Clausen, J. J. (1965). Influence of Various Herbicides on Needle Structure of Young Red Pines. *For.Res.Notes* 126: 3 p.

EcoReference No.: 78599

Chemical of Concern: EPTC,SZ,ATZ,PMT,PPZ; Habitat: T; Effect Codes: PHY; Rejection Code: NO
ENDPOINT,CONTROL (ALL CHEMS,TARGET-ATZ).

Kozlowski, T. T. and Sasaki, S. (1968). Effects of Direct Contact of Pine Seeds or Young Seedlings with Commercial Formulations, Active Ingredients, or Inert Ingredients of Triazine Herbicides. *Can.J.Plant Sci.* 48: 1-7.

EcoReference No.: 78694

Chemical of Concern: PPZ,ATZ,SZ; Habitat: T; Effect Codes: GRO; Rejection Code: LITE EVAL
CODED(PPZ),OK(ALL CHEMS),OK TARGET(ATZ).

Kozlowski, T. T., Sasaki, S., and Torrie, J. H. (1967). Influence of Temperature on Phytotoxicity of Triazine Herbicides to Pine Seedlings. *Am.J.Bot.* 54: 790-796.

EcoReference No.: 41356

Chemical of Concern: SZ,ATZ,PMT,PPZ,PRO; Habitat: T; Effect Codes: GRO,POP; Rejection Code:
NO ENDPOINT(ALL CHEMS,TARGET-ATZ).

Kozlowski, T. T. and Torrie, J. H. (1965). Effect of Soil Incorporation of Herbicides on Seed Germination and Growth of Pine Seedlings. *Soil Sci.* 100: 139-146.

EcoReference No.: 41006

Chemical of Concern: SZ,EPTC,DCPA,PPZ,ATZ,PMT; Habitat: T; Effect Codes: REP,POP,GRO;
Rejection Code: LITE EVAL CODED(PPZ),OK(ALL CHEMS),OK TARGET(ATZ,SZ).

Krausz, R. F., Kapusta, G., and Matthews, J. L. (1995). Evaluation of Band vs. Broadcast Herbicide Applications in Corn and Soybean. *J.Prod.Agric.* 8: 380-384.

EcoReference No.: 73545

Chemical of Concern: MTL,ATZ,SXD; Habitat: T; Rejection Code: NO MIXTURE(MTL),TARGET(SXD,ATZ).

Krishnamurthy, K. (1970). Effect of Herbicides on Weeds and Yield of Sorghum. *Indian J.Agric.Sci.* 40: 474-480.

EcoReference No.: 41831

Chemical of Concern: SZ,ATZ,DU,24DXY,PPN; Habitat: T; Effect Codes: REP; Rejection Code: NO ENDPOINT(ALL CHEMS).

Kulshrestha, G., Mani, V. S., and Dewan, R. S. (1975). Effect of Simazine and Atrazine Herbicides on Maize and Their Residual Effects on Succeeding Rabi Crops. *Indian J.Agron.* 20: 201-202.

EcoReference No.: 26227

Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: GRO,POP; Rejection Code: OK TARGET(SZ,ATZ).

Kulshrestha, G., Yaduraju, N. T., and Mani, V. S. (1982). The Relative Toxicity of the S-Triazine Herbicides Atrazine and Simazine to Crops. *J.Environ.Sci.Health* 17B: 341-354.

EcoReference No.: 25856

Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: REP,POP,PHY; Rejection Code: TARGET(SZ,ATZ).

Kumar, D., Kaushik, S. K., and Gautam, R. C. (1995). Effect of Soil-Moisture Conservation and Weed Control on the Nutrition and Seed Yield of Pearl millet (*Pennisetum glaucum*) Under Rainfed Condition. *Indian J.Agron.* 40: 604-608.

EcoReference No.: 80127

Chemical of Concern: ATZ,24DXY; Habitat: T; Effect Codes: POP; Rejection Code: TARGET(ATZ).

Kummerlin, R. (1986). Interactions Between the Sorption of the Herbicide Atrazine and the Physiological Condition of Planctic Algae. *Arch.Hydrobiol.Suppl.* 66: 495-571 (GER) (ENG ABS).

EcoReference No.: 12830

Chemical of Concern: ATZ; Habitat: A; Effect Codes: GRO,BCM,ACC; Rejection Code: NO FOREIGN.

Kungolos, A., Samaras, P., Kipopoulou, A. M., Zoumboulis, A., and Sakellariopoulos, G. P. (1999). Interactive Toxic Effects of Agrochemicals on Aquatic Organisms. *Water Sci.Technol.* 40: 357-364.

EcoReference No.: 62221

Chemical of Concern: HCCH,MP,ATZ; Habitat: A; Effect Codes: GRO,MOR; Rejection Code: NO CONTROL(ALL CHEMS).

Kurtz, M. E. (1996). The Influence of Preemergence Applied Herbicides on Kenaf Stand, Height, and Yield. *Ind.Crops Prod.* 5: 265-271.

EcoReference No.: 73986

Chemical of Concern: MTL,MBZ,DMM,NFZ,PDM,IZT,IMQ,FMU,EFL,DU,CZE,ATZ,ACR,CRM; Habitat: T; Effect Codes: GRO,POP,PHY; Rejection Code: LITE EVAL CODED(MTL),OK(ALL CHEMS),OK TARGET(ATZ).

Ladlie, J. S., Meggitt, W. F., and Penner, D. (1977). Effect of Atrazine on Soybean Tolerance to Metribuzin. *Weed Sci.* 25: 115-121.

EcoReference No.: 29573

Chemical of Concern: ATZ,MBZ,DMM; Habitat: T; Effect Codes: MOR,GRO,POP,PHY; Rejection Code: TARGET(ATZ).

Lande, S. S., Elnabarawy, M. T., Reiner, E. A., Welter, A. N., and Robideau, R. R. (1987). Laboratory Assessment of Environmental Impact of Phthalazine. *Bull.Environ.Contam.Toxicol.* 38: 332-336.

EcoReference No.: 12578; Habitat: A; Effect Codes: POP; Rejection Code: NO COC(ATZ).

LaPoint, T. W. and Fairchild, J. F. (1994). Use of Mesocosm Data to Predict Effects in Aquatic Ecosystems: Limits to Interpretation. In: R.L.Graney, J.H.Kennedy, and J.H.Rogers (Eds.), *Aquatic Mesocosm Studies in Ecological Risk Assessment, Chapter 16*, Lewis Publishers, Boca Raton, FL 241-255.

EcoReference No.: 7865

Chemical of Concern: EFV,ATZ; Habitat: A; Effect Codes: POP,REP; Rejection Code: LITE EVAL CODED(EFV),NO MIXTURE(ATZ).

Latchanna, A. and Rani, C. S. (1999). Residual Effect of Atrazine Weedicide Used in Rabi Sorghum on Succeeding Mung Crop in Rotation. *J.Environ.Biol.* 20: 303-305.

EcoReference No.: 78653

Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO,MOR,ACC; Rejection Code: TARGET(ATZ).

Lawal, A. O. (1998). Effect of Herbicides on Growth and Dry-Matter Yield of Grass Legume Mixed Swards. *Indian J.Agric.Sci.* 68: 323-325.

EcoReference No.: 73796

Chemical of Concern: FZFB,ATZ,MTL,IZT,PDM,BT,ACF; Habitat: T; Effect Codes: POP,GRO; Rejection Code: NO MIXTURE(MTL,ATZ).

Lawrie, J. and Clay, D. V. (1989). Tolerance of Forestry and Biomass Broad-Leaved Tree Species to Soil-Acting Herbicides. In: *Br.Crop Prot.Counc., Brighton Crop Prot.Conf.: Weeds, Volumes 1-3, Int.Conf., Nov.20-23, 1989, Brighton, England* 347-354.

EcoReference No.: 70642

Chemical of Concern: SZ,ATZ,IZP; Habitat: T; Effect Codes: POP,GRO,BCM; Rejection Code: TARGET(SZ,IZP,ATZ).

Laws, S. C., Ferrell, J. M., Stoker, T. E., and Cooper, R. L. (2003). Pubertal Development in Female Wistar Rats Following Exposure to Propazine and Atrazine Biotransformation By-Products, Diamino-S-Chlorotriazine and Hydroxyatrazine. *Toxicol.Sci.* 76: 190-200.

EcoReference No.: 78785

Chemical of Concern: PPZ; Habitat: T; Effect Codes: GRO; Rejection Code: NO COC(ATZ),OK(ALL CHEMS).

Lay, M. M. and Niland, A. M. (1985). Biochemical Response of Inbred and Hybrid Corn (*Zea mays* L.) to R-25788 and Its Distribution with EPTC in Corn Seedlings. *Pestic.Biochem.Physiol.* 23: 131-140.

EcoReference No.: 80222

Chemical of Concern: ATZ; Habitat: T; Effect Codes: PHY,BCM,CEL; Rejection Code: TARGET(ATZ).

Lazowski, E. J. and Hall, J. K. (1991). Triazine Herbicide Residues in Corn Production Systems: Effects of Tillage, Application Rate and Liming on Persistence. *Soil Tillage Res.* 21: 133-145.

EcoReference No.: 80065

Chemical of Concern: ATZ,CZE; Habitat: T; Effect Codes: POP; Rejection Code: TARGET(ATZ).

Leavitt, J. R. C. and Penner, D. (1979). In Vitro Conjugation of Flutathione and Other Thiols and Acetanilide Herbicides and Eptc Sulfoxide and the Action of the Herbicide Antidote R-25788. *J Agr Food* 27: 533-536.

EcoReference No.: 44078

Chemical of Concern: ATZ,ACR; Habitat: T; Effect Codes: GRO; Rejection Code: OK(ALL CHEMS),OK TARGET(ATZ).

Leblova, S. and Rovenska, J. (1987). Effect of Pollutants on Alcohol Dehydrogenase Isolated from Peanut (*Arachis hypogaea*). *Biologia (Bratisl.)* 42: 347-357.

EcoReference No.: 70412

Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: BCM; Rejection Code: TARGET(SZ,ATZ).

Lee, W. O. (1981). Control of Annual Bluegrass (*Poa annua*) in Perennial Ryegrass (*Lolium perenne*) Seed Fields. *Weed Sci.* 29: 444-447.

EcoReference No.: 80060

Chemical of Concern: EFS,DU,ATZ,SZ,CPP; Habitat: T; Effect Codes: MOR,POP; Rejection Code: TARGET(ATZ).

Lehoczki, E., Laskay, G., Polos, E., and Mikulas, J. (1984). Resistance to Triazine Herbicides in Horseweed (*Conyza canadensis*). *Weed Sci.* 32(5): 669-674.

EcoReference No.: 44127

Chemical of Concern: ATZ; Habitat: T; Effect Codes: PHY; Rejection Code: NO ENDPOINT(TARGET-ATZ).

Lepiece, D., Salembier, J. F., and Thompson, A. (2001). Primus (Florasulam 50 G/L), a New Triazolopyrimidine Sulfonanilide Herbicide to Control Broad-Leaved Weeds in Maize when Applied in Early Postemergence (1 to 6 Leaf Stage of Maize). Preliminary Results. *Meded.Fac.Landbouwwet.Rijksuniv.Gent* 66: 681-704.

EcoReference No.: 79704

Chemical of Concern: NSF,MST,PYD,ATZ; Habitat: T; Effect Codes: GRO,POP; Rejection Code: TARGET(ATZ).

Lewis, J. W., Kay, A. N., and Hanna, N. S. (1993). Responses of Electric Fish (Family Mormyridae) to Chemical Changes in Water Quality: II. Pesticides. *Environ.Technol.* 14: 1171-1178.

EcoReference No.: 13382

Chemical of Concern: ATZ,HCCH; Habitat: A; Effect Codes: PHY; Rejection Code: NO ENDPOINT(ALL CHEMS).

Liang, G. H. L., Feltner, K. C., and Russ, O. G. (1969). Meiotic and Morphological of Grain sorghum to Atrazine, 2,4-D, Oil and Their Combinations. *Weed Sci.* 17: 8-12.

EcoReference No.: 81740

Chemical of Concern: ATZ,24DXY; Habitat: T; Effect Codes: CEL; Rejection Code: OK(24DXY),OK TARGET(ATZ).

Lichtenstein, E. P. (1975). Chemical Residue Interactions and Effects in Soil-Plant-Animal Systems. *Proc.and Rep.of Two Resear.Co-Ordination Meetings Organized by the Joint FAO/IAEA Div.of Atomic Energy in Food and Agriculture, Nov.5-9, 1973 and June 4-7, 1974, Vienna, Austria* 3-7.

EcoReference No.: 51519

Chemical of Concern: HCCCH,DDT,ATZ,PCB,DZ,CBF,PRT; Habitat: T; Effect Codes: ACC,GRO,MOR; Rejection Code: NO ENDPOINT(ALL CHEMS).

Lichtenstein, E. P., Liang, T. T., and Anderegg, B. N. (1975). Synergism of Insecticides by Herbicides Under Various Environmental Conditions. *Environ.Conserv.* 2: 148.

EcoReference No.: 65412

Chemical of Concern: ATZ,SZ,24DXY,CBF,DDT,PRN,DZ; Habitat: AT; Rejection Code: NO REVIEW.

Lin, A. J., Zhu, Y. G., Tong, Y. P., and Geng, C. N. (2005). Evaluation of Genotoxicity of Combined Pollution by Cadmium and Atrazine. *Bull.Environ.Contam.Toxicol.* 74: 589-596.

EcoReference No.: 79508

Chemical of Concern: Cd,ATZ; Habitat: T; Effect Codes: CEL; Rejection Code: TARGET(ATZ).

Loeb, H. A. and Kelly, W. H. (1963). Acute Oral Toxicity of 1,496 Chemicals Force-fed to Carp. *U.S.Fish.Wildl.Serv., Sp.Sci.Rep.-Fish.No.471, Washington, D.C.* 124 p.

EcoReference No.: 15898

Chemical of Concern:

AZ,Captan,CBL,CMPH,HCCCH,MLN,Naled,SZ,PNB,ACL,WFN,FUR,DPC,RTN,NaN3,PCP,NaPCP,AsA C,ACL,ATZ; Habitat: A; Effect Codes: MOR; Rejection Code: NO CONTROL(ALL CHEMS).

Loeppky, C. and Tweedy, B. G. (1969). Effects of Selected Herbicides upon Growth of Soil Algae. *Weed Sci.* 17: 110-113.

EcoReference No.: 71778

Chemical of Concern: ATZ; Habitat: A; Effect Codes: POP; Rejection Code: NO ENDPOINT(ATZ).

Lopez-Martinez, N., Marshall, G., and De Prado, R. (1997). Resistance of Barnyardgrass (*Echinochloa crus-galli*) to Atrazine and Quinclorac. *Pestic.Sci.* 51: 171-175 .

EcoReference No.: 66717

Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO,PHY; Rejection Code: TARGET(ATZ).

Ludwig, J. W. (1973). Effects of Herbicides on the Productivity of Fodder Maize with Special Reference to Pre-emergence Applications of 2,4-D-Amine. *Weed Res.* 13: 1-11.

EcoReference No.: 41778

Chemical of Concern: 24DXY,LNR,ATZ,SZ; Habitat: T; Effect Codes: POP; Rejection Code: OK(ALL CHEMS),OK TARGET(ATZ).

Ludwig, J. W. (1973). The Use of a Low Dose of Atrazine Alone and in Mixtures with Other Herbicides in the Maize Crop. *Weed Res.* 13: 12-18.

EcoReference No.: 40618

Chemical of Concern: ATZ,PCH,LNR,24DXY; Habitat: T; Effect Codes: POP; Rejection Code: OK(ALL CHEMS),OK TARGET(ATZ).

Lynch, T. R., Johnson, H. E., and Adams, W. J. (1982). The Fate of Atrazine and a Hexachlorobiphenyl Isomer in

- Naturally-Derived Model Stream Ecosystems. *Environ.Toxicol.Chem.* 1: 179-192.
- EcoReference No.: 15037
Chemical of Concern: ATZ,PCB; Habitat: A; Effect Codes: ACC; Rejection Code: NO EFFECT.
- Lytle, T. F. and Lytle, J. S. (1997). Ascorbate: A Biomarker of Herbicide Stress in Wetland Plants. In: *E.L.Kruger, T.A.Anderson, and J.R.Coats (Eds.), Phytoremediation of Soil and Water Contaminants, Chapter 8, ACS Symp.Ser.No.664* 106-113.
- EcoReference No.: 51722
Chemical of Concern: TFN,MTL,ATZ; Habitat: T; Effect Codes: BCM; Rejection Code: OK(ALL CHEMS),OK TARGET(ATZ).
- Madhulety, T. Y. and Chandra Singh, D. J. (1977). Biochemical and Physiological Studies of Alachlor and Atrazine in Maize. *Andhra Agric.J.* 23: 85-92.
- EcoReference No.: 26414
Chemical of Concern: ACR,ATZ; Habitat: T; Effect Codes: GRO,BCM; Rejection Code: TARGET(ATZ).
- Mahalle, S. S. and Seth, J. (1989). Effect of Weedicides and Nitrogen Levels on Nitrogen Uptake and Yield of Sorghum (*Sorghum bicolor*). *Indian J.Agric.Sci.* 59: 395-397.
- EcoReference No.: 79701
Chemical of Concern: ATZ,2,4-DXY; Habitat: T; Effect Codes: GRO,ACC,POP; Rejection Code: TARGET(ATZ).
- Mahmood, S. K. and Rao, A. M. M. (1995). Impact of Pesticides on Root Exudates of *Ageratum conyzoides* L. *Bangladesh J.Bot.* 24 : 225-227.
- EcoReference No.: 74720
Chemical of Concern: CBF,MLH,24DXY,ATZ; Habitat: T; Effect Codes: BCM; Rejection Code: NO ENDPOINT(ALL CHEMS,TARGET-ATZ).
- Malan, C., Visser, J. H., and Grobbellar, N. (1982). Control of Problem Weeds of Maize on the Transvaal High Veld (South Africa): 2. *Datura Stramonium*. *Weed Res.* 22: 101-104.
- EcoReference No.: 41332
Chemical of Concern: ATZ,CZE,MCPA,PAQT; Habitat: T; Effect Codes: GRO,MOR; Rejection Code: OK(ALL CHEMS),OK TARGET(ATZ).
- Malan, C., Visser, J. H., and Van de Venter, H. A. (1987). Atrazine Metabolism in Field-Grown Maize and the Effect of Atrazine Phytotoxicity on Yield. *S.Afr.J.Plant Soil* 4: 7-11.
- EcoReference No.: 81149
Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO,ACC,BCM,POP; Rejection Code: OK TARGET(ATZ).
- Malan, C., Visser, J. H., and Van de Venter, H. A. (1986). In Vivo Atrazine Hydroxylation in Maize Plants Exposed to Five Different Temperature Regimes. *S.Afr.J.Plant Soil* 3: 115-118.
- EcoReference No.: 80529
Chemical of Concern: ATZ; Habitat: T; Effect Codes: BCM,ACC; Rejection Code: TARGET(ATZ).
- Mallison III, S. M. and Cannon, R. E. (1984). Effects of Pesticides on Cyanobacterium *Plectonema boryanum* and Cyanophage LPP-1. *Appl.Environ.Microbiol.* 47: 910-914.

- EcoReference No.: 10887
Chemical of Concern: ATZ,HCCH,MLN,,ADC,AMTR; Habitat: A; Effect Codes: POP; Rejection Code: NO ENDPOINT(ATZ).
- Mann, J. D. and Pu, M. (1968). Inhibition of Lipid Synthesis by Certain Herbicides. *Weed Sci.* 1: 197-198.
- EcoReference No.: 43988
Chemical of Concern: EDT,SZ,24DXY,ATZ,DBN,TFN,PCP,PCL; Habitat: T; Effect Codes: BCM; Rejection Code: NO ENDPOINT,CONTROL,DURATION(ALL CHEMS).
- Mansour, F. (1987). Effect of Pesticides on Spiders Occurring on Apple and Citrus in Israel. *Phytoparasitica* 15: 43-50.
- EcoReference No.: 70244
Chemical of Concern: ATZ,CPY,FPP,CYP,FNV,PPHD,FVL,Zineb,Maneb,SFR,Captan,TDF,BMC,GYP; Habitat: T; Effect Codes: MOR; Rejection Code: NO ENDPOINT(ATZ).
- Marinari, S., Badalucco, L., De Toledo, V. C., and Grego, S. (1996). Effect of Composted Manure on Soil Fertility and Maize (*Zea mays*) Production: Preliminary Results. *Agrochimica* 40: 276-283.
- EcoReference No.: 79731
Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO; Rejection Code: TARGET(ATZ).
- Marriage, P. B., Khan, S. U., Warwick, S. I., and Tutte, D. F. (1981). Differential Nitrogen Response to Atrazine of Susceptible and Resistant Populations of Lamb's-Quarters (*Chenopodium album* L.). *Pestic.Biochem.Physiol.* 15: 294-299.
- EcoReference No.: 80934
Chemical of Concern: ATZ; Habitat: T; Effect Codes: ACC,POP; Rejection Code: TARGET(ATZ).
- Marriage, P. B. and Saidak, W. J. (1974). Control of Barnyardgrass and Yellow Foxtail by Herbicides in Relation to the Sucrose Content of the Seedling Leaves. *Weed Res.* 14: 115-118.
- EcoReference No.: 41216
Chemical of Concern: ATZ,DMM,LNR,MBZ; Habitat: T; Effect Codes: POP,BCM; Rejection Code: OK(ALL CHEMS),OK TARGET(ATZ).
- Marriage, P. B. and Warwick, S. I. (1980). Differential Growth and Response to Atrazine Between and Within Suceptible and Resistant Biotypes of *Chenopodium album*. *Weed Res.* 20: 9-16.
- EcoReference No.: 43734
Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO,POP,PHY,REP,BCM; Rejection Code: OK TARGET(ATZ).
- Marshall, R. J. and Nel, P. C. (1978). Effect of Atrazine on Some Grain Sorghum Cultivars. *Gewasprod.Crop Prod.* 7: 189-192.
- EcoReference No.: 26507
Chemical of Concern: ATZ; Habitat: T; Effect Codes: POP; Rejection Code: TARGET(ATZ).
- Masters, R. A. (1995). Establishment of Big Bluestem and Sand Bluestem Cultivars with Metolachlor and Atrazine. *Agron.J.* 87: 592-596.
- EcoReference No.: 73937
Chemical of Concern: MTL,ATZ; Habitat: T; Effect Codes: POP; Rejection Code: LITE EVAL

CODED(MTL),TARGET(ATZ).

Mathew, R., Kacew, S., and Khan, S. U. (1998). Bioavailability in Rats of Bound Pesticide Residues from Tolerant or Susceptible Varieties of Soybean and Canola Treated with Metribuzin or Atrazine. *Chemosphere* 36: 589-596.

EcoReference No.: 51976

Chemical of Concern: ATZ,MBZ,DMM; Habitat: T; Effect Codes: PHY; Rejection Code: NO CONTROL,ENDPOINT(ALL CHEMS).

Matthias, U. (1990). Sonderprojekt: Okologische Schaden im Rhein durch den Sandoz-Schadensfall, Okotoxikologische Bewertung des Sandoz-Schadensfalles Anhand von Laboruntersuchungen. *Landesanstalt fur Umweltschutz, Baden-Wurttemberg, Inst.fur Wasser- und Abfallwirtschaft, Endbericht (OECDG Data File)*.

EcoReference No.: 56301

Chemical of Concern: ATZ,DS; Habitat: A; Effect Codes: MOR,CEL,REP,BEH,PHY; Rejection Code: NO FOREIGN(ALL CHEMS).

Mayer, F. L. Jr. (1974). Pesticides as Pollutants. In: B.G.Liptak (Ed.), *Environmental Engineer's Handbook*, Chilton Book Co., Radnor, PA 405-418 (Publ in Part As 6797).

EcoReference No.: 70421

Chemical of Concern:

AND,CHD,DDT,DLD,ES,EN,HPT,TXP,DZ,CPY,PRN,CBL,ACL,ATZ,Cu,EDT,SZ,As; Habitat: A; Effect Codes: MOR; Rejection Code: NO CONTROL(ALL CHEMS). **Less sensitive endpoint.**

Mayeux, H. S. Jr., Scifres, C. S., and Crane, R. A. (1980). *Ericameria austrotexana* and Associated Range Forage Responses to Herbicides. *Weed Sci.* 28: 602-606.

EcoReference No.: 44033

Chemical of Concern: 24DXY,ATZ,BYP,PAQT,PCL,GYP,DMB; Habitat: T; Effect Codes: POP; Rejection Code: OK TARGET(ATZ,DMB),OK(ALL CHEMS).

Mazanti, L. E. (1999). The Effects of Atrazine, Metolachlor and Chlorpyrifos on the Growth and Survival of Larval Frogs Under Laboratory and Field Conditions. *Ph.D.Thesis, Univ.of Maryland, College Park, MD*.

EcoReference No.: 75041

Chemical of Concern: MTL,ATZ,CPY; Habitat: A; Effect Codes: BEH,GRO,ACC,SYS; Rejection Code: OK(CPY), NO MIXTURE(ATZ,MTL).

McCarty, L. B., Porter, D. W., and Colvin, D. L. (1995). Sod Regrowth of St. Augustinegrass After Preemergence Herbicide Application. *Agron.J.* 87: 503-507.

EcoReference No.: 73910

Chemical of Concern: MTL,ATZ,DTP,ODZ,PDM; Habitat: T; Effect Codes: POP,GRO; Rejection Code: LITE EVAL CODED(MTL),OK(DTP,MTL,ODZ,PDM),OK TARGET(ATZ).

McCarty, L. B., Porter, D. W., Colvin, D. L., Shilling, D. G., and Hall, D. W. (1994). Controlling Two Sprangletop (*Leptochloa* spp.) Species with Preemergence Herbicides. *Weed Technol.* 9: 29-33.

EcoReference No.: 74007

Chemical of Concern: MTL,ATZ,PDM,ODZ,DTP; Habitat: T; Effect Codes: POP; Rejection Code: OK(MTL),TARGET(ATZ).

McCarty, L. B., Porter, D. W., Colvin, D. L., Shilling, D. G., and Hall, D. W. (1995). St. Augustinegrass Rooting

- Following Preemergence Herbicide Application. *J.Am.Soc.Hortic.Sci.* 120: 374-378.
- EcoReference No.: 73301
Chemical of Concern: MTL,ATZ,PDM,ODZ,DTP; Habitat: T; Effect Codes: GRO; Rejection Code: LITE EVAL CODED(MTL),OK(ALL CHEMS),OK TARGET(ATZ).
- McCarty, M. K. (1979). Yield and Quality of Two Cool-Season Grasses as Affected by Selected Herbicides. *Weed Sci.* 27: 415-421.
- EcoReference No.: 41465
Chemical of Concern: 24DXY,DMB,PCL,ATZ,TPR; Habitat: T; Effect Codes: POP,BCM; Rejection Code: OK TARGET(ATZ,DMB),OK(ALL CHEMS).
- McEnerney, J. T. and Davis, D. E. (1979). Metabolic Fate of Atrazine in the Spartina alterniflora-Detritus-Uca pugnax Food Chain. *J.Environ.Qual.* 8: 335-338.
- EcoReference No.: 15022
Chemical of Concern: ATZ; Habitat: A; Effect Codes: ACC; Rejection Code: NO CONTROL,ENDPOINT(ATZ).
- McGonigle, B., Lau, S-M. C., Jennings, L. D., and O'Keefe, D. P. (1998). Homoglutathione Selectivity by Soybean Glutathione S-Transferases. *Pestic.Biochem.Physiol.* 62: 15-25.
- EcoReference No.: 73411
Chemical of Concern: CRME,ACR,ATZ; Habitat: T; Effect Codes: BCM; Rejection Code: NO COC(MTL),NO ENDPOINT(TARGET-ATZ).
- McMullin, T. S., Brzezicki, J. M., Cranmer, B. K., Tessari, J. D., and Andersen, M. E. (2003). Pharmacokinetic Modeling of Disposition and Time-Course Studies with [¹⁴C]Atrazine. *J.Toxicol.Environ.Health Part A* 66: 941-964.
- EcoReference No.: 79528
Chemical of Concern: ATZ; Habitat: T; Effect Codes: ACC,BCM,CEL; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Meena, K., Gautam, R. C., Anand, K., and Pandey, C. S. (2004). Integrated Weed Management in Brahmi (Bacopa monnieri). *Indian J.Agric.Sci.* 74: 382-384.
- EcoReference No.: 79725
Chemical of Concern: ACR,ATZ,BTC,OXF; Habitat: T; Effect Codes: GRO; Rejection Code: TARGET(ATZ).
- Mehra, S. P., Brar, L. S., and Sharma, K. K. (1995). Weed Management in Spring Planted Sugarcane. *J.Res.Punjab Agric.Univ.* 32: 11-74.
- EcoReference No.: 70268
Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: POP; Rejection Code: TARGET(SZ,ATZ).
- Menzel, R., Bogaert, T., and Achazi, R. (2001). A Systematic Gene Expression Screen of Caenorhabditis elegans Cytochrome P450 Genes Reveals CYP35 as Strongly Xenobiotic Inducible. *Arch.Biochem.Biophys.* 395: 158-168.
- EcoReference No.: 81720
Chemical of Concern: ATZ,PCB; Habitat: T; Effect Codes: CEL; Rejection Code: NO ENDPOINT(ALL CHEMS).

Mester, L., Tesio, C., Marcoci, S., and Popescu, C. (1987). Toxic Action of Pitezin on Some Freshwater Fish Species *Cyprinus carpio* and *Carassius auratus* Gibelio. *Stud.Cercet Biol.Ser.Biol.Anim.* 39: 47-52 (ROM) (ENG ABS).

EcoReference No.: 13422

Chemical of Concern: ATZ; Habitat: A; Effect Codes: MOR,CEL; Rejection Code: NO FOREIGN,CONTROL(ATZ).

Meyer, R. E. and Baur, J. R. (1979). Smutgrass (*Sporobolus Poiretii*) Control in Pastures with Herbicides. *Weed Sci.* 27: 361-366.

EcoReference No.: 41467

Chemical of Concern: ATZ,BMC,GYP,HXZ,TET,CFRM; Habitat: T; Effect Codes: PHY,POP; Rejection Code: OK(ALL CHEMS),OK TARGET(ATZ,CFRM).

Michieka, R. W., Somody, C. N., and Ilnicki, R. D. (1978). The Effects of Two Atrazine Formulations on the Response of Several Varieties of Sweet Corn. *Proc.Northeast.Weed Sci.Soc.* 32: 119-123.

EcoReference No.: 41426

Chemical of Concern: ATZ; Habitat: T; Effect Codes: MOR,PHY,POP; Rejection Code: NO ENDPOINT(ATZ).

Miller, D. K., Richard, E. P. Jr., and Griffin, J. L. (1998). Sugarcane (*Saccharum* spp. Hybrids) Response to Simulated Fallow Field Residues of Metribuzin and Sulfometuron. *Weed Technol.* 12: 454-457.

EcoReference No.: 80068

Chemical of Concern: ATZ,MBZ,DDM,SMY; Habitat: T; Effect Codes: POP; Rejection Code: TARGET(ATZ).

Miller, M. S. and Doxtader, K. G. (1995). Atrazine Impacts on Shortgrass Prairie Microcosms. *J.Range Manag.* 48: 298-306.

EcoReference No.: 71609

Chemical of Concern: ATZ; Habitat: T; Effect Codes: BCM,GRO,PHY; Rejection Code: TARGET(ATZ).

Miota, F., Siegfried, B. D., Scharf, M. E., and Lydy, M. J. (2000). Atrazine Induction of Cytochrome P450 in *Chironomus tentans* Larvae. *Chemosphere* 40: 285-74.

EcoReference No.: 52276

Chemical of Concern: ATZ; Habitat: A; Effect Codes: BCM; Rejection Code: NO ENDPOINT(ATZ).

Mitich, L. W., Feyler, M. L., and Kearney, T. E. (1989). Chemical Control of Weeds in Grain Lupine. *Proc.West.Soc.Weed Sci.* 42: 226-74.

EcoReference No.: 71242

Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: PHY; Rejection Code: TARGET(SZ,ATZ).

Mohammed, K. B. and Ma, T. H. (1999). Tradescantia-Micronucleus and -Stamen Hair Mutation Assays on Genotoxicity of the Gaseous and Liquid Forms of Pesticides. *Mutat.Res.* 426: 193-199.

EcoReference No.: 62885

Chemical of Concern: SZ,ATZ,PCL,DMB,DMT; Habitat: T; Effect Codes: GRO,CEL; Rejection Code: LITE EVAL CODED(DMT),TARGET(SZ,DMB,ATZ).

Mohanadas, S., Wallace, W., and Nicholas, D. J. D. (1978). Effects of Atrazine on the Assimilation of Inorganic

- Nitrogen in Cereals. *Phytochem* 17: 1021-1028.
- EcoReference No.: 41520
Chemical of Concern: ATZ; Habitat: T; Effect Codes: PHY; Rejection Code: OK TARGET(ATZ).
- Montgomerie, I. G. and Kennedy, D. M. (1982). The Effects of Dazomet, Fenaminosulf, and Soil Ridges on Red Core Disease of Strawberry. *Ann.Appl.Biol.* 100: 443-455.
- EcoReference No.: 79896
Chemical of Concern: DZM,ATZ; Habitat: T; Effect Codes: GRO,POP,PHY; Rejection Code: LITE EVAL CODED(DZM),TARGET(ATZ).
- Moorhouse, K. G. and Casida, J. E. (1992). Pesticides as Activators of Mouse Liver Microsomal Glutathione S-Transferase. *Pestic.Biochem.Physiol.* 44: 83-90.
- EcoReference No.: 79085
Chemical of Concern: ACL,Captan,TMT,ATZ,ACR,EPTC,MITC; Habitat: T; Effect Codes: BCM; Rejection Code: OK(EPTC,Captan,MITC),NO IN VITRO(ACL,ACR,ATZ,TMT).
- Moosleitner, H. (1983). Ein Plastiksack als Laichplatz für Chromis chromis. *Zool Anz Jena* 210: 175-179.
- EcoReference No.: 52352
Chemical of Concern: ATZ; Habitat: A; Rejection Code: NO FOREIGN.
- Moreland, D. E., Malhotra, S. S., Gruenhagen, R. D., and Shokraii, E. H. (1969). Effects of Herbicides on RNA and Protein Synthesis. *Weed Sci.* 17: 556-563.
- EcoReference No.: 42656
Chemical of Concern: AMTL,PCL,EPTC,PCH,PPN,TFN,DMB,DBN,DU,ATZ; Habitat: T; Effect Codes: BCM; Rejection Code: OK TARGET(ATZ,DMB),OK(ALL CHEMS).
- Mougin, C., Laugero, C., Asther, M., and Chaplain, V. (1997). Biotransformation of s-Triazine Herbicides and Related Degradation Products in Liquid Cultures by the White Rot Fungus *Phanerochaete chrysosporium*. *Pestic.Sci.* 49: 169-177.
- EcoReference No.: 69984
Chemical of Concern: ATZ; Habitat: T; Rejection Code: NO COC(SZ,ATZ).
- Moyer, J. R. and Blackshaw, R. E. (1993). Effect of Soil Moisture on Atrazine and Cyanazine Persistence and Injury to Subsequent Cereal Crops in Southern Alberta. *Weed Technol.* 7: 988-994.
- EcoReference No.: 80059
Chemical of Concern: ATZ,CZE; Habitat: T; Effect Codes: POP,PHY; Rejection Code: TARGET(ATZ).
- Mukhopadhyay, S. K. (1980). Effects of Herbicides and Insecticides Alone and Their Combinations on Soil Microflora. *Indian J.Weed Sci.* 12: 53-60.
- EcoReference No.: 71311
Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: POP; Rejection Code: TARGET(SZ,ATZ).
- Mukula, J. (1962). Chemical Weed Control in Fruit Crop Nurseries. *Ann.Agric.Fenn.* 1: 25-36.
- EcoReference No.: 42754
Chemical of Concern: ATZ,DU,SZ; Habitat: T; Effect Codes: GRO,PHY,MOR; Rejection Code: OK TARGET(ATZ,SZ),OK(ALL CHEMS).

Mulder, T. A. and Doll, J. D. (1994). Reduced Input Corn Weed Control: The Effects of Planting Date:, Early Season Weed Control, and Row-Crop Cultivator Selection. *J.Prod.Agric.* 7: 256-260.

EcoReference No.: 73544

Chemical of Concern: MTL,ATZ; Habitat: T; Effect Codes: POP; Rejection Code: NO MIXTURE(MTL,ATZ).

Munoz, I. and Roses, N. (2000). Comparison of Extraction Methods for the Determination of Atrazine Accumulation in Freshwater Molluscs (*Physa acuta* Drap. and *Ancylus fluviatilis* Mull, Gastropoda). *Water Res.* 34: 2846-2848.

EcoReference No.: 52488

Chemical of Concern: ATZ; Habitat: A; Effect Codes: GRO,ACC; Rejection Code: NO ENDPOINT(ATZ).

Murdoch, C. L. and Ikeda, D. (1974). Goosegrass Control in Bermudagrass Turf with Combinations of MSMA and S-Triazines. *Agron.J.* 66: 712-714.

EcoReference No.: 40770

Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: MOR,PHY; Rejection Code: OK(ALL CHEMS),OK TARGET(ATZ).

Murthy, G. M. A. and Gowda, J. V. N. (1993). Evaluation of Herbicides for Weed Control in Tuberose (*Polianthes tuberosa* Linn.) cv. Double. *Crop Res.* 6: 176-178.

EcoReference No.: 73795

Chemical of Concern: MTL,ACR,DU,PDM,ATZ,24DXY,BTC; Habitat: T; Effect Codes: POP; Rejection Code: LITE EVAL CODED(MTL),OK(ALL CHEMS),OK TARGET(ATZ).

Murty, K. V., Raju, D. S. S., and Sharma, C. B. S. R. (1983). Cytogenetic Hazards from Agricultural Chemicals. 7. Herbicides, Fungicides and Insecticides Screened for Effects on Chiasmata in *Hordeum vulgare*. *Biol.Zentralbl.* 102: 571-576.

EcoReference No.: 41005

Chemical of Concern: TBA,CBX,OXC,Zineb,Zn,ATZ,SZ,PMT,BMC,TRB,PPHD,FNT,MP,DDVP,TCF,PNB; Habitat: T; Effect Codes: CEL; Rejection Code: OK TARGET(SZ,ATZ).

Muschal, M. and Warne, M. St. J. (2003). Risk Posed by Pesticides to Aquatic Organisms in Rivers of Northern Inland New South Wales, Australia. *Hum.Ecol.Risk Assess.* 9: 1765-1787.

EcoReference No.: 81718

Chemical of Concern: ATZ,PRO,MTL,DV,PFF,CPY,ES; Habitat: A; Effect Codes: MOR,PHY; Rejection Code: NO ENDPOINT,CONTROL(ALL CHEMS).

Myers, M. G. and Harvey, R. G. (1993). Triazine-Resistant Common Lambsquarters (*Chenopodium album* L.) Control in Field Corn (*Zea mays* L.). *Weed Technol.* 7: 884-889.

EcoReference No.: 73810

Chemical of Concern: MTL,THF,BMN,MBZ,DMM,ACR,ACO,ATZ,PDM,CZE,LNR,DMB,PYD,24DXY; Habitat: T; Effect Codes: POP; Rejection Code: LITE EVAL CODED(MTL),TARGET(DMB,ATZ).

Nadar, H. M., Clegg, M. D., and Maranville, J. W. (1975). Promotion of Sorghum Callus Growth by the s-Triazine Herbicides. *Plant Physiol.* 56: 747-751.

EcoReference No.: 43423

- Chemical of Concern: SZ,PPZ,ATZ,AMTR,PRO,PMT; Habitat: T; Effect Codes: GRO,CEL; Rejection Code: LITE EVAL CODED(PPZ),OK(ALL CHEMS),OK TARGET(ATZ,SZ).
- Nagel, R. (1992). Toxicity of Pesticides to Aquatic Vertebrates Illustrated by the Example of the Fish. In: H.Becker and R.Heitefuss (Eds.), *Determination of Herbicides in Aquatic Ecosystems*, Johannes Gutenberg- Univ.Mainz, Saarstr., Mainz 88-104 (GER) (ENG ABS).
- EcoReference No.: 4999
Chemical of Concern: ATZ,HCCH; Habitat: A; Effect Codes: REP,CEL,MOR,BEH; Rejection Code: NO FOREIGN(ALL CHEMS).
- Nakagawa, L. E., Luchini, L. C., Musumeci, M. R., and Matallo, M. (1996). Behavior of Atrazine in Soils of Tropical Zone Degradation, Mobility and Uptake of Atrazine Residues from Soils in a Crop Rotation System (Maize/Beans). *J.Environ.Sci.Health Part B* 31: 203-224.
- EcoReference No.: 79697
Chemical of Concern: ATZ; Habitat: T; Effect Codes: ACC; Rejection Code: TARGET(ATZ).
- Nalewaja, J. D. and Adamczewski, K. A. (1976). Vaporization and Uptake of Atrazine with Additives. *Weed Sci.* 24: 217-223.
- EcoReference No.: 26000
Chemical of Concern: ATZ; Habitat: T; Rejection Code: TARGET(ATZ).
- Nash, R. G. and Harris, W. G. (1973). Screening for Phytotoxic Pesticide Interactions. *J.Environ.Qual.* 2: 493-497.
- EcoReference No.: 52580
Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: PHY; Rejection Code: NO MIXTURE(SZ),TARGET(ATZ).
- Ndahi, W. B., Russ, O. G., and Moshier, L. J. (1981). Pearl Millet Tolerance to Selected Herbicides. *Trans.Kans.Acad.Sci.* 84: 105-108.
- EcoReference No.: 78602
Chemical of Concern: ATZ,PPZ,CZE,PCH,EPTC,LNR,BTY; Habitat: T; Effect Codes: PHY,GRO,POP; Rejection Code: LITE EVAL CODED(PPZ),NO MIXTURE(LNR,EPTC,BTY),OK(CZE,PCH),OK TARGET(ATZ).
- Nemat Alla, M. M. (1995). Glutathione Regulation of Glutathione S-Transferase and Peroxidase Activity in Herbicide-Treated Zea mays. *Plant Physiol.Biochem.* 33: 185-192 .
- EcoReference No.: 73539
Chemical of Concern: MTL,ATZ,ACR; Habitat: T; Effect Codes: BCM; Rejection Code: NO ENDPOINT(MTL),TARGET(ATZ).
- Neumann, S., Grimm, E., and Jacob, F. (1985). Transport of Xenobiotics in Higher Plants I. Structural Prerequisites for Translocation in the Phloem. *Biochem.Physiol.Pflanz.* 180: 257-268.
- EcoReference No.: 71754
Chemical of Concern: ATZ,24DXY; Habitat: T; Effect Codes: ACC,GRO; Rejection Code: TARGET(ATZ).
- Neumann, W., Laasch, H., and Urbach, W. (1987). Mechanisms of Herbicide Sorption in Microalgae and the Influence of Environmental Factors. *Pestic.Biochem.Physiol.* 27: 189-200.
- EcoReference No.: 3040

- Chemical of Concern: ATZ,DU,HCCH,TDZ; Habitat: A; Effect Codes: BCM; Rejection Code: NO CONTROL,ENDPOINT(ALL CHEMS).
- Newton, M. and Overton, W. S. (1973). Direct and Indirect Effects of Atrazine, 2,4-D and Dalapon Mixtures on Conifers. *Weed Sci.* 21: 269-275.
- EcoReference No.: 28375
Chemical of Concern: ATZ,24DXY; Habitat: T; Effect Codes: MOR,POP; Rejection Code: TARGET(ATZ).
- Nikkila, A., Paulsson, M., Almgren, K., Blanck, H., and Kukkonen, J. V. K. (2001). Atrazine Uptake, Elimination, and Bioconcentration by Periphyton Communities and *Daphnia magna*: Effects of Dissolved Organic Carbon. *Environ.Toxicol.Chem.* 20: 1003-1011.
- EcoReference No.: 58974
Chemical of Concern: ATZ; Habitat: A; Effect Codes: ACC; Rejection Code: NO CONTROL(ATZ).
- Nishimoto, R. K. (1992). Evaluation of Pre-emergence Herbicides for Establishing Coffee. *Trop.Pest Manag.* 38: 298-301.
- EcoReference No.: 70131
Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: PHY,GRO,POP; Rejection Code: TARGET(SZ,ATZ).
- Nishimoto, R. K. and Murdoch, C. L. (1994). Smutgrass (*Sporobolus indicus*) Control in Bermudagrass (*Cynodon dactylon*) Turf with Triazine-MSMA Applications. *Weed Technol.* 8: 836-839.
- EcoReference No.: 70514
Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: POP,PHY; Rejection Code: TARGET(SZ,ATZ).
- Nishimoto, R. K., Yip, C. P., and Sweet, R. D. (1978). Some Factors Influencing Atrazine Activity on Yellow Nutsedge (*Cyperus Esculentus*). *Weed Sci.* 26: 421-425.
- EcoReference No.: 41486
Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO; Rejection Code: OK TARGET(ATZ).
- Nishiuchi, Y. (1972). Toxicity of Pesticides to Some Water Organisms. *Bull.Agric.Chem.Insp.Stn.(Noyaku Kensasho Hokoku)* 12: 122-128 (JPN) (ENG TRANSL).
- EcoReference No.: 10258
Chemical of Concern:
3CE,AC,AMTL,AMTR,AND,As,ATZ,BMC,BS,Captan,CBL,CPA,CPY,CTN,Cu,DBN,DCPA,DDT,DDV
P,DLD,DMB,DMT,DPA,DSMA,DU,DZ,EDB,EDC,EN,EPTC,ES,ETN,Fe,FLAC,FML,FNT,FNTH,HCC
H,Hg,HPT,LNR,MCAP,MCPB,MCP,MDT,MLN,MOM,MP,MTAS,NALED,Ni,NTCN,OPHP,Pb,PCB,P
CP,PCZ,PEB,PHMD,PHSL,PHTH,PMT,PNB,PPX,PPZ,PRN,PSM,PYN,SFL,SID,STREP,SZ,TBC,TFN,T
HM,TPE,TPH,TPM,TRN,Zn; Habitat: A; Effect Codes: MOR; Rejection Code: NO CONTROL(ALL
CHEMS).
- Nishiuchi, Y. and Asano, K. (1979). Toxicity of Agricultural Chemicals to Some Freshwater Organisms - 59. *The Aquiculture (Suisan Zoshoku)* 27: 48-55 (JPN) (ENG TRANSL).
- EcoReference No.: 6954
Chemical of Concern:
ACP,ACR,ATZ,BMC,BT,Captan,CPY,CTN,Cu,CuOH,CuS,DMT,DU,DZ,Folpet,HCCH,LNR,MAL,MDT
,MLN,MOM,PCP,PEB,PHMD,PMT,PNB,PPG,PQT,PSM,TBC,TFN,RTN,CuCl,PPZ; Habitat: A; Effect

Codes: MOR; Rejection Code: NO CONTROL(ALL CHEMS).

Nishiuchi, Y. and Hashimoto, Y. (1967). Toxicity of Pesticide Ingredients to Some Fresh Water Organisms. *Sci.Pest Control (Botyu-Kagaku)* 32: 5-11 (JPN) (ENG ABS) (Author Communication Used).

EcoReference No.: 15192

Chemical of Concern:

ATZ,Captan,CBL,CTN,DBN,DMB,DMT,DU,DZ,HCCH,LNR,MLN,MP,PMT,PSM,SZ,24DXY,MCPB,N aPCP,PPZ,ZIRAM,PRN,MP,MLN,ETN,DDT,DLD,MCPA; Habitat: A; Effect Codes: MOR; Rejection Code: NO FOREIGN.

Nishiuchi, Y. and Hashimoto, Y. (1969). Toxicity of Pesticides to Some Fresh Water Organisms. *Rev.Plant Prot.Res.* 2: 137-139.

EcoReference No.: 2682

Chemical of Concern: SZ,24DXY,ATZ,Captan,HCCH,MLN,PRN,DDT,MCPA,Ziram,PPN,PCP; Habitat: A; Effect Codes: MOR; Rejection Code: NO CONTROL(ALL CHEMS).

Noll, M. and Bauer, U. (1974). Phormidium Autumnale as Indicator Organism for Algicidal Substances in Water. *U.S.EPA-OPP Registration Standard.*

EcoReference No.: 13030

Chemical of Concern: 24DXY,ATZ,DU,LNR,SZ,PAQT; Habitat: A; Effect Codes: CEL; Rejection Code: NO ENDPOINT(ALL CHEMS).

O'Donovan, J. T. and Prendeville, G. N. (1975). Shoot Zone Uptake of Soil-Applied Herbicides in Some Legume Species. *Weed Res.* 15: 413-417.

EcoReference No.: 43430

Chemical of Concern: SZ,ATZ,PMT,TFN,CNR,DU; Habitat: T; Effect Codes: GRO; Rejection Code: OK TARGET(ATZ,SZ),OK(ALL CHEMS).

Obermeier, M. R. and Kapusta, G. (1996). Postemergence Broadleaf Weed Control in Corn (Zea mays) with CGA-152005. *Weed Technol.* 10: 689-698.

EcoReference No.: 73769

Chemical of Concern: ATZ,MTL,DMB,24DXY; Habitat: T; Effect Codes: POP; Rejection Code: OK(MTL),OK TARGET(DMB,ATZ).

Office of Pesticide Programs (2000). Pesticide Ecotoxicity Database (Formerly: Environmental Effects Database (EEDB)). *Environmental Fate and Effects Division, U.S.EPA, Washington, D.C.*

EcoReference No.: 344

Chemical of Concern:

24DXY,ACL,ACP,ACR,AKTMD,ALSV,APAC,AQS,AsAC,ATM,ATN,ATZ,AZ,BBN,BDF,BFT,BMC,B ML,BMN,Br2,BrCl,BRSM,BS,BT,CaPS,Captan,CBF,CBL,CFE,CFE,CFRM,CLNB,CLP,CMPH,CPC,CP Y,CQTC,CrACCTN,CTZ,Cu,CuFRA,CuO,CuOT,CuTE,CuS,CYD,CYF,CYP,CYT,DBN,DCNA,DBAC,D DAC,DFT,DFZ,DIIS,DKGNa,DM,DMB,DMM,DMP,DMT,DOD,DPC,DPDP,DS,DSP,DU,DZ,DZM,EFL ,EFS,EFV,EP,FHX,FAME,FMP,FO,Folpet,FPN,FPP,FVL,GTN,GYP,HCCH,HXZ,IGS,IPD,IZP,KMFD,L NR,MAL,MB,MBZ,MDT,MFDD,MFX,MFZ,MGK,MLN,MLT,MOM,MP,MTL,MTM,NAA,NaBr, Naled,NFZ,NPP,NTP,OTN,OXF,OXT,OYZ,PCP,PCZ,PDM,PEB,PHMD,PMR,PMT,PNB,PPB,PPG,PPM H,PPZ,PQT,PRB,PRT,PSM,PYN,PYZ,RSM,RTN,SMM,SMT,SS,SXD,SZ,TBC,TCMTB,TDC,TDF,TDZ, TET,TFN,TFR,TMT,TPR,TRB,WFN,ZnP; Habitat: AT; Effect Codes: MOR,POP,PHY,GRO,REP; Rejection Code: NO EFED (344).

Okamura, H., Aoyama, I., Liu, D., Maguire, R. J., Pacepavicius, G. J., and Lau, Y. L. (2000). Fate and Ecotoxicity

- of the New Antifouling Compound Irgarol 1051 in the Aquatic Environment. *Water Res.* 34: 3523-74.
- EcoReference No.: 56747
Chemical of Concern: SZ,ATZ; Habitat: AT; Effect Codes: POP,GRO; Rejection Code: NO CONTROL(ALL CHEMS).
- Ort, M. P., Fairchild, J. F., and Finger, S. E. (1994). Acute and Chronic Effects of Four Commercial Herbicide Formulations on *Ceriodaphnia dubia*. *Arch.Environ.Contam.Toxicol.* 27: 103-106.
- EcoReference No.: 13689
Chemical of Concern: ACR,MBZ,MTL,DMM,ATZ; Habitat: A; Effect Codes: REP,MOR; Rejection Code: LITE EVAL CODED(MTL),NO MIXTURE(ATZ),OK(ACR,MBZ,DMM).
- Oulmi, Y., Negele, R. D., and Braunbeck, T. (1995). Segment Specificity of the Cytological Response in Rainbow Trout (*Oncorhynchus mykiss*) Renal Tubules Following Prolonged Exposure to Sublethal Concentrations of Atrazine. *Ecotoxicol.Environ.Saf.* 32: 39-50.
- EcoReference No.: 16146
Chemical of Concern: ATZ; Habitat: A; Effect Codes: CEL; Rejection Code: NO ENDPOINT(ATZ).
- Pakzad, U. and Schlosser, E. (1998). Effect of Pesticides on a Vampire Amoeba (Wirkung von Pflanzenschutzmitteln auf eine Vampiramoeba). *Z.Pflanzenkr.Pflanzenschutz* 105: 100-103.
- EcoReference No.: 75059
Chemical of Concern: ATZ,BMY,DMT; Habitat: A; Effect Codes: POP; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Palmer, J. S. and Radeleff, R. D. (1969). The Toxicity of Some Organic Herbicides in Cattle, Sheep, and Chickens. *Production Research Rep.No.106, U.S.Dep Agriculture, Agricultural Research Service, Washington, DC.*
- EcoReference No.: 80737
Chemical of Concern: 24DXY,24DXYEE,PPA,MCPA,LNR,DU,TRL,ATZ,SZ,PRO,PPZ,DMB,BMC,DBN,PCLK; Habitat: T; Effect Codes: GRO,PHY,MOR; Rejection Code: NO ENDPOINT,CONTROL(ATZ,SZ),OK(24DXY,24DXYEE,PPA,MCPA,LNR,DU,TRL,PRO,PPZ,DMB,BMC,DBN,PCLK).
- Palmstrom, N. and Krieger, K. A. (1983). The Effects of Atrazine and Metolachlor on the Vegetative Growth of *Lemna minor* L. *Ohio J.Sci.* 83: 90 (ABS).
- EcoReference No.: 7269
Chemical of Concern: ATZ,MTL; Habitat: A; Effect Codes: GRO; Rejection Code: NO ABSTRACT(ALL CHEMS).
- Pandey, J. and Verma, A. K. (2002). Effect of Atrazine, Metribuzin, Sulfosulfuron and Tralkoxydim on Weeds and Yield of Wheat (*Triticum aestivum*). *Indian J.Agron.* 47: 72-76.
- EcoReference No.: 82042
Chemical of Concern: ATZ,MBZ,SFS,TKY; Habitat: T; Effect Codes: MOR,PHY,POP; Rejection Code: OK TARGET(ATZ),OK(ALL CHEMS).
- Pantera, H. (1970). The Effect of Herbicides on Algae in the Soil. *Meded.Fac.Landbouwkd.Toegep.Biol.Wet.Univ.Gent* 35: 847-854.
- EcoReference No.: 59594
Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: BCM; Rejection Code: NO

ENDPOINT(SZ),TARGET(ATZ).

Paris, D. F., Lewis, D. L., Barnett, J. T. Jr., and Baughman, G. L. (1975). Microbial Degradation and Accumulation of Pesticides in Aquatic Systems. *EPA-660/3-75-007, U.S.EPA, Corvallis, OR* 46 p.

EcoReference No.: 78294

Chemical of Concern: ATZ,PRN,DZ,Captan,CBL,MLN,24DXY,TXP,MXC; Habitat: A; Effect Codes: GRO; Rejection Code: NO ENDPOINT(ALL CHEMS) .

Parochetti, J. V. (1974). Canada Thistle Control with Atrazine. *Weed Sci.* 22: 28-31.

EcoReference No.: 43549

Chemical of Concern: ATZ; Habitat: T; Effect Codes: CEL; Rejection Code: OK TARGET(ATZ).

Parochetti, J. V. (1974). Cyprazine, Cyanazine, and Atrazine for Weed Control in Corn. *Proc.Northeast.Weed Sci.Soc.* 28: 1-6.

EcoReference No.: 41359

Chemical of Concern: ATZ,CZE; Habitat: T; Effect Codes: PHY,POP; Rejection Code: OK(ALL CHEMS),OK TARGET(ATZ).

Parochetti, J. V., Burt, G. W., and Bell, A. W. (1976). Triazines, Acetanilides, and Several Other Herbicides for Weed Control in Corn. *Proc.Northeast.Weed Sci.Soc.* 30: 48-54.

EcoReference No.: 40658

Chemical of Concern: ATZ; Habitat: T; Effect Codes: MOR,POP,PHY; Rejection Code: NO ENDPOINT(TARGET-ATZ).

Paromienskaja, L. N. (1975). Influence of Triazines on Rhizobium lupini and Their Relation with Plants. *Rocz.Glebozn.* 26: 131-135.

EcoReference No.: 71305

Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: POP,BCM; Rejection Code: TARGET(SZ,ATZ).

Patil, B. N., Panchal, Y. C., and Patil, V. S. (1983). Efficiency of Chemical and Cultural Methods of Weed Control in Rabi Sorghum Under Irrigated Conditions. *Mysore J.Agric.Sci.* 17: 230-234.

EcoReference No.: 70532

Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: POP,GRO; Rejection Code: TARGET(SZ,ATZ).

Paulov, S. (1976). The Effects of the Herbicides Burex, Zeazin-50, and Aminex on the Development of Amphibia (Ucinky Herbicidov Burex, Zeazin-50 a Aminex Na Vyvoj Obojzivelnikov). *Agrochemia* 16: 102-103 (SLO) (ENG ABS).

EcoReference No.: 7883

Chemical of Concern: ATZ,PYZ; Habitat: A; Effect Codes: GRO; Rejection Code: NO FOREIGN.

Pawlak, J. A., Kells, J. J., Barrett, M., and Meggitt, W. F. (1987). Effect of Atrazine Residue on Soybean Growth Under Three Tillage Systems and Various Herbicides. *Weed Technol.* 1: 140-144.

EcoReference No.: 80057

Chemical of Concern: ATZ,ACR,PAQT,MBZ; Habitat: T; Effect Codes: POP,PHY; Rejection Code: TARGET(ATZ).

Pearson, N. and Crossland, N. O. (1996). Measurement of Community Photosynthesis and Respiration in Outdoor Artificial Streams. *Chemosphere* 32: 913-919.

EcoReference No.: 18558

Chemical of Concern: ATZ,HCCH; Habitat: A; Effect Codes: POP,PRS,PHY; Rejection Code: NO ENDPOINT(ALL CHEMS).

Peichl, L., Lay, J. P., and Korte, F. (1985). Effects of Atrazine and 2,4-Dichlorophenoxyacetic acid to the Population Density of Phyto- and Zooplankton in an Aquatic Outdoor System. *J. Water Wastewater Res.* 18: 217-222(GER) (ENG ABS).

EcoReference No.: 4178

Chemical of Concern: 24DXY,ATZ; Habitat: A; Effect Codes: POP; Rejection Code: NO FOREIGN(ALL CHEMS).

Peichl, L., Lay, J. P., and Korte, F. (1984). Effects of Dichlobenil and Atrazine to the Population Density of Zooplankton in an Aquatic Outdoor System (Wirkung von Dichlobenil und Atrazin auf die Populationsdichte von Zooplankton in Einem Aquatischen Freilandssystem). *Z. Wasser-Abwasser-Forsch.* 17: 134-145 (GER) (ENG ABS).

EcoReference No.: 11408

Chemical of Concern: ATZ,DBN; Habitat: A; Effect Codes: POP; Rejection Code: NO FOREIGN(ALL CHEMS).

Penner, D. and Early, R. W. (1972). Effect of Atrazine on Chromatin Activity in Corn and Soybean. *Weed Sci.* 20: 367-370.

EcoReference No.: 41350

Chemical of Concern: ATZ; Habitat: T; Effect Codes: CEL; Rejection Code: OK TARGET(ATZ).

Penner, D., Leep, R. H., Roggenbuck, F. C., and Lempke, J. R. (1993). Herbicide Efficacy and Tolerance in Sweet White Lupin. *Weed Technol.* 7: 42-46.

EcoReference No.: 73750

Chemical of Concern: MTL,EFS,CZE,IMQ,ATZ,HFP,FZF,SXD,PYZ,ACR,LNR,PDM,DDP,SZ,MBZ; Habitat: T; Effect Codes: PHY,POP; Rejection Code: OK TARGET(SXD,SZ,PYZ,ATZ).

Percich, J. A. and Lockwood, J. L. (1978). Interaction of Atrazine with Soil Microorganisms: Population Changes and Accumulation. *Can.J.Microbiol.* 24: 1145-1152.

EcoReference No.: 65291

Chemical of Concern: ATZ; Habitat: T; Effect Codes: ACC,POP; Rejection Code: TARGET(ATZ).

Pereira, J. L., Da Silva, A. A., Picanco, M. C., De Barros, E. C., and Jakelaitis, A. (2005). Effects of Herbicide and Insecticide Interaction on Soil Entomofauna Under Maize Crop. *J. Environ. Sci. Health Part B* 40: 45-54.

EcoReference No.: 79698

Chemical of Concern: CPY,ATZ; Habitat: T; Effect Codes: POP; Rejection Code: NO ENDPOINT(ALL CHEMS).

Pestemer, W. and Auspurg, B. (1989). Eignung eines Testpflanzensortiments zur Risikoabschätzung von Stoffwirkungen auf Höhere Pflanzen im Rahmen des Chemikaliengesetzes. *Nachrichtenbl. Deut. Pflanzenschutz.* 38 : 120-125 (OECDG Data File).

EcoReference No.: 56303

Chemical of Concern: DBN,HCCH,PCP,ATZ; Habitat: T; Effect Codes: GRO; Rejection Code: NO

FOREIGN.

Peters, J. W. and Cook, R. M. (1973). Effects of Atrazine on Reproduction in Rats. *Bull.Environ.Contam.Toxicol.* 9: 301-304.

EcoReference No.: 38319

Chemical of Concern: ATZ; Habitat: T; Effect Codes: REP; Rejection Code: NO ENDPOINT(ALL CHEMS).

Peters, R. A. and Dest, W. M. (1973). Glyphosate for Perennial Sod Kill in No-Tillage Corn. *Proc.Northeast.Weed Sci.Soc.* 27: 1-6.

EcoReference No.: 41105

Chemical of Concern: ATZ,SZ,GYP,PAQT; Habitat: T; Effect Codes: MOR,PHY,POP; Rejection Code: OK TARGET(ATZ,SZ),OK(GYP,PAQT).

Petersen, J. L., Potter, R. L., and Ueckert, D. N. (1983). Evaluation of Selected Herbicides for Manipulating Herbaceous Rangeland Vegetation. *Weed Sci.* 31: 735-739 .

EcoReference No.: 41029

Chemical of Concern: 24DXY,ATZ,GYP; Habitat: T; Effect Codes: GRO; Rejection Code: OK(ALL CHEMS),OK TARGET(ATZ).

Pfahler, F. (1938). Versuche Uber Die Wirkungzusatzlicher Auxin-(Heteroauxin) Gaben Auf Das Wachstum Intakter Pflanzen. *Jar Wis Bot* 86: 675-719.

EcoReference No.: 27000

Chemical of Concern: ATZ; Habitat: T; Rejection Code: NO FOREIGN.

Philbrook, B. D., Kremer, M., Mueller, K. H., and Deege, R. (1999). BAY MKH 3586 - a New Herbicide for Broad Spectrum Weed Control in Corn (Maize) and Sugar Cane. *Brighton Conf.- Weeds* 1: 29-34.

EcoReference No.: 76043

Chemical of Concern: ACB,MBZ,TET,AMTR,ATZ,CZE; Habitat: T; Effect Codes: PHY,POP; Rejection Code: NO CONTROL,ENDPOINT(ALL CHEMS,TARGET-ATZ).

Pierce, P. C., Frey, J. E., and Yawn, H. M. (1965). Field Evaluations of Newer Aquatic Herbicides. *In: Proc.18th Annu.Meeting Southern Weed Conf.* 497-506.

EcoReference No.: 8258

Chemical of Concern: SZ,ATZ,PMT,PAQT; Habitat: A; Effect Codes: MOR,POP; Rejection Code: NO ENDPOINT(ALL CHEMS).

Pillai, C. G. P. and Davis, D. E. (1973). S-Triazine Effects on Seed Germination and Hypocotyl Hook Opening. *Weed Sci.* 21: 461-464.

EcoReference No.: 41225

Chemical of Concern: SZ,PMT,AMTR,ATZ,PRO,PPZ; Habitat: T; Effect Codes: REP,GRO; Rejection Code: LITE EVAL CODED(PPZ),OK(ALL CHEMS),OK TARGET(ATZ,SZ).

Pillai, P., Weete, J. D., Diner, A. M., and Davis, D. E. (1979). Atrazine Metabolism in Box Crabs. *J.Environ.Qual.* 8: 277-280.

EcoReference No.: 15023

Chemical of Concern: ATZ; Habitat: A; Effect Codes: ACC,PHY; Rejection Code: NO ENDPOINT,CONTROL(ATZ).

Ploszynski, M. and Zurawski, H. (1971). The Phytotoxic Action of Triazine Herbicides on Flax, Beets, and Buckwheat Seedlings, and Some Physiological Changes Connected with It. *Acta Agrobot.* 24: 206-215.

EcoReference No.: 25867

Chemical of Concern: SZ,PPZ,ATZ,PRO,PMT; Habitat: T; Effect Codes: POP,BCM; Rejection Code: NO ENDPOINT(ALL CHEMS,TARGET-ATZ).

Poleksic, V., Karan, V., Dulic, Z., Elezovic, I., and Neskovic, N. (1997). Herbicides Toxicity to Fish: Histopathological Effects. *Pesticide* 12: 257-268.

EcoReference No.: 71612

Chemical of Concern: ATZ,DBN,24DXY,GYP; Habitat: A; Effect Codes: CEL; Rejection Code: NO ENDPOINT(ALL CHEMS).

Pons, R. and Pussard, M. (1980). The Action of Herbicide on Free Amoebas (Rhizopoda, Protozoa). Preliminary Study. *Acta Oecol.Oecol.Appl.* 1: 15-20 (FRE) (ENG ABS).

EcoReference No.: 2746

Chemical of Concern: ATZ; Habitat: A; Effect Codes: POP; Rejection Code: NO FOREIGN(ALL CHEMS).

Popovici, I., Stan, G., Stefan, V., Tomescu, R., Dumea, A., Tarta, A., and Dan, F. (1977). The Influence of Atrazine on Soil Fauna. *Pedobiologia* 17: 209-215.

EcoReference No.: 57077

Chemical of Concern: ATZ; Habitat: T; Effect Codes: POP; Rejection Code: NO ENDPOINT(ALL CHEMS).

Pott, E. (1980). The Reduction of Food Uptake of *Daphnia pulex* - a New Indicator of Sub-lethal Toxic Stress (Die Hemmung der Futteraufnahme von *Daphnia pulex* - eine neue Limnotoxikologische Meßgröße). *Z.Wasser-Abwasser-Forsch.* 13: 52-54 (GER) (ENG ABS).

EcoReference No.: 6711

Chemical of Concern: ATZ; Habitat: A; Effect Codes: BEH,REP; Rejection Code: NO FOREIGN.

Prasad, K. and Singh, R. S. (1995). Influence of Weed-Control Measures on Weed Growth, Nutrient Uptake and Tuber Yield of Potato (*Solanum tuberosum*). *Indian J.Agric.Sci.* 65: 46-48.

EcoReference No.: 80528

Chemical of Concern: ACR,ATZ,OXF,PDM,GYP; Habitat: T; Effect Codes: GRO,BCM,POP; Rejection Code: TARGET(ATZ).

Prasad, P. V. D. and Chowdary, Y. B. K. (1981). Effects of Metabolic Inhibitors on the Calcification of a Freshwater Green Alga, *Gloeotaenium ioitlesbergarianum* Hansgirg. 1. Effects of Some Photosynthetic and Respiratory Inhibitors. *Ann.Bot.* 47: 451-459.

EcoReference No.: 15634

Chemical of Concern: ATZ,DU,As,NP,HgCl₂; Habitat: A; Effect Codes: MOR,PHY; Rejection Code: NO ENDPOINT(ALL CHEMS).

Pratt, J. R., Melendez, A. E., Barreiro, R., and Bowers, N. J. (1997). Predicting the Ecological Effects of Herbicides. *Ecol.Appl.* 7: 1117-1124.

EcoReference No.: 69625

Chemical of Concern: ATZ; Habitat: A; Effect Codes: POP,SYS; Rejection Code: NO DURATION(ATZ).

Primiani, M. M., Cotterman, J. C., and Saari, L. L. (1990). Resistance of Kochia (Kochia Scoparia) to Sulfonylurea and Imidazolinone Herbicides. *Weed Technol J Weed Sci Soc Am* 4: 169-172.

EcoReference No.: 44179

Chemical of Concern: ATZ,DU,BMN; Habitat: T; Effect Codes: MOR; Rejection Code: NO
ENDPOINT(TARGET-ATZ).

Pylypiw, H. M. Jr., Bugbee, G. J., and Frink, C. R. (1993). Uptake of Pre-emergent Herbicides by Corn: Distribution in Plants and Soil. *Bull.Environ.Contam.Toxicol.* 50: 474-478.

EcoReference No.: 53347

Chemical of Concern: ACR,ATZ,MTL; Habitat: T; Effect Codes: ACC; Rejection Code: NO
ENDPOINT(MTL),TARGET(ATZ).

Radke, V. L. and Grau, C. R. (1986). Effects of Herbicides on Carpogenic Germination of Sclerotinia sclerotiorum. *Plant Dis.* 70: 19-23.

EcoReference No.: 70401

Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: GRO,REP; Rejection Code:
TARGET(SZ,ATZ).

Radosevich, S. R. (1977). Mechanism of Atrazine Resistance in Lambsquarters and Pigweed. *Weed Sci.* 25: 316-318.

EcoReference No.: 43018

Chemical of Concern: ATZ; Habitat: T; Effect Codes: PHY,ACC; Rejection Code: OK TARGET(ATZ).

Rahman, A., Manson, B. E., and Burney, B. (1976). Effect of Phosphorus on Phytotoxicity and Residual Activity of Atrazine. *Proc.N.Z.Weed Pest Control Conf.* 29: 124-128 .

EcoReference No.: 25978

Chemical of Concern: ATZ; Habitat: T; Effect Codes: BCM,GRO; Rejection Code: TARGET(ATZ).

Rajagopal, A., Velu, G., and Ravi, K. B. (1994). Effect of the Atrazine Residue Management on Weeds in the Maize-Soybean Cropping System. *Int.J.Trop.Agric.* 12: 67-70.

EcoReference No.: 79716

Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO,POP; Rejection Code: TARGET(ATZ).

Ramakrishna, A., Ong, C. K., and Reddy, S. L. N. (1991). Studies on Integrated Weed Management in Sorghum. *Trop.Pest Manag.* 37: 159-161.

EcoReference No.: 73786

Chemical of Concern: MTL,BT,ATZ; Habitat: T; Effect Codes: POP,GRO; Rejection Code: LITE
EVAL CODED(MTL),OK(ALL CHEMS),OK TARGET(ATZ).

Randhawa, S. K., Gill, H. S., and Sandhu, K. S. (1988). Effects of Herbicides on Protein Content in Grain of Winter Maize (Zea mays L.). *J.Res.Punjab Agric.Univ.* 25: 35-36.

EcoReference No.: 70810

Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: BCM,POP; Rejection Code:
TARGET(SZ,ATZ).

Randhawa, S. K., Gill, H. S., and Sandhu, K. S. (1989). Studies on Soil Persistence of Atrazine and Simazine Applied to Maize. *J.Res.Punjab Agric.Univ.* 26: 379-380.

- EcoReference No.: 70439
Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: GRO; Rejection Code: TARGET(SZ,ATZ).
- Ranells, N. N. and Waggoner, M. G. (1993). Crimson Clover Reseeding Potential as Affected by s-Triazine Herbicides. *J.Prod.Agric.* 6: 90-93.
- EcoReference No.: 70085
Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: GRO,BCM; Rejection Code: TARGET(SZ,ATZ).
- Rani, U. and Sakri, F. A. K. (1978). Effect of Subtoxic Applications of Atrazine and Simazine on the Nitrogenous Components of the Developing Kernels of Two Wheat Varieties. *Indian J.Agric.Sci.* 48: 165-175.
- EcoReference No.: 43849
Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: BCM,GRO; Rejection Code: OK TARGET(ATZ,SZ).
- Ravetta, D., Vilela, A., Wassner, D., and Ciano, N. (2002). Tolerance of *Grindelia chiloensis* (Asteraceae) to Pre- and Postemergence Herbicides. *Ind.Crops Prod.* 15: 207-211.
- EcoReference No.: 74198
Chemical of Concern: MTL,NFZ,DU,PMT,TFN,ATZ; Habitat: T; Effect Codes: MOR,POP; Rejection Code: OK(MTL),TARGET(ATZ).
- Reeves, S. A. Jr. (1977). Evaluations of Selected Pre- and Postemergence Chemicals on Weed Control and Phytotoxicity to Eight Sugarcane Varieties. *Proc.South.Weed Sci.Soc.* 30: 130-132.
- EcoReference No.: 41315
Chemical of Concern: ATZ,HXZ,DMM,DMB,MBZ,TET,TRB,TFN; Habitat: T; Effect Codes: POP,PHY; Rejection Code: OK(ALL CHEMS),OK TARGET(ATZ,DMB).
- Regehr, D. L. and Janssen, K. A. (1989). Preplant Weed Control in a Ridge-Till Soybean (*Glycine max*) and Grain Sorghum (*Sorghum bicolor*) Rotation. *Weed Technol.* 3: 621-626.
- EcoReference No.: 73906
Chemical of Concern: MTL,DMM,MBZ,PDM,CZE,GYP,ATZ; Habitat: T; Effect Codes: POP; Rejection Code: NO MIXTURE(MTL,ATZ).
- Reichert, K. and Menzel, R. (2005). Expression Profiling of Five Different Xenobiotics Using a *Caenorhabditis elegans* Whole Genome Microarray. *Chemosphere* 61: 229-237 .
- EcoReference No.: 81717
Chemical of Concern: ATZ; Habitat: T; Effect Codes: CEL; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Reinhardt, C. F. and Nel, P. C. (1993). Quantitative Bioassays for Monitoring the Dissipation of Atrazine in Soil. *S.Afr.J.Plant Soil* 10: 58-62.
- EcoReference No.: 81151
Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO; Rejection Code: OK TARGET(ATZ).
- Renosto, F., Nardi, S., and Ferrari, G. (1979). Atrazine Inhibition of Ion Uptake by Plant Roots. *Pestic.Biochem.Physiol.* 11: 243-246.
- EcoReference No.: 41797
Chemical of Concern: ATZ; Habitat: T; Effect Codes: PHY; Rejection Code: NO ENDPOINT(ATZ).

Rice, P. J., Anderson, T. A., and Coats, J. R. (1997). Phytoremediation of Herbicide-Contaminated Surface Water with Aquatic Plants. In: *E.L.Kruger, T.A.Anderson, and J.R.Coats (Eds.), Phytoremediation of Soil and Water Contaminants, Chapter 10, ACS Symp.Ser.664* 133-151.

EcoReference No.: 20369

Chemical of Concern: ATZ,MTL; Habitat: A; Effect Codes: ACC; Rejection Code: NO CONTROL(ALL CHEMS).

Richardson, L. T. (1970). Effects of Atrazine on Growth Response of Soil Fungi. *Can.J.Plant Sci.* 50: 594-596.

EcoReference No.: 59634

Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO; Rejection Code: TARGET(ATZ).

Ritter, R. L., Kaufman, L. M., Monaco, T. J., Novitzky, W. P., and Moreland, D. E. (1989). Characterization of Triazine-Resistant Giant Foxtail (*Setaria faberi*) and Its Control in No-Tillage Corn (*Zea mays*). *Weed Sci.* 37: 591-595.

EcoReference No.: 70090

Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: GRO,PHY; Rejection Code: TARGET(SZ,ATZ).

Roberts, L. and Harris, D. C. (1972). Use of Terbacil, Atrazine and Other Herbicides in Bush Rose Production. *Proc.Br.Weed Control Conf.* 11: 632-634.

EcoReference No.: 25018

Chemical of Concern: ATZ,TRB,SZ; Habitat: T; Effect Codes: GRO; Rejection Code: NO ENDPOINT,CONTROL(SZ),TARGET(ATZ).

Robinson, A. G. (1961). Effects of Amitrole, Zytron and Other Herbicides or Plant Growth Regulators on the Pea Aphid, *Acyrtosiphon pisum* (Harris), Caged on Broad Vean, *Vicia faba* L. *Can.J.Plant Sci.* 41: 413-417.

EcoReference No.: 70854

Chemical of Concern: SZ,ATZ,AMTL; Habitat: T; Effect Codes: MOR,REP; Rejection Code: NO ENDPOINT(SZ,ATZ).

Rolston, M. P. and Archie, W. J. (1990). Herbicide Tolerance of Established Tall Fescue and Phalaris Seed Crops. *Proc.43rd N.Z.Weed Pest Control Conf.* 134-137.

EcoReference No.: 71216

Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: PHY,POP; Rejection Code: TARGET(SZ,ATZ).

Romney, D. H. (1965). Further Experiments with Herbicides on Young Coconuts. *Trop.Agric.* 42: 177-181.

EcoReference No.: 42330

Chemical of Concern: NaClO,24DXY,MCPB,ATZ,DV; Habitat: T; Effect Codes: GRO; Rejection Code: NO ENDPOINT(ALL CHEMS,MCPB-TARGET).

Roseberg, R. J. (1997). Herbicide Tolerance by Vernonia Grown in the Temperate Zone. *Ind.Crops Prod.* 6: 89-96.

EcoReference No.: 73987

Chemical of Concern:

MTL,TFN,PDM,EFL,FZF,SXD,PCH,ATZ,CPR,DCPA,NPP,24DXY,DMB,OXF,24DB,EPTC,OYZ,DU,M BZ,DMM,OXF,BMN; Habitat: T; Effect Codes: PHY; Rejection Code: LITE EVAL CODED(MTL),TARGET(SXD,DMB,ATZ).

Rout, D. and Satapathy, M. R. (1996). Chemical Weed Control in Rainfed Maize (*Zea mays*). *Indian J.Agron.* 41: 51-53.

EcoReference No.: 73971

Chemical of Concern: MTL,ATZ,ANL,PDM,BTC,GYP,OXF,ACR; Habitat: T; Effect Codes: POP; Rejection Code: LITE EVAL CODED(MTL),OK(ALL CHEMS),OK TARGET(ATZ).

Rupassara, S. I., Larson, R. A., Sims, G. K., and Marley, K. A. (2002). Degradation of Atrazine by Hornwort in Aquatic Systems. *Bioremed.J.* 6: 217-224.

EcoReference No.: 78319

Chemical of Concern: ATZ; Habitat: A; Effect Codes: ACC; Rejection Code: NO ENDPOINT(ALL CHEMS).

Russin, J. S., Carter, C. H., and Griffin, J. L. (1995). Effects of Grain Sorghum (*Sorghum bicolor*) Herbicides on Charcoal Rot Fungus. *Weed Technol.* 9: 343-351.

EcoReference No.: 73753

Chemical of Concern: MTL,ATZ,ACR; Habitat: T; Effect Codes: POP,GRO; Rejection Code: OK(MTL),TARGET(ATZ).

Ruth, B. (1997). Chlorophyll Fluorescence Induction Kinetics as a Tool to Determine the Herbicide Effect on Algae and Leaves. *SPIE* 3107: 195-206.

EcoReference No.: 71613

Chemical of Concern: ATZ; Habitat: AT; Effect Codes: BCM; Rejection Code: NO ENDPOINT(ATZ).

Ruth, B. (1996). Effects of PS II-Herbicides on Algae Grown in Ponds and Measured by the 10 μ s Resolved Chlorophyll Fluorescence Induction Kinetics. *Arch.Hydrobiol.* 136: 1-17.

EcoReference No.: 19837

Chemical of Concern: ATZ,Cu; Habitat: A; Effect Codes: BCM; Rejection Code: NO ENDPOINT(ALL CHEMS).

Ryan, G. F. (1970). Resistance of Common Groundsel to Simazine and Atrazine. *Weed Sci.* 18: 614-616.

EcoReference No.: 72261

Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: POP; Rejection Code: TARGET(SZ,ATZ).

Saayman, A. E. J. (1996). Control of *Cyperus esculentus* and Other Weeds in Maize with Servian. *Appl.Plant Sci.* 10: 48-51.

EcoReference No.: 73982

Chemical of Concern: MTL,ATZ,EPTC; Habitat: T; Effect Codes: POP; Rejection Code: OK(MTL),TARGET(ATZ).

Sabater, C. and Carrasco, J. M. (2001). Effects of the Organophosphorus Insecticide Fenitrothion on Growth in Five Freshwater Species of Phytoplankton. *Environ.Toxicol.* 16: 314-320.

EcoReference No.: 60974

Chemical of Concern: MLT,TBC,CSF,ATZ,FNT; Habitat: A; Effect Codes: GRO,ACC; Rejection Code: NO PUBL AS(MLT,ATZ).

Sabater, C., Cuesta, A., and Carrasco, R. (2002). Effects of Bensulfuron-Methyl and Cinosulfuron on Growth of Four Freshwater Species of Phytoplankton. *Chemosphere* 46: 953-960.

- EcoReference No.: 65850
Chemical of Concern: MLT,FNT,CSF,ATZ,BSFM; Habitat: A; Effect Codes: GRO,ACC; Rejection Code: NO PUBL AS(MLT,ATZ).
- Sairam, R. K., Prabhu, S. S., and Tomer, P. S. (1988). Effect of Atrazine and 2,4-D on Nitrate Reductase Activity and Growth of Sorghum. *Indian J.Plant Physiol.* 31: 140-144.
- EcoReference No.: 80520
Chemical of Concern: ATZ,24DXY; Habitat: T; Effect Codes: BCM,GRO,POP,PHY; Rejection Code: TARGET(ATZ).
- Sajjaphan, K., Shapir, N., Judd, A. K., Wackett, L. P., and Sadowsky, M. J. (2002). Novel psbA1 Gene from a Naturally Occurring Atrazine-Resistant Cyanobacterial Isolate. *Appl.Environ.Microbiol.* 68: 1358-1366.
- EcoReference No.: 78667
Chemical of Concern: ATZ,DU; Habitat: A; Effect Codes: POP,PHY,BCM,CEL; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Salzman, F. P. and Renner, K. A. (1992). Response of Soybean to Combinations of Clomazone, Metribuzin, Linuron, Alachlor, and Atrazine. *Weed Technol.* 6: 922-929.
- EcoReference No.: 80073
Chemical of Concern: CMZ,MBZ,LNR,ACR,ATZ; Habitat: T; Effect Codes: PHY,POP; Rejection Code: TARGET(ATZ).
- Samson, G. and Popovic, R. (1988). Use of Algal Fluorescence for Determination of Phytotoxicity of Heavy Metals and Pesticides as Environmental Pollutants. *Ecotoxicol.Environ.Saf.* 16: 272-278.
- EcoReference No.: 13246
Chemical of Concern: ATZ,CPY,DU,CuS; Habitat: A; Effect Codes: BCM,PHY; Rejection Code: NO CONTROL(ALL CHEMS).
- Sandhu, K. S., Mehra, S. P., and Gill, H. S. (1986). Studies on Weed Control in Winter Maize (Zea mays L.) Through Herbicides. *J.Res.Punjab Agric.Univ.* 23: 549-556.
- EcoReference No.: 70267
Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: POP; Rejection Code: TARGET(SZ,ATZ).
- Sandhu, K. S., Singh, T., and Gill, H. S. (1988). Herbicidal Control of Weeds in Pearl-Millet for Grain. *J.Res.Punjab Agric.Univ.* 25: 32-34.
- EcoReference No.: 79717
Chemical of Concern: ATZ,LNR,SZ,PDM; Habitat: T; Effect Codes: GRO,POP; Rejection Code: TARGET(ATZ).
- Sandhu, K. S., Singh, T., Gill, H. S., and Thind, I. S. (1987). Bioefficacy of Some Herbicides for Weed Control in Sorghum Grown for Fodder and Grain. *J.Res.Punjab Agric.Univ.* 24: 376-381.
- EcoReference No.: 70111
Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: POP,GRO; Rejection Code: TARGET(SZ,ATZ).
- Santakumari, M. and Das, V. S. R. (1978). Herbicidal Interferences with the Photochemical Activities of Chloroplasts (In Vivo and In Vitro) of Certain Crop and Weed Species. *Pest.Biochem.Physiol.* 9: 119-129.
- EcoReference No.: 41795

- Chemical of Concern: ATZ,DU; Habitat: T; Effect Codes: PHY; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Santakumari, M. and Padmavathamma, G. (1985). Influence of Triazine and Urea Herbicides on Etiolated Seedlings of Some Crop Plants. *Pesticides* 19: 38-41.
- EcoReference No.: 70705
Chemical of Concern: ATZ,DU; Habitat: T; Effect Codes: GRO; Rejection Code: NO COC(SZ,ATZ).
- Santelmann, P. W. and Evetts, L. (1971). Germination and Herbicide Susceptibility of Six Pigweed Species. *Weed Sci.* 19: 51-54.
- EcoReference No.: 41641
Chemical of Concern: LNR,DU,24DB,ATZ,DMB,PAQT,FMU,PMT; Habitat: T; Effect Codes: GRO,MOR; Rejection Code: OK(PMT),NO ENDPOINT(24DB,ATZ,DMB,PAQT,FMV).
- Sanyal, D., Sarkar, B., and Mitra, S. K. (1989). Herbicidal Weed Control in Banana. *Pesticides* 23: 29-33.
- EcoReference No.: 70703
Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: GRO,POP; Rejection Code: TARGET(SZ,ATZ).
- Sarpe, N. (1976). Experimental Results Obtained with the Herbicide Dual, Associated with Gesaprim and Venzar, in Controlling Weeds in Maize and Beet Crops. *Pro Veg Teh* 28: 23-29.
- EcoReference No.: 26594
Chemical of Concern: ATZ; Habitat: T; Rejection Code: TARGET(ATZ).
- Sasaki, S. and Kozlowski, T. T. (1968). Effects of Herbicides on Seed Germination and Early Seedling Development of Pinus Resinosa. *Bot.Gaz.* 129: 238-246.
- EcoReference No.: 43872
Chemical of Concern: ATZ,24DXY,EPTC; Habitat: T; Effect Codes: REP,MOR; Rejection Code: OK(ALL CHEMS),OK TARGET(ATZ).
- Sasaki, S., Kozlowski, T. T., and Torrie, J. H. (1968). Effect of Pretreatment of Pine Seeds with Herbicides on Seed Germination and Growth of Young Seedlings. *Can.J.Bot.* 46: 255-262.
- EcoReference No.: 78675
Chemical of Concern: PPZ,EPTC,ATZ,SZ; Habitat: T; Effect Codes: MOR; Rejection Code: LITE EVAL CODED(PPZ),OK(ALL CHEMS),OK TARGET(ATZ).
- Satao, R. N., Nalamwar, R. V., Solanke, V. M., and Ingole, P. G. (1993). Studies on Yield and Uptake of Nitrogen, Phosphorus and Potassium by Weeds and Sorghum as Influenced by Weed Control Treatments. *P.K.V.Res.J.* 17: 130-134.
- EcoReference No.: 81145
Chemical of Concern: ATZ; Habitat: T; Effect Codes: PHY,POP; Rejection Code: OK TARGET(ATZ).
- Satchivi, N. M., Wax, L. M., Stoller, E. W., and Briskin, D. P. (2000). Absorption and Translocation of Glyphosate Isopropylamine and Trimethylsulfonium Salts in Abutilon theophrasti and Setaria faberi. *Weed Sci.* 48: 675-679.
- EcoReference No.: 59645
Chemical of Concern: GYP,ATZ; Habitat: T; Effect Codes: ACC; Rejection Code: TARGET(ATZ).

Sato, F., Takeda, S., and Yamada, Y. (1987). A Comparison of Effects of Several Herbicides on Photoautotrophic, Photomixotrophic and Heterotrophic Cultured Tobacco Cells and Seedlings. *Plant Cell Rep.* 6: 401-404.

EcoReference No.: 79723

Chemical of Concern: ATZ,Du,PPN,PAQT,GYP,NaClO₃,DTP,NPH,24DXY; Habitat: T; Effect Codes: GRO; Rejection Code: TARGET(ATZ).

Scarponi, L. and Perucci, P. (1986). Effect of Some s-Triazine Herbicides on Phosphatases from Corn (Zea mays) Roots. *Weed Sci.* 34: 807-810.

EcoReference No.: 70438

Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: BCM; Rejection Code: TARGET(SZ,ATZ).

Scarponi, L., Perucci, P., and Marucchini, C. (1989). Effect of Alachlor, Metolachlor, Atrazine and Simazine Residues on Some Enzyme Activities of Maize Tissues. *Agrochimica* 33: 403-411.

EcoReference No.: 71312

Chemical of Concern: ATZ,SZ,ACR,MTL; Habitat: T; Effect Codes: GRO,ACC,BCM; Rejection Code: LITE EVAL CODED(MTL),TARGET (SZ,ATZ).

Scattini, W. J. (1978). Atrazine Tolerance in Fine Tropical Pasture Grasses. *Trop Grassl* 12: 35-39.

EcoReference No.: 26576

Chemical of Concern: ATZ; Habitat: T; Rejection Code: TARGET(ATZ).

Scheunert, I. and Korte, F. (1985). Interactions in the Fate of Chemicals in Terrestrial Systems. *Ecotoxicol.Environ.Saf.* 9: 385-391.

EcoReference No.: 78663

Chemical of Concern: ATZ; Habitat: T; Effect Codes: ACC; Rejection Code: TARGET(ATZ).

Scheunert, I., Qiao, Z., and Korte, F. (1986). Comparative Studies of the Fate of Atrazine-14C and Pentachlorophenol-14C in Various Laboratory and Outdoor Soil-Plant Systems. *J.Environ.Sci.Health Part B* 21: 457-485.

EcoReference No.: 53940

Chemical of Concern: PCP,ATZ; Habitat: T; Effect Codes: ACC,PHY; Rejection Code: TARGET(ATZ).

Schirman, R. and Buchholtz, K. P. (1966). Influence of Atrazine on Control and Rhizome Carbohydrate Reserves of Quackgrass. *Weeds* 14: 233-236.

EcoReference No.: 42443

Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO,POP; Rejection Code: OK TARGET(ATZ).

Schmenk, R. and Kells, J. J. (1998). Effect of Soil-Applied Atrazine and Pendimethalin on Velvetleaf (Abutilon theophrasti) Competitiveness in Corn. *Weed Technol.* 12: 47-52.

EcoReference No.: 72879

Chemical of Concern: ATZ,PDM; Habitat: T; Effect Codes: GRO,MPH,REP; Rejection Code: TARGET(ATZ).

Schober, U. and Lampert, W. (1976). Effects of Sublethal Concentrations of a Herbicide on Daphnia. *Naturwissenschaften* 63: 241-242.

EcoReference No.: 15934

- Chemical of Concern: ATZ; Habitat: A; Effect Codes: MOR,REP; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Schocken, M. J. and Speedie, M. K. (1982). Interaction of Higher Marine Fungi with the Herbicide Atrazine. II. Sorption of Atrazine to Four Species of Marine Fungi. *Bull.Environ.Contam.Toxicol.* 29: 101-106.
- EcoReference No.: 65583
Chemical of Concern: ATZ; Habitat: A; Effect Codes: ACC; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Schocken, M. J. and Speedie, M. K. (1984). Physiological Aspects of Atrazine Degradation by Higher Marine Fungi. *Arch.Environ.Contam.Toxicol.* 13: 707-714.
- EcoReference No.: 4798
Chemical of Concern: ATZ; Habitat: A; Effect Codes: ACC,POP; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Schrader, K. K., Dayan, F. E., and Nanayakkara, N. P. D. (2005). Generation of Reactive Oxygen Species by a Novel Anthraquinone Derivative in the Cyanobacterium *Planktothrix perornata* (Skuja). *Pestic.Biochem.Physiol.* 81: 198-207.
- EcoReference No.: 81279
Chemical of Concern: PAQT,ATZ; Habitat: A; Effect Codes: PHY,BCM,POP; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Schrader, K. K., De Regt, M. Q., Tucker, C. S., and Duke, S. O. (1997). A Rapid Bioassay for Selective Algicides. *Weed Technol.* 11: 767-774.
- EcoReference No.: 69995
Chemical of Concern: EDT,ATZ,DU,PAQT,FDE; Habitat: A; Effect Codes: POP; Rejection Code: OK(DU,PAQT,FDE),NO ENDPOINT(ATZ).
- Schuler, L. J., Trimble, A. J., Belden, J. B., and Lydy, M. J. (2005). Joint Toxicity of Triazine Herbicides and Organophosphate Insecticides to the Midge *Chironomus tentans*. *Arch.Environ.Contam.Toxicol.* 49: 173-177.
- EcoReference No.: 81665
Chemical of Concern: SZ,CZE,HXZ,DIATZ,DEATZ,DZ,CPY,ATZ; Habitat: A; Effect Codes: BEH; Rejection Code: OK(DZ.CPY),NO MIXTURE(SZ,CZE,HXZ,DIATZ,DEATZ,ATZ).
- Schuytema, G. S., Nebeker, A. V., and Griffis, W. L. (1994). Effects of Dietary Exposure to Forest Pesticides on the Brown Garden Snail *Helix aspersa* Muller. *Arch.Environ.Contam.Toxicol.* 26: 23-28.
- EcoReference No.: 54011
Chemical of Concern: ATZ,CBL,ACP,GYP,HXZ,PCL,FNT,MP,PAQT,TCF; Habitat: T; Effect Codes: GRO,BEH,ACC; Rejection Code: NO ENDPOINT(ATZ),OK(ACP,GYP,HXZ,PCL,CBL,FNT,MP,PAQT,TCF).
- Schwab, C. L., Fan, R., Zheng, Q., Myers, L. P., Hebert, P., and Pruett, S. B. (2005). Modeling and Predicting Stress-Induced Immunosuppression in Mice Using Blood Parameters. *Toxicol.Sci.* 83: 101-113.
- EcoReference No.: 78774
Chemical of Concern: ATZ,PPN; Habitat: T; Effect Codes: CEL,PHY; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Scott, A. W. Jr. and Reeves, S. A., Jr. (1977). Evaluation of Selected Pre and Postemergence Weed Control

- Treatments in Sugarcane. *Proc.South.Weed Sci.Soc.* 30: 125-129 .
- EcoReference No.: 40807
Chemical of Concern: ATZ,HXZ,DMM,DMB,PDM,TET,TFN; Habitat: T; Effect Codes: POP; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Scudder, W. T. (1963). Evaluation of Herbicides for Soybeans on Central Florida Organic Soils. *Fla.Agric.Exp.Stn.Bull.* 650: 3-36.
- EcoReference No.: 42227
Chemical of Concern: ATZ,DU,SZ,AMTL,NaPCP,EPTC,24DXY,PPZ; Habitat: T; Effect Codes: PHY,POP; Rejection Code: OK(NaPCP,EPTC),NO ENDPOINT(SZ,AMTL,ATZ,DU,24DXY,PPZ).
- Selim, S. A., O'Neal, S. W., Ross, M. A., and Lembi, C. A. (1989). Bioassay of Photosynthetic Inhibitors in Water and Aqueous Soil Extracts with Eurasian Watermilfoil (*Myriophyllum spicatum*). *Weed Sci.* 37: 810-74.
- EcoReference No.: 69997
Chemical of Concern: SZ,ATZ; Habitat: AT; Effect Codes: PHY; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Selleck, G. W. and Sanok, W. J. (1977). Herbicides for Weed Control in Sweet Corn and Cabbage. *Proc.Northeast.Weed Sci.Soc.* 31: 256-260.
- EcoReference No.: 40641
Chemical of Concern: ATZ,CZE,ACR; Habitat: T; Effect Codes: POP,PHY; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Semov, V. and Iosifov, D. (1973). Toxicity of Some Bulgarian Pesticides Studied with the Test Organism *Daphnia magna*. *Tr.Nauchnoizsled.Inst.Vodosnabdyavane, Kanaliz.Sanit.Tekh.* 9: 159-167 (BUL) (ENG ABS).
- EcoReference No.: 8970
Chemical of Concern: SZ,ATZ; Habitat: A; Effect Codes: MOR; Rejection Code: NO FOREIGN(ALL CHEMS).
- Shamaan, N. A., Desa, S., Omar, I., Kusnan, M., and Omar, H. (2000). Freshwater Algae as a Biological Marker II. Suitability of *Chlorella vulgaris* as a Test Organism for the Toxicity of Photosystem II Herbicides Using Chlorophyll Fluorescence. *Malaysian J.Biochem.Mol.Biol.* 5: 14-17.
- EcoReference No.: 73214
Chemical of Concern: SZ,ATZ,DU; Habitat: A; Effect Codes: POP; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Sharaky, M. M. and El Gandour, M. A. (1975). The Effect of Atrazine Herbicide on Wheat Photosynthetic Pigments and Photosynthetic Reproductivity. *Ann Agr Sci* 3: 85-99.
- EcoReference No.: 26190
Chemical of Concern: ATZ; Habitat: T; Rejection Code: TARGET(ATZ).
- Sharma, C. B. S. R., Rao, A. A., Murty, K. V., and Raju, D. S. S. (1982). Induced Variation in Chiasma Frequency in Barley in Response to Atrazine & Simazine Treatments. *Indian J.Exp.Biol.* 20: 97-98.
- EcoReference No.: 70504
Chemical of Concern: SZ,ATZ; Habitat: T; Rejection Code: TARGET(SZ,ATZ).
- Sharma, D. P., Ferree, D. C., and Hartman, F. O. (1977). Effect of Some Soil-Applied Herbicides on Net Photosynthesis and Growth of Apple Trees. *Hortscience* 12: 153-154 .

- EcoReference No.: 41304
Chemical of Concern: SZ,DU,ATZ; Habitat: T; Effect Codes: GRO,PHY; Rejection Code: OK(ALL CHEMS),OK TARGET(ATZ,SZ).
- Sharma, R. K. and Sandhu, K. S. (1985). Residual Effect of Simazine and Atrazine Applied to Maize and Potato on Succeeding Bread Wheat Crop. *J.Res.Punjab Agric.Univ.* 22: 213-219.
- EcoReference No.: 70534
Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: POP,GRO; Rejection Code: TARGET(SZ,ATZ).
- Sharma, R. K. and Sandhu, K. S. (1985). Residual Effect of Simazine and Atrazine Applied to Two Successive Fodder Maize Crops on Berseem. *J.Res.Punjab Agric.Univ.* 22: 612-616.
- EcoReference No.: 70691
Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: GRO,POP; Rejection Code: TARGET(SZ,ATZ).
- Sharma, V., Thakur, D. R., and Sharma, J. J. (1998). Effect of Metolachlor and Its Combination with Atrazine on Weed Control in Maize (*Zea mays*). *Indian J.Agron.* 43: 677-680.
- EcoReference No.: 73970
Chemical of Concern: MTL,ATZ; Habitat: T; Effect Codes: POP; Rejection Code: LITE EVAL CODED(MTL),TARGET(ATZ).
- Sharpe, S. S., Dickens, R., and Turner, D. L. (1989). Herbicide Effects on Tensile Strength and Rooting of Bermudagrass (*Cynodon dactylon*) Sod. *Weed Technol.* 3: 353-357.
- EcoReference No.: 71369
Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: PHY,GRO; Rejection Code: TARGET(SZ,ATZ).
- Shaukat, S. S. (1975). Effects of Simazine, Atrazine and 2,4-D on ¹⁴C₀₂-Fixation and Composition of ¹⁴C Carbon-Assimilates in *Pinus nigra* var. *calabrica* Schneid. *Pak J Botan* 7: 57-65.
- EcoReference No.: 26124
Chemical of Concern: SZ,ATZ,24DXY; Habitat: T; Effect Codes: PHY; Rejection Code: OK TARGET(SZ,ATZ).
- Shaukat, S. S. (1976). Effects of Simazine, Atrazine and 2,4-D on Respiration Rate, Sugar Level and Amylase Activity During Germination of *Pinus nigra* var. *calabrica* Schneid. *Pak.J.Bot.* 8: 37-45.
- EcoReference No.: 29999
Chemical of Concern: SZ,ATZ,24DXY; Habitat: T; Effect Codes: BCM,PHY,GRO; Rejection Code: OK TARGET(SZ,ATZ).
- Shcherban, E. P. (1973). Effect of Atrazine on Biological Parameters and Potential Productivity of *Daphnia magna* and *Moina rectirostris*. *Exp.Water Toxicol.(Eksp.Vodn.Toksikol.)* 4: 80-86 (RUS) (ENG ABS).
- EcoReference No.: 8974
Chemical of Concern: ATZ; Habitat: A; Effect Codes: GRO,REP; Rejection Code: NO FOREIGN(ATZ).
- Shcherban, E. P. (1972). Effect of Low Concentrations of Atrazine and Diuron on the Productivity of Cladocera. *Hydrobiol J.* 8: 54-58.

- EcoReference No.: 9193
Chemical of Concern: ATZ,DU; Habitat: A; Effect Codes: REP,MOR; Rejection Code: NO
ENDPOINT(ALL CHEMS).
- Shcherban, E. P. (1972). The Effect of Low Concentrations of Pesticides on the Development of Some Cladocera and the Abundance of Their Progeny. *Hydrobiol J.6(6):85-89 / Hidrobiol Zh.(Kiev) 6*: 101-105 (1970) (RUS).
- EcoReference No.: 9260
Chemical of Concern: ATZ,DU; Habitat: A; Effect Codes: GRO,REP; Rejection Code: NO
ENDPOINT(ALL CHEMS).
- Sheehan, P. J., Axler, R. P., and Newhook, R. C. (1986). Evaluation of Simple Generic Aquatic Ecosystem Tests to Screen the Ecological Impacts of Pesticides. In: J.Cairns,Jr.(Ed.), *Community Toxicity Testing, ASTM STP 920, Philadelphia, PA* 158-179.
- EcoReference No.: 17164
Chemical of Concern: Cu,Hg,DM,FNT,FNV,MXC,ATZ,24DXY,TRL,TFN; Habitat: A; Effect Codes: POP,SYS; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Sheets, T. J. and Shaw, W. C. (1963). Herbicidal Properties and Persistence in Soils of S-Triazines. *Weeds* 11: 15-21.
- EcoReference No.: 41355
Chemical of Concern: SZ,ATZ,PPZ,PRO,PMT; Habitat: T; Effect Codes: PHY; Rejection Code: NO
ENDPOINT(ALL CHEMS).
- Sherban, E. P. (1975). Effect of Several Pesticides on the Quality of Crustacea Progeny. *Samoochischnic Bioproduktivnost Okhrana Vodemovi, Vodotokov Ukrainy Materialy Respublikansko Konferentoi* 109-111 (RUS).
- EcoReference No.: 47
Chemical of Concern: ATZ,DU; Habitat: A; Effect Codes: REP; Rejection Code: NO FOREIGN.
- Sherwood, L. V. and Kemmerer, H. R. (1964). The Influence of Winter Applied Preemergence Herbicides on Weed Growth Among Woody Ornamental Plants. *J.Am.Soc.Hortic.Sci.* 85: 657-662.
- EcoReference No.: 40885
Chemical of Concern: SZ,ATZ,PMT; Habitat: T; Effect Codes: MOR,PHY,GRO; Rejection Code: NO
ENDPOINT(ALL CHEMS,TARGET-ATZ).
- Shimabukuro, R. H. (1967). Atrazine Metabolism and Herbicidal Selectivity. *Plant Physl* 42: 1269-1276.
- EcoReference No.: 29721
Chemical of Concern: ATZ; Habitat: T; Rejection Code: TARGET(ATZ).
- Shirmunskaja, N. M. and Koltsova, S. S. (1973). Investigation of Permeability of Barley Root Cells in Relation to the Herbicide Atrazine. *Fiziol.Rast.* 20: 151-157 .
- EcoReference No.: 26359
Chemical of Concern: ATZ; Habitat: T; Rejection Code: TARGET(ATZ).
- Shitanda, I., Takada, K., Sakai, Y., and Tatsuma, T. (2005). Compact Amperometric Algal Biosensors for the Evaluation of Water Toxicity. *Anal.Chim.Acta* 530: 191-197.

User 1 Abbreviation: www.sciencedirect.com (1995-Present)

EcoReference No.: 81284

Chemical of Concern: ATZ,BNZ,TOL; Habitat: A; Effect Codes: PHY,BCM,GRO; Rejection Code: NO CONTROL(ALL CHEMS).

Singh, A., Singh, K., and Singh, D. V. (1991). Suitability of Organic Mulch (Distillation Waste) and Herbicides for Weed Management in Perennial Aromatic Grasses. *Trop.Pest Manag.* 37: 162-165.

EcoReference No.: 70282

Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: GRO; Rejection Code: TARGET(SZ,ATZ).

Sivan, A. and Arad (Malis), S. (1995). A Mutant of the Red Microalga *Porphyridium* sp. (Rhodophyceae) Resistant to DCMU and Atrazine. *Phycologia* 34: 299-305.

EcoReference No.: 61450

Chemical of Concern: DU,ATZ; Habitat: A; Effect Codes: MOR,PHY,BCM,GRO; Rejection Code: NO ENDPOINT(ATZ),OK(DU).

Skipper, H. D., Gilmour, C. M., and Furtick, W. R. (1967). Microbial Versus Chemical Degradation of Atrazine in Soils. *Soil Sci.Soc.Am.Proc.* 31: 653-656.

EcoReference No.: 54296

Chemical of Concern: ATZ; Habitat: T; Rejection Code: TARGET(ATZ).

Smit, C. J. (1977). Tolerance of Grape Vines to Herbicides. In: *2nd Proc.Natl.Weeds Conf.S.Afr., A.A.Balkema, Cape Town, S.Africa* 117-124.

EcoReference No.: 70822

Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: PHY; Rejection Code: TARGET(SZ,ATZ).

Smith, D. and Buchholtz, K. P. (1964). Modification of Plant Transpiration Rate with Chemicals. *Plant Physiol.* 39: 572-578.

EcoReference No.: 42221

Chemical of Concern: ATZ,SZ,24DXY,LNR,TFN,PPZ,AMTR,AMTL,DU; Habitat: T; Effect Codes: PHY; Rejection Code: NO ENDPOINT(ALL CHEMS).

Smith, D. and Buchholtz, K. P. (1962). Transpiration Rate Reduction in Plants with Atrazine. *Science* 136: 263-264.

EcoReference No.: 42092

Chemical of Concern: ATZ; Habitat: T; Effect Codes: PHY; Rejection Code: NO ENDPOINT(ATZ).

Smith, D. T., Cooley, A. W., Mooney, D. O., and Wiese, A. F. (1972). Herbicidal Control of Volunteer Castorbean. *Weed Sci.* 20: 338-340.

EcoReference No.: 41903

Chemical of Concern: MSMA,FMU,PMT,CNT,DMB,DU,ATZ,24DXY,LNR,PPZ; Habitat: T; Effect Codes: POP; Rejection Code: LITE EVAL CODED(PPZ),OK TARGET(ATZ,DMB),OK(ALL CHEMS).

Smith, D. T., Wiese, A. F., and Cooley, A. W. (1972). Woollyleaf Bursage Response to Selected Herbicides. *Weed Sci.* 20: 554-556.

EcoReference No.: 40682

Chemical of Concern: DMB,MCPA,AMTL,ATZ,PCL,24DXY; Habitat: T; Effect Codes: POP; Rejection Code: OK(ALL CHEMS),OK TARGET(ATZ,DMB).

Smith, G. S. and Callahan, L. M. (1968). Herbicidal Phytotoxicity to Emerald Zoysia During Establishment. *Weed Sci.* 6: 312-315.

EcoReference No.: 72634

Chemical of Concern: ATZ,SZ,BS; Habitat: T; Effect Codes: POP,PHY; Rejection Code: TARGET(SZ,ATZ).

Smith, G. S. and Callahan, L. M. (1969). The Response of Kentucky Bluegrass to Soil Residues to Preemergence Herbicides. *Weed Sci.* 17: 13-15.

EcoReference No.: 72294

Chemical of Concern: ATZ,SZ; Habitat: T; Effect Codes: GRO; Rejection Code: TARGET(SZ,ATZ).

Somda, Z. C., Mills, H. A., and Phatak, S. C. (1990). Nitrapyrin, Terrazole, Atrazine, and Simazine Influence on Nitrification and Corn Growth. *J.Plant Nutr.* 13: 1179-1194.

EcoReference No.: 70662

Chemical of Concern: SZ,ATZ,NTP; Habitat: T; Effect Codes: POP; Rejection Code: TARGET(SZ,ATZ).

Somda, Z. C., Phatak, S. C., and Mills, H. A. (1990). Nitrapyrin, Terrazole, Atrazine and Simazine Influence on Denitrification and Corn Growth. *J.Plant Nutr.* 13: 1195-1208.

EcoReference No.: 70649

Chemical of Concern: SZ,ATZ,NTP; Habitat: T; Effect Codes: BCM,POP; Rejection Code: TARGET(SZ,ATZ).

Sonnet, P. E., Lye, T. L., and Sackett, R. R. (1978). Effects of Selected Herbicides on the Toxicity of Several Insecticides to Honey Bees. *Environ.Entomol.* 7: 254-256.

EcoReference No.: 35454

Chemical of Concern: CBF,MLN,MP,CBL,DZ,MVP,24DXY,PRN,ATZ; Habitat: T; Effect Codes: MOR; Rejection Code: NO ENDPOINT(ALL CHEMS),MIXTURE(ATZ).

Souza Machado, V., Bandeen, J. D., Stephenson, G. R., and Jensen, N. (1977). Differential Atrazine Interference with the Hill Reaction of Isolated Chloroplasts from *Chenopodium album* L. Biotypes. *Weed Res.* 17: 407-414.

EcoReference No.: 42994

Chemical of Concern: ATZ,DU; Habitat: T; Effect Codes: BCM,GRO,PHY; Rejection Code: NO ENDPOINT(ATZ).

Spazier, E., Storch, V., and Braunbeck, T. (1992). Cytopathology of Spleen in Eel *Anguilla anguilla* Exposed to a Chemical Spill in the Rhine River. *Dis.Aquat.Org.* 14: 1-22.

EcoReference No.: 9275

Chemical of Concern: ATZ,DS,DDVP,FNT,PRN,PTP,ES,ODL,Zineb; Habitat: A; Effect Codes: CEL,ACC; Rejection Code: NO ENDPOINT(ALL CHEMS).

Spiridonov, Y. Y. and Spiridonova, G. S. (1973). Effect of Long-Term Use of Sym-Triazines on the Biological Activity of the Soil. *Sov.Soil Sci./Agrokhimiya* 3:122-131 5: 162-171.

EcoReference No.: 70141

Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: POP,BCM; Rejection Code: TARGET(SZ,ATZ).

Sreenivas, S. S. and Rana, B. C. (1994). Growth and Metabolic Response of Nostoc to Atrazine. *Environ.Ecol.* 12: 214-215.

EcoReference No.: 14438

Chemical of Concern: ATZ; Habitat: A; Effect Codes: BCM,PHY,POP; Rejection Code: NO ENDPOINT(ATZ).

Sreenivas, S. S. and Rana, B. C. (1991). Studies on Detoxication of Triazine Herbicide by Blue-Green Alga Nostoc sp. *Pollut.Res.* 10: 47-48.

EcoReference No.: 13448

Chemical of Concern: ATZ; Habitat: A; Effect Codes: POP; Rejection Code: NO ENDPOINT(ATZ).

Stahlman, P. W. and Phillips, W. M. (1979). Inhibition of Glyphosate Phytotoxicity. *Weed Sci.* 27: 575-577.

EcoReference No.: 29010

Chemical of Concern: SZ,ATZ; Habitat: T; Rejection Code: NO MIXTURE(ALL CHEMs except GYP,TARGET-ATZ).

Stevens, P. J. G. and Bukovac, M. J. (1987). Studies on Octylphenoxy Surfactants. Part 2. Effects on Foliar Uptake and Translocation. *Pestic.Sci.* 20: 37-52.

EcoReference No.: 80769

Chemical of Concern: ATZ; Habitat: T; Effect Codes: ACC,BCM; Rejection Code: TARGET(ATZ).

Stott, K. G. (1965). The Effects of Applying Simazine, Atrazine, Diuron and Monuron for the Control of Weeds in Newly Planted Commercial Willow Beds. *Long Ashton Res.Stn.Rep.* :203-210.

EcoReference No.: 42349

Chemical of Concern: ATZ,DU,SZ; Habitat: T; Effect Codes: POP,GRO; Rejection Code: OK TARGET(ATZ,SZ),OK(ALL CHEMS).

Stratton, G. W. (1985). Interaction Effects of Mercury-Pesticide Combinations Towards a Cyanobacterium. *Bull.Environ.Contam.Toxicol.* 34: 676-683.

EcoReference No.: 71827

Chemical of Concern: Hg,ATZ,PMR; Habitat: A; Effect Codes: POP; Rejection Code: NO ENDPOINT(ALL CHEMS).

Stratton, G. W. (1983). Interaction Effects of Permethrin and Atrazine Combinations Towards Several Nontarget Microorganisms. *Bull.Environ.Contam.Toxicol.* 31: 297-303 .

EcoReference No.: 71930

Chemical of Concern: ATZ,PMR; Habitat: A; Effect Codes: POP,PHY; Rejection Code: NO ENDPOINT(ALL CHEMS).

Streit, B. (1978). Uptake, Accumulation, and Release of Organic Pesticides by Benthic Freshwater Invertebrates. 1. Reversible Accumulation of Atrazine from Aqueous. *Arch.Hydrobiol.Suppl.* 55: 1-23 (GER) (ENG ABS).

EcoReference No.: 7185

Chemical of Concern: ATZ; Habitat: A; Effect Codes: ACC; Rejection Code: NO FOREIGN(ATZ).

Streit, B. (1979). Uptake, Accumulation, and Release of Organic Pesticides by Benthic Invertebrates. 3. Distribution of ¹⁴C-Atrazine and ¹⁴C-Lindane in an Experimental Three-Step Food Chain Microcosm. *Arch.Hydrobiol.Suppl.* 55: 373-400.

- EcoReference No.: 79250
Chemical of Concern: HCCH,ATZ; Habitat: A; Effect Codes: ACC,GRO; Rejection Code: NO CONTROL(ALL CHEMS).
- Streit, B. and Schwoerbel, J. (1977). Experimental Studies on the Accumulation and Action of Herbicides in Benthic Freshwater Animals. *Verh.Ges.Oekol.Jahresversamml.77:371-383 (GER) (ENG ABS)*.
- EcoReference No.: 7687
Chemical of Concern: ATZ; Habitat: A; Effect Codes: ACC; Rejection Code: NO FOREIGN(ATZ).
- Stroev, V. S. (1970). The Cytogenetic Activity of the Herbicides Atrazine, Chloro-IPC, and Paraquat. *Genetika* 6: 293-297.
- EcoReference No.: 41681
Chemical of Concern: ATZ,PAQT; Habitat: T; Effect Codes: CEL; Rejection Code: OK(ALL CHEMS),OK TARGET(ATZ).
- Stroev, V. S. (1970). Cytogenetic Activity of the Herbicides Atrazine, Chloro-Ipc, and Paraquat. *Genetica* 6: 31-37.
- EcoReference No.: 26821
Chemical of Concern: ATZ; Habitat: T; Rejection Code: TARGET(ATZ).
- Su, Y. H. and Zhu, Y. G. (2005). Influence of Lead on Atrazine Uptake by Rice (*Oryza sativa* L.) Seedlings from Nutrient Solution. *Environ.Sci.Pollut.Res.Int.* 12: 21-27.
- EcoReference No.: 78498
Chemical of Concern: ATZ,Pb; Habitat: AT; Effect Codes: ACC,GRO; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Subagja, J. and Snider, R. J. (1981). The Side Effects of Herbicides Atrazine and Paraquat upon *Folsomia candida* and *Tullbergia granulata* (Insecta, Collembola). *Pedobiologia* 22: 141-152.
- EcoReference No.: 54587
Chemical of Concern: ATZ,PAQT; Habitat: T; Effect Codes: GRO,MOR,REP; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Sund, K. A. (1964). An Evaluation of Atrazine, Simazine, Monuron and Diuron on Ten Hawaiian Sugar Cane Plantations. *Weeds* 12: 215-219.
- EcoReference No.: 27378
Chemical of Concern: SZ,ATZ,DU; Habitat: T; Effect Codes: POP; Rejection Code: TARGET(SZ,ATZ).
- Suryawanshi, B. M. (1992). Efficiency of Some Weedicides in Controlling of Parthenium. *P.K.V.(Punjabrao Krishi Vidyapeeth) Res.J.* 16: 105-107.
- EcoReference No.: 70147
Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: POP,PHY; Rejection Code: TARGET(SZ,ATZ).
- Sutton, P., Richards, C., Buren, L., and Glasgow, L. (2002). Activity of Mesotrione on Resistant Weeds in Maize. *Pest Manag.Sci.* 58: 981-984.
- EcoReference No.: 69991
Chemical of Concern: ATZ; Habitat: T; Effect Codes: POP; Rejection Code: NO COC(SZ,ATZ).

Svobodova, Z. (1980). Acute Toxicity of Pesticides to Fish (Akutni Toxicita Pesticidu pro Ryby). *Agrochemia* 20: 328-332 (CZE) (Publ in Part As 5607).

EcoReference No.: 5343

Chemical of Concern: ATZ,PSM,CuS; Habitat: A; Effect Codes: MOR; Rejection Code: NO FOREIGN.

Svobodova, Z. and Vykusova, B. (1988). Comparing the Sensitivity of Rainbow Trout and Rasbora heteromorpha to Various Toxic Substances (Porovnaní Citlivosti Pstruha Duhového a Razbory Klinoskvrnné k Různým Cizorodým Látkám). *Bul. Vyzk. Ustav Ryb. Hydrobiol. Vodnany* 24: 14-19 (CZE) (ENG ABS).

EcoReference No.: 315

Chemical of Concern: ATZ,MTL; Habitat: A; Effect Codes: MOR; Rejection Code: NO FOREIGN(ALL CHEMS).

Szabo, R., Keseru, M., Fejes, S., Budai, P., Juhasz, E., and Pongracz, A. (2004). Toxicity of a Dichlorvos Containing Insecticide Formulation and an Atrazine Containing Herbicide Formulation in Chicken Embryos After Individual Administration. *Commun. Agric. Appl. Biol. Sci.* 69: 811-814.

EcoReference No.: 81755

Chemical of Concern: ATZ,DDVP; Habitat: T; Effect Codes: GRO,MOR; Rejection Code: NO ENDPOINT(ALL CHEMS).

Taiwo, L. B. and Oso, B. A. (1997). The Influence of Some Pesticides on Soil Microbial Flora in Relation to Changes in Nutrient Level, Rock Phosphate Solubilization and P Release Under Laboratory Conditions. *Agric. Ecosyst. Environ.* 65: 59-68.

User 1 Abbreviation: (ScienceDirect 1995-Present)

EcoReference No.: 73237

Chemical of Concern: PYN,ATZ,MTL; Habitat: T; Effect Codes: POP; Rejection Code: NO MIXTURE(MTL,ATZ).

Talbert, R. E., Kendig, J. A., Earnest, L. D., Guy, C., Barnes, C. J., Lavy, T. L., Frans, R. E., and Oliver, L. R. (1989). Winter Wheat Response to Carryover from Herbicides Used on Corn, Cotton, Grain Sorghum and Soybeans. *Ark. Agric. Exp. Stn. Res. Ser.* 394: 1-50.

EcoReference No.: 73915

Chemical of Concern:

MTL,ACF,ACR,ATZ,TFN,BFL,BT,BMN,CRM,DU,FNP,FZFP,FSF,HFP,IMQ,IZT,LCF,LNR,MTZ,MBZ,NFZ,MSMA,OXF,PAQT,PDM,PMS,PMT,PYD,QZF,SDX,24DXY,24DB,CLT,CMZ,CZE,DMB,DMM;
Habitat: T; Effect Codes: POP,PHY; Rejection Code: LITE EVAL CODED(MTL),TARGET(DMB,ATZ).

Talbert, R. E., Tierney, M. J., Carey III, V. F., and Kitt, M. J. (1994). Field Evaluations of Herbicides on Small Fruit, Vegetable and Ornamental Crops, 1993. *Ark. Agric. Exp. Stn. Res. Ser.* 440: 1-60.

EcoReference No.: 73236

Chemical of Concern: PDM,MTL,TFN,TBC,OXF,EFL,2,4DXY,ATZ,NPP,GYP,BT,MBZ,SXD,DMB;
Habitat: T; Effect Codes: POP,PHY; Rejection Code: LITE EVAL CODED(MTL,PHMD),NO MIXTURE(SXD),OK(ALL CHEMS),OK TARGET(DMB,PYZ,ATZ).

Talbert, R. E., Wichert, R. A., Carey III, V. F., Johnson, D. H., Ruff, D. F., and Burgos, N. R. (1993). Field Evaluations of Herbicides on Small Fruit, Vegetable and Ornamental Crops, 1992. *Ark. Agric. Exp. Stn. Res. Ser.* 429: 1-29.

EcoReference No.: 70441

- Chemical of Concern: ATZ,NPP,MTL,PQT,OXF,DU,PDM,BT,TFN,24DXY,OYZ,SZ; Habitat: T; Effect Codes: PHY,POP; Rejection Code: LITE EVAL CODED(MTL),OK(ALL CHEMS),OK TARGET(ATZ).
- Tanaka, J. S., Romanowski, R. R. Jr., Sakuoka, R. T., and Crozier, J. A. Jr. (1974). Herbicide Evaluation Studies with Sweetcorn (*Zea mays* L.) in Hawaii. *Hawaii Agric.Exp.Stn.Res.Rep.* 194: 3-28.
- EcoReference No.: 40613
Chemical of Concern: SZ,ATZ,DU,LNR,PMT,EPTC,24DXP,PCH,BTY; Habitat: T; Effect Codes: GRO,POP,PHY,MOR; Rejection Code: OK TARGET(ATZ,SZ),OK(ALL CHEMS).
- Tanguy, A., Boutet, I., and Moraga, D. (2005). Molecular Characterization of the Glutamine Synthetase Gene in the Pacific Oyster *Crassostrea gigas*: Expression Study in Response to Xenobiotic Exposure and Developmental Stage. *Biochim.Biophys.Acta* 1681: 116-125.
- EcoReference No.: 81758
Chemical of Concern: ATZ,DV,GYP; Habitat: A; Effect Codes: CEL; Rejection Code: NO MIXTURE(ATZ,DU),OK(GYP).
- Taub, F. B. and Dollar, A. M. (1964). A Chlorella-Daphnia Food-Chain Study: The Design of a Compatible Chemically Defined Culture Medium. *Limnol.Oceanogr.* 9: 61-74.
- EcoReference No.: 69626; Habitat: A; Effect Codes: MOR; Rejection Code: NO COC(ATZ).
- Teasdale, J. R. (1985). Avoidance of Herbicide Injury by Placement Between Rows of Polyethylene Mulch. *Hortscience* 20: 871-872.
- EcoReference No.: 73264
Chemical of Concern: MTL,ACR,OYZ,LNR,OXF,ATZ,MBZ,PQT; Habitat: T; Effect Codes: GRO,POP,PHY; Rejection Code: LITE EVAL CODED(MTL),TARGET(ATZ).
- Teasdale, J. R. (1995). Influence of Narrow Row/High Population Corn (*Zea mays*) on Weed Control and Light Transmittance. *Weed Technol.* 9: 113-118.
- EcoReference No.: 73948
Chemical of Concern: ATZ,PAQT,MTL; Habitat: T; Effect Codes: POP; Rejection Code: NO MIXTURE(MTL,ATZ).
- Tewari, M. N., Balasimha, D., and Ram, C. (1976). Biochemical Changes in the Germinating Seeds of *Trigonella foenum graecum* L. in Relation to S-Triazine Herbicides. *Biol.Plant.(Praha)* 18: 268-272.
- EcoReference No.: 41794
Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: BCM,GRO; Rejection Code: NO ENDPOINT(SZ,ATZ).
- Thakur, D. R. and Singh, K. K. (1990). Weed and Fertilizer Management in Rainfed Maize (*Zea mays*) Under Mid-hill Conditions of North-Western Himalayas. *Ind.J.Agric.Sci.* 60: 245-248.
- EcoReference No.: 81290
Chemical of Concern: ATZ,24DXY,PDM; Habitat: T; Effect Codes: GRO,REP,POP; Rejection Code: TARGET(ATZ).
- Thakur, D. R., Singh, K. K., and Thakur, R. C. (1990). Effect of Weed and Fertilizer Management on Nutrient Uptake by Weeds and Maize (*Zea mays* L.) Under Rainfed Conditions. *Indian J.Agron.* 35: 357-360.
- EcoReference No.: 79732
Chemical of Concern: ATZ,PDM; Habitat: T; Effect Codes: ACC,BCM; Rejection Code:

TARGET(ATZ).

Thomas, V. M. Jr., Buckley, L. J., Sullivan, J. D. Jr., and Ikawa, M. (1973). Effect of Herbicides on the Growth of Chlorella and Bacillus Using the Paper Disc Method. *Weed Sci.* 21: 449-474.

EcoReference No.: 67240

Chemical of Concern: ATZ,SZ; Habitat: A; Effect Codes: POP; Rejection Code: NO ENDPOINT(ALL CHEMS).

Thompson, L. Jr. and Slife, F. W. (1969). Foliar and Root Absorption of Atrazine Applied Postemergence to Giant Foxtail. *Weed Sci.* 17: 251-256.

EcoReference No.: 43865

Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO; Rejection Code: OK TARGET(ATZ).

Timchalk, C., Dryzga, M. D., Langvardt, P. W., Kastl, P. E., and Osborne, D. W. (1990). Determination of the Effect of Tridiphan on the Pharmacokinetics of ¹⁴C Atrazine Following Oral Administration to Male Fischer 344 Rats. *Toxicology* 61: 27-40.

EcoReference No.: 80921

Chemical of Concern: ATZ; Habitat: T; Effect Codes: BCM,CEL,PHY; Rejection Code: NO CONTROL(ATZ).

Trebuil, G. F., Courtois, B., and Herrera, W. (1996). Assessment of Upland Rice Rooting Depth: Does the Herbicide Injection Technique Work? *J.Agron.Crop Sci.* 177: 85-93.

EcoReference No.: 80137

Chemical of Concern: ATZ,DU,MBZ; Habitat: T; Effect Codes: BCM,GRO; Rejection Code: TARGET(ATZ).

Tsay, R. C. and Ashton, F. M. (1971). Effect of Several Herbicides on Dipeptidase Activity of Squash Cotyledons. *Weed Sci.* 19: 682-684.

EcoReference No.: 41917

Chemical of Concern: AMTL,TFN,DMB,DBN,BS,ATZ,24DXY,EDT; Habitat: T; Effect Codes: BCM; Rejection Code: NO ENDPOINT(ALL CHEMS).

Tscheu-Schluter, M. (1976). On the Acute Toxicity of Herbicides to Selected Aquatic Organisms. Part 2. Triazine Herbicides and Amitrole (Zur akuten Toxizitat von Herbiziden Gegenuber Ausgewählten Wasserorganismen Teil 2: Triazinherbizide und Amitrol). *Acta Hydrochim.Hydrobiol.* 4: 153-170 (GER).

EcoReference No.: 6167

Chemical of Concern: ATZ,PMT,SZ,PPZ,AMTR,AMTL; Habitat: A; Effect Codes: POP,MOR; Rejection Code: NO FOREIGN(ALL CHEMS).

Tu, C. M. (1992). Effect of Some Herbicides on Activities of Microorganisms and Enzymes in Soil. *J.Environ.Sci.Health Part B* 27: 695-709.

EcoReference No.: 73261

Chemical of Concern: MTL,ATZ,EFL,LNR,MBZ,TFN,IZT,BTY; Habitat: T; Effect Codes: POP; Rejection Code: LITE EVAL CODED(MTL),OK(EFL,LNR,MBZ,IZT,BTY,TFN),OK TARGET(ATZ).

Turgut, C. and Fomin, A. (2002). The Ability of Myriophyllum aquaticum (Vell.) Verdcourt in the Uptake and the Translocation of Pesticides via Roots with a View to Using the Plants in Sediment Toxicity Testing. *J.Appl.Bot.* 76: 62-65.

- EcoReference No.: 78496
Chemical of Concern: ATZ,TSF; Habitat: A; Effect Codes: ACC; Rejection Code: NO CONTROL, ENDPOINT(ALL CHEMS).
- Turnbull, C. R. A., Beadle, C. L., West, P. W., and Ottenschlaeger, M. L. (1994). Effect of Post-Planting Application of Granulated Atrazine and Fertiliser on the Early Growth of Eucalyptus nitens. *New For.* 8: 323-333.
- EcoReference No.: 54991
Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO,POP; Rejection Code: TARGET(ATZ).
- Turner, D. L., Sharpe, S. S., and Dickens, R. (1990). Herbicide Effects of Tensile Strength and Rooting of Centipedegrass Sod. *Hortscience* 25: 541-544.
- EcoReference No.: 70741
Chemical of Concern: SZ,ATZ,SXD; Habitat: T; Effect Codes: PHY,POP; Rejection Code: TARGET(SZ,SXD,ATZ).
- Tweedy, B. G. and Loeppky, C. (1968). The Use of ¹⁴C-Labeled Glucose, Glucuronate, and Acetate to Study the Effect of Atrazine, Simazine, and Fluometuron on Glucose Catabolism in Selected Plant Pathogenic Fungi. *Phytopathology* 58: 1522-1531.
- EcoReference No.: 70016
Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: PHY; Rejection Code: TARGET(SZ,ATZ).
- Unamma, R. P. A. and Melifonwu, A. A. (1986). Herbicides for 'Seed' Yam Production from 'Minisett' in the Rainforest Zone of Nigeria. *Weed Res.* 26: 115-120.
- EcoReference No.: 31108
Chemical of Concern: SZ,ACR,BTC,DU,PAQT,FMV,ATZ,LNR,MTL; Habitat: T; Effect Codes: POP; Rejection Code: OK TARGET(SZ,ATZ).
- Valentine, J. P. and Bingham, S. W. (1976). Influence of Algae on Amitrole and Atrazine Residues in Water. *Can.J.Bot.* 54: 2100-2107.
- EcoReference No.: 624
Chemical of Concern: ATZ,AMTL; Habitat: A; Effect Codes: PHY,ACC; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Valentine, J. P. and Bingham, S. W. (1972). Uptake of Three Herbicides by Four Species of Algae. *Va.J.Sci.* 23: 102 (ABS).
- EcoReference No.: 14742
Chemical of Concern: 24DXY,AMTL,ATZ; Habitat: A; Effect Codes: ACC; Rejection Code: NO ABSTRACT(ALL CHEMS).
- Van der Weij, H. G., Hoogers, B. J., and Blok, E. (1971). Mercaptotriazines Compared with Diuron for Aquatic Weed Control in Stagnant Waters. In: *Proc.3rd Int.Symp on Aquatic Weeds, Eur.Weed Resear.Counc., Wageningen* 149-160.
- EcoReference No.: 14033
Chemical of Concern: ATZ,DU; Habitat: A; Effect Codes: ACC,GRO,MOR; Rejection Code: NO CONTROL(ALL CHEMS).
- Van Himme, M. and Bulcke, R. (1990). Possibilities of Growing Replacing Spring Crops After Failure of Agricultural Spring Crops Treated with Persistent Herbicides. *Med.Fac.Landbouww.Rijksuniv.Gent.* 55:

1141-1155.

EcoReference No.: 72692

Chemical of Concern: SZ,ACR,MTL,PDM,ATZ,EFS,MBZ,LNR,DU; Habitat: T; Effect Codes: POP; Rejection Code: NO ENDPOINT(SZ),TARGET(ATZ).

Varsano, R., Rabinowitch, H. D., and Rubin, B. (1992). Mode of Action of Piperonyl Butoxide as Herbicide Synergist of Atrazine and Terbutryn in Maize. *Pestic.Biochem.Physiol.* 44: 174-182.

EcoReference No.: 74923

Chemical of Concern: PPB,ATZ; Habitat: T; Effect Codes: ACC; Rejection Code: NO MIXTURE(PPB),ENDPOINT(ALL CHEMS,TARGET-ATZ).

Veber, K., Zahradnik, J., Breyl, I., and Kredl, F. (1981). Toxic Effect and Accumulation of Atrazine in Algae. *Bull.EnvIRON.Contam.Toxicol.* 27: 872-876.

EcoReference No.: 4473

Chemical of Concern: ATZ; Habitat: A; Effect Codes: ACC,POP; Rejection Code: NO ENDPOINT(ATZ).

Vedrine, C., Leclerc, J. C., Durrieu, C., and Tran-Minh, C. (2003). Optical Whole-Cell Biosensor Using Chlorella vulgaris Designed for Monitoring Herbicides. *Biosens.Bioelectron.* 18: 457-463.

EcoReference No.: 70033

Chemical of Concern: SZ,ATZ,DU; Habitat: A; Effect Codes: PHY,POP; Rejection Code: NO CONTROL(ALL CHEMS).

Vengris, J. (1977). Annual Weed Control in Field Corn. *Proc.Northeast.Weed Sci.Soc.* 31: 1-5.

EcoReference No.: 40869

Chemical of Concern: MTL,ATZ,ACR,BTY,CZE,PDM; Habitat: T; Effect Codes: GRO; Rejection Code: LITE EVAL CODED(MTL),OK(MTL,BTY,CZE),NO MIXTURE(ACR,TARGET-ATZ).

Viator, B. J., Griffin, J. L., and Richard, E. P., Jr. (2002). Evaluation of Red Morningglory (Ipomoea coccinea) for Potential Atrazine Resistance. *Weed Technol.* 16: 96-101.

EcoReference No.: 62976

Chemical of Concern: ATZ; Habitat: T; Effect Codes: POP; Rejection Code: TARGET(ATZ).

Virmani, M., Evans, J. O., and Lynn, R. I. (1975). Preliminary Studies of the Effects of S-Triazine, Carbamate, Urea, and Karbutilate Herbicides on Growth of Fresh Water Algae. *Chemosphere* 4: 65-71.

EcoReference No.: 8134

Chemical of Concern: SZ,ATZ,DU,CPP; Habitat: A; Effect Codes: POP,MOR; Rejection Code: NO ENDPOINT(ALL CHEMS).

Voets, J. P., Meerschman, P., and Verstraete, W. (1974). Soil Microbiological and Biochemical Effects of Long-Term Atrazine Applications. *Soil Biol.Biochem.* 6: 149-152.

EcoReference No.: 55256

Chemical of Concern: ATZ; Habitat: T; Effect Codes: BCM,POP; Rejection Code: TARGET(ATZ).

Vos, J. G. and Krajnc, E. I. (1983). Immunotoxicity of Pesticides. *Dev.Toxicol.EnvIRON.Sci.* 11: 229__-240__.

EcoReference No.: 71363

Chemical of Concern: DU,ATZ,DDT,EN,Pb,TBT,Zineb,Captan,BMY; Habitat: T; Effect Codes: PHY;

Rejection Code: NO ENDPOINT(ATZ).

Vykusova, B. and Svobodova, Z. (1987). Comparison of the Sensitivity of Male and Female Guppies (*Poecilia reticulata* Peters) to Toxic Substances (Porovnani Citlivosti Samcu a Samic Zivorodky Duhove (*Poecilia reticulata* Peters) k Cizorodum Latkam). *Bul.Vyzk.Ustav Ryb.Hydrobiol.Vodnany* 23: 20-23 (CZE) (ENG ABS).

EcoReference No.: 312

Chemical of Concern: ATZ,MTL,Cd; Habitat: A; Effect Codes: MOR; Rejection Code: NO FOREIGN(ALL CHEMS).

Walker, A. (1976). Effects from Simulated Rainfall on Shoot-Zone Uptake of Herbicides. *Weed Res.* 16: 369-373.

EcoReference No.: 72253

Chemical of Concern: SZ,ATZ,LNR; Habitat: T; Effect Codes: ACC,GRO; Rejection Code: TARGET(SZ,ATZ).

Walker, A. and Brown, P. A. (1980). Crop Responses to Low Doses of Herbicides in the Soil. *Proc.1980 Br.Crop Prot.Conf.- Weeds* 15: 609-616.

EcoReference No.: 71390

Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: POP; Rejection Code: TARGET(SZ,ATZ).

Walker, C. R. (1962). Toxicological Effects of Herbicides on the Fish Environment. *In: Proc.8th Air and Pollut.Conf., Univ.of Missouri, Columbia, MO* 17-34 (Publ in Part As 643).

EcoReference No.: 14003

Chemical of Concern: SZ,ATZ,EDT,24DXY,Cu; Habitat: A; Effect Codes: MOR,ACC,BCM,POP; Rejection Code: NO ENDPOINT(ALL CHEMS).

Walker, E. M. J., Gale, G. R., Atkins, L. M., and Gadsden, R. H. (1979). Some Effects of Atrazine on Ehrlich Ascites Tumor Cells In Vitro and In Vivo. *Bull.Environ.Contam.Toxicol.* 22: 95-102.

EcoReference No.: 55329

Chemical of Concern: ATZ; Habitat: T; Effect Codes: MOR,GRO; Rejection Code: NO ENDPOINT,DURATION(ATZ).

Walker, S. R., Marley, J., Robinson, G. R., and Hargreaves, P. A. (1994). Initial Activity of Atrazine and Chlorsulfuron Residues is Greater in the Grey Clays than in the Black Earths of Southern Queensland. *Aust.J.Exp.Agric.* 34: 67-73.

EcoReference No.: 80540

Chemical of Concern: ATZ,CSF; Habitat: T; Effect Codes: GRO; Rejection Code: TARGET(ATZ).

Waterson, H. A., Craig, J., and Joice, R. (1964). Evaluation of Herbicides for the Control of Couchgrass, *Agropyron Repens* L. Beauv. *Weed Res.* 4: 229-240.

EcoReference No.: 42309

Chemical of Concern: ATZ,AMTL; Habitat: T; Effect Codes: REP,GRO; Rejection Code: OK(ALL CHEMS),OK TARGET(ATZ).

Wax, L. M. and Behrens, R. (1965). Absorption and Translocation of Atrazine in Quackgrass. *Weeds* 13: 107-109.

EcoReference No.: 27815

Chemical of Concern: ATZ; Habitat: T; Effect Codes: ACC; Rejection Code: TARGET(ATZ).

Weaver, S. E., Warwick, S. I., and Thomson, B. K. (1982). Comparative Growth and Atrazine Response of Resistant and Susceptible Populations of Amaranthus from Southern Ontario. *J.Appl.Ecol.* 19: 611-620.

EcoReference No.: 25686

Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO,MOR; Rejection Code: TARGET(ATZ).

Weber, A., Christlieb, T., and Imer, U. (1984). Die Kombination eines Unkomplizierten Chemikalentoxizitätstests mit einem Multi-Spezies-Testsystem zur Erfassung Synergistischer und Sublethaler Effekte in Aquatischen Ökosystemen. *Bundesminister für Forschung und Technologie, Forschungsbericht (03 7293) (OECDG Data File)*.

EcoReference No.: 56401

Chemical of Concern: ATZ,PCP; Habitat: A; Effect Codes: POP,PHY; Rejection Code: NO FOREIGN.

Weber, J. B., Best, J. A., and Gonese, J. U. (1993). Bioavailability and Bioactivity of Sorbed Organic Chemicals. *SSSA Spec.Publ.* 32: 153-196.

EcoReference No.: 70824

Chemical of Concern: ATZ,DBN,PQT,24DXY; Habitat: T; Effect Codes: ACC,POP; Rejection Code: NO COC(SZ,ATZ).

Weete, J. D., Pillai, P., and Davis, D. D. (1980). Metabolism of Atrazine by *Spartina alterniflora*. 2. Water-Soluble Metabolites. *J.Agric.Food Chem.* 28: 636-640.

EcoReference No.: 7863

Chemical of Concern: ATZ; Habitat: A; Effect Codes: ACC; Rejection Code: NO ENDPOINT(ATZ).

Wellborn, T. L. J. (1969). The Toxicity of Nine Therapeutic and Herbicidal Compounds to Striped Bass. *Prog.Fish-Cult.* 31: 27-32.

EcoReference No.: 909

Chemical of Concern: SZ,DU,PAQT,24DXY,EDT,AMTR,DBN,TFN,ATZ,PRO,Cu,CuS; Habitat: A; Effect Codes: MOR; Rejection Code: LITE EVAL CODED(SZ,CuS),OK(ALL CHEMS),NO COC(ATZ).

West, L. D., Muzik, T. J., and Witters, R. E. (1976). Differential Gas Exchange Responses of Two Biotypes of Redroot Pigweed to Atrazine. *Weed Sci.* 24: 68-72.

EcoReference No.: 29796

Chemical of Concern: ATZ; Habitat: T; Rejection Code: TARGET(ATZ).

Weston, L. H. and Robinson, P. K. (1991). Detection and Quantification of Triazine Herbicides Using Algal Cell Fluorescence. *Biotechnol.Tech.* 5: 327-330.

EcoReference No.: 70115

Chemical of Concern: SZ,ATZ; Habitat: A; Effect Codes: POP; Rejection Code: NO CONTROL,ENDPOINT(ALL CHEMS).

Whisenant, S. G. (1985). Effects of Fire And/Or Atrazine on Japanese Brome and Western Wheatgrass. *P W S Wd S* 38: 169-176.

EcoReference No.: 31434

Chemical of Concern: ATZ; Habitat: T; Rejection Code: TARGET(ATZ).

Wichman, J. R. and Byrnes, W. R. (1971). Inherent Tolerance of Black Walnut and Tulip Poplar Seedlings to Soil-Applied Herbicides. *Agric.Exp.Stn.Bull.No.878, Purdue Univ., Lafayette, IN* 6 p.

- EcoReference No.: 70558
Chemical of Concern: ATZ,SZ; Habitat: T; Effect Codes: POP,GRO,ACC; Rejection Code: TARGET(SZ,ATZ).
- Wicks, G. A., Felton, W. L., Murison, R. D., Hanson, G. E., and Nash, P. G. (1998). Efficiency of an Optically Controlled Sprayer for Controlling Weeds in Fallow. *Weed Technol.* 12: 638-645.
- EcoReference No.: 73940
Chemical of Concern: ATZ,GYP; Habitat: T; Effect Codes: POP; Rejection Code: NO COC(MTL),TARGET(ATZ).
- Wicks, G. A., Mahnken, G. W., and Hanson, G. E. (1996). Weed Control in Ecofallow Corn (*Zea mays*) with Clomazone. *Weed Technol.* 10: 495-501.
- EcoReference No.: 73779
Chemical of Concern: MTL,ATZ,CMZ,DMB,GYP,PAQT; Habitat: T; Effect Codes: POP,GRO; Rejection Code: NO ENDPOINT,CONTROL(ALL CHEMS,TARGET-ATZ).
- Wicks, G. A., Martin, A. R., Haack, A. E., and Mahnken, G. W. (1994). Control of Triazine-Resistant Kochia (*Kochia scoparia*) in Sorghum (*Sorghum bicolor*). *Weed Technol.* 8: 748-753.
- EcoReference No.: 73946
Chemical of Concern: ATZ,PYD,GYP,24DXY,PAQT,LNR,BT,DMB,BMN; Habitat: T; Effect Codes: POP,PHY; Rejection Code: NO COC(MTL),OK(24DXY),TARGET(DMB,ATZ).
- Wilcox, M. (1968). Synthesis and Herbicidal Activity of 1,1-Dimethyl- and 2-Methyl-4-Phenylsemicarbazides. *J.Med.Chem.* 11: 171-172.
- EcoReference No.: 41114
Chemical of Concern: ATZ,DU; Habitat: T; Effect Codes: MOR,PHY; Rejection Code: NO ABSTRACT,ENDPOINT(ALL CHEMS,TARGET-ATZ).
- Wilson, G. J. (1982). Kiwifruit Seedling Tolerance to Soil Applied Herbicides. *Proc.35th N.Z.Weed Pest Control Conf.* 53-57.
- EcoReference No.: 70787
Chemical of Concern: SZ,ATZ; Habitat: T; Effect Codes: POP,GRO; Rejection Code: TARGET(SZ,ATZ).
- Wilson, H. P., Hines, T. E., Bellinder, R. R., and Grande, J. A. (1985). Comparisons of HOE-39866, SC-0224, Paraquat, and Glyphosate in No-Till Corn (*Zea mays*). *Weed Sci.* 33: 531-536.
- EcoReference No.: 31424
Chemical of Concern: GYP,ATZ,PQT; Habitat: T; Effect Codes: POP; Rejection Code: TARGET(ATZ).
- Wilson, H. P., Hines, T. E., Hatzios, K. K., and Doub, J. P. (1988). Efficacy Comparisons of Alachlor and Metolachlor Formulations in the Field. *Weed Technol.* 2: 24-27.
- EcoReference No.: 73791
Chemical of Concern: MTL,ACR,LNR,ATZ; Habitat: T; Effect Codes: GRO; Rejection Code: NO MIXTURE(MTL,ATZ).
- Wilson, J. S. and Foy, C. L. (1990). Weed Control in No-Tillage and Conventional Corn (*Zea mays*) with ICIA-0051 and SC-0774. *Weed Technol.* 4: 731-738.

- EcoReference No.: 74012
Chemical of Concern: MTL,ATZ; Habitat: T; Effect Codes: POP; Rejection Code: OK(MTL),TARGET(ATZ).
- Winget, C. H., Kozlowski, T. T., and Kuntz, J. E. (1963). Effects of Herbicides on Red Pine Nursery Stock. *Weeds* 11: 87-90.
- EcoReference No.: 40664
Chemical of Concern: SZ,ATZ,PPZ; Habitat: T; Effect Codes: GRO,POP,PHY,MOR; Rejection Code: LITE EVAL CODED(PPZ),OK TARGET(ATZ,SZ),OK(ALL CHEMS).
- Winkelman, D. A. and Klaine, S. J. (1991). Degradation and Bound Residue Formation of Atrazine in a Western Tennessee Soil. *Environ.Toxicol.Chem.* 10: 335-345.
- EcoReference No.: 67467
Chemical of Concern: ATZ; Habitat: T; Effect Codes: ACC,PHY; Rejection Code: TARGET(ATZ).
- Winkelman, D. A. and Klaine, S. J. (1991). Degradation and Bound Residue Formation of Four Atrazine Metabolites, Deethylatrazine, Deisopropylatrazine, Dealkylatrazine and Hydroxyatrazine, in a Western Tennessee Soil. *Environ.Toxicol.Chem.* 10: 347-354.
- EcoReference No.: 67466
Chemical of Concern: ATZ,SZ(degrade); Habitat: T; Effect Codes: PHY,POP; Rejection Code: TARGET(SZ,ATZ).
- Wittmann, C. and Hock, B. (1990). Evaluation and Performance Characteristics of a Novel ELISA for the Quantitative Analysis of Atrazine in Water, Plants and Soil. *Food Agric.Immunol.* 2: 65-74.
- EcoReference No.: 78503
Chemical of Concern: ATZ; Habitat: A; Effect Codes: ACC; Rejection Code: NO ENDPOINT(ALL CHEMS).
- Wolf, D. C. and Martin, J. P. (1975). Microbial Decomposition of Ring-14C Atrazine, Cyanuric Acid, and 2-Chloro-4,6-Diamino-s-Triazine. *J.Environ.Qual.* 4: 134-139.
- EcoReference No.: 67465
Chemical of Concern: ATZ; Habitat: T; Effect Codes: PHY,POP; Rejection Code: TARGET(ATZ).
- Wrather, J. A. and Freytag, A. H. (1991). Selection of Atrazine Tolerant Soybean Calli and Expression of that Tolerance in Regenerated Plants. *Plant Cell Rep.* 10: 44-47.
- EcoReference No.: 79722
Chemical of Concern: ATZ; Habitat: T; Effect Codes: MOR,CEL,REP; Rejection Code: TARGET(ATZ).
- Wu, M. T., Singh, B., and Salunkhe, D. K. (1972). Influence of Foliar Application of s-Triazine Compounds on Fresh Weight, Dry Weight, Chemical Composition, and Enzymatic Activity of Pea and Sweet Corn Seedlings. *J.Exp.Bot.* 23: 793-800.
- EcoReference No.: 42622
Chemical of Concern: ATZ,PPZ,PMT,PRO,AMTR,SZ; Habitat: T; Effect Codes: POP,GRO,BCM; Rejection Code: LITE EVAL CODED(PPZ),OK TARGET(ATZ,SZ),OK(ALL CHEMS).
- Yeh, H. J. (1986). The Effect of Herbicide Residues on Sugarcane. *Rep.Taiwan Sugar Res.Inst.* 114: 17-26.
- EcoReference No.: 81157

Chemical of Concern: DU,ATZ,AMTR,24DXY; Habitat: T; Effect Codes: GRO; Rejection Code: NO ENDPOINT(ALL CHEMS).

Yenish, J. P., Worsham, A. D., and York, A. C. (1996). Cover Crops for Herbicide Replacement in No-Tillage Corn (Zea mays). *Weed Technol.* 10: 815-821.

EcoReference No.: 73752

Chemical of Concern: MTL,ATZ,AMTR; Habitat: T; Effect Codes: POP; Rejection Code: OK(MTL),TARGET(ATZ).

Young, B. G. and Hart, S. E. (1997). Giant Foxtail (Setaria faberi) Control in Sethoxydim-Resistant Corn (Zea mays). *Weed Sci.* 45: 771-776.

EcoReference No.: 73913

Chemical of Concern: MTL,SXD,ATZ,CZE,DMB,NSF,HSF,DMM; Habitat: T; Effect Codes: POP; Rejection Code: LITE EVAL CODED(MTL),TARGET(SXD,DMB,ATZ).

Zelenkova, J. and Hurka, K. (1990). Carabids (Col., Carabidae) in the Epigeon of Pest Management Apple Orchards in South Bohemia. *Acta Soc.Zool.Bohemoslov* 54: 133-145 .

EcoReference No.: 77627

Chemical of Concern: TDF,FRM,GYP,DQTBBr,PAQT,SZ,ATZ,PHSL; Habitat: T; Effect Codes: POP; Rejection Code: NO ENDPOINT(ALL CHEMS).

Zora, K. and Paladino, F. (1986). Combined Toxicity of Atrazine and Acid Exposure to Bluntnose Minnows, *Pimephales notatus*. *Fed.Proc.* 45: 916 (ABS No.4431).

EcoReference No.: 12853

Chemical of Concern: ATZ; Habitat: A; Effect Codes: MOR; Rejection Code: NO ABSTRACT.

Zsoldos, F., Haunold, E., and Vashegyi, A. (1986). The Effects of Phosphate Supply on Uptake of Potassium Ions 2,4-D and Atrazine by Wheat and Maize. *Physiol.Plant.* 68: 154-158.

EcoReference No.: 80531

Chemical of Concern: ATZ,24DXY; Habitat: T; Effect Codes: BCM; Rejection Code: TARGET(ATZ).

Zupan, I. and Kalafatic, M. (2003). Histological Effects of Low Atrazine Concentration on Zebra Mussel (*Dreissena polymorpha* Pallas). *Bull.EnvIRON.Contam.Toxicol.* 70: 688-695.

EcoReference No.: 71914

Chemical of Concern: ATZ; Habitat: A; Effect Codes: CEL; Rejection Code: NO ENDPOINT (ATZ).

Atrazine Updates (March-October 2006)
Papers that Were Accepted for ECOTOX

Acceptable for ECOTOX and OPP

Aso, S., Anai, M., Noda, S., Imatanaka, N., Yamasaki, K., and Maekawa, A. (2000). Twenty-Eight-Day Repeated-Dose Toxicity Studies for Detection of Weak Endocrine Disrupting Effects of Nonylphenol and Atrazine in Female Rats. *J.Toxicol.Pathol.* 13: 13-20.

EcoReference No.: 86238

Chemical of Concern: ATZ,NYP; Habitat: T; Effect Codes: REP,CEL,GRO,PHY,BEH; Rejection Code: Less sensitive endpoint.

Berthold, A. and Jakl, T. (2002). Soil Ciliate Bioassay for the Pore Water Habitat - A Missing Link between Microflora and Earthworm Testing in Soil Toxicity Assessment. *J.Soils Sediments* 2: 179-193.

EcoReference No.: 83711

Chemical of Concern: CdCl₂,MTL,ATZ,K₂CrO₇; Habitat: T; Effect Codes: POP,MOR; Rejection Code: **Terrestrial invertebrate endpoints were not considered for this assessment.**

Blackburn, R. A. (1985). The Effects of Single and Joint Toxicity of Atrazine and Alachlor on Three Non-target Aquatic Organisms. *M.S.Thesis, Univ.of Kansas, Lawrence, KS* 163 p.

EcoReference No.: 71619

Chemical of Concern: ATZ,ACR; Habitat: A; Effect Codes: POP,MOR,GRO; Rejection Code: **Less sensitive endpoint.**

Burrell, R. E., Mayfield, C. I., Inniss, W. E., and Kummer, K. (1983). A Rapid Technique for Determining Toxicant Effects on a Green Alga. *Can.Tech.Rep.Fish.Aquat.Sci.* 307-313 p.

EcoReference No.: 86245

Chemical of Concern: ATZ; Habitat: A; Effect Codes: POP; Rejection Code: **Less sensitive endpoint.**

Garrett, D. C. (2004). Effects of Methanol, Atrazine, and Copper on the Ultrastructure of *Pseudokirchneriella subcapitata* (*Selenastrum capricornutum*). *Ph.D.Thesis, Univ.of North Texas, Denton, TX* 192 p.

EcoReference No.: 82748

Chemical of Concern: MOL,ATZ,Cu; Habitat: A; Effect Codes: BCM,CEL,POP; Rejection Code: **Less sensitive endpoint.**

Gaunt, P. and Barker, S. A. (2000). Matrix Solid Phase Dispersion Extraction of Triazines from Catfish Tissues; Examination of the Effects of Temperature and Dissolved Oxygen on the Toxicity of Atrazine. *Int.J.Environ.Pollut.* 13: 284-312.

EcoReference No.: 71376

Chemical of Concern: ATZ; Habitat: A; Effect Codes: MOR,ACC; Rejection Code: **Less sensitive endpoint.**

Giusi, G., Facciolo, R. M., Canonaco, M., Alleva, E., Belloni, V., Dessì-Fulgheri, F., and Santucci, D. (2006). The Endocrine Disruptor Atrazine Accounts for a Dimorphic Somatostatinergic Neuronal Expression Pattern in Mice. *Toxicol.Sci.* 89: 257-264 .

EcoReference No.: 83157

Chemical of Concern: ATZ; Habitat: T; Effect Codes: PHY; Rejection Code: **Terrestrial mammalian endpoints were not considered for this assessment. Cellular genetic endpoints cannot be quantitatively linked to the selected assessment endpoints.**

Kish, P. A. (2006). Evaluation of Herbicide Impact on Periphyton Community Structure Using the Matlock Periphytometer. *J.Freshw.Ecol.* 21: 341-348.

EcoReference No.: 85813

Chemical of Concern: ATZ; Habitat: A; Effect Codes: POP,ACC; Rejection Code: **Less sensitive endpoint.**

Le Goff, G., Hilliou, F., Siegfried, B. D., Boundy, S., Wajnberg, E., Sofer, L., Audant, P., ffrench-Constant, R. H., and Feyereisen, R. (2006). Xenobiotic Response in *Drosophila melanogaster*: Sex Dependence of P450 and GST Gene Induction. *Insect Biochem.Mol.Biol.* 36: 674-682.

EcoReference No.: 85819

Chemical of Concern: ATZ; Habitat: T; Effect Codes: CEL; Rejection Code: Terrestrial invertebrate endpoints were not considered for this assessment. Cellular genetic endpoints cannot be quantitatively linked to the selected assessment endpoints.

Lockert, C. K., Hoagland, K. D., and Siegfried, B. D. (2006). Comparative Sensitivity of Freshwater Algae to Atrazine. *Bull.Environ.Contam.Toxicol.* 76: 73-79.

EcoReference No.: 85817

Chemical of Concern: ATZ; Habitat: A; Effect Codes: CEL,POP; Rejection Code: Less sensitive endpoint.

Ma, J., Wang, S., Wang, P., Ma, L., Chen, X., and Xu, R. (2006). Toxicity Assessment of 40 Herbicides to the Green Alga *Raphidocelis subcapitata*. *Ecotoxicol.Environ.Saf.* 63: 456-462.

EcoReference No.: 83543

Chemical of Concern:

CLT,DFP,FNP,FZF,HFP,QZF,BSFM,BP,CRME,EMSF,FTS,MTSM,NSF,ACO,BTC,MTL,AMTR,ATZ,BMN,CMZ,DU,PAQT,PMT,FXP,MCPA,ZNC,PDM,TFN,GFS,GYP,SZ; Habitat: A; Effect Codes: POP; Rejection Code: Less sensitive endpoint.

Phyu, Y. L., Warne, M. S., and Lim, R. P. (2006). Toxicity and Bioavailability of Atrazine and Molinate to the Freshwater Fish (*Melanotenia fluviatilis*) Under Laboratory and Simulated Field Conditions. *Sci.Total Environ.* 356: 86-99.

EcoReference No.: 85814

Chemical of Concern: ATZ,MLT; Habitat: A; Effect Codes: PHY,MOR; Rejection Code: Less sensitive endpoint. Behavioral endpoints such as equilibrium cannot be quantitatively linked to the selected assessment endpoints.

Podola, B. and Melkonian, M. (2005). Selective Real-Time Herbicide Monitoring by an Array Chip Biosensor Employing Diverse Microalgae. *J.Appl.Phycol.* 17: 261-271 .

EcoReference No.: 83755

Chemical of Concern: SZ,DU,ATZ,PAQT; Habitat: A; Effect Codes: POP; Rejection Code: Less sensitive endpoint.

Porter, W. P., Jaeger, J. W., and Carlson, I. H. (1999). Endocrine, Immune, and Behavioral Effects of Aldicarb (Carbamate), Atrazine (Triazine) and Nitrate (Fertilizer) Mixtures at Groundwater Concentrations . *Toxicol.Ind.Health* 15: 133-150.

EcoReference No.: 86237

Chemical of Concern: ADC,ATZ; Habitat: T; Effect Codes: PHY,GRO,BEH,BCM; Rejection Code: Less sensitive endpoint.

Rowe, A. M., Brundage, K. M., Schafer, R., and Barnett, John B. (2006). Immunomodulatory Effects of Maternal Atrazine Exposure on Male Balb/c Mice. *Toxicol.Appl.Pharmacol.* 214: 69-77.

EcoReference No.: 85820

Chemical of Concern: ATZ; Habitat: T; Effect Codes: CEL,REP,PHY,GRO; Rejection Code: Less sensitive endpoint.

Seguin, F., Druart, J. C., and Le Cohu, R. (2001). Effects of Atrazine and Nicosulfuron on Periphytic Diatom Communities in Freshwater Outdoor Lentic Mesocosms. *Ann.Limnol.* 37: 3-8.

EcoReference No.: 86240

Chemical of Concern: ATZ,NSF; Habitat: A; Effect Codes: POP,CEL; Rejection Code: Less sensitive

endpoint.

Su, Y. H. and Zhu, Y. G. (2006). Bioconcentration of Atrazine and Chlorophenols into Roots and Shoots of Rice Seedlings. *Environ.Pollut.* 139: 32-39.

EcoReference No.: 85818

Chemical of Concern: ATZ,24DC; Habitat: A; Effect Codes: ACC,PHY; Rejection Code: **Bioconcentration factor.**

Thomas, P. and Doughty, K. (2004). Disruption of Rapid, Nongenomic Steroid Actions by Environmental Chemicals: Interference with Progesterone Stimulation of Sperm Motility in Atlantic Croaker. *Environ.Sci.Technol.* 38: 6328-6332.

EcoReference No.: 83758

Chemical of Concern: PCB,MXC,ATZ,DDT,NAPH; Habitat: A; Effect Codes: REP; Rejection Code: **No effect at single test concentration.**

Wilhelms, K. W., Cutler, S. A., Proudman, J. A., Carsia, R. V., Anderson, L. L., and Scanes, C. G. (2006). Lack of Effects of Atrazine on Estrogen-Responsive Organs and Circulating Hormone Concentrations in Sexually Immature Female Japanese quail (*Coturnix coturnix japonica*). *Chemosphere* 65: 674-681.

EcoReference No.: 85511

Chemical of Concern: ATZ; Habitat: T; Effect Codes: GRO,BEH,BCM; Rejection Code: **No effects at any of the test concentrations.**

Yeh, H. J. and Chen, C. Y. (2006). Toxicity Assessment of Pesticides to *Pseudokirchneriella subcapitata* Under Air-Tight Test Environment. *J.Hazard.Mater.* 131: 6-12.

EcoReference No.: 85816

Chemical of Concern: ATZ,PCP,FNTH,PRN,MLN,DDVP,MCPA; Habitat: A; Effect Codes: PHY,POP; Rejection Code: **Less sensitive endpoint.**

Atrazine Updates (March-October 2006): Acceptable for ECOTOX but not OPP

Ismail, S. M. M., Ahmed, Y. M., Mosleh, Y. Y. I., and Ahmed, M. T. (1997). The Activities of Some Proteins and Protein Related Enzymes of Earthworms as Biomarkers for Atrazine Exposure. *Toxicol.Environ.Chem.* 63: 141-148.

EcoReference No.: 86242

Chemical of Concern: ATZ; Habitat: T; Effect Codes: ACC,PHY; Rejection Code: NO ENDPOINT(ATZ).

Liang, T. T. and Lichtenstein, E. P. (1974). Synergism of Insecticides by Herbicides: Effect of Environmental Factors. *Science* 186: 1128-1130.

EcoReference No.: 86239

Chemical of Concern: ATZ,DDT,PRN; Habitat: T; Effect Codes: MOR; Rejection Code: NO ENDPOINT(ATZ).