



Appendix D: PRZM Output, Post-Processing Equations, and EECs - Risks of Metolachlor Use to Federally Listed Endangered Barton Springs Salamander

May 2007

Appendix D: PRZM Output, Post-Processing Equations, and EECs

Post Processing Equations

Edge of Field Runoff Concentration ($\mu\text{g ai/L}$)=

Pesticide in Field Runoff (RFLX=kg-ai/ha)/Runoff Water Volume (RUNF=100,000 L/ha-cm of water)*1E9 $\mu\text{g ai/kg ai}$

Estimated Spring Concentration ($\mu\text{g/L}$) =

Percent Barton Springs Area in Meadow (0.05)* Estimated Spring Concentration (ug/L)

Table 1 Edge-of-Field Concentration in Runoff from PRZM Modeling Output for Metolachlor (@ 1.67 lbs ai/A) on a Texas Meadow Scenario

Application Technique	Application Timing	Peak $\mu\text{g/L}$	21 days $\mu\text{g/L}$	60 days $\mu\text{g/L}$
Ground Spray	Prior to planting	359.040	20.180	8.220
Ground Spray	At Plant	305.380	15.200	7.140
Ground Spray	Before Crop Emergence	246.000	13.680	5.480
Aerial Spray	Prior to planting	344.560	19.360	7.880
Aerial Spray	At Plant	293.100	14.580	6.840
Aerial Spray	Before Crop Emergence	236.040	13.140	5.260

Table 2 Estimated Spring Concentration from PRZM Modeling Output for Metolachlor (@ 1.67 lbs ai/A) on a Texas Meadow Scenario

Application Technique	Application Timing	Peak $\mu\text{g/L}$	21 days $\mu\text{g/L}$	60 days $\mu\text{g/L}$
Ground Spray	Prior to planting	17.952	1.009	0.411
Ground Spray	At Plant	15.269	0.760	0.357
Ground Spray	Before Crop Emergence	12.300	0.684	0.274
Aerial Spray	Prior to planting	17.228	0.968	0.394
Aerial Spray	At Plant	14.655	0.729	0.342
Aerial Spray	Before Crop Emergence	11.802	0.657	0.263

Table 3 PRZM Estimated Edge of Field Concentrations of Metolachlor ESA and Metolachlor OA for the Texas Meadow Scenario

Application Timing	Peak		21 days		60 days	
	ug/L					
	ESA	OA	ESA	OA	ESA	OA
Prior to planting	87.360	195.080	4.600	10.200	1.600	3.560
At Plant	105.020	156.240	5.000	7.440	1.780	2.660
Before Crop Emergence	52.000	119.660	2.580	5.960	0.900	2.100

Table 4 Estimated Spring Concentrations of Metolachlor ESA and Metolachlor OA for the Texas Meadow Scenario

Application Timing	Peak		21 days		60 days	
	ug/L					
	ESA	OA	ESA	OA	ESA	OA
Prior to planting	4.368	9.754	0.230	0.510	0.080	0.178
At Plant	5.251	7.812	0.250	0.372	0.089	0.133
Before Crop Emergence	2.600	5.983	0.129	0.298	0.045	0.105

The Barton Springs Refined Modeling Approach

Background

The Barton Springs are supplied predominantly with water discharging from fractures and conduits formed in the Barton Springs Segment of the Edwards Aquifer (BSSEA) as a result of dissolution of the fractured limestone aquifer over time. Slade et al. (1986) estimated that approximately 85% of the water that recharges this aquifer infiltrates through the beds of six creeks that cross the recharge zone (Slade et al. 1985, Barrett and Charbeneau 1996), with the remaining approximately 15 % of the recharge derived from precipitation and recharge in interbed areas in the recharge zone. In the BSSEA, natural ground water discharge occurs primarily at Barton Springs (Lindgren et al., 2004). Recharge features in creek bottoms overlying the recharge zone allow only a limited flow of water during a storm event; therefore, water that is in excess of the flow capacities of recharge features leaves the recharge zone as creek flow. The Contributing Zone encompasses the watersheds of the upstream portions of the six major creeks that cross the Recharge Zone and therefore provides the source for most of the water that enters the BSSEA as recharge. These streams gain water, as they flow across the land surface in the Contributing Zone, from the lower-permeability Glen Rose limestone of the adjacent Trinity aquifer (Lindgren et al., 2004). Kuniansky (1989) estimated baseflow discharge from the Trinity aquifer to streams and creeks in this area ranging from 25% to 90% of total flow. In the portion of the Trinity aquifer nearest the contributing zone this was loosely estimated at 30%. The remainder of water in creeks in the Contributing Zone is derived from precipitation and runoff.

Model Outline

The refined conceptual model attempts to capture the most important aspects of this unique hydrology. In this regard, the nature of the contributing zone and the recharge zone are distinguished and treated separately. Runoff from the recharge zone is assumed to enter the karst environment directly, whereas runoff from the contributing zone is assumed to mix with stream water prior to entering the karst environment of the recharge zone. The long-term average flow volume in the streams in the contributing zone was assumed to be due 30% aquifer discharge and 70 % to runoff, as is consistent with Kuniansky (1989). Thus surface runoff in the contributing zone mixes with the aquifer discharge flow prior to flowing into the recharge zone.

Masses and volumes of runoff are determined for this assessment from modeling scenarios developed specifically for the various land uses (e.g., orchards, nurseries, vineyards, residential) found in the Barton Springs Salamander action area. Similar to the Agency's standard ecological risk assessment methodology described above, 30 years of meteorological data were linked to these specific scenarios to estimate 1-in-10-year edge of field exposure to potential diazinon uses.

A summary of the potential pesticide use areas is presented in **Table A1**. Only one orchard was determined through investigation to operate in the action area. Its area was reported online (<http://barsanaorchards.com/news8article.html>; Mar. 1, 2007). The area of nurseries in the action area was investigated using a variety of sources (see p. 11

of **Appendix B**). The area of vineyards in the action area was estimated with data obtained from the Texas Commission on Environmental Quality (TCEQ) land use data set (USGS 2003) that classifies 75 acres as orchard, vineyard or grove. Subtraction of the 7 acres known to be an orchard leaves 68 acres that may be cropped as vineyards.

Table A1. Extent of Potential Use Areas in the Action Area of the Barton Springs Segment of the Edwards Aquifer (BSSEA).			
Use Scenario	Area (acres)	Area in Contributing Zone (acres)	Area in Recharge Zone (acres)
Non Cropped	226344	168769	57574
Vineyards	68	48	20
Orchard	7	7	0
Nurseries	3.25	0.5	2.75
Other Areas			

Determination of Runoff Concentrations and Volume.

As described previously, the contributing zone and the recharge zone are treated differently. Calculations for the contributing zone are described first and these are followed by calculations for the recharge zone.

Contributing Zone

This refined assessment uses the long term average stream flow information to calculate an approximate average daily stream flow in the contributing zone. Because the ratio of runoff flow to base stream flow was given by Kuniansky (1989) to be 70:30, knowing the long-term runoff flow enables an estimate of the long-term average streamflow. The long-term (30 year simulated) runoff volume was calculated for each of the scenarios in Table A-1 using PRZM and the respective areas within the contributing zone. The cumulative runoff volume for the contributing zone was calculated according to

$$V_{CZ} = \sum_{t=1}^n \left(\sum_{i=1}^m (V_{CZ,i,t}) \right) \quad (\text{A.1})$$

where V_{CZ} = 30-year simulated cumulative runoff [volume]

$V_{CZ,i,t}$ = runoff from area i on day t [volume]

n = number of days in simulation

m = number different areas (e.g., crop areas) in simulation

The estimated daily aquifer-driven base flow in the streams within the contributing zone is calculated from the 70:30 ratio as given by Kuniansky (1989):

$$V_{base} = \frac{V_{CZ}}{n} \left(\frac{0.30}{0.70} \right) \quad (\text{A.2})$$

where V_{base} = the long-term average daily aquifer-driven stream volume [volume]

Daily stream volume was calculated by adding the base stream flow to the daily runoff flows as follows:

$$V_{streams} = \sum_{i=1}^m (V_{CZ,i,t}) + V_{base} \quad (A.3)$$

where $V_{stream,t}$ = the total stream volume on day t.

Daily stream concentrations were calculated directly from the PRZM out put, the area of the scenario, and the stream base flow as follows:

$$C_{stream,t} = \frac{\sum_{i=1}^n (M_{CZ,i,t}) + M_{base}}{V_{stream,t}} \quad (A.4)$$

where $C_{stream,t}$ = the daily stream concentration

$M_{CZ,i,t}$ = mass of runoff for scenario i on day t in contributing zone [mass].

M_{base} = daily average mass in stream base flow

The above calculated stream volume ($V_{stream,t}$) in eqn A.3 along with its associated concentration ($C_{stream,t}$) in eqn. 3.4 are assumed to be delivered to the recharge zone where they mix with recharge zone runoff as described next.

Recharge Zone

Runoff originating in the recharge zone was determined in a similar manner as for the contributing zone using PRZM output as follows:

$$V_{RZ,t} = \sum_{i=1}^m (V_{RZ,i,t}) \quad (A.5)$$

where $V_{RZ,t}$ = total daily runoff in recharge zone [volume]

$V_{RZ,i,t}$ = runoff from area i on day t [volume]

m = number different areas (e.g., crop areas) in simulation

The concentration of runoff in the recharge zone was determined from the PRZM mass output (output as mass/area), the area represented by the scenario, and the volume of runoff in the recharge zone as follows:

$$C_{RZ,t} = \frac{\sum_{i=1}^n (M_{i,t})}{V_{RZ,t}} \quad (A.6)$$

where $C_{RZ,t}$ = daily recharge zone runoff concentration

$M_{RZ,i,t}$ = mass of runoff for scenario i on day t in recharge zone [mass].

M_{base} = daily average mass in stream base flow

Barton Springs Daily Concentrations

It is assumed that the stream flow from the contributing area and the runoff from the recharge area mix and flow through the Karst and into Barton Springs. The spring concentration is determined from:

$$C_{\text{Barton},t} = \frac{C_{\text{RZ},t}V_{\text{RZ},t} + C_{\text{stream},t}V_{\text{stream},t}}{V_{\text{RZ},t} + V_{\text{stream},t}} \quad (\text{A.7})$$

where $C_{\text{Barton},t}$ = the daily concentration in Barton Spring [mass/volume]

The daily Springs EECs in the Barton Springs were processed in order to provide durations of exposure. Peak, 14-day, 21-day, 30-day, 60-day, and 90-day average concentrations were calculated across 30 years of daily EEC values. In order to match the standard PRZM/EXAMS output, the maximum values for each of the 30 years of daily and rolling averages were ranked and the 90th percentiles from the rankings were selected as the final 1-in-10-year EECs for use in risk estimation.

Special Case: use area hydrologically similar to nonuse area

In the case where a pesticide use area has the same hydrological characteristics the non use area, a simplification can be made that gives approximately identical results as the more complicated model described above. For example, in the Barton Springs area of interest, the non crop use area is modeled with a non residential PRZM scenario (predominantly characterized by a curve number of 85). If a sole use area is also modeled with the same nonresidential scenario, then runoff would occur from both the use area and the nonuse areas in an identical manner.

Consider now, the Barton Springs calculation (eqn 3.7 above):

This equation can be rewritten as

$$C_{\text{Barton},t} = \frac{M_{\text{RZ},\text{nonuse},t} + M_{\text{RZ},\text{use},t} + M_{\text{RZ},\text{nonuse},t} + M_{\text{RZ},\text{use},t} + M_{\text{base},t}}{V_{\text{RZ},\text{nonuse},t} + V_{\text{RZ},\text{use},t} + V_{\text{CZ},\text{nonuse},t} + V_{\text{CZ},\text{use},t} + V_{\text{base},t}} \quad (\text{A.8})$$

For the 30-year simulation of the watershed area, less than 9 of the 569 runoff events produced runoff from the area that had a volume of less than 10 times the calculated stream base flow. This means that the volume of the base stream flow is negligible in nearly every event in comparison to runoff volume. In the unlikely case that a high pesticide concentration would occur from one of these rare events (1.6% of runoff events) then such event would be screened out by the EPA practice of selecting the 90th percentile reoccurrence event. Therefore for practical purposes, the base volume can be eliminated from the above equation. Additionally, since all the runoff volumes are

generated from the same scenario with only area differing among them and if base stream concentrations can be assumed to be negligible, then **A.3** can be rewritten as

$$C_{Barton,t} = \frac{(M_A)(A_{CZ,use,t} + A_{RZ,use,t})}{D(A_{CZ,nonuse,t} + A_{CZ,use,t} + A_{RZ,nonuse,t} + A_{RZ,use,t})} \quad (\text{A.9})$$

where M_A = PRZM output for pesticide mass [mass/area]
 D = PRZM output for runoff depth [length]

Therefore, the Barton Springs concentration can be determined by the PRZM edge-of-field concentration times the ratio of use area to total area:

$$C_{Barton,t} = C_{edge} \frac{A_{use}}{A_{total}} \quad (\text{A.10})$$

Where C_{edge} = PRZM edge of field concentration
 A_{use} = total use area
 A_{total} = total Barton Springs watershed area

The above simplified model equation (**A.10**) can be used where the use and non-use areas can be described by the same PRZM scenario and where background concentrations are not present.

Ground Spray – Prior to Planting

Standard PRZM/EXAMS Output

stored as MetBSGRDPPL.out

Chemical: Metolachlor

PRZM environment: TX_BSSMeadow.txt modified Thuday, 4 May 2006 at 10:38:37

EXAMS environment: pond298.exv modified Thuday, 29 August 2002 at 16:33:30

Metfile: w13958.dvf modified Wedday, 3 July 2002 at 09:06:24

Water segment concentrations (ppb)

Year	Peak	96 hr	21 Day	60 Day	90 Day	Yearly
1961	15.65	13.49	7.781	3.338	2.254	0.5654
1962	0.9353	0.7986	0.4497	0.2294	0.174	0.0446
1963	23.91	20.57	11.72	5.348	3.72	0.9321
1964	1.265	1.073	0.588	0.41	0.2935	0.07635
1965	17.07	14.66	8.337	3.538	2.402	0.6028
1966	3.551	3.092	1.732	0.8451	0.6216	0.1581
1967	0.9348	0.805	0.4662	0.2358	0.2093	0.05387
1968	0.9347	0.8101	0.4756	0.3081	0.2147	0.05436
1969	3.883	3.359	1.924	0.9306	0.6457	0.162
1970	7.36	6.486	3.79	1.71	1.164	0.2926
1971	0.9349	0.7971	0.4424	0.1835	0.1437	0.03778
1972	4.945	4.264	2.507	1.099	0.7461	0.2182
1973	0.9354	0.8165	0.5567	0.2511	0.1721	0.04324
1974	0.9346	0.7961	0.4428	0.2738	0.2143	0.05814
1975	4.973	4.164	2.347	1.04	0.7044	0.2083
1976	1.821	1.541	0.8941	0.4075	0.3006	0.07604
1977	1.449	1.23	0.7063	0.4999	0.4665	0.121
1978	1.227	1.068	0.6877	0.3659	0.3478	0.09419
1979	6.991	6.069	3.464	1.58	1.079	0.2706
1980	6.592	5.605	3.137	1.397	1.06	0.2726
1981	6.475	5.572	3.212	1.512	1.044	0.2664
1982	0.935	0.8088	0.4707	0.2011	0.244	0.0666
1983	2.835	2.486	1.525	0.8089	0.557	0.1403
1984	0.9629	0.821	0.4684	0.3611	0.2491	0.06244
1985	1.71	1.501	1.003	0.5254	0.3608	0.0906
1986	2.656	2.276	1.555	0.7151	0.4866	0.1567
1987	1.912	1.673	1.017	0.5612	0.3853	0.0973
1988	3.393	2.891	1.619	0.82	0.5977	0.1526
1989	0.9348	0.8094	0.4739	0.235	0.1874	0.04838
1990	3.3	2.884	1.729	0.8639	0.6104	0.1542

Sorted results

Prob.	Peak	96 hr	21 Day	60 Day	90 Day	Yearly		
0.032258064516129			23.91	20.57	11.72	5.348	3.72	0.9321
0.0645161290322581			17.07	14.66	8.337	3.538	2.402	0.6028
0.0967741935483871			15.65	13.49	7.781	3.338	2.254	0.5654
0.129032258064516			7.36	6.486	3.79	1.71	1.164	0.2926
0.161290322580645			6.991	6.069	3.464	1.58	1.079	0.2726
0.193548387096774			6.592	5.605	3.212	1.512	1.06	0.2706
0.225806451612903			6.475	5.572	3.137	1.397	1.044	0.2664
0.258064516129032			4.973	4.264	2.507	1.099	0.7461	0.2182
0.290322580645161			4.945	4.164	2.347	1.04	0.7044	0.2083
0.32258064516129			3.883	3.359	1.924	0.9306	0.6457	0.162
0.354838709677419			3.551	3.092	1.732	0.8639	0.6216	0.1581
0.387096774193548			3.393	2.891	1.729	0.8451	0.6104	0.1567
0.419354838709677			3.3	2.884	1.619	0.82	0.5977	0.1542
0.451612903225806			2.835	2.486	1.555	0.8089	0.557	0.1526
0.483870967741936			2.656	2.276	1.525	0.7151	0.4866	0.1403
0.516129032258065			1.912	1.673	1.017	0.5612	0.4665	0.121
0.548387096774194			1.821	1.541	1.003	0.5254	0.3853	0.0973
0.580645161290323			1.71	1.501	0.8941	0.4999	0.3608	0.09419
0.612903225806452			1.449	1.23	0.7063	0.41	0.3478	0.0906
0.645161290322581			1.265	1.073	0.6877	0.4075	0.3006	0.07635
0.67741935483871			1.227	1.068	0.588	0.3659	0.2935	0.07604
0.709677419354839			0.9629	0.821	0.5567	0.3611	0.2491	0.0666
0.741935483870968			0.9354	0.8165	0.4756	0.3081	0.244	0.06244
0.774193548387097			0.9353	0.8101	0.4739	0.2738	0.2147	0.05814
0.806451612903226			0.935	0.8094	0.4707	0.2511	0.2143	0.05436
0.838709677419355			0.9349	0.8088	0.4684	0.2358	0.2093	0.05387
0.870967741935484			0.9348	0.805	0.4662	0.235	0.1874	0.04838
0.903225806451613			0.9348	0.7986	0.4497	0.2294	0.174	0.0446
0.935483870967742			0.9347	0.7971	0.4428	0.2011	0.1721	0.04324
0.967741935483871			0.9346	0.7961	0.4424	0.1835	0.1437	0.03778

0.1 14.821 12.7896 7.3819 3.1752 2.145 0.53812

Average of yearly averages: 0.185926333333333

Inputs generated by pe4.pl - 8-August-2003

Data used for this run:

Output File: MetBSGRDPPL

Metfile: w13958.dvf

PRZM scenario: TX_BSSMeadow.txt

EXAMS environment file: pond298.exv

Chemical Name: Metolachlor

Description	Variable Name	Value	Units	Comments
Molecular weight	mwt	238.8	g/mol	
Henry's Law Const.	henry	3.75E-5	atm-m ³ /mol	
Vapor Pressure	vapr	2.8E-5	torr	
Solubility	sol	4800	mg/L	
Kd	Kd		mg/L	
Koc	Koc	181	mg/L	
Photolysis half-life	kdp	70	days	Half-life
Aerobic Aquatic Metabolism	kbacw	48.9	days	Halfife
Anaerobic Aquatic Metabolism	kbacs	234	days	Halfife
Aerobic Soil Metabolism	asm	48.9	days	Halfife
Hydrolysis:	pH 7		days	Half-life
Method: CAM	1	integer		See PRZM manual
Incorporation Depth:	DEPI	4.00	cm	
Application Rate:	TAPP	1.87	kg/ha	
Application Efficiency:	APPEFF	0.99		fraction
Spray Drift	DRFT	0.01		fraction of application rate applied to pond
Application Date	Date	15-2	dd/mm or dd/mm or dd-mm or dd-mmm	

Post Processed Estimated Spring EECs

Estimated Spring						
Year	Max Peak	Max 14 day	Max 21 day	Max 30 day	Max 60 day	Max 90 day
1961	1.12E+01	7.98E-01	5.32E-01	3.72E-01	1.86E-01	1.24E-01
1962	5.63E+00	4.02E-01	2.68E-01	2.52E-01	1.29E-01	8.66E-02
1963	1.02E+01	7.31E-01	4.88E-01	3.41E-01	2.39E-01	1.60E-01
1964	5.17E+00	3.69E-01	2.46E-01	1.72E-01	1.06E-01	7.09E-02
1965	1.16E+01	8.27E-01	5.51E-01	3.86E-01	1.93E-01	1.34E-01
1966	7.09E+00	5.07E-01	3.38E-01	2.36E-01	1.55E-01	1.04E-01
1967	1.79E+01	1.28E+00	8.50E-01	5.95E-01	3.50E-01	2.40E-01
1968	2.08E+01	1.49E+00	9.92E-01	7.92E-01	4.06E-01	2.73E-01
1969	1.22E+01	8.74E-01	5.83E-01	4.77E-01	2.55E-01	1.70E-01
1970	9.49E+00	1.22E+00	8.13E-01	5.69E-01	2.85E-01	1.90E-01
1971	7.72E+00	5.52E-01	3.68E-01	2.57E-01	1.69E-01	1.19E-01
1972	4.99E+00	5.19E-01	3.48E-01	2.43E-01	1.22E-01	8.11E-02
1973	1.89E+01	2.20E+00	1.47E+00	1.12E+00	5.70E-01	3.80E-01
1974	6.02E+00	4.30E-01	4.07E-01	2.85E-01	1.54E-01	1.02E-01
1975	2.12E+00	2.56E-01	1.71E-01	1.21E-01	6.05E-02	4.04E-02
1976	1.58E+01	1.13E+00	7.53E-01	5.27E-01	2.75E-01	1.84E-01
1977	1.17E+01	8.37E-01	5.58E-01	5.23E-01	3.06E-01	2.04E-01
1978	1.68E+01	1.20E+00	8.02E-01	5.61E-01	3.13E-01	2.16E-01
1979	1.15E+01	8.19E-01	5.46E-01	5.42E-01	2.76E-01	1.84E-01
1980	1.89E+01	1.35E+00	9.00E-01	6.30E-01	3.66E-01	2.53E-01
1981	6.95E+00	4.96E-01	3.31E-01	2.32E-01	1.27E-01	8.68E-02
1982	1.72E+00	1.74E-01	1.20E-01	8.46E-02	4.24E-02	2.83E-02
1983	1.69E+01	1.21E+00	1.16E+00	9.26E-01	4.70E-01	3.14E-01
1984	3.96E+00	2.83E-01	1.89E-01	1.32E-01	6.60E-02	4.98E-02
1985	1.25E+01	1.40E+00	9.35E-01	7.11E-01	3.63E-01	2.42E-01
1986	3.97E+00	4.28E-01	2.96E-01	2.07E-01	1.04E-01	6.93E-02
1987	9.85E+00	1.31E+00	8.76E-01	6.13E-01	3.07E-01	2.05E-01
1988	3.92E+00	2.80E-01	1.87E-01	1.87E-01	1.08E-01	7.34E-02
1989	3.25E+00	2.32E-01	1.55E-01	1.25E-01	6.49E-02	4.33E-02
1990	1.70E+01	1.86E+00	1.24E+00	9.12E-01	4.56E-01	3.06E-01
90th % (ppb)	17.95244	1.411224	1.008839	0.804141	0.410607	0.276234

Ground Spray- At Plant

Standard PRZM/EXAMS Output

stored as MetBSGRDPL.out

Chemical: Metolachlor

PRZM environment: TX_BSSMeadow.txt modified Thuday, 4 May 2006 at 10:38:37

EXAMS environment: pond298.exv modified Thuday, 29 August 2002 at 16:33:30

Metfile: w13958.dvf modified Wedday, 3 July 2002 at 09:06:24

Water segment concentrations (ppb)

Year	Peak	96 hr	21 Day	60 Day	90 Day	Yearly
1961	0.9346	0.7906	0.4414	0.1869	0.1261	0.04454
1962	0.9347	0.7981	0.4603	0.2734	0.2124	0.0544
1963	10.52	8.772	4.595	1.889	1.37	0.3476
1964	2.174	1.843	1.008	0.5628	0.4004	0.1057
1965	0.9347	0.8028	0.4414	0.1855	0.2109	0.05934
1966	7.584	6.603	3.696	1.618	1.198	0.3022
1967	1.12	0.936	0.5397	0.3362	0.2725	0.0697
1968	1.49	1.268	0.7312	0.4357	0.3101	0.07837
1969	0.9347	0.8085	0.477	0.3758	0.2791	0.0706
1970	2.619	2.222	1.227	0.6155	0.4567	0.1209
1971	0.9348	0.7969	0.4191	0.1958	0.1424	0.03779
1972	5.698	4.913	2.888	1.267	0.8597	0.2447
1973	0.9354	0.816	0.4652	0.2353	0.1653	0.04177
1974	0.9346	0.7961	0.4302	0.3319	0.278	0.07289
1975	5.784	4.842	2.73	1.21	0.8311	0.2358
1976	0.9352	0.7914	0.4706	0.3335	0.2732	0.06998
1977	1.926	1.634	0.9959	0.6483	0.5183	0.1319
1978	1.753	1.474	0.7929	0.5433	0.4676	0.1256
1979	0.9349	0.8116	0.4568	0.2626	0.1823	0.04603
1980	11.88	10.1	5.65	2.524	1.802	0.4565
1981	7.723	6.646	3.829	1.734	1.186	0.3002
1982	1.228	1.046	0.5821	0.2598	0.2871	0.07524
1983	1.242	1.084	0.8236	0.5422	0.3792	0.096
1984	1.445	1.231	0.6903	0.4282	0.2919	0.07301
1985	1.055	0.912	0.603	0.3519	0.2424	0.06115
1986	3.063	2.624	1.793	0.8246	0.5968	0.1753
1987	5.586	4.892	2.947	1.336	0.9091	0.231
1988	4.789	4.08	2.284	1.108	0.7806	0.1978
1989	0.9349	0.8094	0.4629	0.273	0.2142	0.0547
1990	0.9347	0.8166	0.5519	0.308	0.3326	0.08662

Sorted results

Prob.	Peak	96 hr	21 Day	60 Day	90 Day	Yearly		
0.032258064516129			11.88	10.1	5.65	2.524	1.802	0.4565
0.0645161290322581			10.52	8.772	4.595	1.889	1.37	0.3476
0.0967741935483871			7.723	6.646	3.829	1.734	1.198	0.3022
0.129032258064516			7.584	6.603	3.696	1.618	1.186	0.3002
0.161290322580645			5.784	4.913	2.947	1.336	0.9091	0.2447
0.193548387096774			5.698	4.892	2.888	1.267	0.8597	0.2358
0.225806451612903			5.586	4.842	2.73	1.21	0.8311	0.231
0.258064516129032			4.789	4.08	2.284	1.108	0.7806	0.1978
0.290322580645161			3.063	2.624	1.793	0.8246	0.5968	0.1753
0.32258064516129			2.619	2.222	1.227	0.6483	0.5183	0.1319
0.354838709677419			2.174	1.843	1.008	0.6155	0.4676	0.1256
0.387096774193548			1.926	1.634	0.9959	0.5628	0.4567	0.1209
0.419354838709677			1.753	1.474	0.8236	0.5433	0.4004	0.1057
0.451612903225806			1.49	1.268	0.7929	0.5422	0.3792	0.096
0.483870967741936			1.445	1.231	0.7312	0.4357	0.3326	0.08662
0.516129032258065			1.242	1.084	0.6903	0.4282	0.3101	0.07837
0.548387096774194			1.228	1.046	0.603	0.3758	0.2919	0.07524
0.580645161290323			1.12	0.936	0.5821	0.3519	0.2871	0.07301
0.612903225806452			1.055	0.912	0.5519	0.3362	0.2791	0.07289
0.645161290322581			0.9354	0.8166	0.5397	0.3335	0.278	0.0706
0.67741935483871			0.9352	0.816	0.477	0.3319	0.2732	0.06998
0.709677419354839			0.9349	0.8116	0.4706	0.308	0.2725	0.0697
0.741935483870968			0.9349	0.8094	0.4652	0.2734	0.2424	0.06115
0.774193548387097			0.9348	0.8085	0.4629	0.273	0.2142	0.05934
0.806451612903226			0.9347	0.8028	0.4603	0.2626	0.2124	0.0547
0.838709677419355			0.9347	0.7981	0.4568	0.2598	0.2109	0.0544
0.870967741935484			0.9347	0.7969	0.4414	0.2353	0.1823	0.04603
0.903225806451613			0.9347	0.7961	0.4414	0.1958	0.1653	0.04454
0.935483870967742			0.9346	0.7914	0.4302	0.1869	0.1424	0.04177
0.967741935483871			0.9346	0.7906	0.4191	0.1855	0.1261	0.03779

0.1 7.7091 6.6417 3.8157 1.7224 1.1968 0.302

Average of yearly averages: 0.135577666666667

Inputs generated by pe4.pl - 8-August-2003

Data used for this run:

Output File: MetBSGRDPL

Metfile: w13958.dvf

PRZM scenario: TX_BSSMeadow.txt

EXAMS environment file: pond298.exv

Chemical Name: Metolachlor

Description	Variable Name	Value	Units	Comments
-------------	---------------	-------	-------	----------

Molecular weight	mwt	238.8	g/mol	
------------------	-----	-------	-------	--

Henry's Law Const.	henry	3.75E-5	atm-m ³ /mol	
--------------------	-------	---------	-------------------------	--

Vapor Pressure	vapr	2.8E-5	torr	
----------------	------	--------	------	--

Solubility	sol	4800	mg/L	
------------	-----	------	------	--

Kd	Kd		mg/L	
----	----	--	------	--

Koc	Koc	181	mg/L	
-----	-----	-----	------	--

Photolysis half-life	kdp	70	days	Half-life
----------------------	-----	----	------	-----------

Aerobic Aquatic Metabolism	kbacw	48.9	days	Halfife
----------------------------	-------	------	------	---------

Anaerobic Aquatic Metabolism	kbacs	234	days	Halfife
------------------------------	-------	-----	------	---------

Aerobic Soil Metabolism	asm	48.9	days	Halfife
-------------------------	-----	------	------	---------

Hydrolysis:	pH 7		days	Half-life
-------------	------	--	------	-----------

Method: CAM	1	integer	See PRZM manual	
-------------	---	---------	-----------------	--

Incorporation Depth:	DEPI	4.00	cm	
----------------------	------	------	----	--

Application Rate:	TAPP	1.87	kg/ha	
-------------------	------	------	-------	--

Application Efficiency:	APPEFF	0.99	fraction	
-------------------------	--------	------	----------	--

Spray Drift	DRFT	0.01	fraction of application rate applied to pond	
-------------	------	------	--	--

Application Date	Date	25-2	dd/mm or dd/mm or dd-mm or dd-mmm	
------------------	------	------	-----------------------------------	--

Record 17: FILTRA

IPSCND

UPTKF

Record 18: PLVKRT

PLDKRT

FEXTRC 0.5

Flag for Index Res. Run	IR	Pond
-------------------------	----	------

Flag for runoff calc.	RUNOFF	none	none, monthly or total(average of entire run)
-----------------------	--------	------	---

Post Processed Estimated Spring EECs

Estimated Spring						
Year	Max Peak	Max 14 day	Max 21 day	Max 30 day	Max 60 day	Max 90 day
1961	1.38E+00	2.00E-01	1.33E-01	9.33E-02	4.67E-02	3.11E-02
1962	9.43E+00	6.74E-01	4.49E-01	4.29E-01	2.21E-01	1.48E-01
1963	9.80E+00	9.57E-01	6.38E-01	4.47E-01	2.23E-01	1.52E-01
1964	8.77E+00	6.27E-01	4.18E-01	2.92E-01	1.82E-01	1.22E-01
1965	1.84E+00	1.32E-01	1.07E-01	7.55E-02	3.78E-02	2.52E-02
1966	1.53E+01	1.09E+00	7.27E-01	5.09E-01	3.41E-01	2.31E-01
1967	3.61E+00	4.79E-01	3.37E-01	2.36E-01	1.19E-01	7.92E-02
1968	6.54E+00	4.67E-01	3.12E-01	2.18E-01	1.43E-01	9.64E-02
1969	5.92E+00	5.78E-01	3.85E-01	3.06E-01	1.54E-01	1.03E-01
1970	9.15E+00	6.54E-01	4.36E-01	3.05E-01	1.53E-01	1.08E-01
1971	9.93E+00	7.10E-01	4.73E-01	3.31E-01	2.18E-01	1.53E-01
1972	5.75E+00	5.98E-01	4.01E-01	2.80E-01	1.40E-01	9.35E-02
1973	1.01E+01	9.22E-01	6.15E-01	4.30E-01	2.29E-01	1.53E-01
1974	9.08E+00	6.48E-01	6.19E-01	4.33E-01	2.35E-01	1.57E-01
1975	2.46E+00	2.98E-01	1.99E-01	1.41E-01	7.04E-02	4.69E-02
1976	1.38E+00	1.64E-01	1.11E-01	7.85E-02	3.93E-02	2.62E-02
1977	1.35E+01	9.64E-01	6.43E-01	6.02E-01	3.53E-01	2.35E-01
1978	3.97E+00	2.84E-01	1.89E-01	1.65E-01	9.14E-02	6.10E-02
1979	7.20E+00	1.08E+00	7.19E-01	5.03E-01	2.53E-01	1.68E-01
1980	5.52E+00	3.95E-01	2.63E-01	2.21E-01	1.19E-01	7.94E-02
1981	8.01E+00	5.72E-01	3.82E-01	2.67E-01	1.46E-01	1.00E-01
1982	2.20E+00	2.25E-01	1.56E-01	1.10E-01	5.50E-02	3.67E-02
1983	1.53E+01	1.65E+00	1.13E+00	8.05E-01	4.03E-01	2.69E-01
1984	5.60E+00	4.00E-01	2.67E-01	1.87E-01	9.33E-02	7.11E-02
1985	1.75E+01	1.25E+00	1.05E+00	7.37E-01	3.92E-01	2.61E-01
1986	4.57E+00	4.93E-01	3.41E-01	2.39E-01	1.20E-01	7.98E-02
1987	1.66E+01	2.00E+00	1.33E+00	9.34E-01	4.67E-01	3.15E-01
1988	5.47E+00	3.91E-01	2.61E-01	2.62E-01	1.52E-01	1.04E-01
1989	4.78E+00	3.41E-01	2.28E-01	1.85E-01	9.70E-02	6.47E-02
1990	5.53E+00	3.95E-01	2.63E-01	1.84E-01	1.07E-01	7.13E-02
90th % (ppb)	15.26935	1.10663	0.759671	0.615761	0.356567	0.237862

Ground Spray- Before Crop Emergence

Standard PRZM/EXAMS Output

stored as MetBSGdEMER.out

Chemical: Metolachlor

PRZM environment: TX_BSSMeadow.txt modified Thuday, 4 May 2006 at 10:38:37

EXAMS environment: pond298.exv modified Thuday, 29 August 2002 at 16:33:30

Metfile: w13958.dvf modified Wedday, 3 July 2002 at 09:06:24

Water segment concentrations (ppb)

Year	Peak	96 hr	21 Day	60 Day	90 Day	Yearly
1961	0.9346	0.7768	0.4287	0.1811	0.1221	0.04431
1962	0.9347	0.7995	0.4708	0.2993	0.226	0.05788
1963	11.15	9.293	4.868	2.001	1.444	0.3651
1964	2.398	2.032	1.112	0.5956	0.4167	0.11
1965	0.9348	0.7887	0.428	0.1962	0.2198	0.06002
1966	2.218	1.899	1.073	0.4727	0.4243	0.1106
1967	1.254	1.049	0.6056	0.3709	0.2869	0.07299
1968	1.704	1.45	0.8874	0.4486	0.3197	0.08044
1969	0.9347	0.7934	0.489	0.3921	0.2844	0.07173
1970	3.477	2.95	1.633	0.7501	0.5776	0.1515
1971	0.9348	0.7715	0.4008	0.2103	0.1531	0.042
1972	6.12	5.277	3.102	1.361	0.9322	0.259
1973	0.9354	0.7977	0.4474	0.2325	0.1617	0.04087
1974	0.9439	0.793	0.4412	0.3405	0.2882	0.0746
1975	6.121	5.124	2.888	1.281	0.8995	0.2468
1976	0.9352	0.7891	0.5114	0.372	0.2857	0.07274
1977	2.2	1.866	1.072	0.7058	0.5379	0.1362
1978	1.862	1.566	0.842	0.5761	0.4914	0.1297
1979	0.9349	0.7942	0.4576	0.2609	0.1807	0.04557
1980	13.34	11.34	6.344	2.835	2.009	0.5063
1981	8.363	7.196	4.146	1.832	1.253	0.3159
1982	2.274	1.937	1.077	0.4833	0.4274	0.1118
1983	1.348	1.176	0.9025	0.5601	0.3899	0.09849
1984	2.243	1.911	1.069	0.5597	0.3805	0.0951
1985	0.9512	0.8126	0.5143	0.3516	0.243	0.06185
1986	3.244	2.779	1.899	0.8731	0.6505	0.1837
1987	0.9351	0.8167	0.4933	0.2234	0.1578	0.05767
1988	5.254	4.476	2.505	1.195	0.8333	0.2103
1989	0.9349	0.8003	0.4538	0.2841	0.2173	0.05524
1990	1.486	1.273	0.8454	0.491	0.4638	0.1205

Sorted results

Prob.	Peak	96 hr	21 Day	60 Day	90 Day	Yearly		
0.032258064516129			13.34	11.34	6.344	2.835	2.009	0.5063
0.0645161290322581			11.15	9.293	4.868	2.001	1.444	0.3651
0.0967741935483871			8.363	7.196	4.146	1.832	1.253	0.3159
0.129032258064516			6.121	5.277	3.102	1.361	0.9322	0.259
0.161290322580645			6.12	5.124	2.888	1.281	0.8995	0.2468
0.193548387096774			5.254	4.476	2.505	1.195	0.8333	0.2103
0.225806451612903			3.477	2.95	1.899	0.8731	0.6505	0.1837
0.258064516129032			3.244	2.779	1.633	0.7501	0.5776	0.1515
0.290322580645161			2.398	2.032	1.112	0.7058	0.5379	0.1362
0.32258064516129			2.274	1.937	1.077	0.5956	0.4914	0.1297
0.354838709677419			2.243	1.911	1.073	0.5761	0.4638	0.1205
0.387096774193548			2.218	1.899	1.072	0.5601	0.4274	0.1118
0.419354838709677			2.2	1.866	1.069	0.5597	0.4243	0.1106
0.451612903225806			1.862	1.566	0.9025	0.491	0.4167	0.11
0.483870967741936			1.704	1.45	0.8874	0.4833	0.3899	0.09849
0.516129032258065			1.486	1.273	0.8454	0.4727	0.3805	0.0951
0.548387096774194			1.348	1.176	0.842	0.4486	0.3197	0.08044
0.580645161290323			1.254	1.049	0.6056	0.3921	0.2882	0.0746
0.612903225806452			0.9512	0.8167	0.5143	0.372	0.2869	0.07299
0.645161290322581			0.9439	0.8126	0.5114	0.3709	0.2857	0.07274
0.67741935483871			0.9354	0.8003	0.4933	0.3516	0.2844	0.07173
0.709677419354839			0.9352	0.7995	0.489	0.3405	0.243	0.06185
0.741935483870968			0.9351	0.7977	0.4708	0.2993	0.226	0.06002
0.774193548387097			0.9349	0.7942	0.4576	0.2841	0.2198	0.05788
0.806451612903226			0.9349	0.7934	0.4538	0.2609	0.2173	0.05767
0.838709677419355			0.9348	0.793	0.4474	0.2325	0.1807	0.05524
0.870967741935484			0.9348	0.7891	0.4412	0.2234	0.1617	0.04557
0.903225806451613			0.9347	0.7887	0.4287	0.2103	0.1578	0.04431
0.935483870967742			0.9347	0.7768	0.428	0.1962	0.1531	0.042
0.967741935483871			0.9346	0.7715	0.4008	0.1811	0.1221	0.04087

0.1 8.1388 7.0041 4.0416 1.7849 1.22092 0.31021

Average of yearly averages: 0.132963333333333

Inputs generated by pe4.pl - 8-August-2003

Data used for this run:

Output File: MetBSGdEMER

Metfile: w13958.dvf

PRZM scenario: TX_BSSMeadow.txt

EXAMS environment file: pond298.exv

Chemical Name: Metolachlor

Description	Variable Name	Value	Units	Comments
Molecular weight	mwt	238.8	g/mol	
Henry's Law Const.	henry	3.75E-5	atm-m ³ /mol	
Vapor Pressure vapr		2.8E-5	torr	
Solubility	sol	4800	mg/L	
Kd	Kd		mg/L	
Koc	Koc	181	mg/L	
Photolysis half-life	kdp	70	days	Half-life
Aerobic Aquatic Metabolism	kbacw	48.9	days	Halfife
Anaerobic Aquatic Metabolism	kbacs	234	days	Halfife
Aerobic Soil Metabolism	asm	48.9	days	Halfife
Hydrolysis:	pH 7		days	Half-life
Method: CAM	1	integer		See PRZM manual
Incorporation Depth:	DEPI	4.00	cm	
Application Rate:	TAPP	1.87	kg/ha	
Application Efficiency:		APPEFF	0.99	fraction
Spray Drift	DRFT	0.01		fraction of application rate applied to pond
Application Date	Date	1-3	dd/mm or dd/mm or dd-mm or dd-mmm	

Post Processed Estimated Spring EECs

Estimated Spring						
Year	Max Peak	Max 14 day	Max 21 day	Max 30 day	Max 60 day	Max 90 day
1961	1.46E+00	2.12E-01	1.41E-01	9.88E-02	4.94E-02	3.29E-02
1962	1.07E+01	7.65E-01	5.10E-01	4.88E-01	2.52E-01	1.69E-01
1963	1.04E+01	1.01E+00	6.76E-01	4.73E-01	2.36E-01	1.60E-01
1964	9.45E+00	6.75E-01	4.50E-01	3.15E-01	1.96E-01	1.31E-01
1965	1.95E+00	1.39E-01	1.13E-01	7.99E-02	4.00E-02	2.67E-02
1966	6.99E+00	7.80E-01	5.62E-01	3.93E-01	1.97E-01	1.31E-01
1967	4.04E+00	5.38E-01	3.78E-01	2.65E-01	1.34E-01	8.91E-02
1968	7.03E+00	5.02E-01	3.35E-01	2.34E-01	1.54E-01	1.04E-01
1969	6.26E+00	6.12E-01	4.08E-01	3.24E-01	1.63E-01	1.09E-01
1970	1.21E+01	8.63E-01	5.75E-01	4.03E-01	2.01E-01	1.43E-01
1971	1.52E+01	1.08E+00	7.22E-01	5.06E-01	3.34E-01	2.36E-01
1972	6.17E+00	6.42E-01	4.30E-01	3.01E-01	1.51E-01	1.00E-01
1973	1.07E+01	9.76E-01	6.50E-01	4.55E-01	2.42E-01	1.62E-01
1974	9.61E+00	6.86E-01	6.55E-01	4.59E-01	2.49E-01	1.66E-01
1975	2.61E+00	3.16E-01	2.10E-01	1.49E-01	7.45E-02	4.97E-02
1976	1.49E+00	1.76E-01	1.19E-01	8.43E-02	4.22E-02	2.82E-02
1977	1.43E+01	1.02E+00	6.80E-01	6.38E-01	3.73E-01	2.49E-01
1978	4.21E+00	3.00E-01	2.00E-01	1.75E-01	9.68E-02	6.45E-02
1979	7.62E+00	1.14E+00	7.60E-01	5.32E-01	2.67E-01	1.78E-01
1980	6.19E+00	4.42E-01	2.95E-01	2.48E-01	1.34E-01	8.94E-02
1981	8.51E+00	6.08E-01	4.05E-01	2.84E-01	1.55E-01	1.06E-01
1982	3.71E+00	3.93E-01	2.74E-01	1.94E-01	9.71E-02	6.47E-02
1983	1.62E+01	1.74E+00	1.20E+00	8.52E-01	4.26E-01	2.85E-01
1984	8.81E+00	6.30E-01	4.20E-01	2.94E-01	1.47E-01	1.13E-01
1985	8.02E+00	5.73E-01	3.82E-01	3.53E-01	1.77E-01	1.19E-01
1986	4.84E+00	5.22E-01	3.61E-01	2.53E-01	1.27E-01	8.45E-02
1987	1.21E+00	1.41E-01	9.67E-02	6.77E-02	3.38E-02	2.26E-02
1988	5.94E+00	4.24E-01	2.83E-01	2.84E-01	1.65E-01	1.13E-01
1989	5.06E+00	3.62E-01	2.41E-01	1.96E-01	1.03E-01	6.85E-02
1990	8.78E+00	6.27E-01	4.18E-01	2.93E-01	1.72E-01	1.15E-01
90th % (ppb)	12.29989	1.026476	0.684318	0.508264	0.273935	0.183981

Aerial Spray – Prior to Planting

Standard PRZM/EXAMS Output

stored as MetBSAirppl.out

Chemical: Metolachlor

PRZM environment: TX_BSSMeadow.txt modified Thuday, 4 May 2006 at 10:38:37

EXAMS environment: pond298.exv modified Thuday, 29 August 2002 at 16:33:30

Metfile: w13958.dvf modified Wedday, 3 July 2002 at 09:06:24

Water segment concentrations (ppb)

Year	Peak	96 hr	21 Day	60 Day	90 Day	Yearly
1961	18.48	15.94	9.226	4	2.701	0.6769
1962	4.674	3.991	2.246	1.001	0.6951	0.1747
1963	25.94	22.32	12.71	5.907	4.103	1.028
1964	4.674	4.04	2.35	1.205	0.829	0.2095
1965	19.87	17.06	9.741	4.177	2.834	0.7106
1966	5.152	4.488	3.424	1.656	1.167	0.2943
1967	4.673	4.024	2.311	1.009	0.728	0.1832
1968	4.673	4.05	2.378	1.125	0.7668	0.1919
1969	6.141	5.314	3.698	1.709	1.171	0.2933
1970	9.089	7.969	4.958	2.434	1.653	0.4148
1971	4.673	3.984	2.211	0.9075	0.6308	0.1592
1972	4.76	4.105	2.418	1.065	1.116	0.341
1973	4.674	4.077	2.502	1.095	0.743	0.186
1974	4.673	3.981	2.214	1.011	0.71	0.1817
1975	4.792	4.013	2.28	1.008	1.145	0.3319
1976	4.925	4.411	2.606	1.125	0.7844	0.1967
1977	4.673	4.065	2.622	1.278	1.014	0.2577
1978	4.673	4.253	2.609	1.194	0.9036	0.2328
1979	8.823	7.661	4.838	2.348	1.598	0.4005
1980	6.496	5.526	3.1	2.072	1.591	0.4046
1981	7.441	6.406	3.701	2.324	1.593	0.4035
1982	4.673	4.042	2.352	1.005	0.7829	0.2011
1983	6.497	5.697	3.481	1.676	1.145	0.2875
1984	4.673	4.034	2.342	1.162	0.7902	0.1973
1985	4.673	4.099	2.974	1.383	0.9419	0.2361
1986	4.673	4.037	2.357	1.048	0.9968	0.2942
1987	4.674	4.055	2.918	1.417	0.9679	0.2434
1988	4.673	4.059	2.399	1.627	1.143	0.2887
1989	4.673	4.046	2.369	1.058	0.7437	0.1873
1990	5.66	4.947	3.624	1.714	1.186	0.2981

Sorted results

Prob.	Peak	96 hr	21 Day	60 Day	90 Day	Yearly		
0.032258064516129			25.94	22.32	12.71	5.907	4.103	1.028
0.0645161290322581			19.87	17.06	9.741	4.177	2.834	0.7106
0.0967741935483871			18.48	15.94	9.226	4	2.701	0.6769
0.129032258064516			9.089	7.969	4.958	2.434	1.653	0.4148
0.161290322580645			8.823	7.661	4.838	2.348	1.598	0.4046
0.193548387096774			7.441	6.406	3.701	2.324	1.593	0.4035
0.225806451612903			6.497	5.697	3.698	2.072	1.591	0.4005
0.258064516129032			6.496	5.526	3.624	1.714	1.186	0.341
0.290322580645161			6.141	5.314	3.481	1.709	1.171	0.3319
0.32258064516129			5.66	4.947	3.424	1.676	1.167	0.2981
0.354838709677419			5.152	4.488	3.1	1.656	1.145	0.2943
0.387096774193548			4.925	4.411	2.974	1.627	1.145	0.2942
0.419354838709677			4.792	4.253	2.918	1.417	1.143	0.2933
0.451612903225806			4.76	4.105	2.622	1.383	1.116	0.2887
0.483870967741936			4.674	4.099	2.609	1.278	1.014	0.2875
0.516129032258065			4.674	4.077	2.606	1.205	0.9968	0.2577
0.548387096774194			4.674	4.065	2.502	1.194	0.9679	0.2434
0.580645161290323			4.674	4.059	2.418	1.162	0.9419	0.2361
0.612903225806452			4.673	4.055	2.399	1.125	0.9036	0.2328
0.645161290322581			4.673	4.05	2.378	1.125	0.829	0.2095
0.67741935483871			4.673	4.046	2.369	1.095	0.7902	0.2011
0.709677419354839			4.673	4.042	2.357	1.065	0.7844	0.1973
0.741935483870968			4.673	4.04	2.352	1.058	0.7829	0.1967
0.774193548387097			4.673	4.037	2.35	1.048	0.7668	0.1919
0.806451612903226			4.673	4.034	2.342	1.011	0.7437	0.1873
0.838709677419355			4.673	4.024	2.311	1.009	0.743	0.186
0.870967741935484			4.673	4.013	2.28	1.008	0.728	0.1832
0.903225806451613			4.673	3.991	2.246	1.005	0.71	0.1817
0.935483870967742			4.673	3.984	2.214	1.001	0.6951	0.1747
0.967741935483871			4.673	3.981	2.211	0.9075	0.6308	0.1592

0.1 17.5409 15.1429 8.7992 3.8434 2.5962 0.65069

Average of yearly averages: 0.316883333333333

Inputs generated by pe4.pl - 8-August-2003

Data used for this run:

Output File: MetBSAairppl

Metfile: w13958.dvf

PRZM scenario: TX_BSSMeadow.txt

EXAMS environment file: pond298.exv

Chemical Name: Metolachlor

Description	Variable Name	Value	Units	Comments
Molecular weight	mwt	238.8	g/mol	
Henry's Law Const.	henry	3.75E-5	atm-m ³ /mol	
Vapor Pressure vapr		2.8E-5	torr	
Solubility	sol	4800	mg/L	
Kd	Kd		mg/L	
Koc	Koc	181	mg/L	
Photolysis half-life	kdp	70	days	Half-life
Aerobic Aquatic Metabolism	kbacw	48.9	days	Halfife
Anaerobic Aquatic Metabolism	kbacs	234	days	Halfife
Aerobic Soil Metabolism	asm	48.9	days	Halfife
Hydrolysis:	pH 7		days	Half-life
Method: CAM	1	integer		See PRZM manual
Incorporation Depth:	DEPI	4	cm	
Application Rate:	TAPP	1.87	kg/ha	
Application Efficiency:		APPEFF	0.95	fraction
Spray Drift	DRFT	0.05		fraction of application rate applied to pond
Application Date	Date	15-2	dd/mm or dd/mm or dd-mm or dd-mmm	

Post Processed Estimated Spring EECs

Estimated Spring						
Year	Max Peak	Max 14 day	Max 21 day	Max 30 day	Max 60 day	Max 90 day
1961	1.07E+01	7.65E-01	5.10E-01	3.57E-01	1.79E-01	1.19E-01
1962	5.40E+00	3.86E-01	2.57E-01	2.42E-01	1.24E-01	8.31E-02
1963	9.83E+00	7.02E-01	4.68E-01	3.28E-01	2.30E-01	1.53E-01
1964	4.96E+00	3.54E-01	2.36E-01	1.65E-01	1.02E-01	6.80E-02
1965	1.11E+01	7.93E-01	5.29E-01	3.70E-01	1.85E-01	1.28E-01
1966	6.81E+00	4.86E-01	3.24E-01	2.27E-01	1.49E-01	1.00E-01
1967	1.71E+01	1.22E+00	8.16E-01	5.71E-01	3.36E-01	2.30E-01
1968	2.00E+01	1.43E+00	9.52E-01	7.60E-01	3.89E-01	2.62E-01
1969	1.17E+01	8.38E-01	5.59E-01	4.58E-01	2.45E-01	1.63E-01
1970	9.10E+00	1.17E+00	7.80E-01	5.46E-01	2.73E-01	1.83E-01
1971	7.41E+00	5.30E-01	3.53E-01	2.47E-01	1.62E-01	1.14E-01
1972	4.78E+00	4.98E-01	3.33E-01	2.33E-01	1.17E-01	7.78E-02
1973	1.81E+01	2.11E+00	1.41E+00	1.07E+00	5.47E-01	3.65E-01
1974	5.77E+00	4.12E-01	3.91E-01	2.74E-01	1.47E-01	9.83E-02
1975	2.03E+00	2.46E-01	1.64E-01	1.16E-01	5.81E-02	3.87E-02
1976	1.52E+01	1.08E+00	7.23E-01	5.06E-01	2.64E-01	1.76E-01
1977	1.12E+01	8.03E-01	5.35E-01	5.02E-01	2.94E-01	1.96E-01
1978	1.62E+01	1.15E+00	7.69E-01	5.39E-01	3.00E-01	2.07E-01
1979	1.10E+01	7.86E-01	5.24E-01	5.20E-01	2.65E-01	1.77E-01
1980	1.81E+01	1.30E+00	8.63E-01	6.04E-01	3.51E-01	2.43E-01
1981	6.67E+00	4.77E-01	3.18E-01	2.22E-01	1.22E-01	8.33E-02
1982	1.65E+00	1.67E-01	1.15E-01	8.12E-02	4.07E-02	2.71E-02
1983	1.62E+01	1.16E+00	1.11E+00	8.89E-01	4.51E-01	3.01E-01
1984	3.80E+00	2.71E-01	1.81E-01	1.27E-01	6.33E-02	4.78E-02
1985	1.20E+01	1.35E+00	8.97E-01	6.82E-01	3.48E-01	2.32E-01
1986	3.81E+00	4.11E-01	2.84E-01	1.99E-01	9.97E-02	6.65E-02
1987	9.45E+00	1.26E+00	8.41E-01	5.89E-01	2.94E-01	1.97E-01
1988	3.76E+00	2.69E-01	1.79E-01	1.79E-01	1.04E-01	7.04E-02
1989	3.12E+00	2.23E-01	1.49E-01	1.20E-01	6.23E-02	4.15E-02
1990	1.63E+01	1.78E+00	1.19E+00	8.76E-01	4.38E-01	2.94E-01
90th % (ppb)	17.22824	1.354151	0.968245	0.771736	0.394064	0.265104

Aerial Spray- At Plant

Standard PRZM/EXAMS Output

stored as MetBSAirpl.out

Chemical: Metolachlor

PRZM environment: TX_BSSMeadow.txt modified Thuday, 4 May 2006 at 10:38:37

EXAMS environment: pond298.exv modified Thuday, 29 August 2002 at 16:33:30

Metfile: w13958.dvf modified Wedday, 3 July 2002 at 09:06:24

Water segment concentrations (ppb)

Year	Peak	96 hr	21 Day	60 Day	90 Day	Yearly
1961	4.673	3.983	2.226	0.9425	0.6356	0.1712
1962	4.673	3.99	2.263	1.046	0.7329	0.1844
1963	10.25	8.542	4.481	2.472	1.823	0.4605
1964	4.674	4.039	2.267	1.312	0.9044	0.2309
1965	4.673	4.013	2.207	0.9272	0.7085	0.1834
1966	10.8	9.401	5.381	2.339	1.681	0.4227
1967	4.673	4.024	2.188	1.054	0.7541	0.1898
1968	4.673	4.05	2.559	1.21	0.8329	0.2086
1969	4.673	4.042	2.288	1.137	0.7924	0.1988
1970	4.673	4.018	2.986	1.357	0.9563	0.2454
1971	4.673	3.984	2.08	0.8665	0.5938	0.1503
1972	5.49	4.735	2.788	1.228	1.305	0.3597
1973	4.674	4.077	2.323	1.029	0.7016	0.1758
1974	4.673	3.981	2.151	1.04	0.753	0.1914
1975	5.578	4.671	2.638	1.174	1.307	0.3535
1976	4.674	3.955	2.153	1.05	0.7558	0.1904
1977	4.673	4.066	2.801	1.407	1.029	0.2592
1978	4.673	4.067	2.307	1.218	0.9854	0.2546
1979	4.673	4.057	2.283	1.039	0.7074	0.1774
1980	11.72	9.963	5.582	3.076	2.27	0.5728
1981	9.854	8.481	5.264	2.501	1.705	0.4299
1982	4.673	4.042	2.25	1.017	0.7945	0.2019
1983	4.673	4.098	2.565	1.381	0.9469	0.2382
1984	4.673	4.034	2.508	1.199	0.8126	0.2028
1985	4.673	4.167	2.478	1.155	0.7866	0.1973
1986	4.673	4.037	2.377	1.056	1.151	0.3131
1987	9.137	7.971	4.796	2.174	1.479	0.3738
1988	5.307	4.524	2.54	1.866	1.293	0.3256
1989	4.673	4.046	2.313	1.069	0.7518	0.189
1990	4.673	4.083	2.472	1.149	0.8998	0.2283

Sorted results

Prob.	Peak	96 hr	21 Day	60 Day	90 Day	Yearly		
0.032258064516129			11.72	9.963	5.582	3.076	2.27	0.5728
0.0645161290322581			10.8	9.401	5.381	2.501	1.823	0.4605
0.0967741935483871			10.25	8.542	5.264	2.472	1.705	0.4299
0.129032258064516			9.854	8.481	4.796	2.339	1.681	0.4227
0.161290322580645			9.137	7.971	4.481	2.174	1.479	0.3738
0.193548387096774			5.578	4.735	2.986	1.866	1.307	0.3597
0.225806451612903			5.49	4.671	2.801	1.407	1.305	0.3535
0.258064516129032			5.307	4.524	2.788	1.381	1.293	0.3256
0.290322580645161			4.674	4.167	2.638	1.357	1.151	0.3131
0.32258064516129			4.674	4.098	2.565	1.312	1.029	0.2592
0.354838709677419			4.674	4.083	2.559	1.228	0.9854	0.2546
0.387096774193548			4.673	4.077	2.54	1.218	0.9563	0.2454
0.419354838709677			4.673	4.067	2.508	1.21	0.9469	0.2382
0.451612903225806			4.673	4.066	2.478	1.199	0.9044	0.2309
0.483870967741936			4.673	4.057	2.472	1.174	0.8998	0.2283
0.516129032258065			4.673	4.05	2.377	1.155	0.8329	0.2086
0.548387096774194			4.673	4.046	2.323	1.149	0.8126	0.2028
0.580645161290323			4.673	4.042	2.313	1.137	0.7945	0.2019
0.612903225806452			4.673	4.042	2.307	1.069	0.7924	0.1988
0.645161290322581			4.673	4.039	2.288	1.056	0.7866	0.1973
0.67741935483871			4.673	4.037	2.283	1.054	0.7558	0.1914
0.709677419354839			4.673	4.034	2.267	1.05	0.7541	0.1904
0.741935483870968			4.673	4.024	2.263	1.046	0.753	0.1898
0.774193548387097			4.673	4.018	2.25	1.04	0.7518	0.189
0.806451612903226			4.673	4.013	2.226	1.039	0.7329	0.1844
0.838709677419355			4.673	3.99	2.207	1.029	0.7085	0.1834
0.870967741935484			4.673	3.984	2.188	1.017	0.7074	0.1774
0.903225806451613			4.673	3.983	2.153	0.9425	0.7016	0.1758
0.935483870967742			4.673	3.981	2.151	0.9272	0.6356	0.1712
0.967741935483871			4.673	3.955	2.08	0.8665	0.5938	0.1503
0.1	10.2104	8.5359	5.2172	2.4587	1.7026	0.42918		
Average of yearly averages:							0.26269	

Inputs generated by pe4.pl - 8-August-2003

Data used for this run:

Output File: MetBSAirpl
Metfile: w13958.dvf
PRZM scenario: TX_BSSMeadow.txt
EXAMS environment file: pond298.exv
Chemical Name: Metolachlor
Description Variable Name Value Units Comments
Molecular weight mwt 238.8 g/mol
Henry's Law Const. henry 3.75E-5 atm-m³/mol
Vapor Pressure vapr 2.8E-5 torr
Solubility sol 4800 mg/L
Kd Kd mg/L
Koc Koc 181 mg/L
Photolysis half-life kdp 70 days Half-life
Aerobic Aquatic Metabolism kbacw 48.9 days Halfife
Anaerobic Aquatic Metabolism kbacs 234 days Halfife
Aerobic Soil Metabolism asm 48.9 days Halfife
Hydrolysis: pH 7 days Half-life
Method: CAM 1 integer See PRZM manual
Incorporation Depth: DEPI 4 cm
Application Rate: TAPP 1.87 kg/ha
Application Efficiency: APPEFF 0.95 fraction
Spray Drift DRFT 0.05 fraction of application rate applied to pond
Application Date Date 25-2 dd/mm or dd/mm or dd-mm or dd-mm
Record 17: FILTRA
IPSCND
UPTKF
Record 18: PLVKRT
PLDKRT
FEXTRC 0.5
Flag for Index Res. Run IR Pond
Flag for runoff calc. RUNOFF none none, monthly or total(average of entire run)

Post Processed Estimated Spring EECs

Estimated Spring						
Year	Max Peak	Max 14 day	Max 21 day	Max 30 day	Max 60 day	Max 90 day
1961	1.32E+00	1.92E-01	1.28E-01	8.95E-02	4.48E-02	2.99E-02
1962	9.05E+00	6.47E-01	4.31E-01	4.12E-01	2.12E-01	1.42E-01
1963	9.41E+00	9.19E-01	6.13E-01	4.29E-01	2.14E-01	1.45E-01
1964	8.42E+00	6.01E-01	4.01E-01	2.81E-01	1.74E-01	1.17E-01
1965	1.77E+00	1.26E-01	1.03E-01	7.24E-02	3.63E-02	2.42E-02
1966	1.47E+01	1.05E+00	6.98E-01	4.88E-01	3.27E-01	2.22E-01
1967	3.47E+00	4.60E-01	3.23E-01	2.26E-01	1.14E-01	7.60E-02
1968	6.28E+00	4.49E-01	2.99E-01	2.09E-01	1.38E-01	9.25E-02
1969	5.68E+00	5.55E-01	3.70E-01	2.94E-01	1.48E-01	9.87E-02
1970	8.78E+00	6.27E-01	4.18E-01	2.93E-01	1.46E-01	1.03E-01
1971	9.53E+00	6.81E-01	4.54E-01	3.18E-01	2.09E-01	1.47E-01
1972	5.51E+00	5.74E-01	3.84E-01	2.69E-01	1.35E-01	8.97E-02
1973	9.69E+00	8.85E-01	5.90E-01	4.13E-01	2.20E-01	1.47E-01
1974	8.71E+00	6.22E-01	5.94E-01	4.16E-01	2.25E-01	1.50E-01
1975	2.36E+00	2.86E-01	1.91E-01	1.35E-01	6.75E-02	4.50E-02
1976	1.33E+00	1.57E-01	1.07E-01	7.53E-02	3.77E-02	2.52E-02
1977	1.30E+01	9.25E-01	6.17E-01	5.78E-01	3.39E-01	2.26E-01
1978	3.81E+00	2.72E-01	1.82E-01	1.58E-01	8.77E-02	5.85E-02
1979	6.91E+00	1.03E+00	6.89E-01	4.83E-01	2.42E-01	1.62E-01
1980	5.30E+00	3.79E-01	2.52E-01	2.12E-01	1.14E-01	7.62E-02
1981	7.69E+00	5.49E-01	3.66E-01	2.56E-01	1.40E-01	9.60E-02
1982	2.11E+00	2.16E-01	1.49E-01	1.05E-01	5.28E-02	3.52E-02
1983	1.47E+01	1.58E+00	1.09E+00	7.73E-01	3.86E-01	2.58E-01
1984	5.37E+00	3.84E-01	2.56E-01	1.79E-01	8.95E-02	6.82E-02
1985	1.68E+01	1.20E+00	1.01E+00	7.07E-01	3.76E-01	2.51E-01
1986	4.39E+00	4.73E-01	3.27E-01	2.29E-01	1.15E-01	7.66E-02
1987	1.59E+01	1.92E+00	1.28E+00	8.96E-01	4.48E-01	3.03E-01
1988	5.25E+00	3.75E-01	2.50E-01	2.51E-01	1.46E-01	9.95E-02
1989	4.59E+00	3.28E-01	2.18E-01	1.78E-01	9.31E-02	6.21E-02
1990	5.31E+00	3.79E-01	2.53E-01	1.77E-01	1.02E-01	6.84E-02
90th % (ppb)	14.65535	1.062118	0.729108	0.591067	0.342249	0.22831

Aerial Spray- Before Crop Emergence

Standard PRZM/EXAMS Output

stored as MetBSAiremer.out

Chemical: Metolachlor

PRZM environment: TX_BSSMeadow.txt modified Thuday, 4 May 2006 at 10:38:37

EXAMS environment: pond298.exv modified Thuday, 29 August 2002 at 16:33:30

Metfile: w13958.dvf modified Wedday, 3 July 2002 at 09:06:24

Water segment concentrations (ppb)

Year	Peak	96 hr	21 Day	60 Day	90 Day	Yearly
1961	4.673	3.911	2.16	0.9122	0.615	0.1668
1962	4.673	3.997	2.278	1.072	0.7468	0.1879
1963	10.89	9.08	4.762	2.616	1.878	0.4732
1964	4.674	3.96	2.514	1.309	0.8966	0.2291
1965	4.673	3.943	2.14	0.9148	0.7017	0.1802
1966	4.673	3.969	2.197	1.116	0.9126	0.2325
1967	4.673	3.92	2.091	1.053	0.7447	0.1872
1968	4.673	3.975	2.638	1.191	0.8204	0.2051
1969	4.673	3.967	2.241	1.126	0.7797	0.1954
1970	5.806	4.927	3.334	1.468	1.06	0.2716
1971	4.673	3.857	1.971	0.8435	0.5791	0.1481
1972	5.896	5.085	2.994	1.319	1.371	0.3674
1973	4.674	3.986	2.234	0.9939	0.6759	0.1694
1974	4.673	3.923	2.097	1.029	0.7502	0.1898
1975	5.91	4.95	2.795	1.243	1.36	0.3611
1976	4.674	3.943	2.141	1.084	0.7657	0.1925
1977	5.296	4.587	2.795	1.428	1.024	0.2577
1978	4.673	3.98	2.222	1.217	0.9868	0.2531
1979	4.673	3.97	2.216	1.008	0.6862	0.172
1980	13.24	11.26	6.306	3.398	2.441	0.6137
1981	11.26	9.689	5.764	2.574	1.754	0.4413
1982	4.673	3.955	2.166	1.127	0.9095	0.2321
1983	4.673	4.069	2.63	1.373	0.9401	0.2363
1984	4.673	3.981	2.805	1.302	0.8816	0.22
1985	4.673	3.989	2.304	1.116	0.7609	0.1914
1986	4.673	4.053	2.394	1.061	1.205	0.3218
1987	4.674	4.081	2.465	1.116	0.7644	0.209
1988	6.054	5.16	3.16	1.916	1.321	0.3321
1989	4.673	4	2.268	1.063	0.7432	0.1866
1990	4.673	4.038	2.546	1.259	1.013	0.2576

Sorted results

Prob.	Peak	96 hr	21 Day	60 Day	90 Day	Yearly		
0.032258064516129			13.24	11.26	6.306	3.398	2.441	0.6137
0.0645161290322581			11.26	9.689	5.764	2.616	1.878	0.4732
0.0967741935483871			10.89	9.08	4.762	2.574	1.754	0.4413
0.129032258064516			6.054	5.16	3.334	1.916	1.371	0.3674
0.161290322580645			5.91	5.085	3.16	1.468	1.36	0.3611
0.193548387096774			5.896	4.95	2.994	1.428	1.321	0.3321
0.225806451612903			5.806	4.927	2.805	1.373	1.205	0.3218
0.258064516129032			5.296	4.587	2.795	1.319	1.06	0.2716
0.290322580645161			4.674	4.081	2.795	1.309	1.024	0.2577
0.32258064516129			4.674	4.069	2.638	1.302	1.013	0.2576
0.354838709677419			4.674	4.053	2.63	1.259	0.9868	0.2531
0.387096774193548			4.674	4.038	2.546	1.243	0.9401	0.2363
0.419354838709677			4.673	4	2.514	1.217	0.9126	0.2325
0.451612903225806			4.673	3.997	2.465	1.191	0.9095	0.2321
0.483870967741936			4.673	3.989	2.394	1.127	0.8966	0.2291
0.516129032258065			4.673	3.986	2.304	1.126	0.8816	0.22
0.548387096774194			4.673	3.981	2.278	1.116	0.8204	0.209
0.580645161290323			4.673	3.98	2.268	1.116	0.7797	0.2051
0.612903225806452			4.673	3.975	2.241	1.116	0.7657	0.1954
0.645161290322581			4.673	3.97	2.234	1.084	0.7644	0.1925
0.67741935483871			4.673	3.969	2.222	1.072	0.7609	0.1914
0.709677419354839			4.673	3.967	2.216	1.063	0.7502	0.1898
0.741935483870968			4.673	3.96	2.197	1.061	0.7468	0.1879
0.774193548387097			4.673	3.955	2.166	1.053	0.7447	0.1872
0.806451612903226			4.673	3.943	2.16	1.029	0.7432	0.1866
0.838709677419355			4.673	3.943	2.141	1.008	0.7017	0.1802
0.870967741935484			4.673	3.923	2.14	0.9939	0.6862	0.172
0.903225806451613			4.673	3.92	2.097	0.9148	0.6759	0.1694
0.935483870967742			4.673	3.911	2.091	0.9122	0.615	0.1668
0.967741935483871			4.673	3.857	1.971	0.8435	0.5791	0.1481
0.1	10.4064	8.688	4.6192	2.5082	1.7157	0.43391		
							Average of yearly averages:	0.256066666666667

Inputs generated by pe4.pl - 8-August-2003

Data used for this run:

Output File: MetBSAiremer
Metfile: w13958.dvf
PRZM scenario: TX_BSSMeadow.txt
EXAMS environment file: pond298.exv
Chemical Name: Metolachlor
Description Variable Name Value Units Comments
Molecular weight mwt 238.8 g/mol
Henry's Law Const. henry 3.75E-5 atm-m³/mol
Vapor Pressure vapr 2.8E-5 torr
Solubility sol 4800 mg/L
Kd Kd mg/L
Koc Koc 181 mg/L
Photolysis half-life kdp 70 days Half-life
Aerobic Aquatic Metabolism kbacw 48.9 days Halfife
Anaerobic Aquatic Metabolism kbacs 234 days Halfife
Aerobic Soil Metabolism asm 48.9 days Halfife
Hydrolysis: pH 7 days Half-life
Method: CAM 1 integer See PRZM manual
Incorporation Depth: DEPI 4 cm
Application Rate: TAPP 1.87 kg/ha
Application Efficiency: APPEFF 0.95 fraction
Spray Drift DRFT 0.05 fraction of application rate applied to pond
Application Date Date 1-3 dd/mm or dd/mm or dd-mm or dd-mm
Record 17: FILTRA
IPSCND
UPTKF
Record 18: PLVKRT
PLDKRT
FEXTRC 0.5
Flag for Index Res. Run IR Pond
Flag for runoff calc. RUNOFF none none, monthly or total(average of entire run)

Post Processed Estimated Spring EECs

Estimated Spring						
Year	Max Peak	Max 14 day	Max 21 day	Max 30 day	Max 60 day	Max 90 day
1961	1.40E+00	2.03E-01	1.35E-01	9.48E-02	4.74E-02	3.16E-02
1962	1.03E+01	7.35E-01	4.90E-01	4.69E-01	2.42E-01	1.62E-01
1963	9.96E+00	9.73E-01	6.48E-01	4.54E-01	2.27E-01	1.54E-01
1964	9.07E+00	6.48E-01	4.32E-01	3.02E-01	1.88E-01	1.26E-01
1965	1.87E+00	1.34E-01	1.09E-01	7.66E-02	3.84E-02	2.56E-02
1966	6.71E+00	7.48E-01	5.39E-01	3.77E-01	1.89E-01	1.26E-01
1967	3.88E+00	5.16E-01	3.63E-01	2.54E-01	1.28E-01	8.55E-02
1968	6.75E+00	4.82E-01	3.21E-01	2.25E-01	1.48E-01	9.94E-02
1969	6.01E+00	5.87E-01	3.91E-01	3.11E-01	1.57E-01	1.05E-01
1970	1.16E+01	8.28E-01	5.52E-01	3.86E-01	1.93E-01	1.37E-01
1971	1.46E+01	1.04E+00	6.93E-01	4.85E-01	3.21E-01	2.27E-01
1972	5.92E+00	6.16E-01	4.13E-01	2.89E-01	1.44E-01	9.63E-02
1973	1.03E+01	9.36E-01	6.24E-01	4.37E-01	2.33E-01	1.55E-01
1974	9.22E+00	6.58E-01	6.28E-01	4.40E-01	2.39E-01	1.59E-01
1975	2.50E+00	3.03E-01	2.02E-01	1.43E-01	7.15E-02	4.77E-02
1976	1.43E+00	1.69E-01	1.15E-01	8.09E-02	4.05E-02	2.70E-02
1977	1.37E+01	9.79E-01	6.53E-01	6.12E-01	3.58E-01	2.39E-01
1978	4.04E+00	2.88E-01	1.92E-01	1.68E-01	9.29E-02	6.19E-02
1979	7.31E+00	1.09E+00	7.30E-01	5.11E-01	2.56E-01	1.71E-01
1980	5.94E+00	4.24E-01	2.83E-01	2.38E-01	1.29E-01	8.58E-02
1981	8.17E+00	5.84E-01	3.89E-01	2.72E-01	1.49E-01	1.02E-01
1982	3.56E+00	3.77E-01	2.63E-01	1.86E-01	9.32E-02	6.21E-02
1983	1.55E+01	1.67E+00	1.15E+00	8.18E-01	4.09E-01	2.73E-01
1984	8.46E+00	6.04E-01	4.03E-01	2.82E-01	1.41E-01	1.09E-01
1985	7.70E+00	5.50E-01	3.66E-01	3.39E-01	1.70E-01	1.14E-01
1986	4.65E+00	5.01E-01	3.46E-01	2.42E-01	1.22E-01	8.11E-02
1987	1.17E+00	1.35E-01	9.28E-02	6.50E-02	3.25E-02	2.17E-02
1988	5.70E+00	4.07E-01	2.71E-01	2.72E-01	1.59E-01	1.08E-01
1989	4.86E+00	3.47E-01	2.31E-01	1.88E-01	9.86E-02	6.58E-02
1990	8.42E+00	6.02E-01	4.01E-01	2.81E-01	1.65E-01	1.10E-01
90th % (ppb)	11.80227	0.985012	0.656674	0.487686	0.26288	0.176556

OA-Metolachlor Degradation Product

Ground Spray – Prior to Planting

Standard PRZM/EXAMS Output

stored as OABSGRDPPL.out

Chemical: OA

PRZM environment: TX_BSSMeadow.txt modified Thuday, 4 May 2006 at 10:38:37

EXAMS environment: pond298.exv modified Thuday, 29 August 2002 at 16:33:30

Metfile: w13958.dvf modified Wedday, 3 July 2002 at 09:06:24

Water segment concentrations (ppb)

Year	Peak	96 hr	21 Day	60 Day	90 Day	Yearly
1961	6.15	6.146	6.136	6.119	6.109	5.312
1962	6.059	6.059	6.059	6.059	6.059	6.059
1963	12.96	12.96	12.95	12.94	12.93	12.01
1964	12.96	12.96	12.96	12.96	12.96	12.94
1965	19.66	19.66	19.65	19.63	19.62	18.75
1966	19.64	19.64	19.64	19.64	19.64	19.63
1967	19.65	19.65	19.65	19.65	19.65	19.65
1968	19.65	19.65	19.65	19.65	19.65	19.65
1969	20.26	20.26	20.26	20.26	20.26	20.17
1970	21.46	21.46	21.46	21.45	21.45	21.27
1971	21.45	21.45	21.45	21.45	21.45	21.45
1972	21.62	21.62	21.62	21.62	21.62	21.56
1973	21.65	21.65	21.65	21.65	21.65	21.64
1974	21.69	21.69	21.69	21.69	21.69	21.68
1975	22.17	22.17	22.17	22.17	22.16	22.01
1976	22.69	22.69	22.69	22.68	22.68	22.61
1977	23.32	23.32	23.32	23.32	23.32	23.21
1978	23.48	23.48	23.48	23.48	23.48	23.45
1979	26.18	26.17	26.17	26.16	26.16	25.76
1980	26.45	26.45	26.45	26.45	26.45	26.38
1981	27.24	27.24	27.24	27.24	27.24	27.1
1982	27.23	27.23	27.23	27.23	27.23	27.23
1983	28.27	28.27	28.27	28.27	28.27	28.14
1984	28.27	28.27	28.27	28.27	28.27	28.27
1985	28.53	28.53	28.53	28.53	28.53	28.49
1986	28.59	28.59	28.59	28.59	28.59	28.57
1987	28.6	28.6	28.6	28.6	28.6	28.6
1988	28.71	28.71	28.71	28.71	28.71	28.68
1989	28.71	28.71	28.71	28.71	28.71	28.71
1990	29.12	29.12	29.11	29.11	29.11	29.06

Sorted results

Prob.	Peak	96 hr	21 Day	60 Day	90 Day	Yearly		
0.032258064516129			29.12	29.12	29.11	29.11	29.11	29.06
0.0645161290322581			28.71	28.71	28.71	28.71	28.71	28.71
0.0967741935483871			28.71	28.71	28.71	28.71	28.71	28.68
0.129032258064516			28.6	28.6	28.6	28.6	28.6	28.6
0.161290322580645			28.59	28.59	28.59	28.59	28.59	28.57
0.193548387096774			28.53	28.53	28.53	28.53	28.53	28.49
0.225806451612903			28.27	28.27	28.27	28.27	28.27	28.27
0.258064516129032			28.27	28.27	28.27	28.27	28.27	28.14
0.290322580645161			27.24	27.24	27.24	27.24	27.24	27.23
0.32258064516129			27.23	27.23	27.23	27.23	27.23	27.1
0.354838709677419			26.45	26.45	26.45	26.45	26.45	26.38
0.387096774193548			26.18	26.17	26.17	26.16	26.16	25.76
0.419354838709677			23.48	23.48	23.48	23.48	23.48	23.45
0.451612903225806			23.32	23.32	23.32	23.32	23.32	23.21
0.483870967741936			22.69	22.69	22.69	22.68	22.68	22.61
0.516129032258065			22.17	22.17	22.17	22.17	22.16	22.01
0.548387096774194			21.69	21.69	21.69	21.69	21.69	21.68
0.580645161290323			21.65	21.65	21.65	21.65	21.65	21.64
0.612903225806452			21.62	21.62	21.62	21.62	21.62	21.56
0.645161290322581			21.46	21.46	21.46	21.45	21.45	21.45
0.67741935483871			21.45	21.45	21.45	21.45	21.45	21.27
0.709677419354839			20.26	20.26	20.26	20.26	20.26	20.17
0.741935483870968			19.66	19.66	19.65	19.65	19.65	19.65
0.774193548387097			19.65	19.65	19.65	19.65	19.65	19.65
0.806451612903226			19.65	19.65	19.65	19.64	19.64	19.63
0.838709677419355			19.64	19.64	19.64	19.63	19.62	18.75
0.870967741935484			12.96	12.96	12.96	12.96	12.96	12.94
0.903225806451613			12.96	12.96	12.95	12.94	12.93	12.01
0.935483870967742			6.15	6.146	6.136	6.119	6.109	6.059
0.967741935483871			6.059	6.059	6.059	6.059	6.059	5.312

0.1 28.699 28.699 28.699 28.699 28.699 28.672

Average of yearly averages: 22.2680333333333

Inputs generated by pe4.pl - 8-August-2003

Data used for this run:

Output File: OABSGRDPPL

Metfile: w13958.dvf

PRZM scenario: TX_BSSMeadow.txt

EXAMS environment file: pond298.exv

Chemical Name: OA

Description	Variable Name	Value	Units	Comments
-------------	---------------	-------	-------	----------

Molecular weight	mwt	279.35	g/mol	
------------------	-----	--------	-------	--

Henry's Law Const.	henry		atm-m ³ /mol	
--------------------	-------	--	-------------------------	--

Vapor Pressure	vapr		torr	
----------------	------	--	------	--

Solubility	sol	4800	mg/L	
------------	-----	------	------	--

Kd	Kd	0.079	mg/L	
----	----	-------	------	--

Koc	Koc		mg/L	
-----	-----	--	------	--

Photolysis half-life	kdp		days	Half-life
----------------------	-----	--	------	-----------

Aerobic Aquatic Metabolism	kbacw		days	Halfife
----------------------------	-------	--	------	---------

Anaerobic Aquatic Metabolism	kbacs		days	Halfife
------------------------------	-------	--	------	---------

Aerobic Soil Metabolism	asm	127.5	days	Halfife
-------------------------	-----	-------	------	---------

Hydrolysis:	pH 7		days	Half-life
-------------	------	--	------	-----------

Method: CAM 1 integer See PRZM manual

Incorporation Depth:	DEPI	4.00	cm	
----------------------	------	------	----	--

Application Rate:	TAPP	0.5236	kg/ha	
-------------------	------	--------	-------	--

Application Efficiency:	APPEFF	1.00	fraction	
-------------------------	--------	------	----------	--

Spray Drift	DRFT	0.0	fraction of application rate applied to pond	
-------------	------	-----	--	--

Application Date	Date	15-2	dd/mm or dd/mm or dd-mm or dd-mmm	
------------------	------	------	-----------------------------------	--

Record 17: FILTRA

IPSCND

UPTKF

Record 18: PLVKRT

PLDKRT

FEXTRC 0.5

Flag for Index Res. Run

IR

Pond

Flag for runoff calc. RUNOFF none none, monthly or total(average of entire run)

Post Processed Estimated Spring EECs

Estimated Spring						
Year	Max Peak	Max 14 day	Max 21 day	Max 30 day	Max 60 day	Max 90 day
1961	4.64E+00	3.31E-01	2.21E-01	1.55E-01	7.73E-02	5.15E-02
1962	3.70E-02	2.64E-03	1.76E-03	1.29E-03	6.47E-04	4.31E-04
1963	3.05E+00	2.18E-01	1.45E-01	1.02E-01	5.49E-02	3.66E-02
1964	3.00E-01	2.14E-02	1.43E-02	9.99E-03	5.04E-03	3.36E-03
1965	4.79E+00	3.42E-01	2.28E-01	1.60E-01	7.98E-02	5.32E-02
1966	1.74E-01	1.25E-02	8.30E-03	5.81E-03	2.94E-03	1.96E-03
1967	1.13E+01	8.09E-01	5.39E-01	3.77E-01	1.89E-01	1.26E-01
1968	1.61E+01	1.15E+00	7.66E-01	5.36E-01	2.68E-01	1.79E-01
1969	2.30E+00	1.64E-01	1.09E-01	7.65E-02	3.83E-02	2.55E-02
1970	1.65E+00	1.33E-01	8.88E-02	6.21E-02	3.11E-02	2.07E-02
1971	7.56E-01	5.40E-02	3.60E-02	2.52E-02	1.34E-02	8.97E-03
1972	1.81E+00	1.32E-01	8.83E-02	6.18E-02	3.09E-02	2.06E-02
1973	1.24E+01	1.04E+00	6.92E-01	4.85E-01	2.42E-01	1.62E-01
1974	5.47E-01	3.90E-02	2.81E-02	1.97E-02	9.84E-03	6.56E-03
1975	2.02E-01	1.66E-02	1.11E-02	7.75E-03	3.88E-03	2.58E-03
1976	8.04E+00	5.74E-01	3.83E-01	2.68E-01	1.34E-01	8.94E-02
1977	6.48E+00	4.63E-01	3.09E-01	2.23E-01	1.12E-01	7.44E-02
1978	6.33E+00	4.52E-01	3.01E-01	2.11E-01	1.06E-01	7.05E-02
1979	4.79E+00	3.42E-01	2.28E-01	1.60E-01	7.99E-02	5.33E-02
1980	9.55E+00	6.82E-01	4.55E-01	3.18E-01	1.61E-01	1.08E-01
1981	8.91E-01	6.37E-02	4.24E-02	2.97E-02	1.49E-02	9.90E-03
1982	7.84E-04	5.64E-05	3.76E-05	2.63E-05	1.32E-05	8.78E-06
1983	9.25E+00	6.61E-01	4.84E-01	3.39E-01	1.70E-01	1.13E-01
1984	5.17E-02	3.69E-03	2.46E-03	1.72E-03	8.62E-04	5.75E-04
1985	2.70E+00	2.12E-01	1.42E-01	9.91E-02	4.96E-02	3.30E-02
1986	5.14E-01	3.85E-02	2.57E-02	1.80E-02	8.98E-03	5.99E-03
1987	2.83E-01	2.20E-02	1.46E-02	1.03E-02	5.13E-03	3.42E-03
1988	1.28E-01	9.13E-03	6.09E-03	4.65E-03	2.34E-03	1.56E-03
1989	8.07E-03	5.76E-04	3.84E-04	2.69E-04	1.35E-04	8.97E-05
1990	9.58E+00	7.60E-01	5.06E-01	3.55E-01	1.77E-01	1.18E-01
90th % (ppb)	9.753972	0.764563	0.509709	0.356813	0.178421	0.118947

Ground Spray- At Plant

Standard PRZM/EXAMS Output

stored as OABSGRDPL.out

Chemical: OA

PRZM environment: TX_BSSMeadow.txt modified Thuday, 4 May 2006 at 10:38:37

EXAMS environment: pond298.exv modified Thuday, 29 August 2002 at 16:33:30

Metfile: w13958.dvf modified Wedday, 3 July 2002 at 09:06:24

Water segment concentrations (ppb)

Year	Peak	96 hr	21 Day	60 Day	90 Day	Yearly		
1961	0.002552		0.002551		0.002548		0.002542	0.002538
	0.001434							
1962	0.00978	0.009777		0.009767		0.009751	0.009741	0.008074
1963	0.9437	0.9433	0.9418	0.9392	0.9376	0.6956		
1964	1.513	1.513	1.512	1.511	1.511	1.387		
1965	1.507	1.507	1.507	1.507	1.507	1.507		
1966	4.912	4.91	4.905	4.896	4.894	4.363		
1967	4.893	4.893	4.893	4.893	4.893	4.887		
1968	4.916	4.916	4.916	4.916	4.916	4.911		
1969	4.919	4.919	4.919	4.919	4.919	4.919		
1970	5.164	5.164	5.164	5.163	5.163	5.119		
1971	5.173	5.173	5.173	5.173	5.173	5.17		
1972	5.357	5.357	5.357	5.356	5.356	5.295		
1973	5.355	5.355	5.355	5.355	5.355	5.354		
1974	5.575	5.575	5.574	5.574	5.574	5.524		
1975	6.103	6.103	6.102	6.101	6.1	5.929		
1976	6.096	6.096	6.096	6.096	6.096	6.095		
1977	6.772	6.772	6.771	6.771	6.771	6.656		
1978	6.912	6.912	6.912	6.912	6.912	6.871		
1979	6.913	6.913	6.913	6.913	6.913	6.912		
1980	9.459	9.458	9.454	9.448	9.444	8.841		
1981	10.26	10.26	10.26	10.26	10.25	10.11		
1982	10.25	10.25	10.25	10.25	10.25	10.25		
1983	10.35	10.35	10.35	10.35	10.35	10.33		
1984	10.39	10.39	10.39	10.39	10.39	10.38		
1985	10.54	10.54	10.54	10.54	10.54	10.51		
1986	10.6	10.6	10.6	10.6	10.6	10.58		
1987	13.1	13.1	13.1	13.09	13.08	12.7		
1988	13.43	13.43	13.42	13.42	13.42	13.35		
1989	13.42	13.42	13.42	13.42	13.42	13.42		
1990	13.43	13.43	13.43	13.43	13.43	13.43		

Sorted results

Prob.	Peak	96 hr	21 Day	60 Day	90 Day	Yearly		
0.032258064516129			13.43	13.43	13.43	13.43	13.43	13.43
0.0645161290322581			13.43	13.43	13.42	13.42	13.42	13.42
0.0967741935483871			13.42	13.42	13.42	13.42	13.42	13.35
0.129032258064516			13.1	13.1	13.1	13.09	13.08	12.7
0.161290322580645			10.6	10.6	10.6	10.6	10.6	10.58
0.193548387096774			10.54	10.54	10.54	10.54	10.54	10.51
0.225806451612903			10.39	10.39	10.39	10.39	10.39	10.38
0.258064516129032			10.35	10.35	10.35	10.35	10.35	10.33
0.290322580645161			10.26	10.26	10.26	10.26	10.25	10.25
0.32258064516129			10.25	10.25	10.25	10.25	10.25	10.11
0.354838709677419			9.459	9.458	9.454	9.448	9.444	8.841
0.387096774193548			6.913	6.913	6.913	6.913	6.913	6.912
0.419354838709677			6.912	6.912	6.912	6.912	6.912	6.871
0.451612903225806			6.772	6.772	6.771	6.771	6.771	6.656
0.483870967741936			6.103	6.103	6.102	6.101	6.1	6.095
0.516129032258065			6.096	6.096	6.096	6.096	6.096	5.929
0.548387096774194			5.575	5.575	5.574	5.574	5.574	5.524
0.580645161290323			5.357	5.357	5.357	5.356	5.356	5.354
0.612903225806452			5.355	5.355	5.355	5.355	5.355	5.295
0.645161290322581			5.173	5.173	5.173	5.173	5.173	5.17
0.67741935483871			5.164	5.164	5.164	5.163	5.163	5.119
0.709677419354839			4.919	4.919	4.919	4.919	4.919	4.919
0.741935483870968			4.916	4.916	4.916	4.916	4.916	4.911
0.774193548387097			4.912	4.91	4.905	4.896	4.894	4.887
0.806451612903226			4.893	4.893	4.893	4.893	4.893	4.363
0.838709677419355			1.513	1.513	1.512	1.511	1.511	1.507
0.870967741935484			1.507	1.507	1.507	1.507	1.507	1.387
0.903225806451613			0.9437	0.9433	0.9418	0.9392	0.9376	0.6956
0.935483870967742			0.00978	0.00977		0.009767	0.009751	0.009741
0.008074								
0.967741935483871			0.002552		0.002551		0.002548	0.002542
0.002538			0.001434					
0.1	13.388	13.388	13.388	13.387	13.386	13.285		
							Average of yearly averages:	6.85017026666667

Inputs generated by pe4.pl - 8-August-2003

Data used for this run:

Output File: OABSGRDPL

Metfile: w13958.dvf

PRZM scenario: TX_BSSMeadow.txt

EXAMS environment file: pond298.exv

Chemical Name: OA

Description	Variable Name	Value	Units	Comments
Molecular weight	mwt	279.35	g/mol	
Henry's Law Const.	henry		atm-m ³ /mol	
Vapor Pressure	vapr		torr	
Solubility	sol	4800	mg/L	
Kd	Kd	0.079	mg/L	
Koc	Koc		mg/L	
Photolysis half-life	kdp		days	Half-life
Aerobic Aquatic Metabolism	kbacw		days	Halfife
Anaerobic Aquatic Metabolism	kbacs		days	Halfife
Aerobic Soil Metabolism	asm	127.5	days	Halfife
Hydrolysis:	pH 7		days	Half-life
Method: CAM	1	integer		See PRZM manual
Incorporation Depth:	DEPI	4.00	cm	
Application Rate:	TAPP	0.5236	kg/ha	
Application Efficiency:	APPEFF	1.00		fraction
Spray Drift	DRFT	0.0		fraction of application rate applied to pond
Application Date	Date	25-2	dd/mm or dd/mm or dd-mm or dd-mmm	
Record 17:	FILTRA			
	IPSCND			
	UPTKF			
Record 18:	PLVKRT			
	PLDKRT			
	FEXTRC	0.5		
Flag for Index Res. Run	IR			Pond
Flag for runoff calc.	RUNOFF	none		none, monthly or total(average of entire run)

Post Processed Estimated Spring EECs

Estimated Spring						
Year	Max Peak	Max 14 day	Max 21 day	Max 30 day	Max 60 day	Max 90 day
1961	3.24E-02	2.60E-03	1.73E-03	1.21E-03	6.06E-04	4.04E-04
1962	5.47E-01	3.91E-02	2.61E-02	1.93E-02	9.67E-03	6.44E-03
1963	5.74E+00	4.32E-01	2.88E-01	2.02E-01	1.01E-01	6.72E-02
1964	2.53E+00	1.81E-01	1.21E-01	8.44E-02	4.29E-02	2.86E-02
1965	2.71E-03	1.94E-04	1.30E-04	9.09E-05	4.54E-05	3.03E-05
1966	7.74E+00	5.53E-01	3.69E-01	2.58E-01	1.32E-01	8.79E-02
1967	6.97E-02	5.56E-03	3.71E-03	2.60E-03	1.30E-03	8.65E-04
1968	1.29E-01	9.21E-03	6.14E-03	4.30E-03	2.15E-03	1.44E-03
1969	9.41E-02	6.92E-03	4.61E-03	3.23E-03	1.62E-03	1.08E-03
1970	1.03E+00	7.38E-02	4.92E-02	3.44E-02	1.72E-02	1.15E-02
1971	1.77E+00	1.26E-01	8.43E-02	5.90E-02	3.17E-02	2.12E-02
1972	1.92E+00	1.40E-01	9.32E-02	6.52E-02	3.26E-02	2.17E-02
1973	1.72E+00	1.23E-01	8.22E-02	5.76E-02	2.88E-02	1.92E-02
1974	2.49E+00	1.78E-01	1.30E-01	9.08E-02	4.54E-02	3.03E-02
1975	2.26E-01	1.86E-02	1.24E-02	8.70E-03	4.35E-03	2.90E-03
1976	1.36E-04	1.05E-05	7.03E-06	4.92E-06	2.46E-06	1.64E-06
1977	6.85E+00	4.89E-01	3.26E-01	2.35E-01	1.18E-01	7.86E-02
1978	3.07E-01	2.19E-02	1.46E-02	1.06E-02	5.33E-03	3.55E-03
1979	1.37E-01	1.07E-02	7.16E-03	5.01E-03	2.50E-03	1.67E-03
1980	1.19E+00	8.51E-02	5.67E-02	3.99E-02	2.00E-02	1.33E-02
1981	9.41E-01	6.72E-02	4.48E-02	3.14E-02	1.57E-02	1.05E-02
1982	2.16E-03	1.56E-04	1.04E-04	7.26E-05	3.63E-05	2.42E-05
1983	8.85E+00	6.47E-01	4.31E-01	3.02E-01	1.51E-01	1.01E-01
1984	2.23E-01	1.59E-02	1.06E-02	7.42E-03	3.71E-03	2.47E-03
1985	8.45E+00	6.04E-01	4.05E-01	2.83E-01	1.42E-01	9.45E-02
1986	5.42E-01	4.06E-02	2.71E-02	1.90E-02	9.49E-03	6.32E-03
1987	8.88E+00	7.54E-01	5.03E-01	3.52E-01	1.76E-01	1.17E-01
1988	4.28E-01	3.06E-02	2.04E-02	1.57E-02	7.91E-03	5.27E-03
1989	5.43E-02	3.88E-03	2.59E-03	1.81E-03	9.07E-04	6.04E-04
1990	9.75E-02	6.96E-03	4.64E-03	3.25E-03	1.63E-03	1.09E-03
90th % (ppb)	7.812076	0.558005	0.372254	0.260578	0.132831	0.088555

Ground Spray- Before Crop Emergence

Standard PRZM/EXAMS Output

stored as OABSGRDEMG.out

Chemical: OA

PRZM environment: TX_BSSMeadow.txt modified Thuday, 4 May 2006 at 10:38:37

EXAMS environment: pond298.exv modified Thuday, 29 August 2002 at 16:33:30

Metfile: w13958.dvf modified Wedday, 3 July 2002 at 09:06:24

Water segment concentrations (ppb)

Year	Peak	96 hr	21 Day	60 Day	90 Day	Yearly		
1961	0.002608		0.002607		0.002604		0.002597	0.002593
	0.001465							
1962	0.01832	0.01831	0.01829	0.01826	0.01823	0.01459		
1963	0.9725	0.9722	0.9706	0.9679	0.9663	0.719		
1964	1.566	1.566	1.565	1.564	1.564	1.435		
1965	1.56	1.56	1.56	1.56	1.56	1.56		
1966	1.694	1.694	1.693	1.693	1.693	1.653		
1967	1.729	1.729	1.729	1.729	1.729	1.718		
1968	1.753	1.753	1.753	1.753	1.753	1.748		
1969	1.756	1.756	1.756	1.756	1.756	1.756		
1970	2.623	2.622	2.621	2.619	2.617	2.463		
1971	2.686	2.686	2.686	2.686	2.686	2.666		
1972	2.874	2.874	2.874	2.873	2.873	2.811		
1973	2.872	2.872	2.872	2.872	2.872	2.872		
1974	3.097	3.097	3.097	3.096	3.096	3.045		
1975	3.637	3.637	3.636	3.635	3.634	3.459		
1976	3.629	3.629	3.629	3.629	3.629	3.629		
1977	4.321	4.321	4.32	4.32	4.319	4.202		
1978	4.464	4.464	4.464	4.464	4.464	4.422		
1979	4.465	4.465	4.465	4.465	4.465	4.464		
1980	7.8	7.798	7.793	7.785	7.78	6.99		
1981	8.637	8.637	8.636	8.633	8.632	8.481		
1982	8.625	8.625	8.625	8.625	8.625	8.625		
1983	8.727	8.727	8.726	8.726	8.726	8.708		
1984	9.015	9.015	9.015	9.014	9.013	8.956		
1985	9.072	9.072	9.072	9.072	9.072	9.059		
1986	9.143	9.143	9.143	9.142	9.142	9.119		
1987	9.142	9.142	9.142	9.142	9.142	9.142		
1988	9.545	9.544	9.544	9.543	9.542	9.457		
1989	9.542	9.542	9.542	9.542	9.542	9.541		
1990	9.599	9.599	9.598	9.598	9.598	9.587		

Sorted results

Prob.	Peak	96 hr	21 Day	60 Day	90 Day	Yearly		
0.032258064516129			9.599	9.599	9.598	9.598	9.598	9.587
0.0645161290322581			9.545	9.544	9.544	9.543	9.542	9.541
0.0967741935483871			9.542	9.542	9.542	9.542	9.542	9.457
0.129032258064516			9.143	9.143	9.143	9.142	9.142	9.142
0.161290322580645			9.142	9.142	9.142	9.142	9.142	9.119
0.193548387096774			9.072	9.072	9.072	9.072	9.072	9.059
0.225806451612903			9.015	9.015	9.015	9.014	9.013	8.956
0.258064516129032			8.727	8.727	8.726	8.726	8.726	8.708
0.290322580645161			8.637	8.637	8.636	8.633	8.632	8.625
0.32258064516129			8.625	8.625	8.625	8.625	8.625	8.481
0.354838709677419			7.8	7.798	7.793	7.785	7.78	6.99
0.387096774193548			4.465	4.465	4.465	4.465	4.465	4.464
0.419354838709677			4.464	4.464	4.464	4.464	4.464	4.422
0.451612903225806			4.321	4.321	4.32	4.32	4.319	4.202
0.483870967741936			3.637	3.637	3.636	3.635	3.634	3.629
0.516129032258065			3.629	3.629	3.629	3.629	3.629	3.459
0.548387096774194			3.097	3.097	3.097	3.096	3.096	3.045
0.580645161290323			2.874	2.874	2.874	2.873	2.873	2.872
0.612903225806452			2.872	2.872	2.872	2.872	2.872	2.811
0.645161290322581			2.686	2.686	2.686	2.686	2.686	2.666
0.67741935483871			2.623	2.622	2.621	2.619	2.617	2.463
0.709677419354839			1.756	1.756	1.756	1.756	1.756	1.756
0.741935483870968			1.753	1.753	1.753	1.753	1.753	1.748
0.774193548387097			1.729	1.729	1.729	1.729	1.729	1.718
0.806451612903226			1.694	1.694	1.693	1.693	1.693	1.653
0.838709677419355			1.566	1.566	1.565	1.564	1.564	1.56
0.870967741935484			1.56	1.56	1.56	1.56	1.56	1.435
0.903225806451613			0.9725	0.9722	0.9706	0.9679	0.9663	0.719
0.935483870967742			0.01832	0.01831	0.01829	0.01826	0.01823	0.01459
0.967741935483871			0.002608		0.002607		0.002604	0.002597
			0.002593	0.001465				

0.1 9.5021 9.5021 9.5021 9.502 9.502 9.4255
Average of yearly averages: 4.74343516666667

Inputs generated by pe4.pl - 8-August-2003

Data used for this run:

Output File: OABSGRDEMG

Metfile: w13958.dvf

PRZM scenario: TX_BSSMeadow.txt

EXAMS environment file: pond298.exv

Chemical Name: OA

Description	Variable Name	Value	Units	Comments
Molecular weight	mwt	279.35	g/mol	
Henry's Law Const.	henry		atm-m ³ /mol	
Vapor Pressure	vapr		torr	
Solubility	sol	4800	mg/L	
Kd	Kd	0.079	mg/L	
Koc	Koc		mg/L	
Photolysis half-life	kdp		days	Half-life
Aerobic Aquatic Metabolism	kbacw		days	Halfife
Anaerobic Aquatic Metabolism	kbacs		days	Halfife
Aerobic Soil Metabolism	asm	127.5	days	Halfife
Hydrolysis:	pH 7		days	Half-life
Method: CAM	1	integer		See PRZM manual
Incorporation Depth:	DEPI	4.00	cm	
Application Rate:	TAPP	0.5236	kg/ha	
Application Efficiency:	APPEFF	1.00	fraction	
Spray Drift	DRFT	0.0	fraction of application rate applied to pond	
Application Date	Date	1-3	dd/mm or dd/mm or dd-mm or dd-mmm	

Record 17: FILTRA

IPSCND

UPTKF

Record 18: PLVKRT

PLDKRT

FEXTRC 0.5

Flag for Index Res. Run IR Pond

Flag for runoff calc. RUNOFF none none, monthly or total(average of entire run)

Post Processed Estimated Spring EECs

Estimated Spring						
Year	Max Peak	Max 14 day	Max 21 day	Max 30 day	Max 60 day	Max 90 day
1961	3.31E-02	2.66E-03	1.77E-03	1.24E-03	6.20E-04	4.13E-04
1962	1.11E+00	7.92E-02	5.28E-02	3.95E-02	1.97E-02	1.32E-02
1963	5.87E+00	4.42E-01	2.95E-01	2.06E-01	1.03E-01	6.87E-02
1964	2.64E+00	1.88E-01	1.26E-01	8.80E-02	4.47E-02	2.98E-02
1965	2.77E-03	1.98E-04	1.33E-04	9.29E-05	4.64E-05	3.10E-05
1966	1.87E+00	1.42E-01	9.47E-02	6.63E-02	3.32E-02	2.21E-02
1967	1.21E-01	9.70E-03	6.47E-03	4.53E-03	2.26E-03	1.51E-03
1968	1.35E-01	9.61E-03	6.41E-03	4.49E-03	2.25E-03	1.50E-03
1969	9.62E-02	7.07E-03	4.71E-03	3.30E-03	1.65E-03	1.10E-03
1970	3.65E+00	2.61E-01	1.74E-01	1.22E-01	6.09E-02	4.06E-02
1971	9.61E+00	6.86E-01	4.58E-01	3.20E-01	1.74E-01	1.16E-01
1972	1.97E+00	1.44E-01	9.58E-02	6.70E-02	3.35E-02	2.23E-02
1973	1.76E+00	1.26E-01	8.40E-02	5.88E-02	2.94E-02	1.96E-02
1974	2.55E+00	1.82E-01	1.32E-01	9.27E-02	4.64E-02	3.09E-02
1975	2.31E-01	1.91E-02	1.27E-02	8.89E-03	4.45E-03	2.96E-03
1976	1.40E-04	1.08E-05	7.23E-06	5.06E-06	2.53E-06	1.69E-06
1977	7.00E+00	5.00E-01	3.33E-01	2.40E-01	1.20E-01	8.03E-02
1978	3.13E-01	2.24E-02	1.49E-02	1.09E-02	5.44E-03	3.63E-03
1979	1.40E-01	1.10E-02	7.31E-03	5.12E-03	2.56E-03	1.71E-03
1980	1.56E+00	1.11E-01	7.43E-02	5.23E-02	2.62E-02	1.74E-02
1981	9.94E-01	7.10E-02	4.73E-02	3.31E-02	1.66E-02	1.10E-02
1982	4.11E-02	2.97E-03	1.98E-03	1.38E-03	6.92E-04	4.61E-04
1983	9.05E+00	6.61E-01	4.41E-01	3.08E-01	1.54E-01	1.03E-01
1984	1.37E+00	9.79E-02	6.52E-02	4.57E-02	2.28E-02	1.52E-02
1985	6.54E-01	4.67E-02	3.11E-02	2.22E-02	1.11E-02	7.39E-03
1986	5.54E-01	4.15E-02	2.77E-02	1.94E-02	9.69E-03	6.46E-03
1987	3.04E-04	2.32E-05	1.55E-05	1.08E-05	5.42E-06	3.61E-06
1988	4.78E-01	3.41E-02	2.28E-02	1.76E-02	8.85E-03	5.90E-03
1989	5.65E-02	4.04E-03	2.69E-03	1.89E-03	9.43E-04	6.29E-04
1990	6.83E-01	4.88E-02	3.25E-02	2.28E-02	1.14E-02	7.62E-03
90th % (ppb)	5.983154	0.447635	0.298423	0.209595	0.104831	0.069887

ESA-Metolachlor Degradation Product

Ground Spray – Prior to Planting

Standard PRZM/EXAMS Output

stored as ESABSGDPPL.out

Chemical: ESA

PRZM environment: TX_BSSMeadow.txt modified Thuday, 4 May 2006 at 10:38:37

EXAMS environment: pond298.exv modified Thuday, 29 August 2002 at 16:33:30

Metfile: w13958.dvf modified Wedday, 3 July 2002 at 09:06:24

Water segment concentrations (ppb)

Year	Peak	96 hr	21 Day	60 Day	90 Day	Yearly
1961	2.661	2.659	2.655	2.648	2.644	2.3
1962	2.624	2.624	2.624	2.624	2.624	2.624
1963	5.471	5.47	5.465	5.46	5.458	5.077
1964	5.465	5.465	5.465	5.465	5.464	5.459
1965	8.355	8.354	8.35	8.342	8.338	7.964
1966	8.34	8.34	8.34	8.34	8.34	8.336
1967	8.343	8.343	8.343	8.343	8.343	8.342
1968	8.343	8.343	8.343	8.343	8.343	8.343
1969	8.579	8.579	8.578	8.578	8.577	8.544
1970	9.035	9.035	9.034	9.033	9.033	8.964
1971	9.031	9.031	9.031	9.031	9.031	9.03
1972	9.092	9.092	9.092	9.092	9.092	9.072
1973	9.102	9.102	9.102	9.102	9.102	9.101
1974	9.119	9.119	9.119	9.119	9.119	9.115
1975	9.296	9.296	9.295	9.295	9.295	9.238
1976	9.521	9.521	9.52	9.52	9.519	9.489
1977	9.801	9.801	9.8	9.8	9.8	9.752
1978	9.864	9.864	9.864	9.864	9.864	9.855
1979	11.02	11.02	11.02	11.02	11.02	10.84
1980	11.12	11.12	11.12	11.12	11.12	11.09
1981	11.42	11.42	11.42	11.42	11.42	11.37
1982	11.42	11.42	11.42	11.42	11.42	11.42
1983	11.87	11.87	11.87	11.87	11.87	11.81
1984	11.87	11.87	11.87	11.87	11.87	11.87
1985	11.97	11.97	11.97	11.97	11.97	11.96
1986	11.99	11.99	11.99	11.99	11.99	11.98
1987	11.99	11.99	11.99	11.99	11.99	11.99
1988	12.03	12.03	12.03	12.03	12.03	12.02
1989	12.03	12.03	12.03	12.03	12.03	12.03
1990	12.19	12.19	12.19	12.19	12.19	12.17

Sorted results

Prob.	Peak	96 hr	21 Day	60 Day	90 Day	Yearly		
0.032258064516129			12.19	12.19	12.19	12.19	12.19	12.17
0.0645161290322581			12.03	12.03	12.03	12.03	12.03	12.03
0.0967741935483871			12.03	12.03	12.03	12.03	12.03	12.02
0.129032258064516			11.99	11.99	11.99	11.99	11.99	11.99
0.161290322580645			11.99	11.99	11.99	11.99	11.99	11.98
0.193548387096774			11.97	11.97	11.97	11.97	11.97	11.96
0.225806451612903			11.87	11.87	11.87	11.87	11.87	11.87
0.258064516129032			11.87	11.87	11.87	11.87	11.87	11.81
0.290322580645161			11.42	11.42	11.42	11.42	11.42	11.42
0.32258064516129			11.42	11.42	11.42	11.42	11.42	11.37
0.354838709677419			11.12	11.12	11.12	11.12	11.12	11.09
0.387096774193548			11.02	11.02	11.02	11.02	11.02	10.84
0.419354838709677			9.864	9.864	9.864	9.864	9.864	9.855
0.451612903225806			9.801	9.801	9.8	9.8	9.8	9.752
0.483870967741936			9.521	9.521	9.52	9.52	9.519	9.489
0.516129032258065			9.296	9.296	9.295	9.295	9.295	9.238
0.548387096774194			9.119	9.119	9.119	9.119	9.119	9.115
0.580645161290323			9.102	9.102	9.102	9.102	9.102	9.101
0.612903225806452			9.092	9.092	9.092	9.092	9.092	9.072
0.645161290322581			9.035	9.035	9.034	9.033	9.033	9.03
0.67741935483871			9.031	9.031	9.031	9.031	9.031	8.964
0.709677419354839			8.579	8.579	8.578	8.578	8.577	8.544
0.741935483870968			8.355	8.354	8.35	8.343	8.343	8.343
0.774193548387097			8.343	8.343	8.343	8.343	8.343	8.342
0.806451612903226			8.343	8.343	8.343	8.342	8.34	8.336
0.838709677419355			8.34	8.34	8.34	8.34	8.338	7.964
0.870967741935484			5.471	5.47	5.465	5.465	5.464	5.459
0.903225806451613			5.465	5.465	5.465	5.46	5.458	5.077
0.935483870967742			2.661	2.659	2.655	2.648	2.644	2.624
0.967741935483871			2.624	2.624	2.624	2.624	2.624	2.3

0.1 12.026 12.026 12.026 12.026 12.026 12.017

Average of yearly averages: 9.37183333333334

Inputs generated by pe4.pl - 8-August-2003

Data used for this run:

Output File: ESABSGDPPL

Metfile: w13958.dvf

PRZM scenario: TX_BSSMeadow.txt

EXAMS environment file: pond298.exv

Chemical Name: ESA

Description	Variable Name	Value	Units	Comments
-------------	---------------	-------	-------	----------

Molecular weight	mwt	329.7	g/mol	
------------------	-----	-------	-------	--

Henry's Law Const.	henry		atm-m ³ /mol	
--------------------	-------	--	-------------------------	--

Vapor Pressure	vapr		torr	
----------------	------	--	------	--

Solubility	sol	4800	mg/L	
------------	-----	------	------	--

Kd	Kd	0.041	mg/L	
----	----	-------	------	--

Koc	Koc		mg/L	
-----	-----	--	------	--

Photolysis half-life	kdp		days	Half-life
----------------------	-----	--	------	-----------

Aerobic Aquatic Metabolism	kbacw		days	Halfife
----------------------------	-------	--	------	---------

Anaerobic Aquatic Metabolism	kbacs		days	Halfife
------------------------------	-------	--	------	---------

Aerobic Soil Metabolism	asm	162.5	days	Halfife
-------------------------	-----	-------	------	---------

Hydrolysis:	pH 7		days	Half-life
-------------	------	--	------	-----------

Method: CAM	1	integer	See PRZM manual	
-------------	---	---------	-----------------	--

Incorporation Depth:	DEPI	4.00	cm	
----------------------	------	------	----	--

Application Rate:	TAPP	0.2244	kg/ha	
-------------------	------	--------	-------	--

Application Efficiency:	APPEFF	1.00	fraction	
-------------------------	--------	------	----------	--

Spray Drift	DRFT	0.00	fraction of application rate applied to pond	
-------------	------	------	--	--

Application Date	Date	15-2	dd/mm or dd/mm or dd-mm or dd-mmm	
------------------	------	------	-----------------------------------	--

Record 17: FILTRA

IPSCND

UPTKF

Record 18: PLVKRT

PLDKRT

FEXTRC 0.5

Flag for Index Res. Run	IR	Pond
-------------------------	----	------

Flag for runoff calc.	RUNOFF	none	none, monthly or total(average of entire run)
-----------------------	--------	------	---

Post Processed Estimated Spring EECs

Estimated Spring						
Year	Max Peak	Max 14 day	Max 21 day	Max 30 day	Max 60 day	Max 90 day
1961	2.25E+00	1.61E-01	1.07E-01	7.51E-02	3.75E-02	2.51E-02
1962	7.57E-03	5.40E-04	3.60E-04	2.63E-04	1.31E-04	8.76E-05
1963	1.46E+00	1.04E-01	6.95E-02	4.86E-02	2.55E-02	1.70E-02
1964	7.01E-02	5.01E-03	3.34E-03	2.34E-03	1.17E-03	7.80E-04
1965	2.34E+00	2.05E-01	1.37E-01	9.58E-02	4.79E-02	3.19E-02
1966	6.04E-02	4.31E-03	2.87E-03	2.01E-03	1.01E-03	6.73E-04
1967	5.05E+00	3.61E-01	2.40E-01	1.68E-01	8.41E-02	5.61E-02
1968	7.22E+00	6.26E-01	4.17E-01	2.92E-01	1.46E-01	9.73E-02
1969	9.58E-01	6.85E-02	4.56E-02	3.20E-02	1.60E-02	1.07E-02
1970	7.03E-01	5.60E-02	3.73E-02	2.61E-02	1.31E-02	8.71E-03
1971	2.82E+00	2.02E-01	1.47E-01	1.03E-01	5.18E-02	3.45E-02
1972	4.52E-01	3.27E-02	2.18E-02	1.53E-02	7.63E-03	5.09E-03
1973	5.55E+00	4.68E-01	3.12E-01	2.18E-01	1.09E-01	7.28E-02
1974	1.17E-01	8.37E-03	5.94E-03	4.16E-03	2.08E-03	1.39E-03
1975	7.82E-03	6.14E-04	4.09E-04	2.86E-04	1.43E-04	9.55E-05
1976	3.65E+00	2.61E-01	1.75E-01	1.23E-01	6.13E-02	4.09E-02
1977	2.98E+00	2.13E-01	1.42E-01	1.01E-01	5.06E-02	3.37E-02
1978	2.69E+00	1.92E-01	1.44E-01	1.01E-01	5.04E-02	3.36E-02
1979	2.26E+00	1.62E-01	1.08E-01	7.61E-02	3.81E-02	2.54E-02
1980	4.12E+00	2.94E-01	1.96E-01	1.37E-01	6.90E-02	4.60E-02
1981	3.77E-01	2.70E-02	1.80E-02	1.26E-02	6.29E-03	4.19E-03
1982	4.30E-02	3.07E-03	2.05E-03	1.43E-03	7.17E-04	4.78E-04
1983	4.29E+00	3.06E-01	2.22E-01	1.56E-01	7.79E-02	5.19E-02
1984	1.78E+00	1.27E-01	8.56E-02	5.99E-02	3.00E-02	2.00E-02
1985	1.13E+00	8.77E-02	5.85E-02	4.10E-02	2.05E-02	1.37E-02
1986	5.92E-02	4.42E-03	2.94E-03	2.06E-03	1.03E-03	6.87E-04
1987	8.77E-02	6.77E-03	4.52E-03	3.16E-03	1.58E-03	1.05E-03
1988	4.28E-02	3.06E-03	2.04E-03	1.45E-03	7.25E-04	4.83E-04
1989	2.17E-02	1.64E-03	1.09E-03	7.66E-04	3.83E-04	2.55E-04
1990	4.29E+00	3.43E-01	2.29E-01	1.60E-01	8.01E-02	5.34E-02
90th % (ppb)	4.367598	0.344862	0.229908	0.160939	0.08047	0.053647

Ground Spray- At Plant

Standard PRZM/EXAMS Output

stored as ESABSGRDPL.out

Chemical: ESA

PRZM environment: TX_BSSMeadow.txt modified Thuday, 4 May 2006 at 10:38:37

EXAMS environment: pond298.exv modified Thuday, 29 August 2002 at 16:33:30

Metfile: w13958.dvf modified Wedday, 3 July 2002 at 09:06:24

Water segment concentrations (ppb)

Year	Peak	96 hr	21 Day	60 Day	90 Day	Yearly		
1961	0.0008341		0.0008339		0.0008331		0.000831	0.0008299
	0.000469							
1962	0.003016		0.003015		0.003012		0.003007	0.003005
	0.002506							
1963	0.3544	0.3543	0.3537	0.3528	0.3523	0.2613		
1964	0.5891	0.589	0.5886	0.5882	0.5881	0.5372		
1965	0.5866	0.5866	0.5866	0.5866	0.5866	0.5866		
1966	2.068	2.067	2.065	2.061	2.06	1.829		
1967	2.057	2.057	2.057	2.057	2.057	2.055		
1968	2.064	2.064	2.064	2.064	2.064	2.063		
1969	2.065	2.065	2.065	2.065	2.065	2.065		
1970	2.154	2.154	2.154	2.154	2.154	2.138		
1971	2.158	2.158	2.158	2.158	2.158	2.157		
1972	2.222	2.222	2.222	2.222	2.222	2.2		
1973	2.221	2.221	2.221	2.221	2.221	2.221		
1974	2.309	2.309	2.308	2.308	2.308	2.288		
1975	2.504	2.504	2.504	2.504	2.503	2.44		
1976	2.502	2.502	2.502	2.502	2.502	2.502		
1977	2.797	2.797	2.797	2.797	2.797	2.746		
1978	2.847	2.847	2.847	2.847	2.847	2.833		
1979	2.847	2.847	2.847	2.847	2.847	2.847		
1980	3.859	3.859	3.857	3.855	3.854	3.614		
1981	4.166	4.166	4.165	4.164	4.164	4.109		
1982	4.161	4.161	4.161	4.161	4.161	4.161		
1983	4.202	4.202	4.202	4.202	4.202	4.195		
1984	4.218	4.218	4.218	4.218	4.218	4.215		
1985	4.278	4.278	4.278	4.278	4.278	4.268		
1986	4.3	4.3	4.3	4.3	4.3	4.292		
1987	5.387	5.386	5.385	5.382	5.38	5.213		
1988	5.502	5.502	5.502	5.501	5.501	5.474		
1989	5.501	5.501	5.501	5.501	5.501	5.501		
1990	5.503	5.503	5.503	5.503	5.503	5.503		

Sorted results

Prob.	Peak	96 hr	21 Day	60 Day	90 Day	Yearly		
0.032258064516129			5.503	5.503	5.503	5.503	5.503	5.503
0.0645161290322581			5.502	5.502	5.502	5.501	5.501	5.501
0.0967741935483871			5.501	5.501	5.501	5.501	5.501	5.474
0.129032258064516			5.387	5.386	5.385	5.382	5.38	5.213
0.161290322580645			4.3	4.3	4.3	4.3	4.3	4.292
0.193548387096774			4.278	4.278	4.278	4.278	4.278	4.268
0.225806451612903			4.218	4.218	4.218	4.218	4.218	4.215
0.258064516129032			4.202	4.202	4.202	4.202	4.202	4.195
0.290322580645161			4.166	4.166	4.165	4.164	4.164	4.161
0.32258064516129			4.161	4.161	4.161	4.161	4.161	4.109
0.354838709677419			3.859	3.859	3.857	3.855	3.854	3.614
0.387096774193548			2.847	2.847	2.847	2.847	2.847	2.847
0.419354838709677			2.847	2.847	2.847	2.847	2.847	2.833
0.451612903225806			2.797	2.797	2.797	2.797	2.797	2.746
0.483870967741936			2.504	2.504	2.504	2.504	2.503	2.502
0.516129032258065			2.502	2.502	2.502	2.502	2.502	2.44
0.548387096774194			2.309	2.309	2.308	2.308	2.308	2.288
0.580645161290323			2.222	2.222	2.222	2.222	2.222	2.221
0.612903225806452			2.221	2.221	2.221	2.221	2.221	2.2
0.645161290322581			2.158	2.158	2.158	2.158	2.158	2.157
0.67741935483871			2.154	2.154	2.154	2.154	2.154	2.138
0.709677419354839			2.068	2.067	2.065	2.065	2.065	2.065
0.741935483870968			2.065	2.065	2.065	2.064	2.064	2.063
0.774193548387097			2.064	2.064	2.064	2.061	2.06	2.055
0.806451612903226			2.057	2.057	2.057	2.057	2.057	1.829
0.838709677419355			0.5891	0.589	0.5886	0.5882	0.5881	0.5866
0.870967741935484			0.5866	0.5866	0.5866	0.5866	0.5866	0.5372
0.903225806451613			0.3544	0.3543	0.3537	0.3528	0.3523	0.2613
0.935483870967742			0.003016		0.003015		0.003012	0.003007
			0.003005		0.002506			
0.967741935483871			0.0008341		0.0008339		0.0008331	0.000831
			0.0008299		0.000469			

0.1 5.4896 5.4895 5.4894 5.4891 5.4889 5.4479
Average of yearly averages: 2.81056916666667

Inputs generated by pe4.pl - 8-August-2003

Data used for this run:

Output File: ESABSGRDPL

Metfile: w13958.dvf

PRZM scenario: TX_BSSMeadow.txt

EXAMS environment file: pond298.exv

Chemical Name: ESA

Description	Variable Name	Value	Units	Comments
-------------	---------------	-------	-------	----------

Molecular weight	mwt	329.7	g/mol	
------------------	-----	-------	-------	--

Henry's Law Const.	henry		atm-m ³ /mol	
--------------------	-------	--	-------------------------	--

Vapor Pressure	vapr		torr	
----------------	------	--	------	--

Solubility	sol	4800	mg/L	
------------	-----	------	------	--

Kd	Kd	0.041	mg/L	
----	----	-------	------	--

Koc	Koc		mg/L	
-----	-----	--	------	--

Photolysis half-life	kdp		days	Half-life
----------------------	-----	--	------	-----------

Aerobic Aquatic Metabolism	kbacw		days	Halfife
----------------------------	-------	--	------	---------

Anaerobic Aquatic Metabolism	kbacs		days	Halfife
------------------------------	-------	--	------	---------

Aerobic Soil Metabolism	asm	162.5	days	Halfife
-------------------------	-----	-------	------	---------

Hydrolysis:	pH 7		days	Half-life
-------------	------	--	------	-----------

Method: CAM	1	integer	See PRZM manual	
-------------	---	---------	-----------------	--

Incorporation Depth:	DEPI	4.00	cm	
----------------------	------	------	----	--

Application Rate:	TAPP	0.2244	kg/ha	
-------------------	------	--------	-------	--

Application Efficiency:	APPEFF	1.00	fraction	
-------------------------	--------	------	----------	--

Spray Drift	DRFT	0.00	fraction of application rate applied to pond	
-------------	------	------	--	--

Application Date	Date	25-2	dd/mm or dd/mm or dd-mm or dd-mmm	
------------------	------	------	-----------------------------------	--

Record 17: FILTRA

IPSCND

UPTKF

Record 18: PLVKRT

PLDKRT

FEXTRC 0.5

Flag for Index Res. Run	IR	Pond
-------------------------	----	------

Flag for runoff calc.	RUNOFF	none	none, monthly or total(average of entire run)
-----------------------	--------	------	---

Post Processed Estimated Spring EECs

Estimated Spring						
Year	Max Peak	Max 14 day	Max 21 day	Max 30 day	Max 60 day	Max 90 day
1961	3.96E-01	2.83E-02	1.89E-02	1.32E-02	6.67E-03	4.45E-03
1962	1.45E-01	1.03E-02	6.89E-03	5.07E-03	2.54E-03	1.69E-03
1963	1.79E+00	1.34E-01	8.94E-02	6.26E-02	3.14E-02	2.09E-02
1964	7.87E-01	5.62E-02	3.75E-02	2.62E-02	1.32E-02	8.77E-03
1965	4.72E-03	3.37E-04	2.34E-04	1.64E-04	8.18E-05	5.45E-05
1966	3.70E+00	2.64E-01	1.76E-01	1.23E-01	6.21E-02	4.14E-02
1967	1.49E-03	1.14E-04	7.62E-05	5.33E-05	2.67E-05	1.78E-05
1968	2.39E-02	1.71E-03	1.14E-03	7.98E-04	3.99E-04	2.66E-04
1969	2.17E-02	1.57E-03	1.05E-03	7.34E-04	3.67E-04	2.45E-04
1970	3.86E-01	2.76E-02	1.84E-02	1.29E-02	6.43E-03	4.29E-03
1971	6.36E+00	4.54E-01	3.35E-01	2.35E-01	1.18E-01	7.87E-02
1972	4.72E-01	3.41E-02	2.28E-02	1.59E-02	7.97E-03	5.31E-03
1973	4.75E-01	3.87E-02	2.58E-02	1.81E-02	9.04E-03	6.03E-03
1974	6.33E-01	4.52E-02	3.24E-02	2.27E-02	1.13E-02	7.55E-03
1975	9.17E-03	7.21E-04	4.81E-04	3.37E-04	1.68E-04	1.12E-04
1976	1.34E+00	9.59E-02	6.39E-02	4.47E-02	2.24E-02	1.49E-02
1977	3.11E+00	2.22E-01	1.48E-01	1.06E-01	5.28E-02	3.52E-02
1978	5.18E+00	3.70E-01	2.47E-01	1.73E-01	8.78E-02	5.85E-02
1979	4.15E-01	3.08E-02	2.05E-02	1.44E-02	7.18E-03	4.78E-03
1980	2.03E-01	1.45E-02	9.67E-03	6.78E-03	3.39E-03	2.26E-03
1981	3.94E-01	2.81E-02	1.88E-02	1.31E-02	6.56E-03	4.38E-03
1982	1.06E-01	7.60E-03	5.07E-03	3.55E-03	1.77E-03	1.18E-03
1983	3.93E+00	2.85E-01	1.90E-01	1.33E-01	6.65E-02	4.43E-02
1984	6.32E+00	4.52E-01	3.05E-01	2.13E-01	1.07E-01	7.11E-02
1985	3.69E+00	2.64E-01	1.76E-01	1.23E-01	6.17E-02	4.11E-02
1986	6.18E-02	4.61E-03	3.07E-03	2.15E-03	1.08E-03	7.17E-04
1987	4.20E+00	3.52E-01	2.35E-01	1.64E-01	8.21E-02	5.47E-02
1988	1.55E-01	1.11E-02	7.40E-03	5.28E-03	2.64E-03	1.76E-03
1989	1.51E-01	1.15E-02	7.69E-03	5.38E-03	2.69E-03	1.79E-03
1990	5.87E+00	4.19E-01	2.81E-01	1.96E-01	9.82E-02	6.55E-02
90th % (ppb)	5.250686	0.375049	0.250147	0.175103	0.08885	0.059235

Ground Spray- Before Crop Emergence

Standard PRZM/EXAMS Output

stored as ESABSGDEMG.out

Chemical: ESA

PRZM environment: TX_BSSMeadow.txt modified Thuday, 4 May 2006 at 10:38:37

EXAMS environment: pond298.exv modified Thuday, 29 August 2002 at 16:33:30

Metfile: w13958.dvf modified Wedday, 3 July 2002 at 09:06:24

Water segment concentrations (ppb)

Year	Peak	96 hr	21 Day	60 Day	90 Day	Yearly		
1961	0.0008483		0.000848		0.0008472		0.0008452	0.000844
	0.000477							
1962	0.00608	0.006079		0.006072		0.006061	0.006054	0.004852
1963	0.3635	0.3633	0.3628	0.3619	0.3613	0.2688		
1964	0.6066	0.6065	0.6061	0.6057	0.6055	0.5529		
1965	0.604	0.604	0.604	0.604	0.604	0.604		
1966	0.6528	0.6528	0.6527	0.6526	0.6525	0.6379		
1967	0.664	0.664	0.664	0.664	0.664	0.6607		
1968	0.6714	0.6714	0.6714	0.6714	0.6714	0.6699		
1969	0.6724	0.6724	0.6724	0.6724	0.6724	0.6722		
1970	1.025	1.025	1.025	1.024	1.023	0.9604		
1971	1.052	1.052	1.052	1.052	1.052	1.043		
1972	1.117	1.117	1.117	1.117	1.117	1.095		
1973	1.116	1.116	1.116	1.116	1.116	1.116		
1974	1.205	1.205	1.205	1.205	1.205	1.185		
1975	1.404	1.404	1.404	1.404	1.403	1.339		
1976	1.402	1.402	1.402	1.402	1.402	1.402		
1977	1.702	1.702	1.702	1.702	1.702	1.651		
1978	1.753	1.753	1.753	1.753	1.753	1.738		
1979	1.753	1.753	1.753	1.753	1.753	1.753		
1980	3.105	3.104	3.102	3.099	3.097	2.777		
1981	3.425	3.425	3.424	3.423	3.423	3.365		
1982	3.42	3.42	3.42	3.42	3.42	3.42		
1983	3.462	3.462	3.462	3.462	3.462	3.454		
1984	3.574	3.574	3.574	3.574	3.574	3.552		
1985	3.594	3.594	3.594	3.594	3.594	3.59		
1986	3.617	3.617	3.617	3.617	3.617	3.609		
1987	3.617	3.617	3.617	3.617	3.617	3.617		
1988	3.762	3.762	3.762	3.762	3.762	3.731		
1989	3.761	3.761	3.761	3.761	3.761	3.761		
1990	3.781	3.781	3.781	3.781	3.781	3.777		

Sorted results

Prob.	Peak	96 hr	21 Day	60 Day	90 Day	Yearly		
0.032258064516129			3.781	3.781	3.781	3.781	3.781	3.777
0.0645161290322581			3.762	3.762	3.762	3.762	3.762	3.761
0.0967741935483871			3.761	3.761	3.761	3.761	3.761	3.731
0.129032258064516			3.617	3.617	3.617	3.617	3.617	3.617
0.161290322580645			3.617	3.617	3.617	3.617	3.617	3.609
0.193548387096774			3.594	3.594	3.594	3.594	3.594	3.59
0.225806451612903			3.574	3.574	3.574	3.574	3.574	3.552
0.258064516129032			3.462	3.462	3.462	3.462	3.462	3.454
0.290322580645161			3.425	3.425	3.424	3.423	3.423	3.42
0.32258064516129			3.42	3.42	3.42	3.42	3.42	3.365
0.354838709677419			3.105	3.104	3.102	3.099	3.097	2.777
0.387096774193548			1.753	1.753	1.753	1.753	1.753	1.753
0.419354838709677			1.753	1.753	1.753	1.753	1.753	1.738
0.451612903225806			1.702	1.702	1.702	1.702	1.702	1.651
0.483870967741936			1.404	1.404	1.404	1.404	1.403	1.402
0.516129032258065			1.402	1.402	1.402	1.402	1.402	1.339
0.548387096774194			1.205	1.205	1.205	1.205	1.205	1.185
0.580645161290323			1.117	1.117	1.117	1.117	1.117	1.116
0.612903225806452			1.116	1.116	1.116	1.116	1.116	1.095
0.645161290322581			1.052	1.052	1.052	1.052	1.052	1.043
0.67741935483871			1.025	1.025	1.025	1.024	1.023	0.9604
0.709677419354839			0.6724	0.6724	0.6724	0.6724	0.6724	0.6722
0.741935483870968			0.6714	0.6714	0.6714	0.6714	0.6714	0.6699
0.774193548387097			0.664	0.664	0.664	0.664	0.664	0.6607
0.806451612903226			0.6528	0.6528	0.6527	0.6526	0.6525	0.6379
0.838709677419355			0.6066	0.6065	0.6061	0.6057	0.6055	0.604
0.870967741935484			0.604	0.604	0.604	0.604	0.604	0.5529
0.903225806451613			0.3635	0.3633	0.3628	0.3619	0.3613	0.2688
0.935483870967742			0.00608	0.006079		0.006072	0.006061	0.006054
0.004852								
0.967741935483871			0.0008483		0.000848		0.0008472	0.0008452
0.000844			0.000477					
0.1	3.7466	3.7466	3.7466	3.7466	3.7466	3.7196		
						Average of yearly averages:	1.8669043	

Inputs generated by pe4.pl - 8-August-2003

Data used for this run:

Output File: ESABSGDEMG

Metfile: w13958.dvf

PRZM scenario: TX_BSSMeadow.txt

EXAMS environment file: pond298.exv

Chemical Name: ESA

Description	Variable Name	Value	Units	Comments
-------------	---------------	-------	-------	----------

Molecular weight	mwt	329.7	g/mol	
------------------	-----	-------	-------	--

Henry's Law Const.	henry		atm-m ³ /mol	
--------------------	-------	--	-------------------------	--

Vapor Pressure	vapr		torr	
----------------	------	--	------	--

Solubility	sol	4800	mg/L	
------------	-----	------	------	--

Kd	Kd	0.041	mg/L	
----	----	-------	------	--

Koc	Koc		mg/L	
-----	-----	--	------	--

Photolysis half-life	kdp		days	Half-life
----------------------	-----	--	------	-----------

Aerobic Aquatic Metabolism	kbacw		days	Halfife
----------------------------	-------	--	------	---------

Anaerobic Aquatic Metabolism	kbacs		days	Halfife
------------------------------	-------	--	------	---------

Aerobic Soil Metabolism	asm	162.5	days	Halfife
-------------------------	-----	-------	------	---------

Hydrolysis:	pH 7		days	Half-life
-------------	------	--	------	-----------

Method: CAM	1	integer	See PRZM manual	
-------------	---	---------	-----------------	--

Incorporation Depth:	DEPI	4.00	cm	
----------------------	------	------	----	--

Application Rate:	TAPP	0.2244	kg/ha	
-------------------	------	--------	-------	--

Application Efficiency:	APPEFF	1.00	fraction	
-------------------------	--------	------	----------	--

Spray Drift	DRFT	0.00	fraction of application rate applied to pond	
-------------	------	------	--	--

Application Date	Date	1-3	dd/mm or dd/mm or dd-mm or dd-mmm	
------------------	------	-----	-----------------------------------	--

Record 17: FILTRA

IPSCND

UPTKF

Record 18: PLVKRT

PLDKRT

FEXTRC 0.5

Flag for Index Res. Run	IR	Pond
-------------------------	----	------

Flag for runoff calc.	RUNOFF	none	none, monthly or total(average of entire run)
-----------------------	--------	------	---

Post Processed Estimated Spring EECs

Estimated Spring						
Year	Max Peak	Max 14 day	Max 21 day	Max 30 day	Max 60 day	Max 90 day
1961	1.09E-02	8.61E-04	5.74E-04	4.02E-04	2.01E-04	1.34E-04
1962	3.95E-01	2.82E-02	1.88E-02	1.40E-02	6.98E-03	4.65E-03
1963	2.55E+00	1.91E-01	1.27E-01	8.89E-02	4.45E-02	2.96E-02
1964	1.08E+00	7.69E-02	5.12E-02	3.59E-02	1.82E-02	1.21E-02
1965	6.53E-04	4.66E-05	3.12E-05	2.18E-05	1.09E-05	7.28E-06
1966	7.43E-01	5.58E-02	3.72E-02	2.61E-02	1.30E-02	8.69E-03
1967	3.88E-02	3.07E-03	2.05E-03	1.43E-03	7.16E-04	4.77E-04
1968	4.09E-02	2.92E-03	1.95E-03	1.36E-03	6.82E-04	4.55E-04
1969	2.91E-02	2.13E-03	1.42E-03	9.94E-04	4.97E-04	3.31E-04
1970	1.49E+00	1.06E-01	7.08E-02	4.96E-02	2.48E-02	1.65E-02
1971	4.25E+00	3.03E-01	2.02E-01	1.42E-01	7.63E-02	5.09E-02
1972	8.15E-01	5.92E-02	3.95E-02	2.76E-02	1.38E-02	9.21E-03
1973	6.69E-01	4.79E-02	3.19E-02	2.23E-02	1.12E-02	7.45E-03
1974	1.01E+00	7.21E-02	5.20E-02	3.64E-02	1.82E-02	1.21E-02
1975	8.53E-02	6.89E-03	4.60E-03	3.22E-03	1.61E-03	1.07E-03
1976	2.54E-05	1.94E-06	1.29E-06	9.06E-07	4.53E-07	3.02E-07
1977	3.04E+00	2.17E-01	1.45E-01	1.04E-01	5.20E-02	3.47E-02
1978	1.14E-01	8.12E-03	5.41E-03	3.92E-03	1.96E-03	1.31E-03
1979	3.97E-02	3.07E-03	2.04E-03	1.43E-03	7.16E-04	4.77E-04
1980	6.32E-01	4.52E-02	3.01E-02	2.12E-02	1.06E-02	7.06E-03
1981	3.80E-01	2.71E-02	1.81E-02	1.27E-02	6.33E-03	4.22E-03
1982	1.12E-02	8.06E-04	5.37E-04	3.76E-04	1.88E-04	1.25E-04
1983	3.95E+00	2.87E-01	1.92E-01	1.34E-01	6.71E-02	4.47E-02
1984	5.33E-01	3.81E-02	2.54E-02	1.78E-02	8.88E-03	5.92E-03
1985	2.30E-01	1.65E-02	1.10E-02	7.78E-03	3.89E-03	2.59E-03
1986	1.96E-01	1.46E-02	9.72E-03	6.81E-03	3.40E-03	2.27E-03
1987	5.76E-05	4.35E-06	2.90E-06	2.03E-06	1.01E-06	6.76E-07
1988	1.73E-01	1.23E-02	8.23E-03	6.29E-03	3.16E-03	2.11E-03
1989	1.61E-02	1.15E-03	7.67E-04	5.38E-04	2.69E-04	1.79E-04
1990	2.37E-01	1.69E-02	1.13E-02	7.90E-03	3.96E-03	2.64E-03
90th % (ppb)	2.59984	0.193238	0.128825	0.09042	0.04522	0.030147