

APPENDIX L. T-HERPS Example Output

Sample output for foliar spray applications of permethrin based on based 10 applications of permethrin at a 3-day interval to minor leafy vegetables at a rate of 0.2 lb a.i./A.

Summary of Risk Quotient Calculations Based on Upper Bound Kenaga EECs

Table X. Upper Bound Kenaga, Acute Terrestrial Herpetofauna Dose-Based Risk Quotients											
Size Class (grams)	Adjusted LD50	EECs and RQs									
		Broadleaf Plants/ Small Insects		Fruits/Pods/ Seeds/ Large Insects		Small Herbivore Mammals		Small Insectivore Mammal		Small Amphibians	
		EEC	RQ	EEC	RQ	EEC	RQ	EEC	RQ	EEC	RQ
1.4	0.00	6.15	#####	0.68	#DIV/0!	N/A	N/A	N/A	N/A	N/A	N/A
37	0.00	6.05	#####	0.67	#DIV/0!	175.49	#####	10.97	#DIV/0!	0.21	#####
238	0.00	3.96	#####	0.44	#DIV/0!	27.28	#####	1.71	#DIV/0!	0.14	#####

Table X. Upper Bound Kenaga, Subacute Terrestrial Herpetofauna Dietary Based Risk Quotients										
LC50 (ppm)	EECs and RQs									
	Broadleaf Plants/ Small Insects		Fruits/Pods/ Seeds/ Large Insects		Small Herbivore Mammals		Small Insectivore Mammals		Small Amphibians	
	EEC	RQ	EEC	RQ	EEC	RQ	EEC	RQ	EEC	RQ
0	158.36	#DIV/0!	17.60	#DIV/0!	185.51	#DIV/0!	11.59	#DIV/0!	5.50	#DIV/0!

Size class not used for dietary risk quotients

Table X. Upper Bound Kenaga, Chronic Terrestrial Herpetofauna Dietary Based Risk Quotients										
NOAEC (ppm)	EECs and RQs									
	Broadleaf Plants/ Small Insects		Fruits/Pods/ Seeds/ Large Insects		Small Herbivore Mammals		Small Insectivore Mammals		Small Amphibians	
	EEC	RQ	EEC	RQ	EEC	RQ	EEC	RQ	EEC	RQ
125	158.36	1.27	17.60	0.14	185.51	1.48	11.59	0.09	5.50	0.04

Size class not used for dietary risk quotients