

Safety Kleen Sys. Inc.

**Bldg PP 9 River Rd.
Tullytown, PA 19007
Congressional District
EPA ID #: PAD065716813
Site property area:
Final Update**

Status

EPA Region 3 has determined that Corrective Action is complete and no land use controls are required (Corrective Action Complete without Controls) for the Facility. A public notice was posted in The Bucks County Courier Times newspaper on June 12, 2009 and was followed by a thirty (30)-day comment period that ended on July 12, 2009. The Final Decision and Response to Comments became effective July 16, 2009.

The Environmental Indicators (EIs) were completed on June 18, 2009. The two EIs are called "Current Human Exposures Under Control" and "Migration of Contaminated Groundwater Under Control." The EIs completed reflect the decision of Corrective Action Complete without Controls and have status codes of "Yes, Under Control" for both.

Facility Description

The Facility was located at 670 Cochran Mill Road, Smith Industrial Park, Clairton, Jefferson Township, Allegheny County, Pennsylvania. The Facility leased a building to house its solvent distribution activities from an unknown date until approximately August 1988. The operations of the Facility included one 8,000 gallon and two 5,000 gallon underground storage tanks (USTs) for spent mineral spirits ("solvents") storage, one 2,000 gallon and two 10,000 gallon USTs for recycled solvent storage, solvent drum storage, and a wet dumpster area.

A December 17, 1998 letter from PADEP indicates that all hazardous wastes has been removed, contaminated soil has been remediated, and contaminated groundwater has been remediated in accordance with the December 18, 1997 Closure Plan. During remediation activities, 2.5 years of pump and treat operations removed over 200,000 gallons of contaminated groundwater; over 7 years of groundwater monitoring has been completed to demonstrate effective remediation; and PADEP obtained groundwater samples on June 18, 1998 upon which analysis confirmed the only remaining contaminant, benzene, was below the remediation standard. Additionally, PADEP accepted and approved the November 25, 1998 Safety-Kleen Closure Certification regarding remediation and closure activities. Furthermore, PADEP concurred that the Facility has been closed in accordance with the closure plan. This letter references a final site inspection that was conducted on December 3, 1998 in which no problems

were identified.

Government Contact

EPA Project Manager
Mr. Kevin Bilash - 3LC30
U.S. Environmental Protection Agency - Region III
1650 Arch Street
Philadelphia, PA 19103-2029
Phone: (215) 814-2796
Email: bilash.kevin@epa.gov

For more information about EPA's corrective action Web page, including Environmental Indicators, please visit our site at: www.epa.gov/reg3wcmd/correctiveaction.htm.