

... Liter, V-6, All
o, AC, Cruise,
r Sliding Doors,
k, Super Clean
nts, \$239 Mth,
Sales, Rt. 16,
676-2129.

FOR SALE: 2010 Chevy HHR LT
- All The Toys Inc. AC, PW, PL, AM/
FM, CD, Factory Warranty
Remaining, Only 65k, \$199 Mth, 66
Mths.. Civic Auto Sales, Rt. 16,
Franklinville, NY. 676-2129.
civicauto.net



FOR SALE: 2004 Pontiac Grand
Prix GT - All The Toys Included, P.
Driver Seat, PW, PL, AC, Cruise, Tilt,
Only 96k, Inspected & Ready To Go!
\$179 Mth, 36 Mths. Civic Auto Sales,
Rt. 16, Franklinville, NY. 676-2129.
civicauto.net



FOR SALE: 2007 Dodge Caravan
- V-6, Stow-N-Go Seating, 88,000
Miles, \$6,500. Randy's Used Cars,
Rt. 219 Great Valley 945-5880.



FOR SALE: 2004 Ford F250 -
4x4, V-8, Auto, Red, Very Good
Condition, \$8,500. Randy's Used
Cars, Rt. 219 Great Valley 945-
5880.



Chrysler Town
to, AC, Cruise,
ass., Inspected
y \$3,495. Civic
Rt. 16, Franklinville,
civicauto.net

Legal Notices

from the date of this
notice. The EPA's deci-
sion on the question
of whether to hold a
public hearing on the
draft NPDES permit,
the administration of
any hearing and the
rights and obligations
of participants are
governed by regula-
tions at 40 C.F.R.

§124.12. If EPA holds
a public hearing, the
public comment period
in this notice shall
automatically be
extended to the close
of the public hearing.
If the EPA does not
hold a public hearing
or reopen the com-
ment period, the EPA
shall consider the
issuance of a final per-
mit to the applicant as
soon as possible after
the date indicated

above for the submis-
sion of comments. All
timely comments, sub-
mitted by interested
persons in response to
this notice, and state-
ments and other
evidence properly sub-
mitted at any public
hearing held by the
EPA shall be consid-
ered in making the fi-
nal decision with re-
spect to these permit
applications. All com-
ments shall be an-
swered as provided in
40 C.F.R. §124.17.

The applicant and any
other person who sub-
mits timely written
comments or requests
notice of final permit
decision shall receive
notice of the EPA's fi-
nal decision. Within 30
days of service of
such notice, any inter-
ested person who has
submitted timely writ-
ten comments may file
a notice of appeal and
petition for review to
the Environmental Ap-
peals Board to review
any condition of the
permit decision. Any
person who failed to
file comments or failed
to participate in the
public hearing on the
draft permit may
petition for review only
to the extent of the
changes from the draft
to the final permit
decision. Any such
request must meet the
requirements of
40 CFR §124.19.

Kate Anderson
Clean Water
Regulatory Branch
U.S. Environmental
Protection Agency

**Center S
to hos
summ**

SALAMANCA — Th
will host summer reviva
continuing through We
The revivals will be
and take place at 10 a.m.
Aug. 3 and at 7 p.m. A
The church is locate
Salamanca. For additi
Darling at (716) 801-11

SALAMANCA
United Congregational Methodi
134 Broad St.
Pastor Raymond Gilman. Sunday wor
communion, 10:30 a.m. S.S. 9 a.m. fr
a.m. band practice. SPECIAL NOTES:
a.m.: Quilting. Wednesday 10 a.m.:
Painting. Saturday: 8:30 a.m. Men
(716) 945-2120.

Anchor of Hope Christian C
(corner of Broad and Park st
Pastor David Prymak. Pre-servi
a.m. Sunday worship 10:30 a.m.
available. SPECIAL NOTES: Wed
ning Bible Study, 6 p.m. Special
home Bible studies. (716) 945-13

Healing Reigns Fellows
28 River St.
Pastor Wally Mapes. Sunday wor
S.S. at 9 a.m. for all ages, children t
SPECIAL NOTES: Tuesday night B
church 6:30 p.m. (716) 945-3670/31

Free Methodist Church
387 Center St.
Rev. Sam Stull. Sunday worship 10
ages 9 a.m. Junior Church kids 5 y
up through fifth grade. Youth group
p.m. (716) 945-5490.

First Baptist Church
41 S. Main St.
Rev. Tim Griffith. Sunday worship
S.S. for children and adults 9:30 a.
ary. Junior Church up to and incl
grade. (716) 945-3470/5196.

House of Prayer
122 Highland Ave.
Pastor Robert Goode. S.S. 9:30
worship 10:45 a.m. Prayer/Bible
nated places Wednesday 6:30
Thursday 10 a.m. (716) 372-6092.

Our Lady of Peace Roman Cath
274 Broad St.

Legal Notices

**NOTICE OF A
PUBLIC HEARING**
Planning Board of
Salamanca, in the City of
Salamanca, will hold a
Public Hearing to
consider two (2) Area
Variance requests.

Area Variance
request is from Werd
Diane Saradin
Kent Boule-
Salamanca, New
York to erect a 10' x 6'
porch on the front and
side of their house.
The porch will be
approximately eighteen
feet from the property
line and eight feet from
the street line. This
application of the
Salamanca
Law, Section
Intensity Control
the porch shall
be approximately
twenty-five
feet from the
property line and
eight feet from the
street line.

Area
request is
Daniel Law of
Oak Street,
Salamanca, New York
and his existing
porch to 8' x 28'.
The porch will be
approximately
seventeen
feet from the
k. This is in
accordance with
Salamanca Zoning
Section 5.1-

Control Table-
sh shall be at
least fifty (25')
from the front
property line.
Public Hearing will
be held at the City of
Salamanca Municipal
Building, 225 Wild-
venue, Sala-
New York on
Friday, August 12,
5:30 P.M. in
conference Room.
The Planning Board
will hear all
interested parties
at the time and
place of the application

**MENTLEY
FUNERAL HOME, INC.**

411 Rock City St., Little Valley
716-938-9159
105 East Main St., Gowanda
716-532-2652

**Classified Advertising
gets results!**
For great ideas check
the Classifieds.
945-1644

Legal Notices

may be examined at
the office of the
Assessor/Zoning/Code
Enforcement, at the
Salamanca Municipal
Building, during
regular office hours or
by appointment.

Cynthia A. Franklin,
Assessor
William L. Porter,
Zoning/Code
Enforcement Officer
Dated: July 25, 2014

**UNITED STATES
ENVIRONMENTAL
PROTECTION
AGENCY
REGION II
290 BROADWAY -
24TH FLOOR
NEW YORK,
NEW YORK 10007**

Public Notice No.
2014-30

Date: July 31, 2014
**NOTICE:
PREPARATION OF
DRAFT NPDES
PERMITS**

Notice is hereby given
that the following party
has applied to the
United States Environ-
mental Protection
Agency (EPA) under
the provisions of the
Clean Water Act, 33
U.S.C. §1251 et seq.
(the Act), for National
Pollutant Discharge
Elimination System
(NPDES) permit for
the discharge of
pollutants into waters
of the United States.

Applicant
City of Salamanca
NPDES Number
NY0020508
Facility Name
Salamanca
Wastewater
Treatment Plant

Legal Notices

**Flow (MGD)*
2.0
Receiving Water/
Classification**
Allegheny River/C

This notice is being
given to inform the
public that the EPA
has prepared a draft
NPDES permit for this
facility. This draft per-
mit contains effluent
limitations, standards,
prohibitions and other
conditions necessary
to carry out the
provisions of the Act.
If, after the conclusion
of the proceeding
summarized below, the
Regional Administrator
of EPA Region 2
makes a final decision
to issue the permit, the
applicant will be
required to comply with
all the conditions in
the permit.

The draft permit pre-
pared by the EPA is
based on the respec-
tive administrative
record. Among other
documents, the
administrative record
required by 40 CFR
§124.9, consists of the
application, draft
NPDES permit, and
statement of basis or
fact sheet describing
the basis for the con-
ditions in the draft per-
mit. All data submitted
by the applicant is
available as part of the
administrative record.
A copy of the adminis-
trative record is on file
at the above and may
be inspected and pho-
tocopied at a cost of
\$.15 per page at any
time between 8:30
A.M. and 4:00 P.M.,

Legal Notices

Monday through Fri-
day. A copy of the
draft permit and fact
sheet may be obtained
by writing to the above
address or by calling
(212) 637-3850. The
draft permit and fact
sheet are also avail-
able on the EPA web-
site at the following
web address:
<http://www.epa.gov/region02/water/permits.html>

Interested persons may
submit written
comments on the draft
permit to the Chief,
Clean Water Regula-
tory Branch, at the
above address. All
comments must be
submitted by no later
than 30 days from the
date of this notice.

All persons may pro-
vide comments during
the public comment
period. If the EPA
finds that comments
timely submitted ap-
pear to raise substan-
tial new questions, the
EPA may reopen the
public comment period
for that permit.

Any interested persons
may request a public
hearing on these
documents. Any
request for a public
hearing under 40
C.F.R. §124.11 on
EPA's draft permit
shall be in writing,
state the nature of the
issues proposed to be
raised in the hearing,
and be submitted to
the Chief, Clean Water
Regulatory Branch,
EPA, Region 2, at the
above address by no
later than 30 days