Click Here to Return to Main Document

SIKORSKY AIRCRAFT CORPORATION - STRATFORD FACILITY
ENVIRONMENTAL INDICATOR FORM CA750 - MIGRATION OF CONTAMINATED GROUNDWATER UNDER CONTROL

AC	LOC_ID	RES_TYPE	SAMP_DATE	START_DEPTH	FRACTION	CLASS	PARAMETER	RESULT	QUAL	CRITERIA	UNITS	FACTOR	CRITERIA TYPE
AC-1	MW0057D	SA	4/23/97	61.61	T	INORGANICS	Manganese	2.01		0.8	mg/L	2.5	RFI CRITERIA
AC-1	MW0057S	SA	4/23/97	6.17	T	INORGANICS	Manganese	5.23		0.8	mg/L	6.5	RFI CRITERIA
AC-1	MW0058B	SA	4/24/97	74.525	T	INORGANICS	Manganese	3.67		0.8	mg/L	4.6	RFI CRITERIA
AC-1	MW0058D	SA	4/24/97	41.2	T	INORGANICS	Manganese	0.843		0.8	mg/L	1.1	RFI CRITERIA
AC-1	MW0058S	DU	4/24/97	10.22	T	INORGANICS	Manganese	1.22		0.8	mg/L	1.5	RFI CRITERIA
AC-1	MW0058S	SA	4/24/97	10.22	T	INORGANICS	Manganese	1.24		0.8	mg/L	1.6	RFI CRITERIA
AC-1	MW0059S	SA	4/23/97	11.44	T	INORGANICS	Manganese	2.88		0.8	mg/L	3.6	RFI CRITERIA
AC-1	MW0060B	SA	4/25/97	74.01	T	INORGANICS	Manganese	1.35		0.8	mg/L	1.7	RFI CRITERIA
AC-1	MW0060D	SA	4/25/97	37.03	T	INORGANICS	Manganese	0.906		0.8	mg/L	1.1	RFI CRITERIA
AC-1	MW0060S	SA	4/25/97	7.95	T	INORGANICS	Manganese	1.05		0.8	mg/L	1.3	RFI CRITERIA
AC-1	MW0061D	SA	4/19/00	66.61	F	INORGANICS	Manganese	2.02		0.8	mg/L	2.5	RFI CRITERIA
AC-1	MW0061D	SA	4/19/00	66.61	T	INORGANICS	Manganese	1.99		0.8	mg/L	2.5	RFI CRITERIA
AC-1	MW0061S	SA	4/19/00	9.5	F	INORGANICS	Manganese	3.28		0.8	mg/L	4.1	RFI CRITERIA
AC-1	MW0061S	SA	4/19/00	9.5	T	INORGANICS	Manganese	3.14		0.8	mg/L	3.9	RFI CRITERIA
AC-1	MW0062B	SA	4/19/00	102.6	F	INORGANICS	Manganese	1.42		0.8	mg/L	1.8	RFI CRITERIA
AC-1	MW0062B	SA	4/19/00	102.6	T	INORGANICS	Manganese	1.59		0.8	mg/L	2.0	RFI CRITERIA
AC-1	MW0062D	SA	4/19/00	70.06	F	INORGANICS	Manganese	2.06		0.8	mg/L	2.6	RFI CRITERIA
AC-1	MW0062D	SA	4/19/00	70.06	T	INORGANICS	Manganese	2.06		0.8	mg/L	2.6	RFI CRITERIA
AC-1	MW0062S	DU	4/19/00	12.1	F	INORGANICS	Manganese	1.73		0.8	mg/L	2.2	RFI CRITERIA
AC-1	MW0062S	DU	4/19/00	12.1	T	INORGANICS	Manganese	1.58		0.8	mg/L	2.0	RFI CRITERIA
AC-1	MW0062S	SA	4/19/00	12.1	F	INORGANICS	Manganese	1.67		0.8	mg/L	2.1	RFI CRITERIA
AC-1	MW0062S	SA	4/19/00	12.1	T	INORGANICS	Manganese	1.6		0.8	mg/L	2.0	RFI CRITERIA
AC-1	MW0063D	SA	4/17/00	60.9	F	INORGANICS	Manganese	4.57		0.8	mg/L	5.7	RFI CRITERIA
AC-1	MW0063D	SA	4/17/00	60.9	T	INORGANICS	Manganese	4.67		0.8	mg/L	5.8	RFI CRITERIA
AC-1	MW0063M	SA	4/17/00	24.54	F	INORGANICS	Manganese	1.52		0.8	mg/L	1.9	RFI CRITERIA
AC-1	MW0063M	SA	4/17/00	24.54	T	INORGANICS	Manganese	1.51		0.8	mg/L	1.9	RFI CRITERIA
AC-1	MW0064B	SA	4/18/00	76.21	F	INORGANICS	Manganese	0.952		0.8	mg/L	1.2	RFI CRITERIA
AC-1	MW0064B	SA	4/18/00	76.21	T	INORGANICS	Manganese	0.938		0.8	mg/L	1.2	RFI CRITERIA
AC-1	MW0064D	SA	4/18/00	49.62	F	INORGANICS	Manganese	1		0.8	mg/L	1.3	RFI CRITERIA
AC-1	MW0064D	SA	4/18/00	49.62	T	INORGANICS	Manganese	0.984		0.8	mg/L	1.2	RFI CRITERIA
AC-1	MW0064M	SA	4/18/00	25.3	F	INORGANICS	Manganese	1.08		0.8	mg/L	1.4	RFI CRITERIA
AC-1	MW0064M	SA	4/18/00	25.3	T	INORGANICS	Manganese	1		0.8	mg/L	1.3	RFI CRITERIA
AC-1	MW0064S	SA	4/18/00	6.34	F	INORGANICS	Manganese	7.69		0.8	mg/L	9.6	RFI CRITERIA
AC-1	MW0064S	SA	4/18/00	6.34	T	INORGANICS	Manganese	5.78		0.8	mg/L	7.2	RFI CRITERIA
AC-1	MW0065B	SA	4/19/00	95.09	F	INORGANICS	Manganese	0.859		0.8	mg/L	1.1	RFI CRITERIA
AC-1	MW0065B	SA	4/19/00	95.09	T	INORGANICS	Manganese	0.902		0.8	mg/L	1.1	RFI CRITERIA
AC-1	MW0065D	SA	4/19/00	66.77	F	INORGANICS	Manganese	3.15		0.8	mg/L	3.9	RFI CRITERIA
AC-1	MW0065D	SA	4/19/00	66.77	T	INORGANICS	Manganese	3.06		0.8	mg/L	3.8	RFI CRITERIA
AC-1	MW0065S	SA	4/19/00	14.92	F	INORGANICS	Manganese	4.58		0.8	mg/L	5.7	RFI CRITERIA
AC-1	MW0065S	SA	4/19/00	14.92	T	INORGANICS	Manganese	4.31		0.8	mg/L	5.4	RFI CRITERIA
AC-1	MW0066B	SA	4/18/00	79.84	F	INORGANICS	Manganese	2.79		0.8	mg/L	3.5	RFI CRITERIA
AC-1	MW0066B	SA	4/18/00	79.84	T	INORGANICS	Manganese	2.49		0.8	mg/L	3.1	RFI CRITERIA
AC-1	MW0066D	SA	4/18/00	41.35	F	INORGANICS	Manganese	3.17		0.8	mg/L	4.0	RFI CRITERIA
AC-1	MW0066D	SA	4/18/00	41.35	T	INORGANICS	Manganese	3.21		0.8	mg/L	4.0	RFI CRITERIA
AC-1	MW0066M	DU	4/18/00	22.05	F	INORGANICS	Manganese	1.49		0.8	mg/L	1.9	RFI CRITERIA
AC-1	MW0066M	DU	4/18/00	22.05	T	INORGANICS	Manganese	1.41		0.8	mg/L	1.8	RFI CRITERIA
AC-1	MW0066M	SA	4/18/00	22.05	F	INORGANICS	Manganese	1.44		0.8	mg/L	1.8	RFI CRITERIA
AC-1	MW0066M	SA	4/18/00	22.05	T	INORGANICS	Manganese	1.37		0.8	mg/L	1.7	RFI CRITERIA

APPENDIX B
FACILITY-WIDE GROUNDWATER EXCEEDING SCREENING CRITERIA

SIKORSKY AIRCRAFT CORPORATION - STRATFORD FACILITY
ENVIRONMENTAL INDICATOR FORM CA750 - MIGRATION OF CONTAMINATED GROUNDWATER UNDER CONTROL

AC	LOC_ID	RES_TYPE	SAMP_DATE	START_DEPTH	FRACTION	CLASS	PARAMETER	RESULT	QUAL	CRITERIA	UNITS	FACTOR	CRITERIA TYPE
AC-1	MW0066S	SA	4/18/00	6.74	F	INORGANICS	Manganese	1.53		0.8	mg/L	1.9	RFI CRITERIA
AC-1	MW0066S	SA	4/18/00	6.74	T	INORGANICS	Manganese	1.46		0.8	mg/L	1.8	RFI CRITERIA
AC-1	MW0067B	SA	4/25/97	99.54	T	INORGANICS	Manganese	2.09		0.8	mg/L	2.6	RFI CRITERIA
AC-1	MW0067D	SA	4/25/97	70.04	T	INORGANICS	Manganese	6.69		0.8	mg/L	8.4	RFI CRITERIA
AC-1	MW0068D	SA	4/25/97	75.04	T	INORGANICS	Manganese	4.72		0.8	mg/L	5.9	RFI CRITERIA
AC-1	MW0068S	SA	4/25/97	10.25	T	INORGANICS	Manganese	1.64		0.8	mg/L	2.1	RFI CRITERIA
AC-1	MW0095B	SA	4/23/97	85.58	T	INORGANICS	Manganese	1.09		0.8	mg/L	1.4	RFI CRITERIA
AC-1	MW0095D	SA	4/23/97	59.55	T	INORGANICS	Manganese	2.07		0.8	mg/L	2.6	RFI CRITERIA
AC-1	MW0095S	SA	4/23/97	8.05	T	INORGANICS	Manganese	1.41		0.8	mg/L	1.8	RFI CRITERIA
AC-1	SB0651	SA	4/6/00	35	T	INORGANICS	Manganese	2.38		0.8	mg/L	3.0	RFI CRITERIA
AC-1	SB0651	SA	4/7/00	10	T	INORGANICS	Manganese	1.76		0.8	mg/L	2.2	RFI CRITERIA
AC-1	SB0651	SA	4/7/00	45	T	INORGANICS	Manganese	1.49		0.8	mg/L	1.9	RFI CRITERIA
AC-2	MW0010S	DU	4/9/97	18	T	INORGANICS	Manganese	3.5		0.8	mg/L	4.4	RFI CRITERIA
AC-2	MW0010S	SA	4/9/97	18	T	INORGANICS	Manganese	3.41		0.8	mg/L	4.3	RFI CRITERIA
AC-2	MW0097D	SA	4/10/97	56.82	T	INORGANICS	Manganese	0.833		0.8	mg/L	1.0	RFI CRITERIA
AC-2	MW0097M1	SA	4/10/97	27.95	T	INORGANICS	Manganese	2.8		0.8	mg/L	3.5	RFI CRITERIA
AC-2	MW0097S	DU	4/10/97	11.46	T	INORGANICS	Manganese	4.44		0.8	mg/L	5.6	RFI CRITERIA
AC-2	MW0097S	SA	4/10/97	11.46	T	INORGANICS	Manganese	4.51		0.8	mg/L	5.6	RFI CRITERIA
AC-3	MW0071M	SA	4/22/97	20.1	T	INORGANICS	Manganese	2		0.8	mg/L	2.5	RFI CRITERIA
AC-3	MW0071S	DU	4/22/97	8.13	T	INORGANICS	Manganese	2.79		0.8	mg/L	3.5	RFI CRITERIA
AC-3	MW0071S	SA	4/22/97	8.13	T	INORGANICS	Manganese	2.78		0.8	mg/L	3.5	RFI CRITERIA
AC-4	MW0056S	SA	4/10/97	12.5	T	INORGANICS	Manganese	2.15		0.8	mg/L	2.7	RFI CRITERIA
AC-4	MW0094M2	SA	4/8/97	47.17	T	INORGANICS	Manganese	2.13		0.8	mg/L	2.7	RFI CRITERIA
AC-4	MW0094S	DU	4/8/97	10.37	T	INORGANICS	Manganese	3.44		0.8	mg/L	4.3	RFI CRITERIA
AC-4	MW0094S	SA	4/8/97	10.37	T	INORGANICS	Manganese	3.67		0.8	mg/L	4.6	RFI CRITERIA
AC-4	MW0096D	SA	4/8/97	46.62	T	INORGANICS	Manganese	0.839		0.8	mg/L	1.0	RFI CRITERIA
AC-4	MW0096M	SA	4/8/97	25.22	T	INORGANICS	Manganese	2.18		0.8	mg/L	2.7	RFI CRITERIA
AC-4	MW0096S	SA	4/8/97	9.08	T	INORGANICS	Manganese	9.99		0.8	mg/L	12.5	RFI CRITERIA
AC-5	GW0150	SA	6/6/00	0	F	INORGANICS	Manganese	1.24		0.8	mg/L	1.6	RFI CRITERIA
AC-6	GW0034	SA	8/2/98	17	F	INORGANICS	Manganese	3.163		0.8	mg/L	4.0	RFI CRITERIA
AC-6	GW0034	SA	8/2/98	17	T	INORGANICS	Manganese	3.07		0.8	mg/L	3.8	RFI CRITERIA
AC-6	GW0034	SA	8/3/98	26	T	INORGANICS	Manganese	3.716		0.8	mg/L	4.6	RFI CRITERIA
AC-6	GW0034	SA	8/3/98	35	T	INORGANICS	Manganese	1.16		0.8	mg/L	1.5	RFI CRITERIA
AC-6	GW0034	SA	8/4/98	50	T	INORGANICS	Manganese	1.825		0.8	mg/L	2.3	RFI CRITERIA
AC-6	GW0034	SA	8/4/98	60	T	INORGANICS	Manganese	1.41		0.8	mg/L	1.8	RFI CRITERIA
AC-6	GW0035	SA	8/2/98	26.5	T	INORGANICS	Manganese	1.329		0.8	mg/L	1.7	RFI CRITERIA
AC-6	GW0035	SA	8/3/98	29.5	T	INORGANICS	Manganese	1.876		0.8	mg/L	2.3	RFI CRITERIA
AC-6	GW0035	SA	8/3/98	32.5	T	INORGANICS	Manganese	0.825		0.8	mg/L	1.0	RFI CRITERIA
AC-6	GW0035	SA	8/3/98	35.5	T	INORGANICS	Manganese	1.118		0.8	mg/L	1.4	RFI CRITERIA
AC-6	GW0036	SA	8/7/98	38	T	INORGANICS	Manganese	0.814		0.8	mg/L	1.0	RFI CRITERIA
AC-6	GW0036	SA	8/8/98	45	T	INORGANICS	Manganese	1.668		0.8	mg/L	2.1	RFI CRITERIA
AC-6	GW0037	DU	8/5/98	17	F	INORGANICS	Manganese	1.185		0.8	mg/L	1.5	RFI CRITERIA
AC-6	GW0037	DU	8/5/98	17	T	INORGANICS	Manganese	1.201		0.8	mg/L	1.5	RFI CRITERIA
AC-6	GW0037	SA	8/5/98	17	F	INORGANICS	Manganese	1.195		0.8	mg/L	1.5	RFI CRITERIA
AC-6	GW0037	SA	8/5/98	17	T	INORGANICS	Manganese	1.178		0.8	mg/L	1.5	RFI CRITERIA
AC-6	GW0037	SA	8/5/98	32	T	INORGANICS	Manganese	1.978		0.8	mg/L	2.5	RFI CRITERIA
AC-6	GW0037	SA	8/5/98	42	T	INORGANICS	Manganese	2.717		0.8	mg/L	3.4	RFI CRITERIA
AC-6	GW0038	SA	8/4/98	16.5	F	INORGANICS	Manganese	1.804		0.8	mg/L	2.3	RFI CRITERIA

AC	LOC_ID	RES_TYPE	SAMP_DATE	START_DEPTH	FRACTION	CLASS	PARAMETER	RESULT	QUAL	CRITERIA	UNITS	FACTOR	CRITERIA TYPE
AC-6	GW0038	SA	8/4/98	16.5	T	INORGANICS	Manganese	1.719		0.8	mg/L	2.1	RFI CRITERIA
AC-6	GW0038	SA	8/4/98	22.5	T	INORGANICS	Manganese	0.822		0.8	mg/L	1.0	RFI CRITERIA
AC-6	GW0038	SA	8/4/98	25.5	T	INORGANICS	Manganese	1.012		0.8	mg/L	1.3	RFI CRITERIA
AC-6	GW0038	SA	8/4/98	34.5	T	INORGANICS	Manganese	1.753		0.8	mg/L	2.2	RFI CRITERIA
AC-6	GW0040	DU	8/7/98	42	T	INORGANICS	Manganese	1.861		0.8	mg/L	2.3	RFI CRITERIA
AC-6	GW0040	SA	8/6/98	17	F	INORGANICS	Manganese	1.664		0.8	mg/L	2.1	RFI CRITERIA
AC-6	GW0040	SA	8/6/98	17	T	INORGANICS	Manganese	1.612		0.8	mg/L	2.0	RFI CRITERIA
AC-6	GW0040	SA	8/7/98	32	T	INORGANICS	Manganese	1.314		0.8	mg/L	1.6	RFI CRITERIA
AC-6	GW0040	SA	8/7/98	42	T	INORGANICS	Manganese	1.884		0.8	mg/L	2.4	RFI CRITERIA
AC-6	GW0040	SA	8/7/98	47	T	INORGANICS	Manganese	1.593		0.8	mg/L	2.0	RFI CRITERIA
AC-6	GW0041	SA	8/8/98	17	F	INORGANICS	Manganese	11.49		0.8	mg/L	14.4	RFI CRITERIA
AC-6	GW0041	SA	8/8/98	17	T	INORGANICS	Manganese	11.28		0.8	mg/L	14.1	RFI CRITERIA
AC-6	GW0041	SA	8/8/98	22	F	INORGANICS	Manganese	2.233		0.8	mg/L	2.8	RFI CRITERIA
AC-6	GW0041	SA	8/8/98	22	T	INORGANICS	Manganese	2.175		0.8	mg/L	2.7	RFI CRITERIA
AC-6	GW0041	SA	8/8/98	27	T	INORGANICS	Manganese	1.012		0.8	mg/L	1.3	RFI CRITERIA
AC-6	GW0042	SA	8/19/98	23	F	INORGANICS	Manganese	3.089		0.8	mg/L	3.9	RFI CRITERIA
AC-6	GW0042	SA	8/19/98	23	T	INORGANICS	Manganese	3.228		0.8	mg/L	4.0	RFI CRITERIA
AC-6	GW0042	SA	8/19/98	33	F	INORGANICS	Manganese	4.19		0.8	mg/L	5.2	RFI CRITERIA
AC-6	GW0042	SA	8/19/98	33	T	INORGANICS	Manganese	4.32		0.8	mg/L	5.4	RFI CRITERIA
AC-6	GW0042	SA	8/19/98	46.3	F	INORGANICS	Manganese	0.961		0.8	mg/L	1.2	RFI CRITERIA
AC-6	GW0042	SA	8/19/98	46.3	T	INORGANICS	Manganese	1.035		0.8	mg/L	1.3	RFI CRITERIA
AC-6	GW0045	SA	4/2/99	35	F	INORGANICS	Manganese	1.48		0.8	mg/L	1.9	RFI CRITERIA
AC-6	GW0045	SA	4/2/99	35	T	INORGANICS	Manganese	1.5		0.8	mg/L	1.9	RFI CRITERIA
AC-6	GW0045	SA	4/2/99	40	F	INORGANICS	Manganese	1.25		0.8	mg/L	1.6	RFI CRITERIA
AC-6	GW0045	SA	4/2/99	40	T	INORGANICS	Manganese	1.29		0.8	mg/L	1.6	RFI CRITERIA
AC-6	GW0045	SA	4/5/99	9	F	INORGANICS	Manganese	0.804		0.8	mg/L	1.0	RFI CRITERIA
AC-6	GW0045	SA	4/5/99	4	F	INORGANICS	Manganese	1.1		0.8	mg/L	1.4	RFI CRITERIA
AC-6	GW0045	SA	4/5/99	4	F	INORGANICS	Manganese	1.12	J	0.8	mg/L	1.4	RFI CRITERIA
AC-6	GW0045	SA	4/5/99	4	T	INORGANICS	Manganese	1.06		0.8	mg/L	1.3	RFI CRITERIA
AC-6	GW0045	SA	4/5/99	4	T	INORGANICS	Manganese	1.01	J	0.8	mg/L	1.3	RFI CRITERIA
AC-6	GW0046	SA	4/1/99	20	T	INORGANICS	Manganese	2.14		0.8	mg/L	2.7	RFI CRITERIA
AC-6	GW0047	SA	4/6/99	4	F	INORGANICS	Manganese	1.6		0.8	mg/L	2.0	RFI CRITERIA
AC-6	GW0047	SA	4/6/99	4	F	INORGANICS	Manganese	1.66		0.8	mg/L	2.1	RFI CRITERIA
AC-6	GW0047	SA	4/6/99	4	T	INORGANICS	Manganese	1.61		0.8	mg/L	2.0	RFI CRITERIA
AC-6	GW0047	SA	4/6/99	4	T	INORGANICS	Manganese	1.6		0.8	mg/L	2.0	RFI CRITERIA
AC-6	GW0047	SA	4/7/99	25	F	INORGANICS	Manganese	2.79		0.8	mg/L	3.5	RFI CRITERIA
AC-6	GW0047	SA	4/7/99	25	T	INORGANICS	Manganese	2.9		0.8	mg/L	3.6	RFI CRITERIA
AC-6	GW0047	SA	4/7/99	30	T	INORGANICS	Manganese	5.19		0.8	mg/L	6.5	RFI CRITERIA
AC-6	GW0047	SA	4/7/99	35	F	INORGANICS	Manganese	4.54		0.8	mg/L	5.7	RFI CRITERIA
AC-6	GW0047	SA	4/7/99	35	T	INORGANICS	Manganese	4.51		0.8	mg/L	5.6	RFI CRITERIA
AC-6	GW0048	DU	4/11/99	30	T	INORGANICS	Manganese	2.9		0.8	mg/L	3.6	RFI CRITERIA
AC-6	GW0048	SA	4/9/99	25	F	INORGANICS	Manganese	1.28		0.8	mg/L	1.6	RFI CRITERIA
AC-6	GW0048	SA	4/9/99	25	T	INORGANICS	Manganese	1.33		0.8	mg/L	1.7	RFI CRITERIA
AC-6	GW0048	SA	4/10/99	35	T	INORGANICS	Manganese	4.55		0.8	mg/L	5.7	RFI CRITERIA
AC-6	GW0048	SA	4/10/99	40	F	INORGANICS	Manganese	3.62		0.8	mg/L	4.5	RFI CRITERIA
AC-6	GW0048	SA	4/10/99	40	T	INORGANICS	Manganese	3.69		0.8	mg/L	4.6	RFI CRITERIA
AC-6	GW0048	SA	4/11/99	30	T	INORGANICS	Manganese	2.83		0.8	mg/L	3.5	RFI CRITERIA
AC-6	GW0049	SA	4/7/99	20	T	INORGANICS	Manganese	5.85		0.8	mg/L	7.3	RFI CRITERIA

SIKORSKY AIRCRAFT CORPORATION - STRATFORD FACILITY
ENVIRONMENTAL INDICATOR FORM CA750 - MIGRATION OF CONTAMINATED GROUNDWATER UNDER CONTROL

AC	LOC_ID	RES_TYPE	SAMP_DATE	START_DEPTH	FRACTION	CLASS	PARAMETER	RESULT	QUAL	CRITERIA	UNITS	FACTOR	CRITERIA TYPE
AC-6	GW0049	SA	4/7/99	25	F	INORGANICS	Manganese	4.96		0.8	mg/L	6.2	RFI CRITERIA
AC-6	GW0049	SA	4/7/99	25	T	INORGANICS	Manganese	4.94		0.8	mg/L	6.2	RFI CRITERIA
AC-6	GW0049	SA	4/7/99	30	F	INORGANICS	Manganese	5.75		0.8	mg/L	7.2	RFI CRITERIA
AC-6	GW0049	SA	4/7/99	30	T	INORGANICS	Manganese	6		0.8	mg/L	7.5	RFI CRITERIA
AC-6	GW0049	SA	4/8/99	35	F	INORGANICS	Manganese	3.25		0.8	mg/L	4.1	RFI CRITERIA
AC-6	GW0049	SA	4/8/99	35	T	INORGANICS	Manganese	3.29		0.8	mg/L	4.1	RFI CRITERIA
AC-6	GW0049	SA	4/8/99	40	F	INORGANICS	Manganese	0.89		0.8	mg/L	1.1	RFI CRITERIA
AC-6	GW0049	SA	4/8/99	40	T	INORGANICS	Manganese	0.9		0.8	mg/L	1.1	RFI CRITERIA
AC-6	GW0050	SA	4/11/99	25	F	INORGANICS	Manganese	1.15		0.8	mg/L	1.4	RFI CRITERIA
AC-6	GW0050	SA	4/11/99	25	T	INORGANICS	Manganese	1.18		0.8	mg/L	1.5	RFI CRITERIA
AC-6	GW0051	SA	4/12/99	30	F	INORGANICS	Manganese	1.17		0.8	mg/L	1.5	RFI CRITERIA
AC-6	GW0051	SA	4/12/99	30	T	INORGANICS	Manganese	1.25		0.8	mg/L	1.6	RFI CRITERIA
AC-6	GW0052	SA	4/27/99	13	T	INORGANICS	Manganese	3.24		0.8	mg/L	4.1	RFI CRITERIA
AC-6	GW0054	SA	4/20/99	19.1	F	INORGANICS	Manganese	1.24		0.8	mg/L	1.6	RFI CRITERIA
AC-6	GW0054	SA	4/20/99	19.1	T	INORGANICS	Manganese	1.32		0.8	mg/L	1.7	RFI CRITERIA
AC-6	GW0058	SA	4/20/99	15.5	T	INORGANICS	Manganese	1.35		0.8	mg/L	1.7	RFI CRITERIA
AC-6	GW0058	SA	4/21/99	40	F	INORGANICS	Manganese	1.11		0.8	mg/L	1.4	RFI CRITERIA
AC-6	GW0058	SA	4/21/99	40	T	INORGANICS	Manganese	1.2		0.8	mg/L	1.5	RFI CRITERIA
AC-6	GW0059	DU	4/24/99	10	T	INORGANICS	Manganese	2.31		0.8	mg/L	2.9	RFI CRITERIA
AC-6	GW0059	DU	4/24/99	10	T	INORGANICS	Manganese	2.33		0.8	mg/L	2.9	RFI CRITERIA
AC-6	GW0059	SA	4/22/99	25	F	INORGANICS	Manganese	1.74		0.8	mg/L	2.2	RFI CRITERIA
AC-6	GW0059	SA	4/22/99	25	T	INORGANICS	Manganese	1.71		0.8	mg/L	2.1	RFI CRITERIA
AC-6	GW0059	SA	4/24/99	10	T	INORGANICS	Manganese	2.2		0.8	mg/L	2.8	RFI CRITERIA
AC-6	GW0059	SA	4/24/99	10	T	INORGANICS	Manganese	2.39		0.8	mg/L	3.0	RFI CRITERIA
AC-6	GW0061	SA	4/23/99	42	F	INORGANICS	Manganese	0.9		0.8	mg/L	1.1	RFI CRITERIA
AC-6	GW0061	SA	4/23/99	42	T	INORGANICS	Manganese	0.93		0.8	mg/L	1.2	RFI CRITERIA
AC-6	GW0063	SA	4/25/99	10	T	INORGANICS	Manganese	2.79		0.8	mg/L	3.5	RFI CRITERIA
AC-6	GW0063	SA	4/25/99	10	T	INORGANICS	Manganese	2.8		0.8	mg/L	3.5	RFI CRITERIA
AC-6	GW0063	SA	4/25/99	17	T	INORGANICS	Manganese	2.67		0.8	mg/L	3.3	RFI CRITERIA
AC-6	GW0063	SA	4/25/99	17	T	INORGANICS	Manganese	2.63		0.8	mg/L	3.3	RFI CRITERIA
AC-6	GW0063	SA	4/26/99	25	F	INORGANICS	Manganese	0.94		0.8	mg/L	1.2	RFI CRITERIA
AC-6	GW0063	SA	4/26/99	25	T	INORGANICS	Manganese	0.9		0.8	mg/L	1.1	RFI CRITERIA
AC-6	GW0063	SA	4/26/99	30	T	INORGANICS	Manganese	0.83		0.8	mg/L	1.0	RFI CRITERIA
AC-6	GW0063	SA	4/26/99	35	F	INORGANICS	Manganese	1.57		0.8	mg/L	2.0	RFI CRITERIA
AC-6	GW0063	SA	4/26/99	35	T	INORGANICS	Manganese	1.34		0.8	mg/L	1.7	RFI CRITERIA
AC-6	GW0067	SA	5/11/99	8	F	INORGANICS	Manganese	1.07		0.8	mg/L	1.3	RFI CRITERIA
AC-6	GW0067	SA	5/11/99	8	F	INORGANICS	Manganese	1.11		0.8	mg/L	1.4	RFI CRITERIA
AC-6	GW0067	SA	5/11/99	8	T	INORGANICS	Manganese	1.07		0.8	mg/L	1.3	RFI CRITERIA
AC-6	GW0067	SA	5/11/99	8	T	INORGANICS	Manganese	1.28		0.8	mg/L	1.6	RFI CRITERIA
AC-6	GW0069	SA	5/12/99	4	F	INORGANICS	Manganese	1.08		0.8	mg/L	1.4	RFI CRITERIA
AC-6	GW0069	SA	5/12/99	4	F	INORGANICS	Manganese	1.13		0.8	mg/L	1.4	RFI CRITERIA
AC-6	GW0069	SA	5/12/99	4	T	INORGANICS	Manganese	1.06		0.8	mg/L	1.3	RFI CRITERIA
AC-6	GW0069	SA	5/12/99	4	T	INORGANICS	Manganese	1.22		0.8	mg/L	1.5	RFI CRITERIA
AC-6	GW0071	SA	5/18/99	31	F	INORGANICS	Manganese	1.57		0.8	mg/L	2.0	RFI CRITERIA
AC-6	GW0071	SA	5/18/99	31	T	INORGANICS	Manganese	1.55		0.8	mg/L	1.9	RFI CRITERIA
AC-6	GW0071	SA	5/19/99	6	F	INORGANICS	Manganese	7.74		0.8	mg/L	9.7	RFI CRITERIA
AC-6	GW0071	SA	5/19/99	6	F	INORGANICS	Manganese	6.93		0.8	mg/L	8.7	RFI CRITERIA
AC-6	GW0071	SA	5/19/99	6	T	INORGANICS	Manganese	8.32		0.8	mg/L	10.4	RFI CRITERIA

SIKORSKY AIRCRAFT CORPORATION - STRATFORD FACILITY
ENVIRONMENTAL INDICATOR FORM CA750 - MIGRATION OF CONTAMINATED GROUNDWATER UNDER CONTROL

AC	LOC_ID	RES_TYPE	SAMP_DATE	START_DEPTH	FRACTION	CLASS	PARAMETER	RESULT	QUAL	CRITERIA	UNITS	FACTOR	CRITERIA TYPE
AC-6	GW0071	SA	5/19/99	6	T	INORGANICS	Manganese	7.48		0.8	mg/L	9.4	RFI CRITERIA
AC-6	GW0072	SA	5/19/99	30	F	INORGANICS	Manganese	0.98		0.8	mg/L	1.2	RFI CRITERIA
AC-6	GW0072	SA	5/19/99	30	T	INORGANICS	Manganese	0.97		0.8	mg/L	1.2	RFI CRITERIA
AC-6	GW0073	SA	5/20/99	20	T	INORGANICS	Manganese	1.01		0.8	mg/L	1.3	RFI CRITERIA
AC-6	GW0073	SA	5/20/99	25	T	INORGANICS	Manganese	0.86		0.8	mg/L	1.1	RFI CRITERIA
AC-6	GW0074	SA	5/22/99	18	F	INORGANICS	Manganese	4.43		0.8	mg/L	5.5	RFI CRITERIA
AC-6	GW0074	SA	5/22/99	18	T	INORGANICS	Manganese	4.17		0.8	mg/L	5.2	RFI CRITERIA
AC-6	GW0074	SA	5/22/99	25	F	INORGANICS	Manganese	4.82		0.8	mg/L	6.0	RFI CRITERIA
AC-6	GW0074	SA	5/22/99	25	T	INORGANICS	Manganese	5.15		0.8	mg/L	6.4	RFI CRITERIA
AC-6	GW0074	SA	5/22/99	30	F	INORGANICS	Manganese	4.63		0.8	mg/L	5.8	RFI CRITERIA
AC-6	GW0074	SA	5/22/99	30	T	INORGANICS	Manganese	4.47		0.8	mg/L	5.6	RFI CRITERIA
AC-6	GW0074	SA	5/22/99	35	F	INORGANICS	Manganese	5.67		0.8	mg/L	7.1	RFI CRITERIA
AC-6	GW0074	SA	5/22/99	35	T	INORGANICS	Manganese	5.46		0.8	mg/L	6.8	RFI CRITERIA
AC-6	GW0074	SA	5/22/99	40	F	INORGANICS	Manganese	5.93		0.8	mg/L	7.4	RFI CRITERIA
AC-6	GW0074	SA	5/22/99	40	T	INORGANICS	Manganese	6.04		0.8	mg/L	7.6	RFI CRITERIA
AC-6	GW0074	SA	5/22/99	45	F	INORGANICS	Manganese	1.47		0.8	mg/L	1.8	RFI CRITERIA
AC-6	GW0074	SA	5/22/99	45	T	INORGANICS	Manganese	1.42		0.8	mg/L	1.8	RFI CRITERIA
AC-6	GW0075	SA	5/22/99	17	T	INORGANICS	Manganese	1.31		0.8	mg/L	1.6	RFI CRITERIA
AC-6	GW0075	SA	5/22/99	22	T	INORGANICS	Manganese	8.32		0.8	mg/L	10.4	RFI CRITERIA
AC-6	GW0075	SA	5/22/99	27	T	INORGANICS	Manganese	3.57		0.8	mg/L	4.5	RFI CRITERIA
AC-6	GW0075	SA	5/23/99	32	T	INORGANICS	Manganese	4.44		0.8	mg/L	5.6	RFI CRITERIA
AC-6	GW0076	SA	5/22/99	33	T	INORGANICS	Manganese	0.93		0.8	mg/L	1.2	RFI CRITERIA
AC-6	GW0077	SA	5/24/99	31	T	INORGANICS	Manganese	2.51		0.8	mg/L	3.1	RFI CRITERIA
AC-6	GW0077	SA	5/24/99	34	F	INORGANICS	Manganese	3.94		0.8	mg/L	4.9	RFI CRITERIA
AC-6	GW0078	SA	5/25/99	28	T	INORGANICS	Manganese	1.05		0.8	mg/L	1.3	RFI CRITERIA
AC-6	GW0079	SA	5/25/99	40	F	INORGANICS	Manganese	2.4		0.8	mg/L	3.0	RFI CRITERIA
AC-6	GW0079	SA	5/25/99	40	T	INORGANICS	Manganese	9.51		0.8	mg/L	11.9	RFI CRITERIA
AC-6	GW0079	SA	5/25/99	34	F	INORGANICS	Manganese	2.63		0.8	mg/L	3.3	RFI CRITERIA
AC-6	GW0079	SA	5/25/99	34	T	INORGANICS	Manganese	2.44		0.8	mg/L	3.1	RFI CRITERIA
AC-6	GW0143	SA	3/23/00	5	F	INORGANICS	Manganese	1.1		0.8	mg/L	1.4	RFI CRITERIA
AC-6	GW0143	SA	3/23/00	22	F	INORGANICS	Manganese	2.3		0.8	mg/L	2.9	RFI CRITERIA
AC-6	GW0143	SA	3/23/00	28	F	INORGANICS	Manganese	1.2		0.8	mg/L	1.5	RFI CRITERIA
AC-6	GW0144	SA	3/27/00	10	F	INORGANICS	Manganese	2.7		0.8	mg/L	3.4	RFI CRITERIA
AC-6	GW0144	SA	3/27/00	15	F	INORGANICS	Manganese	2.9		0.8	mg/L	3.6	RFI CRITERIA
AC-6	GW0144	SA	3/27/00	20	F	INORGANICS	Manganese	1.1		0.8	mg/L	1.4	RFI CRITERIA
AC-6	MW0085B	SA	4/11/00	37.42	F	INORGANICS	Manganese	0.924		0.8	mg/L	1.2	RFI CRITERIA
AC-6	MW0085B	SA	4/11/00	37.42	T	INORGANICS	Manganese	0.928	Q	0.8	mg/L	1.2	RFI CRITERIA
AC-6	MW0088S	SA	4/12/97	17.35	T	INORGANICS	Manganese	1.25		0.8	mg/L	1.6	RFI CRITERIA
AC-6	MW0101M1	SA	4/14/00	30.525	F	INORGANICS	Manganese	2.79	Q	0.8	mg/L	3.5	RFI CRITERIA
AC-6	MW0101M1	SA	4/14/00	30.525	T	INORGANICS	Manganese	2.8		0.8	mg/L	3.5	RFI CRITERIA
AC-6	MW0101S	SA	4/14/00	9.79	F	INORGANICS	Manganese	6.28	Q	0.8	mg/L	7.9	RFI CRITERIA
AC-6	MW0101S	SA	4/14/00	9.79	T	INORGANICS	Manganese	6.07		0.8	mg/L	7.6	RFI CRITERIA
AC-6	MW0108M1	SA	1/16/01	24.5	F	INORGANICS	Manganese	2.73		0.8	mg/L	3.4	RFI CRITERIA
AC-6	MW0108M1	SA	1/16/01	24.5	T	INORGANICS	Manganese	2.71		0.8	mg/L	3.4	RFI CRITERIA
AC-6	MW0108S	SA	1/16/01	8	F	INORGANICS	Manganese	1.46		0.8	mg/L	1.8	RFI CRITERIA
AC-6	MW0108S	SA	1/16/01	8	T	INORGANICS	Manganese	1.44		0.8	mg/L	1.8	RFI CRITERIA
AC-6	MW0109S	SA	1/16/01	8	F	INORGANICS	Manganese	2.23		0.8	mg/L	2.8	RFI CRITERIA
AC-6	MW0109S	SA	1/16/01	8	T	INORGANICS	Manganese	2.31		0.8	mg/L	2.9	RFI CRITERIA

APPENDIX B
FACILITY-WIDE GROUNDWATER EXCEEDING SCREENING CRITERIA

SIKORSKY AIRCRAFT CORPORATION - STRATFORD FACILITY
ENVIRONMENTAL INDICATOR FORM CA750 - MIGRATION OF CONTAMINATED GROUNDWATER UNDER CONTROL

AC	LOC_ID	RES_TYPE	SAMP_DATE	START_DEPTH	FRACTION	CLASS	PARAMETER	RESULT	QUAL	CRITERIA	UNITS	FACTOR	CRITERIA TYPE
AC-7	GW0110	SA	12/3/99	17	F	INORGANICS	Manganese	1.45		0.8	mg/L	1.8	RFI CRITERIA
AC-7	MW0003S	SA	9/27/00	12.5	T	INORGANICS	Manganese	3.04		0.8	mg/L	3.8	RFI CRITERIA
AC-7	MW0006B	SA	4/12/00	85.66	F	INORGANICS	Manganese	0.937		0.8	mg/L	1.2	RFI CRITERIA
AC-7	MW0006B	SA	4/12/00	85.66	T	INORGANICS	Manganese	1.15		0.8	mg/L	1.4	RFI CRITERIA
AC-7	MW0036S	SA	9/27/00	13	T	INORGANICS	Manganese	1.8		0.8	mg/L	2.3	RFI CRITERIA
AC-7	MW0037S	SA	9/27/00	14	T	INORGANICS	Manganese	1.41		0.8	mg/L	1.8	RFI CRITERIA
AC-7	SB0630	SA	10/18/99	82	T	INORGANICS	Manganese	1.09		0.8	mg/L	1.4	RFI CRITERIA
AC-8	GW0088	SA	10/20/99	52	T	INORGANICS	Manganese	0.85		0.8	mg/L	1.1	RFI CRITERIA
AC-8	GW0089	SA	10/21/99	64	T	INORGANICS	Manganese	0.989		0.8	mg/L	1.2	RFI CRITERIA
AC-8	GW0091	DU	5/9/00	24	T	INORGANICS	Manganese	1.91		0.8	mg/L	2.4	RFI CRITERIA
AC-8	GW0091	SA	5/9/00	24	T	INORGANICS	Manganese	2		0.8	mg/L	2.5	RFI CRITERIA
AC-8	GW0108	SA	11/18/99	67	F	INORGANICS	Manganese	1.65		0.8	mg/L	2.1	RFI CRITERIA
AC-8	GW0109	SA	11/30/99	57.5	F	INORGANICS	Manganese	1.13		0.8	mg/L	1.4	RFI CRITERIA
AC-8	MW0007D	SA	4/15/97	62.7	T	INORGANICS	Manganese	0.996		0.8	mg/L	1.2	RFI CRITERIA
AC-8	MW0093M	SA	4/13/00	32.02	F	INORGANICS	Manganese	1.58		0.8	mg/L	2.0	RFI CRITERIA
AC-8	MW0093M	SA	4/13/00	32.02	T	INORGANICS	Manganese	1.53		0.8	mg/L	1.9	RFI CRITERIA
AC-9	GW0093	SA	10/27/99	54	T	INORGANICS	Manganese	2.29		0.8	mg/L	2.9	RFI CRITERIA
AC-9	GW0094	SA	10/29/99	61	T	INORGANICS	Manganese	2.11		0.8	mg/L	2.6	RFI CRITERIA
AC-9	GW0095	SA	10/28/99	68	T	INORGANICS	Manganese	1.34		0.8	mg/L	1.7	RFI CRITERIA
AC-9	GW0096	SA	11/1/99	63.5	T	INORGANICS	Manganese	1.2		0.8	mg/L	1.5	RFI CRITERIA
AC-9	GW0097	SA	11/1/99	40	T	INORGANICS	Manganese	2.99		0.8	mg/L	3.7	RFI CRITERIA
AC-9	GW0098	SA	11/2/99	63	T	INORGANICS	Manganese	1.75		0.8	mg/L	2.2	RFI CRITERIA
AC-9	GW0099	SA	11/2/99	53	T	INORGANICS	Manganese	1.24		0.8	mg/L	1.6	RFI CRITERIA
AC-9	GW0107	SA	11/11/99	64	T	INORGANICS	Manganese	1.07		0.8	mg/L	1.3	RFI CRITERIA
AC-9	MW0047B	SA	4/20/00	85	F	INORGANICS	Manganese	1.48		0.8	mg/L	1.9	RFI CRITERIA
AC-9	MW0047B	SA	4/20/00	85	T	INORGANICS	Manganese	1.41		0.8	mg/L	1.8	RFI CRITERIA
AC-9	MW0048D	SA	4/23/97	86	T	INORGANICS	Manganese	4.7		0.8	mg/L	5.9	RFI CRITERIA
AC-9	MW0091S	SA	4/13/00	14	T	INORGANICS	Manganese	1.4		0.8	mg/L	1.8	RFI CRITERIA
AC-9	MW0092M	SA	4/13/00	33.255	F	INORGANICS	Manganese	2.13		0.8	mg/L	2.7	RFI CRITERIA
AC-9	MW0092M	SA	4/13/00	33.255	T	INORGANICS	Manganese	2.15		0.8	mg/L	2.7	RFI CRITERIA
BKGD	MW0051B	SA	4/10/00	36	F	INORGANICS	Manganese	2.62		0.8	mg/L	3.3	RFI CRITERIA
BKGD	MW0051B	SA	4/10/00	36	T	INORGANICS	Manganese	3.28	Q	0.8	mg/L	4.1	RFI CRITERIA
BKGD	MW0051S	SA	4/10/00	13.5	F	INORGANICS	Manganese	4.86		0.8	mg/L	6.1	RFI CRITERIA
BKGD	MW0051S	SA	4/10/00	13.5	T	INORGANICS	Manganese	4.91	Q	0.8	mg/L	6.1	RFI CRITERIA
BKGD	MW0087S	SA	4/13/97	21.7	T	INORGANICS	Manganese	0.957		0.8	mg/L	1.2	RFI CRITERIA
PAC-1	MW0024S	SA	4/13/97	20	T	INORGANICS	Manganese	1.46		0.8	mg/L	1.8	RFI CRITERIA
PAC-1	MW0025S	SA	11/17/98	22	T	INORGANICS	Manganese	0.893		0.8	mg/L	1.1	RFI CRITERIA
PAC-1	MW0026S	SA	4/13/97	17.01	T	INORGANICS	Manganese	3.32		0.8	mg/L	4.2	RFI CRITERIA
AC-1	MW0066S	SA	4/18/00	6.74	F	INORGANICS	Mercury	0.0005		0.0004	mg/L	1.3	CT SWPROT
AC-1	GW0102	SA	4/10/00	10	T	INORGANICS	Tin	0.0057	Q	0.00063	mg/L	9.0	RFI CRITERIA
AC-1	GW0103	SA	4/10/00	10	T	INORGANICS	Tin	0.0039	Q	0.00063	mg/L	6.2	RFI CRITERIA
AC-1	GW0118	DU	11/23/99	8	F	INORGANICS	Tin	0.0049	Q	0.00063	mg/L	7.8	RFI CRITERIA
AC-1	GW0118	SA	11/23/99	8	F	INORGANICS	Tin	0.0057	Q	0.00063	mg/L	9.0	RFI CRITERIA
AC-1	GW0123	SA	12/8/99	34	F	INORGANICS	Tin	0.0032	Q	0.00063	mg/L	5.1	RFI CRITERIA
AC-1	GW0129	SA	1/3/00	28	F	INORGANICS	Tin	0.0041	Q	0.00063	mg/L	6.5	RFI CRITERIA
AC-1	GW0130	SA	12/29/99	60	F	INORGANICS	Tin	0.0048	Q	0.00063	mg/L	7.6	RFI CRITERIA
AC-1	MW0057S	SA	4/23/97	6.17	T	INORGANICS	Tin	0.05		0.00063	mg/L	79.4	RFI CRITERIA
AC-1	MW0060D	SA	4/25/97	37.03	T	INORGANICS	Tin	0.0282		0.00063	mg/L	44.8	RFI CRITERIA

SIKORSKY AIRCRAFT CORPORATION - STRATFORD FACILITY
ENVIRONMENTAL INDICATOR FORM CA750 - MIGRATION OF CONTAMINATED GROUNDWATER UNDER CONTROL

AC	LOC_ID	RES_TYPE	SAMP_DATE	START_DEPTH	FRACTION	CLASS	PARAMETER	RESULT	QUAL	CRITERIA	UNITS	FACTOR	CRITERIA TYPE
AC-1	MW0060S	SA	4/25/97	7.95	T	INORGANICS	Tin	0.0337		0.00063	mg/L	53.5	RFI CRITERIA
AC-1	MW0061B	SA	4/19/00	98.19	T	INORGANICS	Tin	0.0031	Q	0.00063	mg/L	4.9	RFI CRITERIA
AC-1	MW0065D	SA	4/19/00	66.77	T	INORGANICS	Tin	0.0026	Q	0.00063	mg/L	4.1	RFI CRITERIA
AC-1	MW0066D	SA	4/18/00	41.35	T	INORGANICS	Tin	0.0032	Q	0.00063	mg/L	5.1	RFI CRITERIA
AC-1	MW0066M	SA	4/18/00	22.05	F	INORGANICS	Tin	0.0036	Q	0.00063	mg/L	5.7	RFI CRITERIA
AC-2	MW0010S	SA	4/9/97	18	T	INORGANICS	Tin	0.0292		0.00063	mg/L	46.3	RFI CRITERIA
AC-3	MW0071S	DU	4/22/97	8.13	T	INORGANICS	Tin	0.0343		0.00063	mg/L	54.4	RFI CRITERIA
AC-4	MW0096S	SA	4/8/97	9.08	T	INORGANICS	Tin	0.0362		0.00063	mg/L	57.5	RFI CRITERIA
AC-6	MW0108M1	SA	1/16/01	24.5	F	INORGANICS	Tin	0.002		0.00063	mg/L	3.2	RFI CRITERIA
AC-6	MW0108M2	SA	1/16/01	44	T	INORGANICS	Tin	0.0023		0.00063	mg/L	3.7	RFI CRITERIA
AC-6	MW0109S	SA	1/16/01	8	F	INORGANICS	Tin	0.0017	J	0.00063	mg/L	2.7	RFI CRITERIA
AC-6	MW0109S	SA	1/16/01	8	T	INORGANICS	Tin	0.0018	J	0.00063	mg/L	2.9	RFI CRITERIA
AC-1	GW0102	SA	4/10/00	10	T	INORGANICS	Zinc	7.5		0.123	mg/L	61.0	CT SWPROT
AC-1	GW0122	SA	12/7/99	34	F	INORGANICS	Zinc	0.213	J	0.123	mg/L	1.7	CT SWPROT
AC-1	GW0123	SA	12/8/99	34	F	INORGANICS	Zinc	0.125	Q	0.123	mg/L	1.0	CT SWPROT
AC-1	MW0061B	SA	4/19/00	98.19	T	INORGANICS	Zinc	0.37		0.123	mg/L	3.0	CT SWPROT
AC-1	MW0064S	SA	4/18/00	6.34	F	INORGANICS	Zinc	3.2		0.123	mg/L	26.0	CT SWPROT
AC-1	MW0064S	SA	4/18/00	6.34	T	INORGANICS	Zinc	3.43		0.123	mg/L	27.9	CT SWPROT
AC-1	SB0651	SA	4/7/00	10	T	INORGANICS	Zinc	0.743		0.123	mg/L	6.0	CT SWPROT
AC-4	MW0013S	SA	6/12/91	14	T	INORGANICS	Zinc	0.78		0.123	mg/L	6.3	CT SWPROT
AC-4	MW0022S	SA	6/26/91	15	T	INORGANICS	Zinc	0.13		0.123	mg/L	1.1	CT SWPROT
AC-4	MW0094S	DU	4/8/97	10.37	T	INORGANICS	Zinc	1.16		0.123	mg/L	9.4	CT SWPROT
AC-4	MW0094S	SA	4/8/97	10.37	T	INORGANICS	Zinc	1.24		0.123	mg/L	10.1	CT SWPROT
AC-6	MW0109B	SA	1/17/01	74.6	F	INORGANICS	Zinc	0.175		0.123	mg/L	1.4	CT SWPROT
AC-6	MW0109B	SA	1/17/01	74.6	T	INORGANICS	Zinc	0.186		0.123	mg/L	1.5	CT SWPROT
AC-7	GW0110	SA	12/1/99	70	F	INORGANICS	Zinc	0.159	Q	0.123	mg/L	1.3	CT SWPROT
AC-7	MW0003S	SA	9/27/00	12.5	T	INORGANICS	Zinc	0.15		0.123	mg/L	1.2	CT SWPROT
AC-7	MW0037S	SA	9/27/00	14	T	INORGANICS	Zinc	0.17		0.123	mg/L	1.4	CT SWPROT
AC-7	SB0630	SA	10/18/99	82	T	INORGANICS	Zinc	0.189	Q	0.123	mg/L	1.5	CT SWPROT
AC-9	GW0107	SA	11/11/99	64	T	INORGANICS	Zinc	0.172		0.123	mg/L	1.4	CT SWPROT
AC-1	GW0101	SA	11/3/99	10	T	SVOA	Phenanthrene	0.001	J	0.000077	mg/L	13.0	CT SWPROT
AC-1	GW0115	SA	12/2/99	16	T	SVOA	Phenanthrene	0.005	J	0.000077	mg/L	64.9	CT SWPROT
AC-1	GW0132	SA	12/29/99	34	T	SVOA	Phenanthrene	0.001	J	0.000077	mg/L	13.0	CT SWPROT
AC-1	MW0052S	SA	4/24/97	11.5	T	SVOA	Phenanthrene	0.007	J	0.000077	mg/L	90.9	CT SWPROT
AC-1	MW0058S	DU	4/24/97	10.22	T	SVOA	Phenanthrene	0.001	J	0.000077	mg/L	13.0	CT SWPROT
AC-1	MW0058S	SA	4/24/97	10.22	T	SVOA	Phenanthrene	0.001	J	0.000077	mg/L	13.0	CT SWPROT
AC-1	MW0060S	SA	4/25/97	7.95	T	SVOA	Phenanthrene	0.001	J	0.000077	mg/L	13.0	CT SWPROT
AC-1	MW0066S	SA	4/18/00	6.74	T	SVOA	Phenanthrene	0.022		0.000077	mg/L	285.7	CT SWPROT
AC-1	MW0067S	DU	4/25/97	6.67	T	SVOA	Phenanthrene	0.002	J	0.000077	mg/L	26.0	CT SWPROT
AC-1	MW0067S	SA	4/25/97	6.67	T	SVOA	Phenanthrene	0.002	J	0.000077	mg/L	26.0	CT SWPROT
AC-1	MW0095S	SA	4/23/97	8.05	T	SVOA	Phenanthrene	0.001	J	0.000077	mg/L	13.0	CT SWPROT
AC-1	MW0063M	DU	4/26/97	24.54	T	VOA	1,2-Dichloroethene (total)	7.6		0.31	mg/L	24.5	RFI CRITERIA
AC-1	MW0063M	SA	4/26/97	24.54	T	VOA	1,2-Dichloroethene (total)	7.4		0.31	mg/L	23.9	RFI CRITERIA
AC-1	MW0066S	SA	4/25/97	6.74	T	VOA	1,2-Dichloroethene (total)	0.72		0.31	mg/L	2.3	RFI CRITERIA
AC-6	MW0101M1	DU	1/8/98	30.525	T	VOA	1,2-Dichloroethene (total)	0.4		0.31	mg/L	1.3	RFI CRITERIA
AC-6	MW0101M1	SA	1/8/98	30.525	T	VOA	1,2-Dichloroethene (total)	0.4		0.31	mg/L	1.3	RFI CRITERIA
AC-1	MW0063D	SA	4/17/00	60.9	T	VOA	Tetrachloroethene	0.2		0.088	mg/L	2.3	CT SWPROT
AC-6	GW0006	SA	11/4/97	41	T	VOA	Tetrachloroethene	3		0.088	mg/L	34.1	CT SWPROT

SIKORSKY AIRCRAFT CORPORATION - STRATFORD FACILITY
ENVIRONMENTAL INDICATOR FORM CA750 - MIGRATION OF CONTAMINATED GROUNDWATER UNDER CONTROL

AC	LOC_ID	RES_TYPE	SAMP_DATE	START_DEPTH	FRACTION	CLASS	PARAMETER	RESULT	QUAL	CRITERIA	UNITS	FACTOR	CRITERIA TYPE
AC-6	GW0008	SA	11/10/97	21	T	VOA	Tetrachloroethene	0.9		0.088	mg/L	10.2	CT SWPROT
AC-6	GW0008	SA	11/10/97	37	T	VOA	Tetrachloroethene	0.26		0.088	mg/L	3.0	CT SWPROT
AC-6	GW0008	SA	11/11/97	61	T	VOA	Tetrachloroethene	0.45		0.088	mg/L	5.1	CT SWPROT
AC-6	GW0009	SA	11/11/97	19	T	VOA	Tetrachloroethene	0.15		0.088	mg/L	1.7	CT SWPROT
AC-6	GW0010	SA	11/11/97	27	T	VOA	Tetrachloroethene	2.3		0.088	mg/L	26.1	CT SWPROT
AC-6	GW0010	SA	11/11/97	41	T	VOA	Tetrachloroethene	1.7		0.088	mg/L	19.3	CT SWPROT
AC-6	GW0011	SA	11/13/97	45	T	VOA	Tetrachloroethene	1.4		0.088	mg/L	15.9	CT SWPROT
AC-6	GW0011	SA	11/13/97	61	T	VOA	Tetrachloroethene	0.3		0.088	mg/L	3.4	CT SWPROT
AC-6	GW0011	SA	11/13/97	69	T	VOA	Tetrachloroethene	0.5		0.088	mg/L	5.7	CT SWPROT
AC-6	GW0014	DU	11/14/97	27	T	VOA	Tetrachloroethene	0.41		0.088	mg/L	4.7	CT SWPROT
AC-6	GW0014	SA	11/14/97	13	T	VOA	Tetrachloroethene	0.34		0.088	mg/L	3.9	CT SWPROT
AC-6	GW0014	SA	11/14/97	27	T	VOA	Tetrachloroethene	0.4		0.088	mg/L	4.5	CT SWPROT
AC-6	GW0014	SA	11/14/97	45	T	VOA	Tetrachloroethene	0.12		0.088	mg/L	1.4	CT SWPROT
AC-6	GW0021	SA	11/17/97	19	T	VOA	Tetrachloroethene	1.6		0.088	mg/L	18.2	CT SWPROT
AC-6	GW0021	SA	11/17/97	41	T	VOA	Tetrachloroethene	1.7		0.088	mg/L	19.3	CT SWPROT
AC-6	GW0021	SA	11/17/97	67	T	VOA	Tetrachloroethene	1.1		0.088	mg/L	12.5	CT SWPROT
AC-6	GW0022	SA	11/18/97	45	T	VOA	Tetrachloroethene	1.2		0.088	mg/L	13.6	CT SWPROT
AC-6	GW0022	SA	11/18/97	65	T	VOA	Tetrachloroethene	0.5		0.088	mg/L	5.7	CT SWPROT
AC-6	GW0027	SA	11/20/97	37.7	T	VOA	Tetrachloroethene	0.1		0.088	mg/L	1.1	CT SWPROT
AC-6	GW0029	SA	12/2/97	27	T	VOA	Tetrachloroethene	0.8		0.088	mg/L	9.1	CT SWPROT
AC-6	GW0029	SA	12/2/97	45	T	VOA	Tetrachloroethene	0.38		0.088	mg/L	4.3	CT SWPROT
AC-6	GW0030	SA	12/2/97	13	T	VOA	Tetrachloroethene	0.11		0.088	mg/L	1.3	CT SWPROT
AC-6	GW0030	SA	12/2/97	27	T	VOA	Tetrachloroethene	0.24		0.088	mg/L	2.7	CT SWPROT
AC-6	GW0030	SA	12/2/97	45	T	VOA	Tetrachloroethene	0.17		0.088	mg/L	1.9	CT SWPROT
AC-6	GW0034	SA	8/2/98	17	T	VOA	Tetrachloroethene	1.8264		0.088	mg/L	20.8	CT SWPROT
AC-6	GW0034	SA	8/2/98	17	T	VOA	Tetrachloroethene	1.9		0.088	mg/L	21.6	CT SWPROT
AC-6	GW0034	SA	8/3/98	20	T	VOA	Tetrachloroethene	0.4822		0.088	mg/L	5.5	CT SWPROT
AC-6	GW0034	SA	8/3/98	23	T	VOA	Tetrachloroethene	0.7206		0.088	mg/L	8.2	CT SWPROT
AC-6	GW0034	SA	8/3/98	26	T	VOA	Tetrachloroethene	2.3686		0.088	mg/L	26.9	CT SWPROT
AC-6	GW0034	SA	8/3/98	29	T	VOA	Tetrachloroethene	4.3008		0.088	mg/L	48.9	CT SWPROT
AC-6	GW0034	SA	8/3/98	32	T	VOA	Tetrachloroethene	6.44		0.088	mg/L	73.2	CT SWPROT
AC-6	GW0034	SA	8/3/98	35	T	VOA	Tetrachloroethene	6.904		0.088	mg/L	78.5	CT SWPROT
AC-6	GW0034	SA	8/4/98	38	T	VOA	Tetrachloroethene	6.5784		0.088	mg/L	74.8	CT SWPROT
AC-6	GW0034	SA	8/4/98	41	T	VOA	Tetrachloroethene	0.9284		0.088	mg/L	10.6	CT SWPROT
AC-6	GW0034	SA	8/4/98	44	T	VOA	Tetrachloroethene	17.36		0.088	mg/L	197.3	CT SWPROT
AC-6	GW0034	SA	8/4/98	47	T	VOA	Tetrachloroethene	26.704		0.088	mg/L	303.5	CT SWPROT
AC-6	GW0034	SA	8/4/98	50	T	VOA	Tetrachloroethene	40.288		0.088	mg/L	457.8	CT SWPROT
AC-6	GW0034	SA	8/4/98	53	T	VOA	Tetrachloroethene	9.904		0.088	mg/L	112.5	CT SWPROT
AC-6	GW0034	SA	8/4/98	60	T	VOA	Tetrachloroethene	3.504		0.088	mg/L	39.8	CT SWPROT
AC-6	GW0035	SA	8/2/98	17	T	VOA	Tetrachloroethene	0.4316		0.088	mg/L	4.9	CT SWPROT
AC-6	GW0035	SA	8/2/98	17	T	VOA	Tetrachloroethene	0.41		0.088	mg/L	4.7	CT SWPROT
AC-6	GW0035	SA	8/3/98	29.5	T	VOA	Tetrachloroethene	0.10345		0.088	mg/L	1.2	CT SWPROT
AC-6	GW0035	SA	8/3/98	32.5	T	VOA	Tetrachloroethene	0.2452		0.088	mg/L	2.8	CT SWPROT
AC-6	GW0035	SA	8/3/98	35.5	T	VOA	Tetrachloroethene	0.5582		0.088	mg/L	6.3	CT SWPROT
AC-6	GW0036	SA	8/7/98	17	T	VOA	Tetrachloroethene	2.4852		0.088	mg/L	28.2	CT SWPROT
AC-6	GW0036	SA	8/7/98	17	T	VOA	Tetrachloroethene	1.9		0.088	mg/L	21.6	CT SWPROT
AC-6	GW0036	SA	8/7/98	22	T	VOA	Tetrachloroethene	7.8048		0.088	mg/L	88.7	CT SWPROT
AC-6	GW0036	SA	8/7/98	27	T	VOA	Tetrachloroethene	4.5612		0.088	mg/L	51.8	CT SWPROT

SIKORSKY AIRCRAFT CORPORATION - STRATFORD FACILITY
ENVIRONMENTAL INDICATOR FORM CA750 - MIGRATION OF CONTAMINATED GROUNDWATER UNDER CONTROL

AC	LOC_ID	RES_TYPE	SAMP_DATE	START_DEPTH	FRACTION	CLASS	PARAMETER	RESULT	QUAL	CRITERIA	UNITS	FACTOR	CRITERIA TYPE
AC-6	GW0036	SA	8/7/98	30	T	VOA	Tetrachloroethene	3.464		0.088	mg/L	39.4	CT SWPROT
AC-6	GW0036	SA	8/7/98	33	T	VOA	Tetrachloroethene	2.5888		0.088	mg/L	29.4	CT SWPROT
AC-6	GW0036	SA	8/7/98	38	T	VOA	Tetrachloroethene	0.6024		0.088	mg/L	6.8	CT SWPROT
AC-6	GW0036	SA	8/8/98	43	T	VOA	Tetrachloroethene	4.096		0.088	mg/L	46.5	CT SWPROT
AC-6	GW0036	SA	8/8/98	45	T	VOA	Tetrachloroethene	1.4144		0.088	mg/L	16.1	CT SWPROT
AC-6	GW0037	SA	8/6/98	47	T	VOA	Tetrachloroethene	0.1142		0.088	mg/L	1.3	CT SWPROT
AC-6	GW0037	SA	8/6/98	52	T	VOA	Tetrachloroethene	0.2052		0.088	mg/L	2.3	CT SWPROT
AC-6	GW0038	SA	8/4/98	22.5	T	VOA	Tetrachloroethene	0.1564		0.088	mg/L	1.8	CT SWPROT
AC-6	GW0038	SA	8/4/98	25.5	T	VOA	Tetrachloroethene	0.2684		0.088	mg/L	3.1	CT SWPROT
AC-6	GW0038	SA	8/4/98	28.5	T	VOA	Tetrachloroethene	0.12234		0.088	mg/L	1.4	CT SWPROT
AC-6	GW0038	SA	8/4/98	34.5	T	VOA	Tetrachloroethene	0.17621		0.088	mg/L	2.0	CT SWPROT
AC-6	GW0038	SA	8/5/98	37.5	T	VOA	Tetrachloroethene	0.2774		0.088	mg/L	3.2	CT SWPROT
AC-6	GW0038	SA	8/5/98	42	T	VOA	Tetrachloroethene	0.4184		0.088	mg/L	4.8	CT SWPROT
AC-6	GW0038	SA	8/5/98	44.5	T	VOA	Tetrachloroethene	0.112		0.088	mg/L	1.3	CT SWPROT
AC-6	GW0040	DU	8/7/98	42	T	VOA	Tetrachloroethene	1.0392		0.088	mg/L	11.8	CT SWPROT
AC-6	GW0040	SA	8/6/98	17	T	VOA	Tetrachloroethene	0.2836		0.088	mg/L	3.2	CT SWPROT
AC-6	GW0040	SA	8/6/98	17	T	VOA	Tetrachloroethene	0.35		0.088	mg/L	4.0	CT SWPROT
AC-6	GW0040	SA	8/7/98	22	T	VOA	Tetrachloroethene	0.6016		0.088	mg/L	6.8	CT SWPROT
AC-6	GW0040	SA	8/7/98	27	T	VOA	Tetrachloroethene	3.0264		0.088	mg/L	34.4	CT SWPROT
AC-6	GW0040	SA	8/7/98	32	T	VOA	Tetrachloroethene	4.8996		0.088	mg/L	55.7	CT SWPROT
AC-6	GW0040	SA	8/7/98	37	T	VOA	Tetrachloroethene	5.272		0.088	mg/L	59.9	CT SWPROT
AC-6	GW0040	SA	8/7/98	42	T	VOA	Tetrachloroethene	1.1172		0.088	mg/L	12.7	CT SWPROT
AC-6	GW0040	SA	8/7/98	47	T	VOA	Tetrachloroethene	2.0672		0.088	mg/L	23.5	CT SWPROT
AC-6	GW0040	SA	8/7/98	52	T	VOA	Tetrachloroethene	2.212		0.088	mg/L	25.1	CT SWPROT
AC-6	GW0041	SA	8/8/98	17	T	VOA	Tetrachloroethene	4.8992		0.088	mg/L	55.7	CT SWPROT
AC-6	GW0041	SA	8/8/98	17	T	VOA	Tetrachloroethene	4.2		0.088	mg/L	47.7	CT SWPROT
AC-6	GW0041	SA	8/8/98	22	T	VOA	Tetrachloroethene	10.164		0.088	mg/L	115.5	CT SWPROT
AC-6	GW0041	SA	8/8/98	27	T	VOA	Tetrachloroethene	0.5256		0.088	mg/L	6.0	CT SWPROT
AC-6	GW0041	SA	8/9/98	37	T	VOA	Tetrachloroethene	0.3852		0.088	mg/L	4.4	CT SWPROT
AC-6	GW0041	SA	8/9/98	42	T	VOA	Tetrachloroethene	1.326		0.088	mg/L	15.1	CT SWPROT
AC-6	GW0045	SA	4/1/99	21	T	VOA	Tetrachloroethene	0.183		0.088	mg/L	2.1	CT SWPROT
AC-6	GW0045	SA	4/2/99	35	T	VOA	Tetrachloroethene	0.637		0.088	mg/L	7.2	CT SWPROT
AC-6	GW0045	SA	4/2/99	40	T	VOA	Tetrachloroethene	0.516		0.088	mg/L	5.9	CT SWPROT
AC-6	GW0047	DU	4/8/99	40	T	VOA	Tetrachloroethene	0.371		0.088	mg/L	4.2	CT SWPROT
AC-6	GW0047	SA	4/7/99	25	T	VOA	Tetrachloroethene	1.688		0.088	mg/L	19.2	CT SWPROT
AC-6	GW0047	SA	4/7/99	30	T	VOA	Tetrachloroethene	1.996		0.088	mg/L	22.7	CT SWPROT
AC-6	GW0047	SA	4/7/99	35	T	VOA	Tetrachloroethene	1.706		0.088	mg/L	19.4	CT SWPROT
AC-6	GW0047	SA	4/8/99	40	T	VOA	Tetrachloroethene	0.332		0.088	mg/L	3.8	CT SWPROT
AC-6	GW0047	SA	4/8/99	45	T	VOA	Tetrachloroethene	0.224		0.088	mg/L	2.5	CT SWPROT
AC-6	GW0047	SA	4/8/99	50	T	VOA	Tetrachloroethene	0.332		0.088	mg/L	3.8	CT SWPROT
AC-6	GW0047	SA	4/8/99	55	T	VOA	Tetrachloroethene	0.216		0.088	mg/L	2.5	CT SWPROT
AC-6	GW0048	DU	4/11/99	30	T	VOA	Tetrachloroethene	1.061		0.088	mg/L	12.1	CT SWPROT
AC-6	GW0048	SA	4/10/99	35	T	VOA	Tetrachloroethene	0.619		0.088	mg/L	7.0	CT SWPROT
AC-6	GW0048	SA	4/10/99	40	T	VOA	Tetrachloroethene	0.366		0.088	mg/L	4.2	CT SWPROT
AC-6	GW0048	SA	4/10/99	45	T	VOA	Tetrachloroethene	0.0977		0.088	mg/L	1.1	CT SWPROT
AC-6	GW0048	SA	4/11/99	30	T	VOA	Tetrachloroethene	0.821		0.088	mg/L	9.3	CT SWPROT
AC-6	GW0049	SA	4/7/99	20	T	VOA	Tetrachloroethene	0.682		0.088	mg/L	7.8	CT SWPROT
AC-6	GW0049	SA	4/7/99	25	T	VOA	Tetrachloroethene	1.003		0.088	mg/L	11.4	CT SWPROT

SIKORSKY AIRCRAFT CORPORATION - STRATFORD FACILITY
ENVIRONMENTAL INDICATOR FORM CA750 - MIGRATION OF CONTAMINATED GROUNDWATER UNDER CONTROL

AC	LOC_ID	RES_TYPE	SAMP_DATE	START_DEPTH	FRACTION	CLASS	PARAMETER	RESULT	QUAL	CRITERIA	UNITS	FACTOR	CRITERIA TYPE
AC-6	GW0049	SA	4/7/99	30	T	VOA	Tetrachloroethene	1.6		0.088	mg/L	18.2	CT SWPROT
AC-6	GW0049	SA	4/8/99	35	T	VOA	Tetrachloroethene	1.518		0.088	mg/L	17.3	CT SWPROT
AC-6	GW0049	SA	4/8/99	40	T	VOA	Tetrachloroethene	0.333		0.088	mg/L	3.8	CT SWPROT
AC-6	GW0049	SA	4/8/99	45	T	VOA	Tetrachloroethene	0.116		0.088	mg/L	1.3	CT SWPROT
AC-6	GW0050	SA	4/12/99	35	T	VOA	Tetrachloroethene	0.265		0.088	mg/L	3.0	CT SWPROT
AC-6	GW0050	SA	4/12/99	40	T	VOA	Tetrachloroethene	0.135		0.088	mg/L	1.5	CT SWPROT
AC-6	GW0050	SA	4/12/99	45	T	VOA	Tetrachloroethene	0.119		0.088	mg/L	1.4	CT SWPROT
AC-6	GW0052	SA	4/28/99	40	T	VOA	Tetrachloroethene	0.961		0.088	mg/L	10.9	CT SWPROT
AC-6	GW0052	SA	4/28/99	44.5	T	VOA	Tetrachloroethene	1.069		0.088	mg/L	12.1	CT SWPROT
AC-6	GW0054	SA	4/19/99	60	T	VOA	Tetrachloroethene	0.155		0.088	mg/L	1.8	CT SWPROT
AC-6	GW0054	SA	4/19/99	64	T	VOA	Tetrachloroethene	0.155		0.088	mg/L	1.8	CT SWPROT
AC-6	GW0055	SA	4/22/99	40	T	VOA	Tetrachloroethene	0.196		0.088	mg/L	2.2	CT SWPROT
AC-6	GW0058	SA	4/20/99	25	T	VOA	Tetrachloroethene	0.487		0.088	mg/L	5.5	CT SWPROT
AC-6	GW0058	SA	4/20/99	30	T	VOA	Tetrachloroethene	0.535		0.088	mg/L	6.1	CT SWPROT
AC-6	GW0058	SA	4/20/99	35	T	VOA	Tetrachloroethene	0.566		0.088	mg/L	6.4	CT SWPROT
AC-6	GW0058	SA	4/21/99	40	T	VOA	Tetrachloroethene	0.13		0.088	mg/L	1.5	CT SWPROT
AC-6	GW0058	SA	4/21/99	43	T	VOA	Tetrachloroethene	0.143		0.088	mg/L	1.6	CT SWPROT
AC-6	GW0059	SA	4/22/99	30	T	VOA	Tetrachloroethene	0.18		0.088	mg/L	2.0	CT SWPROT
AC-6	GW0059	SA	4/23/99	40	T	VOA	Tetrachloroethene	0.16		0.088	mg/L	1.8	CT SWPROT
AC-6	GW0059	SA	4/23/99	45	T	VOA	Tetrachloroethene	0.172		0.088	mg/L	2.0	CT SWPROT
AC-6	GW0059	SA	4/23/99	50	T	VOA	Tetrachloroethene	0.138		0.088	mg/L	1.6	CT SWPROT
AC-6	GW0059	SA	4/23/99	55	T	VOA	Tetrachloroethene	0.289		0.088	mg/L	3.3	CT SWPROT
AC-6	GW0060	SA	4/27/99	45	T	VOA	Tetrachloroethene	0.0893		0.088	mg/L	1.0	CT SWPROT
AC-6	GW0060	SA	4/27/99	50	T	VOA	Tetrachloroethene	0.0908		0.088	mg/L	1.0	CT SWPROT
AC-6	GW0060	SA	4/27/99	57	T	VOA	Tetrachloroethene	0.135		0.088	mg/L	1.5	CT SWPROT
AC-6	GW0061	SA	4/22/99	30	T	VOA	Tetrachloroethene	0.189		0.088	mg/L	2.1	CT SWPROT
AC-6	GW0061	SA	4/23/99	35	T	VOA	Tetrachloroethene	0.232		0.088	mg/L	2.6	CT SWPROT
AC-6	GW0061	SA	4/23/99	42	T	VOA	Tetrachloroethene	0.192		0.088	mg/L	2.2	CT SWPROT
AC-6	GW0061	SA	4/24/99	45	T	VOA	Tetrachloroethene	0.185		0.088	mg/L	2.1	CT SWPROT
AC-6	GW0061	SA	4/24/99	47	T	VOA	Tetrachloroethene	0.158		0.088	mg/L	1.8	CT SWPROT
AC-6	GW0062	DU	5/4/99	30	T	VOA	Tetrachloroethene	0.297		0.088	mg/L	3.4	CT SWPROT
AC-6	GW0062	SA	5/3/99	25	T	VOA	Tetrachloroethene	0.208		0.088	mg/L	2.4	CT SWPROT
AC-6	GW0062	SA	5/4/99	30	T	VOA	Tetrachloroethene	0.306		0.088	mg/L	3.5	CT SWPROT
AC-6	GW0063	SA	4/26/99	35	T	VOA	Tetrachloroethene	0.151		0.088	mg/L	1.7	CT SWPROT
AC-6	GW0063	SA	4/26/99	40	T	VOA	Tetrachloroethene	0.236		0.088	mg/L	2.7	CT SWPROT
AC-6	GW0064	SA	5/6/99	26	T	VOA	Tetrachloroethene	0.0948		0.088	mg/L	1.1	CT SWPROT
AC-6	GW0065	SA	5/5/99	31	T	VOA	Tetrachloroethene	0.123		0.088	mg/L	1.4	CT SWPROT
AC-6	GW0065	SA	5/5/99	38	T	VOA	Tetrachloroethene	0.0926		0.088	mg/L	1.1	CT SWPROT
AC-6	GW0065	SA	5/6/99	40	T	VOA	Tetrachloroethene	0.136		0.088	mg/L	1.5	CT SWPROT
AC-6	GW0065	SA	5/6/99	45	T	VOA	Tetrachloroethene	0.106		0.088	mg/L	1.2	CT SWPROT
AC-6	GW0065	SA	5/6/99	51	T	VOA	Tetrachloroethene	0.11		0.088	mg/L	1.3	CT SWPROT
AC-6	GW0065	SA	5/6/99	55	T	VOA	Tetrachloroethene	0.119		0.088	mg/L	1.4	CT SWPROT
AC-6	GW0065	SA	5/7/99	60	T	VOA	Tetrachloroethene	0.225		0.088	mg/L	2.6	CT SWPROT
AC-6	GW0065	SA	5/7/99	65	T	VOA	Tetrachloroethene	0.265		0.088	mg/L	3.0	CT SWPROT
AC-6	GW0068	SA	5/11/99	45	T	VOA	Tetrachloroethene	0.117		0.088	mg/L	1.3	CT SWPROT
AC-6	GW0068	SA	5/11/99	50	T	VOA	Tetrachloroethene	0.494		0.088	mg/L	5.6	CT SWPROT
AC-6	GW0068	SA	5/12/99	55	T	VOA	Tetrachloroethene	0.309		0.088	mg/L	3.5	CT SWPROT
AC-6	GW0068	SA	5/12/99	60	T	VOA	Tetrachloroethene	0.372		0.088	mg/L	4.2	CT SWPROT

APPENDIX B
FACILITY-WIDE GROUNDWATER EXCEEDING SCREENING CRITERIA

SIKORSKY AIRCRAFT CORPORATION - STRATFORD FACILITY
ENVIRONMENTAL INDICATOR FORM CA750 - MIGRATION OF CONTAMINATED GROUNDWATER UNDER CONTROL

AC	LOC_ID	RES_TYPE	SAMP_DATE	START_DEPTH	FRACTION	CLASS	PARAMETER	RESULT	QUAL	CRITERIA	UNITS	FACTOR	CRITERIA TYPE
AC-6	GW0068	SA	5/12/99	65	T	VOA	Tetrachloroethene	0.191		0.088	mg/L	2.2	CT SWPROT
AC-6	GW0068	SA	5/17/99	67	T	VOA	Tetrachloroethene	0.179		0.088	mg/L	2.0	CT SWPROT
AC-6	GW0070	SA	5/18/99	30	T	VOA	Tetrachloroethene	0.171		0.088	mg/L	1.9	CT SWPROT
AC-6	GW0070	SA	5/18/99	35	T	VOA	Tetrachloroethene	0.0976		0.088	mg/L	1.1	CT SWPROT
AC-6	GW0070	SA	5/18/99	40	T	VOA	Tetrachloroethene	0.182		0.088	mg/L	2.1	CT SWPROT
AC-6	GW0070	SA	5/18/99	45	T	VOA	Tetrachloroethene	0.157		0.088	mg/L	1.8	CT SWPROT
AC-6	GW0070	SA	5/19/99	50	T	VOA	Tetrachloroethene	0.145		0.088	mg/L	1.6	CT SWPROT
AC-6	GW0070	SA	5/19/99	52	T	VOA	Tetrachloroethene	0.198		0.088	mg/L	2.3	CT SWPROT
AC-6	GW0071	SA	5/18/99	31	T	VOA	Tetrachloroethene	0.112		0.088	mg/L	1.3	CT SWPROT
AC-6	GW0071	SA	5/18/99	35	T	VOA	Tetrachloroethene	0.0952		0.088	mg/L	1.1	CT SWPROT
AC-6	GW0071	SA	5/18/99	40	T	VOA	Tetrachloroethene	0.145		0.088	mg/L	1.6	CT SWPROT
AC-6	GW0071	SA	5/18/99	42.5	T	VOA	Tetrachloroethene	0.212		0.088	mg/L	2.4	CT SWPROT
AC-6	GW0073	DU	5/20/99	35	T	VOA	Tetrachloroethene	0.232		0.088	mg/L	2.6	CT SWPROT
AC-6	GW0073	SA	5/20/99	20	T	VOA	Tetrachloroethene	0.816		0.088	mg/L	9.3	CT SWPROT
AC-6	GW0073	SA	5/20/99	30	T	VOA	Tetrachloroethene	0.306		0.088	mg/L	3.5	CT SWPROT
AC-6	GW0073	SA	5/20/99	35	T	VOA	Tetrachloroethene	0.281		0.088	mg/L	3.2	CT SWPROT
AC-6	GW0073	SA	5/21/99	40	T	VOA	Tetrachloroethene	0.142		0.088	mg/L	1.6	CT SWPROT
AC-6	GW0073	SA	5/21/99	45	T	VOA	Tetrachloroethene	0.129		0.088	mg/L	1.5	CT SWPROT
AC-6	GW0073	SA	5/21/99	60	T	VOA	Tetrachloroethene	0.115		0.088	mg/L	1.3	CT SWPROT
AC-6	GW0075	SA	5/22/99	17	T	VOA	Tetrachloroethene	0.204		0.088	mg/L	2.3	CT SWPROT
AC-6	GW0075	SA	5/22/99	27	T	VOA	Tetrachloroethene	0.186		0.088	mg/L	2.1	CT SWPROT
AC-6	GW0075	SA	5/23/99	32	T	VOA	Tetrachloroethene	0.221		0.088	mg/L	2.5	CT SWPROT
AC-6	GW0075	SA	5/23/99	37	T	VOA	Tetrachloroethene	0.319		0.088	mg/L	3.6	CT SWPROT
AC-6	GW0076	SA	5/22/99	18	T	VOA	Tetrachloroethene	5.452		0.088	mg/L	62.0	CT SWPROT
AC-6	GW0076	SA	5/22/99	23	T	VOA	Tetrachloroethene	1.22		0.088	mg/L	13.9	CT SWPROT
AC-6	GW0076	SA	5/22/99	28	T	VOA	Tetrachloroethene	0.886		0.088	mg/L	10.1	CT SWPROT
AC-6	GW0076	SA	5/22/99	33	T	VOA	Tetrachloroethene	0.58		0.088	mg/L	6.6	CT SWPROT
AC-6	GW0076	SA	5/23/99	38	T	VOA	Tetrachloroethene	0.604		0.088	mg/L	6.9	CT SWPROT
AC-6	GW0112	SA	12/22/99	60	T	VOA	Tetrachloroethene	0.15		0.088	mg/L	1.7	CT SWPROT
AC-6	GW0112	SA	5/10/00	32	T	VOA	Tetrachloroethene	0.22		0.088	mg/L	2.5	CT SWPROT
AC-6	GW0112	SA	5/10/00	40	T	VOA	Tetrachloroethene	0.37		0.088	mg/L	4.2	CT SWPROT
AC-6	GW0112	SA	5/10/00	48	T	VOA	Tetrachloroethene	0.27		0.088	mg/L	3.1	CT SWPROT
AC-6	GW0112	SA	5/10/00	56	T	VOA	Tetrachloroethene	0.23		0.088	mg/L	2.6	CT SWPROT
AC-6	GW0112	SA	5/10/00	64	T	VOA	Tetrachloroethene	0.24		0.088	mg/L	2.7	CT SWPROT
AC-6	GW0112	SA	5/10/00	73	T	VOA	Tetrachloroethene	0.18		0.088	mg/L	2.0	CT SWPROT
AC-6	GW0142	SA	3/22/00	36	T	VOA	Tetrachloroethene	0.24		0.088	mg/L	2.7	CT SWPROT
AC-6	GW0143	SA	3/23/00	28	T	VOA	Tetrachloroethene	0.63		0.088	mg/L	7.2	CT SWPROT
AC-6	GW0143	SA	3/23/00	35	T	VOA	Tetrachloroethene	0.47		0.088	mg/L	5.3	CT SWPROT
AC-6	GW0143	SA	3/23/00	40	T	VOA	Tetrachloroethene	0.22		0.088	mg/L	2.5	CT SWPROT
AC-6	GW0143	SA	3/23/00	50	T	VOA	Tetrachloroethene	0.22		0.088	mg/L	2.5	CT SWPROT
AC-6	GW0143	SA	3/23/00	60	T	VOA	Tetrachloroethene	0.19		0.088	mg/L	2.2	CT SWPROT
AC-6	GW0144	SA	3/27/00	28	T	VOA	Tetrachloroethene	0.13		0.088	mg/L	1.5	CT SWPROT
AC-6	MW0089D	SA	4/13/00	60.99	T	VOA	Tetrachloroethene	1.2		0.088	mg/L	13.6	CT SWPROT
AC-6	MW0089M	DU	4/13/00	40.75	T	VOA	Tetrachloroethene	0.22		0.088	mg/L	2.5	CT SWPROT
AC-6	MW0089M	SA	4/13/00	40.75	T	VOA	Tetrachloroethene	0.21		0.088	mg/L	2.4	CT SWPROT
AC-6	MW0089S	SA	4/13/00	17.45	T	VOA	Tetrachloroethene	0.12		0.088	mg/L	1.4	CT SWPROT
AC-6	MW0101M1	SA	4/14/00	30.525	T	VOA	Tetrachloroethene	2.1	D	0.088	mg/L	23.9	CT SWPROT
AC-6	MW0101M2	SA	4/14/00	56.02	T	VOA	Tetrachloroethene	0.42	D	0.088	mg/L	4.8	CT SWPROT

APPENDIX B
FACILITY-WIDE GROUNDWATER EXCEEDING SCREENING CRITERIA

SIKORSKY AIRCRAFT CORPORATION - STRATFORD FACILITY
ENVIRONMENTAL INDICATOR FORM CA750 - MIGRATION OF CONTAMINATED GROUNDWATER UNDER CONTROL

AC	LOC_ID	RES_TYPE	SAMP_DATE	START_DEPTH	FRACTION	CLASS	PARAMETER	RESULT	QUAL	CRITERIA	UNITS	FACTOR	CRITERIA TYPE
AC-6	MW0108M1	SA	1/16/01	24.5	T	VOA	Tetrachloroethene	1.9		0.088	mg/L	21.6	CT SWPROT
AC-6	MW0109B	SA	1/17/01	74.6	T	VOA	Tetrachloroethene	0.19		0.088	mg/L	2.2	CT SWPROT
AC-6	MW0109M1	SA	1/16/01	29	T	VOA	Tetrachloroethene	0.53		0.088	mg/L	6.0	CT SWPROT
AC-6	MW0109M2	SA	1/17/01	43.7	T	VOA	Tetrachloroethene	0.48		0.088	mg/L	5.5	CT SWPROT
AC-7	MW0003B	SA	1/12/98	99.3	T	VOA	Tetrachloroethene	0.26		0.088	mg/L	3.0	CT SWPROT
AC-7	MW0003D	SA	9/27/00	80	T	VOA	Tetrachloroethene	0.097		0.088	mg/L	1.1	CT SWPROT
AC-7	MW0005D	SA	9/27/00	72	T	VOA	Tetrachloroethene	0.121		0.088	mg/L	1.4	CT SWPROT
AC-7	MW0006B	SA	4/12/00	85.66	T	VOA	Tetrachloroethene	0.16		0.088	mg/L	1.8	CT SWPROT
AC-7	MW0009D	SA	1/12/98	75	T	VOA	Tetrachloroethene	0.19		0.088	mg/L	2.2	CT SWPROT
AC-7	MW0036D	SA	9/27/00	80	T	VOA	Tetrachloroethene	0.103		0.088	mg/L	1.2	CT SWPROT
AC-7	SB0630	SA	10/18/99	82	T	VOA	Tetrachloroethene	0.44	D	0.088	mg/L	5.0	CT SWPROT
AC-7	SB0631	SA	10/19/99	72	T	VOA	Tetrachloroethene	0.096		0.088	mg/L	1.1	CT SWPROT
AC-8	GW0090	SA	10/25/99	60.5	T	VOA	Tetrachloroethene	0.64		0.088	mg/L	7.3	CT SWPROT
AC-8	GW0091	SA	5/9/00	32	T	VOA	Tetrachloroethene	0.48		0.088	mg/L	5.5	CT SWPROT
AC-8	GW0091	SA	5/9/00	40	T	VOA	Tetrachloroethene	1.7		0.088	mg/L	19.3	CT SWPROT
AC-8	GW0091	SA	5/9/00	48	T	VOA	Tetrachloroethene	1.1		0.088	mg/L	12.5	CT SWPROT
AC-8	GW0091	SA	5/9/00	56	T	VOA	Tetrachloroethene	1.2		0.088	mg/L	13.6	CT SWPROT
AC-8	GW0108	SA	5/11/00	56	T	VOA	Tetrachloroethene	0.091		0.088	mg/L	1.0	CT SWPROT
AC-8	MW0007D	SA	1/11/98	62.7	T	VOA	Tetrachloroethene	0.092		0.088	mg/L	1.0	CT SWPROT
AC-8	MW0007M2	SA	1/11/98	47.75	T	VOA	Tetrachloroethene	0.13		0.088	mg/L	1.5	CT SWPROT
AC-8	MW0093B	SA	4/13/00	90.05	T	VOA	Tetrachloroethene	0.11		0.088	mg/L	1.3	CT SWPROT
AC-8	MW0093D	SA	1/10/98	60.31	T	VOA	Tetrachloroethene	0.34		0.088	mg/L	3.9	CT SWPROT
AC-9	GW0092	SA	10/25/99	50	T	VOA	Tetrachloroethene	0.51		0.088	mg/L	5.8	CT SWPROT
AC-9	GW0098	SA	11/2/99	63	T	VOA	Tetrachloroethene	0.094		0.088	mg/L	1.1	CT SWPROT
AC-9	GW0106	SA	11/9/99	63	T	VOA	Tetrachloroethene	0.098		0.088	mg/L	1.1	CT SWPROT
AC-9	MW0092D	SA	4/15/97	60.07	T	VOA	Tetrachloroethene	1.2		0.088	mg/L	13.6	CT SWPROT
AC-9	MW0092M	SA	4/13/00	33.255	T	VOA	Tetrachloroethene	0.13		0.088	mg/L	1.5	CT SWPROT
AC-1	GW0100	SA	11/1/99	10	T	VOA	Total Xylenes	0.091		0.018	mg/L	5.1	RFI CRITERIA
AC-1	GW0101	SA	11/3/99	10	T	VOA	Total Xylenes	0.019		0.018	mg/L	1.1	RFI CRITERIA
AC-1	GW0125	SA	12/16/99	12	T	VOA	Total Xylenes	0.041	J	0.018	mg/L	2.3	RFI CRITERIA
AC-1	MW0052S	SA	4/24/97	11.5	T	VOA	Total Xylenes	0.045		0.018	mg/L	2.5	RFI CRITERIA
AC-1	MW0060S	SA	4/25/97	7.95	T	VOA	Total Xylenes	0.053		0.018	mg/L	2.9	RFI CRITERIA
AC-1	MW0066S	SA	4/18/00	6.74	T	VOA	Total Xylenes	0.21		0.018	mg/L	11.7	RFI CRITERIA
AC-1	MW0067S	DU	4/25/97	6.67	T	VOA	Total Xylenes	0.057		0.018	mg/L	3.2	RFI CRITERIA
AC-1	MW0067S	SA	4/25/97	6.67	T	VOA	Total Xylenes	0.057		0.018	mg/L	3.2	RFI CRITERIA
AC-1	MW0095S	SA	4/23/97	8.05	T	VOA	Total Xylenes	0.019		0.018	mg/L	1.1	RFI CRITERIA
AC-1	SB0651	SA	4/6/00	25	T	VOA	Total Xylenes	0.02		0.018	mg/L	1.1	RFI CRITERIA
AC-1	SB0651	SA	4/7/00	10	T	VOA	Total Xylenes	0.41	D	0.018	mg/L	22.8	RFI CRITERIA
AC-12	HP0010	SA	9/16/96	6	T	VOA	Total Xylenes	0.0238		0.018	mg/L	1.3	RFI CRITERIA
AC-12	HP0017	SA	9/18/96	5	T	VOA	Total Xylenes	0.0236		0.018	mg/L	1.3	RFI CRITERIA
AC-4	RW0002	SA	5/5/97	16.5	T	VOA	Total Xylenes	0.053		0.018	mg/L	2.9	RFI CRITERIA
AC-4	RW0004	SA	9/24/96	16	T	VOA	Total Xylenes	0.029		0.018	mg/L	1.6	RFI CRITERIA
AC-6	GW0006	SA	11/4/97	41	T	VOA	Trichloroethene	6.5		2.34	mg/L	2.8	CT SWPROT
AC-6	GW0008	SA	11/11/97	61	T	VOA	Trichloroethene	2.7		2.34	mg/L	1.2	CT SWPROT
AC-6	GW0010	SA	11/11/97	41	T	VOA	Trichloroethene	2.7		2.34	mg/L	1.2	CT SWPROT
AC-6	GW0011	SA	11/13/97	45	T	VOA	Trichloroethene	7.1		2.34	mg/L	3.0	CT SWPROT
AC-6	GW0011	SA	11/13/97	61	T	VOA	Trichloroethene	5.4		2.34	mg/L	2.3	CT SWPROT
AC-6	GW0011	SA	11/13/97	69	T	VOA	Trichloroethene	6.6		2.34	mg/L	2.8	CT SWPROT

APPENDIX B
FACILITY-WIDE GROUNDWATER EXCEEDING SCREENING CRITERIA

SIKORSKY AIRCRAFT CORPORATION - STRATFORD FACILITY
ENVIRONMENTAL INDICATOR FORM CA750 - MIGRATION OF CONTAMINATED GROUNDWATER UNDER CONTROL

AC	LOC_ID	RES_TYPE	SAMP_DATE	START_DEPTH	FRACTION	CLASS	PARAMETER	RESULT	QUAL	CRITERIA	UNITS	FACTOR	CRITERIA TYPE
AC-6	GW0021	SA	11/17/97	41	T	VOA	Trichloroethene	10		2.34	mg/L	4.3	CT SWPROT
AC-6	GW0021	SA	11/17/97	67	T	VOA	Trichloroethene	7.2		2.34	mg/L	3.1	CT SWPROT
AC-6	GW0022	SA	11/18/97	45	T	VOA	Trichloroethene	5.1		2.34	mg/L	2.2	CT SWPROT
AC-6	GW0022	SA	11/18/97	65	T	VOA	Trichloroethene	5.7		2.34	mg/L	2.4	CT SWPROT
AC-6	GW0034	SA	8/2/98	17	T	VOA	Trichloroethene	4.292		2.34	mg/L	1.8	CT SWPROT
AC-6	GW0034	SA	8/2/98	17	T	VOA	Trichloroethene	3.9		2.34	mg/L	1.7	CT SWPROT
AC-6	GW0034	SA	8/3/98	20	T	VOA	Trichloroethene	2.5854		2.34	mg/L	1.1	CT SWPROT
AC-6	GW0034	SA	8/4/98	44	T	VOA	Trichloroethene	4.28		2.34	mg/L	1.8	CT SWPROT
AC-6	GW0034	SA	8/4/98	47	T	VOA	Trichloroethene	10.856		2.34	mg/L	4.6	CT SWPROT
AC-6	GW0034	SA	8/4/98	50	T	VOA	Trichloroethene	116.96		2.34	mg/L	50.0	CT SWPROT
AC-6	GW0034	SA	8/4/98	53	T	VOA	Trichloroethene	82.208		2.34	mg/L	35.1	CT SWPROT
AC-6	GW0034	SA	8/4/98	60	T	VOA	Trichloroethene	68.128		2.34	mg/L	29.1	CT SWPROT
AC-6	GW0035	SA	8/2/98	17	T	VOA	Trichloroethene	3.1006		2.34	mg/L	1.3	CT SWPROT
AC-6	GW0035	SA	8/2/98	17	T	VOA	Trichloroethene	2.7		2.34	mg/L	1.2	CT SWPROT
AC-6	GW0036	SA	8/7/98	22	T	VOA	Trichloroethene	3.1536		2.34	mg/L	1.3	CT SWPROT
AC-6	GW0036	SA	8/8/98	43	T	VOA	Trichloroethene	97.632		2.34	mg/L	41.7	CT SWPROT
AC-6	GW0036	SA	8/8/98	45	T	VOA	Trichloroethene	17.4944		2.34	mg/L	7.5	CT SWPROT
AC-6	GW0037	SA	8/6/98	52	T	VOA	Trichloroethene	2.6268		2.34	mg/L	1.1	CT SWPROT
AC-6	GW0038	SA	8/5/98	42	T	VOA	Trichloroethene	2.7048		2.34	mg/L	1.2	CT SWPROT
AC-6	GW0040	DU	8/7/98	42	T	VOA	Trichloroethene	2.4192		2.34	mg/L	1.0	CT SWPROT
AC-6	GW0040	SA	8/7/98	42	T	VOA	Trichloroethene	2.524		2.34	mg/L	1.1	CT SWPROT
AC-6	GW0040	SA	8/7/98	52	T	VOA	Trichloroethene	19.996		2.34	mg/L	8.5	CT SWPROT
AC-6	GW0041	SA	8/9/98	42	T	VOA	Trichloroethene	2.68		2.34	mg/L	1.1	CT SWPROT
AC-6	GW0045	SA	4/2/99	35	T	VOA	Trichloroethene	5.036		2.34	mg/L	2.2	CT SWPROT
AC-6	GW0045	SA	4/2/99	40	T	VOA	Trichloroethene	4.405		2.34	mg/L	1.9	CT SWPROT
AC-6	GW0047	SA	4/7/99	25	T	VOA	Trichloroethene	6.12		2.34	mg/L	2.6	CT SWPROT
AC-6	GW0047	SA	4/7/99	30	T	VOA	Trichloroethene	5.883		2.34	mg/L	2.5	CT SWPROT
AC-6	GW0047	SA	4/7/99	35	T	VOA	Trichloroethene	4.8		2.34	mg/L	2.1	CT SWPROT
AC-6	GW0048	DU	4/11/99	30	T	VOA	Trichloroethene	2.421		2.34	mg/L	1.0	CT SWPROT
AC-6	GW0048	SA	4/10/99	35	T	VOA	Trichloroethene	3.261		2.34	mg/L	1.4	CT SWPROT
AC-6	GW0049	SA	4/7/99	25	T	VOA	Trichloroethene	4.05		2.34	mg/L	1.7	CT SWPROT
AC-6	GW0049	SA	4/7/99	30	T	VOA	Trichloroethene	5.111		2.34	mg/L	2.2	CT SWPROT
AC-6	GW0049	SA	4/8/99	35	T	VOA	Trichloroethene	2.47		2.34	mg/L	1.1	CT SWPROT
AC-6	GW0052	SA	4/28/99	40	T	VOA	Trichloroethene	4.774		2.34	mg/L	2.0	CT SWPROT
AC-6	GW0052	SA	4/28/99	44.5	T	VOA	Trichloroethene	4.661		2.34	mg/L	2.0	CT SWPROT
AC-6	GW0055	SA	4/22/99	40	T	VOA	Trichloroethene	2.407		2.34	mg/L	1.0	CT SWPROT
AC-6	GW0065	SA	5/7/99	60	T	VOA	Trichloroethene	2.449		2.34	mg/L	1.0	CT SWPROT
AC-6	GW0065	SA	5/7/99	65	T	VOA	Trichloroethene	2.365		2.34	mg/L	1.0	CT SWPROT
AC-6	GW0073	SA	5/20/99	20	T	VOA	Trichloroethene	2.948		2.34	mg/L	1.3	CT SWPROT
AC-6	GW0076	SA	5/22/99	18	T	VOA	Trichloroethene	4.714		2.34	mg/L	2.0	CT SWPROT
AC-6	MW0089D	SA	4/13/00	60.99	T	VOA	Trichloroethene	17	D	2.34	mg/L	7.3	CT SWPROT
AC-6	MW0101M1	SA	4/14/00	30.525	T	VOA	Trichloroethene	4.2	D	2.34	mg/L	1.8	CT SWPROT
AC-6	MW0101M2	SA	4/14/00	56.02	T	VOA	Trichloroethene	5.9	D	2.34	mg/L	2.5	CT SWPROT
AC-6	MW0108M1	SA	1/16/01	24.5	T	VOA	Trichloroethene	4.2		2.34	mg/L	1.8	CT SWPROT

NOTES:
AC = area of concern
LOC ID = sample location identifier: MW = monitoring well; GW = direct push exploration

APPENDIX B
FACILITY-WIDE GROUNDWATER EXCEEDING SCREENING CRITERIA

SIKORSKY AIRCRAFT CORPORATION - STRATFORD FACILITY
ENVIRONMENTAL INDICATOR FORM CA750 - MIGRATION OF CONTAMINATED GROUNDWATER UNDER CONTROL

AC	LOC_ID	RES_TYPE	SAMP_DATE	START_DEPTH	FRACTION	CLASS	PARAMETER	RESULT	QUAL	CRITERIA	UNITS	FACTOR	CRITERIA TYPE

RES TYPE = result type; SA = sample; DU = duplicate
SAMP DATE = date sample collected
DEPTH = depth in feet below ground surface to top of screen
FRACTION = fraction analyzed; T = total sample; F = filtered sample
QUAL = data quality flag: J = estimated value, outside the linear range of quantitation; Q = laboratory qualification; D = diluted sample
mg/L = milligram per liter
FACTOR = RESULT/CRITERIA = amount by which criterion is exceeded
CT SWPROT = Connecticut Remediation Standard Regulations - surface water protection criteria for groundwater.
RFI Criteria = risk-based criteria identified by Environmental Standards, Inc. and used in the Phase II RCRA Facility Investigation Report Harding ESE, August 2001. See Table 1.