Click Here to Return to Main Document

SOIL SAMPLES
EPA METHOD 8260 VOLATILE ORGANICS ANALYSIS RESULTS

Metal Finishing Technologies, Inc.
60 Wooster Court
Forestville, CT.

			COMPARATIVE STANDARDS			AOC 1						AOC 2																			
						22-Aug-00		28-Aug-00		27-Sep-00		8-Mar-00		6-Mar-00		6-Mar-00		6-Mar-00		6-Mar-00		6-Mar-00		6-Mar-00		21-Aug-00		8-Mar-00		6-Mar-00	
						SS MW-17M		SS MW-19M		SS MW-20M		SS-TB1		SS-TB2		SS-TB6		SS-TB9		SS-TB9		SS-TB11		SS-TB10B		SS-MW16M		SS-TB3		SS-TB3	
PARAMETER NAME	EPA METHOD	UNITS	DEP RDEC	DEP RDEC	DEP GB PMC	(5-10)	DV_Qual	(10-12)	DV_Qual	(6-2)	DV_Qual	(10-12)	DV_Qual	(10-11.5)	DV_Qual	(6-2)	DV_Qual	(10-12)	DV_Qual	(10-12)	DV_Qual	(10-12)	DV_Qual	(10-12)	DV_Qual	(8-10)	DV_Qual	(6-2)	DV_Qual	(6-2)	DV_Qual
1,1,1,2-Tetrachloroethane	SW8260	ug/kg	24,000	220,000	200	ND<52	NV	ND<53	NV	ND<71	NV	ND<84	UJ	ND<72	UJ	ND<72	UJ	ND<6	NV	ND<62	UJ	ND<62	UJ	ND<66	UJ	ND<46	NV	ND<5	NV	ND<72	UJ
1,1,1-Trichloroethane	SW8260	ug/kg	500,000	1,000,000	40,000	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
1,1,2,2-Tetrachloroethane	SW8260	ug/kg	3,100	29,000	100	ND<52	NV	ND<53	NV	ND<71	NV	ND<84	UJ	ND<72	UJ	ND<72	UJ	ND<6	NV	ND<62	UJ	ND<62	UJ	ND<66	UJ	ND<46	NV	ND<5	NV	ND<72	UJ
1,1,2-Trichloroethane	SW8260	ug/kg	11,000	100,000	1,000	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
1,1-Dichloroethene	SW8260	ug/kg	500,000	1,000,000	14,000	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
1,1-Dichloroethene	SW8260	ug/kg	1,000	9,500	1,400	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
1,1-Dichloropropene	SW8260	ug/kg	NE	NE	NE	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
1,2,3-Trichlorobenzene	SW8260	ug/kg	NE	NE	NE	92	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
1,2,3-Trichloropropane	SW8260	ug/kg	NE	NE	NE	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
1,2,4-Trichlorobenzene	SW8260	ug/kg	680,000	2,500,000	14,000	58	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
1,2,4-Trimethylbenzene	SW8260	ug/kg	500,000	1,000,000	70,000	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
1,2-Dibromo-3-chloropropane	SW8260	ug/kg	440	4,100	NE	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
1,2-Dibromoethane	SW8260	ug/kg	7	67	NE	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
1,2-Dichlorobenzene	SW8260	ug/kg	500,000	1,000,000	3,100	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
1,2-Dichloroethane	SW8260	ug/kg	6,700	63,000	200	ND<52	NV	ND<53	NV	ND<71	NV	ND<84	UJ	ND<72	UJ	ND<72	UJ	ND<6	NV	ND<62	UJ	ND<62	UJ	ND<66	UJ	ND<46	NV	ND<5	NV	ND<72	UJ
1,2-Dichloropropane	SW8261	ug/kg	9,000	As 000	1,000	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
1,3,5-Trimethylbenzene	SW8260	ug/kg	500,000	1,000,000	70,000	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
1,3-Dichlorobenzene	SW8260	ug/kg	500,000	1,000,000	120,000	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
1,3-Dichloropropane	SW8260	ug/kg	3,400	32,000	100	ND<52	NV	ND<53	NV	ND<71	NV	ND<84	UJ	ND<72	UJ	ND<72	UJ	ND<6	NV	ND<62	UJ	ND<62	UJ	ND<66	UJ	ND<46	NV	ND<5	NV	ND<72	UJ
1,4-Dichlorobenzene	SW8260	ug/kg	28,000	240,000	15,000	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
2,2-Dichloropropane	SW8260	ug/kg	NE	NE	NE	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
2-Butanone	SW8260	ug/kg	500,000	1,000,000	80,000	55	NV	ND<260	NV	ND<350	NV	230	J	200	J	ND<390	U	ND<6	NV	120	J	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	160	J
2-Chlorotoluene	SW8260	ug/kg	NE	NE	NE	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
2-Hexanone	SW8260	ug/kg	NE	NE	NE	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	UJ	ND<360	UJ	ND<390	UJ	ND<6	NV	ND<310	UJ	ND<310	UJ	ND<330	UJ	ND<230	NV	ND<5	NV	ND<360	UJ
4-Chlorotoluene	SW8260	ug/kg	NE	NE	NE	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
4-Isopropyltoluene	SW8260	ug/kg	500,000	1,000,000	41,800	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
4-Methyl-2-pentanone	SW8260	ug/kg	NE	NE	NE	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
Acetone	SW8260	ug/kg	500,000	1,000,000	140,000	NQ<260	NV	72	NV	ND<350	NV	ND<420	UJ	ND<360	UJ	ND<390	UJ	ND<6	NV	ND<310	UJ	ND<310	UJ	ND<330	UJ	ND<230	NV	8	NV	ND<360	UJ
Acrylonitrile	SW8261	ug/kg	1,100	11,000	100	NA	NV	NA	NV	NA	NV	NA	NV	NA	NV	NA	NV	NA	NV	NA	NV	NA	NV	NA	NV	NA	NV	NA	NV	NA	NV
Benzene	SW8260	ug/kg	21,000	200,000	200	ND<52	NV	ND<53	NV	ND<71	NV	ND<84	UJ	ND<72	UJ	200	J	14	NV	ND<62	UJ	ND<62	UJ	ND<66	UJ	ND<46	NV	ND<5	NV	ND<72	UJ
Bromobenzene	SW8260	ug/kg	NE	NE	NE	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
Bromochloromethane	SW8260	ug/kg	NE	NE	NE	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
Bromodichloromethane	SW8260	ug/kg	8,900	92,000	110	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
Bromoform	SW8260	ug/kg	78,000	720,000	800	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
Bromomethane	SW8260	ug/kg	95,000	1,000,000	2,000	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
Carbon disulfide	SW8260	ug/kg	500,000	1,000,000	140,000	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
Carbon tetrachloride	SW8260	ug/kg	4,700	44,000	1,000	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
Chlorobenzene	SW8260	ug/kg	500,000	1,000,000	20,000	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
Chloroethane	SW8260	ug/kg	NE	NE	NE	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
Chloroform	SW8260	ug/kg	100,000	940,000	1,200	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
Chloromethane	SW8260	ug/kg	47,000	440,000	540	ND<260	NV	ND<260	NV	110	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
cis-1,2-Dichloroethene	SW8260	ug/kg	500,000	1,000,000	14,000	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
cis-1,3-Dichloropropene	SW8260	ug/kg	NE	NE	NE	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
Dibromochloromethane	SW8260	ug/kg	7,300	66,000	100	NQ<52	NV	ND<53	NV	ND<71	NV	ND<84	UJ	ND<72	UJ	ND<72	UJ	ND<6	NV	ND<62	UJ	ND<62	UJ	ND<66	UJ	NQ<46	NV	ND<5	NV	ND<72	UJ
Dibromomethane	SW8260	ug/kg	NE	NE	NE	ND<52	NV	ND<53	NV	ND<71	NV	ND<84	UJ	ND<72	UJ	ND<72	UJ	ND<6	NV	ND<62	UJ	ND<62	UJ	ND<66	UJ	ND<46	NV	ND<5	NV	ND<72	UJ
Dichlorodifluoromethane	SW8260	ug/kg	NE	NE	NE	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
Ethylbenzene	SW8260	ug/kg	500,000	1,000,000	10,100	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
Hexachlorobutadiene	SW8260	ug/kg	7,800	73,000	1,000	88	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
Iodomethane	SW8260	ug/kg	NE	NE	NE	ND<260	NV	ND<260	NV	430	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
Isopropylbenzene	SW8260	ug/kg	500,000	1,000,000	132,000	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
Methyltertbutyl ether	SW8260	ug/kg	500,000	1,000,000	20,000	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
Methylene chloride	SW8260	ug/kg	82,000	760,000	1,000	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	7	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	5	NV	ND<360	U
Naphthalene	SW8260	ug/kg	1,000,000	2,500,000	56,000	60	NV	ND<260	NV	ND<350	NV	360	J	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
n-Butylbenzene	SW8260	ug/kg	500,000	1,000,000	14,000	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
n-Propylbenzene	SW8260	ug/kg	500,000	1,000,000	14,000	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
sec-Butylbenzene	SW8260	ug/kg	500,000	1,000,000	14,000	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
Styrene	SW8260	ug/kg	500,000	1,000,000	20,000	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
tert-Butylbenzene	SW8260	ug/kg	500,000	1,000,000	14,000	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
Tetrachloroethene	SW8260	ug/kg	12,000	110,000	1,000	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
Toluene	SW8260	ug/kg	500,000	1,000,000	67,000	ND<260	NV	54	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
trans-1,2-Dichloroethene	SW8260	ug/kg	500,000	1,000,000	20,000	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
trans-1,3-Dichloropropene	SW8260	ug/kg	NE	NE	NE	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
Trichloroethene	SW8260	ug/kg	58,000	520,000	1,000	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
Trichlorofluoromethane	SW8260	ug/kg	500,000	1,000,000	280,000	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	UJ	ND<360	UJ	ND<390	UJ	ND<6	NV	ND<310	UJ	ND<310	UJ	ND<330	UJ	ND<230	NV	ND<5	NV	ND<360	UJ
Vinyl acetate	SW8260	ug/kg	NE	NE	NE	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	UJ	ND<360	UJ	ND<390	UJ	ND<6	NV	ND<310	UJ	ND<310	UJ	ND<330	UJ	ND<230	NV	ND<5	NV	ND<360	UJ
Vinyl chloride	SW8260	ug/kg	320	3,000	400	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U
Xylene (Total)	SW8260	ug/kg	500,000	1,000,000	19,500	ND<260	NV	ND<260	NV	ND<350	NV	ND<420	U	ND<360	U	ND<390	U	ND<6	NV	ND<310	U	ND<310	U	ND<330	U	ND<230	NV	ND<5	NV	ND<360	U

DEP RDEC = CT Department of Environmental Protection Residential Direct Exposure Criteria
DEP ICDEC = CT Department of Environmental Protection Industrial/Commercial Direct Exposure Criteria
EPA IRBC = Environmental Protection Agency Region III Industrial Risk Based Concentration
EPA RRBC = Environmental Protection Agency Region III Residential Risk Based Concentration
DEP GB PMC = CT Department of Environmental Protection GB Pollutant Mobility Criteria
ND = Not Detected
NE = Not Established
NA = Not Analyzed
ug/kg = micrograms per kilogram
Black Shaded Cells Exceed DEP GB PMC
NV = Not Validated. See Usability Report for explanation of Data Validation Qualifier (DV_Qual)

			COMPARATIVE STANDARDS			AOC 3												AOC 4												AOC 5							
						5-Mar-00		6-Mar-00		6-Mar-00		6-Mar-00		6-Mar-00		28-Sep-00		27-Apr-00		27-Apr-00		27-Apr-00		27-Apr-00		16-Mar-01		18-Mar-01		16-Mar-01		16-Mar-01		16-Mar-01		16-Mar-01	
	EPA		DEP	DEP	DEP	SS-TB4		SS-TB5		SS-TB6		SS-TB7		SS-TB10		SS MW-21M		SS-TB15		SS-TB16		SS-TB16D		SS-TB17		TP-1		TP-1		TP-2		TP-2		SB-TP5		TP-3	
PARAMETER NAME	METHOD	UNITS	RDEC	ICDEC	GB PMC	(0-2)	DV_Qual	(0-2)	DV_Qual	(0-2)	DV_Qual	(0-2)	DV_Qual	(10-12)	DV_Qual	(6-8)	DV_Qual	(0-2)	DV_Qual	(0-2)	DV_Qual	(0-2)	DV_Qual	(0-2)	DV_Qual	5'	DV_Qual	5.5'	DV_Qual	3.75	DV_Qual	4'	DV_Qual	4'	DV_Qual	5'	DV_Qual
1,1,2-Tetrachloroethane	SW8260	ug/Kg	24,000	220,000	200	ND<72	UJ	ND<68	UJ	ND<78	UJ	ND<84	UJ	ND<68	UJ	ND<58	NV	ND<48	NV	ND<50	NV	ND<54	NV	ND<50	NV	ND<270	NV	ND<280	NV	ND<240	NV	ND<200	NV	ND<250	NV	ND<270	NV
1,1,1-Trichloroethane	SW8260	ug/Kg	500,000	1,000,000	40,000	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
1,1,2,2-Tetrachloroethane	SW8260	ug/Kg	3,100	29,000	100	ND<72	UJ	ND<68	UJ	ND<78	UJ	ND<84	UJ	ND<68	UJ	ND<58	NV	ND<48	NV	ND<50	NV	ND<54	NV	ND<50	NV	ND<140	NV	ND<130	NV	ND<120	NV	ND<98	NV	ND<120	NV	ND<140	NV
1,1,2-Trichloroethane	SW8260	ug/Kg	11,000	100,000	1,000	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
1,1-Dichloroethane	SW8260	ug/Kg	500,000	1,000,000	14,000	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
1,1-Dichloroethene	SW8260	ug/Kg	1,000	8,500	1,400	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
1,1-Dichloropropene	SW8260	ug/Kg	NE	NE	NE	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
1,2,3-Trichlorobenzene	SW8260	ug/Kg	NE	NE	NE	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
1,2,3-Trichloropropane	SW8260	ug/Kg	NE	NE	NE	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
1,2,4-Trichlorobenzene	SW8260	ug/Kg	880,000	2,500,000	14,000	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	68	NV	ND<240	NV	ND<310	NV	ND<340	NV
1,2,4-Trimethylbenzene	SW8260	ug/Kg	500,000	1,000,000	70,000	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
1,2-Dibromo-3-chloropropane	SW8260	ug/Kg	440	4,100	NE	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
1,2-Dibromoethane	SW8260	ug/Kg	7	67	NE	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
1,2-Dichlorobenzene	SW8260	ug/Kg	500,000	1,000,000	3,100	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
1,2-Dichloroethane	SW8260	ug/Kg	6,700	63,000	200	ND<72	UJ	ND<68	UJ	ND<78	UJ	ND<84	UJ	ND<68	UJ	ND<58	NV	ND<48	NV	ND<50	NV	ND<54	NV	ND<50	NV	ND<270	NV	ND<280	NV	ND<240	NV	ND<200	NV	ND<250	NV	ND<270	NV
1,2-Dichloropropane	SW8260	ug/Kg	9,000	84,000	1,000	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
1,3,5-Trimethylbenzene	SW8260	ug/Kg	500,000	1,000,000	70,000	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
1,3-Dichlorobenzene	SW8260	ug/Kg	500,000	1,000,000	120,000	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
1,3-Dichloropropane	SW8260	ug/Kg	3,400	32,000	100	ND<72	UJ	ND<68	UJ	ND<78	UJ	ND<84	UJ	ND<68	UJ	ND<58	NV	ND<48	NV	ND<50	NV	ND<54	NV	ND<50	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
1,4-Dichlorobenzene	SW8260	ug/Kg	26,000	240,000	15,000	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
2,2-Dichloropropane	SW8260	ug/Kg	NE	NE	NE	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
2-Butanone	SW8260	ug/Kg	500,000	1,000,000	60,000	160	J	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	180	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
2-Chlorotoluene	SW8260	ug/Kg	NE	NE	NE	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
2-Hexanone	SW8260	ug/Kg	NE	NE	NE	ND<380	UJ	ND<340	UJ	ND<380	UJ	ND<320	UJ	ND<340	UJ	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
4-Chlorotoluene	SW8260	ug/Kg	NE	NE	NE	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
4-Isopropyltoluene	SW8260	ug/Kg	500,000	1,000,000	41,800	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
4-Methyl-2-pentanone	SW8260	ug/Kg	NE	NE	NE	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	88	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
Acetone	SW8260	ug/Kg	500,000	1,000,000	140,000	ND<360	UJ	ND<340	UJ	ND<380	UJ	ND<320	UJ	ND<340	UJ	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	730	NV	690	NV	530	NV	520	NV	600	NV	920	NV
Acrylonitrile	SW8261	ug/Kg	1,100	11,000	100	NA	NV	NA	NV	NA	NV	NA	NV	NA	NV	NA	NV	NA	NV	NA	NV	NA	NV	NA	NV	ND<140	NV	ND<130	NV	ND<120	NV	ND<98	NV	ND<120	NV	ND<140	NV
Benzene	SW8260	ug/Kg	21,000	200,000	200	ND<72	UJ	ND<68	UJ	ND<78	UJ	ND<84	UJ	ND<68	UJ	ND<58	NV	ND<48	NV	ND<50	NV	ND<54	NV	ND<50	NV	ND<270	NV	ND<260	NV	ND<240	NV	ND<200	NV	ND<250	NV	ND<270	NV
Bromobenzene	SW8260	ug/Kg	NE	NE	NE	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
Bromochloromethane	SW8260	ug/Kg	NE	NE	NE	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
Bromodichloromethane	SW8260	ug/Kg	9,900	92,000	110	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
Bromoform	SW8260	ug/Kg	78,000	720,000	800	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
Bromomethane	SW8260	ug/Kg	85,000	1,000,000	2,000	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
Carbon disulfide	SW8260	ug/Kg	500,000	1,000,000	140,000	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
Carbon tetrachloride	SW8260	ug/Kg	4,700	44,000	1,000	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
Chlorobenzene	SW8260	ug/Kg	500,000	1,000,000	20,000	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
Chloroethane	SW8260	ug/Kg	NE	NE	NE	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
Chloroform	SW8260	ug/Kg	100,000	940,000	1,200	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
Chloromethane	SW8260	ug/Kg	47,000	440,000	540	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	130	NV	150	NV	130	NV	120	NV	280	NV	180	NV
cis-1,2-Dichloroethene	SW8260	ug/Kg	500,000	1,000,000	14,000	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
cis-1,3-Dichloropropene	SW8260	ug/Kg	NE	NE	NE	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
Dibromochloromethane	SW8260	ug/Kg	7,300	68,000	100	ND<72	UJ	ND<68	UJ	ND<78	UJ	ND<84	UJ	ND<68	UJ	ND<58	NV	ND<48	NV	ND<50	NV	ND<54	NV	ND<50	NV	ND<140	NV	ND<130	NV	ND<120	NV	ND<98	NV	ND<120	NV	ND<140	NV
Dibromomethane	SW8262	ug/Kg	NE	NE	NE	ND<72	UJ	ND<68	UJ	ND<78	UJ	ND<84	UJ	ND<68	UJ	ND<58	NV	ND<48	NV	ND<50	NV	ND<54	NV	ND<50	NV	ND<140	NV	ND<130	NV	ND<120	NV	ND<98	NV	ND<120	NV	ND<140	NV
Dichlorodifluoromethane	SW8260	ug/Kg	NE	NE	NE	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
Ethylbenzene	SW8260	ug/Kg	500,000	1,000,000	10,100	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
Hexachlorobutadiene	SW8260	ug/Kg	7,900	73,000	1,000	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
Iodomethane	SW8260	ug/Kg	NE	NE	NE	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
Isopropylbenzene	SW8260	ug/Kg	500,000	1,000,000	132,000	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
Methyl-tert-butyl ether	SW8260	ug/Kg	500,000	1,000,000	20,000	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
Methylene chloride	SW8260	ug/Kg	82,000	760,000	1,000	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	109	NV
Naphthalene	SW8260	ug/Kg	1,000,000	2,500,000	58,000	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	180	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	91	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<540	NV
n-Butylbenzene	SW8260	ug/Kg	500,000	1,000,000	14,000	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
n-Propylbenzene	SW8260	ug/Kg	500,000	1,000,000	14,000	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
sec-Butylbenzene	SW8260	ug/Kg	500,000	1,000,000	14,000	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
Styrene	SW8260	ug/Kg	500,000	1,000,000	20,000	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
tert-Butylbenzene	SW8260	ug/Kg	500,000	1,000,000	14,000	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
Tetrachloroethene	SW8260	ug/Kg	12,000	110,000	1,000	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	380	NV	490	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
Toluene	SW8260	ug/Kg	500,000	1,000,000	67,000	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
trans-1,2-Dichloroethene	SW8260	ug/Kg	500,000	1,000,000	20,000	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
trans-1,3-Dichloropropene	SW8260	ug/Kg	NE	NE	NE	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
Trichloroethene	SW8260	ug/Kg	58,000	520,000	1,000	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
Trichlorofluoromethane	SW8260	ug/Kg	500,000	1,000,000	280,000	ND<360	UJ	ND<340	UJ	ND<380	UJ	ND<320	UJ	ND<340	UJ	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
Vinyl acetate	SW8260	ug/Kg	NE	NE	NE	ND<360	UJ	ND<340	UJ	ND<380	UJ	ND<320	UJ	ND<340	UJ	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
Vinyl chloride	SW8260	ug/Kg	320	3,000	400	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	ND<340	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV
Xylene (Total)	SW8260	ug/Kg	500,000	1,000,000	18,500	ND<360	U	ND<340	U	ND<380	U	ND<320	U	ND<340	U	ND<290	NV	ND<240	NV	ND<250	NV	ND<270	NV	ND<250	NV	86	NV	ND<330	NV	ND<300	NV	ND<240	NV	ND<310	NV	ND<340	NV

DEP RDEC = CT Department of Environmental Protection Residential Direct Exposure Criteria
DEP ICDEC = CT Department of Environmental Protection Industrial/Commercial Direct Exposure Criteria
EPA IRSC = Environmental Protection Agency Region III Industrial Risk Based Concentration
EPA RRSC = Environmental Protection Agency Region III Residential Risk Based Concentration
DEP GB PMC = CT Department of Environmental Protection GB Pollutant Mobility Criteria
ND = Not Detected
NE = Not Established
NA = Not Analyzed
ug/kg = micrograms per kilogram
Black Shaded Cells Exceed DEP GB PMC
NV = Not Validated. See Usability Report for explanation of Data Validation Qualifier (DV_Qual).

SOIL SAMPLES
EPA METHOD 8260 VOLATILE ORGANICS ANALYSIS RESULTS

			COMPARATIVE STANDARDS			AOC II								AOC 16	
						16-Mar-01		16-Mar-01		16-Mar-01		16-Mar-01		26-Apr-00	
	EPA		DEP	DEP	DEP	TP-5		SS-TP6		SS-TP7		SS-TP8		SS-TB12	
PARAMETER NAME	METHOD	UNITS	RDEC	ICDEC	GB PMC	7'	DV_Qual	3'	DV_Qual	3'	DV_Qual	3'	DV_Qual	(6-8)	DV_Qual
1,1,1,2-Tetrachloroethane	SW8260	ug/Kg	24,000	220,000	200	ND<440	NV	ND<210	NV	ND<210	NV	ND<250	NV	ND<48	NV
1,1,1-Trichloroethane	SW8260	ug/Kg	500,000	1,000,000	40,000	ND<550	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
1,1,2,2-Tetrachloroethane	SW8260	ug/Kg	3,100	29,000	100	ND<220	NV	ND<100	NV	ND<100	NV	ND<120	NV	ND<48	NV
1,1,2-Trichloroethane	SW8260	ug/Kg	11,000	100,000	1,000	ND<550	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
1,1-Dichloroethane	SW8260	ug/Kg	500,000	1,000,000	14,000	ND<550	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
1,1-Dichloroethene	SW8260	ug/Kg	1,000	9,500	1,400	ND<550	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
1,1-Dichloropropene	SW8260	ug/Kg	NE	NE	NE	ND<550	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
1,2,3-Trichlorobenzene	SW8260	ug/Kg	NE	NE	NE	ND<550	NV	150	NV	ND<260	NV	ND<310	NV	ND<240	NV
1,2,3-Trichloropropane	SW8260	ug/Kg	NE	NE	NE	ND<550	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
1,2,4-Trichlorobenzene	SW8260	ug/Kg	680,000	2,500,000	14,000	150	NV	120	NV	ND<260	NV	ND<310	NV	ND<240	NV
1,2,4-Trimethylbenzene	SW8260	ug/Kg	500,000	1,000,000	70,000	140	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
1,2-Dibromo-3-chloropropane	SW8260	ug/Kg	440	4,100	NE	ND<550	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
1,2-Dibromoethane	SW8260	ug/Kg	7	67	NE	ND<550	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
1,2-Dichlorobenzene	SW8260	ug/Kg	500,000	1,000,000	3,100	ND<550	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
1,2-Dichloroethane	SW8260	ug/Kg	6,700	63,000	200	ND<440	NV	ND<210	NV	ND<210	NV	ND<250	NV	ND<48	NV
1,2-Dichloropropane	SW8261	ug/Kg	9,000	84,000	1,000	ND<550	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
1,3,5-Trimethylbenzene	SW8260	ug/Kg	500,000	1,000,000	70,000	ND<550	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
1,3-Dichlorobenzene	SW8260	ug/Kg	500,000	1,000,000	120,000	ND<550	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
1,3-Dichloropropane	SW8260	ug/Kg	3,400	32,000	100	ND<550	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<48	NV
1,4-Dichlorobenzene	SW8260	ug/Kg	38,000	240,000	15,000	ND<550	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
2,2-Dichloropropane	SW8260	ug/Kg	NE	NE	NE	ND<550	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
2-Butanone	SW8260	ug/Kg	500,000	1,000,000	80,000	ND<550	NV	230	NV	ND<260	NV	ND<310	NV	ND<240	NV
2-Chlorotoluene	SW8260	ug/Kg	NE	NE	NE	ND<550	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
2-Hexanone	SW8260	ug/Kg	NE	NE	NE	ND<550	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
4-Chlorotoluene	SW8260	ug/Kg	NE	NE	NE	ND<550	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
4-Isopropyltoluene	SW8260	ug/Kg	500,000	1,000,000	41,800	ND<550	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
4-Methyl-2-pentanone	SW8260	ug/Kg	NE	NE	NE	ND<550	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
Acetone	SW8260	ug/Kg	500,000	1,000,000	140,000	1100	NV	300	NV	360	NV	630	NV	ND<240	NV
Acrylonitrile	SW8261	ug/Kg	1,100	11,000	100	ND<220	NV	130	NV	ND<100	NV	ND<120	NV	NA	NV
Benzene	SW8260	ug/Kg	21,000	200,000	200	ND<440	NV	ND<210	NV	ND<210	NV	ND<250	NV	ND<48	NV
Bromobenzene	SW8260	ug/Kg	NE	NE	NE	ND<550	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
Bromochloromethane	SW8260	ug/Kg	NE	NE	NE	ND<550	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
Bromodichloromethane	SW8260	ug/Kg	9,900	92,000	110	140	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
Bromoform	SW8260	ug/Kg	78,000	720,000	800	ND<550	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
Bromomethane	SW8260	ug/Kg	85,000	1,000,000	2,000	ND<550	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
Carbon disulfide	SW8260	ug/Kg	500,000	1,000,000	140,000	ND<550	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
Carbon tetrachloride	SW8260	ug/Kg	4,700	44,000	1,000	ND<550	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
Chlorobenzene	SW8260	ug/Kg	500,000	1,000,000	20,000	ND<550	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
Chloroethane	SW8260	ug/Kg	NE	NE	NE	ND<550	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
Chloroform	SW8260	ug/Kg	100,000	940,000	1,200	1100	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
Chloromethane	SW8260	ug/Kg	47,000	440,000	540	350	NV	190	NV	210	NV	220	NV	ND<240	NV
cis-1,2-Dichloroethene	SW8260	ug/Kg	500,000	1,000,000	14,000	ND<550	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
cis-1,3-Dichloropropene	SW8260	ug/Kg	NE	NE	NE	ND<550	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
Dibromochloromethane	SW8260	ug/Kg	7,300	68,000	100	ND<220	NV	ND<100	NV	ND<100	NV	ND<120	NV	ND<48	NV
Dibromomethane	SW8262	ug/Kg	NE	NE	NE	ND<220	NV	ND<100	NV	ND<100	NV	ND<120	NV	ND<48	NV
Dichlorodifluoromethane	SW8260	ug/Kg	NE	NE	NE	ND<550	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
Ethylbenzene	SW8260	ug/Kg	500,000	1,000,000	10,100	ND<550	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
Hexachlorobutadiene	SW8260	ug/Kg	7,900	73,000	1,000	ND<550	NV	120	NV	ND<260	NV	ND<310	NV	ND<240	NV
Iodomethane	SW8260	ug/Kg	NE	NE	NE	ND<550	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
Isopropylbenzene	SW8260	ug/Kg	500,000	1,000,000	132,000	ND<550	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
Methyltertbutyl ether	SW8260	ug/Kg	500,000	1,000,000	20,000	ND<550	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
Methylene chloride	SW8260	ug/Kg	82,000	760,000	1,000	260	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
Naphthalene	SW8260	ug/Kg	1,000,000	2,500,000	56,000	390	NV	120	NV	110	NV	72	NV	ND<240	NV
n-Butylbenzene	SW8260	ug/Kg	500,000	1,000,000	14,000	ND<550	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
n-Propylbenzene	SW8260	ug/Kg	500,000	1,000,000	14,000	ND<550	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
sec-Butylbenzene	SW8260	ug/Kg	500,000	1,000,000	14,000	ND<550	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
Styrene	SW8260	ug/Kg	500,000	1,000,000	20,000	ND<550	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
tert-Butylbenzene	SW8260	ug/Kg	500,000	1,000,000	14,000	ND<550	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
Tetrachloroethene	SW8260	ug/Kg	12,000	110,000	1,000	ND<550	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
Toluene	SW8260	ug/Kg	500,000	1,000,000	67,000	120	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
trans-1,2-Dichloroethene	SW8260	ug/Kg	500,000	1,000,000	20,000	ND<550	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
trans-1,3-Dichloropropene	SW8260	ug/Kg	NE	NE	NE	ND<550	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
Trichloroethene	SW8260	ug/Kg	58,000	520,000	1,000	ND<550	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
Trichlorofluoromethane	SW8260	ug/Kg	500,000	1,000,000	280,000	ND<550	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
Vinyl acetate	SW8260	ug/Kg	NE	NE	NE	ND<550	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
Vinyl chloride	SW8260	ug/Kg	320	3,000	400	ND<550	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV
Xylene (Total)	SW8260	ug/Kg	500,000	1,000,000	19,500	320	NV	ND<260	NV	ND<260	NV	ND<310	NV	ND<240	NV

DEP RDEC = CT Department of Environmental Protection Residential Direct Exposure Criteria
DEP ICDEC = CT Department of Environmental Protection Industrial/Commercial Direct Exposure Criteria
EPA IRBC = Environmental Protection Agency Region III Industrial Risk Based Concentration
EPA RRBC = Environmental Protection Agency Region III Residential Risk Based Concentration
DEP GB PMC = CT Department of Environmental Protection GB Pollutant Mobility Criteria
ND = Not Detected
NE = Not Established
NA = Not Analyzed
ug/kg = micrograms per kilogram
Black Shaded Cells Exceed DEP GB PMC
NV = Not Validated. See Usability Report for explanation of Data Validation Qualifier (DV_Qual)

SOIL SAMPLES
EPA METHOD 8260 VOLATILE ORGANICS ANALYSIS RESULTS

			COMPARATIVE STANDARDS			AOC 17			
						26-Apr-00		26-Apr-00	
	EPA		DEP	DEP	DEP	SS-TB13		SS-TB14	
PARAMETER NAME	METHOD	UNITS	RDEC	ICDEC	GB PMC	(0-2)	QV_Qual	(0-2)	QV_Qual
1,1,1,2-Tetrachloroethane	SW8260	ug/Kg	24,000	220,000	200	ND<48	NV	ND<42	NV
1,1,1-Trichloroethane	SW8260	ug/Kg	500,000	1,000,000	40,000	ND<240	NV	ND<210	NV
1,1,2,2-Tetrachloroethane	SW8260	ug/Kg	3,100	28,000	100	ND<48	NV	ND<42	NV
1,1,2-Trichloroethane	SW8260	ug/Kg	11,000	100,000	1,000	ND<240	NV	ND<210	NV
1,1-Dichloroethane	SW8260	ug/Kg	500,000	1,000,000	14,000	ND<240	NV	ND<210	NV
1,1-Dichloroethene	SW8260	ug/Kg	1,000	9,500	1,400	ND<240	NV	ND<210	NV
1,1-Dichloropropene	SW8260	ug/Kg	NE	NE	NE	ND<240	NV	ND<210	NV
1,2,3-Trichlorobenzene	SW8260	ug/Kg	NE	NE	NE	ND<240	NV	ND<210	NV
1,2,3-Trichloropropane	SW8260	ug/Kg	NE	NE	NE	ND<240	NV	ND<210	NV
1,2,4-Trichlorobenzene	SW8260	ug/Kg	980,000	2,800,000	14,000	ND<240	NV	ND<210	NV
1,2,4-Trimethylbenzene	SW8260	ug/Kg	500,000	1,000,000	70,000	ND<240	NV	ND<210	NV
1,2-Dibromo-3-chloropropane	SW8260	ug/Kg	440	4,100	NE	ND<240	NV	ND<210	NV
1,2-Dibromoethane	SW8260	ug/Kg	7	67	NE	ND<240	NV	ND<210	NV
1,2-Dichlorobenzene	SW8260	ug/Kg	500,000	1,000,000	3,100	ND<240	NV	ND<210	NV
1,2-Dichloroethane	SW8260	ug/Kg	6,700	63,000	200	ND<48	NV	ND<42	NV
1,2-Dichloropropane	SW8260	ug/Kg	9,000	84,000	1,000	ND<240	NV	ND<210	NV
1,3,5-Trimethylbenzene	SW8260	ug/Kg	500,000	1,000,000	70,000	ND<240	NV	ND<210	NV
1,3-Dichlorobenzene	SW8260	ug/Kg	500,000	1,000,000	120,000	ND<240	NV	ND<210	NV
1,3-Dichloropropane	SW8260	ug/Kg	3,400	32,000	100	ND<48	NV	ND<42	NV
1,4-Dichlorobenzene	SW8260	ug/Kg	26,000	240,000	15,000	ND<240	NV	ND<210	NV
2,2-Dichloropropane	SW8260	ug/Kg	NE	NE	NE	ND<240	NV	ND<210	NV
2-Butanone	SW8260	ug/Kg	500,000	1,000,000	80,000	ND<240	NV	ND<210	NV
2-Chlorotoluene	SW8260	ug/Kg	NE	NE	NE	ND<240	NV	ND<210	NV
2-Hexanone	SW8260	ug/Kg	NE	NE	NE	ND<240	NV	ND<210	NV
4-Chlorotoluene	SW8260	ug/Kg	NE	NE	NE	ND<240	NV	ND<210	NV
4-Isopropyltoluene	SW8260	ug/Kg	500,000	1,000,000	41,500	ND<240	NV	ND<210	NV
4-Methyl-2-pentanone	SW8260	ug/Kg	NE	NE	NE	ND<240	NV	ND<210	NV
Acetone	SW8260	ug/Kg	500,000	1,000,000	140,000	ND<240	NV	ND<210	NV
Acrylonitrile	SW8261	ug/Kg	1,100	11,000	100	NA	NV	NA	NV
Benzene	SW8260	ug/Kg	21,000	200,000	200	ND<48	NV	ND<42	NV
Bromobenzene	SW8260	ug/Kg	NE	NE	NE	ND<240	NV	ND<210	NV
Bromochloromethane	SW8260	ug/Kg	NE	NE	NE	ND<240	NV	ND<210	NV
Bromodichloromethane	SW8260	ug/Kg	9,900	92,000	110	ND<240	NV	ND<210	NV
Bromoform	SW8260	ug/Kg	78,000	720,000	800	ND<240	NV	ND<210	NV
Bromomethane	SW8260	ug/Kg	95,000	1,000,000	2,000	ND<240	NV	ND<210	NV
Carbon disulfide	SW8260	ug/Kg	500,000	1,000,000	140,000	ND<240	NV	ND<210	NV
Carbon tetrachloride	SW8260	ug/Kg	4,700	44,000	1,000	ND<240	NV	ND<210	NV
Chlorobenzene	SW8260	ug/Kg	500,000	1,000,000	20,000	ND<240	NV	ND<210	NV
Chloroethane	SW8260	ug/Kg	NE	NE	NE	ND<240	NV	ND<210	NV
Chloroform	SW8260	ug/Kg	100,000	940,000	1,200	ND<240	NV	ND<210	NV
Chloromethane	SW8260	ug/Kg	47,000	440,000	540	ND<240	NV	ND<210	NV
cis-1,2-Dichloroethene	SW8260	ug/Kg	500,000	1,000,000	14,000	ND<240	NV	ND<210	NV
cis-1,3-Dichloropropene	SW8260	ug/Kg	NE	NE	NE	ND<240	NV	ND<210	NV
Dibromochloromethane	SW8260	ug/Kg	7,300	68,000	100	ND<48	NV	ND<42	NV
Dibromomethane	SW8262	ug/Kg	NE	NE	NE	ND<48	NV	ND<42	NV
Dichlorodifluoromethane	SW8260	ug/Kg	NE	NE	NE	ND<240	NV	ND<210	NV
Ethylbenzene	SW8260	ug/Kg	500,000	1,000,000	10,100	ND<240	NV	ND<210	NV
Hexachlorobutadiene	SW8260	ug/Kg	7,900	73,000	1,000	ND<240	NV	ND<210	NV
Iodomethane	SW8260	ug/Kg	NE	NE	NE	ND<240	NV	ND<210	NV
Isopropylbenzene	SW8260	ug/Kg	500,000	1,000,000	132,000	ND<240	NV	ND<210	NV
Methyltertbutyl ether	SW8260	ug/Kg	500,000	1,000,000	20,000	ND<240	NV	ND<210	NV
Methylene chloride	SW8260	ug/Kg	82,000	760,000	1,000	ND<240	NV	ND<210	NV
Naphthalene	SW8260	ug/Kg	1,000,000	2,800,000	56,000	ND<240	NV	ND<210	NV
n-Butylbenzene	SW8260	ug/Kg	500,000	1,000,000	14,000	ND<240	NV	ND<210	NV
n-Propylbenzene	SW8260	ug/Kg	500,000	1,000,000	14,000	ND<240	NV	ND<210	NV
sec-Butylbenzene	SW8260	ug/Kg	500,000	1,000,000	14,000	ND<240	NV	ND<210	NV
Styrene	SW8260	ug/Kg	500,000	1,000,000	20,000	ND<240	NV	ND<210	NV
tert-Butylbenzene	SW8260	ug/Kg	500,000	1,000,000	14,000	ND<240	NV	ND<210	NV
Tetrachloroethene	SW8260	ug/Kg	12,000	110,000	1,000	270	NV	ND<210	NV
Toluene	SW8260	ug/Kg	500,000	1,000,000	97,000	ND<240	NV	ND<210	NV
trans-1,2-Dichloroethene	SW8260	ug/Kg	500,000	1,000,000	20,000	ND<240	NV	ND<210	NV
trans-1,3-Dichloropropene	SW8260	ug/Kg	NE	NE	NE	ND<240	NV	ND<210	NV
Trichloroethene	SW8260	ug/Kg	58,000	530,000	1,000	ND<240	NV	ND<210	NV
Trichlorofluoromethane	SW8260	ug/Kg	500,000	1,000,000	280,000	ND<240	NV	ND<210	NV
Vinyl acetate	SW8260	ug/Kg	NE	NE	NE	ND<240	NV	ND<210	NV
Vinyl chloride	SW8260	ug/Kg	320	3,000	400	ND<240	NV	ND<210	NV
Xylene (Total)	SW8260	ug/Kg	500,000	1,000,000	19,500	ND<240	NV	ND<210	NV

DEP RDEC = CT Department of Environmental Protection Residential Direct Exposure Criteria
DEP ICDEC = CT Department of Environmental Protection Industrial/Commercial Direct Exposure Criteria
EPA IKBC = Environmental Protection Agency Region III Industrial Risk Based Concentration
EPA RRBC = Environmental Protection Agency Region III Residential Risk Based Concentration
DEP GB PMC = CT Department of Environmental Protection GB Pollutant Mobility Criteria
ND = Not Detected
NE = Not Established
NA = Not Analyzed
ug/kg = micrograms per kilogram
Black Shaded Cells Exceed DEP GB PMC
NV = Not Validated. See Usability Report for explanation of Data Validation Qualifier (DV_Qual)

Click Here to Return to Main Document

SOIL SAMPLES
EPA METHOD 8270C SEMIVOLATILE ORGANICS ANALYSIS RESULTS

Metal Finishing Technologies, Inc.
60 Wooster Court
Forestville, CT.

			COMPARATIVE STANDARDS			AOC 2		AOC 3		AOC 4		AOC 5		AOC 16		AOC 17	
						6-Mar-00		6-Mar-00		27-Apr-00		16-Mar-01		26-Apr-00		26-Apr-00	
						SS TB9		SS TB3		SS-TB17		SS-TP7		SS-TB12		SS-TB14	
PARAMETER NAME	EPA METHOD	UNITS	DEP RDEC	DEP ICDEC	DEP GB PMC	(10-12)	DV_Qual	(0-2)	DV_Qual	(0-2)	DV_Qual	J	DV_Qual	(6-8)	DV_Qual	(0-2)	DV_Qual
1,2,4-Trichlorobenzene	8270C	ug/Kg	680,000	2500000	14,000	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
1,2-Dichlorobenzene	8270C	ug/Kg	500,000	1,000,000	3,100	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
1,3-Dichlorobenzene	8270C	ug/Kg	500,000	1,000,000	120,000	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
1,4-Dichlorobenzene	8270C	ug/Kg	26,000	240,000	15,000	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
2,2'-Oxybis(1-chloropropane)	8270C	ug/Kg	NE	NE	NE	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
2,4,5-Trichlorophenol	8270C	ug/Kg	1,000,000	2,500,000	140,000	ND<720	U	ND<710	U	ND<710	NV	ND<740	NV	ND<720	NV	ND<740	NV
2,4,6-Trichlorophenol	8270C	ug/Kg	56,000	520,000	1,000	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
2,4-Dichlorophenol	8270C	ug/Kg	200,000	2,500,000	4,000	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
2,4-Dimethylphenol	8270C	ug/Kg	1,000,000	2,500,000	28,000	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
2,4-Dinitrophenol	8270C	ug/Kg	140,000	2,500,000	2,800	ND<720	U	ND<710	U	ND<710	NV	ND<740	NV	ND<720	NV	ND<740	NV
2,4-Dinitrotoluene	8270C	ug/Kg	140,000	2,500,000	2,800	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
2,6-Dinitrotoluene	8270C	ug/Kg	68,000	2,000,000	1,400	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
2-Chloronaphthalene	8270C	ug/Kg	1,000,000	2,500,000	110,000	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
2-Chlorophenol	8270C	ug/Kg	340,000	2,500,000	7,200	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
2-Methylnaphthalene	8270C	ug/Kg	474,000	2,500,000	9,800	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
2-Methylphenol	8270C	ug/Kg	1,000,000	2,500,000	70,000	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
2-Nitroaniline	8270C	ug/Kg	4,100	1,200,000	1,850	ND<720	U	ND<710	U	ND<710	NV	ND<740	NV	ND<720	NV	ND<740	NV
2-Nitrophenol	8270C	ug/Kg	540,000	2,500,000	11,000	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
3,3'-Dichlorobenzidine	8270C	ug/Kg	1,400	13,000	330	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
3-Nitroaniline	8270C	ug/Kg	200,000	2,500,000	4,200	ND<720	U	ND<710	U	ND<710	NV	ND<740	NV	ND<720	NV	ND<740	NV
4,6-Dinitro-2-methylphenol	8270C	ug/Kg	NE	NE	NE	ND<720	U	ND<710	U	ND<710	NV	ND<740	NV	ND<720	NV	ND<740	NV
4-Bromophenyl phenyl ether	8270C	ug/Kg	500,000	1,000,000	82,000	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
4-Chloro-3-methylphenol	8270C	ug/Kg	NE	NE	NE	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
4-Chloroaniline	8270C	ug/Kg	270,000	2,500,000	5,500	ND<360	UJ	ND<350	UJ	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
4-Chlorophenyl phenyl ether	8270C	ug/Kg	500,000	1,000,000	82,000	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
4-Methylphenol	8270C	ug/Kg	340,000	2,500,000	7,000	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
4-Nitroaniline	8270C	ug/Kg	200,000	2,500,000	4,200	ND<720	U	ND<710	U	ND<710	NV	ND<740	NV	ND<720	NV	ND<740	NV
4-Nitrophenol	8270C	ug/Kg	NE	NE	NE	ND<720	U	ND<710	U	ND<710	NV	ND<740	NV	ND<720	NV	ND<740	NV
Acenaphthene	8270C	ug/Kg	1,000,000	2,500,000	84,000	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
Acenaphthylene	8270C	ug/Kg	1,000,000	2,500,000	84,000	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
Anthracene	8270C	ug/Kg	1,000,000	2,500,000	400,000	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
Benzo(a)anthracene	8270C	ug/Kg	1,000	7,800	1,000	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
Benzo(a)pyrene	8270C	ug/Kg	1,000	1,000	1,000	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
Benzo(b)fluoranthene	8270C	ug/Kg	1,000	7,800	1,000	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
Benzo(g,h,i)perylene	8270C	ug/Kg	1,000,000	2,500,000	42,000	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
Benzo(k)fluoranthene	8270C	ug/Kg	8,400	7,800	1,000	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
bis(2-Chloroethoxy)methane	8270C	ug/Kg	NE	NE	NE	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
bis(2-Chloroethyl)ether	8270C	ug/Kg	1,000	5,200	2,400	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
bis(2-Ethylhexyl)phthalate	8270C	ug/Kg	44,000	410,000	11,000	740		170		200	NV	180	NV	52	NV	110	NV
Butyl benzylphthalate	8270C	ug/Kg	1,000,000	2,500,000	200,000	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
Carbazole	8270C	ug/Kg	31,000	290,000	1,000	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
Chrysene	8270C	ug/Kg	84,000	78,000	1,000	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
Dibenzo(a,h)anthracene	8270C	ug/Kg	1,000	1,000	1,000	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
Dibenzofuran	8270C	ug/Kg	270,000	2,500,000	5,600	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
Diethylphthalate	8270C	ug/Kg	1,000,000	2,500,000	1,100,000	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
Dimethylphthalate	8270C	ug/Kg	1,000,000	2,500,000	1,100,000	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
Di-n-butylphthalate	8270C	ug/Kg	1,000,000	2,500,000	140,000	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
Di-n-octylphthalate	8270C	ug/Kg	1,000,000	2,500,000	20,000	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
Fluoranthene	8270C	ug/Kg	1,000,000	2,500,000	56,000	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
Fluorene	8270C	ug/Kg	1,000,000	2,500,000	56,000	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
Hexachlorobenzene	8270C	ug/Kg	1,000	3,600	1,000	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
Hexachlorobutadiene	8270C	ug/Kg	7,900	73,000	1,000	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
Hexachlorocyclopentadiene	8270C	ug/Kg	470,000	2,500,000	9,800	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
Hexachloroethane	8270C	ug/Kg	44,000	410,000	1,000	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
Indeno(1,2,3-cd)pyrene	8270C	ug/Kg	1,000	7,800	1,000	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
Isophorone	8270C	ug/Kg	640,000	2,500,000	7,400	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
Naphthalene	8270C	ug/Kg	1,000,000	2,500,000	56,000	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
Nitrobenzene	8270C	ug/Kg	34,000	1,000,000	1,000	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
n-Nitrosodiphenylamine	8270C	ug/Kg	130,000	1,200,000	1,400	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
n-Nitroso-dipropylamine	8270C	ug/Kg	1,000	1,000	1,000	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
Pentachlorophenol	8270C	ug/Kg	5,100	48,000	1,000	ND<720	U	ND<710	U	ND<710	NV	ND<740	NV	ND<720	NV	ND<740	NV
Phenanthrene	8270C	ug/Kg	1,000,000	2,500,000	40,000	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
Phenol	8270C	ug/Kg	1,000,000	2,500,000	800,000	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV
Pyrene	8270C	ug/Kg	1,000,000	2,500,000	40,000	ND<360	U	ND<350	U	ND<350	NV	ND<360	NV	ND<360	NV	ND<370	NV

DEP RDEC = CT Department of Environmental Protection Residential Direct Exposure Criteria
DEP ICDEC = CT Department of Environmental Protection Industrial/Commercial Direct Exposure Criteria
DEP GB PMC = CT Department of Environmental Protection GB Pollutant Mobility Criteria
EPA IRBC = Environmental Protection Agency Region III Industrial Risk Based Concentration (October, 1998)
EPA RRBC = Environmental Protection Agency Region III Residential Risk Based Concentration (October, 1998)
ND = Not Detected
NE = Not Established
ug/kg = micrograms per kilogram
NV = Not Validated, See Usability Report for explanation of Data Validation Qualifier (DV_Qual).
Black Shaded Cells Exceed One Or More Of The Above Standards

Click Here to Return to Main Document

SOIL SAMPLES COLLECTED FROM TEST BORINGS ALONG SWALE
SPLP METALS ANALYSIS RESULTS

Metal Finishing Technologies, Inc.
60 Wooster Court
Forestville, CT.

			AOC 5											
Sample Collection Date														
Laboratory ID			SSTB7695		SSTB1826		SSTB1726		SSTB1426		SSTB848		SSTB148	
Sample ID-Location (depth in feet)		Comparative Standard	20JUN01-AOC5-SS-TB-7		20JUN01-AOC5-SS-TB-18		20JUN01-OC5-SS-TB-17		20JUN01-AOC5-SS-TB-14		20JUN01-AOC5-SS-TB-8		20JUN01-APC5-SS-TB-1	
Parameter	EPA Method	**GB PMC (mg/L)**	(6-9.5)	DV_Qual	(2-6)	DV_Qual	(2-6)	DV_Qual	(2-6)	DV_Qual	(4-8)	DV_Qual	(4-8)	DV_Qual
Cadmium-mg/L	SPLP 6010	0.05	0.0519	NV	0.0083	NV	0.0681	NV	0.0113	NV	0.0291	NV	0.0305	NV
Chromium, Total-mg/L	7196 Mod.	0.5	0.0223	NV	NA	NV	0.0408	NV	NA	NV	0.0304	NV	NA	NV
Nickel-mg/L	SPLP 6010	1	NA	NV	NA	NV	NA	NV	NA	NV	0.146	NV	NA	NV

DEP GB PMC = CT Department of Environmental Protection GB Pollutant Mobility Criteria
ND = Not Detected
mg/l = milligrams per liter
NA = Not Analyzed
NE = Not Established
Black Shaded Cells exceed DEP GB PMC
* = ASTM Leachate Analysis
NV = Not Validated.

Click Here to Return to Main Document

Metal Finishing Technologies, Inc.
60 Wooster Court
Forestville, CT.

					AOC 1								A							
			COMPARATIVE STANDARDS		23-Aug-00		23-Aug-00		28-Aug-00		27-Sep-00		6-Mar-00		6-Mar-00		7-Mar-00		6-Mar-00	
	EPA		DEP	DEP	SS MW-17M		SS MW-18M		SS MW-19M		SS MW-20M		SS TB1		SS TB2		SS TB9		SS TB9*	
Parameter Name	Method	Units	RDEC	ICDEC	(8-10)	DV_Qual	(8-10)	DV_Qual	(10-12)	DV_Qual	(0-2)	DV_Qual	(0-2)	DV_Qual	(0-2)	DV_Qual	(0-2)	DV_Qual	(10-12)	DV_Qual
Chloride	SM4500-CL	mg/kg	NE	NE	ND<200	NV	NA	NV	ND<200	NV	ND<2200	NV	ND<400	U	ND<400	U	ND<370	U	NA	NV
Chromium, Hexavalent	3060S	mg/kg	100	100	ND<1	NV	ND<1	NV	ND<1	NV	ND<1	NV	ND<0.5	UJ	ND<0.5	UJ	ND<0.5	UJ	NA	NV
Fluoride	340.1	mg/kg	NE	NE	260	NV	NA	NV	154	NV	39.1	NV	ND<5.7	UJ	ND<5.9	UJ	ND<5.8	UJ	NA	NV

DEP RDEC = CT Department of Environmental Protection Residential Direct Exposure Criteria
DEP ICDEC = CT Department of Environmental Protection Industrial/Commercial Direct Exposure Criteria
EPA IRBC = Environmental Protection Agency Region III Industrial Risk Based Concentration
EPA RRBC = Environmental Protection Agency Region III Residential Risk Based Concentration
ND = Not Detected
mg/kg = milligrams per kilogram
NE = Not Established
NA = Not Analyzed
* = TAL - list Metals
Black Shaded Cells Exceed One Or More Of The Above Standards
NV = Not Validated. See Usability Report for explanation of Data Validation Qualifier (DV_Qual).
U= Not Detected
J=Estimated, Useable

Metal Finishing Technologies, Inc.
60 Wooster Court
Forestville, CT.

					2							
			COMPARATIVE STANDARDS		7-Mar-00		7-Mar-00		7-Mar-00		7-Mar-00	
	EPA		DEP	DEP	SS TB10D		SS TB10		SS TB11		SS TB8	
Parameter Name	Method	Units	RDEC	ICDEC	(10-12)	DV_Qual	(10-12)	DV_Qual	(12-14)	DV_Qual	(8-10)	DV_Qual
Chloride	SM4500-CL	mg/kg	NE	NE	ND<990	U	ND<2000	U	ND<990	U	ND<4900	U
Chromium, Hexavalent	3060S	mg/kg	100	100	ND<0.5	UJ	0.8	J	ND<0.5	UJ	ND<0.5	UJ
Fluoride	340.1	mg/kg	NE	NE	ND<5.9	UJ	ND<5.5	UJ	ND<5.8	UJ	ND<5.9	UJ

DEP RDEC = CT Department of Environmental Protection Residential Direct Exposur
DEP ICDEC = CT Department of Environmental Protection Industrial/Commercial Dire
EPA IRBC = Environmental Protection Agency Region III Industrial Risk Based Conce
EPA RRBC = Environmental Protection Agency Region III Residential Risk Based Co
ND = Not Detected
mg/kg = milligrams per kilogram
NE = Not Established
NA = Not Analyzed
* = TAL - list Metals
Black Shaded Cells Exceed One Or More Of The Above Standards
NV = Not Validated. See Usability Report for explanation of Data Validation Qualifier
U= Not Detected
J=Estimated, Useable

					AOC 2				AOC 3											
			COMPARATIVE STANDARDS		7-Mar-00		21-Aug-00		6-Mar-00		6-Mar-00		6-Mar-00		28-Sep-00		28-Sep-00		28-Sep-00	
	EPA		DEP	DEP	SS TB7		SS MW-16M		SS TB3*		SS TB4		SS TB6		SS MW-21M		SS D1		SS D2	
Parameter Name	Method	Units	RDEC	ICDEC	(0-2)	DV_Qual	(8-10)	DV_Qual	(0-2)	DV_Qual	(2-4)	DV_Qual	(0-2)	DV_Qual	(0-2)	DV_Qual	(0-2)	DV_Qual	(0-2)	DV_Qual
Chloride	SM4500-CL	mg/kg	NE	NE	ND<1000	U	ND<99	NV	NA	NV	ND<390	U	ND<390	U	ND<2000	NV	ND<1900	NV	NA	NV
Chromium, Hexavalent	3060S	mg/kg	100	100	2.2	J	ND<1	NV	NA	NV	1.3	J	ND<0.5	UJ	20	NV	34	NV	51	NV
Fluoride	340.1	mg/kg	NE	NE	ND<5.5	UJ	189	NV	NA	NV	ND<6	UJ	ND<5.9	UJ	ND<17.6	NV	ND<17.8	NV	NA	NV

DEP RDEC = CT Department of Environmental Protection Residential Direct Exposur
DEP ICDEC = CT Department of Environmental Protection Industrial/Commercial Dire
EPA IRBC = Environmental Protection Agency Region III Industrial Risk Based Conce
EPA RRBC = Environmental Protection Agency Region III Residential Risk Based Co
ND = Not Detected
mg/kg = milligrams per kilogram
NE = Not Established
NA = Not Analyzed
* = TAL - list Metals
Black Shaded Cells Exceed One Or More Of The Above Standards
NV = Not Validated. See Usability Report for explanation of Data Validation Qualifier
U= Not Detected
J=Estimated, Useable

Metal Finishing Technologies, Inc.
60 Wooster Court
Forestville, CT.

					AOC 4								AOC 5							
			COMPARATIVE STANDARDS		27-Apr-00		27-Apr-00		27-Apr-00		27-Apr-00		16-Mar-01		16-Mar-01		16-Mar-01		16-Mar-01	
	EPA		DEP	DEP	SS TB15		SS TB16		SS TB16D		SS TB17*		SS TP1		SS TP1		SS TP2		SS TP2	
Parameter Name	Method	Units	RDEC	ICDEC	(2-4)	DV_Qual	(0-2)	DV_Qual	(0-2)	DV_Qual	(0-2)	DV_Qual	5'	DV_Qual	5.5'	DV_Qual	3.75'	DV_Qual	4'	DV_Qual
Chloride	SM4500-CL	mg/kg	NE	NE	250	NV	260	NV	260	NV	NA	NV	ND<120	NV	ND<110	NV	ND<120	NV	ND<110	NV
Chromium, Hexavalent	3060S	mg/kg	100	100	ND<0.30	NV	ND<0.30	NV	ND<0.30	NV	NA	NV	ND<1	NV	2	NV	3	NV	1.1	NV
Fluoride	340.1	mg/kg	NE	NE	ND<5.9	NV	ND<5.7	NV	ND<4.6	NV	NA	NV	ND<16.5	NV	127	NV	215	NV	95.3	NV

DEP RDEC = CT Department of Environmental Protection Residential Direct Exposur
DEP ICDEC = CT Department of Environmental Protection Industrial/Commercial Dire
EPA IRBC = Environmental Protection Agency Region III Industrial Risk Based Conce
EPA RRBC = Environmental Protection Agency Region III Residential Risk Based Co
ND = Not Detected
mg/kg = milligrams per kilogram
NE = Not Established
NA = Not Analyzed
* = TAL - list Metals
Black Shaded Cells Exceed One Or More Of The Above Standards
NV = Not Validated. See Usability Report for explanation of Data Validation Qualifier
U= Not Detected
J=Estimated, Useable

Metal Finishing Technologies, Inc.
60 Wooster Court
Forestville, CT.

					AOC 5													
			COMPARATIVE STANDARDS		16-Mar-01		16-Mar-01		16-Mar-01		16-Mar-01		16-Mar-01		16-Mar-01		16-Mar-01	
	EPA		DEP	DEP	SSTP3		SS TP5		SS TP5		SS TP5		SS TP6		SS TP7*		SS TP8	
Parameter Name	Method	Units	RDEC	ICDEC	5'	DV_Qual	4'	DV_Qual	6.75'	DV_Qual	7'	DV_Qual	3'	DV_Qual	3'	DV_Qual	3'	DV_Qual
Chloride	SM4500-CL	mg/kg	NE	NE	ND<110	NV	ND<110	NV		NV	ND<110	NV	ND<110	NV		NV	ND<100	NV
Chromium, Hexavalent	3060S	mg/kg	100	100	1.3	NV	ND<0.5	NV	0.7	NV	10	NV	ND<0.5	NV		NV	ND<0.5	NV
Fluoride	340.1	mg/kg	NE	NE	183	NV	46.6	NV		NV	210	NV	71.2	NV		NV	54.8	NV

DEP RDEC = CT Department of Environmental Protection Residential Direct Exposur
DEP ICDEC = CT Department of Environmental Protection Industrial/Commercial Dire
EPA IRBC = Environmental Protection Agency Region III Industrial Risk Based Conce
EPA RRBC = Environmental Protection Agency Region III Residential Risk Based Co
ND = Not Detected
mg/kg = milligrams per kilogram
NE = Not Established
NA = Not Analyzed
* = TAL - list Metals
Black Shaded Cells Exceed One Or More Of The Above Standards
NV = Not Validated. See Usability Report for explanation of Data Validation Qualifier
U= Not Detected
J=Estimated, Useable

Metal Finishing Technologies, Inc.
60 Wooster Court
Forestville, CT.

					AOC 17			
			COMPARATIVE STANDARDS		26-Apr-00		26-Apr-00	
	EPA		DEP	DEP	SS TB14*		SS TB13	
Parameter Name	Method	Units	RDEC	ICDEC	(0-2)	DV_Qual	(0-2)	DV_Qual
Chloride	SM4500-CL	mg/kg	NE	NE	NA	NV	NA	NV
Chromium, Hexavalent	3060S	mg/kg	100	100	NA	NV	ND<0.30	NV
Fluoride	340.1	mg/kg	NE	NE	NA	NV	NA	NV

DEP RDEC = CT Department of Environmental Protection Residential Direct Exposur
DEP ICDEC = CT Department of Environmental Protection Industrial/Commercial Dire
EPA IRBC = Environmental Protection Agency Region III Industrial Risk Based Conce
EPA RRBC = Environmental Protection Agency Region III Residential Risk Based Co
ND = Not Detected
mg/kg = milligrams per kilogram
NE = Not Established
NA = Not Analyzed
* = TAL - list Metals
Black Shaded Cells Exceed One Or More Of The Above Standards
NV = Not Validated. See Usability Report for explanation of Data Validation Qualifier
U= Not Detected
J=Estimated, Useable

Click Here to Return to Main Document

SOIL SAMPLES
TCLP METALS ANALYSIS RESULTS

Metal Finishing Technologies, Inc.
60 Wooster Court
Forestville, CT.

Parameter Name	EPA Method	Units	Comparative Standard DEP GB PMC	AOC 2									
				6-Mar-00 SS TB1		6-Mar-00 SS TB2		7-Mar-00 SS TB9		7-Mar-00 SS TB10D		7-Mar-00 SS TB10	
				(0-2)	DV_Qual	(0-2)	DV_Qual	(0-2)	DV_Qual	(10-12)	DV_Qual	(10-12)	DV_Qual
Arsenic	TCLP 1311	mg/l	0.5	0.008		0.0068	J	0.0211		0.0086		0.0102	
Barium	TCLP 1311	mg/l	10	0.261		0.245		0.489		0.411		0.368	
Cadmium	TCLP 1311	mg/l	0.05	0.082		9.27		0.24		0.0344	J	0.0019	J
Chromium, Total	TCLP 1311	mg/l	0.5	ND<0.002	U	0.0305		ND<0.002	U	0.0048		0.0038	J
Copper	TCLP 1311	mg/l	13	0.0162		1		0.008	J	ND<0.005	U	ND<0.005	U
Lead	TCLP 1311	mg/l	0.15	0.0027	J	0.3		0.0027	J	0.006		0.0051	
Mercury	TCLP 1311	mg/l	0.02	ND<0.001	U	ND<0.001	U	ND<0.001	U	ND<0.001	U	ND<0.001	U
Nickel	TCLP 1311	mg/l	1	0.0391		0.293		0.0169		0.0105		0.0115	
Selenium	TCLP 1311	mg/l	0.5	0.0086		0.0047	J	0.0057	J	0.007	J	0.0054	J
Silver	TCLP 1311	mg/l	0.36	ND<0.002	U	ND<0.002	U	ND<0.002	U	ND<0.002	U	ND<0.002	U
Zinc	TCLP 1311	mg/l	50	0.133		3.59		0.0217		0.0058	B	0.0071	B

DEP GB PMC = CT Department of Environmental Protection GB Pollutant Mobility Criteria
ND = Not Detected
mg/l = milligrams per liter
Black Shaded Cells exceed DEP GB PMC
NV = Not Validated.
See Data Usability Report for explanation of Data Qualifier (DV_Qual).

SOIL SAMPLES
TCLP METALS ANALYSIS RESULTS

Metal Finishing Technologies, Inc.
60 Wooster Court
Forestville, CT.

Parameter Name	EPA Method	Units	Comparative Standard DEP GB PMC	AOC 2						AOC 3			
				7-Mar-00 SS TB11 (12-14)	DV_Qual	7-Mar-00 SS TB8 (8-10)	DV_Qual	7-Mar-00 SS TB7 (0-2)	DV_Qual	6-Mar-00 SS TB4 (2-4)	DV_Qual	6-Mar-00 SS TB6 (0-2)	DV_Qual
Arsenic	TCLP 1311	mg/l	0.5	0.0061	J	0.0059	J	ND<0.004	U	0.0084		0.0078	J
Barium	TCLP 1311	mg/l	10	0.455		0.584		0.225		0.557		0.315	
Cadmium	TCLP 1311	mg/l	0.05	0.0012		1.89		0.118		0.395		0.138	
Chromium, Total	TCLP 1311	mg/l	0.5	ND<0.002	U	ND<0.002	U	0.0672		0.0128		ND<0.002	U
Copper	TCLP 1311	mg/l	13	0.008	J	0.0062	J	0.0963		ND<0.005	U	0.0074	J
Lead	TCLP 1311	mg/l	0.15	0.0035	J	0.004	J	0.0628		ND<0.0023	U	ND<0.0023	U
Mercury	TCLP 1311	mg/l	0.02	ND<0.001	U	ND<0.001	U	ND<0.001	U	ND<0.001	U	ND<0.001	U
Nickel	TCLP 1311	mg/l	1	0.0182		0.0106		0.0304		0.0554		0.0083	
Selenium	TCLP 1311	mg/l	0.5	0.0043	J	ND<0.004	U	ND<0.004	U	0.0086		0.0055	J
Silver	TCLP 1311	mg/l	0.36	ND<0.002	U	ND<0.002	U	0.0046		ND<0.002	U	ND<0.002	U
Zinc	TCLP 1311	mg/l	50	0.0147	B	0.262		0.0985		0.0093	B	0.0096	B

DEP GB PMC = CT Department of Environmental Protection GB Pollutant Mobility
ND = Not Detected
mg/l = milligrams per liter
Black Shaded Cells exceed DEP GB PMC
NV = Not Validated.
See Data Usability Report for explanation of Data Qualifier (DV_Qual).

SOIL SAMPLES
TCLP METALS ANALYSIS RESULTS

Metal Finishing Technologies, Inc.
60 Wooster Court
Forestville, CT.

			Comparative Standard	AOC 4						AOC 5			
				27-Apr-00		27-Apr-00		27-Apr-00		16-Mar-01		16-Mar-01	
				SS TB15		SS TB16		SS TB16D		SS TP1		SS TP1	
Parameter Name	EPA Method	Units	DEP GB PMC	(0-2)	DV_Qual	(0-2)	DV_Qual	(0-2)	DV_Qual	5'	DV_Qual	5.5'	DV_Qual
Arsenic	TCLP 1311	mg/l	0.5	0.0157	NV	0.011	NV	0.0138	NV	ND<20	NV	ND<0.020	NV
Barium	TCLP 1311	mg/l	10	0.429	NV	0.427	NV	0.672	NV	0.138	NV	0.133	NV
Cadmium	TCLP 1311	mg/l	0.05	ND<0.0004	NV	0.0309	NV	0.15	NV	8.7	NV	4.06	NV
Chromium, Total	TCLP 1311	mg/l	0.5	0.0035	NV	0.0173	NV	0.0288	NV	0.0063	NV	0.018	NV
Copper	TCLP 1311	mg/l	13	0.0127	NV	0.0589	NV	0.074	NV	0.099	NV	0.0665	NV
Lead	TCLP 1311	mg/l	0.15	ND<0.0023	NV	0.0025	NV	0.0036	NV	ND<0.020	NV	ND<0.020	NV
Mercury	TCLP 1311	mg/l	0.02	ND<0.001	NV	ND<0.001	NV	ND<0.001	NV	ND<0.001	NV	ND<0.001	NV
Nickel	TCLP 1311	mg/l	1	0.0155	NV	0.0577	NV	0.197	NV	2.36	NV	1.3	NV
Selenium	TCLP 1311	mg/l	0.5	0.0257	NV	0.0158	NV	0.024	NV	ND<0.060	NV	ND<0.060	NV
Silver	TCLP 1311	mg/l	0.36	ND<0.002	NV	ND<0.002	NV	ND<0.002	NV	ND<0.010	NV	ND<0.010	NV
Zinc	TCLP 1311	mg/l	50	0.0123	NV	0.105	NV	1.2	NV	4.78	NV	2.42	NV

DEP GB PMC = CT Department of Environmental Protection GB Pollutant Mobility
ND = Not Detected
mg/l = milligrams per liter
Black Shaded Cells exceed DEP GB PMC
NV = Not Validated.
See Data Usability Report for explanation of Data Qualifier (DV_Qual).

SOIL SAMPLES
TCLP METALS ANALYSIS RESULTS

Metal Finishing Technologies, Inc.
60 Wooster Court
Forestville, CT.

			Comparative Standard	AOC 5									
				16-Mar-01		16-Mar-01		16-Mar-01		16-Mar-01		16-Mar-01	
Parameter Name	EPA Method	Units	DEP GB PMC	SS TP2 3.75'	DV_Qual	SS TP2 4'	DV_Qual	SSTP3 5'	DV_Qual	SS TP5 4'	DV_Qual	SS TP5 6.75'	DV_Qual
Arsenic	TCLP 1311	mg/l	0.5	ND<0.020	NV	ND<0.020	NV	ND<0.020	NV	ND<0.020	NV	ND<0.020	NV
Barium	TCLP 1311	mg/l	10	0.617	NV	0.212	NV	0.156	NV	0.4	NV	0.887	NV
Cadmium	TCLP 1311	mg/l	0.05	**13.8**	NV	**3.32**	NV	**0.846**	NV	0.0147	NV	**28**	NV
Chromium, Total	TCLP 1311	mg/l	0.5	0.325	NV	0.0259	NV	0.0147	NV	ND<0.005	NV	0.338	NV
Copper	TCLP 1311	mg/l	13	4.07	NV	0.396	NV	2.33	NV	0.288	NV	9.84	NV
Lead	TCLP 1311	mg/l	0.15	**0.312**	NV	0.035	NV	0.0945	NV	ND<0.020	NV	**0.402**	NV
Mercury	TCLP 1311	mg/l	0.02	ND<0.001	NV	ND<0.001	NV	ND<0.001	NV	ND<0.001	NV	ND<0.001	NV
Nickel	TCLP 1311	mg/l	1	**13.1**	NV	**1.75**	NV	0.142	NV	0.029	NV	**26**	NV
Selenium	TCLP 1311	mg/l	0.5	ND<0.060	NV	ND<0.060	NV	ND<0.060	NV	ND<0.060	NV	ND<0.060	NV
Silver	TCLP 1311	mg/l	0.36	ND<0.010	NV	ND<0.010	NV	ND<0.010	NV	ND<0.010	NV	ND<0.010	NV
Zinc	TCLP 1311	mg/l	50	28.3	NV	1.63	NV	0.641	NV	0.803	NV	**68.1**	NV

DEP GB PMC = CT Department of Environmental Protection GB Pollutant Mobility
ND = Not Detected
mg/l = milligrams per liter
Black Shaded Cells exceed DEP GB PMC
NV = Not Validated.
See Data Usability Report for explanation of Data Qualifier (DV_Qual).

SOIL SAMPLES
TCLP METALS ANALYSIS RESULTS

Metal Finishing Technologies, Inc.
60 Wooster Court
Forestville, CT.

			Comparative Standard	AOC 5						AOC 17	
				16-Mar-01		16-Mar-01		16-Mar-01		26-Apr-00	
Parameter Name	EPA Method	Units	DEP GB PMC	SS TP5 7'	DV_Qual	SS TP6 3'	DV_Qual	SS TP8 3'	DV_Qual	SS TB13 (0-2)	DV_Qual
Arsenic	TCLP 1311	mg/l	0.5	ND<0.020	NV	ND<0.020	NV	ND<0.020	NV	0.0151	NV
Barium	TCLP 1311	mg/l	10	0.461	NV	0.319	NV	0.311	NV	0.35	NV
Cadmium	TCLP 1311	mg/l	0.05	**6.97**	NV	**0.0933**	NV	**0.0808**	NV	**1.89**	NV
Chromium, Total	TCLP 1311	mg/l	0.5	0.0113	NV	0.0053	NV	ND<0.005	NV	0.0078	NV
Copper	TCLP 1311	mg/l	13	0.486	NV	0.0259	NV	0.0239	NV	0.104	NV
Lead	TCLP 1311	mg/l	0.15	0.0286	NV	ND<0.020	NV	ND<0.020	NV	ND<0.0023	NV
Mercury	TCLP 1311	mg/l	0.02	ND<0.001	NV	ND<0.001	NV	ND<0.001	NV	ND<0.001	NV
Nickel	TCLP 1311	mg/l	1	**4.05**	NV	0.099	NV	0.0961	NV	0.173	NV
Selenium	TCLP 1311	mg/l	0.5	ND<0.060	NV	ND<0.060	NV	ND<0.060	NV	0.0226	NV
Silver	TCLP 1311	mg/l	0.36	0.0122	NV	ND<0.010	NV	ND<0.010	NV	ND<0.002	NV
Zinc	TCLP 1311	mg/l	50	4.51	NV	0.08	NV	ND<0.060	NV	0.448	NV

DEP GB PMC = CT Department of Environmental Protection GB Pollutant Mobility
ND = Not Detected
mg/l = milligrams per liter
Black Shaded Cells exceed DEP GB PMC
NV = Not Validated.
See Data Usability Report for explanation of Data Qualifier (DV_Qual).

Click Here to Return to Main Document

SOIL SAMPLES
SPLP METALS ANALYSIS RESULTS

Metal Finishing Technologies, Inc.
60 Wooster Court
Forestville, CT.

			AOC 1								AOC 2									
Sample Collection Date			22-Aug-00		23-Aug-00		28-Aug-00		27-Sep-00		6-Mar-00		6-Mar-00		7-Mar-00		7-Mar-00		21-Aug-00	
Laboratory ID			SS MW-17M		SS MW-18M		SS MW-19M		SS MW-20M		SS TB1		SS TB2		SS TB9		SS TB8		SS MW-16M	
Sample ID-Location (depth in feet)		Comparative Standard	SS-MW-17M (8-10')		SS-MW-18M (8-10')		SS-MW-19M (10-12')		SS-MW-20M (0-2')		SS-TB-1(0-2')		SS-TB-2 (0-2')		SS-TB-9 (0-2')		SS-TB-8 (8-10')		SS-MW-16M (8-10')	
Parameter	EPA Method	GB PMC (mg/L)	(8-10)	DV_Qual	(8-10)	DV_Qual	(10-12)	DV_Qual	(0-2)	DV_Qual	(0-2)	DV_Qual	(0-2)	DV_Qual	(0-2)	DV_Qual	(8-10)	DV_Qual	(8-10)	DV_Qual
Arsenic-mg/L	SPLP 6010	0.5	ND<0.004	NV	0.0276	NV	ND<0.004	NV	ND<0.004	NV	NA	NV	NA	NV	NA	NV	NA	NV	ND<0.004	NV
Barium-mg/L	SPLP 6010	10	0.0042	NV	0.039	NV	0.007	NV	0.015	NV	NA	NV	NA	NV	NA	NV	NA	NV	0.009	NV
Cadmium-mg/L	SPLP 6010	0.05	ND<0.0004	NV	ND<0.002	NV	ND<0.0004	NV	ND<0.0004	NV	0.0042	J	0.0182	J	0.0136	J	0.008	J	ND<0.0004	NV
Chromium, Hexavalent-mg/L*	SM 3500-Cr	NE	ND<0.2	NV	ND<0.2	NV	ND<0.2	NV	ND<0.02	NV	NA	NV	NA	NV	NA	NV	NA	NV	ND<0.2	NV
Chromium, Total-mg/L	7196 Mod.	0.5	ND<0.002	NV	ND<0.010	NV	ND<0.002	NV	ND<0.002	NV	NA	NV	NA	NV	NA	NV	NA	NV	ND<0.002	NV
Copper-mg/L	SPLP 6010	13	0.0088	NV	NA	NV	0.009	NV	ND<0.005	NV	NA	NV	NA	NV	NA	NV	NA	NV	0.01	NV
Lead-mg/L	SPLP 6010	0.15	ND<0.0023	NV	ND<0.0115	NV	ND<0.002	NV	0.0066	NV	NA	NV	0.0102	J	NA	NV	NA	NV	ND<0.002	NV
Mercury-mg/L	SPLP 6010	0.02	ND<0.0014	NV	ND<0.001	NV	ND<0.001	NV	ND<0.0001	NV	NA	NV	NA	NV	NA	NV	NA	NV	ND<0.001	NV
Nickel-mg/L	SPLP 6010	1	ND<0.0005	NV	NA	NV	ND<0.0005	NV	0.0116	NV	NA	NV	NA	NV	NA	NV	NA	NV	ND<0.0005	NV
Selenium-mg/L	SPLP 6010	0.5	ND<0.004	NV	0.031	NV	ND<0.004	NV	ND<0.004	NV	NA	NV	NA	NV	NA	NV	NA	NV	ND<0.004	NV
Silver-mg/L	SPLP 6010	0.36	ND<0.002	NV	ND<0.01	NV	ND<0.002	NV	ND<0.002	NV	NA	NV	NA	NV	NA	NV	NA	NV	ND<0.002	NV
Zinc-mg/L	SPLP 6010	50	0.0063	NV	NA	NV	0.009	NV	0.0061	NV	NA	NV	NA	NV	NA	NV	NA	NV	0.007	NV

DEP GB PMC = CT Department of Environmental Protection GB Pollutant Mobility Criteria
ND = Not Detected
mg/l = milligrams per liter
NA = Not Analyzed
NE = Not Established
Black Shaded Cells exceed DEP GB PMC
* = ASTM Leachate Analysis
NV = Not Validated. See Data Usability Report for explanation of Data Qualifiers (DV_Qual).

SOIL SAMPLES
SPLP METALS ANALYSIS RESULTS

Metal Finishing Technologies, Inc.
60 Wooster Court
Forestville, CT.

			AOC 2						AOC 3						AOC 5							
Sample Collection Date			6-Mar-00		6-Mar-00		7-Mar-00		28-Sep-00		28-Sep-00		28-Sep-00		27-Apr-01		27-Apr-01		27-Apr-01		27-Apr-01	
Laboratory ID			SS TB4		SS TB6		SS TB7		SS MW-21M		SS D1		SS D2		SS TP15		SS TP 15.5		SS TP 23.75		SS TP 24	
Sample ID-Location (depth in feet)		Comparative Standard	SS-TB-4 (2-4')		SS-TB-6 (0-2')		SS-TB-7 (0-2')		SS-MW-21M (0-2')		Duplicate		Duplicate		SS -TP-1(5')		SS-TP-1 (5.5')		SS-TP-2 (3.75')		SS-TP-2 (4')	
Parameter	EPA Method	GB PMC (mg/L)	(2-4)	DV_Qual	(0-2)	DV_Qual	(0-2)	DV_Qual	(0-2)	DV_Qual	(0-2)	DV_Qual	(0-2)	DV_Qual		DV_Qual		DV_Qual		DV_Qual		DV_Qual
Arsenic-mg/L	SPLP 6010	0.5	NA	NV	NA	NV	NA	NV	ND<0.004	NV	ND<0.004	NV	ND<0.004	NV	ND<0.02	NV	ND<0.02	NV	ND<0.02	NV	ND<0.02	NV
Barium-mg/L	SPLP 6010	10	NA	NV	NA	NV	NA	NV	0.0148	NV	0.0188	NV	0.0116	NV	ND<0.2	NV	ND<0.2	NV	ND<0.2	NV	ND<0.2	NV
Cadmium-mg/L	SPLP 6010	0.05	0.0109	J	0.003	J	0.0013	J	0.0035	NV	0.0033	NV	0.0034	NV	0.03	NV	ND<0.005	NV	0.04	NV	0.006	NV
Chromium, Hexavalent-mg/L*	SM 3500-Cr	NE	NA	NV	NA	NV	NA	NV	0.08	NV	0.1	NV	0.08	NV		NV		NV		NV		NV
Chromium, Total-mg/L	7196 Mod.	0.5	NA	NV	NA	NV	NA	NV	0.0522	NV	0.0611	NV	0.0645	NV	ND<0.02	NV	ND<0.02	NV	ND<0.02	NV	ND<0.02	NV
Copper-mg/L	SPLP 6010	13	NA	NV	NA	NV	NA	NV	0.0071	NV	0.0065	NV	0.006	NV	ND<0.03	NV	ND<0.03	NV	ND<0.03	NV	ND<0.03	NV
Lead-mg/L	SPLP 6010	0.15	NA	NV	NA	NV	NA	NV	ND<0.0023	NV	ND<0.0023	NV	ND<0.0023	NV	ND<0.01	NV	ND<0.01	NV	0.01	NV	ND<0.01	NV
Mercury-mg/L	SPLP 6010	0.02	NA	NV	NA	NV	NA	NV	ND<0.0001	NV	ND<0.0001	NV	ND<0.0001	NV	ND<0.0008	NV	ND<0.0008	NV	ND<0.0008	NV	ND<0.0008	NV
Nickel-mg/L	SPLP 6010	1	NA	NV	NA	NV	NA	NV	0.0642	NV	0.0843	NV	0.075	NV	ND<0.05	NV	ND<0.05	NV	0.25	NV	0.06	NV
Selenium-mg/L	SPLP 6010	0.5	NA	NV	NA	NV	NA	NV	ND<0.004	NV	ND<0.004	NV	ND<0.004	NV	ND<0.02	NV	ND<0.02	NV	ND<0.02	NV	ND<0.02	NV
Silver-mg/L	SPLP 6010	0.36	NA	NV	NA	NV	NA	NV	ND<0.0023	NV	ND<0.002	NV	ND<0.0023	NV	ND<0.03	NV	ND<0.03	NV	ND<0.03	NV	ND<0.03	NV
Zinc-mg/L	SPLP 6010	50	NA	NV	NA	NV	NA	NV	0.0056	NV	0.0052	NV	ND<0.0055	NV	ND<0.05	NV	ND<0.05	NV	ND<0.05	NV	ND<0.05	NV

DEP GB PMC = CT Department of Environmental Protection GB Poll
ND = Not Detected
mg/l = milligrams per liter
NA = Not Analyzed
NE = Not Established
Black Shaded Cells exceed DEP GB PMC
* = ASTM Leachate Analysis
NV = Not Validated. See Data Usability Report for explanation of Data Qualifiers (DV_Qual).

Metal Finishing Technologies, Inc.
60 Wooster Court
Forestville, CT.

			AOC 5									
Sample Collection Date			27-Apr-01		27-Apr-01		27-Apr-01		27-Apr-01		27-Apr-01	
Laboratory ID			SS TP 35		SS TP 56.75		SS TP 57		SS TP 63		SS TP 83	
Sample ID-Location (depth in feet)		Comparative Standard	SS-TP-3 (5')		SS-TP-5 (6.75')		SS-TP-5 (7')		SS-TP-6 (3')		SS-TP-8 (3')	
Parameter	EPA Method	GB PMC (mg/L)										
				DV_Qual		DV_Qual		DV_Qual		DV_Qual		DV_Qual
Arsenic-mg/L	SPLP 6010	0.5	ND<0.02	NV	ND<0.02	NV	ND<0.02	NV	ND<0.02	NV	ND<0.02	NV
Banum-mg/L	SPLP 6010	10	ND<0.2	NV	ND<0.2	NV	ND<0.2	NV	ND<0.2	NV	ND<0.2	NV
Cadmium-mg/L	SPLP 6010	0.05	ND<0.005	NV	0.14	NV	0.02	NV	0.008	NV	ND<0.005	NV
Chromium, Hexavalent-mg/L*	SM 3500-Cr	NE		NV		NV		NV		NV		NV
Chromium, Total-mg/L	7196 Mod.	0.5	ND<0.02	NV	ND<0.02	NV	ND<0.02	NV	ND<0.02	NV	ND<0.02	NV
Copper-mg/L	SPLP 6010	13	ND<0.03	NV	ND<0.03	NV	ND<0.03	NV	ND<0.03	NV	ND<0.03	NV
Lead-mg/L	SPLP 6010	0.15	ND<0.01	NV	0.05	NV	ND<0.01	NV	ND<0.01	NV	ND<0.01	NV
Mercury-mg/L	SPLP 6010	0.02	ND<0.0008	NV	ND<0.0008	NV	ND<0.0008	NV	ND<0.0008	NV	ND<0.0008	NV
Nickel-mg/L	SPLP 6010	1	ND<0.05	NV	0.55	NV	0.13	NV	ND<0.05	NV	ND<0.05	NV
Selenium-mg/L	SPLP 6010	0.5	ND<0.02	NV	ND<0.02	NV	ND<0.02	NV	ND<0.02	NV	ND<0.02	NV
Silver-mg/L	SPLP 6010	0.36	ND<0.03	NV	ND<0.03	NV	ND<0.03	NV	ND<0.03	NV	ND<0.03	NV
Zinc-mg/L	SPLP 6010	50	ND<0.05	NV	0.45	NV	ND<0.05	NV	ND<0.05	NV	ND<0.05	NV

DEP GB PMC = CT Department of Environmental Protection GB Poll
ND = Not Detected
mg/l = milligrams per liter
NA = Not Analyzed
NE = Not Established
Black Shaded Cells exceed DEP GB PMC
* = ASTM Leachate Analysis
NV = Not Validated. See Data Usability Report for explanation of Data Qualifiers (DV_Qual).

Click Here to Return to Main Document

SOIL SAMPLES
EPA METHODS 6010 and 7471
TOTAL METALS ANALYSIS RESULTS

Metal Finishing Technologies, Inc.
60 Wooster Court
Forestville, CT.

					AOC 1								AOC 2							
			COMPARATIVE STANDARDS		23-Aug-00		23-Aug-00		28-Aug-00		27-Sep-00		6-Mar-00		6-Mar-00		7-Mar-00		6-Mar-00	
	EPA		DEP	DEP	SS MW-17M		SS MW-18M		SS MW-19M		SS MW-20M		SS TB1		SS TB2		SS TB9		SS TB9*	
Parameter Name	Method	Units	RDEC	ICDEC	(8-10)	DV_Qual	(8-10)	DV_Qual	(10-12)	DV_Qual	(0-2)	DV_Qual	(0-2)	DV_Qual	(0-2)	DV_Qual	(0-2)	DV_Qual	(10-12)	DV_Qual
Aluminum	6010/7471	mg/kg	NE	NE	NA	NV	NA	NV	NA	NV	NA	NV	NA		NA		NA		3720	
Antimony	6010/7471	mg/kg	27	8200	NA	NV	NA	NV	NA	NV	NA	NV	NA		NA		NA		ND<0.26	U
Arsenic	6010/7471	mg/kg	10	10	ND<0.28	NV	ND<0.39	NV	ND<0.37	NV	0.45	NV	0.84		0.63	J	0.66	J	0.67	J
Barium	6010/7471	mg/kg	4700	140000	40.5	NV	34.9	NV	22.9	NV	24.8	NV	28.5		28.4		43.4		42.1	
Beryllium	6010/7471	mg/kg	2	2	NA	NV	NA	NV	NA	NV	NA	NV	NA		NA		NA		0.2	J
Cadmium	6010/7471	mg/kg	34	1000	0.58	NV	1.1	NV	0.65	NV	1.1	NV	5.1		219		15.9		13.2	
Calcium	6010/7471	mg/kg	NE	NE	NA	NV	NA	NV	NA	NV	NA	NV	NA		NA		NA		274	
Chromium, Total	6010/7471	mg/kg	NE	NE	9.5	NV	10.4	NV	8.6	NV	8.8	NV	12		33.7		10.3		8.8	
Cobalt	6010/7471	mg/kg	NE	NE	NA	NV	NA	NV	NA	NV	NA	NV	NA		NA		NA		2.2	B
Copper	6010/7471	mg/kg	2500	76000	12	NV	10.9	NV	14.6	NV	16.1	NV	16.8		51.8		9.8		7.2	
Iron	6010/7471	mg/kg	NE	NE	NA	NV	NA	NV	NA	NV	NA	NV	NA		NA		NA		8350	
Lead	6010/7471	mg/kg	500	1000	8.7	NV	3.7	NV	9.2	NV	30.3	NV	2.5		65.2		ND<0.22	U	ND<0.20	U
Magnesium	6010/7471	mg/kg	NE	NE	NA	NV	NA	NV	NA	NV	NA	NV	NA		NA		NA		1760	
Manganese	6010/7471	mg/kg	NE	NE	NA	NV	NA	NV	NA	NV	NA	NV	NA		NA		NA		232	
Mercury	6010/7471	mg/kg	20	610	ND<0.01	NV	ND<0.19	NV	ND<0.016	NV	0.028	NV	ND<0.02	U	ND<0.019	U	ND<0.017	U	ND<0.017	U
Nickel	6010/7471	mg/kg	1400	7500	7.4	NV	8.1	NV	8.2	NV	8.8	NV	19		93.3		10.6		6.8	
Potassium	6010/7471	mg/kg	NE	NE	NA	NV	NA	NV	NA	NV	NA	NV	NA		NA		NA		629	
Selenium	6010/7471	mg/kg	340	10000	1.2	NV	1.7	NV	2.1	NV	ND<0.36	NV	0.69	B	0.85	B	0.86	B	0.43	B
Silver	6010/7471	mg/kg	340	10000	0.67	NV	1.6	NV	1.1	NV	ND<0.18	NV	1.1	B	1.3	B	1.4	B	1.2	B
Sodium	6010/7471	mg/kg	NE	NE	172	NV	197	NV	214	NV	40.1	NV	163	J	307		1000		1110	
Thallium	6010/7471	mg/kg	5.4	160	NA	NV	NA	NV	NA	NV	NA	NV	NA		NA		NA		ND<0.26	UJ
Vanadium	6010/7471	mg/kg	470	14000	NA	NV	NA	NV	NA	NV	NA	NV	NA		NA		NA		10.4	
Zinc	6010/7471	mg/kg	20000	610000	28.9	NV	33.8	NV	29.7	NV	34.6	NV	NA		NA		NA		17.1	B

DEP RDEC = CT Department of Environmental Protection Residential Direct Exposure Criteria
DEP ICDEC = CT Department of Environmental Protection Industrial/Commercial Direct Exposure Criteria
EPA IRBC = Environmental Protection Agency Region III Industrial Risk Based Concentration
EPA RRBC = Environmental Protection Agency Region III Residential Risk Based Concentration
ND = Not Detected
mg/kg = milligrams per kilogram
NE = Not Established
NA = Not Analyzed
* = TAL - list Metals
Black Shaded Cells Exceed One Or More Of The Above RSR Standards
NV = Not Validated. See Usability Report for explanation of Data Validation Qualifier (DV_Qual).

Metal Finishing Technologies, Inc.
60 Wooster Court
Forestville, CT.

					AOC 2							
			COMPARATIVE STANDARDS		7-Mar-00		7-Mar-00		7-Mar-00		7-Mar-00	
	EPA		DEP	DEP	SS TB10D		SS TB10		SS TB11		SS TB8	
Parameter Name	Method	Units	RDEC	ICDEC	(10-12)	DV_Qual	(10-12)	DV_Qual	(12-14)	DV_Qual	(8-10)	DV_Qual
Aluminum	6010/7471	mg/kg	NE	NE	NA		NA		NA		NA	
Antimony	6010/7471	mg/kg	27	8200	NA		NA		NA		NA	
Arsenic	6010/7471	mg/kg	10	10	0.69	J	2.2		1.2		1.1	
Barium	6010/7471	mg/kg	4700	140000	34.6		47		43.2		48.4	
Beryllium	6010/7471	mg/kg	2	2	NA		NA		NA		NA	
Cadmium	6010/7471	mg/kg	34	1000	1.9	J	0.79	J	0.96		84.8	
Calcium	6010/7471	mg/kg	NE	NE	NA		NA		NA		NA	
Chromium, Total	6010/7471	mg/kg	NE	NE	8.5		10.1		14.7		11	
Cobalt	6010/7471	mg/kg	NE	NE	NA		NA		NA		NA	
Copper	6010/7471	mg/kg	2500	76000	5.2		6.6		7.6		8.3	
Iron	6010/7471	mg/kg	NE	NE	NA		NA		NA		NA	
Lead	6010/7471	mg/kg	500	1000	ND<0.20	U	ND<0.24	U	ND<0.21	U	ND<0.21	U
Magnesium	6010/7471	mg/kg	NE	NE	NA		NA		NA		NA	
Manganese	6010/7471	mg/kg	NE	NE	NA		NA		NA		NA	
Mercury	6010/7471	mg/kg	20	610	ND<0.017	U	ND<0.017	U	ND<0.019	U	ND<0.018	U
Nickel	6010/7471	mg/kg	1400	7500	6.7		10		10.6		11.2	
Potassium	6010/7471	mg/kg	NE	NE	NA		NA		NA		NA	
Selenium	6010/7471	mg/kg	340	10000	0.51	B	0.57	B	0.89	B	0.86	B
Silver	6010/7471	mg/kg	340	10000	1.2	B	1.6	B	1.8	B	1.4	B
Sodium	6010/7471	mg/kg	NE	NE	879		1090		206		239	
Thallium	6010/7471	mg/kg	5.4	160	NA		NA		NA		NA	
Vanadium	6010/7471	mg/kg	470	14000	NA		NA		NA		NA	
Zinc	6010/7471	mg/kg	20000	610000	NA		NA		NA		NA	

DEP RDEC = CT Department of Environmental Protection Residential Direct Exposure
DEP ICDEC = CT Department of Environmental Protection Industrial/Commercial Dire
EPA IRBC = Environmental Protection Agency Region III Industrial Risk Based Conce
EPA RRBC = Environmental Protection Agency Region III Residential Risk Based Con
ND = Not Detected
mg/kg = milligrams per kilogram
NE = Not Established
NA = Not Analyzed
* = TAL - list Metals
Black Shaded Cells Exceed One Or More Of The Above RSR Standards
NV = Not Validated. See Usability Report for explanation of Data Validation Qualifier (

			COMPARATIVE STANDARDS		AOC 2				AOC 3														AOC 4							
					7-Mar-00		21-Aug-00		6-Mar-00		6-Mar-00		6-Mar-00		28-Sep-00		28-Sep-00		28-Sep-00		27-Apr-00		27-Apr-00		27-Apr-00		27-Apr-00	
	EPA		DEP	DEP	SS TB7		SS MW-16M		SS TB3*		SS TB4		SS TB6		SS MW-21M		SS D1		SS D2		SS TB15		SS TB16		SS TB16D		SS TB17*	
Parameter Name	Method	Units	RDEC	ICDEC	(0-2)	DV_Qual	(8-10)	DV_Qual	(0-2)	DV_Qual	(2-4)	DV_Qual	(0-2)	DV_Qual	(0-2)	DV_Qual	(0-2)	DV_Qual	(0-2)	DV_Qual	(2-4)	DV_Qual	(0-2)	DV_Qual	(0-2)	DV_Qual	(0-2)	DV_Qual
Aluminum	6010/7471	mg/kg	NE	NE	NA		NA	NV	4820		NA		NA		NA	NV	NA	NV	NA	NV	NA	NV	NA	NV	NA	NV	2890	NV
Antimony	6010/7471	mg/kg	27	8200	NA		NA	NV	ND<0.30	U	NA		NA		NA	NV	NA	NV	NA	NV	NA	NV	NA	NV	NA	NV	ND<0.29	NV
Arsenic	6010/7471	mg/kg	10	10	0.47	J	ND<0.28	NV	0.97		0.98		0.69	J	ND<0.24	NV	ND<0.27	NV	ND<0.28	NV	1.6	NV	0.93	NV	1.3	NV	0.92	NV
Barium	6010/7471	mg/kg	4700	140000	18.4		24.5	NV	28.7		55		29.5		42.7	NV	41.6	NV	38.6	NV	34.1	NV	26.8	NV	42.4	NV	35.5	NV
Beryllium	6010/7471	mg/kg	2	2	NA		NA	NV	ND<0.20	U	NA		NA		NA	NV	NA	NV	NA	NV	NA	NV	NA	NV	NA	NV	ND<0.19	NV
Cadmium	6010/7471	mg/kg	34	1000	6.3		1.9	NV	7.6		21.3		7.8		25.7	NV	27.3	NV	25	NV	0.5	NV	1.2	NV	1.5	NV	4.5	NV
Calcium	6010/7471	mg/kg	NE	NE	NA		NA	NV	356		NA		NA		NA	NV	NA	NV	NA	NV	NA	NV	NA	NV	NA	NV	317	NV
Chromium, Total	6010/7471	mg/kg	NE	NE	9.8		10.3	NV	8.8		13.9		7		423	NV	391	NV	333	NV	9.2	NV	8.9	NV	11.1	NV	7.8	NV
Cobalt	6010/7471	mg/kg	NE	NE	NA		NA	NV	3.1		NA		NA		NA	NV	NA	NV	NA	NV	NA	NV	NA	NV	NA	NV	3.2	NV
Copper	6010/7471	mg/kg	2500	76000	22.3		15.7	NV	63.3		7		6.4		39.4	NV	42.5	NV	38.7	NV	7.5	NV	13	NV	13.8	NV	12.6	NV
Iron	6010/7471	mg/kg	NE	NE	NA		NA	NV	9220		NA		NA		NA	NV	NA	NV	NA	NV	NA	NV	NA	NV	NA	NV	5900	NV
Lead	6010/7471	mg/kg	500	1000	18.7		4.5	NV	ND<0.23	U	ND<0.19	U	ND<0.24	U	5.5	NV	5.5	NV	4.6	NV	ND<0.21	NV	ND<0.22	NV	ND<0.23	NV	ND<0.22	NV
Magnesium	6010/7471	mg/kg	NE	NE	NA		NA	NV	2010		NA		NA		NA	NV	NA	NV	NA	NV	NA	NV	NA	NV	NA	NV	1160	NV
Manganese	6010/7471	mg/kg	NE	NE	NA		NA	NV	234		NA		NA		NA	NV	NA	NV	NA	NV	NA	NV	NA	NV	NA	NV	217	NV
Mercury	6010/7471	mg/kg	20	610	ND<0.019	U	ND<0.015	NV	ND<0.016	U	ND<0.017	U	ND<0.016	U	ND<0.015	NV	ND<0.017	NV	ND<0.015	NV	ND<0.018	NV	ND<0.016	NV	ND<0.016	NV	ND<0.017	NV
Nickel	6010/7471	mg/kg	1400	7500	14.9		18.2	NV	74.7		22.8		5.3		247	NV	268	NV	245	NV	6.8	NV	7.3	NV	8.9	NV	11.5	NV
Potassium	6010/7471	mg/kg	NE	NE	410		NA	NV	897		NA		NA		NA	NV	NA	NV	NA	NV	NA	NV	NA	NV	NA	NV	696	NV
Selenium	6010/7471	mg/kg	340	10000	ND<0.42	U	1.2	NV	ND<0.41	U	0.63	B	0.92	B	ND<0.24	NV	ND<0.27	NV	ND<0.28	NV	ND<0.37	NV	ND<0.38	NV	ND<0.40	NV	ND<0.39	NV
Silver	6010/7471	mg/kg	340	10000	ND<0.21	U	0.93	NV	1.4	B	1.6	B	1.1	B	ND<0.12	NV	ND<0.14	NV	ND<0.14	NV	ND<0.18	NV	ND<0.19	NV	ND<0.20	NV	ND<0.19	NV
Sodium	6010/7471	mg/kg	NE	NE	NA		196	NV	133	J	168		153	J	72.5	NV	83	NV	78.6	NV	149	NV	152	NV	243	NV	189	NV
Thallium	6010/7471	mg/kg	5.4	160	NA		NA	NV	ND<0.30	UJ	NA		NA		NA	NV	NA	NV	NA	NV	NA	NV	NA	NV	NA	NV	ND<0.29	NV
Vanadium	6010/7471	mg/kg	470	14000	NA		NA	NV	7.5		NA		NA		NA	NV	NA	NV	NA	NV	NA	NV	NA	NV	NA	NV	6.8	NV
Zinc	6010/7471	mg/kg	20000	610000	21.5		36.7	NV	52.2		NA		NA		50.4	NV	53.1	NV	46	NV	17.9	NV	20.7	NV	28.9	NV	15.8	NV

DEP RDEC = CT Department of Environmental Protection Residential Direct Exposure
DEP ICDEC = CT Department of Environmental Protection Industrial/Commercial Dire
EPA IRBC = Environmental Protection Agency Region III Industrial Risk Based Conce
EPA RRBC = Environmental Protection Agency Region III Residential Risk Based Con
ND = Not Detected
mg/kg = milligrams per kilogram
NE = Not Established
NA = Not Analyzed
= TAL - list Metals
Black Shaded Cells Exceed One Or More Of The Above RSR Standards
NV = Not Validated. See Usability Report for explanation of Data Validation Qualifier (

Parameter Name	EPA Method	Units	COMPARATIVE STANDARDS DEP RDEC	DEP ICDEC	16-Mar-01 SS TP1 5'	DV_Qual	16-Mar-01 SS TP1 5.5'	DV_Qual	16-Mar-01 SS TP2 3.75'	DV_Qual	16-Mar-01 SS TP2 4'	DV_Qual
Aluminum	6010/7471	mg/kg	NE	NE	NA	NV	NA	NV	NA	NV	NA	NV
Antimony	6010/7471	mg/kg	27	8200	NA	NV	NA	NV	NA	NV	NA	NV
Arsenic	6010/7471	mg/kg	10	10	3.8	NV	1.4	NV	1.3	NV	1.4	NV
Barium	6010/7471	mg/kg	4700	140000	64.5	NV	30.1	NV	82.9	NV	26.3	NV
Beryllium	6010/7471	mg/kg	2	2	NA	NV	NA	NV	NA	NV	NA	NV
Cadmium	6010/7471	mg/kg	34	1000	1020	NV	196	NV	814	NV	153	NV
Calcium	6010/7471	mg/kg	NE	NE	NA	NV	NA	NV	NA	NV	NA	NV
Chromium, Total	6010/7471	mg/kg	NE	NE	130	NV	52.2	NV	380	NV	33.6	NV
Cobalt	6010/7471	mg/kg	NE	NE	NA	NV	NA	NV	NA	NV	NA	NV
Copper	6010/7471	mg/kg	2500	76000	48.8	NV	47.9	NV	870	NV	72.9	NV
Iron	6010/7471	mg/kg	NE	NE	NA	NV	NA	NV	NA	NV	NA	NV
Lead	6010/7471	mg/kg	500	1000	71.4	NV	13.9	NV	123	NV	6.1	NV
Magnesium	6010/7471	mg/kg	NE	NE	NA	NV	NA	NV	NA	NV	NA	NV
Manganese	6010/7471	mg/kg	NE	NE	NA	NV	NA	NV	NA	NV	NA	NV
Mercury	6010/7471	mg/kg	20	610	0.037	NV	0.023	NV	0.051	NV	ND<0.018	NV
Nickel	6010/7471	mg/kg	1400	7500	315	NV	99.7	NV	1910	NV	181	NV
Potassium	6010/7471	mg/kg	NE	NE	NA	NV	NA	NV	NA	NV	NA	NV
Selenium	6010/7471	mg/kg	340	10000	6.7	NV	4.8	NV	5.3	NV	4.1	NV
Silver	6010/7471	mg/kg	340	10000	1	NV	0.38	NV	0.58	NV	0.2	NV
Sodium	6010/7471	mg/kg	NE	NE	743	NV	281	NV	3500	NV	185	NV
Thallium	6010/7471	mg/kg	5.4	160	NA	NV	NA	NV	NA	NV	NA	NV
Vanadium	6010/7471	mg/kg	470	14000	NA	NV	NA	NV	NA	NV	NA	NV
Zinc	6010/7471	mg/kg	20000	610000	737	NV	186	NV	2710	NV	129	NV

DEP RDEC = CT Department of Environmental Protection Residential Direct Exposure
DEP ICDEC = CT Department of Environmental Protection Industrial/Commercial Dire
EPA IRBC = Environmental Protection Agency Region III Industrial Risk Based Conce
EPA RRBC = Environmental Protection Agency Region III Residential Risk Based Con
ND = Not Detected
mg/kg = milligrams per kilogram
NE = Not Estabiished
NA = Not Analyzed
* = TAL - list Metals
Black Shaded Cells Exceed One Or More Of The Above RSR Standards
NV = Not Validated. See Usability Report for explanation of Data Validation Qualifier (

Metal Finishing Technologies, Inc.
60 Wooster Court
Forestville, CT.

			AOC 5																AOC 17			
			COMPARATIVE STANDARDS		16-Mar-01		16-Mar-01		16-Mar-01		16-Mar-01		16-Mar-01		16-Mar-01		16-Mar-01		26-Apr-00		26-Apr-00	
	EPA		DEP	DEP	SSTP3		SS TP5		SS TP5		SS TP5		SS TP6		SS TP7*		SS TP8		SS TB14*		SS TB13	
Parameter Name	Method	Units	RDEC	ICDEC	5'	DV_Qual	4'	DV_Qual	6.75'	DV_Qual	7'	DV_Qual	3'	DV_Qual	3'	DV_Qual	3'	DV_Qual	(0-2)	DV_Qual	(0-2)	DV_Qual
Aluminum	6010/7471	mg/kg	NE	NE	NA	NV	NA	NV	NA	NV	NA	NV	NA	NV	2340	NV	NA	NV	3550	NV	NA	NV
Antimony	6010/7471	mg/kg	27	8200	NA	NV	NA	NV	NA	NV	NA	NV	NA	NV	ND<0.075	NV	NA	NV	ND<0.25	NV	NA	NV
Arsenic	6010/7471	mg/kg	10	10	1.3	NV	1.2	NV	ND<2.4	NV	6.6	NV	1.1	NV	1	NV	1.8	NV	1.2	NV	0.72	NV
Barium	6010/7471	mg/kg	4700	140000	19.8	NV	34.3	NV	62.3	NV	111	NV	28.9	NV	36	NV	31.5	NV	35.6	NV	18.3	NV
Beryllium	6010/7471	mg/kg	2	2	NA	NV	NA	NV	NA	NV	NA	NV	NA	NV	0.19	NV	NA	NV	0.24	NV	NA	NV
Cadmium	6010/7471	mg/kg	34	1000	38.7	NV	0.092	NV	1440	NV	590	NV	4.5	NV	1.1	NV	9.2	NV	84.2	NV	60.7	NV
Calcium	6010/7471	mg/kg	NE	NE	NA	NV	NA	NV	NA	NV	NA	NV	NA	NV	954	NV	NA	NV	444	NV	NA	NV
Chromium, Total	6010/7471	mg/kg	NE	NE	25.3	NV	6.8	NV	1080	NV	43.5	NV	6.5	NV	6.1	NV	9.8	NV	9	NV	8.2	NV
Cobalt	6010/7471	mg/kg	NE	NE	NA	NV	NA	NV	NA	NV	NA	NV	NA	NV	5.4	NV	NA	NV	2.9	NV	NA	NV
Copper	6010/7471	mg/kg	2500	76000	205	NV	8.8	NV	NA	NV	400	NV	8.2	NV	5.6	NV	18.1	NV	15.1	NV	18.9	NV
Iron	6010/7471	mg/kg	NE	NE	NA	NV	NA	NV	NA	NV	NA	NV	NA	NV	5160	NV	NA	NV	6750	NV	NA	NV
Lead	6010/7471	mg/kg	500	1000	5	NV	4.3	NV	693	NV	59.1	NV	3.5	NV	3.5	NV	4.2	NV	ND<0.19	NV	ND<0.24	NV
Magnesium	6010/7471	mg/kg	NE	NE	NA	NV	NA	NV	NA	NV	NA	NV	NA	NV	1430	NV	NA	NV	1700	NV	NA	NV
Manganese	6010/7471	mg/kg	NE	NE	NA	NV	NA	NV	NA	NV	NA	NV	NA	NV	297	NV	NA	NV	296	NV	NA	NV
Mercury	6010/7471	mg/kg	20	610	ND<0.016	NV	ND<0.019	NV	0.19	NV	0.05	NV	ND<0.018	NV	ND<0.019	NV	0.022	NV	ND<0.18	NV	ND<0.017	NV
Nickel	6010/7471	mg/kg	1400	7500	46.6	NV	7.1	NV	5910	NV	680	NV	24.5	NV	10.1	NV	41.8	NV	154	NV	62.5	NV
Potassium	6010/7471	mg/kg	NE	NE	NA	NV	NA	NV	NA	NV	NA	NV	NA	NV	479	NV	NA	NV	673	NV	NA	NV
Selenium	6010/7471	mg/kg	340	10000	4.7	NV	2.4	NV	3.8	NV	4.4	NV	2.4	NV	2.2	NV	3	NV	ND<0.33	NV	ND<0.42	NV
Silver	6010/7471	mg/kg	340	10000	ND<0.094	NV	ND<0.11	NV	ND<1.2	NV	1.5	NV	0.2	NV	ND<0.075	NV	ND<0.066	NV	ND<0.16	NV	ND<0.21	NV
Sodium	6010/7471	mg/kg	NE	NE	101	NV	44.6	NV	7740	NV	704	NV	77.7	NV	64.5	NV	90.3	NV	122	NV	NA	NV
Thallium	6010/7471	mg/kg	5.4	160	NA	NV	NA	NV	NA	NV	NA	NV	NA	NV	1.9	NV	NA	NV	ND<0.25	NV	NA	NV
Vanadium	6010/7471	mg/kg	470	14000	NA	NV	NA	NV	NA	NV	NA	NV	NA	NV	10.9	NV	NA	NV	11.3	NV	NA	NV
Zinc	6010/7471	mg/kg	20000	610000	66.5	NV	13.8	NV	6950	NV	541	NV	20.2	NV	13.3	NV	27.6	NV	23	NV	64.1	NV

DEP RDEC = CT Department of Environmental Protection Residential Direct Exposure
DEP ICDEC = CT Department of Environmental Protection Industrial/Commercial Dire
EPA IRBC = Environmental Protection Agency Region III Industrial Risk Based Conce
EPA RRBC = Environmental Protection Agency Region III Residential Risk Based Con
ND = Not Detected
mg/kg = milligrams per kilogram
NE = Not Established
NA = Not Analyzed
* = TAL - list Metals
Black Shaded Cells Exceed One Or More Of The Above RSR Standards
NV = Not Validated. See Usability Report for explanation of Data Validation Qualifier (

Click Here to Return to Main Document

Melody Bova
<melody.bova@hrpassociates.com>

04/08/02 04:03 PM
Please respond to melody.bova

To: Carolyn Casey/R1/USEPA/US@EPA

cc: "Daniel D. Titus" <dan.titus@hrpassociates.com>

Subject: RE: MFTI

Carolyn,

As discussed today during our meeting, I am forwarding you the information on the receptor survey/presence of wells east of MFT. Please note that the 2000 receptor survey is really an update, built off of the 1999 survey results.

The list that I sent you previously is a list of properties that the public water providers (Valley Water Systems for Plainville addresses, Bristol Water Department for Bristol addresses) could not find bills for. The water companies/departments do not maintain an updated list of connected properties by connection address, they use billing address instead, and are unable to search by connection address. As requested, the town assessors' offices have been contacted to see if information based on service address can be obtained.

[redacted] properties in Plainville were confirmed as connected to public water with the exception of 219 Camp Street. The residence at 219 Camp Street reportedly has well water. However, as you observed, this location is located up-gradient to the northeast of the site and is not considered a reasonable potential receptor of site ground water.

The Bristol Assessor's office reported that public/private water connection data is not recorded in their office, and referred HRP to the Water Department (previously contacted). However, the Bristol locations that could not be verified as connected to public water are located up-gradient and west of the site, and are not considered reasonable potential receptors of site ground water. Additionally, several of these properties are commercial, and may be connected to public water under another (corporate) name and billing address.

-----Original Message-----
From: Casey.Carolyn@epamail.epa.gov
[mailto:Casey.Carolyn@epamail.epa.gov]
Sent: Monday, April 01, 2002 10:20 AM
To: melody.bova@hrpassociates.com
Cc: dan.titus@hrpassociates.com
Subject: RE: MFTI

Why is the list provided in the Sept 1999 survey so different than the list from the Sept 2000 survey (i.e., none of the properties listed in what you just sent was included in the 9/00 survey)?

Check the final list of properties with the assessors office to confirm that they are listed as having public water and/or if the existence of a well is noted.

The exact location of all the properties where connection to public water has yet to be verified.

I am just a little concerned that if wells exist on the east-west section of Camp St., that they could be side-gradient, not up-gradient. Contamination at MW-20 indicates an easterly GW flow component. It should be quicker and easier to verify connection to public water for these few properties with the assessors office than to debate or confirm degree and extent of contamination.

Click Here to Return to Main Document

Melody Bova
<melody.bova@hrpassociates.com>

03/29/02 01:15 PM
Please respond to
melody.bova

To: Carolyn Casey/R1/USEPA/US@EPA

Subject: RE: MFTI

Carolyn-

An updated receptor survey was completed in Sept. 2000, but no report was issued because it has been included in the Draft RFI report. I am sending you the following excerpt from the Draft RFI report, which discusses the results of the receptor survey. Hopefully, this will answer your query. Please pardon the format issues....

"A receptor survey was performed for a half (0.5) mile area surrounding the site, in accordance with the RFI Work Plan. The survey included a walking visual survey from local roads for water supply wells or surface water bodies on the surrounding properties, contacting the Plainville and Bristol public water supply companies, reviewing health department records, and reviewing CT DEP files for surrounding businesses. The survey included properties along Camp Street, Wooster Court, Washington Street, Genovese Drive, Buckley Avenue, Garden Street, Garden Terrace, Circle Street, and Central Street in Bristol. Plainville addresses surveyed included properties along Camp Street. Almost all developed properties were found to be connected to public water. No water connection records could be found for the following addresses:

Bristol Addresses
Land Use

218 Central Street
Part of Fletchers Plumbing

220 Central Street
Part of Fletchers Plumbing

30 Circle Street
Part of Ultimate Wireforms, Inc.

150 Circle Street
Church

190 Garden Street
Private auto garage and driveway

225 Washington Street
Residence

366 Washington Street
Residence

Plainville Addresses
Land Use

160 Camp Street
Residence

186 Camp Street
Residence

219 Camp Street
Residence

242 Camp Street
Vacant Land

255 Camp Street
Residence

272 Camp Street
The Olson Brothers Co.

No visual evidence of water supply wells was observed during the walking survey of the above-listed properties. Municipalities and water companies identify water connections primarily through current accounts and billing addresses. Commercial properties or leased residences may be listed under owners' names and addresses, thereby causing them to appear not to have public water connections. Additionally, each of these locations is up-gradient of the site. Given the results of the synoptic ground water sampling event in October/November 2000, there does not appear to be a risk that any potential wells located on these properties would receive contaminated ground water emanating from the site. Off-site ground water contamination appears to be very limited in degree and extent. Therefore, no further investigation of the presence or absence of water supply wells at these properties was undertaken.

One wellhead was observed down-gradient of the site, in the rear of the neighboring property at 95 Wooster Court. The well was most likely a production supply well for the currently abandoned manufacturing building. Synoptic ground water monitoring data from 2000 suggest that the well is currently out of operation, and that off-site migration of contaminated ground water has not progressed to the east side of Wooster Court. However, due to the proximity of the well and an adjacent wetland in the rear of the property, these could represent potential receptors if the well were to become active. No other wells were identified during the receptor survey."

-----Original Message-----
From: Casey.Carolyn@epamail.epa.gov

Click Here to Return to Main Document

HRP Associates, Inc.
ENVIRONMENTAL AND ENGINEERING

September 28, 1999

Ms. Carolyn Casey
U.S. EPA New England
Office of Site Remediation & Restoration
JFK Federal Building HBT
Boston, MA 02203-0001

RE: MFT VOLUNTARY RFI STATUS REGARDING WORK CONDUCTED IN AUGUST 1999 (HRP #MET0086.RA, TASK 24)

Dear Ms. Casey:

In accordance with the RCRA Facility Investigation Work Plan, issued in revised form by HRP in June 1998, HRP has completed the data collection work associated with a Survey of Potential Receptors (Section 4.2 pg. 11-70). The work performed included a windshield survey of surrounding properties, a review of town assessor's office records and local health department records, a review of CTDEP files regarding potential monitoring well locations on surrounding business properties, and CTDEP well log records. Additionally, HRP queried the local water authority for public water supply connection information on the streets listed in the RFI, and for properties identified within the search radius during the records review. A diagram that depicts the receptor survey search radius around the MFT Facility, and the streets included in the drive-by survey, is attached as Figure 1. A list of property addresses submitted to the local water authority is included as Table 1.

Currently, the data collected and described above is being compiled and reviewed. Information regarding the existence of private wells, the geographic position of private wells with respect to the inferred local hydraulic gradient, and any potentially sensitive environmental receptors will be include in the September Status Memo. Additionally, please be advised that the exterior soil gas survey has been scheduled for the week of October 11, 1999.

Should you have any questions regarding the work detailed above, please do not hesitate to contact HRP at 860-793-6899.

Sincerely,

Daniel D. Titus
Senior Project Hydrogeologist

Robert H. Leach
Associate Vice President
Geological Services

Attachments

cc: R. Genereau
K. Sullivan

Click Here to Return to Main Document

TABLE 1:

PUBLIC WATER/PRIVATE WATER SUPPLY SERVICE

Address	Street Suffix	Water Service	Private Well	Hydurlic Gradient Position
20 Wooster	Ct	Y	TBD	TBD
34 Wooster	Ct	Y	TBD	TBD
35 Wooster	Ct	Y	TBD	TBD
51 Wooster	Ct	Y	TBD	TBD
95 Wooster	Ct	Y	TBD	TBD
100 Wooster	Ct	Y	TBD	TBD
15 Circle	St	Y	TBD	TBD
17 Circle	St	Y	TBD	TBD
23 Circle	St	Y	TBD	TBD
39 Circle	St	N	TBD	TBD
45 Circle	St	Y	TBD	TBD
57 Circle	St	Y	TBD	TBD
65 Circle	St	Y	TBD	TBD
75 Circle	St	Y	TBD	TBD
81 Circle	St	Y	TBD	TBD
89 Circle	St	Y	TBD	TBD
95 Circle	St	Y	TBD	TBD
97 Circle	St	Y	TBD	TBD
103 Circle	St	Y	TBD	TBD
111 Circle	St	Y	TBD	TBD
115 Circle	St	Y	TBD	TBD
117 Circle	St	Y	TBD	TBD
127 Circle	St	Y	TBD	TBD
135 Circle	St	Y	TBD	TBD
138 Circle	St	Y	TBD	TBD
164 Circle	St	Y	TBD	TBD
165 Circle	St	Y	TBD	TBD
171 Circle	St	Y	TBD	TBD
174 Circle	St	Y	TBD	TBD
183 Circle	St	Y	TBD	TBD
188 Circle	St	Y	TBD	TBD
195 Circle	St	Y	TBD	TBD
196 Circle	St	Y	TBD	TBD
4 Garden	Terr	Y	TBD	TBD
10 Garden	Terr	Y	TBD	TBD

Address	Street Suffix	Water Service	Private Well	Hydurlic Gradient Position
12 Garden	Terr	Y	TBD	TBD
15 Garden	Terr	Y	TBD	TBD
20 Garden	Terr	Y	TBD	TBD
30 Garden	Terr	Y	TBD	TBD
31 Garden	Terr	Y	TBD	TBD
39 Garden	Terr	Y	TBD	TBD
40 Garden	Terr	Y	TBD	TBD
49 Garden	Terr	Y	TBD	TBD
50 Garden	Terr	Y	TBD	TBD
5 Genovese	Dr	Y	TBD	TBD
11 Genovese	Dr	Y	TBD	TBD
19 Genovese	Dr	Y	TBD	TBD
27 Genovese	Dr	Y	TBD	TBD
37 Genovese	Dr	Y	TBD	TBD
47 Genovese	Dr	Y	TBD	TBD
57 Genovese	Dr	Y	TBD	TBD
53 Camp	St	Y	TBD	TBD
59 Camp	St	Y	TBD	TBD
75 Camp	St	Y	TBD	TBD
109 Camp	St	Y	TBD	TBD
129 Camp	St	Y	TBD	TBD
135 Camp	St	N	TBD	TBD
147 Camp	St	Y	TBD	TBD
155 Camp	St	Y	TBD	TBD
159 Camp	St	Y	TBD	TBD
165 Camp	St	Y	TBD	TBD
171 Camp	St	Y	TBD	TBD
181 Camp	St	Y	TBD	TBD
185 Camp	St	Y	TBD	TBD
195 Camp	St	Y	TBD	TBD
274 Camp	St	N	TBD	TBD
276 Camp	St	N	TBD	TBD
280 Camp	St	Y	TBD	TBD
282 Camp	St	N	TBD	TBD
284 Camp	St	N	TBD	TBD
292 Camp	St	N	TBD	TBD
296 Camp	St	N	TBD	TBD
300 Camp	St	N	TBD	TBD
365 Washington	St	Y	TBD	TBD

Address	Street Suffix	Water Service	Private Well	Hydurlic Gradient Position
376 Washington	St	Y	TBD	TBD
379 Washington	St	Y	TBD	TBD
382 Washington	St	Y	TBD	TBD
389 Washington	St	Y	TBD	TBD
396 Washington	St	N	TBD	TBD
397 Washington	St	N	TBD	TBD
398 Washington	St	N	TBD	TBD
400 Washington	St	N	TBD	TBD
402 Washington	St	N	TBD	TBD
404 Washington	St	N	TBD	TBD
405 Washington	St	N	TBD	TBD
406 Washington	St	N	TBD	TBD
415 Washington	St	N	TBD	TBD
418 Washington	St	N	TBD	TBD
425 Washington	St	N	TBD	TBD
428 Washington	St	N	TBD	TBD
438 Washington	St	N	TBD	TBD
439 Washington	St	N	TBD	TBD
449 Washington	St	N	TBD	TBD
454 Washington	St	N	TBD	TBD
TBD = to be determined				



Figure 1
Receptor Survey Radius
Metal Finishing Technologies
Bristol, CT 06061
HRP MET0086.RA Task 20