RCRA RECORDS CENTER
FACILITY Pratt & Whitney
I.D. NO. CTD990672087
FILE LOC. R-13
OTHER 00101791
V2 part 1 of 3

Volume II
Documentation of
Environmental Indicator
Determination Current
Human Exposures Under Control

Pratt & Whitney
400 Main Street
East Hartford, Connecticut

September 2004

Prepared For

United Technologies Corporation
One Financial Plaza
Hartford, Connecticut 06101

Prepared By

Loureiro Engineering Associates, Inc.
100 Northwest Drive
Plainville, Connecticut 06062
An Employee Owned Company

Comm. No. 88UT406

RDMS DocID 00101791

Documentation of Environmental Indicator Determination (CA 725)
Pratt & Whitney
400 Main Street
East Hartford, Connecticut

Issued: September 2004

Volume I:

Documentation of Environmental Indicator Determination Report

Attachment 1	Figures and Drawings

Volume II:

Attachment 2	Tables & Data CD
Attachment 3	Relevant Sections of the Main Facility Area Conceptual Site Model and Airort/Klondike Area Conceptual Site Model
Attachment 4	July 2004 Indoor Air and Sub-Slab Vapor Analytical Laboratory Reports
Attachment 5	Calculated Risk Based Criteria Summary Report

Attachment 2

Pratt and Whitney East Hartford Main Facility and Airport/Klondike
400 Main Street, East Hartford, Connecticut
Facility EPA ID #CTD990672081

CD Containing Relevant/Significant Environmental Data
And
Tabular Presentation of Analytical Data

Table 1
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA - BOUNDARY GROUNDWATER SAMPLING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
EA-GW-51D	1831605	12/01/1998	26.5 - 30.0	GW		x				x	X	
EA-GW-51S	1831604	12/01/1998	12.5 - 16.0	GW		x				x	X	
EA-GW-52D	1831609	12/02/1998	26.5 - 30.0	GW		x				x	X	
EA-GW-52S	1831608	12/02/1998	12.5 - 16.0	GW		x				x	X	
EA-GW-53D	1831611	12/02/1998	26.5 - 30.0	GW		X				x	X	
EA-GW-53S	1831610	12/02/1998	12.5 - 16.0	GW		x				x	X	
EA-GW-54D	1831613	12/02/1998	16.5 - 20.0	GW		X				X	X	
EA-GW-54S	1831612	12/02/1998	11.5 - 15.0	GW		x				x	X	
EA-GW-55D	1831614	12/02/1998	16.5 - 20.0	GW		x				x	X	
EA-GW-55S	1831615	12/02/1998	11.5 - 15.0	GW		X				x	X	
EA-MW-01I	18011111891	11/19/1991	20.4 - 30.4	GW		X					X	
EA-MW-01I	18012031892	03/18/1992	20.40 - 30.40	GW		X					X	x
EA-MW-01I	18012061092	06/11/1992	20.4 - 30.4	GW		X					X	
EA-MW-01I	13022122192	12/22/1992	20.4 - 30.4	GW		X						
EA-MW-01I	18012122192	12/22/1992	20.40 - 30.40	GW		X						x
EA-MW-01I	1025560	01/23/1997	20.40 - 30.40	GW		X				X		
EA-MW-01I	1831621	12/03/1998	20.4 - 30.4	GW		X				x	X	
EA-MW-02I	18022111891	11/19/1991	28.4 - 38.4	GW		X					X	
EA-MW-02I	13012031892	03/18/1992	28.4 - 38.4	GW		X					X	X
EA-MW-02I	18022031892	03/18/1992	28.40 - 38.40	GW		X					X	X
EA-MW-02I	18022061092	06/11/1992	28.4 - 38.4	GW		X					X	X
EA-MW-02I	13011121892	12/18/1992	28.4 - 38.4	GW		X						
EA-MW-02I	18022121892	12/18/1992	28.40 - 38.40	GW		X						X
EA-MW-02I	1025578	01/27/1997	28.4 - 38.4	GW		X				X		
EA-MW-02I	1831633	12/04/1998	28.4 - 38.4	GW		X				X	X	
EA-MW-02S	18021111891	11/19/1991	7.30 - 17.30	GW		X					X	
EA-MW-02S	18021031892	03/18/1992	7.30 - 17.30	GW		X					X	x
EA-MW-02S	18021061092	06/11/1992	7.30 - 17.30	GW		x					X	
EA-MW-02S	18021121892	12/18/1992	7.30 - 17.30	GW		x						
EA-MW-02S	1025576	01/27/1997	7.3 - 17.3	GW		x				x		
EA-MW-02S	1025577	01/27/1997	7.3 - 17.3	GW		x				x		
EA-MW-02S	1831632	12/04/1998	7.3 - 17.3	GW		x				X	X	

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/14/2004

Table 1
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA - BOUNDARY GROUNDWATER SAMPLING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class	Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
EA-MW-09I	18092122192	12/22/1992	21.00 - 31.00	GW	X						x
EA-MW-09I	1025565	01/24/1997	21.00 - 31.00	GW	X				x		
EA-MW-09I	1831620	12/03/1998	21.0 - 31.0	GW	x				x	X	
EA-MW-09I	1845800	08/31/1999	21.0 - 31.0	GW	X				x	X	x
EA-MW-09S	18091122192	12/22/1992	7.00 - 17.00	GW	x						
EA-MW-09S	1025566	01/24/1997	7.00 - 17.00	GW	x				x		
EA-MW-09S	1831619	12/03/1998	7.0 - 17.0	GW	x				X	X	
EA-MW-09S	1845799	08/31/1999	7.0 - 17.0	GW	x				x	X	x
EA-MW-11I	18112122192	12/22/1992	24.00 - 34.00	GW	X						X
EA-MW-11I	1025589	01/28/1997	24.00 - 34.00	GW	X				X		
EA-MW-11I	1831635	12/04/1998	24.00 - 34.00	GW	X				X	X	
EA-MW-11I	1845804	09/01/1999	24.0 - 34.0	GW	X				X	X	x
EA-MW-11S	18111122192	12/22/1992	7.00 - 17.00	GW	x						
EA-MW-11S	1025587	01/28/1997	7.00 - 17.00	GW	x				x		
EA-MW-11S	1025588	01/28/1997	7.00 - 17.00	GW	x				x		
EA-MW-11S	1831634	12/04/1998	7.0 - 17.0	GW	x				X	X	
EA-MW-11S	1845803	09/01/1999	7.0 - 17.0	GW	x				x	x	x
EA-MW-13I	18132121892	12/18/1992	22.00 - 32.00	GW	x						
EA-MW-13I	1025580	01/27/1997	22.0 - 32.0	GW	X				x		
EA-MW-13S	18131121892	12/18/1992	7.0 - 17.0	GW	X						
EA-MW-13S	1025579	01/27/1997	7.0 - 17.0	GW	x				x		
EA-MW-17I	1845843	09/08/1999	25.0 - 28.0	GW	X				x	X	x
EA-MW-17S	1845842	09/08/1999	4.0 - 13.0	GW	x				x	X	x
EG-GW-31	1831534	11/12/1998	13.0 - 16	GW	X				X	X	
EG-GW-34D	1831554	11/18/1998	20.50 - 24.00	GW	X				x	X	
EG-GW-35D	1831560	11/19/1998	21.0 - 24	GW	X				x	X	
EG-GW-36D	1831568	11/20/1998	21.0 - 24	GW	X				x	X	X
EG-GW-37D	1831570	11/20/1998	21.0 - 24	GW	x				x	X	X
EG-MW-03	06031111491	11/15/1991	14.40 - 24.40	GW	x					X	
EG-MW-03	06031061192	06/12/1992	14.40 - 24.40	GW	x					X	
EG-MW-03	1831624	12/04/1998	14.4 - 24.4	GW	X				X	X	
ET-GW-18S	1845334	08/25/1999	10 - 13	GW	x				x	X	x

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/14/2004

Table 1
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA - BOUNDARY GROUNDWATER SAMPLING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information						
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class	Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
ET-GW-19S	1845337	08/26/1999	10 - 13	GW	x				x	X	x
ET-GW-20S	1845339	08/26/1999	11 - 14	GW	x				x	X	x
ET-GW-21S	1845329	08/20/1999	10 - 13	GW	x				x	x	x
ET-GW-22S	1845341	08/27/1999	10 - 13	GW	x				x	x	x
ET-GW-22S	1845342	08/27/1999	10.00 - 13.00	GW	x				x	x	x
ET-GW-23S	1845345	08/27/1999	9.5 - 12.5	GW	x				x	x	x
ET-GW-24S	1845327	08/20/1999	8.0 - 11.0	GW	x				x	x	x
ET-GW-25S	1845324	08/19/1999	7.5 - 10.5	GW	x				X	x	x
ET-GW-26S	1845321	08/19/1999	6.5 - 9.5	GW	x				x	x	x
PH-GW-38D	1831563	11/19/1998	21.0 - 24	GW	x				x	X	
PH-GW-38S	1831562	11/19/1998	11.0 - 14	GW	x				X	X	
PH-GW-39D	1831576	11/23/1998	20.5 - 24.0	GW	X				X	X	
PH-GW-39S	1831575	11/23/1998	10.5 - 14.0	GW	x				X	X	
PH-GW-40D	1831574	11/23/1998	20.5 - 24.0	GW	X				x	X	
PH-GW-40S	1831573	11/23/1998	10.5 - 14.0	GW	X				x	X	
PH-GW-41D	1831578	11/23/1998	20.5 - 24.0	GW	x				X	X	
PH-GW-41S	1831577	11/23/1998	10.5 - 14.0	GW	X				X	X	
PH-GW-42D	1831580	11/22/1998	20.5 - 24.0	GW	X				X	X	
PH-GW-42S	1831579	11/22/1998	9.5 - 13.0	GW	X				X	X	
PH-GW-43D	1831582	11/25/1998	20.5 - 24.0	GW	X				x	X	
PH-GW-43S	1831581	11/25/1998	9.5 - 13.0	GW	X				x	X	
PH-GW-44D	1831587	11/25/1998	20.5 - 24.0	GW	X				x	X	
PH-GW-44S	1831586	11/25/1998	9.5 - 13.0	GW	X				x	X	
PH-GW-45D	1831589	11/25/1998	0.00	GW	X				x	X	
PH-GW-45S	1831588	11/25/1998	0.00	GW	X				x	X	
PH-GW-46D	1831592	11/30/1998	0.00	GW	X				x	X	
PH-GW-46S	1831590	11/30/1998	0.00	GW	X				x	X	
PH-GW-47D	1831594	11/30/1998	20.5 - 24.0	GW	X				x	X	
PH-GW-47S	1831593	11/30/1998	11.5 - 15.0	GW	X				x	X	
PH-GW-48D	1831598	11/30/1998	20.5 - 24.0	GW	X				x	X	
PH-GW-48S	1831597	11/30/1998	11.5 - 15.0	GW	X				x	X	
PH-GW-49D	1831600	11/30/1998	20.5 - 24.0	GW	X				x	X	

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/14/2004

Table 1
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA - BOUNDARY GROUNDWATER SAMPLING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information						
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class	Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
PH-GW-49S	1831599	11/30/1998	11.5 - 15.0	GW	X				x	X	
PH-GW-50D	1831602	12/01/1998	26.5 - 30.0	GW	x				X	X	
PH-GW-50S	1831601	12/01/1998	12.5 - 16.0	GW	X				X	X	
PH-MW-02	34389011803	01/18/1989	5.00 - 20.00	GW	x					x	
PH-MW-02	890302PHMW2	03/02/1989	5.00 - 20.00	GW	x	x				X	
PH-MW-02	31389051705	05/17/1989	5.00 - 20.00	GW	x	x					X
PH-MW-02	31389081708	08/17/1989	5.00 - 20.00	GW	X	x				X	X
PH-MW-02	31389120509	12/05/1989	5.00 - 20.00	GW	X	x				x	X
PH-MW-02	31390022808	02/28/1990	5.00 - 20.00	GW	X	x				x	X
PH-MW-02	38490051509	05/15/1990	5.00 - 20.00	GW	x	x				X	
PH-MW-02	31390083020	08/30/1990	5.00 - 20.00	GW	x	x				X f	X
PH-MW-02	31390112760	11/27/1990	5.00 - 20.00	GW	x	x				X f	X
PH-MW-02	31391022750	02/27/1991	5.00 - 20.00	GW	X					X f	X
PH-MW-02	1011283	03/28/1996	5.00 - 20.00	GW	x			x	x		
PH-MW-02	1831626	12/04/1998	5.0 - 20.0	GW	x				x	X	
PH-MW-08I	15082111591	11/15/1991	19.20 - 29.20	GW	x					X	
PH-MW-08I	1831627	12/04/1998	19.2 - 29.2	GW	x				X	X	
PH-MW-08I	1831628	12/04/1998	19.2 - 29.2	GW	x				x	X	
PH-MW-08I	1845802	09/01/1999	19.2 - 29.2	GW	x				x	X	x
PH-MW-08S	15081111591	11/15/1991	8.00 - 18.00	GW	x					X	
PH-MW-08S	15081061192	06/12/1992	8.00 - 18.00	GW	x					X	
PH-MW-08S	15082061192	06/12/1992	8.00 - 18.00	GW	x					X	
PH-MW-08S	1845801	09/01/1999	8.0 - 18.0	GW	x				x	X	x
PH-MW-09	15091111891	11/19/1991	24.60 - 34.60	GW	X					X	
PH-MW-09	15091061192	06/12/1992	24.60 - 34.60	GW	X					X	
PH-MW-09	1831629	12/04/1998	24.6 - 34.6	GW	X				X	X	
PH-MW-11I	15112111891	11/19/1991	23.60 - 33.60	GW	X					X	
PH-MW-11I	15112061192	06/12/1992	23.6 - 33.6	GW	X					X	
PH-MW-11I	1831631	12/04/1998	23.6 - 33.6	GW	X				X	X	
PH-MW-11I	1845808	09/01/1999	23.6 - 33.6	GW	X				x	X	x
PH-MW-11S	15111111891	11/19/1991	11.00 - 21.00	GW	X					X	
PH-MW-11S	15111061192	06/12/1992	11.00 - 21.00	GW	X					X	

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received, Capitalized - at least one analyte in class detected

Printed on 09/14/2004

Table 1
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA - BOUNDARY GROUNDWATER SAMPLING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
PH-MW-11S	1831630	12/04/1998	11.0 - 21.0	GW		X				X	X	
PH-MW-11S	1845807	09/01/1999	11.0 - 21.0	GW		x				X	X	x
PH-MW-19S	1845846	09/09/1999	7.5 - 16.5	GW		X				x	X	x
WT-GW-01D	1831502	11/10/1998	14.0 - 17	GW		X				x	X	
WT-GW-01S	1831501	11/10/1998	11.0 - 14	GW		x				x	X	
WT-GW-02D	1831505	11/10/1998	14 - 18	GW		x				x	X	
WT-GW-02D	1831504	11/10/1998	15.0 - 18	GW		x				x	X	
WT-GW-02S	1831503	11/10/1998	11.0 - 14	GW		x				x	X	
WT-GW-03D	1831508	11/11/1998	15.0 - 18	GW		X				X	X	
WT-GW-03S	1831507	11/11/1998	11.0 - 14	GW		X				X	X	
WT-GW-04D	1831510	11/11/1998	15.0 - 18	GW		X				X	X	
WT-GW-04S	1831509	11/11/1998	11.0 - 14	GW		x				x	X	
WT-GW-05D	1831512	11/11/1998	29.0 - 32	GW		X				x	X	
WT-GW-05S	1831511	11/11/1998	11.0 - 14	GW		x				X	X	
WT-GW-06D	1831515	11/11/1998	28 - 32	GW		X				x	X	
WT-GW-06D	1831514	11/11/1998	29.0 - 32	GW		X				x	X	
WT-GW-06S	1831513	11/11/1998	11.0 - 14	GW		x				x	X	
WT-GW-07D	1831500	11/10/1998	21.0 - 24	GW		X				x	X	
WT-GW-07S	1831499	11/10/1998	17.0 - 20	GW		X				x	X	
WT-GW-08D	1831525	11/12/1998	30.0 - 33	GW		X				x	X	
WT-GW-08S	1831524	11/12/1998	12.0 - 15	GW		x				x	X	
WT-GW-31D	2000982	08/03/2001	14 - 18	GWG	X	X	X		x	x	X	x
WT-GW-31S	2000983	08/03/2001	10 - 14	GWG	X	X	X		x	x	X	x
WT-GW-32D	1998469	08/01/2001	17 - 20	GWG	x							
WT-GW-32D	1998470	08/01/2001	17 - 20	GWG	x							
WT-GW-32D	1998471	08/01/2001	17 - 20	GWG		x	X		x	x	X	x
WT-GW-32D	1998472	08/01/2001	17 - 20	GWG		x	x		x	X	X	x
WT-GW-32D	2000945	08/09/2001	16 - 20	GWG		x						
WT-GW-32S	1998474	08/01/2001	11 - 14	GWG	X							
WT-GW-32S	1998475	08/01/2001	11 - 14	GWG		X	X		x	X	X	x
WT-GW-32S	2000942	08/07/2001	10 - 14	GWG		X						
WT-GW-33D	2000984	08/03/2001	14 - 18	GWG	X	X	x		x	x	X	x

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/14/2004

Table 1
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA - BOUNDARY GROUNDWATER SAMPLING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
WT-GW-33S	2000985	08/03/2001	10 - 13	GWG	X	X	x		x	x	X	x
WT-GW-34D	1998455	07/30/2001	21.5 - 24.5	GWG	X						x	
WT-GW-34S	1998459	07/31/2001	11 - 14	GWG		X	X		x	x	X	x
WT-GW-34S	1998461	07/31/2001	11 - 14	GWG	X							
WT-GW-35D	2000987	08/06/2001	15.00 - 18.00	GWG	X	X	x		x	x	X	x
WT-GW-35S	2000988	08/06/2001	12.6 - 15.6	GWG	X	X	x		x	x	X	x
WT-GW-36D	1998463	07/31/2001	21 - 22	GWG		x	X		x	x	X	x
WT-GW-36D	1998465	07/31/2001	21 - 22	GWG	x							
WT-GW-36S	1998464	07/31/2001	11 - 14	GWG		X	X		x	x	X	x
WT-GW-36S	1998466	07/31/2001	11 - 14	GWG	X							
WT-GW-37D	1998481	08/01/2001	17.5 - 20.5	GWG	x	X	x		x	x	X	x
WT-GW-37S	1998482	08/01/2001	12 - 15	GWG	x	X	X		x	x	X	x
WT-GW-38D	1998476	08/02/2001	19 - 22	GWG	x	X	X		x	x	X	x
WT-GW-38S	1998477	08/02/2001	12 - 18	GWG	x	X	X		x	X	X	X
WT-GW-38S	2000963	08/09/2001	10 - 14	GWG		X						
WT-GW-38S	2000962	08/09/2001	14 - 15	GWG		X						
WT-GW-39D	1998496	08/02/2001	18 - 21	GWG	x	X	X		x	X	X	x
WT-GW-39D	2000943	08/07/2001	16 - 20	GWG		X						
WT-GW-39S	1998497	08/02/2001	13 - 16	GWG	X	X	X		x	X	X	X
WT-GW-39S	2000944	08/07/2001	12 - 16	GWG		X						
WT-GW-40D	2000986	08/07/2001	14 - 18	GWG	X	X	x		x	x	X	x
WT-GW-40S	2000989	08/07/2001	10 - 14	GWG	X	X	x		x	X	X	x
WT-GW-41D	2000990	08/08/2001	14 - 18	GWG	X	X	x		x	x	X	x
WT-GW-41S	2000991	08/08/2001	10 - 14	GWG	X	X	X		x	x	X	x
WT-GW-42	2000923	08/07/2001	11 - 12	GWG	X							
WT-GW-42	2000924	08/07/2001	12 - 13	GWG	X							
WT-GW-42	2000925	08/07/2001	13 - 14	GWG	X							
WT-GW-42	2000926	08/07/2001	14 - 15	GWG	X							
WT-GW-42	2000927	08/07/2001	15 - 16	GWG	X							
WT-GW-42	2000928	08/07/2001	16 - 17	GWG	X							
WT-GW-42	2000929	08/07/2001	17 - 18	GWG	X							
WT-GW-42	2000930	08/07/2001	18 - 19	GWG	X							

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/14/2004

Table 1
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA - BOUNDARY GROUNDWATER SAMPLING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
WT-GW-43D	2010156	12/12/2001	24 - 28	GWG		x	x		x	x	X	X
WT-GW-43S	2010157	12/12/2001	16 - 19	GWG		X	X		x	x	X	x
WT-GW-44D	2010160	12/13/2001	20 - 24	GWG							x	
WT-GW-44D	2010161	12/13/2001	20 - 24	GWG							x	
WT-GW-44D	2010173	12/21/2001	20 - 24	GWG		X	x		x	x	X	x
WT-GW-44D	2010174	12/21/2001	20 - 24	GWG		X	x		x	x	X	X
WT-GW-44S	2010158	12/13/2001		GWG		X	X		x	x	X	x
WT-GW-45D	2010168	12/14/2001	19 - 22	GWG		X	x		x	x	X	x
WT-GW-45S	2010167	12/14/2001	16 - 19	GWG		X	x		x	x	X	x
WT-MW-26I	1845834	09/07/1999	21.0 - 24.0	GW		X				X	X	x
WT-MW-26S	1845833	09/07/1999	7.5 - 16.5	GW		x				x	x	x
WT-MW-29D	1992885	04/12/2001	13.50 - 16.50	GW		X	X			x	X	x
WT-MW-29D	1998513	08/14/2001	13.50 - 16.50	GW		x	x		x	x	X	x
WT-MW-29S	1992884	04/12/2001	1.50 - 10.50	GW		x	x			x	X	x
WT-MW-29S	1998512	08/14/2001	1.50 - 10.50	GW		x	x		x	x	X	x
WT-MW-30	1992887	04/12/2001	4.50 - 13.50	GW		x	x			x	X	x
WT-MW-30	2001002	08/14/2001	4.50 - 13.50	GW		X	x		x	x	X	x
WT-MW-31	1992886	04/12/2001	5.00 - 14.00	GW		x	x			x	X	x
WT-MW-31	1998516	08/14/2001	5.00 - 14.00	GW		x	x		x	x	X	X
WT-MW-34D	1992865	04/10/2001	15.50 - 18.50	GW		X	x		x	x	X	x
WT-MW-34D	1998521	08/15/2001	15.50 - 18.50	GW		X	x		x	x	X	x
WT-MW-34S	1992866	04/10/2001	7.00 - 16.00	GW		X	x		x	x	X	x
WT-MW-34S	1998522	08/15/2001	7.00 - 16.00	GW		X	x		x	x	X	x
WT-MW-35S	1992873	04/11/2001	5.00 - 14.00	GW		X	x		x	X	X	x
WT-MW-35S	2000994	08/15/2001	5.00 - 14.00	GW		X	x		x	x	X	X
WT-MW-36D	1992872	04/10/2001	32.3 - 35.3	GW		x	x		x	x	X	x
WT-MW-36D	2000997	08/15/2001	32.3 - 35.3	GW		x	x		x	x	X	X
WT-MW-37	1998517	08/14/2001	4.00 - 14.00	GW		x	x		x	x	X	x
WT-MW-37	1998518	08/14/2001	4.00 - 14.00	GW		x	x		x	x	X	x
WT-MW-38D	1998515	08/14/2001	17.50 - 20.50	GW		x	X		x	X	X	X
WT-MW-38S	1998514	08/14/2001	8.00 - 17.00	GW		x	X		x	x	X	x
WT-MW-39	1998519	08/14/2001	9.00 - 18.00	GW		x	x		x	x	X	x

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/14/2004

Table 1
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA - BOUNDARY GROUNDWATER SAMPLING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
WT-MW-39	2010169	12/14/2001	9.00 - 18.00	GW		x	x		x	x	X	x
WT-MW-41	2112611	09/23/2002	1.00 - 10.00	GW		x			x	x		
WT-MW-41	2112627	09/24/2002	1.00 - 10.00	GW							x	
WT-MW-41	2213469	12/23/2002	1.00 - 10.00	GW		x			x	x	x	
WT-MW-41	2215741	03/28/2003	1.00 - 10.00	GW		x			x	x	x	
WT-MW-41	1001081	06/30/2003	1.00 - 10.00	GW		x			x	x	x	
WT-MW-41	1031846	09/03/2003	1.00 - 10.00	GW		x			x	x	x	
WT-MW-41	1038378	12/03/2003	1.00 - 10.00	GW		x			x	x	x	
WT-MW-41	1045065	03/24/2004	1.00 - 10.00	GW		x			x	x	x	
WT-MW-41	1048180	06/08/2004	1.00 - 10.00	GW		x			x	x	x	
WT-MW-42	2112612	09/23/2002	1.00 - 10.00	GW		x			x	x	X	
WT-MW-42	2213468	12/23/2002	1.00 - 10.00	GW		x			x	x	X	
WT-MW-42	2215745	03/31/2003	1.00 - 10.00	GW		x			x	x	x	
WT-MW-42	1001080	06/30/2003	1.00 - 10.00	GW		x			x	x	X	
WT-MW-42	1031843	09/03/2003	1.00 - 10.00	GW		x			x	x	X	
WT-MW-42	1038379	12/03/2003	1.00 - 10.00	GW		x			x	x	X	
WT-MW-42	1045066	03/24/2004	1.00 - 10.00	GW		x			x	x	x	
WT-MW-42	1048181	06/08/2004	1.00 - 10.00	GW		x			x	X	x	
WT-MW-43	2112613	09/23/2002	3.00 - 12.00	GW		x			x	x		
WT-MW-43	2112628	09/24/2002	3.00 - 12.00	GW							x	
WT-MW-43	2213467	12/23/2002	3.00 - 12.00	GW		x			x	x	x	
WT-MW-43	2215736	03/28/2003	3.00 - 12.00	GW		x			x	x	X	
WT-MW-43	1001079	06/30/2003	3.00 - 12.00	GW		x			x	x	x	
WT-MW-43	1031842	09/03/2003	3.00 - 12.00	GW		x			x	x	x	
WT-MW-43	1038380	12/03/2003	3.00 - 12.00	GW		x			x	x	x	
WT-MW-43	1045067	03/24/2004	3.00 - 12.00	GW		x			x	x	x	
WT-MW-43	1048182	06/08/2004	3.00 - 12.00	GW		x			x	x	x	
WT-MW-44	2112614	09/23/2002	5.00 - 14.00	GW		x			x	x	x	
WT-MW-44	2213466	12/23/2002	5.00 - 14.00	GW		x			x	x	x	
WT-MW-44	2215735	03/28/2003	5.00 - 14.00	GW		x			x	x	x	
WT-MW-44	2215749	03/28/2003	5.00 - 14.00	GW		x			x	x	x	
WT-MW-44	1001074	06/30/2003	5.00 - 14.00	GW		x			x	x	x	

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/14/2004

Table 1
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA - BOUNDARY GROUNDWATER SAMPLING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information						
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class	Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
WT-MW-44	1031840	09/03/2003	5.00 - 14.00	GW	x			x	x	x	
WT-MW-44	1038381	12/03/2003	5.00 - 14.00	GW	x			x	x	x	
WT-MW-44	1045068	03/24/2004	5.00 - 14.00	GW	x			x	x	x	
WT-MW-44	1048183	06/08/2004	5.00 - 14.00	GW	x			x	x	x	
WT-MW-46	2112616	09/23/2002	-1.50 - 7.50	GW	x			x	x	x	
WT-MW-46	2213465	12/23/2002	-1.50 - 7.50	GW	x			x	X	x	
WT-MW-46	2215733	03/28/2003	-1.50 - 7.50	GW	x			x	X	x	
WT-MW-46	1001073	06/30/2003	-1.50 - 7.50	GW	x			x	x	x	
WT-MW-46	1031838	09/03/2003	-1.50 - 7.50	GW	x			x	x	x	
WT-MW-46	1038376	12/03/2003	-1.50 - 7.50	GW	x			x	x	x	
WT-MW-46	1045072	03/24/2004	-1.50 - 7.50	GW	x			x	x	x	
WT-MW-46	1048187	06/08/2004	-1.50 - 7.50	GW	X			x	x	x	
WT-MW-47	2112619	09/24/2002	6.00 - 15.00	GW	x			x	X	x	
WT-MW-47	2213464	12/23/2002	6.00 - 15.00	GW	x			x	x	x	
WT-MW-47	2215746	03/31/2003	6.00 - 15.00	GW	x			x	x	x	
WT-MW-47	1001072	06/30/2003	6.00 - 15.00	GW	x			x	x	X	
WT-MW-47	1031835	09/03/2003	6.00 - 15.00	GW	x			x	x	X	
WT-MW-47	1038374	12/03/2003	6.00 - 15.00	GW	x			x	x	X	
WT-MW-47	1045075	03/24/2004	6.00 - 15.00	GW	x			x	x	X	
WT-MW-47	1048190	06/08/2004	6.00 - 15.00	GW	x			x	x	X	
WT-MW-49	2112620	09/24/2002	0.00	GW	x			x	X	x	
WT-MW-49	2213473	12/23/2002	0.00	GW	x			x	x	x	
WT-MW-49	2213482	12/23/2002	0.00	GW	x			x	x	X	
WT-MW-49	2215734	03/28/2003	0.00	GW	x			x	X	x	
WT-MW-49	1001078	06/30/2003	0.00	GW	x			x	x	X	
WT-MW-49	1031839	09/03/2003	0.00	GW	x			x	x	X	
WT-MW-49	1038375	12/03/2003	0.00	GW	x			x	x	X	
WT-MW-49	1045077	03/24/2004	0.00	GW	x			x	x	X	
WT-MW-49	1048192	06/08/2004	0.00	GW	x			x	X	X	
WT-MW-50	2112622	09/24/2002	16.0 - 26.0	GW	x			x	X	x	
WT-MW-50	2213475	12/23/2002	16.0 - 26.0	GW	X			x	X	X	
WT-MW-50	2215738	03/28/2003	16.0 - 26.0	GW	X			x	X	X	

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/14/2004

Table 1
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA - BOUNDARY GROUNDWATER SAMPLING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
WT-MW-50	1001089	06/30/2003	16.0 - 26.0	GW		X			x	X	X	
WT-MW-50	1031844	09/03/2003	16.0 - 26.0	GW		X			x	X	X	
WT-MW-50	1038373	12/03/2003	16.0 - 26.0	GW		X			x	X	X	
WT-MW-50	1045079	03/24/2004	16.0 - 26.0	GW		X			x	X	X	
WT-MW-50	1048194	06/08/2004	16.0 - 26.0	GW		X			x	X	X	
WT-PZ-08	1832694	12/04/1998	6.0 - 16.0	GW		X	x				X	
WT-PZ-08	1834781	02/10/1999	6.0 - 16.0	GW		X			x	X	X	
WT-PZ-09	1832692	12/04/1998	7.0 - 17.0	GW		X	x		X		x	
WT-PZ-09	1834780	02/10/1999	7.0 - 17.0	GW		X			X	X		
WT-PZ-10	1832695	12/04/1998	5.0 - 10.0	GW		x	x		X		x	
WT-PZ-10	1834782	02/10/1999	5.0 - 10.0	GW					X	X	X	
WT-PZ-11	1832696	12/04/1998	3.0 - 12.0	GW		x			x	x	X	
WT-PZ-11	1834783	02/10/1999	3.0 - 12.0	GW			x		x		x	
WT-PZ-12	1832697	12/04/1998	5.0 - 10.0	GW		X	x		x	X	x	
WT-PZ-12	1834786	02/10/1999	5.0 - 10.0	GW		X			x	x		

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/14/2004

Table 2

Summary of Constituents Exceeding Table 3-3 Criteria in Groundwater Main Facility Area Boundary Wells

Constituent	Units	Spatial Arithmetic Mean	Table 3-8 Criteria	Exceedance
Benz[a]anthracene	ug/l	4.468852459	2.9	Yes
Benzo[a]pyrene	ug/l	4.537704918	0.2	Yes
Benzo[k]fluoranthene	ug/l	4.795081967	4.3	Yes
Methyl Isobutyl Ketone (4-Methyl-2-Pentanone)	ug/l	9.841672727	5	Yes

Table 3
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION - MAIN FACILITY AREA MAINTENANCE WORKER EXPOSURE CENTRAL AREA DEWATERING RADIAL INFLUENCE

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
AB-GW-08	1023703	07/23/2003	9 - 13.9	GWG		X					x	
AB-GW-08	1023702	07/23/2003	21 - 24.9	GWG		X					X	
AB-GW-13	1023722	07/28/2003	9.1 - 13.0	GWG		X					x	
AB-GW-13	1023721	07/28/2003	21.1 - 25.00	GWG		X					x	
AB-GW-14	1023724	07/28/2003	9.1 - 13.0	GWG		X					x	
AB-GW-14	1023723	07/28/2003	21.1 - 25.0	GWG		X					X	
CB-GW-06	1023715	07/24/2003	9.1 - 13	GWG		X					X	
CB-GW-06	1023714	07/24/2003	21.1 - 25	GWG		X					X	
CB-GW-09	1023733	07/30/2003	9.1 - 13	GWG		X					x	
CB-GW-09	1023734	07/30/2003	20.1 - 24	GWG		X					X	
CB-GW-10	1023736	07/30/2003	9.1 - 13	GWG		X					x	
CB-GW-10	1023735	07/30/2003	20.1 - 24	GWG		X					X	
CB-GW-11	1023738	07/30/2003	9.1 - 13	GWG		X					x	
CB-GW-11	1023737	07/30/2003	20.1 - 24	GWG		X					x	
CB-GW-15	1035214	09/24/2003	11 - 12	GWG		X					x	
CB-GW-15	1035215	09/24/2003	13 - 14	GWG							x	
CB-GW-15	1035216	09/24/2003	15 - 16	GWG							x	
CB-GW-15	1035217	09/24/2003	17 - 18	GWG							x	
CB-GW-15	1035218	09/24/2003	19 - 20	GWG		X					x	
CB-GW-16	1035219	09/24/2003	11 - 12	GWG		X					X	
CB-GW-16	1035220	09/24/2003	13 - 14	GWG							X	
CB-GW-16	1035221	09/24/2003	15 - 16	GWG							x	
CB-GW-16	1035222	09/24/2003	17 - 18	GWG							x	
CB-GW-16	1035223	09/24/2003	19 - 20	GWG							X	
CB-GW-16	1035224	09/24/2003	21 - 22	GWG							X	
CB-GW-16	1035225	09/24/2003	23 - 24	GWG		X					X	
CB-GW-19	1035246	10/01/2003	11 - 12	GWG		X					x	
CB-GW-19	1035247	10/01/2003	13 - 14	GWG							x	
CB-GW-19	1035248	10/01/2003	15 - 16	GWG							x	
CB-GW-19	1035249	10/01/2003	17 - 18	GWG							x	
CB-GW-19	1035250	10/01/2003	19 - 20	GWG							X	
CB-GW-19	1035251	10/01/2003	21 - 22	GWG		X					X	

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 3
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION - MAIN FACILITY AREA MAINTENANCE WORKER EXPOSURE CENTRAL AREA DEWATERING RADIAL INFLUENCE

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information						
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class	Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
CB-GW-19	1035252	10/01/2003	23 - 24	GWG	X					X	
CB-GW-19	1035253	10/01/2003	25 - 26	GWG	X					X	
CB-GW-20	1035255	10/06/2003	11 - 12	GWG	X					x	
CB-GW-20	1035256	10/06/2003	13 - 14	GWG						x	
CB-GW-20	1035257	10/06/2003	15 - 16	GWG						x	
CB-GW-20	1035258	10/06/2003	17 - 18	GWG						x	
CB-GW-20	1035259	10/06/2003	19 - 20	GWG						X	
CB-GW-20	1035260	10/06/2003	21 - 22	GWG						X	
CB-GW-20	1035261	10/06/2003	23 - 24	GWG	X					x	
DB-GW-01	1023726	07/29/2003	9.1 - 13.0	GWG	X					X	
DB-GW-01	1023727	07/29/2003	21.1 - 25.0	GWG	X					x	
DB-GW-04	1023757	08/14/2003	11 - 12	GWG						x	
DB-GW-04	1023758	08/14/2003	12 - 13	GWG						x	
DB-GW-04	1023759	08/14/2003	13 - 14	GWG						x	
DB-GW-04	1023760	08/14/2003	14 - 15	GWG						x	
DB-GW-04	1023761	08/14/2003	15 - 16	GWG						x	
DB-GW-04	1023762	08/14/2003	16 - 17	GWG						x	
DB-GW-04	1023763	08/14/2003	17 - 18	GWG						x	
DB-GW-04	1023764	08/14/2003	18 - 19	GWG						x	
DB-GW-04	1023765	08/14/2003	19 - 20	GWG						x	
DB-GW-04	1023766	08/14/2003	20 - 21	GWG						x	
DB-GW-04	1023767	08/14/2003	21 - 22	GWG						X	
DB-GW-04	1023768	08/14/2003	22 - 23	GWG						X	
DB-GW-04	1023769	08/14/2003	23 - 24	GWG						X	
DB-GW-04	1030945	08/14/2003	24 - 25	GWG						X	
DB-GW-04	1030946	08/14/2003	25 - 26	GWG						x	
DB-MW-01	1946985	11/30/1999	9.70 - 14.5	GW	X					X	x
DB-MW-02	1946986	11/30/1999	9.5 - 16	GW	X					X	X
DB-MW-03	1946987	12/01/1999	7.0 - 16.0	GW	X					X	x
DB-SB-02	1946992	11/19/1999	11 - 15	GW	X			x		X	X
DB-SB-03	1946991	11/19/1999	12 - 16	GW	X			x		X	X
DB-SB-04	1946993	11/19/1999	12 - 16	GW	X			x		X	x

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 3
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION - MAIN FACILITY AREA MAINTENANCE WORKER EXPOSURE CENTRAL AREA DEWATERING RADIAL INFLUENCE

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
DB-SB-05	1946994	11/19/1999	12 - 16	GW		X			x		X	x
DB-SB-08	1946988	12/01/1999	8 - 12	GW		X					X	X
DB-SP-01	1989356	02/21/2001	0.00	GW		X	X		x	X	X	x
EB-MW-01S	EB-MW-01S	10/28/1992	10.0 - 20.0	GW		X			x		X	
EB-MW-01S	1004763	11/09/1994	10.0 - 20.0	GW		X			x	x	X	x
EB-MW-02S	EB-MW-02S	10/28/1992	10.0 - 20.0	GW		X			x		X	x
ET-MW-04	07041112091	11/21/1991	8.00 - 18.00	GW		x					X	
ET-MW-04	07041061092	06/11/1992	8.00 - 18.00	GW		x					X	
ET-MW-05I	07052111991	11/19/1991	19.20 - 29.20	GW		x					X	
ET-MW-05I	07052061092	06/11/1992	19.2 - 29.2	GW		x					X	
ET-MW-05I	1992875	04/11/2001	19.20 - 29.20	GW		X				X	X	x
ET-MW-05S	07051111991	11/19/1991	8.50 - 18.50	GW		X					X	
ET-MW-05S	07051061092	06/11/1992	8.5 - 18.5	GW		X					X	
ET-MW-05S	1992864	04/09/2001	8.50 - 18.50	GW		x				x	X	x
ET-MW-06	07061112091	11/21/1991	7.30 - 17.30	GW		X					X	
ET-MW-06	07061061092	06/11/1992	7.30 - 17.30	GW		x					X	
ET-MW-07	07071112091	11/21/1991	8.00 - 18.00	GW		x					X	
ET-MW-07	07071061092	06/11/1992	8.00 - 18.00	GW		x					X	
ET-MW-08	07081111991	11/19/1991	7.50 - 17.50	GW		x					X	
ET-MW-08	07081061092	06/11/1992	7.50 - 17.50	GW		x					X	
FB-SB-06	1000893	06/10/2003	0.00	GW		X	x		x	x	x	x
GB-MW-01	1004745	11/04/1994	20.00 - 30.00	GW		X			x	x	X	x
GB-MW-02	1004747	11/07/1994	15.00 - 25.00	GW		X			x	x	X	x
GB-MW-03	1004746	11/07/1994	19.00 - 29.00	GW		x			x	x	X	X
HB-MW-01	2107870	07/11/2002	0.00	GW		X			X	X	X	
HB-MW-02	1000895	06/10/2003	0.00	GW		X	x		x	X	x	x
HB-MW-03	1000894	06/10/2003	0.00	GW		X	x		X	X	x	x
LB-SB-08	1846273	09/10/1999	13 - 17	GW		X	x	x	x	x	X	X
LB-SB-09	1846274	09/10/1999	14 - 18	GW		x	x	x	x	x	X	X
LB-SB-10	1846275	09/10/1999	14 - 18	GW		x	x	x	x	x	X	X
LB-SB-16	1961342	03/31/2000		GWG		X	x		x		X	X
LM-MW-01I	11012111991	11/19/1991	18.10 - 28.10	GW		x					X	

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 3
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION - MAIN FACILITY AREA MAINTENANCE WORKER EXPOSURE CENTRAL AREA DEWATERING RADIAL INFLUENCE

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
LM-MW-01I	11012061092	06/11/1992	18.10 - 28.10	GW		x					X	
LM-MW-01S	11011111991	11/19/1991	5.20 - 15.20	GW		x					X	
NT-MW-01S	31389051917	05/19/1989	5.00 - 20.00	GW		X	x					X
NT-MW-01S	31389081819	08/18/1989	5.00 - 20.00	GW		X	x					X
NT-MW-01S	31389120616	12/06/1989	5.00 - 20.00	GW		X	x					
NT-MW-01S	31390030222	03/02/1990	5.00 - 20.00	GW		X	x					
NT-MW-01S	38490051619	05/16/1990	5.00 - 20.00	GW		X	x					
NT-MW-01S	31390083023	08/30/1990	5.00 - 20.00	GW		X	x					X
NT-MW-01S	31390112136	11/21/1990	5.00 - 20.00	GW		X	x					X
NT-MW-01S	31391022520	02/25/1991	5.00 - 20.00	GW		X						X
NT-MW-02	31389051918	05/19/1989	5.00 - 20.00	GW		X	x				X	X
NT-MW-02	31389081820	08/18/1989	5.00 - 20.00	GW		X	x				X	X
NT-MW-02	31389120617	12/06/1989	5.00 - 20.00	GW		X	x				X	
NT-MW-02	31390030223	03/02/1990	5.00 - 20.00	GW		x	x				X	
NT-MW-02	38490051618	05/16/1990	5.00 - 20.00	GW		X	x				x	
NT-MW-02	31390112137	11/21/1990	5.00 - 20.00	GW		X	x				X f	X
NT-MW-02	31391022521	02/25/1991	5.00 - 20.00	GW		X					X f	X
NT-MW-03D	31389051920	05/19/1989	30.00 - 40.00	GW		X	x				X	X
NT-MW-03D	31389081822	08/18/1989	30.00 - 40.00	GW		X	x				x	X
NT-MW-03D	31389120719	12/07/1989	30.00 - 40.00	GW		X	x				X	
NT-MW-03D	31390030121	03/01/1990	30.00 - 40.00	GW		X	x				x	X
NT-MW-03D	38490051620	05/16/1990	30.00 - 40.00	GW		X	x				x	
NT-MW-03D	31390083026	08/30/1990	30.00 - 40.00	GW		X	x				X f	X
NT-MW-03D	31390112139	11/21/1990	30.00 - 40.00	GW		X	x				X f	X
NT-MW-03D	31391022523	02/25/1991	30.00 - 40.00	GW		X					X f	X
NT-MW-03D	30291052905	05/29/1991	30.00 - 40.00	GW		X					X f	X
NT-MW-03D	19032111891	11/19/1991	30.00 - 40.00	GW		X					X	
NT-MW-03D	19032061092	06/11/1992	30.0 - 40.0	GW		X					X	
NT-MW-03D	1845810	09/02/1999	30.0 - 40.0	GW		X				X	X	x
ST-MW-02	31389051709	05/18/1989	5.00 - 20.00	GW		X	x				X	X
ST-MW-02	31389120613	12/06/1989	5.00 - 20.00	GW		X	x				X	X
ST-MW-02	31390022812	02/28/1990	5.00 - 20.00	GW		X	x				x	X

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 3
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION - MAIN FACILITY AREA MAINTENANCE WORKER EXPOSURE CENTRAL AREA DEWATERING RADIAL INFLUENCE

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
ST-MW-02	38490051614	05/16/1990	5.00 - 20.00	GW		X	x				x	
ST-MW-02	31390082907	08/29/1990	5.00 - 20.00	GW		X	x				X f	X
ST-MW-02	31390111604	11/16/1990	5.00 - 20.00	GW		X	x				X f	X
ST-MW-02	31391022516	02/25/1991	5.00 - 20.00	GW		X					X f	X
ST-MW-02	12021111991	11/19/1991	5.00 - 20.00	GW		X					X	
ST-MW-02	12021061092	06/11/1992	5.00 - 20.00	GW		X					X	
ST-MW-03	31389051710	05/18/1989	5.00 - 20.00	GW		X	x					X
ST-MW-03	31389081605	08/16/1989	5.00 - 20.00	GW		X	x					X
ST-MW-03	31389120614	12/06/1989	5.00 - 20.00	GW		X	x					X
ST-MW-03	31390022813	02/28/1990	5.00 - 20.00	GW		X	x					X
ST-MW-03	38490051615	05/16/1990	5.00 - 20.00	GW		X	x					
ST-MW-03	31390082908	08/29/1990	5.00 - 20.00	GW		X	x					X
ST-MW-03	31390111605	11/16/1990	5.00 - 20.00	GW		X	x					X
ST-MW-03	31391022517	02/25/1991	5.00 - 20.00	GW		X						X
ST-MW-03	12031111991	11/19/1991	5.00 - 20.00	GW		X					X	
ST-MW-03	12031061092	06/11/1992	5.00 - 20.00	GW		X					X	
ST-MW-04	31389051812	05/18/1989	5.00 - 20.00	GW		X	x					X
ST-MW-04	31389081606	08/16/1989	5.00 - 20.00	GW		X	x					X
ST-MW-04	31389120615	12/06/1989	5.00 - 20.00	GW		X	x					X
ST-MW-04	31390030114	03/01/1990	5.00 - 20.00	GW		X	x					X
ST-MW-04	38490051616	05/16/1990	5.00 - 20.00	GW		X	x					
ST-MW-04	31390082909	08/29/1990	5.00 - 20.00	GW		x	x					X
ST-MW-04	31390111606	11/16/1990	5.00 - 20.00	GW		X	x					X
ST-MW-04	31391022518	02/25/1991	5.00 - 20.00	GW		X						X
WT-GW-05D	1831512	11/11/1998	29.0 - 32	GW		X				x	X	
WT-GW-05S	1831511	11/11/1998	11.0 - 14	GW		x				X	X	
WT-GW-58	1030982	08/21/2003	10 - 14	GWG		X					x	
WT-GW-58	1030981	08/21/2003	16 - 20	GWG		X					x	
WT-GW-58	1030980	08/21/2003	22 - 26	GWG		X					x	
WT-GW-59	1030985	08/21/2003	10 - 14	GWG		X					x	
WT-GW-59	1030984	08/21/2003	16 - 20	GWG		X					x	
WT-GW-59	1030983	08/21/2003	22 - 26	GWG		X					x	

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 3
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION - MAIN FACILITY AREA MAINTENANCE WORKER EXPOSURE CENTRAL AREA DEWATERING RADIAL INFLUENCE

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
WT-GW-60	1030988	08/21/2003	10 - 14	GWG		X					x	
WT-GW-60	1030987	08/21/2003	16 - 20	GWG		X					x	
WT-GW-60	1030986	08/21/2003	22 - 26	GWG		X					x	
WT-MW-01	34389011701	01/17/1989	0.00	GW		X					X	
WT-MW-01	890302WTMW1	03/02/1989	0.00	GW		X	x				X	
WT-MW-01	31389051701	05/17/1989	0.00	GW		X	x					X
WT-MW-01	31389081715	08/17/1989	0.00	GW		X	x					X
WT-MW-01	31389120402	12/04/1989	0.00	GW		X	x					X
WT-MW-01	31390022701	02/27/1990	0.00	GW		X	x					X
WT-MW-01	38490051401	05/14/1990	0.00	GW		X	x					
WT-MW-01	31390082703	08/27/1990	0.00	GW		X	x					X
WT-MW-01	31390111921	11/19/1990	0.00	GW		X	x					X
WT-MW-01	37390120605	12/06/1990	0.00	GW		X	X		x		X F	X
WT-MW-01	31391022530	02/25/1991	0.00	GW		X						X
WT-MW-01	1004752	11/08/1994	0.00	GW		X			x	x	X	x
WT-MW-04I	37390120604	12/06/1990	22.00 - 32.00	GW		X	X		x		X F	X
WT-MW-04I	31391022863	02/28/1991	22.00 - 32.00	GW		X						X
WT-MW-04I	30291053022	05/30/1991	22.00 - 32.00	GW		X					X F	X
WT-MW-04I	1004742	11/04/1994	22.0 - 32.0	GW		X			x	x	X	X
WT-MW-04S	37390120603	12/06/1990	8.00 - 18.00	GW		X	X		x		X f	X
WT-MW-04S	31391022864	02/28/1991	8.00 - 18.00	GW		X						X
WT-MW-04S	30291053023	05/30/1991	8.00 - 18.00	GW		X					X f	X
WT-MW-04S	1004741	11/04/1994	8.00 - 18.00	GW		X			x	x	X	x
WT-MW-05D	1004735	11/07/1994	0.0	GW		X			x	x	X	X
WT-MW-05D	1845796	08/31/1999	0.00	GW		X				x	X	X
WT-MW-05S	37390120602	12/06/1990	9.50 - 19.50	GW		X	X		x		X f	X
WT-MW-05S	1004731	11/03/1994	9.50 - 19.50	GW		X	x	x	x		X	x
WT-MW-05S	1845795	08/31/1999	9.50 - 19.50	GW		X				x	X	x
WT-MW-10	10101111891	11/19/1991	12.90 - 22.90	GW		X					X	
WT-MW-10	10101061192	06/12/1992	12.90 - 22.90	GW		X					X	
WT-MW-11S	WT-MW-11S	10/28/1992	6.6 - 16.6	GW		X	x		x		X	X
WT-MW-11S	1004736	11/04/1994	6.60 - 16.60	GW		X			x	x	X	x

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 3
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION - MAIN FACILITY AREA MAINTENANCE WORKER EXPOSURE CENTRAL AREA DEWATERING RADIAL INFLUENCE

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
WT-MW-11S	1992876	04/11/2001	6.60 - 16.60	GW		X	x		x	x	X	x
WT-MW-11S	1992878	04/11/2001	6.60 - 16.60	GW		X	x		x	x	X	X
WT-MW-12S	WT-MW-12S	10/28/1992	9.5 - 19.5	GW		X					X	
WT-MW-12S	1004739	11/04/1994	9.50 - 19.50	GW		X			x	x	X	X
WT-MW-14I	1004751	11/08/1994	37.0 - 47.0	GW		X			x	x	X	x
WT-MW-14I	1845794	08/30/1999	37.0 - 47.0	GW		X				x	X	x
WT-MW-14S	1004733	11/08/1994	0.0	GW		X	x	x	x		X	x
WT-MW-14S	1845793	08/30/1999	0.00	GW		X				x	X	x
WT-MW-16D	1004749	11/07/1994	0.0	GW		X			x	x	X	x
WT-MW-16D	1004750	11/07/1994	0.0	GW		X			x	x	X	x
WT-MW-16S	1004732	11/07/1994	0.0	GW		X	X	x	x		X	x
WT-MW-18I	1845837	09/08/1999	19.0 - 22.0	GW		x				x	x	x
WT-MW-18S	1845835	09/07/1999	6.0 - 15.0	GW		x				x	x	x
WT-MW-27	34389011702	01/17/1989	0.00	GW		X					X	
WT-MW-27	890302WTRW1	03/02/1989	0.00	GW		X	x				X	
WT-MW-27	31389051704	05/17/1989	0.00	GW		X	x				X	X
WT-MW-27	31389081818	08/18/1989	0.00	GW		X	x				X	X
WT-MW-27	31389120401	12/04/1989	0.00	GW		X	x				X	
WT-MW-27	31390022704	02/27/1990	0.00	GW		X	x				X	X
WT-MW-27	38490051404	05/14/1990	0.00	GW		X	x				X	
WT-MW-27	31390111924	11/19/1990	0.00	GW		X	x				X f	X
WT-MW-27	31391022533	02/25/1991	0.00	GW		X					X f	X
WT-SB-145	1989354	02/12/2001		GWG		X	x		x	x	X	X
WT-SB-147	1995417	04/20/2001	10 - 12	GWG		X	X		x	x	X	X

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 3a

SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION - MAIN FACILITY AREA MAINTENANCE WORKER EXPOSURE SOUTHEAST AREA DEWATERING RADIAL INFLUENCE

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information						
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class	Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
EA-GW-51D	1831605	12/01/1998	26.5 - 30.0	GW	x				x	X	
EA-GW-51S	1831604	12/01/1998	12.5 - 16.0	GW	x				x	X	
EA-GW-52D	1831609	12/02/1998	26.5 - 30.0	GW	x				x	X	
EA-GW-52S	1831608	12/02/1998	12.5 - 16.0	GW	x				x	X	
EA-GW-53D	1831611	12/02/1998	26.5 - 30.0	GW	X				x	X	
EA-GW-53S	1831610	12/02/1998	12.5 - 16.0	GW	x				x	X	
EA-GW-54D	1831613	12/02/1998	16.5 - 20.0	GW	X				X	X	
EA-GW-54S	1831612	12/02/1998	11.5 - 15.0	GW	x				x	X	
EA-GW-55D	1831614	12/02/1998	16.5 - 20.0	GW	x				x	X	
EA-GW-55S	1831615	12/02/1998	11.5 - 15.0	GW	X				x	X	
EA-MW-01I	18011111891	11/19/1991	20.4 - 30.4	GW	X					X	
EA-MW-01I	18012031892	03/18/1992	20.40 - 30.40	GW	X					X	x
EA-MW-01I	18012061092	06/11/1992	20.4 - 30.4	GW	X					X	
EA-MW-01I	13022122192	12/22/1992	20.4 - 30.4	GW	X						
EA-MW-01I	18012122192	12/22/1992	20.40 - 30.40	GW	X						x
EA-MW-01I	1025560	01/23/1997	20.40 - 30.40	GW	X				X		
EA-MW-01I	1831621	12/03/1998	20.4 - 30.4	GW	X				x	X	
EA-MW-02I	18022111891	11/19/1991	28.4 - 38.4	GW	X					X	
EA-MW-02I	13012031892	03/18/1992	28.4 - 38.4	GW	X					X	X
EA-MW-02I	18022031892	03/18/1992	28.40 - 38.40	GW	X					X	X
EA-MW-02I	18022061092	06/11/1992	28.4 - 38.4	GW	X					X	X
EA-MW-02I	13011121892	12/18/1992	28.4 - 38.4	GW	X						
EA-MW-02I	18022121892	12/18/1992	28.40 - 38.40	GW	X						X
EA-MW-02I	1025578	01/27/1997	28.4 - 38.4	GW	X				X		
EA-MW-02I	1831633	12/04/1998	28.4 - 38.4	GW	X				X	X	
EA-MW-02S	18021111891	11/19/1991	7.30 - 17.30	GW	X					X	
EA-MW-02S	18021031892	03/18/1992	7.30 - 17.30	GW	X					X	x
EA-MW-02S	18021061092	06/11/1992	7.30 - 17.30	GW	x					X	
EA-MW-02S	18021121892	12/18/1992	7.30 - 17.30	GW	x						
EA-MW-02S	1025576	01/27/1997	7.3 - 17.3	GW	x				x		
EA-MW-02S	1025577	01/27/1997	7.3 - 17.3	GW	x				x		
EA-MW-02S	1831632	12/04/1998	7.3 - 17.3	GW	x				X	X	

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 3a
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION - MAIN FACILITY AREA MAINTENANCE WORKER EXPOSURE SOUTHEAST AREA DEWATERING RADIAL INFLUENCE

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information						
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class	Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
EA-MW-03	1025574	01/27/1997	14.00 - 19.00	GW	X				x		
EA-MW-04	1025573	01/27/1997	10.00 - 15.00	GW	X				X		
EA-MW-05	18051121892	12/18/1992	10.00 - 20.00	GW	x						
EA-MW-05	1025561	01/23/1997	10.00 - 20.00	GW	X				x		
EA-MW-06I	18062121892	12/18/1992	22.00 - 32.00	GW	X						
EA-MW-06I	1025591	01/28/1997	22.0 - 32.0	GW	X				x		
EA-MW-06I	1845806	09/01/1999	22.0 - 32.0	GW	X				X	x	x
EA-MW-06S	1845805	09/01/1999	0.00	GW	X				x	X	x
EA-MW-07	1025575	01/27/1997	15.00 - 25.00	GW	x				x		
EA-MW-09I	18092122192	12/22/1992	21.00 - 31.00	GW	X						x
EA-MW-09I	1025565	01/24/1997	21.00 - 31.00	GW	X				x		
EA-MW-09I	1831620	12/03/1998	21.0 - 31.0	GW	x				x	X	
EA-MW-09I	1845800	08/31/1999	21.0 - 31.0	GW	X				x	X	x
EA-MW-09S	18091122192	12/22/1992	7.00 - 17.00	GW	x						
EA-MW-09S	1025566	01/24/1997	7.00 - 17.00	GW	x				x		
EA-MW-09S	1831619	12/03/1998	7.0 - 17.0	GW	x				X	X	
EA-MW-09S	1845799	08/31/1999	7.0 - 17.0	GW	x				x	X	x
EA-MW-10I	18102121892	12/18/1992	21.50 - 31.50	GW	X						
EA-MW-10I	1025569	01/24/1997	21.50 - 31.50	GW	x				x		
EA-MW-10S	18101121892	12/18/1992	7.00 - 17.00	GW	X						
EA-MW-10S	1025570	01/24/1997	7.00 - 17.00	GW	X				x		
EA-MW-11I	18112122192	12/22/1992	24.00 - 34.00	GW	X						X
EA-MW-11I	1025589	01/28/1997	24.00 - 34.00	GW	X				X		
EA-MW-11I	1831635	12/04/1998	24.00 - 34.00	GW	X				X	X	
EA-MW-11I	1845804	09/01/1999	24.0 - 34.0	GW	X				X	X	x
EA-MW-11S	18111122192	12/22/1992	7.00 - 17.00	GW	x						
EA-MW-11S	1025587	01/28/1997	7.00 - 17.00	GW	x				x		
EA-MW-11S	1025588	01/28/1997	7.00 - 17.00	GW	x				x		
EA-MW-11S	1831634	12/04/1998	7.0 - 17.0	GW	x				X	X	
EA-MW-11S	1845803	09/01/1999	7.0 - 17.0	GW	x				x	x	x
EA-MW-12I	18122121892	12/18/1992	22.00 - 32.00	GW	X						x
EA-MW-12I	1025572	01/24/1997	22.0 - 32.0	GW	X				X		

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 3a

SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION - MAIN FACILITY AREA MAINTENANCE WORKER EXPOSURE SOUTHEAST AREA DEWATERING RADIAL INFLUENCE

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information						
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class	Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
EA-MW-12S	18121121892	12/18/1992	7.00 - 17.00	GW	x						
EA-MW-12S	1025571	01/24/1997	7.00 - 17.00	GW	x				x		
EA-MW-13I	18132121892	12/18/1992	22.00 - 32.00	GW	x						
EA-MW-13I	1025580	01/27/1997	22.0 - 32.0	GW	X				x		
EA-MW-13S	18131121892	12/18/1992	7.0 - 17.0	GW	X						
EA-MW-13S	1025579	01/27/1997	7.0 - 17.0	GW	x				x		
EA-MW-14I	18142121892	12/18/1992	20.00 - 30.00	GW	x						
EA-MW-14I	1025562	01/23/1997	20.00 - 30.00	GW	X				x		
EA-MW-15I	1845841	09/08/1999	26.8 - 29.8	GW	x				x	X	x
EA-MW-15S	1845840	09/08/1999	4.0 - 13.0	GW	x				x	X	x
EA-MW-17I	1845843	09/08/1999	25.0 - 28.0	GW	X				x	X	x
EA-MW-17S	1845842	09/08/1999	4.0 - 13.0	GW	x				x	X	x
JB-MW-01I	1845845	09/09/1999	25.00 - 28.00	GW	X				x	x	x
JB-MW-01S	1845844	09/09/1999	6.0 - 15.0	GW	X				x	x	x
JB-MW-01S	1845849	09/09/1999	6.00 - 15.00	GW	X				x	x	x
JB-SB-13	1948397	12/08/1999	8.00 - 12.00	GW	X				X	X	X
KB-SB-02	1847523	10/07/1999	0.00	GW	X	x	x	x	x	X	X
KB-SB-04	1847524	10/08/1999	12 - 16	GW	X				X	X	X
KB-SB-11	1847525	10/28/1999	12 - 16	GW	X	x	x	x	X	X	X
KB-SB-17	1989355	02/21/2001	12 - 14	GWG	X	x		x	x	X	x
LM-MW-02I	11022111991	11/19/1991	26.80 - 36.80	GW	x					X	
LM-MW-02S	11021111991	11/19/1991	9.20 - 19.20	GW	x					X	
PH-GW-46D	1831592	11/30/1998	0.00	GW	X				x	X	
PH-GW-46S	1831590	11/30/1998	0.00	GW	X				x	X	
PH-GW-47S	1831593	11/30/1998	11.5 - 15.0	GW	X				x	X	
PH-GW-48D	1831598	11/30/1998	20.5 - 24.0	GW	X				x	X	
PH-GW-48S	1831597	11/30/1998	11.5 - 15.0	GW	X				x	X	
PH-GW-49D	1831600	11/30/1998	20.5 - 24.0	GW	X				x	X	
PH-GW-49S	1831599	11/30/1998	11.5 - 15.0	GW	X				x	X	
PH-GW-50D	1831602	12/01/1998	26.5 - 30.0	GW	x				X	X	
PH-GW-50S	1831601	12/01/1998	12.5 - 16.0	GW	X				X	X	
PH-MW-11I	15112111891	11/19/1991	23.60 - 33.60	GW	X					X	

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 3a
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION - MAIN FACILITY AREA MAINTENANCE WORKER EXPOSURE SOUTHEAST AREA DEWATERING RADIAL INFLUENCE

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information						
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class	Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
PH-MW-11I	15112061192	06/12/1992	23.6 - 33.6	GW	X					X	
PH-MW-11I	1831631	12/04/1998	23.6 - 33.6	GW	X				X	X	
PH-MW-11I	1845808	09/01/1999	23.6 - 33.6	GW	X				x	X	x
PH-MW-11S	15111111891	11/19/1991	11.00 - 21.00	GW	X					X	
PH-MW-11S	15111061192	06/12/1992	11.00 - 21.00	GW	X					X	
PH-MW-11S	1831630	12/04/1998	11.0 - 21.0	GW	X				X	X	
PH-MW-11S	1845807	09/01/1999	11.0 - 21.0	GW	x				X	X	x
PH-MW-19S	1845846	09/09/1999	7.5 - 16.5	GW	X				x	X	x
ST-MW-01	31389051708	05/18/1989	5.00 - 20.00	GW	X	x					X
ST-MW-01	31389081603	08/16/1989	5.00 - 20.00	GW	x	x				x	X
ST-MW-01	31389120612	12/06/1989	5.00 - 20.00	GW	X	x					X
ST-MW-01	31390022811	02/28/1990	5.00 - 20.00	GW	X	x					X
ST-MW-01	38490051613	05/16/1990	5.00 - 20.00	GW	X	x					
ST-MW-01	31390082906	08/29/1990	5.00 - 20.00	GW	X	x					X
ST-MW-01	31390111603	11/16/1990	5.00 - 20.00	GW	X	x					X
ST-MW-01	31391022515	02/25/1991	5.00 - 20.00	GW	X						X
ST-MW-01	12011061192	06/12/1992	5.00 - 20.00	GW	x					X	
ST-MW-01	1845798	08/31/1999	5.0 - 20.0	GW	x				x	x	x
ST-MW-05	31389051813	05/18/1989	5.00 - 20.00	GW	X	x					X
ST-MW-05	31389081607	08/16/1989	5.00 - 20.00	GW	X	x					X
ST-MW-05	31389120611	12/06/1989	5.00 - 20.00	GW	X	x					X
ST-MW-05	31390030119	03/01/1990	5.00 - 20.00	GW	X	x					X
ST-MW-05	38490051623	05/16/1990	5.00 - 20.00	GW	x	x					
ST-MW-05	31390082910	08/29/1990	5.00 - 20.00	GW	x	x					X
ST-MW-05	31390111607	11/16/1990	5.00 - 20.00	GW	X	x					X
ST-MW-05	31391022519	02/25/1991	5.00 - 20.00	GW	X						X
ST-MW-06I	1845839	09/08/1999	34.0 - 37.0	GW	X				x	X	x
ST-MW-06S	1845838	09/08/1999	5.0 - 14.0	GW	x				x	X	x
XT-MW-01	31389051811	05/18/1989	5.00 - 20.00	GW	X	x				X	X
XT-MW-01	31389081714	08/17/1989	5.00 - 20.00	GW	X	x				x	X
XT-MW-01	31389120724	12/07/1989	5.00 - 20.00	GW	X	x				X	X
XT-MW-01	31390030118	03/01/1990	5.00 - 20.00	GW	X	x				x	X

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 3a

SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION - MAIN FACILITY AREA MAINTENANCE WORKER EXPOSURE SOUTHEAST AREA DEWATERING RADIAL INFLUENCE

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
XT-MW-01	38490051511	05/15/1990	5.00 - 20.00	GW		x	x				X	
XT-MW-01	31390082913	08/29/1990	5.00 - 20.00	GW		X	x				X f	X
XT-MW-01	31390111609	11/16/1990	5.00 - 20.00	GW		X	x				X f	X
XT-MW-01	31391022529	02/25/1991	5.00 - 20.00	GW		X					X f	X
XT-MW-01	16011061192	06/12/1992	5.00 - 20.00	GW		x					X	

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 3b

SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION - MAIN FACILITY AREA - MAINTENANCE WORKER EXPOSURE

P&W East Hartford. East Hartford. Connecticut: EID Main Facility ROI 3

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
PH-GW-38D	1831563	11/19/1998	21.0 - 24	GW		x				x	X	
PH-GW-38S	1831562	11/19/1998	11.0 - 14	GW		x				X	X	
PH-GW-39D	1831576	11/23/1998	20.5 - 24.0	GW		X				X	X	
PH-GW-39S	1831575	11/23/1998	10.5 - 14.0	GW		x				X	X	
PH-GW-40D	1831574	11/23/1998	20.5 - 24.0	GW		X				x	X	
PH-GW-40S	1831573	11/23/1998	10.5 - 14.0	GW		X				x	X	
PH-GW-41D	1831578	11/23/1998	20.5 - 24.0	GW		x				X	X	
PH-GW-41S	1831577	11/23/1998	10.5 - 14.0	GW		X				X	X	
PH-MW-01	34389011801	01/18/1989	10.00 - 25.00	GW		X					X	
PH-MW-01	890302PHMW1	03/02/1989	10.00 - 25.00	GW		X	x				X	
PH-MW-01	31389051707	05/17/1989	10.00 - 25.00	GW		X	x					X
PH-MW-01	31389081710	08/17/1989	10.00 - 25.00	GW		X	x					X
PH-MW-01	31389120508	12/05/1989	10.00 - 25.00	GW		X	x					X
PH-MW-01	31390022810	02/28/1990	10.00 - 25.00	GW		X	x					X
PH-MW-01	38490051507	05/15/1990	10.00 - 25.00	GW		X	x					
PH-MW-01	31390083017	08/30/1990	10.00 - 25.00	GW		X	x					X
PH-MW-01	31390112142	11/21/1990	10.00 - 25.00	GW		X	x					X
PH-MW-01	31391022751	02/27/1991	10.00 - 25.00	GW		X						X
PH-MW-01	30291052906	05/29/1991	10.00 - 25.00	GW		X						X
PH-MW-01	15011111891	11/19/1991	10.00 - 25.00	GW		X					X	
PH-MW-01	15011061192	06/12/1992	10.00 - 25.00	GW		X					X	
PH-MW-01	1011284	03/28/1996	10.00 - 25.00	GW		X			x	x		
PH-MW-02	34389011803	01/18/1989	5.00 - 20.00	GW		x					x	
PH-MW-02	890302PHMW2	03/02/1989	5.00 - 20.00	GW		x	x				X	
PH-MW-02	31389051705	05/17/1989	5.00 - 20.00	GW		x	x					X
PH-MW-02	31389081708	08/17/1989	5.00 - 20.00	GW		X	x				X	X
PH-MW-02	31389120509	12/05/1989	5.00 - 20.00	GW		X	x				x	X
PH-MW-02	31390022808	02/28/1990	5.00 - 20.00	GW		X	x				x	X
PH-MW-02	38490051509	05/15/1990	5.00 - 20.00	GW		x	x				X	
PH-MW-02	31390083020	08/30/1990	5.00 - 20.00	GW		x	x				X f	X
PH-MW-02	31390112760	11/27/1990	5.00 - 20.00	GW		x	x				X f	X
PH-MW-02	31391022750	02/27/1991	5.00 - 20.00	GW		X					X f	X

Legend: x - mass. t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received, Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 3b

SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION - MAIN FACILITY AREA - MAINTENANCE WORKER EXPOSURE

P&W East Hartford. East Hartford. Connecticut: EID Main Facility ROI 3

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
PH-MW-02	1011283	03/28/1996	5.00 - 20.00	GW		x			x	x		
PH-MW-02	1831626	12/04/1998	5.0 - 20.0	GW		x				x	X	
PH-MW-09	15091111891	11/19/1991	24.60 - 34.60	GW		X					X	
PH-MW-09	15091061192	06/12/1992	24.60 - 34.60	GW		X					X	
PH-MW-09	1831629	12/04/1998	24.6 - 34.6	GW		X				X	X	
PH-MW-10	15101111891	11/19/1991	8.00 - 18.00	GW		X					X	
PH-MW-10	15101061192	06/12/1992	8.00 - 18.00	GW		X					X	
PH-MW-13	1011285	03/28/1996	0.0	GW		X			x	x		
PH-MW-22	PHRW01901127	11/27/1990	3.50 - 22.50	GW								

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 5
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
AB-GW-01	2007734	10/01/2001	10 - 14	GWG							X	
AB-GW-02	2007735	10/01/2001	9 - 13	GWG							X	
AB-GW-03	2007736	10/01/2001	9 - 13	GWG							x	
AB-GW-04	2007737	10/01/2001	9 - 13	GWG							x	
AB-GW-05	2007740	10/02/2001	9 - 13	GWG							x	
AB-GW-06	2007741	10/02/2001	9 - 13	GWG							x	
AB-GW-07	2007744	10/04/2001	11.15 - 14	GWG							x	
AB-GW-08	1023703	07/23/2003	9 - 13.9	GWG		X					x	
AB-GW-08	1023702	07/23/2003	21 - 24.9	GWG		X					X	
AB-GW-09	1023705	07/23/2003	9.1 - 13	GWG		X					x	
AB-GW-09	1023704	07/23/2003	21.1 - 25	GWG		X					x	
AB-GW-10	1023708	07/23/2003	9.1 - 13	GWG		X					x	
AB-GW-10	1023707	07/23/2003	21.1 - 25	GWG		X					x	
AB-GW-11	1023710	07/23/2003	9.1 - 13	GWG		X					x	
AB-GW-11	1023709	07/23/2003	19.1 - 25	GWG		X					x	
AB-GW-12	1023712	07/23/2003	9 - 13.9	GWG		X					x	
AB-GW-12	1023711	07/23/2003	21.1 - 25	GWG		X					x	
AB-GW-13	1023722	07/28/2003	9.1 - 13.0	GWG		X					x	
AB-GW-13	1023721	07/28/2003	21.1 - 25.00	GWG		X					x	
AB-GW-14	1023724	07/28/2003	9.1 - 13.0	GWG		X					x	
AB-GW-14	1023723	07/28/2003	21.1 - 25.0	GWG		X					X	
AB-MW-01I	1845812	09/02/1999	23.00 - 26.00	GW		X				x	X	x
AB-MW-01I	1023698	07/22/2003	23.00 - 26.00	GW		X					x	
AB-MW-01S	1845811	09/02/1999	7.0 - 16.0	GW		X				x	X	X
AB-MW-01S	1023697	07/22/2003	7.00 - 16.00	GW		X					X	
AB-MW-02	1023699	07/22/2003	7.00 - 13.00	GW		X					x	
CB-GW-02	2007738	10/01/2001	9 - 13	GWG							X	
CB-GW-03	2007739	10/02/2001	9 - 13	GWG							x	
CB-GW-04	2007742	10/02/2001	9 - 13	GWG							x	
CB-GW-05	2007743	10/04/2001	11 - 13	GWG							x	
CB-GW-06	1023715	07/24/2003	9.1 - 13	GWG		X					X	
CB-GW-06	1023714	07/24/2003	21.1 - 25	GWG		X					X	

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 5
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information						
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class	Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
CB-GW-07	1023717	07/24/2003	9.1 - 13	GWG	X					x	
CB-GW-07	1023716	07/24/2003	21.1 - 25	GWG	X					x	
CB-GW-08	1023718	07/24/2003	9.1 - 13	GWG	X					x	
CB-GW-08	1023719	07/24/2003	21.1 - 25	GWG	X					x	
CB-GW-09	1023733	07/30/2003	9.1 - 13	GWG	X					x	
CB-GW-09	1023734	07/30/2003	20.1 - 24	GWG	X					X	
CB-GW-10	1023736	07/30/2003	9.1 - 13	GWG	X					x	
CB-GW-10	1023735	07/30/2003	20.1 - 24	GWG	X					X	
CB-GW-11	1023738	07/30/2003	9.1 - 13	GWG	X					x	
CB-GW-11	1023737	07/30/2003	20.1 - 24	GWG	X					x	
CB-GW-12	1023743	08/12/2003	11 - 12	GWG						X	
CB-GW-12	1023744	08/12/2003	12 - 13	GWG						X	
CB-GW-12	1023745	08/12/2003	13 - 14	GWG						X	
CB-GW-12	1023746	08/12/2003	14 - 15	GWG						X	
CB-GW-12	1023747	08/12/2003	15 - 16	GWG						X	
CB-GW-12	1023748	08/12/2003	16 - 17	GWG						X	
CB-GW-12	1023749	08/12/2003	17 - 18	GWG						X	
CB-GW-12	1023750	08/12/2003	18 - 19	GWG						X	
CB-GW-12	1023751	08/12/2003	19 - 20	GWG						X	
CB-GW-12	1023752	08/12/2003	20 - 21	GWG						X	
CB-GW-12	1023753	08/12/2003	21 - 22	GWG						X	
CB-GW-12	1023754	08/12/2003	22 - 23	GWG						X	
CB-GW-13	1035201	09/23/2003	11 - 12	GWG	X					X	
CB-GW-13	1035202	09/23/2003	13 - 14	GWG						X	
CB-GW-13	1035203	09/23/2003	15 - 16	GWG						x	
CB-GW-13	1035204	09/23/2003	17 - 18	GWG						x	
CB-GW-13	1035205	09/23/2003	19 - 20	GWG						x	
CB-GW-13	1035206	09/23/2003	21 - 22	GWG	X					x	
CB-GW-14	1035207	09/23/2003	11 - 12	GWG	X					X	
CB-GW-14	1035209	09/23/2003	13 - 14	GWG						X	
CB-GW-14	1035210	09/23/2003	15 - 16	GWG						X	
CB-GW-14	1035211	09/23/2003	17 - 18	GWG						X	

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 5
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
CB-GW-14	1035212	09/23/2003	19 - 20	GWG							X	
CB-GW-15	1035214	09/24/2003	11 - 12	GWG		X					x	
CB-GW-15	1035215	09/24/2003	13 - 14	GWG							x	
CB-GW-15	1035216	09/24/2003	15 - 16	GWG							x	
CB-GW-15	1035217	09/24/2003	17 - 18	GWG							x	
CB-GW-15	1035218	09/24/2003	19 - 20	GWG		X					x	
CB-GW-16	1035219	09/24/2003	11 - 12	GWG		X					X	
CB-GW-16	1035220	09/24/2003	13 - 14	GWG							X	
CB-GW-16	1035221	09/24/2003	15 - 16	GWG							x	
CB-GW-16	1035222	09/24/2003	17 - 18	GWG							x	
CB-GW-16	1035223	09/24/2003	19 - 20	GWG							X	
CB-GW-16	1035224	09/24/2003	21 - 22	GWG							X	
CB-GW-16	1035225	09/24/2003	23 - 24	GWG		X					X	
CB-GW-17	1035240	10/01/2003	11 - 12	GWG		X					x	
CB-GW-17	1035241	10/01/2003	13 - 14	GWG							x	
CB-GW-17	1035242	10/01/2003	15 - 16	GWG							x	
CB-GW-17	1035243	10/01/2003	17 - 18	GWG							x	
CB-GW-17	1035244	10/01/2003	19 - 20	GWG							x	
CB-GW-17	1035245	10/01/2003	21 - 22	GWG		X					x	
CB-GW-18	1035269	10/06/2003	11 - 12	GWG		X					x	
CB-GW-18	1035270	10/06/2003	13 - 14	GWG							x	
CB-GW-18	1035271	10/06/2003	15 - 16	GWG							x	
CB-GW-18	1035510	10/06/2003	17 - 18	GWG							x	
CB-GW-18	1035511	10/06/2003	19 - 20	GWG							X	
CB-GW-18	1035512	10/06/2003	21 - 22	GWG							X	
CB-GW-18	1035513	10/06/2003	23 - 24	GWG		X					x	
CB-GW-19	1035246	10/01/2003	11 - 12	GWG		X					x	
CB-GW-19	1035247	10/01/2003	13 - 14	GWG							x	
CB-GW-19	1035248	10/01/2003	15 - 16	GWG							x	
CB-GW-19	1035249	10/01/2003	17 - 18	GWG							x	
CB-GW-19	1035250	10/01/2003	19 - 20	GWG							X	
CB-GW-19	1035251	10/01/2003	21 - 22	GWG		X					X	

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 5
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
CB-GW-19	1035252	10/01/2003	23 - 24	GWG		X					X	
CB-GW-19	1035253	10/01/2003	25 - 26	GWG		X					X	
CB-GW-20	1035255	10/06/2003	11 - 12	GWG		X					x	
CB-GW-20	1035256	10/06/2003	13 - 14	GWG							x	
CB-GW-20	1035257	10/06/2003	15 - 16	GWG							x	
CB-GW-20	1035258	10/06/2003	17 - 18	GWG							x	
CB-GW-20	1035259	10/06/2003	19 - 20	GWG							X	
CB-GW-20	1035260	10/06/2003	21 - 22	GWG							X	
CB-GW-20	1035261	10/06/2003	23 - 24	GWG		X					x	
CB-GW-21	1035262	10/06/2003	11 - 12	GWG		X					X	
CB-GW-21	1035263	10/06/2003	13 - 14	GWG							X	
CB-GW-21	1035264	10/06/2003	15 - 16	GWG							x	
CB-GW-21	1035265	10/06/2003	17 - 18	GWG							X	
CB-GW-21	1035266	10/06/2003	19 - 20	GWG							X	
CB-GW-21	1035267	10/06/2003	21 - 22	GWG							X	
CB-GW-21	1035268	10/06/2003	23 - 24	GWG		X					x	
CB-GW-22	1035514	10/06/2003	11 - 12	GWG		X					X	
CB-GW-22	1035515	10/06/2003	13 - 14	GWG							x	
CB-GW-22	1035516	10/06/2003	15 - 16	GWG							x	
CB-GW-22	1035517	10/06/2003	17 - 18	GWG							x	
CB-GW-22	1035518	10/06/2003	19 - 20	GWG							x	
CB-GW-22	1035519	10/06/2003	21 - 22	GWG							x	
CB-GW-22	1035520	10/06/2003	23 - 24	GWG		X					x	
CB-MW-03	1023700	07/22/2003	0.00	GW		X					x	
CB-MW-14	1035213	09/23/2003	21 - 22	GWG		X					x	
CB-SB-03	1019934	10/18/1996	17.00 - 19.00	GW		X					X	
CB-SB-04	1019935	10/18/1996	17 - 19	GW		X	x	x	x	x	X	X
CB-SB-05	1019936	10/18/1996	17 - 19	GW		X					X	
CB-SB-08	1659502	06/25/1998	10 - 13.5	GW		X			x	X	X	
CW02	CW2900309	03/09/1990	0.00	GW		x	x					
DB-GW-01	1023726	07/29/2003	9.1 - 13.0	GWG		X					X	
DB-GW-01	1023727	07/29/2003	21.1 - 25.0	GWG		X					x	

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 5
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
DB-GW-02	1023729	07/29/2003	9.1 - 13.0	GWG		X					x	
DB-GW-02	1023728	07/29/2003	21.1 - 25.0	GWG		X					X	
DB-GW-03	1023731	07/29/2003	9.1 - 13.0	GWG		X					x	
DB-GW-03	1023730	07/29/2003	21.1 - 25.0	GWG		X					x	
DB-GW-04	1023757	08/14/2003	11 - 12	GWG							x	
DB-GW-04	1023758	08/14/2003	12 - 13	GWG							x	
DB-GW-04	1023759	08/14/2003	13 - 14	GWG							x	
DB-GW-04	1023760	08/14/2003	14 - 15	GWG							x	
DB-GW-04	1023761	08/14/2003	15 - 16	GWG							x	
DB-GW-04	1023762	08/14/2003	16 - 17	GWG							x	
DB-GW-04	1023763	08/14/2003	17 - 18	GWG							x	
DB-GW-04	1023764	08/14/2003	18 - 19	GWG							x	
DB-GW-04	1023765	08/14/2003	19 - 20	GWG							x	
DB-GW-04	1023766	08/14/2003	20 - 21	GWG							x	
DB-GW-04	1023767	08/14/2003	21 - 22	GWG							X	
DB-GW-04	1023768	08/14/2003	22 - 23	GWG							X	
DB-GW-04	1023769	08/14/2003	23 - 24	GWG							X	
DB-GW-04	1030945	08/14/2003	24 - 25	GWG							X	
DB-GW-04	1030946	08/14/2003	25 - 26	GWG							x	
DB-MW-01	1946985	11/30/1999	9.70 - 14.5	GW		X					X	x
DB-MW-02	1946986	11/30/1999	9.5 - 16	GW		X					X	X
DB-MW-03	1946987	12/01/1999	7.0 - 16.0	GW		X					X	x
DB-MW-04	1946989	12/02/1999	7.0 - 16.0	GW		X					X	X
DB-SB-02	1946992	11/19/1999	11 - 15	GW		X			x		X	X
DB-SB-03	1946991	11/19/1999	12 - 16	GW		X			x		X	X
DB-SB-04	1946993	11/19/1999	12 - 16	GW		X			x		X	x
DB-SB-05	1946994	11/19/1999	12 - 16	GW		X			x		X	x
DB-SB-06	1946983	11/23/1999	12 - 16	GW		X					X	x
DB-SB-07	1946984	11/29/1999	9.5 - 13.5	GW		X					X	X
DB-SB-08	1946988	12/01/1999	8 - 12	GW		X					X	X
DB-SB-09	1946990	12/02/1999	8 - 12	GW		X					x	X
DB-SP-01	1989356	02/21/2001	0.00	GW		X	X		x	X	X	x

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 5
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
EA-GW-51D	1831605	12/01/1998	26.5 - 30.0	GW		x				x	X	
EA-GW-51S	1831604	12/01/1998	12.5 - 16.0	GW		x				x	X	
EA-GW-52D	1831609	12/02/1998	26.5 - 30.0	GW		x				x	X	
EA-GW-52S	1831608	12/02/1998	12.5 - 16.0	GW		x				x	X	
EA-GW-53D	1831611	12/02/1998	26.5 - 30.0	GW		X				x	X	
EA-GW-53S	1831610	12/02/1998	12.5 - 16.0	GW		x				x	X	
EA-GW-54D	1831613	12/02/1998	16.5 - 20.0	GW		X				X	X	
EA-GW-54S	1831612	12/02/1998	11.5 - 15.0	GW		x				x	X	
EA-GW-55D	1831614	12/02/1998	16.5 - 20.0	GW		x				x	X	
EA-GW-55S	1831615	12/02/1998	11.5 - 15.0	GW		X				x	X	
EA-MW-01I	18011111891	11/19/1991	20.4 - 30.4	GW		X					X	
EA-MW-01I	18012031892	03/18/1992	20.40 - 30.40	GW		X					X	x
EA-MW-01I	18012061092	06/11/1992	20.4 - 30.4	GW		X					X	
EA-MW-01I	13022122192	12/22/1992	20.4 - 30.4	GW		X						
EA-MW-01I	18012122192	12/22/1992	20.40 - 30.40	GW		X						x
EA-MW-01I	1025560	01/23/1997	20.40 - 30.40	GW		X				X		
EA-MW-01I	1831621	12/03/1998	20.4 - 30.4	GW		X				x	X	
EA-MW-02I	18022111891	11/19/1991	28.4 - 38.4	GW		X					X	
EA-MW-02I	13012031892	03/18/1992	28.4 - 38.4	GW		X					X	X
EA-MW-02I	18022031892	03/18/1992	28.40 - 38.40	GW		X					X	X
EA-MW-02I	18022061092	06/11/1992	28.4 - 38.4	GW		X					X	X
EA-MW-02I	13011121892	12/18/1992	28.4 - 38.4	GW		X						
EA-MW-02I	18022121892	12/18/1992	28.40 - 38.40	GW		X						X
EA-MW-02I	1025578	01/27/1997	28.4 - 38.4	GW		X				X		
EA-MW-02I	1831633	12/04/1998	28.4 - 38.4	GW		X				X	X	
EA-MW-02S	18021111891	11/19/1991	7.30 - 17.30	GW		X					X	
EA-MW-02S	18021031892	03/18/1992	7.30 - 17.30	GW		X					X	x
EA-MW-02S	18021061092	06/11/1992	7.30 - 17.30	GW		x					X	
EA-MW-02S	18021121892	12/18/1992	7.30 - 17.30	GW		x						
EA-MW-02S	1025576	01/27/1997	7.3 - 17.3	GW		x				x		
EA-MW-02S	1025577	01/27/1997	7.3 - 17.3	GW		x				x		
EA-MW-02S	1831632	12/04/1998	7.3 - 17.3	GW		x				X	X	

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 5
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
EA-MW-03	1025574	01/27/1997	14.00 - 19.00	GW		X				x		
EA-MW-04	1025573	01/27/1997	10.00 - 15.00	GW		X				X		
EA-MW-05	18051121892	12/18/1992	10.00 - 20.00	GW		x						
EA-MW-05	1025561	01/23/1997	10.00 - 20.00	GW		X				x		
EA-MW-06I	18062121892	12/18/1992	22.00 - 32.00	GW		X						
EA-MW-06I	1025591	01/28/1997	22.0 - 32.0	GW		X				x		
EA-MW-06I	1845806	09/01/1999	22.0 - 32.0	GW		X				X	x	x
EA-MW-06S	1845805	09/01/1999	0.00	GW		X				x	X	x
EA-MW-07	1025575	01/27/1997	15.00 - 25.00	GW		x				x		
EA-MW-09I	18092122192	12/22/1992	21.00 - 31.00	GW		X						x
EA-MW-09I	1025565	01/24/1997	21.00 - 31.00	GW		X				x		
EA-MW-09I	1831620	12/03/1998	21.0 - 31.0	GW		x				x	X	
EA-MW-09I	1845800	08/31/1999	21.0 - 31.0	GW		X				x	X	x
EA-MW-09S	18091122192	12/22/1992	7.00 - 17.00	GW		x						
EA-MW-09S	1025566	01/24/1997	7.00 - 17.00	GW		x				x		
EA-MW-09S	1831619	12/03/1998	7.0 - 17.0	GW		x				X	X	
EA-MW-09S	1845799	08/31/1999	7.0 - 17.0	GW		x				x	X	x
EA-MW-10I	18102121892	12/18/1992	21.50 - 31.50	GW		X						
EA-MW-10I	1025569	01/24/1997	21.50 - 31.50	GW		x				x		
EA-MW-10S	18101121892	12/18/1992	7.00 - 17.00	GW		X						
EA-MW-10S	1025570	01/24/1997	7.00 - 17.00	GW		X				x		
EA-MW-11I	18112122192	12/22/1992	24.00 - 34.00	GW		X						X
EA-MW-11I	1025589	01/28/1997	24.00 - 34.00	GW		X				X		
EA-MW-11I	1831635	12/04/1998	24.00 - 34.00	GW		X				X	X	
EA-MW-11I	1845804	09/01/1999	24.0 - 34.0	GW		X				X	X	x
EA-MW-11S	18111122192	12/22/1992	7.00 - 17.00	GW		x						
EA-MW-11S	1025587	01/28/1997	7.00 - 17.00	GW		x				x		
EA-MW-11S	1025588	01/28/1997	7.00 - 17.00	GW		x				x		
EA-MW-11S	1831634	12/04/1998	7.0 - 17.0	GW		x				X	X	
EA-MW-11S	1845803	09/01/1999	7.0 - 17.0	GW		x				x	x	x
EA-MW-12I	18122121892	12/18/1992	22.00 - 32.00	GW		X						x
EA-MW-12I	1025572	01/24/1997	22.0 - 32.0	GW		X				X		

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 5
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
EA-MW-12S	18121121892	12/18/1992	7.00 - 17.00	GW		x						
EA-MW-12S	1025571	01/24/1997	7.00 - 17.00	GW		x				x		
EA-MW-13I	18132121892	12/18/1992	22.00 - 32.00	GW		x						
EA-MW-13I	1025580	01/27/1997	22.0 - 32.0	GW		X				x		
EA-MW-13S	18131121892	12/18/1992	7.0 - 17.0	GW		X						
EA-MW-13S	1025579	01/27/1997	7.0 - 17.0	GW		x				x		
EA-MW-14I	18142121892	12/18/1992	20.00 - 30.00	GW		x						
EA-MW-14I	1025562	01/23/1997	20.00 - 30.00	GW		X				x		
EA-MW-15I	1845841	09/08/1999	26.8 - 29.8	GW		x				x	X	x
EA-MW-15S	1845840	09/08/1999	4.0 - 13.0	GW		x				x	X	x
EA-MW-16I	1845850	09/09/1999	29.0 - 32.0	GW		x				x	X	x
EA-MW-16S	1845848	09/09/1999	6.0 - 15.0	GW		x				x	X	x
EA-MW-17I	1845843	09/08/1999	25.0 - 28.0	GW		X				x	X	x
EA-MW-17S	1845842	09/08/1999	4.0 - 13.0	GW		x				x	X	x
EA-MW06M	18061121892	12/18/1992	14.00 - 24.00	GW		X						
EA-MW06M	1025590	01/28/1997	14.0 - 24.0	GW		X				x		
EB-MW-01I	EB-MW-01I	10/28/1992	30.0 - 40.0	GW		X					X	X
EB-MW-01I	1004764	11/09/1994	30.00 - 40.00	GW		X			x	x	X	X
EB-MW-01S	EB-MW-01S	10/28/1992	10.0 - 20.0	GW		X			x		X	
EB-MW-01S	1004763	11/09/1994	10.0 - 20.0	GW		X			x	x	X	x
EB-MW-02I	EB-MW-02I	10/28/1992	34.0 - 44.0	GW		X					X	X
EB-MW-02S	EB-MW-02S	10/28/1992	10.0 - 20.0	GW		X			x		X	x
EG-GW-31	1831534	11/12/1998	13.0 - 16	GW		X				X	X	
EG-GW-32	1831558	11/19/1998	14.0 - 17	GW		x				x	X	
EG-GW-33	1831556	11/18/1998	13 - 17	GW		X				x	X	
EG-GW-33	1831555	11/18/1998	14.0 - 17	GW		X				X	X	
EG-GW-34D	1831554	11/18/1998	20.50 - 24.00	GW		X				x	X	
EG-GW-34S	1831553	11/18/1998	14.0 - 17	GW		X				x	X	
EG-GW-35D	1831560	11/19/1998	21.0 - 24	GW		X				x	X	
EG-GW-35S	1831559	11/19/1998	11.0 - 14	GW		X				x	X	
EG-GW-36D	1831568	11/20/1998	21.0 - 24	GW		X				x	X	X
EG-GW-36S	1831567	11/20/1998	13 - 17	GW		x				x	X	X

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received. Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 5
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
EG-GW-36S	1831566	11/20/1998	14.0 - 17	GW		x				x	X	X
EG-GW-37D	1831570	11/20/1998	21.0 - 24	GW		x				x	X	X
EG-GW-37S	1831569	11/20/1998	14.0 - 17	GW		x				x	X	X
EG-GW-38	1023683	07/17/2003	12 - 15.9	GWG		X					x	
EG-GW-38	1023684	07/17/2003	28 - 31.9	GWG		x					x	
EG-GW-39	1023685	07/17/2003	11 - 14.9	GWG		x					x	
EG-GW-39	1023686	07/17/2003	16 - 19.9	GWG		x					x	
EG-GW-40	1023688	07/21/2003	9 - 12.9	GWG		X					x	
EG-GW-40	1023687	07/21/2003	15 - 18.9	GWG		X					x	
EG-GW-41	1023690	07/21/2003	9.1 - 13.0	GWG		X					x	
EG-GW-41	1023689	07/21/2003	18.1 - 22	GWG		X					x	
EG-GW-42	1023693	07/22/2003	11 - 14.9	GWG		X					x	
EG-GW-42	1023692	07/22/2003	16.1 - 20.0	GWG		X					x	
EG-GW-43	1023695	07/22/2003	9.0 - 12.9	GWG		X					x	
EG-GW-43	1023694	07/22/2003	18.1 - 22.0	GWG		X					x	
EG-GW-44	1035233	09/30/2003	11 - 12	GWG		x					x	
EG-GW-44	1035234	09/30/2003	13 - 14	GWG							x	
EG-GW-44	1035235	09/30/2003	15 - 16	GWG							x	
EG-GW-44	1035236	09/30/2003	17 - 18	GWG							x	
EG-GW-44	1035237	09/30/2003	19 - 20	GWG							x	
EG-GW-44	1035238	09/30/2003	21 - 22	GWG							x	
EG-GW-44	1035239	09/30/2003	23 - 24	GWG		X					x	
EG-MW-01	890302MWEG1	03/02/1989	4.00 - 19.00	GW		X	x				X	
EG-MW-01	31389052221	05/22/1989	4.00 - 19.00	GW		X	x				x	X
EG-MW-01	31389081601	08/16/1989	4.00 - 19.00	GW		X	x				x	X
EG-MW-01	31389120405	12/04/1989	4.00 - 19.00	GW		X	x					X
EG-MW-01	31390022705	02/27/1990	4.00 - 19.00	GW		X	x					X
EG-MW-01	38490051505	05/15/1990	4.00 - 19.00	GW		x	x					
EG-MW-01	31390082701	08/27/1990	4.00 - 19.00	GW		x	x					X
EG-MW-01	31390111601	11/16/1990	4.00 - 19.00	GW		X	x					X
EG-MW-01	31391022213	02/22/1991	4.00 - 19.00	GW		x						X
EG-MW-01	1831625	12/04/1998	4.0 - 19.0	GW		x				x	X	

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 5
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information						
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class	Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
EG-MW-02	890302EGMW2	03/02/1989	5.00 - 20.00	GW	X	x				X	
EG-MW-02	31389052222	05/22/1989	5.00 - 20.00	GW	X	x				x	X
EG-MW-02	31389081602	08/16/1989	5.00 - 20.00	GW	X	x					X
EG-MW-02	31389120406	12/04/1989	5.00 - 20.00	GW	x	x					X
EG-MW-02	31390022706	02/27/1990	5.00 - 20.00	GW	X	x					X
EG-MW-02	38490051506	05/15/1990	5.00 - 20.00	GW	x	x					
EG-MW-02	31390082702	08/27/1990	5.00 - 20.00	GW	x	x					X
EG-MW-02	31390111602	11/16/1990	5.00 - 20.00	GW	x	x					X
EG-MW-02	31391022214	02/22/1991	5.00 - 20.00	GW	x						X
EG-MW-03	06031111491	11/15/1991	14.40 - 24.40	GW	x					X	
EG-MW-03	06031061192	06/12/1992	14.40 - 24.40	GW	x					X	
EG-MW-03	1831624	12/04/1998	14.4 - 24.4	GW	X				X	X	
EG-MW-04	1050299	07/15/2004	16.00 - 26.00	GWS	X					x	
EG-MW-05	1050298	07/15/2004	16.00 - 26.00	GWS	x					x	
EG-MW-06	1050300	07/15/2004	16.00 - 26.00	GWS	X					x	
EG-MW-07	1050301	07/15/2004	16.00 - 26.00	GWS	X					x	
EG-MW-08	1050297	07/15/2004		GWS	X					x	
EG-MW-09	1050296	07/15/2004		GWS	X					x	
EG-MW-09	1050307	07/15/2004		GWS	X					x	
ENG-B1	1005852	06/17/1995	0.00	GW	X	x					
ENG-B1	1005853	06/17/1995	0.00	GW	X	x					
ENG-B2	1005854	06/17/1995	0.00	GW	X	x					
ENG-B3	1005698	06/23/1995	0.00	GW	X	x			x		
ENG-B4	1005697	06/23/1995	10.0 - 15.0	GW	x	x			x		
ENG-B5	1005851	06/17/1995	0.00	GW	x	x					
ENG-B6	1005850	06/17/1995	0.00	GW	x	x					
ENG-B7	1005847	06/17/1995	0.00	GW	x	x					
ET-GW-18I	1845333	08/25/1999	23 - 26	GW	X				x	X	x
ET-GW-18S	1845334	08/25/1999	10 - 13	GW	x				x	X	x
ET-GW-19I	1845335	08/25/1999	22 - 25	GW	X				x	X	x
ET-GW-19S	1845337	08/26/1999	10 - 13	GW	x				x	X	x
ET-GW-20I	1845338	08/26/1999	22 - 25	GW	X				x	X	x

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 5
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
ET-GW-20S	1845339	08/26/1999	11 - 14	GW		x				x	X	x
ET-GW-21I	1845328	08/20/1999	19 - 22	GW		X				x	x	x
ET-GW-21S	1845329	08/20/1999	10 - 13	GW		x				x	x	x
ET-GW-22I	1845340	08/26/1999	17 - 20	GW		x				x	X	x
ET-GW-22S	1845341	08/27/1999	10 - 13	GW		x				x	x	x
ET-GW-22S	1845342	08/27/1999	10.00 - 13.00	GW		x				x	x	x
ET-GW-23I	1845344	08/27/1999	15 - 18	GW		x				x	X	x
ET-GW-23S	1845345	08/27/1999	9.5 - 12.5	GW		x				x	x	x
ET-GW-24I	1845325	08/20/1999	15 - 18	GW		x				x	X	x
ET-GW-24S	1845327	08/20/1999	8.0 - 11.0	GW		x				x	x	x
ET-GW-25I	1845322	08/19/1999	13 - 16	GW		x				x	x	x
ET-GW-25S	1845324	08/19/1999	7.5 - 10.5	GW		x				X	x	x
ET-GW-26I	1845319	08/17/1999	12.00 - 15.00	GW		x						
ET-GW-26I	1845323	08/19/1999	12 - 15	GW		X				x	x	x
ET-GW-26S	1845321	08/19/1999	6.5 - 9.5	GW		x				x	x	x
ET-MW-01	363910103-01	01/03/1991	22.00	GW		X				x	X	
ET-MW-01	ET-MW-1	02/06/1991	22.00	GW		X						
ET-MW-01	07011112091	11/21/1991	7.00 - 22.00	GW		X					X	
ET-MW-01	07011061092	06/11/1992	7.00 - 22.00	GW		x					X	
ET-MW-02	363910103-02	01/03/1991	22.00	GW		X				x	X	
ET-MW-02	1646412	11/10/1997	7.0 - 22.0	GW		x			x	x	X	
ET-MW-02	1646414	11/10/1997	7.0 - 22.0	GW		x			x	x	x	
ET-MW-02	1646415	11/10/1997	7.0 - 22.0	GW		x	x		x	X	X	
ET-MW-03	07031112091	11/21/1991	8.50 - 18.50	GW		X					X	
ET-MW-03	07031061092	06/11/1992	8.50 - 18.50	GW		X					X	
ET-MW-03	1646410	11/10/1997	8.5 - 18.5	GW		x				x	x	
ET-MW-03	1992862	04/09/2001	8.50 - 18.50	GW		x				x	X	x
ET-MW-03	1992863	04/09/2001	8.50 - 18.50	GW		x				x	X	x
ET-MW-04	07041112091	11/21/1991	8.00 - 18.00	GW		x					X	
ET-MW-04	07041061092	06/11/1992	8.00 - 18.00	GW		x					X	
ET-MW-05I	07052111991	11/19/1991	19.20 - 29.20	GW		x					X	
ET-MW-05I	07052061092	06/11/1992	19.2 - 29.2	GW		x					X	

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 5
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
ET-MW-05I	1992875	04/11/2001	19.20 - 29.20	GW		X				X	X	x
ET-MW-05S	07051111991	11/19/1991	8.50 - 18.50	GW		X					X	
ET-MW-05S	07051061092	06/11/1992	8.5 - 18.5	GW		X					X	
ET-MW-05S	1992864	04/09/2001	8.50 - 18.50	GW		x				x	X	x
ET-MW-06	07061112091	11/21/1991	7.30 - 17.30	GW		X					X	
ET-MW-06	07061061092	06/11/1992	7.30 - 17.30	GW		x					X	
ET-MW-07	07071112091	11/21/1991	8.00 - 18.00	GW		x					X	
ET-MW-07	07071061092	06/11/1992	8.00 - 18.00	GW		x					X	
ET-MW-08	07081111991	11/19/1991	7.50 - 17.50	GW		x					X	
ET-MW-08	07081061092	06/11/1992	7.50 - 17.50	GW		x					X	
ET-MW-09	07091112091	11/21/1991	8.10 - 18.10	GW		X					X	
ET-MW-09	07091061092	06/11/1992	8.10 - 18.10	GW		X					X	
ET-MW-10I	07101052793	05/27/1993	11.0 - 21.0	GW		X	x		x		X	
ET-MW-10I	13101052793	05/27/1993	11.0 - 21.0	GW		X	x		x		X	
ET-MW-10I	1656457	03/17/1998	11.0 - 21.0	GW		X					x	
ET-MW-10I	1992859	04/09/2001	11.00 - 21.00	GW		X				x	X	x
ET-MW-10S	1656456	03/17/1998	4.0 - 13.0	GW		X					X	
ET-MW-10S	1992860	04/09/2001	4.00 - 13.00	GW		X				x	X	x
ET-MW-11	07111052793	05/27/1993	0.00	GW		X	x				X	
ET-MW-12I	0712A051493	05/14/1993	0.00	GW		X	x			x	X	x
ET-MW-12I	07121052793	05/27/1993	0.00	GW		X	x				X	
ET-MW-13	1646408	11/10/1997	7.5 - 13.5	GW		X			x	X	X	
ET-MW-14	1646411	11/10/1997	7.0 - 16.0	GW		x				x	X	
ET-MW-14	1992861	04/09/2001	7.00 - 16.00	GW		x				x	X	X
ET-MW-15	1646409	11/10/1997	7.0 - 16.0	GW		x				x	x	
ET-MW-16	1646413	11/10/1997	3.0 - 13.0	GW		x			x	x	X	
ET-MW-18D	1992851	04/09/2001	32.50 - 35.50	GW		X				x	X	x
ET-MW-18D	2003527	08/16/2001	32.50 - 35.50	GW		X	x		x	x	X	x
ET-MW-18D	2003531	08/16/2001	32.50 - 35.50	GW		X	x		x	x	X	x
ET-MW-18S	1992850	04/09/2001	7.00 - 16.00	GW		x				x	X	x
ET-MW-18S	2003530	08/16/2001	7.00 - 16.00	GW		x	x		x	x	X	x
ET-MW-19D	1992853	04/09/2001	32.5 - 35.5	GW		x				x	X	x

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 5
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
ET-MW-19D	2003535	08/16/2001	32.50 - 35.50	GW		x	x		x	x	X	x
ET-MW-19S	1992852	04/09/2001	7.0 - 16.0	GW		x				x	X	x
ET-MW-19S	2003534	08/16/2001	7.00 - 16.00	GW		x	x		x	x	X	x
ET-MW-20D	1992849	04/09/2001	33.00 - 36.00	GW		X				x	X	x
ET-MW-20D	2003529	08/16/2001	33.00 - 36.00	GW		X	x		x	x	X	x
ET-MW-20S	1992848	04/09/2001	9.00 - 17.00	GW		X				x	X	x
ET-MW-20S	2003528	08/16/2001	9.00 - 17.00	GW		X	x		x	X	X	x
ET-MW-21	2003232	08/14/2001	12 - 13	GWG	x							
ET-MW-21	2003233	08/14/2001	13 - 14	GWG	x							
ET-MW-21	2003234	08/14/2001	14 - 15	GWG	x							
ET-MW-21	2003235	08/14/2001	15 - 16	GWG	x							
ET-MW-21	2003236	08/14/2001	16 - 17	GWG	x							
ET-MW-21	2003237	08/14/2001	17 - 18	GWG	x							
ET-MW-21	2003238	08/14/2001	18 - 19	GWG	x							
ET-MW-21	2003239	08/14/2001	19 - 20	GWG	x							
ET-MW-21	2003240	08/14/2001	20 - 21	GWG	X							
ET-MW-21	2003241	08/14/2001	21 - 22	GWG	X							
ET-MW-21	2003242	08/14/2001	22 - 23	GWG	X							
ET-MW-21	2003243	08/14/2001	23 - 24	GWG	X							
ET-MW-21	2003244	08/14/2001	24 - 25	GWG	X							
ET-MW-21	2003245	08/14/2001	25 - 26	GWG	X							
ET-MW-21	2003246	08/14/2001	26 - 27	GWG	X							
ET-MW-21	2003247	08/14/2001	27 - 28	GWG	X							
ET-MW-21	2003248	08/14/2001	28 - 29	GWG	X							
ET-MW-21	2003249	08/14/2001	29 - 30	GWG	X							
ET-MW-21	2003250	08/14/2001	30 - 31	GWG	X							
ET-MW-21	2003251	08/14/2001	31 - 32	GWG	X							
ET-MW-21	2003252	08/14/2001	32 - 33	GWG	X							
ET-MW-21	2003253	08/14/2001	33 - 34	GWG	X							
ET-MW-21	2003254	08/14/2001	34 - 35	GWG	X							
ET-MW-21	2003255	08/14/2001	35 - 36	GWG	X							
ET-MW-21	2003256	08/14/2001	36 - 37	GWG	X							

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 5
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
ET-MW-21	2003257	08/14/2001	37 - 38	GWG	X							
ET-MW-21D	2003533	08/16/2001	33.00 - 36.00	GW		X	X		x	x	X	x
ET-MW-21S	2003532	08/16/2001	7.50 - 16.50	GW		x	x		x	x	X	x
GB-MW-01	1004745	11/04/1994	20.00 - 30.00	GW		X			x	x	X	x
GB-MW-02	1004747	11/07/1994	15.00 - 25.00	GW		X			x	x	X	x
GB-MW-03	1004746	11/07/1994	19.00 - 29.00	GW		x			x	x	X	X
GB-MW-04	1004748	11/07/1994	14.50 - 24.50	GW		X			x	x	X	x
HA-MW-01	13011111391	11/14/1991	0.00	GW		X					x	
HA-MW-01	13011060992	06/10/1992	0.00	GW		X					X	
HA-MW-01	13011061292	06/12/1992	0.00	GW		X					X	X
HA-MW-02	13021111491	11/15/1991	0.00	GW		X					X	
HA-MW-02	13021060992	06/10/1992	0.00	GW		X					X	
HA-MW-03	13031112091	11/21/1991	0.00	GW		X					X	
HA-MW-03	13031061092	06/11/1992	0.00	GW		x					X	
HA-MW-04	13041111991	11/19/1991	0.00	GW		X					X	
HA-MW-04	13041061092	06/11/1992	0.00	GW		X					X	
HA-MW-05	13051111891	11/19/1991	0.00	GW		X					X	
HA-MW-05	13051061092	06/11/1992	0.00	GW		X					X	
HA-MW-06	13061111891	11/19/1991	0.00	GW		X					X	
HA-MW-06	13061061092	06/11/1992	0.00	GW		X					X	
HA-MW-07	13071111891	11/19/1991	0.00	GW		X					X	
HA-MW-07	13071061092	06/11/1992	0.00	GW		X					X	
HA-MW-08	13081111991	11/19/1991	0.00	GW		X					X	
HA-MW-08	13081061192	06/12/1992	0.00	GW		x					X	
HA-MW-09	13091112191	11/22/1991	0.00	GW		X					X	x
HA-MW-09	13091061192	06/12/1992	0.00	GW		X					X	
HB-MW-01	2107870	07/11/2002	0.00	GW		X			X	X	X	
HB-MW-02	1000895	06/10/2003	0.00	GW		X	x		x	X	x	x
HB-MW-03	1000894	06/10/2003	0.00	GW		X	x		X	X	x	x
LB-SB-08	1846273	09/10/1999	13 - 17	GW		X	x	x	x	x	X	X
LB-SB-09	1846274	09/10/1999	14 - 18	GW		x	x	x	x	x	X	X
LB-SB-10	1846275	09/10/1999	14 - 18	GW		x	x	x	x	x	X	X

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 5
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
LB-SB-16	1961342	03/31/2000		GWG		X	x		x		X	X
LM-MW-01I	11012111991	11/19/1991	18.10 - 28.10	GW		x					X	
LM-MW-01I	11012061092	06/11/1992	18.10 - 28.10	GW		x					X	
LM-MW-01S	11011111991	11/19/1991	5.20 - 15.20	GW		x					X	
LM-MW-02	11021061092	06/11/1992	0.0	GW		x					X	
LM-MW-02	11022061092	06/11/1992	0.0	GW		x					X	
LM-MW-02I	11022111991	11/19/1991	26.80 - 36.80	GW		x					X	
LM-MW-02S	11021111991	11/19/1991	9.20 - 19.20	GW		x					X	
MW-01	m600076-6992	06/05/2000	0.00	GW		x	x	x	x	x	x	
MW-06S	m600076-6991	06/05/2000	0.00	GW		x	x	x	x	x	x	
MW-17S	m600076-6990	06/05/2000	0.00	GW		x	x	x	x	x	x	
MW-8	18081121892	12/18/1992	15.00 - 25.00	GW		X						
MW-8	1025563	01/23/1997	15.00 - 25.00	GW		X				x		
MW-LF-1	m600152-7215	06/07/2000	0.00	GW		x	x	x	x	x	x	
MW-SFP-1D	m600152-7212	06/07/2000	0.00	GW		x	x	x	x	x	X	
MW-SFP-1S	m600152-7214	06/07/2000	0.00	GW		x	x	x	x	x	x	
MW-SFP-2D	m600076-6993	06/05/2000	0.00	GW		x	x	x	x	x	X	
MW-SFP-3D	m600076-6995	06/05/2000	0.00	GW		X	X	x	x	x	X	
MW-SFP-3S	m600152-7211	06/07/2000	0.00	GW		x	x	x	x	x	x	
MW-WB-1	m600152-7218	06/07/2000	0.00	GW		x	x	x	x	x	X	
MW-WB-2	m600152-7219	06/07/2000	0.00	GW		x	x	x	x	x	X	
MW-WB-3	m600152-7217	06/07/2000	0.00	GW		x	x	x	x	x	X	
MW-WL-1	m600152-7216	06/07/2000	0.00	GW		x	x	x	x	x	X	
MW-WL-3	m600152-7213	06/07/2000	0.00	GW		x	x	x	x	x	X	
MW01	2891976	03/11/1982	0.00	GW			X	x	x		X F	X
MW01	MW18307XX	07/01/1983	0.00	GW								X
MW01	28920448	11/23/1983	0.00	GW			X				X	X
MW01	28921140	03/26/1984	0.00	GW			X				X	X
MW01	28921233	05/23/1984	0.00	GW			X				X	X
MW01	28921421	08/28/1984	0.00	GW			X				X F	X
MW01	28921659	11/28/1984	0.00	GW			X				X F	X
MW01	28922234	03/18/1985	0.00	GW							X F	X

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 5
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
MW01	28922319	04/02/1985	0.00	GW		x						
MW01	28922718	06/20/1985	0.00	GW							X F	X
MW01	289221165	09/18/1985	0.00	GW			X				X F	X
MW01	289221544	12/03/1985	0.00	GW							X F	X
MW01	28923275	03/11/1986	0.00	GW		X	X				X F	X
MW01	289231040	06/25/1986	0.00	GW							X F	X
MW01	289231396	09/16/1986	0.00	GW			X				X F	X
MW01	289231891	12/18/1986	0.00	GW							X F	X
MW01	28924331	03/24/1987	0.00	GW		X	X				X F	X
MW01	289242829	06/24/1987	0.00	GW							X F	X
MW01	289241195	09/22/1987	0.00	GW			X				X F	X
MW01	289241529	12/02/1987	0.00	GW							X F	X
MW01	28925358	03/22/1988	0.00	GW		X	x				X F	X
MW01	28925763	06/21/1988	0.00	GW							X f	X
MW01	289251258	09/21/1988	0.00	GW			x				X F	X
MW01	289251817	12/20/1988	0.00	GW							X f	X
MW01	28926535	03/28/1989	0.00	GW		x	x				X f	X
MW01	289261431	06/26/1989	0.00	GW					X		X f	X
MW01	289262063	09/17/1989	0.00	GW			x				X f	X
MW01	289261812	12/18/1989	0.00	GW							X f	X
MW01	28927520	03/26/1990	0.00	GW		x	x				X f	X
MW01	289271263	06/12/1990	0.00	GW							X f	X
MW01	289272518	09/24/1990	0.00	GW			x				X f	X
MW01	289273269	12/26/1990	0.00	GW							X f	X
MW02	2891979	03/11/1982	0.00	GW			X	x	x		X F	X
MW02	MW28307XX	07/01/1983	0.00	GW								X
MW02	28920449	11/23/1983	0.00	GW			X				X	X
MW02	28921141	03/26/1984	0.00	GW			X				X	X
MW02	28921234	05/23/1984	0.00	GW			X				X	X
MW02	28921422	09/17/1984	0.00	GW			X				X F	X
MW02	28921660	11/28/1984	0.00	GW			X				X F	X
MW02	28922235	03/16/1985	0.00	GW							X F	X

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 5
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
MW02	28922320	04/02/1985	0.00	GW		x						
MW02	28922719	06/20/1985	0.00	GW							X F	X
MW02A	289221549	12/02/1985	0.00	GW							X F	X
MW02A	28923278	03/10/1986	0.00	GW		x	X				X F	X
MW02A	289231041	06/24/1986	0.00	GW							X F	X
MW02A	289231397	09/16/1986	0.00	GW			X				X F	X
MW02A	289231892	12/15/1986	0.00	GW							X F	X
MW02A	28924332	03/23/1987	0.00	GW		x	X				X F	X
MW02A	28924830	06/23/1987	0.00	GW							X F	X
MW02A	289241196	09/21/1987	0.00	GW			X				X F	X
MW02A	289241530	12/01/1987	0.00	GW							X F	X
MW02A	28925359	03/21/1988	0.00	GW		X	x				X f	X
MW02A	28925764	06/20/1988	0.00	GW							X f	X
MW02A	289251259	09/21/1988	0.00	GW			x				X F	X
MW02A	289251818	12/20/1988	0.00	GW							X F	X
MW02A	28926536	03/28/1989	0.00	GW		x	x				X f	X
MW02A	289261435	06/26/1989	0.00	GW							X f	X
MW02A	289262066	09/17/1989	0.00	GW			x				X f	X
MW02A	289262813	12/18/1989	0.00	GW							X f	X
MW02A	28927521	03/26/1990	0.00	GW		x	x				X f	X
MW02A	289271264	06/12/1990	0.00	GW							X f	X
MW02A	289272519	09/24/1990	0.00	GW			x				X f	X
MW02A	289273270	12/26/1990	0.00	GW							X f	X
MW03	2891978	03/11/1982	0.00	GW			X	x	x		X F	X
MW03	MW38307XX	07/01/1983	0.00	GW								X
MW03	28920450	11/23/1983	0.00	GW			X				X	X
MW03	28921142	03/26/1984	0.00	GW			X				X	X
MW03	28921235	05/23/1984	0.00	GW			X				X	X
MW03	28921423	08/28/1984	0.00	GW			X				X F	X
MW03	28921661	11/28/1984	0.00	GW			X				X F	X
MW03	28922236	03/16/1985	0.00	GW							X F	X
MW03	28922321	04/02/1985	0.00	GW		x						

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 5
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
MW03	28922720	06/20/1985	0.00	GW							X F	X
MW03	289221166	09/18/1985	0.00	GW			X				X F	X
MW03	289221545	12/02/1985	0.00	GW							X F	X
MW03	28923276	03/10/1986	0.00	GW		x	X				X F	X
MW03	289231044	06/24/1986	0.00	GW							X F	X
MW03	289231400	09/16/1986	0.00	GW			X				X F	X
MW03	289231895	12/15/1986	0.00	GW							X F	X
MW03	28924335	03/23/1987	0.00	GW		x	X				X F	X
MW03	28924833	06/23/1987	0.00	GW							X F	X
MW03	289241199	09/21/1987	0.00	GW			X				X F	X
MW03	289241533	12/01/1987	0.00	GW							X F	X
MW03	28925362	03/21/1988	0.00	GW		x	x				X F	X
MW03	28925767	06/20/1988	0.00	GW							X f	X
MW03	289251262	09/21/1988	0.00	GW			x				X F	X
MW03	289251821	12/20/1988	0.00	GW							X f	X
MW03	28926539	03/28/1989	0.00	GW		x	x				X f	X
MW03	289261433	06/26/1989	0.00	GW							X f	X
MW03	289262064	09/17/1989	0.00	GW			x				X f	X
MW03	289262816	12/18/1989	0.00	GW							X f	X
MW03	28927524	03/26/1990	0.00	GW		x	x				X f	X
MW03	289271267	06/12/1990	0.00	GW							X f	X
MW03	289272522	09/24/1990	0.00	GW			x				X f	X
MW03	289273273	12/26/1990	0.00	GW							X f	X
MW03A	289221548	12/02/1985	0.00	GW							X F	X
MW03A	28923279	03/10/1986	0.00	GW		x	X				X F	X
MW03A	289231042	06/24/1986	0.00	GW							X F	X
MW03A	289231398	09/16/1986	0.00	GW			X				X F	X
MW03A	289231893	12/15/1986	0.00	GW							X F	X
MW03A	28924333	03/23/1987	0.00	GW		x	X				X F	X
MW03A	28924831	06/23/1987	0.00	GW							X F	X
MW03A	289241197	09/21/1987	0.00	GW			X				X F	X
MW03A	289241531	12/01/1987	0.00	GW							X F	X

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 5
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
MW03A	28925360	03/22/1988	0.00	GW		X	X				X F	X
MW03A	28925765	06/20/1988	0.00	GW							X F	X
MW03A	289251260	09/21/1988	0.00	GW		x					X F	X
MW03A	289251819	12/20/1988	0.00	GW							X f	X
MW03A	28926537	03/28/1989	0.00	GW		x	x				X f	X
MW03A	289261436	06/26/1989	0.00	GW							X F	X
MW03A	289262067	09/17/1989	0.00	GW			x				X F	X
MW03A	289262814	12/18/1989	0.00	GW							X f	X
MW03A	28927522	03/26/1990	0.00	GW		x	x				X F	X
MW03A	289271265	06/12/1990	0.00	GW							X f	X
MW03A	289271271	06/12/1990	0.00	GW							X f	X
MW03A	289272520	09/24/1990	0.00	GW			x				X f	X
MW03A	289273271	12/26/1990	0.00	GW							X F	X
MW03A	289273277	12/26/1990	0.00	GW							X F	X
MW04	2891977	03/11/1982	0.00	GW			X	x	x		X F	X
MW04	MW48307XX	07/01/1983	0.00	GW								X
MW04	28920451	11/23/1983	0.00	GW			X				X	X
MW04	28921143	03/26/1984	0.00	GW			x				X	X
MW04	28921236	05/23/1984	0.00	GW			X				X	X
MW04	28921424	08/28/1984	0.00	GW			X				X F	X
MW04	28921662	11/28/1984	0.00	GW			X				X F	X
MW04	28922237	03/18/1985	0.00	GW							X F	X
MW04	28922322	04/02/1985	0.00	GW		x						
MW04	28922721	06/20/1985	0.00	GW							X F	X
MW04	289221167	09/17/1985	0.00	GW			X				X F	X
MW04	289221546	12/02/1985	0.00	GW							X F	X
MW04	28923277	03/10/1986	0.00	GW		x	X				X F	X
MW04	289231045	06/24/1986	0.00	GW							X F	X
MW04	289231401	09/16/1986	0.00	GW			X				X F	X
MW04	289231896	12/15/1986	0.00	GW							X F	X
MW04	28924336	03/23/1987	0.00	GW		X	X				X F	X
MW04	28924834	06/23/1987	0.00	GW							X F	X

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 5
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
MW04	289241200	09/21/1987	0.00	GW			X				X F	X
MW04	289241534	12/01/1987	0.00	GW							X F	X
MW04	28925363	03/21/1988	0.00	GW		X	x				X f	X
MW04	28925768	06/20/1988	0.00	GW							X f	X
MW04	289251263	09/21/1988	0.00	GW			x				X F	X
MW04	289251822	12/20/1988	0.00	GW							x f	X
MW04	28926540	03/28/1989	0.00	GW		x	x				X f	X
MW04	289261434	06/26/1989	0.00	GW							X f	X
MW04	289262065	09/17/1989	0.00	GW			x				X f	X
MW04	289262817	12/18/1989	0.00	GW							X f	X
MW04	28927525	03/26/1990	0.00	GW		x	x				X f	X
MW04	289271268	06/12/1990	0.00	GW							X f	X
MW04	289272523	09/24/1990	0.00	GW			x				X f	X
MW04	289273274	12/26/1990	0.00	GW							X f	X
MW04A	289221547	12/02/1985	0.00	GW							X F	X
MW04A	28923280	03/10/1986	0.00	GW		X	X				X F	X
MW04A	289231043	06/24/1986	0.00	GW							X F	X
MW04A	289231399	09/16/1986	0.00	GW			X				X F	X
MW04A	289231894	12/01/1986	0.00	GW							X F	X
MW04A	28924334	03/23/1987	0.00	GW		x	X				X F	X
MW04A	28924832	06/23/1987	0.00	GW							X F	X
MW04A	289241198	09/21/1987	0.00	GW			X				X F	X
MW04A	289241532	12/01/1987	0.00	GW							X F	X
MW04A	28925361	03/21/1988	0.00	GW		x	x				X F	X
MW04A	28925766	06/20/1988	0.00	GW							X F	X
MW04A	289251261	09/21/1988	0.00	GW			x				X F	X
MW04A	289251820	12/20/1988	0.00	GW							X f	X
MW04A	28926538	03/28/1989	0.00	GW		x	x				X f	X
MW04A	289261432	06/26/1989	0.00	GW							X f	X
MW04A	289262068	09/17/1989	0.00	GW			x				X f	X
MW04A	289262815	12/18/1989	0.00	GW							X F	X
MW04A	28927523	03/26/1990	0.00	GW		X	x				X f	X

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 5
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
MW04A	28927528	03/26/1990	0.00	GW		X	x				X f	X
MW04A	289271266	06/12/1990	0.00	GW							X f	X
MW04A	289272521	09/24/1990	0.00	GW			x				X f	X
MW04A	289272526	09/24/1990	0.00	GW			x				X f	X
MW04A	289273272	12/26/1990	0.00	GW							X f	X
NT-MW-01S	31389051917	05/19/1989	5.00 - 20.00	GW		X	x					X
NT-MW-01S	31389081819	08/18/1989	5.00 - 20.00	GW		X	x					X
NT-MW-01S	31389120616	12/06/1989	5.00 - 20.00	GW		X	x					
NT-MW-01S	31390030222	03/02/1990	5.00 - 20.00	GW		X	x					
NT-MW-01S	38490051619	05/16/1990	5.00 - 20.00	GW		X	x					
NT-MW-01S	31390083023	08/30/1990	5.00 - 20.00	GW		X	x					X
NT-MW-01S	31390112136	11/21/1990	5.00 - 20.00	GW		X	x					X
NT-MW-01S	31391022520	02/25/1991	5.00 - 20.00	GW		X						X
NT-MW-02	31389051918	05/19/1989	5.00 - 20.00	GW		X	x				X	X
NT-MW-02	31389081820	08/18/1989	5.00 - 20.00	GW		X	x				X	X
NT-MW-02	31389120617	12/06/1989	5.00 - 20.00	GW		X	x				X	
NT-MW-02	31390030223	03/02/1990	5.00 - 20.00	GW		x	x				X	
NT-MW-02	38490051618	05/16/1990	5.00 - 20.00	GW		X	x				x	
NT-MW-02	31390112137	11/21/1990	5.00 - 20.00	GW		X	x				X f	X
NT-MW-02	31391022521	02/25/1991	5.00 - 20.00	GW		X					X f	X
NT-MW-03D	31389051920	05/19/1989	30.00 - 40.00	GW		X	x				X	X
NT-MW-03D	31389081822	08/18/1989	30.00 - 40.00	GW		X	x				x	X
NT-MW-03D	31389120719	12/07/1989	30.00 - 40.00	GW		X	x				X	
NT-MW-03D	31390030121	03/01/1990	30.00 - 40.00	GW		X	x				x	X
NT-MW-03D	38490051620	05/16/1990	30.00 - 40.00	GW		X	x				x	
NT-MW-03D	31390083026	08/30/1990	30.00 - 40.00	GW		X	x				X f	X
NT-MW-03D	31390112139	11/21/1990	30.00 - 40.00	GW		X	x				X f	X
NT-MW-03D	31391022523	02/25/1991	30.00 - 40.00	GW		X					X f	X
NT-MW-03D	30291052905	05/29/1991	30.00 - 40.00	GW		X					X f	X
NT-MW-03D	19032111891	11/19/1991	30.00 - 40.00	GW		X					X	
NT-MW-03D	19032061092	06/11/1992	30.0 - 40.0	GW		X					X	
NT-MW-03D	1845810	09/02/1999	30.0 - 40.0	GW		X				X	X	x

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 5
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
NT-MW-03S	31389051919	05/19/1989	5.00 - 20.00	GW		X	x					X
NT-MW-03S	31389081821	08/18/1989	5.00 - 20.00	GW		X	x					X
NT-MW-03S	31389120718	12/07/1989	5.00 - 20.00	GW		X	x					
NT-MW-03S	31390030120	03/01/1990	5.00 - 20.00	GW		X	x					X
NT-MW-03S	38490051621	05/16/1990	5.00 - 20.00	GW		X	x					
NT-MW-03S	31390083025	08/30/1990	5.00 - 20.00	GW		X	x					X
NT-MW-03S	31390112138	11/21/1990	5.00 - 20.00	GW		X	x					X
NT-MW-03S	31391022522	02/25/1991	5.00 - 20.00	GW		X						X
NT-MW-03S	30291052904	05/29/1991	5.00 - 20.00	GW		X						X
NT-MW-03S	19031111891	11/19/1991	5.00 - 20.00	GW		X					X	
NT-MW-03S	19031061092	06/11/1992	5.0 - 20.0	GW		X					X	
NT-MW-03S	1845809	09/02/1999	5.0 - 20.0	GW		X				X	X	X
NT-RW-01	NTRW1890216	02/16/1989	0.00	GW		x	x					
NT-RW-01	31889052608	05/26/1989	0.00	GW		x	x					
NT-RW-01	NTRW1890825	08/25/1989	0.00	GW		x	x					
NT-RW-01	31389120723	12/07/1989	0.00	GW		x	x					
NT-RW-01	31390030224	03/02/1990	0.00	GW		x	x					
NT-RW-01	38490051622	05/16/1990	0.00	GW		x	x					
NT-RW-01	31390112140	11/21/1990	0.00	GW		X	x					X
NT-RW-01	31391022524	02/25/1991	0.00	GW		x						X
PH-GW-38D	1831563	11/19/1998	21.0 - 24	GW		x				x	X	
PH-GW-38S	1831562	11/19/1998	11.0 - 14	GW		x				X	X	
PH-GW-39D	1831576	11/23/1998	20.5 - 24.0	GW		X				X	X	
PH-GW-39S	1831575	11/23/1998	10.5 - 14.0	GW		x				X	X	
PH-GW-40D	1831574	11/23/1998	20.5 - 24.0	GW		X				x	X	
PH-GW-40S	1831573	11/23/1998	10.5 - 14.0	GW		X				x	X	
PH-GW-41D	1831578	11/23/1998	20.5 - 24.0	GW		x				X	X	
PH-GW-41S	1831577	11/23/1998	10.5 - 14.0	GW		X				X	X	
PH-GW-42D	1831580	11/22/1998	20.5 - 24.0	GW		X				X	X	
PH-GW-42S	1831579	11/22/1998	9.5 - 13.0	GW		X				X	X	
PH-GW-43D	1831582	11/25/1998	20.5 - 24.0	GW		X				x	X	
PH-GW-43S	1831581	11/25/1998	9.5 - 13.0	GW		X				x	X	

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 5
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
PH-GW-44D	1831587	11/25/1998	20.5 - 24.0	GW		X				x	X	
PH-GW-44S	1831586	11/25/1998	9.5 - 13.0	GW		X				x	X	
PH-GW-45D	1831589	11/25/1998	0.00	GW		X				x	X	
PH-GW-45S	1831588	11/25/1998	0.00	GW		X				x	X	
PH-GW-46D	1831592	11/30/1998	0.00	GW		X				x	X	
PH-GW-46S	1831590	11/30/1998	0.00	GW		X				x	X	
PH-GW-47D	1831594	11/30/1998	20.5 - 24.0	GW		X				x	X	
PH-GW-47S	1831593	11/30/1998	11.5 - 15.0	GW		X				x	X	
PH-GW-48D	1831598	11/30/1998	20.5 - 24.0	GW		X				x	X	
PH-GW-48S	1831597	11/30/1998	11.5 - 15.0	GW		X				x	X	
PH-GW-49D	1831600	11/30/1998	20.5 - 24.0	GW		X				x	X	
PH-GW-49S	1831599	11/30/1998	11.5 - 15.0	GW		X				x	X	
PH-GW-50D	1831602	12/01/1998	26.5 - 30.0	GW		x				X	X	
PH-GW-50S	1831601	12/01/1998	12.5 - 16.0	GW		X				X	X	
PH-MW-01	34389011801	01/18/1989	10.00 - 25.00	GW		X					X	
PH-MW-01	890302PHMW1	03/02/1989	10.00 - 25.00	GW		X	x				X	
PH-MW-01	31389051707	05/17/1989	10.00 - 25.00	GW		X	x					X
PH-MW-01	31389081710	08/17/1989	10.00 - 25.00	GW		X	x					X
PH-MW-01	31389120508	12/05/1989	10.00 - 25.00	GW		X	x					X
PH-MW-01	31390022810	02/28/1990	10.00 - 25.00	GW		X	x					X
PH-MW-01	38490051507	05/15/1990	10.00 - 25.00	GW		X	x					
PH-MW-01	31390083017	08/30/1990	10.00 - 25.00	GW		X	x					X
PH-MW-01	31390112142	11/21/1990	10.00 - 25.00	GW		X	x					X
PH-MW-01	31391022751	02/27/1991	10.00 - 25.00	GW		X						X
PH-MW-01	30291052906	05/29/1991	10.00 - 25.00	GW		X						X
PH-MW-01	15011111891	11/19/1991	10.00 - 25.00	GW		X					X	
PH-MW-01	15011061192	06/12/1992	10.00 - 25.00	GW		X					X	
PH-MW-01	1011284	03/28/1996	10.00 - 25.00	GW		X			x	x		
PH-MW-02	34389011803	01/18/1989	5.00 - 20.00	GW		x					x	
PH-MW-02	890302PHMW2	03/02/1989	5.00 - 20.00	GW		x	x				X	
PH-MW-02	31389051705	05/17/1989	5.00 - 20.00	GW		x	x					X
PH-MW-02	31389081708	08/17/1989	5.00 - 20.00	GW		X	x				X	X

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received: Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 5
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
PH-MW-02	31389120509	12/05/1989	5.00 - 20.00	GW		X	x				x	X
PH-MW-02	31390022808	02/28/1990	5.00 - 20.00	GW		X	x				x	X
PH-MW-02	38490051509	05/15/1990	5.00 - 20.00	GW		x	x				X	
PH-MW-02	31390083020	08/30/1990	5.00 - 20.00	GW		x	x				X f	X
PH-MW-02	31390112760	11/27/1990	5.00 - 20.00	GW		x	x				X f	X
PH-MW-02	31391022750	02/27/1991	5.00 - 20.00	GW		X					X f	X
PH-MW-02	1011283	03/28/1996	5.00 - 20.00	GW		x			x	x		
PH-MW-02	1831626	12/04/1998	5.0 - 20.0	GW		x				x	X	
PH-MW-03	31889052605	05/26/1989	0.00	GW		X	x					
PH-MW-04	31889052603	05/26/1989	0.00	GW		X	x				X	
PH-MW-04	31389081711	08/17/1989	0.00	GW		X	x				X	X
PH-MW-04	31389120510	12/05/1989	0.00	GW		X	x					X
PH-MW-04	31390022807	02/28/1990	0.00	GW		X	x					X
PH-MW-04	38490051510	05/15/1990	0.00	GW		x	x					
PH-MW-04	31390082911	08/29/1990	0.00	GW		X	x					X
PH-MW-04	31390112143	11/21/1990	0.00	GW		X	x					X
PH-MW-05	31889052604	05/26/1989	0.00	GW		X	x					
PH-MW-06	31889052607	05/26/1989	0.00	GW		x	x					
PH-MW-07	31889052606	05/26/1989	0.00	GW		x	x					
PH-MW-08I	15082111591	11/15/1991	19.20 - 29.20	GW		x					X	
PH-MW-08I	1831627	12/04/1998	19.2 - 29.2	GW		x				X	X	
PH-MW-08I	1831628	12/04/1998	19.2 - 29.2	GW		x				x	X	
PH-MW-08I	1845802	09/01/1999	19.2 - 29.2	GW		x				x	X	x
PH-MW-08S	15081111591	11/15/1991	8.00 - 18.00	GW		x					X	
PH-MW-08S	15081061192	06/12/1992	8.00 - 18.00	GW		x					X	
PH-MW-08S	15082061192	06/12/1992	8.00 - 18.00	GW		x					X	
PH-MW-08S	1845801	09/01/1999	8.0 - 18.0	GW		x				x	X	x
PH-MW-09	15091111891	11/19/1991	24.60 - 34.60	GW		X					X	
PH-MW-09	15091061192	06/12/1992	24.60 - 34.60	GW		X					X	
PH-MW-09	1831629	12/04/1998	24.6 - 34.6	GW		X				X	X	
PH-MW-10	15101111891	11/19/1991	8.00 - 18.00	GW		X					X	
PH-MW-10	15101061192	06/12/1992	8.00 - 18.00	GW		X					X	

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 5
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
PH-MW-11I	15112111891	11/19/1991	23.60 - 33.60	GW		X					X	
PH-MW-11I	15112061192	06/12/1992	23.6 - 33.6	GW		X					X	
PH-MW-11I	1831631	12/04/1998	23.6 - 33.6	GW		X				X	X	
PH-MW-11I	1845808	09/01/1999	23.6 - 33.6	GW		X				x	X	x
PH-MW-11S	15111111891	11/19/1991	11.00 - 21.00	GW		X					X	
PH-MW-11S	15111061192	06/12/1992	11.00 - 21.00	GW		X					X	
PH-MW-11S	1831630	12/04/1998	11.0 - 21.0	GW		X				X	X	
PH-MW-11S	1845807	09/01/1999	11.0 - 21.0	GW		x				X	X	x
PH-MW-13	1011285	03/28/1996	0.0	GW		X			x	x		
PH-MW-14	1011286	03/28/1996	0.0	GW		X			x	x		
PH-MW-15	1011287	03/28/1996	0.0	GW		X			x	X		
PH-MW-17	151710603921	06/04/1992	0.00	GW		x					X	X
PH-MW-17	151710603922	06/04/1992	0.00	GW		x					X	X
PH-MW-17	1011290	03/28/1996	0.00	GW		X			x	x		
PH-MW-18	1011282	03/27/1996	0.00	GW		X			x	x		
PH-MW-19I	1845847	09/09/1999	27.5 - 30.5	GW		X				x	x	x
PH-MW-19S	1845846	09/09/1999	7.5 - 16.5	GW		X				x	X	x
PH-MW-22	PHRW01901127	11/27/1990	3.50 - 22.50	GW								
PH-MW-23	34389011802	01/18/1989	0.00	GW		X					X	
PH-MW-23	890302PHRW2	03/02/1989	0.00	GW		X	x				X	
PH-MW-23	31389051706	05/17/1989	0.00	GW		X	x				X	X
PH-MW-23	31389081709	08/17/1989	0.00	GW		x	x					
PH-MW-23	31389120507	12/05/1989	0.00	GW		X	x					X
PH-MW-23	31390022809	02/28/1990	0.00	GW		X	x					X
PH-MW-23	38490051508	05/15/1990	0.00	GW		x	x					
PH-MW-23	PHRW02901127	11/27/1990	0.00	GW								
PH-MW-28	1011291	03/28/1996	0.00	GW		X			x	X		
PH-PZ-01	1011289	03/28/1996	0.00	GW		X			x	x		
PH-PZ-02	1011288	03/28/1996	0.00	GW		X			X	X		
PW-01	860924PW1	09/24/1986	27.20 - 32.20	GW		X						
PW-01	PW1890830	08/30/1989	27.20 - 32.20	GW		X	x					
PW-01	17012061592	06/16/1992	27.20 - 32.20	GW		X					X	X

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 5
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information						
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class	Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
PW-02	31389021501	02/15/1989	25.40 - 30.40	GW	X	x					
PW-02	PW2890830	08/30/1989	25.40 - 30.40	GW	X	x					
PW-02	PW2891212	12/12/1989	25.40 - 30.40	GW	X	x					
PW-02	31390030231	03/02/1990	25.40 - 30.40	GW	X	x					
PW-02	38490051725	05/17/1990	25.40 - 30.40	GW	X	x					
PW-02	31390083018	08/30/1990	25.40 - 30.40	GW	X	x					X
PW-02	31390111919	11/19/1990	25.40 - 30.40	GW	X	x					X
PW-02	31391022641	02/26/1991	25.40 - 30.40	GW	X						X
PW-02	30291052910	05/29/1991	25.40 - 30.40	GW	X						X
PW-02	17021112191	11/22/1991	25.40 - 30.40	GW	X					X	x
PW-02	17022061092	06/11/1992	25.40 - 30.40	GW	X					X	
PW-02	17022061192	06/12/1992	25.40 - 30.40	GW							X
PW-03	17032061192	06/12/1992	25.80 - 30.80	GW	X			x			X
PW-04	PW4890216	02/16/1989	23.10 - 28.10	GW	X	x					
PW-04	PW4890823	08/23/1989	23.10 - 28.10	GW	X	x				X	
PW-04	PW4891212	12/12/1989	23.10 - 28.10	GW	X	x				X	
PW-04	31390030232	03/02/1990	23.10 - 28.10	GW	X	x				X	
PW-04	38490051726	05/17/1990	23.10 - 28.10	GW	X	x				x	
PW-04	31390083019	08/30/1990	23.10 - 28.10	GW	X	x				X f	X
PW-04	31390111920	11/19/1990	23.10 - 28.10	GW	X	x				X f	X
PW-04	31391022642	02/26/1991	23.10 - 28.10	GW	X					X f	X
PW-04	30291052911	05/29/1991	23.10 - 28.10	GW	X					X f	X
PW-04	17041112191	11/22/1991	23.10 - 28.10	GW	X					X	x
PW-04	17042052992	06/04/1992	23.10 - 28.10	GW	X					X	x
PW-18	17182060592	06/05/1992	17.00 - 27.00	GW	X					X	X
PW-32	EA2-12095	01/20/1995	13.0 - 23.0	GW	X						
PW-32	EA2-23PT	02/03/1995	13.0 - 23.0	GW						X	X
PW-32	PW-32-31495	03/14/1995	13.0 - 23.0	GW					x		
PW-32	1006703	08/30/1995	13.0 - 23.0	GW					X		
PW-32	PW32-5796	05/07/1996	13.0 - 23.0	GW	X				x	X	X
PW-32	1025585	01/28/1997	13.0 - 23.0	GW	X				x	X	X
PW-33	34941080692	08/06/1992	14.0 - 24.0	GW	X				x		

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received, Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 5
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
PW-33	189410808926	08/10/1992	0.0 - 24.0	GW		X				x		
PW-33	189410899217	08/10/1992	14.0 - 24.0	GW		X				x		
PW-33	18941081592E	08/17/1992	0.0 - 24.0	GW		x						
PW-33	189410815921	08/17/1992	14.0 - 24.0	GW		X						
PW-33	EA3-12095	01/20/1995	14.0 - 24.0	GW		X						
PW-33	EA3-2395	02/03/1995	14.0 - 24.0	GW							X	X
PW-33	PS-EH1	02/06/1995	14.0 - 24.0	GW								
PW-33	PW-33-31495	03/14/1995	14.0 - 24.0	GW						X		
PW-33	1006702	08/30/1995	14.0 - 24.0	GW						X		
PW-33	PW33-5796	05/07/1996	14.0 - 24.0	GW		X				X	X	X
PW-33	1025584	01/28/1997	14.0 - 24.0	GW		X				X	X	X
PW-33	1838318	04/22/1999	14.00 - 24.00	GW		X						
PW-34	EA4-12095	01/20/1995	15.0 - 35.0	GW		X						
PW-34	EA4-2395	02/03/1995	15.0 - 35.0	GW							X	X
PW-34	PW-34-31495	03/14/1995	15.0 - 35.0	GW						x		
PW-34	1006701	08/30/1995	15.0 - 35.0	GW						x		
PW-34	PW34-5796	05/07/1996	15.0 - 35.0	GW		X				x	X	X
PW-34	1838319	04/22/1999	15.00 - 35.00	GW		X						
ST-MW-01	31389051708	05/18/1989	5.00 - 20.00	GW		X	x					X
ST-MW-01	31389081603	08/16/1989	5.00 - 20.00	GW		x	x				x	X
ST-MW-01	31389120612	12/06/1989	5.00 - 20.00	GW		X	x					X
ST-MW-01	31390022811	02/28/1990	5.00 - 20.00	GW		X	x					X
ST-MW-01	38490051613	05/16/1990	5.00 - 20.00	GW		X	x					
ST-MW-01	31390082906	08/29/1990	5.00 - 20.00	GW		X	x					X
ST-MW-01	31390111603	11/16/1990	5.00 - 20.00	GW		X	x					X
ST-MW-01	31391022515	02/25/1991	5.00 - 20.00	GW		X						X
ST-MW-01	12011061192	06/12/1992	5.00 - 20.00	GW		x					X	
ST-MW-01	1845798	08/31/1999	5.0 - 20.0	GW		x				x	x	x
ST-MW-02	31389051709	05/18/1989	5.00 - 20.00	GW		X	x				X	X
ST-MW-02	31389120613	12/06/1989	5.00 - 20.00	GW		X	x				X	X
ST-MW-02	31390022812	02/28/1990	5.00 - 20.00	GW		X	x				x	X
ST-MW-02	38490051614	05/16/1990	5.00 - 20.00	GW		X	x				x	

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 5
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
ST-MW-02	31390082907	08/29/1990	5.00 - 20.00	GW		X	x				X f	X
ST-MW-02	31390111604	11/16/1990	5.00 - 20.00	GW		X	x				X f	X
ST-MW-02	31391022516	02/25/1991	5.00 - 20.00	GW		X					X f	X
ST-MW-02	12021111991	11/19/1991	5.00 - 20.00	GW		X					X	
ST-MW-02	12021061092	06/11/1992	5.00 - 20.00	GW		X					X	
ST-MW-03	31389051710	05/18/1989	5.00 - 20.00	GW		X	x					X
ST-MW-03	31389081605	08/16/1989	5.00 - 20.00	GW		X	x					X
ST-MW-03	31389120614	12/06/1989	5.00 - 20.00	GW		X	x					X
ST-MW-03	31390022813	02/28/1990	5.00 - 20.00	GW		X	x					X
ST-MW-03	38490051615	05/16/1990	5.00 - 20.00	GW		X	x					
ST-MW-03	31390082908	08/29/1990	5.00 - 20.00	GW		X	x					X
ST-MW-03	31390111605	11/16/1990	5.00 - 20.00	GW		X	x					X
ST-MW-03	31391022517	02/25/1991	5.00 - 20.00	GW		X						X
ST-MW-03	12031111991	11/19/1991	5.00 - 20.00	GW		X					X	
ST-MW-03	12031061092	06/11/1992	5.00 - 20.00	GW		X					X	
ST-MW-04	31389051812	05/18/1989	5.00 - 20.00	GW		X	x					X
ST-MW-04	31389081606	08/16/1989	5.00 - 20.00	GW		X	x					X
ST-MW-04	31389120615	12/06/1989	5.00 - 20.00	GW		X	x					X
ST-MW-04	31390030114	03/01/1990	5.00 - 20.00	GW		X	x					X
ST-MW-04	38490051616	05/16/1990	5.00 - 20.00	GW		X	x					
ST-MW-04	31390082909	08/29/1990	5.00 - 20.00	GW		x	x					X
ST-MW-04	31390111606	11/16/1990	5.00 - 20.00	GW		X	x					X
ST-MW-04	31391022518	02/25/1991	5.00 - 20.00	GW		X						X
ST-MW-05	31389051813	05/18/1989	5.00 - 20.00	GW		X	x					X
ST-MW-05	31389081607	08/16/1989	5.00 - 20.00	GW		X	x					X
ST-MW-05	31389120611	12/06/1989	5.00 - 20.00	GW		X	x					X
ST-MW-05	31390030119	03/01/1990	5.00 - 20.00	GW		X	x					X
ST-MW-05	38490051623	05/16/1990	5.00 - 20.00	GW		x	x					
ST-MW-05	31390082910	08/29/1990	5.00 - 20.00	GW		x	x					X
ST-MW-05	31390111607	11/16/1990	5.00 - 20.00	GW		X	x					X
ST-MW-05	31391022519	02/25/1991	5.00 - 20.00	GW		X						X
ST-MW-06I	1845839	09/08/1999	34.0 - 37.0	GW		X				x	X	x

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 5
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
ST-MW-06S	1845838	09/08/1999	5.0 - 14.0	GW		x				x	X	x
ST-RW-01	STRW1890216	02/16/1989	0.00	GW		X	x					
ST-RW-01	31389051814	05/18/1989	0.00	GW		X	x					X
ST-RW-01	31390111608	11/16/1990	0.00	GW		x	x					X
ST-RW-01	31391022526	02/25/1991	0.00	GW		X						X
TB-MW-01	330110603922	06/04/1992	0.00	GW		X						
WS-01	WS1890215	02/15/1989	14.50 - 24.50	GW		x	x					
WS-01	WS1890823	08/23/1989	14.50 - 24.50	GW		X	x					
WS-01	WS1891212	12/12/1989	14.50 - 24.50	GW		X	x					
WS-01	31390030225	03/02/1990	14.50 - 24.50	GW		x	x					
WS-01	38490051727	05/17/1990	14.50 - 24.50	GW		X	x					
WS-01	31390083027	08/30/1990	14.50 - 24.50	GW		X	x					X
WS-01	31390111912	11/19/1990	14.50 - 24.50	GW		X	x					X
WS-01	31391022634	02/26/1991	14.50 - 24.50	GW		X						X
WS-01	30291052907	05/29/1991	14.50 - 24.50	GW		X						X
WS-01	34011061092	06/11/1992	14.50 - 24.50	GW		X					X	
WS-01	34011061192	06/12/1992	14.50 - 24.50	GW								X
WS-02	WS2890216	02/16/1989	0.00	GW		X	x					
WS-02	WS2890823	08/23/1989	0.00	GW		X	x					
WS-02	WS2891212	12/12/1989	0.00	GW		X	x					
WS-02	31390030226	03/02/1990	0.00	GW		X	x					
WS-02	38490051728	05/17/1990	0.00	GW		X	x					
WS-02	31390083028	08/30/1990	0.00	GW		X	x					X
WS-02	31390111913	11/19/1990	0.00	GW		X	x					X
WS-02	31391022635	02/26/1991	0.00	GW		X						X
WS-02	30291052909	05/29/1991	0.00	GW		X						X
WS-02	34021061092	06/11/1992	0.00	GW		X					X	
WS-02	34021061192	06/12/1992	0.00	GW								X
WS-02	225000717-02	07/17/2000	0.00	GW		X				x	X	X
WS-02	225000717-03	07/17/2000	0.00	GW		X				X	X	X
WS-02	2007876	04/24/2001	0.00	GW		X				x	X	X
WS-02 Carb I	2009090	10/31/2001	0.00	GW		X					X	

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 5
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
WS-02 Carb I	2009100	11/08/2001	0.00	GW		X					X	
WS-02 Carb I	2009358	11/15/2001	0.00	GW		X					X	
WS-03	WS3890215	02/15/1989	0.00	GW		X	x					
WS-03	WS3890823	08/23/1989	0.00	GW		X	x					
WS-03	WS3891212	12/12/1989	0.00	GW		X	x					
WS-03	31390030227	03/02/1990	0.00	GW		X	x					
WS-03	38490051729	05/17/1990	0.00	GW		X	x					
WS-03	31390083029	08/30/1990	0.00	GW		X	x					X
WS-03	31390111914	11/19/1990	0.00	GW		X	x					X
WS-03	31391022636	02/26/1991	0.00	GW		X					X	X
WS-03	34031061092	06/11/1992	0.00	GW		X					X	
WS-03	34031061192	06/12/1992	0.00	GW								X
WS-04	WS4890216	02/16/1989	0.00	GW		X	x					
WS-04	WS4890823	08/23/1989	0.00	GW		X	x				x	
WS-04	WS4891212	12/12/1989	0.00	GW		X	x				x	
WS-04	31390030228	03/02/1990	0.00	GW		X	x				X	
WS-04	38490051730	05/17/1990	0.00	GW		X	x				x	
WS-04	31390083030	08/30/1990	0.00	GW		X	x				X f	X
WS-04	31390111915	11/19/1990	0.00	GW		X	x				X f	X
WS-04	31391022637	02/26/1991	0.00	GW		X					X f	X
WS-04	30291052908	05/29/1991	0.00	GW		X					X F	X
WS-04	34041061092	06/11/1992	0.00	GW		X					X	
WS-04	34041061192	06/12/1992	0.00	GW								X
WS-04	225000717-01	07/17/2000	0.00	GW		X				x	X	X
WS-04	2007872	04/24/2001	0.00	GW		X				x	X	X
WS-04	2007873	04/24/2001	0.00	GW		X				x	X	X
WS-04 Carb I	2009089	10/31/2001	0.00	GW		X					X	
WS-04 Carb I	2009098	11/08/2001	0.00	GW		X					X	
WS-04 Carb I	2009356	11/15/2001	0.00	GW		X					X	
WS-05	WS5890216	02/16/1989	0.00	GW		X	x					
WS-05	WS5890823	08/23/1989	0.00	GW		X	x					
WS-05	WS5891212	12/12/1989	0.00	GW		X	x					

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Table 5
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
WS-05	31390030229	03/02/1990	0.00	GW		X	x					
WS-05	38490051731	05/17/1990	0.00	GW		X	x					
WS-05	31390083031	08/30/1990	0.00	GW		X	x					X
WS-05	31390111916	11/19/1990	0.00	GW		X	x					X
WS-05	31391022638	02/26/1991	0.00	GW		X						X
WS-05	30291052912	05/29/1991	0.00	GW		X						X
WS-05	34051060292	06/04/1992	0.00	GW		X					X	x
WS-05	225000717-04	07/17/2000	0.00	GW		X				x	X	X
WS-05	2007875	04/24/2001	0.00	GW		x				x	X	X
WS-05 Carb I	2009091	10/31/2001	0.00	GW		X					X	
WS-05 Carb I	2009102	11/08/2001	0.00	GW		x					X	
WS-05 Carb I	2009362	11/15/2001	0.00	GW		x					X	
WS-06	WS6890215	02/15/1989	0.00	GW		X	x				X	
WS-06	WS6890823	08/23/1989	0.00	GW		X	x				X	
WS-06	WS6891212	12/12/1989	0.00	GW		X	x				x	
WS-06	38490051732	05/17/1990	0.00	GW		X	x				x	
WS-06	31390083032	08/30/1990	0.00	GW		X	x				X f	X
WS-06	31390111917	11/19/1990	0.00	GW		X	x				X f	X
WS-06	31391022762	02/27/1991	0.00	GW		x					X f	X
WS-06	30291052913	05/29/1991	0.00	GW		X					X f	X
WS-06	34061061292	06/13/1992	0.00	GW							X	X
WS-07	WS7890216	02/16/1989	0.00	GW		X	x					
WS-07	WS7890823	08/23/1989	0.00	GW		X	x					
WS-07	WS7891212	12/12/1989	0.00	GW		X	x					
WS-07	31390030230	03/02/1990	0.00	GW		X	x					
WS-07	38490051733	05/17/1990	0.00	GW		X	x					
WS-07	31390083033	08/30/1990	0.00	GW		X	x					X
WS-07	31390111918	11/19/1990	0.00	GW		X	x					X
WS-07	31391022640	02/26/1991	0.00	GW		X						X
WS-07	30291052914	05/29/1991	0.00	GW		X						X
WS-07	34071061192	06/12/1992	0.00	GW		X						X
WS-07	225000717-05	07/11/2000	0.00	GW		X				x	X	X

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 5
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
WS-07	2007874	04/24/2001	0.00	GW		X				x	X	X
WS-07 Carb I	2009092	10/31/2001	0.00	GW		x					X	
WS-07 Carb I	2009104	11/08/2001	0.00	GW		X					X	
WS-07 Carb I	2009360	11/15/2001	0.00	GW		X					X	
WS-08	WS8890216	02/16/1989	0.00	GW		X	x					
WS-08	WS8890809	08/09/1989	0.00	GW		X	x					
WS-08	WS8890823	08/23/1989	0.00	GW		X	x				X	
WS-08	WS8891212	12/12/1989	0.00	GW		X	x				x	
WS-08	WS08901127	11/27/1990	0.00	GW								
WS-08	34081061292	06/13/1992	0.00	GW							X	X
WS-08	34081061692	06/16/1992	0.00	GW		X					X	X
WS-09	34091061292	06/13/1992	0.00	GW							X	X
WS-10	34101061292	06/13/1992	0.00	GW							X	X
WS-21	225000717-06	07/17/2000	0.00	GW		X				x	X	X
WS-99	34991061292	06/13/1992	0.00	GW							X	X
WT-GW-01D	1831502	11/10/1998	14.0 - 17	GW		X				x	X	
WT-GW-01S	1831501	11/10/1998	11.0 - 14	GW		x				x	X	
WT-GW-02D	1831505	11/10/1998	14 - 18	GW		x				x	X	
WT-GW-02D	1831504	11/10/1998	15.0 - 18	GW		x				x	X	
WT-GW-02S	1831503	11/10/1998	11.0 - 14	GW		x				x	X	
WT-GW-03D	1831508	11/11/1998	15.0 - 18	GW		X				X	X	
WT-GW-03S	1831507	11/11/1998	11.0 - 14	GW		X				X	X	
WT-GW-04D	1831510	11/11/1998	15.0 - 18	GW		X				X	X	
WT-GW-04S	1831509	11/11/1998	11.0 - 14	GW		x				x	X	
WT-GW-05D	1831512	11/11/1998	29.0 - 32	GW		X				x	X	
WT-GW-05S	1831511	11/11/1998	11.0 - 14	GW		x				X	X	
WT-GW-06D	1831515	11/11/1998	28 - 32	GW		X				x	X	
WT-GW-06D	1831514	11/11/1998	29.0 - 32	GW		X				x	X	
WT-GW-06S	1831513	11/11/1998	11.0 - 14	GW		x				x	X	
WT-GW-07D	1831500	11/10/1998	21.0 - 24	GW		X				x	X	
WT-GW-07S	1831499	11/10/1998	17.0 - 20	GW		X				x	X	
WT-GW-08D	1831525	11/12/1998	30.0 - 33	GW		X				x	X	

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 5
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
WT-GW-08S	1831524	11/12/1998	12.0 - 15	GW		x				x	X	
WT-GW-10D	1831522	11/12/1998	30.0 - 33	GW		X				x	X	
WT-GW-10S	1831521	11/12/1998	12.0 - 15	GW		X				X	X	
WT-GW-11D	1831528	11/13/1998	30.0 - 33	GW		X				X	X	
WT-GW-11S	1831527	11/13/1998	12.0 - 15	GW		x				X	X	
WT-GW-12D	1831531	11/13/1998	30.0 - 33	GW		X				X	X	
WT-GW-12S	1831530	11/13/1998	11 - 15	GW		x				X	X	
WT-GW-12S	1831529	11/13/1998	12.0 - 15	GW		x				X	X	
WT-GW-13D	1831537	11/16/1998	29.0 - 32	GW		x				x	X	
WT-GW-13S	1831536	11/16/1998	12.0 - 15	GW		x				x	X	
WT-GW-14D	1831541	11/16/1998	33.0 - 36	GW		x				x	X	
WT-GW-14S	1831540	11/16/1998	10.5 - 14.0	GW		x				x	X	
WT-GW-15D	1831543	11/16/1998	33.0 - 36	GW		X				x	X	
WT-GW-15S	1831542	11/16/1998	11.0 - 14	GW		X				x	X	
WT-GW-16D	1831547	11/17/1998	32.0 - 35	GW		X				X	X	
WT-GW-16S	1831546	11/17/1998	12.0 - 15	GW		X				X	X	
WT-GW-19D	1831549	11/17/1998	27.0 - 30	GW		X				X	X	
WT-GW-19S	1831548	11/17/1998	11.0 - 14	GW		X				X	X	
WT-GW-20D	1831552	11/18/1998	26.5 - 30.0	GW		X				X	X	
WT-GW-20S	1831551	11/18/1998	10.50 - 14.00	GW		X				X	X	
WT-GW-21D	1831475	11/04/1998	28.00 - 32.00	GW		X				X	X	
WT-GW-21D	1831474	11/04/1998	29.0 - 32	GW		X				X	X	
WT-GW-21S	1831473	11/04/1998	9.0 - 12.5	GW		x				X	X	
WT-GW-22D	1831477	11/04/1998	29.0 - 32	GW		X				X	X	
WT-GW-22S	1831476	11/04/1998	9.5 - 12.5	GW		X				X	X	
WT-GW-23D	1831479	11/04/1998	29.0 - 32	GW		X				X	X	
WT-GW-23S	1831478	11/04/1998	14.5 - 17.5	GW		x				x	X	
WT-GW-24D	1831484	11/06/1998	23.00 - 26.00	GW		X				X	X	
WT-GW-24S	1831483	11/06/1998	17.0 - 20	GW		X				X	X	
WT-GW-25D	1831482	11/06/1998	23.00 - 26.00	GW		X				X	X	
WT-GW-25S	1831481	11/04/1998	16 - 19	GW		X				X	X	
WT-GW-26D	1831486	11/06/1998	23.0 - 26	GW		X				X	X	

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 5
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
WT-GW-26S	1831485	11/06/1998	17.0 - 20	GW		X				x	X	
WT-GW-27D	1831488	11/06/1998	23.0 - 26	GW		X				X	X	
WT-GW-27S	1831487	11/06/1998	17.0 - 20	GW		X				X	X	
WT-GW-28D	1831491	11/09/1998	21.0 - 24	GW		X				X	X	
WT-GW-28S	1831490	11/09/1998	16.0 - 19	GW		X				X	X	
WT-GW-29D	1831494	11/09/1998	21.0 - 24	GW		X				x	X	
WT-GW-29S	1831493	11/09/1998	16.0 - 19	GW		X				x	X	
WT-GW-30D	1831497	11/09/1998	21.0 - 24	GW		X				x	X	
WT-GW-30S	1831496	11/09/1998	16.0 - 19	GW		X				x	X	
WT-GW-31D	2000982	08/03/2001	14 - 18	GWG	X	X	X		x	x	X	x
WT-GW-31S	2000983	08/03/2001	10 - 14	GWG	X	X	X		x	x	X	x
WT-GW-32D	1998469	08/01/2001	17 - 20	GWG	x							
WT-GW-32D	1998470	08/01/2001	17 - 20	GWG	x							
WT-GW-32D	1998471	08/01/2001	17 - 20	GWG		x	X		x	x	X	x
WT-GW-32D	1998472	08/01/2001	17 - 20	GWG		x	x		x	X	X	x
WT-GW-32D	2000945	08/09/2001	16 - 20	GWG		x						
WT-GW-32S	1998474	08/01/2001	11 - 14	GWG	X							
WT-GW-32S	1998475	08/01/2001	11 - 14	GWG		X	X		x	X	X	x
WT-GW-32S	2000942	08/07/2001	10 - 14	GWG		X						
WT-GW-33D	2000984	08/03/2001	14 - 18	GWG	X	X	x		x	x	X	x
WT-GW-33S	2000985	08/03/2001	10 - 13	GWG	X	X	x		x	x	X	x
WT-GW-34D	1998455	07/30/2001	21.5 - 24.5	GWG	X						x	
WT-GW-34S	1998459	07/31/2001	11 - 14	GWG		X	X		x	x	X	x
WT-GW-34S	1998461	07/31/2001	11 - 14	GWG	X							
WT-GW-35D	2000987	08/06/2001	15.00 - 18.00	GWG	X	X	x		x	x	X	x
WT-GW-35S	2000988	08/06/2001	12.6 - 15.6	GWG	X	X	x		x	x	X	x
WT-GW-36D	1998463	07/31/2001	21 - 22	GWG		x	X		x	x	X	x
WT-GW-36D	1998465	07/31/2001	21 - 22	GWG	x							
WT-GW-36S	1998464	07/31/2001	11 - 14	GWG		X	X		x	x	X	x
WT-GW-36S	1998466	07/31/2001	11 - 14	GWG	X							
WT-GW-37D	1998481	08/01/2001	17.5 - 20.5	GWG	x	X	x		x	x	X	x
WT-GW-37S	1998482	08/01/2001	12 - 15	GWG	x	X	X		x	x	X	x

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received: Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 5
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
WT-GW-38D	1998476	08/02/2001	19 - 22	GWG	x	X	X		x	x	X	x
WT-GW-38S	1998477	08/02/2001	12 - 18	GWG	x	X	X		x	X	X	X
WT-GW-38S	2000963	08/09/2001	10 - 14	GWG		X						
WT-GW-38S	2000962	08/09/2001	14 - 15	GWG		X						
WT-GW-39D	1998496	08/02/2001	18 - 21	GWG	x	X	X		x	X	X	x
WT-GW-39D	2000943	08/07/2001	16 - 20	GWG		X						
WT-GW-39S	1998497	08/02/2001	13 - 16	GWG	X	X	X		x	X	X	X
WT-GW-39S	2000944	08/07/2001	12 - 16	GWG		X						
WT-GW-40D	2000986	08/07/2001	14 - 18	GWG	X	X	x		x	x	X	x
WT-GW-40S	2000989	08/07/2001	10 - 14	GWG	X	X	x		x	X	X	x
WT-GW-41D	2000990	08/08/2001	14 - 18	GWG	X	X	x		x	x	X	x
WT-GW-41S	2000991	08/08/2001	10 - 14	GWG	X	X	X		x	x	X	x
WT-GW-42	2000923	08/07/2001	11 - 12	GWG	X							
WT-GW-42	2000924	08/07/2001	12 - 13	GWG	X							
WT-GW-42	2000925	08/07/2001	13 - 14	GWG	X							
WT-GW-42	2000926	08/07/2001	14 - 15	GWG	X							
WT-GW-42	2000927	08/07/2001	15 - 16	GWG	X							
WT-GW-42	2000928	08/07/2001	16 - 17	GWG	X							
WT-GW-42	2000929	08/07/2001	17 - 18	GWG	X							
WT-GW-42	2000930	08/07/2001	18 - 19	GWG	X							
WT-GW-43D	2010156	12/12/2001	24 - 28	GWG		x	x		x	x	X	X
WT-GW-43S	2010157	12/12/2001	16 - 19	GWG		X	X		x	x	X	x
WT-GW-44D	2010160	12/13/2001	20 - 24	GWG							x	
WT-GW-44D	2010161	12/13/2001	20 - 24	GWG							x	
WT-GW-44D	2010173	12/21/2001	20 - 24	GWG		X	x		x	x	X	x
WT-GW-44D	2010174	12/21/2001	20 - 24	GWG		X	x		x	x	X	X
WT-GW-44S	2010158	12/13/2001		GWG		X	X		x	x	X	x
WT-GW-45D	2010168	12/14/2001	19 - 22	GWG		X	x		x	x	X	x
WT-GW-45S	2010167	12/14/2001	16 - 19	GWG		X	x		x	x	X	x
WT-GW-46S	1831591	11/30/1998	11.5 - 15.0	GW		X				x	X	
WT-GW-47	1030907	08/13/2003	9.55	GW					x	x		
WT-GW-48	1030908	08/13/2003	2.00	GW					x	x		

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 5
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
WT-GW-49	1030909	08/13/2003	9.98	GW					x	x		
WT-GW-50	1030910	08/13/2003	6.90	GW					x	x		
WT-GW-51	1030911	08/13/2003	14.33	GW					x	x		
WT-GW-52	1030912	08/13/2003	0.00	GW					x	X		
WT-GW-53	1030913	08/13/2003	0.00	GW					X	X		
WT-GW-53	1030914	08/13/2003	0.00	GW					X	X		
WT-GW-54	1030970	08/20/2003	10 - 14	GWG		X					x	
WT-GW-54	1030969	08/20/2003	16 - 20	GWG		X					x	
WT-GW-54	1030968	08/20/2003	22 - 26	GWG		X					x	
WT-GW-55	1030973	08/20/2003	10 - 14	GWG		X					x	
WT-GW-55	1030972	08/20/2003	16 - 20	GWG		X					x	
WT-GW-55	1030971	08/20/2003	22 - 26	GWG		X					x	
WT-GW-56	1030976	08/20/2003	10 - 14	GWG		X					x	
WT-GW-56	1030975	08/20/2003	16 - 20	GWG		X					x	
WT-GW-56	1030974	08/20/2003	22 - 26	GWG		X					x	
WT-GW-57	1030979	08/20/2003	10 - 14	GWG		X					x	
WT-GW-57	1030978	08/20/2003	16 - 20	GWG		X					x	
WT-GW-57	1030977	08/20/2003	22 - 26	GWG		X					x	
WT-GW-58	1030982	08/21/2003	10 - 14	GWG		X					x	
WT-GW-58	1030981	08/21/2003	16 - 20	GWG		X					x	
WT-GW-58	1030980	08/21/2003	22 - 26	GWG		X					x	
WT-GW-59	1030985	08/21/2003	10 - 14	GWG		X					x	
WT-GW-59	1030984	08/21/2003	16 - 20	GWG		X					x	
WT-GW-59	1030983	08/21/2003	22 - 26	GWG		X					x	
WT-GW-60	1030988	08/21/2003	10 - 14	GWG		X					x	
WT-GW-60	1030987	08/21/2003	16 - 20	GWG		X					x	
WT-GW-60	1030986	08/21/2003	22 - 26	GWG		X					x	
WT-GW-61	1035226	09/30/2003	11 - 12	GWG		X					x	
WT-GW-61	1035227	09/30/2003	13 - 14	GWG							x	
WT-GW-61	1035228	09/30/2003	15 - 16	GWG							x	
WT-GW-61	1035229	09/30/2003	17 - 18	GWG							x	
WT-GW-61	1035230	09/30/2003	19 - 20	GWG							x	

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 5
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
WT-GW-61	1035231	09/30/2003	21 - 22	GWG							x	
WT-GW-61	1035232	09/30/2003	23 - 24	GWG		X					x	
WT-MW-01	34389011701	01/17/1989	0.00	GW		X					X	
WT-MW-01	890302WTMW1	03/02/1989	0.00	GW		X	x				X	
WT-MW-01	31389051701	05/17/1989	0.00	GW		X	x					X
WT-MW-01	31389081715	08/17/1989	0.00	GW		X	x					X
WT-MW-01	31389120402	12/04/1989	0.00	GW		X	x					X
WT-MW-01	31390022701	02/27/1990	0.00	GW		X	x					X
WT-MW-01	38490051401	05/14/1990	0.00	GW		X	x					
WT-MW-01	31390082703	08/27/1990	0.00	GW		X	x					X
WT-MW-01	31390111921	11/19/1990	0.00	GW		X	x					X
WT-MW-01	37390120605	12/06/1990	0.00	GW		X	X		x		X F	X
WT-MW-01	31391022530	02/25/1991	0.00	GW		X						X
WT-MW-01	1004752	11/08/1994	0.00	GW		X			x	x	X	x
WT-MW-02	34389011703	01/17/1989	0.00	GW		X					X	
WT-MW-02	890302WTMW2	03/02/1989	0.00	GW		X	x				X	
WT-MW-02	31389051702	05/17/1989	0.00	GW		X	x				X	X
WT-MW-02	31389081716	08/17/1989	0.00	GW		X	x				x	X
WT-MW-02	31389120403	12/04/1989	0.00	GW		X	x				x	X
WT-MW-02	31390022702	02/27/1990	0.00	GW		X	x				x	X
WT-MW-02	38490051402	05/14/1990	0.00	GW		X	x				x	
WT-MW-02	31390082704	08/27/1990	0.00	GW		X	x				X f	X
WT-MW-02	31390111922	11/19/1990	0.00	GW		X	x				X f	X
WT-MW-02	31391022531	02/25/1991	0.00	GW		X					X f	X
WT-MW-02	1004753	11/08/1994	0.00	GW		X			x	x	X	x
WT-MW-03	34389011704	01/17/1989	0.00	GW		X					X	
WT-MW-03	890302WTMW3	03/02/1989	0.00	GW		X	x				X	
WT-MW-03	31389051703	05/17/1989	0.00	GW		X	x					X
WT-MW-03	31389081817	08/18/1989	0.00	GW		X	x					X
WT-MW-03	31389120404	12/04/1989	0.00	GW		X	x					X
WT-MW-03	31390022703	02/27/1990	0.00	GW		X	x					X
WT-MW-03	38490051403	05/14/1990	0.00	GW		X	x					

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 5
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
WT-MW-03	31390082705	08/27/1990	0.00	GW		X	x					X
WT-MW-03	31390111923	11/19/1990	0.00	GW		X	x					X
WT-MW-03	31391022532	02/25/1991	0.00	GW		X						X
WT-MW-03	1004754	11/08/1994	0.00	GW		X			x	x	X	x
WT-MW-04I	37390120604	12/06/1990	22.00 - 32.00	GW		X	X		x		X F	X
WT-MW-04I	31391022863	02/28/1991	22.00 - 32.00	GW		X						X
WT-MW-04I	30291053022	05/30/1991	22.00 - 32.00	GW		X					X F	X
WT-MW-04I	1004742	11/04/1994	22.0 - 32.0	GW		X			x	x	X	X
WT-MW-04S	37390120603	12/06/1990	8.00 - 18.00	GW		X	X		x		X f	X
WT-MW-04S	31391022864	02/28/1991	8.00 - 18.00	GW		X						X
WT-MW-04S	30291053023	05/30/1991	8.00 - 18.00	GW		X					X f	X
WT-MW-04S	1004741	11/04/1994	8.00 - 18.00	GW		X			x	x	X	x
WT-MW-05D	1004735	11/07/1994	0.0	GW		X			x	x	X	X
WT-MW-05D	1845796	08/31/1999	0.00	GW		X				x	X	X
WT-MW-05S	37390120602	12/06/1990	9.50 - 19.50	GW		X	X		x		X f	X
WT-MW-05S	1004731	11/03/1994	9.50 - 19.50	GW		X	x	x	x		X	x
WT-MW-05S	1845795	08/31/1999	9.50 - 19.50	GW		X				x	X	x
WT-MW-06	37390120601	12/06/1990	9.00 - 19.00	GW		X	X		x		X F	X
WT-MW-06	1831623	12/04/1998	9.0 - 19.0	GW		X				x	X	
WT-MW-07D	1004757	11/08/1994	24.0 - 34.0	GW		X			x	X	X	X
WT-MW-07D	1845792	08/30/1999	24.0 - 34.0	GW		X				x	X	X
WT-MW-07S	37390120606	12/06/1990	11.00 - 21.00	GW		X	X		x		x F	X
WT-MW-07S	1004756	11/08/1994	0.0	GW		X			x	x	X	x
WT-MW-07S	1845791	08/30/1999	11.0 - 21.0	GW		X				x	X	X
WT-MW-08	10081111891	11/19/1991	5.80 - 15.80	GW		X					X	
WT-MW-08	10081061192	06/12/1992	5.80 - 15.80	GW		x					X	
WT-MW-08	10082061192	06/12/1992	5.8 - 15.8	GW		X					X	
WT-MW-08	1004758	11/08/1994	5.8 - 15.8	GW		X			x	x	X	x
WT-MW-09I	10092111991	11/19/1991	24.0 - 34.0	GW		X					X	
WT-MW-09I	1004762	11/09/1994	24.0 - 34.0	GW		X			x	x	X	X
WT-MW-09S	10091111991	11/19/1991	7.00 - 17.00	GW		x					X	
WT-MW-09S	1004760	11/09/1994	7.00 - 17.00	GW		x			x	x	X	x

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 5
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information						
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class	Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
WT-MW-09S	1004761	11/09/1994	7.00 - 17.00	GW	x			x	x	X	x
WT-MW-10	10101111891	11/19/1991	12.90 - 22.90	GW	X					X	
WT-MW-10	10101061192	06/12/1992	12.90 - 22.90	GW	X					X	
WT-MW-11D	WT-MW-11I	10/28/1992	30 - 40	GW	X	X		x		X	X
WT-MW-11D	1004738	11/04/1994	30.00 - 40.00	GW	X			x	x	X	x
WT-MW-11M	WT-MW-11M	10/28/1992	17 - 27	GW	X	x		x		X	X
WT-MW-11M	1004737	11/04/1994	17.00 - 27.00	GW	X			x	x	X	X
WT-MW-11M	1992877	04/11/2001	17.00 - 27.00	GW	X	x		x	x	X	X
WT-MW-11S	WT-MW-11S	10/28/1992	6.6 - 16.6	GW	X	x		x		X	X
WT-MW-11S	1004736	11/04/1994	6.60 - 16.60	GW	X			x	x	X	x
WT-MW-11S	1992876	04/11/2001	6.60 - 16.60	GW	X	x		x	x	X	x
WT-MW-11S	1992878	04/11/2001	6.60 - 16.60	GW	X	x		x	x	X	X
WT-MW-12I	WT-MW-12I	10/28/1992	29.5 - 39.5	GW	X					X	
WT-MW-12I	1004740	11/04/1994	29.50 - 39.50	GW	X			x	x	X	X
WT-MW-12S	WT-MW-12S	10/28/1992	9.5 - 19.5	GW	X					X	
WT-MW-12S	1004739	11/04/1994	9.50 - 19.50	GW	X			x	x	X	X
WT-MW-13I	WT-MW-13I	10/28/1992	30 - 40	GW	X					X	X
WT-MW-13I	1004744	11/04/1994	30.00 - 40.00	GW	X			x	x	X	X
WT-MW-13S	WT-MW-13S	10/28/1992	8 - 18	GW	X					X	
WT-MW-13S	1004743	11/04/1994	8.00 - 18.00	GW	X			x	x	X	X
WT-MW-14I	1004751	11/08/1994	37.0 - 47.0	GW	X			x	x	X	x
WT-MW-14I	1845794	08/30/1999	37.0 - 47.0	GW	X				x	X	x
WT-MW-14S	1004733	11/08/1994	0.0	GW	X	x	x	x		X	x
WT-MW-14S	1845793	08/30/1999	0.00	GW	X				x	X	x
WT-MW-15I	1004755	11/08/1994	35.0 - 45.0	GW	X			x	x	X	X
WT-MW-15I	1845790	08/30/1999	35.0 - 45.0	GW	X				x	X	X
WT-MW-15S	1004734	11/08/1994	0.0	GW	X	x	x	x		X	X
WT-MW-15S	1845789	08/30/1999	0.00	GW	x				x	X	X
WT-MW-16D	1004749	11/07/1994	0.0	GW	X			x	x	X	x
WT-MW-16D	1004750	11/07/1994	0.0	GW	X			x	x	X	x
WT-MW-16S	1004732	11/07/1994	0.0	GW	X	X	x	x		X	x
WT-MW-17I	1845832	09/07/1999	25.0 - 28.0	GW	X				x	x	x

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 5
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information						
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class	Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
WT-MW-17S	1845831	09/07/1999	6.0 - 15.0	GW	x				x	x	x
WT-MW-18I	1845837	09/08/1999	19.0 - 22.0	GW	x				x	x	x
WT-MW-18S	1845835	09/07/1999	6.0 - 15.0	GW	x				x	x	x
WT-MW-19I	1845819	09/03/1999	23.0 - 26.0	GW	X				x	X	x
WT-MW-19I	1845820	09/03/1999	23.0 - 26.0	GW	X				x	x	x
WT-MW-19S	1845818	09/03/1999	4.0 - 13.0	GW	X				x	X	x
WT-MW-19S	2112618	09/24/2002	4.00 - 13.00	GW	x			x	X	x	
WT-MW-19S	2213474	12/23/2002	4.00 - 13.00	GW	X			x	x	x	
WT-MW-19S	2215737	03/28/2003	4.00 - 13.00	GW	X			x	x	x	
WT-MW-19S	1001075	06/30/2003	4.00 - 13.00	GW	X			x	x	x	
WT-MW-19S	1001090	06/30/2003	4.00 - 13.00	GW	X			x	x	x	
WT-MW-19S	1031841	09/03/2003	4.00 - 13.00	GW	X			x	x	x	
WT-MW-19S	1038370	12/03/2003	4.00 - 13.00	GW	X			x	x	x	
WT-MW-19S	1045080	03/24/2004	4.00 - 13.00	GW	x			x	x	x	
WT-MW-19S	1048195	06/08/2004	4.00 - 13.00	GW	x			x	X	x	
WT-MW-20I	1845822	09/03/1999	31.0 - 34.0	GW	X				x	X	X
WT-MW-20I	1992857	04/10/2001	31.00 - 34.00	GW	X	X		x	x	X	X
WT-MW-20S	1845821	09/03/1999	7.0 - 16.0	GW	X				x	X	X
WT-MW-20S	1992856	04/10/2001	7.00 - 16.00	GW	X	X		x	x	X	X
WT-MW-21I	1845825	09/03/1999	22.0 - 25.0	GW	X				x	X	X
WT-MW-21I	1992855	04/10/2001	22.00 - 25.00	GW	X	X		x	X	X	X
WT-MW-21S	1845824	09/03/1999	6.0 - 15.0	GW	X				x	X	X
WT-MW-21S	1992854	04/10/2001	6.00 - 15.00	GW	X	x		x	x	X	X
WT-MW-22I	1845830	09/07/1999	28.0 - 31.0	GW	X				x	X	x
WT-MW-22I	1992858	04/10/2001	28.00 - 31.00	GW	X	x		x	x	X	x
WT-MW-23I	1845828	09/07/1999	26.0 - 29.0	GW	x				x	x	x
WT-MW-23S	1845829	09/07/1999	7.5 - 16.5	GW	x				X	x	x
WT-MW-24I	1845814	09/02/1999	22.00 - 25.00	GW	X				x	X	X
WT-MW-24I	1992882	04/11/2001	22.00 - 25.00	GW	X	X		x	x	X	X
WT-MW-24S	1845813	09/02/1999	9.6 - 18.6	GW	X				x	X	X
WT-MW-24S	1992881	04/11/2001	9.60 - 18.60	GW	X	X		x	x	X	X
WT-MW-25I	1845817	09/03/1999	22.0 - 25.0	GW	X				x	X	X

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 5
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
WT-MW-25I	1992879	04/11/2001	22.00 - 25.00	GW		X	X		x	x	X	X
WT-MW-25S	1845816	09/03/1999	6.5 - 15.5	GW		X				x	X	x
WT-MW-25S	1992880	04/11/2001	6.50 - 15.50	GW		X	x		x	x	X	X
WT-MW-26I	1845834	09/07/1999	21.0 - 24.0	GW		X				X	X	x
WT-MW-26S	1845833	09/07/1999	7.5 - 16.5	GW		x				x	x	x
WT-MW-27	34389011702	01/17/1989	0.00	GW		X					X	
WT-MW-27	890302WTRW1	03/02/1989	0.00	GW		X	x				X	
WT-MW-27	31389051704	05/17/1989	0.00	GW		X	x				X	X
WT-MW-27	31389081818	08/18/1989	0.00	GW		X	x				X	X
WT-MW-27	31389120401	12/04/1989	0.00	GW		X	x				X	
WT-MW-27	31390022704	02/27/1990	0.00	GW		X	x				X	X
WT-MW-27	38490051404	05/14/1990	0.00	GW		X	x				X	
WT-MW-27	31390111924	11/19/1990	0.00	GW		X	x				X f	X
WT-MW-27	31391022533	02/25/1991	0.00	GW		X					X f	X
WT-MW-29D	1992885	04/12/2001	13.50 - 16.50	GW		X	X			x	X	x
WT-MW-29D	1998513	08/14/2001	13.50 - 16.50	GW		x	x		x	x	X	x
WT-MW-29S	1992884	04/12/2001	1.50 - 10.50	GW		x	x			x	X	x
WT-MW-29S	1998512	08/14/2001	1.50 - 10.50	GW		x	x		x	x	X	x
WT-MW-30	1992887	04/12/2001	4.50 - 13.50	GW		x	x			x	X	x
WT-MW-30	2001002	08/14/2001	4.50 - 13.50	GW		X	x		x	x	X	x
WT-MW-31	1992886	04/12/2001	5.00 - 14.00	GW		x	x			x	X	x
WT-MW-31	1998516	08/14/2001	5.00 - 14.00	GW		x	x		x	x	X	X
WT-MW-32D	1992870	04/10/2001	17.5 - 20.5	GW		X	x		x	x	X	x
WT-MW-32D	2000993	08/15/2001	17.50 - 20.50	GW		X	x		x	x	X	x
WT-MW-32S	1992869	04/10/2001	7.0 - 16.0	GW		X	x		x	x	X	x
WT-MW-32S	2000992	08/15/2001	7.00 - 16.00	GW		X	x		x	x	X	x
WT-MW-33D	1992868	04/10/2001	15.50 - 18.50	GW		x	X		x	x	X	X
WT-MW-33D	1998525	08/15/2001	15.50 - 18.50	GW		x	X		x	x	X	X
WT-MW-33S	1992867	04/10/2001	7.00 - 16.00	GW		x	X		x	X	X	X
WT-MW-33S	1998524	08/15/2001	7.00 - 16.00	GW		X	X		x	x	X	X
WT-MW-34D	1992865	04/10/2001	15.50 - 18.50	GW		X	x		x	x	X	x
WT-MW-34D	1998521	08/15/2001	15.50 - 18.50	GW		X	x		x	x	X	x

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 5
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
WT-MW-34S	1992866	04/10/2001	7.00 - 16.00	GW		X	x		x	x	X	x
WT-MW-34S	1998522	08/15/2001	7.00 - 16.00	GW		X	x		x	x	X	x
WT-MW-35D	1992874	04/11/2001	22.50 - 25.50	GW		X	x		x	x	X	x
WT-MW-35D	2000995	08/15/2001	22.50 - 25.50	GW		X	x		x	x	X	X
WT-MW-35S	1992873	04/11/2001	5.00 - 14.00	GW		X	x		x	X	X	x
WT-MW-35S	2000994	08/15/2001	5.00 - 14.00	GW		X	x		x	x	X	X
WT-MW-36D	1992872	04/10/2001	32.3 - 35.3	GW		x	x		x	x	X	x
WT-MW-36D	2000997	08/15/2001	32.3 - 35.3	GW		x	x		x	x	X	X
WT-MW-36S	1992871	04/10/2001	5.0 - 14.0	GW		x	x		x	X	X	x
WT-MW-36S	2000996	08/15/2001	5.0 - 14.0	GW		X	x		x	x	X	X
WT-MW-37	1998517	08/14/2001	4.00 - 14.00	GW		x	x		x	x	X	x
WT-MW-37	1998518	08/14/2001	4.00 - 14.00	GW		x	x		x	x	X	x
WT-MW-38D	1998515	08/14/2001	17.50 - 20.50	GW		x	X		x	X	X	X
WT-MW-38S	1998514	08/14/2001	8.00 - 17.00	GW		x	X		x	x	X	x
WT-MW-39	1998519	08/14/2001	9.00 - 18.00	GW		x	x		x	x	X	x
WT-MW-39	2010169	12/14/2001	9.00 - 18.00	GW		x	x		x	x	X	x
WT-MW-40	2112623	09/24/2002	10.00 - 19.00	GW		X			x	X	x	
WT-MW-40	2112624	09/24/2002	10.00 - 19.00	GW		X			x	X	x	
WT-MW-40	2213476	12/23/2002	10.00 - 19.00	GW		X			x	x	X	
WT-MW-40	2215739	03/28/2003	10.00 - 19.00	GW		X			x	X	X	
WT-MW-40	1001088	06/30/2003	10.00 - 19.00	GW		X			x	x	X	
WT-MW-40	1031845	09/03/2003	10.00 - 19.00	GW		X			x	x	x	
WT-MW-40	1031847	09/03/2003	10.00 - 19.00	GW		X			x	x	x	
WT-MW-40	1038371	12/03/2003	10.00 - 19.00	GW		X			x	x	x	
WT-MW-40	1045064	03/24/2004	10.00 - 19.00	GW		X			x	x	x	
WT-MW-40	1048179	06/08/2004	10.00 - 19.00	GW		X			x	X	x	
WT-MW-41	2112611	09/23/2002	1.00 - 10.00	GW		x			x	x		
WT-MW-41	2112627	09/24/2002	1.00 - 10.00	GW							x	
WT-MW-41	2213469	12/23/2002	1.00 - 10.00	GW		x			x	x	x	
WT-MW-41	2215741	03/28/2003	1.00 - 10.00	GW		x			x	x	x	
WT-MW-41	1001081	06/30/2003	1.00 - 10.00	GW		x			x	x	x	
WT-MW-41	1031846	09/03/2003	1.00 - 10.00	GW		x			x	x	x	

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 5
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
WT-MW-41	1038378	12/03/2003	1.00 - 10.00	GW		x			x	x	x	
WT-MW-41	1045065	03/24/2004	1.00 - 10.00	GW		x			x	x	x	
WT-MW-41	1048180	06/08/2004	1.00 - 10.00	GW		x			x	x	x	
WT-MW-42	2112612	09/23/2002	1.00 - 10.00	GW		x			x	x	X	
WT-MW-42	2213468	12/23/2002	1.00 - 10.00	GW		x			x	x	X	
WT-MW-42	2215745	03/31/2003	1.00 - 10.00	GW		x			x	x	x	
WT-MW-42	1001080	06/30/2003	1.00 - 10.00	GW		x			x	x	X	
WT-MW-42	1031843	09/03/2003	1.00 - 10.00	GW		x			x	x	X	
WT-MW-42	1038379	12/03/2003	1.00 - 10.00	GW		x			x	x	X	
WT-MW-42	1045066	03/24/2004	1.00 - 10.00	GW		x			x	x	x	
WT-MW-42	1048181	06/08/2004	1.00 - 10.00	GW		x			x	X	x	
WT-MW-43	2112613	09/23/2002	3.00 - 12.00	GW		x			x	x		
WT-MW-43	2112628	09/24/2002	3.00 - 12.00	GW							x	
WT-MW-43	2213467	12/23/2002	3.00 - 12.00	GW		x			x	x	x	
WT-MW-43	2215736	03/28/2003	3.00 - 12.00	GW		x			x	x	X	
WT-MW-43	1001079	06/30/2003	3.00 - 12.00	GW		x			x	x	x	
WT-MW-43	1031842	09/03/2003	3.00 - 12.00	GW		x			x	x	x	
WT-MW-43	1038380	12/03/2003	3.00 - 12.00	GW		x			x	x	x	
WT-MW-43	1045067	03/24/2004	3.00 - 12.00	GW		x			x	x	x	
WT-MW-43	1048182	06/08/2004	3.00 - 12.00	GW		x			x	x	x	
WT-MW-44	2112614	09/23/2002	5.00 - 14.00	GW		x			x	x	x	
WT-MW-44	2213466	12/23/2002	5.00 - 14.00	GW		x			x	x	x	
WT-MW-44	2215735	03/28/2003	5.00 - 14.00	GW		x			x	x	x	
WT-MW-44	2215749	03/28/2003	5.00 - 14.00	GW		x			x	x	x	
WT-MW-44	1001074	06/30/2003	5.00 - 14.00	GW		x			x	x	x	
WT-MW-44	1031840	09/03/2003	5.00 - 14.00	GW		x			x	x	x	
WT-MW-44	1038381	12/03/2003	5.00 - 14.00	GW		x			x	x	x	
WT-MW-44	1045068	03/24/2004	5.00 - 14.00	GW		x			x	x	x	
WT-MW-44	1048183	06/08/2004	5.00 - 14.00	GW		x			x	x	x	
WT-MW-45	2112615	09/23/2002	2.50 - 11.50	GW		X			x	X	X	
WT-MW-45	2213472	12/23/2002	2.50 - 11.50	GW		x			x	X	X	
WT-MW-45	2215732	03/28/2003	2.50 - 11.50	GW		x			x	X	X	

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 5
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information						
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class	Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
WT-MW-45	1001077	06/30/2003	2.50 - 11.50	GW	X			X	X	X	
WT-MW-45	1028921	07/22/2003	2.50 - 11.50	GW				X			
WT-MW-45	1030702	07/30/2003	2.50 - 11.50	GW					X		
WT-MW-45	1031836	09/03/2003	2.50 - 11.50	GW	X			x	X	X	
WT-MW-45	1038372	12/03/2003	2.50 - 11.50	GW	X			x	X	X	
WT-MW-45	1038387	12/03/2003	2.50 - 11.50	GW	X			x	X	X	
WT-MW-45	1045069	03/24/2004	2.50 - 11.50	GW	X			x	X	X	
WT-MW-45	1045089	03/24/2004	2.50 - 11.50	GW	X			x	X	X	
WT-MW-45	1048184	06/08/2004	2.50 - 11.50	GW	X			x	X	X	
WT-MW-45	1048197	06/08/2004	2.50 - 11.50	GW	X			x	X	X	
WT-MW-46	2112616	09/23/2002	-1.50 - 7.50	GW	x			x	x	x	
WT-MW-46	2213465	12/23/2002	-1.50 - 7.50	GW	x			x	X	x	
WT-MW-46	2215733	03/28/2003	-1.50 - 7.50	GW	x			x	X	x	
WT-MW-46	1001073	06/30/2003	-1.50 - 7.50	GW	x			x	x	x	
WT-MW-46	1031838	09/03/2003	-1.50 - 7.50	GW	x			x	x	x	
WT-MW-46	1038376	12/03/2003	-1.50 - 7.50	GW	x			x	x	x	
WT-MW-46	1045072	03/24/2004	-1.50 - 7.50	GW	x			x	x	x	
WT-MW-46	1048187	06/08/2004	-1.50 - 7.50	GW	X			x	x	x	
WT-MW-47	2112619	09/24/2002	6.00 - 15.00	GW	x			x	X	x	
WT-MW-47	2213464	12/23/2002	6.00 - 15.00	GW	x			x	x	x	
WT-MW-47	2215746	03/31/2003	6.00 - 15.00	GW	x			x	x	x	
WT-MW-47	1001072	06/30/2003	6.00 - 15.00	GW	x			x	x	X	
WT-MW-47	1031835	09/03/2003	6.00 - 15.00	GW	x			x	x	X	
WT-MW-47	1038374	12/03/2003	6.00 - 15.00	GW	x			x	x	X	
WT-MW-47	1045075	03/24/2004	6.00 - 15.00	GW	x			x	x	X	
WT-MW-47	1048190	06/08/2004	6.00 - 15.00	GW	x			x	x	X	
WT-MW-48	2112621	09/24/2002	0.00	GW	x			x	X	x	
WT-MW-48	2213471	12/23/2002	0.00	GW	x			x	X	X	
WT-MW-48	2215730	03/28/2003	0.00	GW	X			x	X	X	
WT-MW-48	1001076	06/30/2003	0.00	GW	x			x	x	X	
WT-MW-48	1031837	09/03/2003	0.00	GW	X			x	X	X	
WT-MW-48	1038377	12/03/2003	0.00	GW	x			x	X	X	

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 5
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information						
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class	Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
WT-MW-48	1045076	03/24/2004	0.00	GW	x			x	X	X	
WT-MW-48	1048191	06/08/2004	0.00	GW	x			x	x	X	
WT-MW-49	2112620	09/24/2002	0.00	GW	x			x	X	x	
WT-MW-49	2213473	12/23/2002	0.00	GW	x			x	x	x	
WT-MW-49	2213482	12/23/2002	0.00	GW	x			x	x	X	
WT-MW-49	2215734	03/28/2003	0.00	GW	x			x	X	x	
WT-MW-49	1001078	06/30/2003	0.00	GW	x			x	x	X	
WT-MW-49	1031839	09/03/2003	0.00	GW	x			x	x	X	
WT-MW-49	1038375	12/03/2003	0.00	GW	x			x	x	X	
WT-MW-49	1045077	03/24/2004	0.00	GW	x			x	x	X	
WT-MW-49	1048192	06/08/2004	0.00	GW	x			x	X	X	
WT-MW-50	2112622	09/24/2002	16.0 - 26.0	GW	x			x	X	x	
WT-MW-50	2213475	12/23/2002	16.0 - 26.0	GW	X			x	X	X	
WT-MW-50	2215738	03/28/2003	16.0 - 26.0	GW	X			x	X	X	
WT-MW-50	1001089	06/30/2003	16.0 - 26.0	GW	X			x	X	X	
WT-MW-50	1031844	09/03/2003	16.0 - 26.0	GW	X			x	X	X	
WT-MW-50	1038373	12/03/2003	16.0 - 26.0	GW	X			x	X	X	
WT-MW-50	1045079	03/24/2004	16.0 - 26.0	GW	X			x	X	X	
WT-MW-50	1048194	06/08/2004	16.0 - 26.0	GW	X			x	X	X	
WT-MW-51	1050302	07/15/2004	16.00 - 26.00	GWS	X					x	
WT-MW-52	1050306	07/15/2004		GWS	X					x	
WT-MW-53	1050303	07/15/2004	16.00 - 26.00	GWS	x					x	
WT-MW-54	1050304	07/15/2004	14.50 - 24.50	GWS	X					x	
WT-MW-55	1050305	07/15/2004	16.00 - 26.00	GWS	X					x	
WT-PZ-05	1832698	12/04/1998	8.0 - 17.0	GW	X	X				X	
WT-PZ-05	1832699	12/04/1998	8.0 - 17.0	GW	x	X		x	X	x	
WT-PZ-05	1834784	02/10/1999	8.0 - 17.0	GW	X	X		x	X	x	
WT-PZ-05	1834785	02/10/1999	8.0 - 17.0	GW	X	X		x	X	x	
WT-PZ-06	1832691	12/04/1998	11.0 - 20.0	GW	X	x		x	X	x	
WT-PZ-06	1834779	02/10/1999	11.0 - 20.0	GW	x			x	X		
WT-PZ-07	1832690	12/04/1998	7.0 - 17.0	GW	x			x	x	x	
WT-PZ-07	1834778	02/10/1999	7.0 - 17.0	GW		x		x			

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Table 5
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
WT-PZ-08	1832694	12/04/1998	6.0 - 16.0	GW		X	x				X	
WT-PZ-08	1834781	02/10/1999	6.0 - 16.0	GW		X			x	X	X	
WT-PZ-09	1832692	12/04/1998	7.0 - 17.0	GW		X	x		X		x	
WT-PZ-09	1834780	02/10/1999	7.0 - 17.0	GW		X			X	X		
WT-PZ-10	1832695	12/04/1998	5.0 - 10.0	GW		x	x		X		x	
WT-PZ-10	1834782	02/10/1999	5.0 - 10.0	GW					X	X	X	
WT-PZ-11	1832696	12/04/1998	3.0 - 12.0	GW		x			x	x	X	
WT-PZ-11	1834783	02/10/1999	3.0 - 12.0	GW			x		x		x	
WT-PZ-12	1832697	12/04/1998	5.0 - 10.0	GW		X	x		x	X	x	
WT-PZ-12	1834786	02/10/1999	5.0 - 10.0	GW		X			x	x		
WT-SB-145	1989354	02/12/2001		GWG		X	x		x	x	X	X
WT-SB-147	1995417	04/20/2001	10 - 12	GWG		X	X		x	x	X	X
XT-MW-01	31389051811	05/18/1989	5.00 - 20.00	GW		X	x				X	X
XT-MW-01	31389081714	08/17/1989	5.00 - 20.00	GW		X	x				x	X
XT-MW-01	31389120724	12/07/1989	5.00 - 20.00	GW		X	x				X	X
XT-MW-01	31390030118	03/01/1990	5.00 - 20.00	GW		X	x				x	X
XT-MW-01	38490051511	05/15/1990	5.00 - 20.00	GW		x	x				X	
XT-MW-01	31390082913	08/29/1990	5.00 - 20.00	GW		X	x				X f	X
XT-MW-01	31390111609	11/16/1990	5.00 - 20.00	GW		X	x				X f	X
XT-MW-01	31391022529	02/25/1991	5.00 - 20.00	GW		X					X f	X
XT-MW-01	16011061192	06/12/1992	5.00 - 20.00	GW		x					X	
XT-RW-01	XTRW1890216	02/16/1989	0.00	GW		x	x					
XT-RW-01	31389051816	05/18/1989	0.00	GW		X	x					X
XT-RW-01	31389081713	08/17/1989	0.00	GW		x	x					X
XT-RW-01	31389120722	12/07/1989	0.00	GW		x	x					X
XT-RW-01	31390030115	03/01/1990	0.00	GW		x	x					X
XT-RW-01	38490051512	05/15/1990	0.00	GW		X	x					
XT-RW-01	31390082912	08/29/1990	0.00	GW		x	x					X
XT-RW-01	31390111610	11/16/1990	0.00	GW		x	x					X
XT-RW-01	31391022528	02/25/1991	0.00	GW		x						X
XT-RW-02	XTRW2890216	02/16/1989	0.00	GW		x	x					
XT-RW-02	31889052601	05/26/1989	0.00	GW		x	x					

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 5
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
XT-RW-02	XTRW2890825	08/25/1989	0.00	GW		X	x					
XT-RW-02	31389120721	12/07/1989	0.00	GW		x	x					X
XT-RW-02	31390030116	03/01/1990	0.00	GW		x	x					X
XT-RW-02	38490051617	05/16/1990	0.00	GW		x	x					
XT-RW-02	31390082914	08/29/1990	0.00	GW		x	x					X
XT-RW-02	31390111611	11/16/1990	0.00	GW		X	x					X
XT-RW-02	31391022527	02/25/1991	0.00	GW		X						X
XT-RW-02D	31889052602	05/26/1989	0.00	GW		X	x					
XT-RW-03	XTRW3890216	02/16/1989	0.00	GW		x	x					
XT-RW-03	31389051815	05/18/1989	0.00	GW		X	x					X
XT-RW-03	31389081712	08/17/1989	0.00	GW		x	x					X
XT-RW-03	31389120720	12/07/1989	0.00	GW		x	x					X
XT-RW-03	31390030117	03/01/1990	0.00	GW		x	x					X
XT-RW-03	38490051624	05/16/1990	0.00	GW		x	x					
XT-RW-03	31390082915	08/29/1990	0.00	GW		x	x					X
XT-RW-03	31390112141	11/21/1990	0.00	GW		x	x					X
XT-RW-03	31391022525	02/25/1991	0.00	GW		x						X
XT-SB-01	1969157	08/23/2000	13 - 15	GWG		X			x		X	
XT-SB-04	1995650	05/16/2001	7 - 12	GWG		x	x					
XT-SB-08	1995649	05/16/2001	7 - 12	GWG		X	X					
unknown	14011031892	03/18/1992	0.00	GW								x

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/13/2004

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	AB-GW-01	AB-GW-08	AB-GW-08	AB-GW-09	AB-GW-09	AB-GW-10	AB-GW-10
	Sample ID	2007734	1023703	1023702	1023705	1023704	1023708	1023707
	Sample Date	10/01/2001	07/23/2003	07/23/2003	07/23/2003	07/23/2003	07/23/2003	07/23/2003
	Sample Time	13:18	11:10	10:45	12:10	11:45	13:30	13:10
	Sample Depth	10' - 14'	9' - 13.9'	21' - 24.9'	9.1' - 13'	21.1' - 25'	9.1' - 13'	21.1' - 25'
	Laboratory	PREM	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM
	Lab. Number	E110047-01	M33349-3	M33349-2	M33349-5	M33349-4	M33349-7	M33349-6
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft		10.7	10.5	10.7	10.7	10.7	10.7
Water Elevation	Ft							
Date Metals Analyzed	-			07/23/2003				
Date Organics Analyzed	-		07/28/2003	07/28/2003	07/28/2003	07/25/2003	07/25/2003	07/25/2003
Date Physical Analyzed	-							
Aluminum	mg/L							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Chromium, Total (dissolved)	mg/L							
Chromium, Hexavalent	mg/L	17		11.7				
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	AB-GW-01	AB-GW-08	AB-GW-08	AB-GW-09	AB-GW-09	AB-GW-10	AB-GW-10
	Sample ID	2007734	1023703	1023702	1023705	1023704	1023708	1023707
	Sample Date	10/01/2001	07/23/2003	07/23/2003	07/23/2003	07/23/2003	07/23/2003	07/23/2003
	Sample Time	13:18	11:10	10:45	12:10	11:45	13:30	13:10
	Sample Depth	10' - 14'	9' - 13.9'	21' - 24.9'	9.1' - 13'	21.1' - 25'	9.1' - 13'	21.1' - 25'
	Laboratory	PREM	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM
	Lab. Number	E110047-01	M33349-3	M33349-2	M33349-5	M33349-4	M33349-7	M33349-6
Constituent	Units							
Silver	mg/L							
Titanium	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l		171	138	87.0	116		
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l		627	3190	1300	4130	229	680
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l		341	562	190	515		246
Tetrachloroethylene (PCE)	ug/l		470	8350	1440	2310	959	1650
Trichloroethylene (TCE)	ug/l			4720		24800		11300
Bromomethane	ug/l							
Methylene Chloride	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
m-Xylene (1,3-Dimethylbenzene)	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
p-Xylene (1,4-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	AB-GW-11	AB-GW-11	AB-GW-12	AB-GW-12	AB-GW-13	AB-GW-13	AB-GW-14
	Sample ID	1023710	1023709	1023712	1023711	1023722	1023721	1023724
	Sample Date	07/23/2003	07/23/2003	07/23/2003	07/23/2003	07/28/2003	07/28/2003	07/28/2003
	Sample Time	15:00	14:45	16:07	15:45	10:45	10:25	11:45
	Sample Depth	9.1' - 13'	19.1' - 25'	9' - 13.9'	21.1' - 25'	9.1' - 13.0'	21.1' - 25.00	9.1' - 13.0'
	Laboratory	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM
	Lab. Number	M33349-9	M33349-8	M33354-2	M33354-1	M33414-3	M33414-2	M33414-5
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft	10.7	10.7	10.05	10.5	10.7	10.7	10.7
Water Elevation	Ft							
Date Metals Analyzed	-							
Date Organics Analyzed	-	07/25/2003	07/25/2003	07/28/2003	07/25/2003	07/30/2003	07/30/2003	07/30/2003
Date Physical Analyzed	-							
Aluminum	mg/L							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Chromium, Total (dissolved)	mg/L							
Chromium, Hexavalent	mg/L							
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	AB-GW-11	AB-GW-11	AB-GW-12	AB-GW-12	AB-GW-13	AB-GW-13	AB-GW-14
	Sample ID	1023710	1023709	1023712	1023711	1023722	1023721	1023724
	Sample Date	07/23/2003	07/23/2003	07/23/2003	07/23/2003	07/28/2003	07/28/2003	07/28/2003
	Sample Time	15:00	14:45	16:07	15:45	10:45	10:25	11:45
	Sample Depth	9.1' - 13'	19.1' - 25'	9' - 13.9'	21.1' - 25'	9.1' - 13.0'	21.1' - 25.00	9.1' - 13.0'
	Laboratory	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM
	Lab. Number	M33349-9	M33349-8	M33354-2	M33354-1	M33414-3	M33414-2	M33414-5
Constituent	Units							
Silver	mg/L							
Titanium	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l	129						
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l	997	2240	298	706		173	
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l	1110	368	273	306	6080	534	77.9
Tetrachloroethylene (PCE)	ug/l	2900	5080	608	4750	116	908	
Trichloroethylene (TCE)	ug/l	10900	15200	6720	17800		38600	
Bromomethane	ug/l							
Methylene Chloride	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
m-Xylene (1,3-Dimethylbenzene)	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
p-Xylene (1,4-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	AB-GW-14	AB-MW-01I	AB-MW-01I	AB-MW-01S	AB-MW-01S	AB-MW-02	CB-GW-02
	Sample ID	1023723	1845812	1023698	1845811	1023697	1023699	2007738
	Sample Date	07/28/2003	09/02/1999	07/22/2003	09/02/1999	07/22/2003	07/22/2003	10/01/2001
	Sample Time	11:30	12:50	12:35	12:30	12:20	13:02	16:20
	Sample Depth	21.1' - 25.0'	23.00' - 26.0	23.00' - 26.0	7.0' - 16.0'	7.00' - 16.00	7.00' - 13.00	9' - 13'
	Laboratory	ACTM	QUAN	ACTM	QUAN	ACTM	ACTM	PREM
	Lab. Number	M33414-4	A9I080187004	M33300-7	A9I080187002	M33300-6	M33300-8	E110047-05
Constituent	Units							
Depth of Well	Ft		25.20	25.24	15.74	15.77	15.48	
Depth To Water	Ft	10.7	10.03	10.27	10.20	10.32	10.53	
Water Elevation	Ft		28.34	28.10	28.25	28.13		
Date Metals Analyzed	-	07/29/2003						
Date Organics Analyzed	-	07/31/2003	09/14/1999	07/24/2003	09/14/1999	07/24/2003	07/24/2003	
Date Physical Analyzed	-							
Aluminum	mg/L							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Chromium, Total (dissolved)	mg/L							
Chromium, Hexavalent	mg/L	27.7						1.4
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							

Table 6

SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	AB-GW-14	AB-MW-01I	AB-MW-01I	AB-MW-01S	AB-MW-01S	AB-MW-02	CB-GW-02
	Sample ID	1023723	1845812	1023698	1845811	1023697	1023699	2007738
	Sample Date	07/28/2003	09/02/1999	07/22/2003	09/02/1999	07/22/2003	07/22/2003	10/01/2001
	Sample Time	11:30	12:50	12:35	12:30	12:20	13:02	16:20
	Sample Depth	21.1' - 25.0'	23.00' - 26.0	23.00' - 26.0	7.0' - 16.0'	7.00' - 16.00	7.00' - 13.00	9' - 13'
	Laboratory	ACTM	QUAN	ACTM	QUAN	ACTM	ACTM	PREM
	Lab. Number	M33414-4	A9I080187004	M33300-7	A9I080187002	M33300-6	M33300-8	E110047-05
Constituent	Units							
Silver	mg/L							
Titanium	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l	110		68.1		160	64.7	
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l	778	1400	2930		7450	1200	
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l	1190		497		377	128	
Tetrachloroethylene (PCE)	ug/l	2880		14900		12100	1820	
Trichloroethylene (TCE)	ug/l	9940	6900	49700	33000	15100	2550	
Bromomethane	ug/l							
Methylene Chloride	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
m-Xylene (1,3-Dimethylbenzene)	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
p-Xylene (1,4-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Printed on 09/13/2004

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	CB-GW-06	CB-GW-06	CB-GW-07	CB-GW-07	CB-GW-08	CB-GW-08	CB-GW-09
	Sample ID	1023715	1023714	1023717	1023716	1023718	1023719	1023733
	Sample Date	07/24/2003	07/24/2003	07/24/2003	07/24/2003	07/24/2003	07/24/2003	07/30/2003
	Sample Time	12:15	12:00	13:30	13:10	15:10	15:30	11:00
	Sample Depth	9.1' - 13'	21.1' - 25'	9.1' - 13'	21.1' - 25'	9.1' - 13'	21.1' - 25'	9.1' - 13'
	Laboratory	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM
	Lab. Number	M33372-3	M33372-2	M33372-5	M33372-4	M33372-6	M33379-1	M33466-2
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft	10.7	10.7	10.7	10.7	10.7	10.7	10.5
Water Elevation	Ft							
Date Metals Analyzed	-	07/24/2003	07/24/2003					
Date Organics Analyzed	-	07/28/2003	07/29/2003	07/29/2003	07/29/2003	07/29/2003	07/29/2003	08/01/2003
Date Physical Analyzed	-							
Aluminum	mg/L							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Chromium, Total (dissolved)	mg/L							
Chromium, Hexavalent	mg/L	28.9	4.1					
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							

Printed on 09/13/2004

Table 6

SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	CB-GW-06	CB-GW-06	CB-GW-07	CB-GW-07	CB-GW-08	CB-GW-08	CB-GW-09
	Sample ID	1023715	1023714	1023717	1023716	1023718	1023719	1023733
	Sample Date	07/24/2003	07/24/2003	07/24/2003	07/24/2003	07/24/2003	07/24/2003	07/30/2003
	Sample Time	12:15	12:00	13:30	13:10	15:10	15:30	11:00
	Sample Depth	9.1' - 13'	21.1' - 25'	9.1' - 13'	21.1' - 25'	9.1' - 13'	21.1' - 25'	9.1' - 13'
	Laboratory	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM
	Lab. Number	M33372-3	M33372-2	M33372-5	M33372-4	M33372-6	M33379-1	M33466-2
Constituent	Units							
Silver	mg/L							
Titanium	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l	134		79.4	448	61.7		59.0
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l	1070	752	9010	44000	1720	857	
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l	353	484	211	302	364	356	807
Tetrachloroethylene (PCE)	ug/l	4130	2990	6440	4090	4530	2200	137
Trichloroethylene (TCE)	ug/l	10000	15300	12600	26900	10900	13300	
Bromomethane	ug/l							
Methylene Chloride	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
m-Xylene (1,3-Dimethylbenzene)	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
p-Xylene (1,4-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Printed on 09/13/2004

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	CB-GW-09	CB-GW-10	CB-GW-10	CB-GW-11	CB-GW-11	CB-GW-12	CB-GW-12
	Sample ID	1023734	1023736	1023735	1023738	1023737	1023743	1023744
	Sample Date	07/30/2003	07/30/2003	07/30/2003	07/30/2003	07/30/2003	08/12/2003	08/12/2003
	Sample Time	11:45	14:50	13:45	14:30	14:15	11:20	11:34
	Sample Depth	20.1' - 24'	9.1' - 13'	20.1' - 24'	9.1' - 13'	20.1' - 24'	11' - 12'	12' - 13'
	Laboratory	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM
	Lab. Number	M33466-3	M33466-5	M33466-4	M33466-7	M33466-6	M33729-1	M33729-2
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft	10.5	10.5	10.5	10.5	10.5	10.1	10.1
Water Elevation	Ft							
Date Metals Analyzed	-	07/31/2003					08/13/2003	08/13/2003
Date Organics Analyzed	-	08/01/2003	08/01/2003	08/01/2003	08/01/2003	08/01/2003		
Date Physical Analyzed	-							
Aluminum	mg/L							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Chromium, Total (dissolved)	mg/L							
Chromium, Hexavalent	mg/L	12.3					7.2	11.9
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							

Printed on 09/13/2004

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	CB-GW-09	CB-GW-10	CB-GW-10	CB-GW-11	CB-GW-11	CB-GW-12	CB-GW-12
	Sample ID	1023734	1023736	1023735	1023738	1023737	1023743	1023744
	Sample Date	07/30/2003	07/30/2003	07/30/2003	07/30/2003	07/30/2003	08/12/2003	08/12/2003
	Sample Time	11:45	14:50	13:45	14:30	14:15	11:20	11:34
	Sample Depth	20.1' - 24'	9.1' - 13'	20.1' - 24'	9.1' - 13'	20.1' - 24'	11' - 12'	12' - 13'
	Laboratory	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM
	Lab. Number	M33466-3	M33466-5	M33466-4	M33466-7	M33466-6	M33729-1	M33729-2
Constituent	Units							
Silver	mg/L							
Titanium	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l	91.3	66.6	64.3				
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l	1250		129		157		
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l	647	176	322	270	749		
Tetrachloroethylene (PCE)	ug/l	2150	835	4540		1750		
Trichloroethylene (TCE)	ug/l	11200	4840	20600		21200		
Bromomethane	ug/l							
Methylene Chloride	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
m-Xylene (1,3-Dimethylbenzene)	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
p-Xylene (1,4-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Printed on 09/13/2004

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	CB-GW-12	CB-GW-12	CB-GW-12	CB-GW-12	CB-GW-12	CB-GW-12	CB-GW-12
	Sample ID	1023745	1023746	1023747	1023748	1023749	1023750	1023751
	Sample Date	08/12/2003	08/12/2003	08/12/2003	08/12/2003	08/12/2003	08/12/2003	08/12/2003
	Sample Time	11:45	11:55	12:20	12:45	12:55	13:10	13:30
	Sample Depth	13' - 14'	14' - 15'	15' - 16'	16' - 17'	17' - 18'	18' - 19'	19' - 20'
	Laboratory	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM
	Lab. Number	M33729-3	M33729-4	M33729-5	M33729-6	M33729-7	M33729-8	M33729-9
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft	10.1	10.1	10.1	10.1	10.1	10.1	10.1
Water Elevation	Ft							
Date Metals Analyzed	-	08/13/2003	08/13/2003	08/13/2003	08/13/2003	08/13/2003	08/13/2003	08/13/2003
Date Organics Analyzed	-							
Date Physical Analyzed	-							
Aluminum	mg/L							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Chromium, Total (dissolved)	mg/L							
Chromium, Hexavalent	mg/L	24.2	26.0	31.2	72.6	89.3	91.6	26.8
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	CB-GW-12	CB-GW-12	CB-GW-12	CB-GW-12	CB-GW-12	CB-GW-12	CB-GW-12
	Sample ID	1023745	1023746	1023747	1023748	1023749	1023750	1023751
	Sample Date	08/12/2003	08/12/2003	08/12/2003	08/12/2003	08/12/2003	08/12/2003	08/12/2003
	Sample Time	11:45	11:55	12:20	12:45	12:55	13:10	13:30
	Sample Depth	13' - 14'	14' - 15'	15' - 16'	16' - 17'	17' - 18'	18' - 19'	19' - 20'
	Laboratory	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM
	Lab. Number	M33729-3	M33729-4	M33729-5	M33729-6	M33729-7	M33729-8	M33729-9
Constituent	Units							
Silver	mg/L							
Titanium	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l							
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l							
Tetrachloroethylene (PCE)	ug/l							
Trichloroethylene (TCE)	ug/l							
Bromomethane	ug/l							
Methylene Chloride	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
m-Xylene (1,3-Dimethylbenzene)	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
p-Xylene (1,4-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	CB-GW-12	CB-GW-12	CB-GW-12	CB-GW-13	CB-GW-13	CB-GW-13	CB-GW-14
	Sample ID	1023752	1023753	1023754	1035201	1035202	1035206	1035207
	Sample Date	08/12/2003	08/12/2003	08/12/2003	09/23/2003	09/23/2003	09/23/2003	09/23/2003
	Sample Time	13:40	13:50	14:05	12:15	12:20	13:10	15:05
	Sample Depth	20' - 21'	21' - 22'	22' - 23'	11' - 12'	13' - 14'	21' - 22'	11' - 12'
	Laboratory	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM
	Lab. Number	M33729-10	M33729-11	M33729-12	M34604-1	M34604-2	M34604-6	M34604-8
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft	10.1	10.1	10.1				
Water Elevation	Ft							
Date Metals Analyzed	-	08/13/2003	08/13/2003	08/13/2003	09/24/2003	09/24/2003		09/24/2003
Date Organics Analyzed	-				09/26/2003		09/26/2003	09/26/2003
Date Physical Analyzed	-							
Aluminum	mg/L							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Chromium, Total (dissolved)	mg/L							
Chromium, Hexavalent	mg/L	7.9	9.5	17.6	11.7	3.3		7.7
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	CB-GW-12	CB-GW-12	CB-GW-12	CB-GW-13	CB-GW-13	CB-GW-13	CB-GW-14
	Sample ID	1023752	1023753	1023754	1035201	1035202	1035206	1035207
	Sample Date	08/12/2003	08/12/2003	08/12/2003	09/23/2003	09/23/2003	09/23/2003	09/23/2003
	Sample Time	13:40	13:50	14:05	12:15	12:20	13:10	15:05
	Sample Depth	20' - 21'	21' - 22'	22' - 23'	11' - 12'	13' - 14'	21' - 22'	11' - 12'
	Laboratory	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM
	Lab. Number	M33729-10	M33729-11	M33729-12	M34604-1	M34604-2	M34604-6	M34604-8
Constituent	Units							
Silver	mg/L							
Titanium	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l						233	115
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l				2820		47200	4710
trans-1,2-Dichloroethene	ug/l						77.3	
cis-1,2-Dichloroethylene	ug/l				258		3090	452
Tetrachloroethylene (PCE)	ug/l				961		1240	755
Trichloroethylene (TCE)	ug/l				3310		6760	6400
Bromomethane	ug/l							
Methylene Chloride	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
m-Xylene (1,3-Dimethylbenzene)	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
p-Xylene (1,4-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	CB-GW-14	CB-GW-14	CB-GW-14	CB-GW-14	CB-GW-15	CB-GW-15	CB-GW-16
	Sample ID	1035209	1035210	1035211	1035212	1035214	1035218	1035219
	Sample Date	09/23/2003	09/23/2003	09/23/2003	09/23/2003	09/24/2003	09/24/2003	09/24/2003
	Sample Time	15:15	15:25	15:35	15:45	11:49	12:27	13:55
	Sample Depth	13' - 14'	15' - 16'	17' - 18'	19' - 20'	11' - 12'	19' - 20'	11' - 12'
	Laboratory	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM
	Lab. Number	M34604-9	M34604-10	M34604-11	M34610-1	M34627-1	M34627-5	M34627-6
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft							
Water Elevation	Ft							
Date Metals Analyzed	-	09/24/2003	09/24/2003	09/24/2003	09/24/2003			09/25/2003
Date Organics Analyzed	-					10/01/2003	10/01/2003	10/01/2003
Date Physical Analyzed	-							
Aluminum	mg/L							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Chromium, Total (dissolved)	mg/L							
Chromium, Hexavalent	mg/L	17.4	20.6	2.3	1.8			11.3
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	CB-GW-14	CB-GW-14	CB-GW-14	CB-GW-14	CB-GW-15	CB-GW-15	CB-GW-16
	Sample ID	1035209	1035210	1035211	1035212	1035214	1035218	1035219
	Sample Date	09/23/2003	09/23/2003	09/23/2003	09/23/2003	09/24/2003	09/24/2003	09/24/2003
	Sample Time	15:15	15:25	15:35	15:45	11:49	12:27	13:55
	Sample Depth	13' - 14'	15' - 16'	17' - 18'	19' - 20'	11' - 12'	19' - 20'	11' - 12'
	Laboratory	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM
	Lab. Number	M34604-9	M34604-10	M34604-11	M34610-1	M34627-1	M34627-5	M34627-6
Constituent	Units							
Silver	mg/L							
Titanium	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l							73.9
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l							148
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l					102	769	568
Tetrachloroethylene (PCE)	ug/l					373	941	492
Trichloroethylene (TCE)	ug/l						4980	5670
Bromomethane	ug/l							
Methylene Chloride	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
m-Xylene (1,3-Dimethylbenzene)	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
p-Xylene (1,4-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	CB-GW-16	CB-GW-16	CB-GW-16	CB-GW-16	CB-GW-17	CB-GW-18	CB-GW-18
	Sample ID	1035220	1035223	1035224	1035225	1035245	1035269	1035511
	Sample Date	09/24/2003	09/24/2003	09/24/2003	09/24/2003	10/01/2003	10/06/2003	10/06/2003
	Sample Time	14:00	14:30	14:48	14:58	12:55	14:05	14:30
	Sample Depth	13' - 14'	19' - 20'	21' - 22'	23' - 24'	21' - 22'	11' - 12'	19' - 20'
	Laboratory	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM
	Lab. Number	M34627-7	M34627-10	M34627-11	M34627-12	M34828-6	M34966-5	M34935-28
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft							
Water Elevation	Ft							
Date Metals Analyzed	-	09/25/2003	09/25/2003	09/25/2003	09/25/2003			10/07/2003
Date Organics Analyzed	-				10/01/2003	10/07/2003	10/16/2003	
Date Physical Analyzed	-							
Aluminum	mg/L							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Chromium, Total (dissolved)	mg/L							
Chromium, Hexavalent	mg/L	7.0	7.2	27.8	2.0			1.3
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	CB-GW-16	CB-GW-16	CB-GW-16	CB-GW-16	CB-GW-17	CB-GW-18	CB-GW-18
	Sample ID	1035220	1035223	1035224	1035225	1035245	1035269	1035511
	Sample Date	09/24/2003	09/24/2003	09/24/2003	09/24/2003	10/01/2003	10/06/2003	10/06/2003
	Sample Time	14:00	14:30	14:48	14:58	12:55	14:05	14:30
	Sample Depth	13' - 14'	19' - 20'	21' - 22'	23' - 24'	21' - 22'	11' - 12'	19' - 20'
	Laboratory	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM
	Lab. Number	M34627-7	M34627-10	M34627-11	M34627-12	M34828-6	M34966-5	M34935-28
Constituent	Units							
Silver	mg/L							
Titanium	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l				484	1460	422	
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l				543	262	322	
Tetrachloroethylene (PCE)	ug/l				1660	568	870	
Trichloroethylene (TCE)	ug/l				7540	4600	5580	
Bromomethane	ug/l							
Methylene Chloride	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
m-Xylene (1,3-Dimethylbenzene)	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
p-Xylene (1,4-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	CB-GW-18	CB-GW-18	CB-GW-19	CB-GW-19	CB-GW-19	CB-GW-19	CB-GW-19
	Sample ID	1035512	1035513	1035246	1035250	1035251	1035252	1035253
	Sample Date	10/06/2003	10/06/2003	10/01/2003	10/01/2003	10/01/2003	10/01/2003	10/01/2003
	Sample Time	14:40	14:50	14:35	15:05	15:20	15:30	15:40
	Sample Depth	21' - 22'	23' - 24'	11' - 12'	19' - 20'	21' - 22'	23' - 24'	25' - 26'
	Laboratory	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM
	Lab. Number	M34935-19	M34966-6	M34828-7	M34828-11	M34828-12	M34828-13	M34828-14
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft							
Water Elevation	Ft							
Date Metals Analyzed	-	10/07/2003			10/02/2003	10/02/2003	10/02/2003	10/02/2003
Date Organics Analyzed	-		10/16/2003	10/07/2003		10/09/2003	10/09/2003	10/09/2003
Date Physical Analyzed	-							
Aluminum	mg/L							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Chromium, Total (dissolved)	mg/L							
Chromium, Hexavalent	mg/L	10.5			0.36	15.6	21.6	0.84
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	CB-GW-18	CB-GW-18	CB-GW-19	CB-GW-19	CB-GW-19	CB-GW-19	CB-GW-19
	Sample ID	1035512	1035513	1035246	1035250	1035251	1035252	1035253
	Sample Date	10/06/2003	10/06/2003	10/01/2003	10/01/2003	10/01/2003	10/01/2003	10/01/2003
	Sample Time	14:40	14:50	14:35	15:05	15:20	15:30	15:40
	Sample Depth	21' - 22'	23' - 24'	11' - 12'	19' - 20'	21' - 22'	23' - 24'	25' - 26'
	Laboratory	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM
	Lab. Number	M34935-19	M34966-6	M34828-7	M34828-11	M34828-12	M34828-13	M34828-14
Constituent	Units							
Silver	mg/L							
Titanium	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l		55.1					
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l		1390	146		1810	4030	1450
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l		507	224		1090	752	655
Tetrachloroethylene (PCE)	ug/l		1680	324		5740	4100	2210
Trichloroethylene (TCE)	ug/l		8910	2550		25100	12800	9530
Bromomethane	ug/l							
Methylene Chloride	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
m-Xylene (1,3-Dimethylbenzene)	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
p-Xylene (1,4-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	CB-GW-20	CB-GW-20	CB-GW-20	CB-GW-20	CB-GW-21	CB-GW-21	CB-GW-21
	Sample ID	1035255	1035259	1035260	1035261	1035262	1035262	1035263
	Sample Date	10/06/2003	10/06/2003	10/06/2003	10/06/2003	10/06/2003	10/06/2003	10/06/2003
	Sample Time	10:20	10:40	10:50	11:00	12:00	12:00	12:15
	Sample Depth	11' - 12'	19' - 20'	21' - 22'	23' - 24'	11' - 12'	11' - 12'	13' - 14'
	Laboratory	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM
	Lab. Number	M34966-1	M34935-5	M34935-6	M34966-2	M34935-8	M34966-3	M34935-9
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft							
Water Elevation	Ft							
Date Metals Analyzed	-		10/07/2003	10/07/2003		10/07/2003		10/07/2003
Date Organics Analyzed	-	10/15/2003			10/15/2003		10/15/2003	
Date Physical Analyzed	-							
Aluminum	mg/L							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Chromium, Total (dissolved)	mg/L							
Chromium, Hexavalent	mg/L		7.1	11.0		9.3		2.2
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	CB-GW-20	CB-GW-20	CB-GW-20	CB-GW-20	CB-GW-21	CB-GW-21	CB-GW-21
	Sample ID	1035255	1035259	1035260	1035261	1035262	1035262	1035263
	Sample Date	10/06/2003	10/06/2003	10/06/2003	10/06/2003	10/06/2003	10/06/2003	10/06/2003
	Sample Time	10:20	10:40	10:50	11:00	12:00	12:00	12:15
	Sample Depth	11' - 12'	19' - 20'	21' - 22'	23' - 24'	11' - 12'	11' - 12'	13' - 14'
	Laboratory	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM
	Lab. Number	M34966-1	M34935-5	M34935-6	M34966-2	M34935-8	M34966-3	M34935-9
Constituent	Units							
Silver	mg/L							
Titanium	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l						63.3	
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l				672		1100	
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l	170			267		222	
Tetrachloroethylene (PCE)	ug/l				548		1450	
Trichloroethylene (TCE)	ug/l				3780		3970	
Bromomethane	ug/l							
Methylene Chloride	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
m-Xylene (1,3-Dimethylbenzene)	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
p-Xylene (1,4-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	CB-GW-21	CB-GW-21	CB-GW-21	CB-GW-21	CB-GW-22	CB-GW-22	CB-MW-03
	Sample ID	1035265	1035266	1035267	1035268	1035514	1035520	1023700
	Sample Date	10/06/2003	10/06/2003	10/06/2003	10/06/2003	10/06/2003	10/06/2003	07/22/2003
	Sample Time	12:35	12:45	12:55	13:05	15:35	16:20	14:50
	Sample Depth	17' - 18'	19' - 20'	21' - 22'	23' - 24'	11' - 12'	23' - 24'	0.00'
	Laboratory	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM
	Lab. Number	M34935-11	M34935-12	M34935-13	M34966-4	M34966-7	M34966-8	M33300-9
Constituent	Units							
Depth of Well	Ft							15.62
Depth To Water	Ft							10.78
Water Elevation	Ft							
Date Metals Analyzed	-	10/07/2003	10/07/2003	10/07/2003				
Date Organics Analyzed	-				10/16/2003	10/16/2003	10/16/2003	07/24/2003
Date Physical Analyzed	-							
Aluminum	mg/L							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Chromium, Total (dissolved)	mg/L							
Chromium, Hexavalent	mg/L	21.6	6.9	1.3				
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	CB-GW-21	CB-GW-21	CB-GW-21	CB-GW-21	CB-GW-22	CB-GW-22	CB-MW-03
	Sample ID	1035265	1035266	1035267	1035268	1035514	1035520	1023700
	Sample Date	10/06/2003	10/06/2003	10/06/2003	10/06/2003	10/06/2003	10/06/2003	07/22/2003
	Sample Time	12:35	12:45	12:55	13:05	15:35	16:20	14:50
	Sample Depth	17' - 18'	19' - 20'	21' - 22'	23' - 24'	11' - 12'	23' - 24'	0.00'
	Laboratory	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM
	Lab. Number	M34935-11	M34935-12	M34935-13	M34966-4	M34966-7	M34966-8	M33300-9
Constituent	Units							
Silver	mg/L							
Titanium	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l							88.8
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l				683	2200	10500	3630
trans-1,2-Dichloroethene	ug/l						54.1	
cis-1,2-Dichloroethylene	ug/l				129	203	2730	1020
Tetrachloroethylene (PCE)	ug/l				609	981	1740	5730
Trichloroethylene (TCE)	ug/l				2540	3500	26200	22900
Bromomethane	ug/l							
Methylene Chloride	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
m-Xylene (1,3-Dimethylbenzene)	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
p-Xylene (1,4-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	CB-MW-14	CB-SB-03	CB-SB-03	CB-SB-04	CB-SB-05	CB-SB-05	DB-GW-01
	Sample ID	1035213	1019934	1019934	1019935	1019936	1019936	1023726
	Sample Date	09/23/2003	10/18/1996	10/18/1996	10/18/1996	10/18/1996	10/18/1996	07/29/2003
	Sample Time	15:53	11:20	11:20	15:00	:	:	11:20
	Sample Depth	21' - 22'	17.00' - 19.0	17.00' - 19.0	17' - 19'	17' - 19'	17' - 19'	9.1' - 13.0'
	Laboratory	ACTM	AEL	AEL	AEL	AEL	AEL	ACTM
	Lab. Number	M34610-2	AEL96011796	AEL96011797	AEL96011798	AEL96011800	AEL96011801	M33429-2
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft							10.0
Water Elevation	Ft							
Date Metals Analyzed	-		10/23/1996	10/23/1996	10/23/1996		10/23/1996	
Date Organics Analyzed	-	09/26/2003	10/23/1996		10/23/1996	10/23/1996		07/31/2003
Date Physical Analyzed	-							
Aluminum	mg/L		7.06				19.2	
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L						0.103	
Chromium, Total (unfiltered)	mg/L							
Chromium, Total (dissolved)	mg/L							
Chromium, Hexavalent	mg/L							
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L		10.8	1.04 F	1.06		19.2	
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	CB-MW-14	CB-SB-03	CB-SB-03	CB-SB-04	CB-SB-05	CB-SB-05	DB-GW-01
	Sample ID	1035213	1019934	1019934	1019935	1019936	1019936	1023726
	Sample Date	09/23/2003	10/18/1996	10/18/1996	10/18/1996	10/18/1996	10/18/1996	07/29/2003
	Sample Time	15:53	11:20	11:20	15:00	:	:	11:20
	Sample Depth	21' - 22'	17.00' - 19.0	17.00' - 19.0	17' - 19'	17' - 19'	17' - 19'	9.1' - 13.0'
	Laboratory	ACTM	AEL	AEL	AEL	AEL	AEL	ACTM
	Lab. Number	M34610-2	AEL96011796	AEL96011797	AEL96011798	AEL96011800	AEL96011801	M33429-2
Constituent	Units							
Silver	mg/L							
Titanium	mg/L		0.321				0.381	
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l				67			
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l	525	170					661
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l	144						63.0
Tetrachloroethylene (PCE)	ug/l	558				110 F		1100
Trichloroethylene (TCE)	ug/l	2350						
Bromomethane	ug/l							
Methylene Chloride	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
m-Xylene (1,3-Dimethylbenzene)	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
p-Xylene (1,4-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	DB-GW-01	DB-GW-02	DB-GW-02	DB-GW-03	DB-GW-03	DB-GW-04	DB-GW-04
	Sample ID	1023727	1023729	1023728	1023731	1023730	1023767	1023768
	Sample Date	07/29/2003	07/29/2003	07/29/2003	07/29/2003	07/29/2003	08/14/2003	08/14/2003
	Sample Time	13:45	12:10	11:55	13:20	12:45	13:25	13:33
	Sample Depth	21.1' - 25.0'	9.1' - 13.0'	21.1' - 25.0'	9.1' - 13.0'	21.1' - 25.0'	21' - 22'	22' - 23'
	Laboratory	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM
	Lab. Number	M33429-3	M33429-5	M33429-4	M33429-7	M33429-6	M33800-11	M33800-12
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft	10.0	10.0	10.0	10.0	10.0		
Water Elevation	Ft							
Date Metals Analyzed	-			07/30/2003			08/15/2003	08/15/2003
Date Organics Analyzed	-	07/31/2003	07/31/2003	07/31/2003	07/31/2003	07/31/2003		
Date Physical Analyzed	-							
Aluminum	mg/L							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Chromium, Total (dissolved)	mg/L							
Chromium, Hexavalent	mg/L			133			72.0	65.2
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	DB-GW-01	DB-GW-02	DB-GW-02	DB-GW-03	DB-GW-03	DB-GW-04	DB-GW-04
	Sample ID	1023727	1023729	1023728	1023731	1023730	1023767	1023768
	Sample Date	07/29/2003	07/29/2003	07/29/2003	07/29/2003	07/29/2003	08/14/2003	08/14/2003
	Sample Time	13:45	12:10	11:55	13:20	12:45	13:25	13:33
	Sample Depth	21.1' - 25.0'	9.1' - 13.0'	21.1' - 25.0'	9.1' - 13.0'	21.1' - 25.0'	21' - 22'	22' - 23'
	Laboratory	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM
	Lab. Number	M33429-3	M33429-5	M33429-4	M33429-7	M33429-6	M33800-11	M33800-12
Constituent	Units							
Silver	mg/L							
Titanium	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l			150	373	162		
Chloroethane	ug/l		811					
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l	389		1710	973	3310		
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l	119		522	684	461		
Tetrachloroethylene (PCE)	ug/l	2120		321	255	286		
Trichloroethylene (TCE)	ug/l			3190		2550		
Bromomethane	ug/l							
Methylene Chloride	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
m-Xylene (1,3-Dimethylbenzene)	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
p-Xylene (1,4-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	DB-GW-04	DB-GW-04	DB-MW-01	DB-MW-02	DB-MW-03	DB-MW-04	DB-SB-02
	Sample ID	1023769	1030945	1946985	1946986	1946987	1946989	1946992
	Sample Date	08/14/2003	08/14/2003	11/30/1999	11/30/1999	12/01/1999	12/02/1999	11/19/1999
	Sample Time	13:41	13:50	13:45	15:45	11:45	10:30	11:30
	Sample Depth	23' - 24'	24' - 25'	9.70' - 14.5'	9.5' - 16'	7.0' - 16.0'	7.0' - 16.0'	11' - 15'
	Laboratory	ACTM	ACTM	AEL	AEL	AEL	AEL	AEL
	Lab. Number	M33800-13	M33800-14	AEL99013120	AEL99013121	AEL99013158	AEL99013190	AEL99012870
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft							
Water Elevation	Ft							
Date Metals Analyzed	-	08/15/2003	08/15/2003			12/06/1999	12/06/1999	11/23/1999
Date Organics Analyzed	-			12/06/1999		12/09/1999	12/09/1999	11/24/1999
Date Physical Analyzed	-				12/07/1999		12/07/1999	11/23/1999
Aluminum	mg/L							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L					7.76		545
Chromium, Total (unfiltered)	mg/L							
Chromium, Total (dissolved)	mg/L							
Chromium, Hexavalent	mg/L	51.9	0.40			7.12		546
Cobalt	mg/L							
Copper	mg/L						0.055	
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	DB-GW-04	DB-GW-04	DB-MW-01	DB-MW-02	DB-MW-03	DB-MW-04	DB-SB-02
	Sample ID	1023769	1030945	1946985	1946986	1946987	1946989	1946992
	Sample Date	08/14/2003	08/14/2003	11/30/1999	11/30/1999	12/01/1999	12/02/1999	11/19/1999
	Sample Time	13:41	13:50	13:45	15:45	11:45	10:30	11:30
	Sample Depth	23' - 24'	24' - 25'	9.70' - 14.5'	9.5' - 16'	7.0' - 16.0'	7.0' - 16.0'	11' - 15'
	Laboratory	ACTM	ACTM	AEL	AEL	AEL	AEL	AEL
	Lab. Number	M33800-13	M33800-14	AEL99013120	AEL99013121	AEL99013158	AEL99013190	AEL99012870
Constituent	Units							
Silver	mg/L							0.014
Titanium	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L						0.253	1.03
Cyanide (Total)	mg/L				0.215		2.47	1.03
Benzene	ug/l							
Carbon Tetrachloride	ug/l							330 J1
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l			1600		380		94
Chloroethane	ug/l					200		
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l			4600 J1		180	1100	190
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l			280		310		270
Tetrachloroethylene (PCE)	ug/l			1100		110	760	210
Trichloroethylene (TCE)	ug/l							
Bromomethane	ug/l							
Methylene Chloride	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
m-Xylene (1,3-Dimethylbenzene)	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
p-Xylene (1,4-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	DB-SB-03	DB-SB-04	DB-SB-05	DB-SB-06	DB-SB-07	DB-SB-08	DB-SB-09
	Sample ID	1946991	1946993	1946994	1946983	1946984	1946988	1946990
	Sample Date	11/19/1999	11/19/1999	11/19/1999	11/23/1999	11/29/1999	12/01/1999	12/02/1999
	Sample Time	10:40	13:00	15:10	13:45	12:45	12:30	13:45
	Sample Depth	12' - 16'	12' - 16'	12' - 16'	12' - 16'	9.5' - 13.5'	8' - 12'	8' - 12'
	Laboratory	AEL	AEL	AEL	AEL	AEL	AEL	AEL
	Lab. Number	AEL99012869	AEL99012871	AEL99012872	AEL99013018	AEL99013077	AEL99013159	AEL99013191
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft							
Water Elevation	Ft							
Date Metals Analyzed	-	11/23/1999					12/06/1999	
Date Organics Analyzed	-	11/24/1999	11/24/1999	11/24/1999	12/02/1999	12/03/1999		12/03/1999
Date Physical Analyzed	-	11/23/1999				11/30/1999	12/07/1999	12/07/1999
Aluminum	mg/L							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L	116					262	
Chromium, Total (unfiltered)	mg/L							
Chromium, Total (dissolved)	mg/L							
Chromium, Hexavalent	mg/L	116					284	
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	DB-SB-03	DB-SB-04	DB-SB-05	DB-SB-06	DB-SB-07	DB-SB-08	DB-SB-09
	Sample ID	1946991	1946993	1946994	1946983	1946984	1946988	1946990
	Sample Date	11/19/1999	11/19/1999	11/19/1999	11/23/1999	11/29/1999	12/01/1999	12/02/1999
	Sample Time	10:40	13:00	15:10	13:45	12:45	12:30	13:45
	Sample Depth	12' - 16'	12' - 16'	12' - 16'	12' - 16'	9.5' - 13.5'	8' - 12'	8' - 12'
	Laboratory	AEL	AEL	AEL	AEL	AEL	AEL	AEL
	Lab. Number	AEL99012869	AEL99012871	AEL99012872	AEL99013018	AEL99013077	AEL99013159	AEL99013191
Constituent	Units							
Silver	mg/L	0.342					0.035	
Titanium	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L	0.274				0.652		0.078
Cyanide (Total)	mg/L	0.274				1.78	0.201	0.078
Benzene	ug/l							
Carbon Tetrachloride	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l	270		200 J1	58 J1	120 J		
Chloroethane	ug/l		110					
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l	330			570	280 J1		360 J1
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l	320				150 J		
Tetrachloroethylene (PCE)	ug/l	150			650	1300 J		160 J
Trichloroethylene (TCE)	ug/l							
Bromomethane	ug/l							
Methylene Chloride	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l		82	260				
m-Xylene (1,3-Dimethylbenzene)	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
p-Xylene (1,4-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	DB-SP-01	EA-GW-51S	EA-GW-54D	EA-MW-01I	EA-MW-01I	EA-MW-01I	EA-MW-01I
	Sample ID	1989356	1831604	1831613	18011111891	18012031892	18012061092	13022122192
	Sample Date	02/21/2001	12/01/1998	12/02/1998	11/19/1991	03/18/1992	06/11/1992	12/22/1992
	Sample Time	14:00	14:42	14:12	:		:	:
	Sample Depth	0.00'	12.5' - 16.0'	16.5' - 20.0'	20.4' - 30.4'	20.40' - 30.4	20.4' - 30.4'	20.4' - 30.4'
	Laboratory	STLC	LANC	LANC	CEIM	CEIM	CEIM	CEIM
	Lab. Number	A1B220161011	3049604	3050391	910644-01	920130-03	920301-01	920568-07
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft							
Water Elevation	Ft							
Date Metals Analyzed	-	03/02/2001	12/08/1998	12/09/1998				
Date Organics Analyzed	-			12/13/1998				
Date Physical Analyzed	-							
Aluminum	mg/L							
Arsenic	mg/L			0.0060 B				
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Cadmium	mg/L						7.00000	
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Chromium, Total (dissolved)	mg/L							
Chromium, Hexavalent	mg/L							
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L					0.019		
Lead (unfiltered)	mg/L	0.189						
Manganese	mg/L							
Manganese (unfiltered)	mg/L	4.94						
Mercury	mg/L		0.0133 C					
Mercury (unfiltered)	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	DB-SP-01	EA-GW-51S	EA-GW-54D	EA-MW-01I	EA-MW-01I	EA-MW-01I	EA-MW-01I
	Sample ID	1989356	1831604	1831613	18011111891	18012031892	18012061092	13022122192
	Sample Date	02/21/2001	12/01/1998	12/02/1998	11/19/1991	03/18/1992	06/11/1992	12/22/1992
	Sample Time	14:00	14:42	14:12	:		:	:
	Sample Depth	0.00'	12.5' - 16.0'	16.5' - 20.0'	20.4' - 30.4'	20.40' - 30.4	20.4' - 30.4'	20.4' - 30.4'
	Laboratory	STLC	LANC	LANC	CEIM	CEIM	CEIM	CEIM
	Lab. Number	A1B220161011	3049604	3050391	910644-01	920130-03	920301-01	920568-07
Constituent	Units							
Silver	mg/L							
Titanium	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzene	ug/l			2100 DJ	1500	1400	2500	1100
Carbon Tetrachloride	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l					280		100
1,1-Dichloroethylene	ug/l							
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l							
Tetrachloroethylene (PCE)	ug/l							
Trichloroethylene (TCE)	ug/l							
Bromomethane	ug/l							
Methylene Chloride	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l			780 DJ				
m-Xylene (1,3-Dimethylbenzene)	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
p-Xylene (1,4-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	EA-MW-01I	EA-MW-01I	EA-MW-02I	EA-MW-02I	EA-MW-02I	EA-MW-02I	EA-MW-02I
	Sample ID	18012122192	1025560	18022111891	13012031892	18022031892	18022061092	13011121892
	Sample Date	12/22/1992	01/23/1997	11/19/1991	03/18/1992	03/18/1992	06/11/1992	12/18/1992
	Sample Time		13:25	:	:		:	:
	Sample Depth	20.40' - 30.4	20.40' - 30.4	28.4' - 38.4'	28.4' - 38.4'	28.40' - 38.4	28.4' - 38.4'	28.4' - 38.4'
	Laboratory	CEIM	AEL	CEIM	CEIM	CEIM	CEIM	CEIM
	Lab. Number	920658-01	AEL97001025	910644-02	920130-01	920130-05	920301-02	920654-14
Constituent	Units							
Depth of Well	Ft		29.00					
Depth To Water	Ft		6.80					7.18
Water Elevation	Ft		29.12					29.46
Date Metals Analyzed	-							
Date Organics Analyzed	-		01/31/1997					
Date Physical Analyzed	-							
Aluminum	mg/L							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Chromium, Total (dissolved)	mg/L							
Chromium, Hexavalent	mg/L							
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L					0.02		
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	EA-MW-01I	EA-MW-01I	EA-MW-02I	EA-MW-02I	EA-MW-02I	EA-MW-02I	EA-MW-02I
	Sample ID	18012122192	1025560	18022111891	13012031892	18022031892	18022061092	13011121892
	Sample Date	12/22/1992	01/23/1997	11/19/1991	03/18/1992	03/18/1992	06/11/1992	12/18/1992
	Sample Time		13:25	:	:		:	:
	Sample Depth	20.40' - 30.4	20.40' - 30.4	28.4' - 38.4'	28.4' - 38.4'	28.40' - 38.4	28.4' - 38.4'	28.4' - 38.4'
	Laboratory	CEIM	AEL	CEIM	CEIM	CEIM	CEIM	CEIM
	Lab. Number	920658-01	AEL97001025	910644-02	920130-01	920130-05	920301-02	920654-14
Constituent	Units							
Silver	mg/L							
Titanium	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzene	ug/l	960		2600	3800	4000	5700	5000
Carbon Tetrachloride	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l					170		
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l	86	72		210	350		450
1,1-Dichloroethylene	ug/l							
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l							
Tetrachloroethylene (PCE)	ug/l							
Trichloroethylene (TCE)	ug/l							
Bromomethane	ug/l							
Methylene Chloride	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l			490	680	730	1000	870
m-Xylene (1,3-Dimethylbenzene)	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
p-Xylene (1,4-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	EA-MW-02I	EA-MW-02I	EA-MW-02S	EA-MW-04	EA-MW-06I	EA-MW-06I	EA-MW-11I
	Sample ID	18022121892	1831633	18021031892	1025573	18062121892	1845806	18112122192
	Sample Date	12/18/1992	12/04/1998	03/18/1992	01/27/1997	12/18/1992	09/01/1999	12/22/1992
	Sample Time		15:40		13:10		13:45	
	Sample Depth	28.40' - 38.4	28.4' - 38.4'	7.30' - 17.30	10.00' - 15.0	22.00' - 32.0	22.0' - 32.0'	24.00' - 34.0
	Laboratory	CEIM	LANC	CEIM	AEL	CEIM	QUAN	CEIM
	Lab. Number	920654-01	3052788	920130-04	AEL97001168	920654-04	A9I020183007	920658-04
Constituent	Units							
Depth of Well	Ft		37.75		16.90		31.18	
Depth To Water	Ft	7.70	7.74		13.28	9.04	10.81	8.34
Water Elevation	Ft	28.94	28.90		24.23	27.66	25.89	29.04
Date Metals Analyzed	-		12/17/1998					
Date Organics Analyzed	-		12/11/1998		02/09/1997		09/10/1999	
Date Physical Analyzed	-							
Aluminum	mg/L							
Arsenic	mg/L		0.0113 S					
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Chromium, Total (dissolved)	mg/L							
Chromium, Hexavalent	mg/L							
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L		0.0182	0.029				
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	EA-MW-02I	EA-MW-02I	EA-MW-02S	EA-MW-04	EA-MW-06I	EA-MW-06I	EA-MW-11I
	Sample ID	18022121892	1831633	18021031892	1025573	18062121892	1845806	18112122192
	Sample Date	12/18/1992	12/04/1998	03/18/1992	01/27/1997	12/18/1992	09/01/1999	12/22/1992
	Sample Time		15:40		13:10		13:45	
	Sample Depth	28.40' - 38.4	28.4' - 38.4'	7.30' - 17.30	10.00' - 15.0	22.00' - 32.0	22.0' - 32.0'	24.00' - 34.0
	Laboratory	CEIM	LANC	CEIM	AEL	CEIM	QUAN	CEIM
	Lab. Number	920654-01	3052788	920130-04	AEL97001168	920654-04	A9I020183007	920658-04
Constituent	Units							
Silver	mg/L							
Titanium	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzene	ug/l	4200	5200 D				960	9400
Carbon Tetrachloride	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l	600				120		800
1,1-Dichloroethylene	ug/l							
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l							
Tetrachloroethylene (PCE)	ug/l							
Trichloroethylene (TCE)	ug/l							
Bromomethane	ug/l							
Methylene Chloride	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l	890	1100		88 J1			2400
m-Xylene (1,3-Dimethylbenzene)	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
p-Xylene (1,4-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	EA-MW-11I	EA-MW-12I	EA-MW-12I	EA-MW-15S	EA-MW-15S	EA-MW06M	EA-MW06M
	Sample ID	1845804	18122121892	1025572	1845840	1845840	18061121892	18061121892
	Sample Date	09/01/1999	12/18/1992	01/24/1997	09/08/1999	09/08/1999	12/18/1992	12/18/1992
	Sample Time	11:45		15:25	14:30	14:30		
	Sample Depth	24.0' - 34.0'	22.00' - 32.0	22.0' - 32.0'	4.0' - 13.0'	4.0' - 13.0'	14.00' - 24.0	14.00' - 24.0
	Laboratory	QUAN	CEIM	AEL	AEL	QUAN	CEIM	CEIM
	Lab. Number	A9I020183013	920654-08	AEL97001094	AEL99009805	A9I090132009	920653-01	920654-05
Constituent	Units							
Depth of Well	Ft	33.50		30.63	12.38	12.38		
Depth To Water	Ft	9.72	8.02	8.98	9.93	9.93	8.94	8.94
Water Elevation	Ft	27.66	28.33	27.37	25.19	25.19	27.51	27.51
Date Metals Analyzed	-	09/15/1999			09/15/1999	09/20/1999		
Date Organics Analyzed	-			02/07/1997				
Date Physical Analyzed	-							
Aluminum	mg/L							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L	0.0079						
Barium	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L				0.287	0.139		
Chromium, Total (dissolved)	mg/L							
Chromium, Hexavalent	mg/L							
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L	0.12						
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L	0.0459						
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	EA-MW-11I	EA-MW-12I	EA-MW-12I	EA-MW-15S	EA-MW-15S	EA-MW06M	EA-MW06M
	Sample ID	1845804	18122121892	1025572	1845840	1845840	18061121892	18061121892
	Sample Date	09/01/1999	12/18/1992	01/24/1997	09/08/1999	09/08/1999	12/18/1992	12/18/1992
	Sample Time	11:45		15:25	14:30	14:30		
	Sample Depth	24.0' - 34.0'	22.00' - 32.0	22.0' - 32.0'	4.0' - 13.0'	4.0' - 13.0'	14.00' - 24.0	14.00' - 24.0
	Laboratory	QUAN	CEIM	AEL	AEL	QUAN	CEIM	CEIM
	Lab. Number	A9I020183013	920654-08	AEL97001094	AEL99009805	A9I090132009	920653-01	920654-05
Constituent	Units							
Silver	mg/L							
Titanium	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzene	ug/l		1700	860 J1			5900	5300
Carbon Tetrachloride	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l		960	110 J			160	160
1,1-Dichloroethylene	ug/l							
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l							
Tetrachloroethylene (PCE)	ug/l							
Trichloroethylene (TCE)	ug/l							
Bromomethane	ug/l							
Methylene Chloride	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l		160	54 J1			140	98
m-Xylene (1,3-Dimethylbenzene)	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
p-Xylene (1,4-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	EB-MW-01I	EB-MW-01I	EB-MW-01S	EB-MW-01S	EB-MW-02I	EB-MW-02S	EG-GW-38
	Sample ID	EB-MW-01I	1004764	EB-MW-01S	1004763	EB-MW-02I	EB-MW-02S	1023683
	Sample Date	10/28/1992	11/09/1994	10/28/1992	11/09/1994	10/28/1992	10/28/1992	07/17/2003
	Sample Time	12:05	14:15	12:00	13:45	12:15	12:10	12:30
	Sample Depth	30.0' - 40.0'	30.00' - 40.0	10.0' - 20.0'	10.0' - 20.0'	34.0' - 44.0'	10.0' - 20.0'	12' - 15.9'
	Laboratory	CEIM	AEL	CEIM	AEL	CEIM	CEIM	ACTM
	Lab. Number	920598-01	AEL94010407	920598-02	AEL94010406	920598-03	920598-04	M33228-1
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft	11.55		11.21		10.98	11.58	12.25
Water Elevation	Ft	26.81		27.54		27.26	26.72	
Date Metals Analyzed	-	11/20/1992	11/15/1994			11/20/1992		
Date Organics Analyzed	-	11/04/1992	11/15/1994	11/03/1992	11/11/1994	11/04/1992	11/04/1992	07/21/2003
Date Physical Analyzed	-		11/21/1994					
Aluminum	mg/L							
Arsenic	mg/L	0.044	0.036			0.031		
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Cadmium	mg/L	0.05	0.1149					
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Chromium, Total (dissolved)	mg/L							
Chromium, Hexavalent	mg/L							
Cobalt	mg/L		1.377					
Copper	mg/L		1.5					
Copper (unfiltered)	mg/L							
Iron	mg/L	29.7						
Lead	mg/L		0.024					
Lead (unfiltered)	mg/L							
Manganese	mg/L	6.75						
Manganese (unfiltered)	mg/L							
Mercury	mg/L	0.003	0.0033			0.004		
Mercury (unfiltered)	mg/L	0.003						
Nickel	mg/L	4.66	3.945			8.39		
Nickel (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	EB-MW-01I	EB-MW-01I	EB-MW-01S	EB-MW-01S	EB-MW-02I	EB-MW-02S	EG-GW-38
	Sample ID	EB-MW-01I	1004764	EB-MW-01S	1004763	EB-MW-02I	EB-MW-02S	1023683
	Sample Date	10/28/1992	11/09/1994	10/28/1992	11/09/1994	10/28/1992	10/28/1992	07/17/2003
	Sample Time	12:05	14:15	12:00	13:45	12:15	12:10	12:30
	Sample Depth	30.0' - 40.0'	30.00' - 40.0	10.0' - 20.0'	10.0' - 20.0'	34.0' - 44.0'	10.0' - 20.0'	12' - 15.9'
	Laboratory	CEIM	AEL	CEIM	AEL	CEIM	CEIM	ACTM
	Lab. Number	920598-01	AEL94010407	920598-02	AEL94010406	920598-03	920598-04	M33228-1
Constituent	Units							
Silver	mg/L	0.24				0.03		
Titanium	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L		14.8					
Cyanide (Total)	mg/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l			470	630			
Chloroethane	ug/l				190			
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l	340	450	170				667
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l				800			249
Tetrachloroethylene (PCE)	ug/l		19000	1700	7000		1500	493 E
Trichloroethylene (TCE)	ug/l	8300	10000		3900			
Bromomethane	ug/l							
Methylene Chloride	ug/l		54000			84000		
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
m-Xylene (1,3-Dimethylbenzene)	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
p-Xylene (1,4-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	EG-GW-40	EG-GW-42	EG-GW-43	EG-GW-43	EG-MW-01	EG-MW-02	EG-MW-04
	Sample ID	1023687	1023692	1023695	1023694	890302MWEG1	890302EGMW2	1050299
	Sample Date	07/21/2003	07/22/2003	07/22/2003	07/22/2003	03/02/1989	03/02/1989	07/15/2004
	Sample Time	11:05	09:55	11:20	10:55	10:05	10:30	11:45
	Sample Depth	15' - 18.9'	16.1' - 20.0'	9.0' - 12.9'	18.1' - 22.0'	4.00' - 19.00	5.00' - 20.00	16.00' - 26.0
	Laboratory	ACTM	ACTM	ACTM	ACTM	M&E?	M&E?	ACTM
	Lab. Number	M33288-1	M33300-1	M33300-4	M33300-3	890302MWEG1	890302EGMW2	M40673-10
Constituent	Units							
Depth of Well	Ft							26.07
Depth To Water	Ft	9.25	12.0			10.17	13.84	10.35
Water Elevation	Ft					26.81	25.35	
Date Metals Analyzed	-							
Date Organics Analyzed	-	07/24/2003	07/24/2003	07/23/2003	07/24/2003			07/26/2004
Date Physical Analyzed	-							
Aluminum	mg/L							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Chromium, Total (dissolved)	mg/L							
Chromium, Hexavalent	mg/L							
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	EG-GW-40	EG-GW-42	EG-GW-43	EG-GW-43	EG-MW-01	EG-MW-02	EG-MW-04
	Sample ID	1023687	1023692	1023695	1023694	890302MWEG1	890302EGMW2	1050299
	Sample Date	07/21/2003	07/22/2003	07/22/2003	07/22/2003	03/02/1989	03/02/1989	07/15/2004
	Sample Time	11:05	09:55	11:20	10:55	10:05	10:30	11:45
	Sample Depth	15' - 18.9'	16.1' - 20.0'	9.0' - 12.9'	18.1' - 22.0'	4.00' - 19.00	5.00' - 20.00	16.00' - 26.0
	Laboratory	ACTM	ACTM	ACTM	ACTM	M&E?	M&E?	ACTM
	Lab. Number	M33288-1	M33300-1	M33300-4	M33300-3	890302MWEG1	890302EGMW2	M40673-10
Constituent	Units							
Silver	mg/L					0.26	0.22	
Titanium	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l	99.6	3770	117	2690			1200
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l		183		88.6			
Tetrachloroethylene (PCE)	ug/l		1130		360			271
Trichloroethylene (TCE)	ug/l		7240		4980			
Bromomethane	ug/l							
Methylene Chloride	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
m-Xylene (1,3-Dimethylbenzene)	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
p-Xylene (1,4-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Printed on 09/13/2004

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	EG-MW-08	EG-MW-09	EG-MW-09	ENG-B2	ENG-B3	ET-GW-19I	ET-GW-20I
	Sample ID	1050297	1050296	1050307	1005854	1005698	1845335	1845338
	Sample Date	07/15/2004	07/15/2004	07/15/2004	06/17/1995	06/23/1995	08/25/1999	08/26/1999
	Sample Time	10:20	09:25	09:25	19:00	16:45	15:30	11:45
	Sample Depth				0.00'	0.00'	22' - 25'	22' - 25'
	Laboratory	ACTM	ACTM	ACTM	AEL	AEL	AEL	AEL
	Lab. Number	M40673-6	M40673-2	M40673-4	AEL95006759	AEL95006993	AEL99009287	AEL99009335
Constituent	Units							
Depth of Well	Ft	26.15	25.85	25.85			25	25
Depth To Water	Ft	11.40	11.81	11.81			11	11.3
Water Elevation	Ft							
Date Metals Analyzed	-						08/30/1999	08/31/1999
Date Organics Analyzed	-	07/26/2004	07/25/2004	07/26/2004				
Date Physical Analyzed	-							
Aluminum	mg/L							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L						0.300	0.640
Chromium, Total (dissolved)	mg/L							
Chromium, Hexavalent	mg/L							
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	EG-MW-08	EG-MW-09	EG-MW-09	ENG-B2	ENG-B3	ET-GW-19I	ET-GW-20I
	Sample ID	1050297	1050296	1050307	1005854	1005698	1845335	1845338
	Sample Date	07/15/2004	07/15/2004	07/15/2004	06/17/1995	06/23/1995	08/25/1999	08/26/1999
	Sample Time	10:20	09:25	09:25	19:00	16:45	15:30	11:45
	Sample Depth				0.00'	0.00'	22' - 25'	22' - 25'
	Laboratory	ACTM	ACTM	ACTM	AEL	AEL	AEL	AEL
	Lab. Number	M40673-6	M40673-2	M40673-4	AEL95006759	AEL95006993	AEL99009287	AEL99009335
Constituent	Units							
Silver	mg/L							
Titanium	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l	401	1810	1890	110	100		
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l		140	136				
Tetrachloroethylene (PCE)	ug/l	96.0	739	777				
Trichloroethylene (TCE)	ug/l		4110	4300				
Bromomethane	ug/l							
Methylene Chloride	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
m-Xylene (1,3-Dimethylbenzene)	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
p-Xylene (1,4-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	ET-GW-20S	ET-GW-22I	ET-MW-05S	ET-MW-05S	ET-MW-10I	ET-MW-10I	ET-MW-10I
	Sample ID	1845339	1845340	07051111991	07051061092	07101052793	13101052793	1656457
	Sample Date	08/26/1999	08/26/1999	11/19/1991	06/11/1992	05/27/1993	05/27/1993	03/17/1998
	Sample Time	14:15	15:00					10:35
	Sample Depth	11' - 14'	17' - 20'	8.50' - 18.50	8.5' - 18.5'	11.0' - 21.0'	11.0' - 21.0'	11.0' - 21.0'
	Laboratory	AEL	AEL	CEIM	CEIM	ENS	ENS	AEL
	Lab. Number	AEL99009336	AEL99009337	910646-02	920302-05	0288800003SA	0288800005SA	AEL98003261
Constituent	Units							
Depth of Well	Ft	14.0	20					
Depth To Water	Ft	11.3	10.5					
Water Elevation	Ft							
Date Metals Analyzed	-	08/31/1999	08/31/1999					
Date Organics Analyzed	-					06/08/1993	06/09/1993	03/30/1998
Date Physical Analyzed	-							
Aluminum	mg/L							
Arsenic	mg/L			0.006				
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L	0.197						
Chromium, Total (unfiltered)	mg/L		0.420					
Chromium, Total (dissolved)	mg/L							
Chromium, Hexavalent	mg/L							
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L			0.018				
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	ET-GW-20S	ET-GW-22I	ET-MW-05S	ET-MW-05S	ET-MW-10I	ET-MW-10I	ET-MW-10I
	Sample ID	1845339	1845340	07051111991	07051061092	07101052793	13101052793	1656457
	Sample Date	08/26/1999	08/26/1999	11/19/1991	06/11/1992	05/27/1993	05/27/1993	03/17/1998
	Sample Time	14:15	15:00					10:35
	Sample Depth	11' - 14'	17' - 20'	8.50' - 18.50	8.5' - 18.5'	11.0' - 21.0'	11.0' - 21.0'	11.0' - 21.0'
	Laboratory	AEL	AEL	CEIM	CEIM	ENS	ENS	AEL
	Lab. Number	AEL99009336	AEL99009337	910646-02	920302-05	0288800003SA	0288800005SA	AEL98003261
Constituent	Units							
Silver	mg/L							
Titanium	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l							
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l							
Tetrachloroethylene (PCE)	ug/l					110	170	97
Trichloroethylene (TCE)	ug/l							
Bromomethane	ug/l							
Methylene Chloride	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l			3100	64			
m-Xylene (1,3-Dimethylbenzene)	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
p-Xylene (1,4-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	ET-MW-10I	ET-MW-12I	ET-MW-19S	ET-MW-20D	ET-MW-20D	ET-MW-20D	ET-MW-20S
	Sample ID	1992859	0712A051493	1992852	1992849	1992849	2003529	1992848
	Sample Date	04/09/2001	05/14/1993	04/09/2001	04/09/2001	04/09/2001	08/16/2001	04/09/2001
	Sample Time	12:50		14:45	12:45	12:45	12:20	12:10
	Sample Depth	11.00' - 21.0	0.00'	7.0' - 16.0'	33.00' - 36.0	33.00' - 36.0	33.00' - 36.0	9.00' - 17.00
	Laboratory	STLC	ENS	STLC	STLC	STLC	STLC	STLC
	Lab. Number	A1D110171013	0287270002SA	A1D110171010	A1D110171003	A1D110171004	A1H170228005	A1D110171001
Constituent	Units							
Depth of Well	Ft	22.77		15.61	35.86	35.86	35.13	16.87
Depth To Water	Ft	6.21		8.02	8.88	8.88	10.14	8.55
Water Elevation	Ft	35.28		32.03	31.57	31.57	30.31	31.72
Date Metals Analyzed	-		06/01/1993	04/20/2001	04/20/2001	04/20/2001	08/26/2001	04/20/2001
Date Organics Analyzed	-	04/13/2001						
Date Physical Analyzed	-							
Aluminum	mg/L							
Arsenic	mg/L		0.0072		0.0058			0.0045
Arsenic (unfiltered)	mg/L					0.0144	0.0079	
Barium	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Chromium, Total (dissolved)	mg/L							
Chromium, Hexavalent	mg/L							
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L					0.0849	0.0615	
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L			0.0128		0.0267	0.0138	
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	ET-MW-10I	ET-MW-12I	ET-MW-19S	ET-MW-20D	ET-MW-20D	ET-MW-20D	ET-MW-20S
	Sample ID	1992859	0712A051493	1992852	1992849	1992849	2003529	1992848
	Sample Date	04/09/2001	05/14/1993	04/09/2001	04/09/2001	04/09/2001	08/16/2001	04/09/2001
	Sample Time	12:50		14:45	12:45	12:45	12:20	12:10
	Sample Depth	11.00' - 21.0	0.00'	7.0' - 16.0'	33.00' - 36.0	33.00' - 36.0	33.00' - 36.0	9.00' - 17.00
	Laboratory	STLC	ENS	STLC	STLC	STLC	STLC	STLC
	Lab. Number	A1D110171013	0287270002SA	A1D110171010	A1D110171003	A1D110171004	A1H170228005	A1D110171001
Constituent	Units							
Silver	mg/L							
Titanium	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l							
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l							
Tetrachloroethylene (PCE)	ug/l	89						
Trichloroethylene (TCE)	ug/l							
Bromomethane	ug/l							
Methylene Chloride	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
m-Xylene (1,3-Dimethylbenzene)	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
p-Xylene (1,4-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	GB-MW-03	HA-MW-01	HA-MW-01	HA-MW-01	HA-MW-01	HA-MW-02	HA-MW-02
	Sample ID	1004746	13011111391	13011060992	13011061292	13011061292	13021111491	13021060992
	Sample Date	11/07/1994	11/14/1991	06/10/1992	06/12/1992	06/12/1992	11/15/1991	06/10/1992
	Sample Time	10:15			:	:	:	:
	Sample Depth	19.00' - 29.0	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'
	Laboratory	AEL	M&E?	CEIM	CEIM	CEIM	CEIM	CEIM
	Lab. Number	AEL94010309	9100627-02	920297-03	920305-01	920306-01	910637-03	920297-04
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft							
Water Elevation	Ft							
Date Metals Analyzed	-	11/15/1994						
Date Organics Analyzed	-							
Date Physical Analyzed	-							
Aluminum	mg/L							
Arsenic	mg/L	0.013						
Arsenic (unfiltered)	mg/L							
Barium	mg/L				7.00000			
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Chromium, Total (dissolved)	mg/L							
Chromium, Hexavalent	mg/L							
Cobalt	mg/L							
Copper	mg/L	0.066						
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L					.013		
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	GB-MW-03	HA-MW-01	HA-MW-01	HA-MW-01	HA-MW-01	HA-MW-02	HA-MW-02
	Sample ID	1004746	13011111391	13011060992	13011061292	13011061292	13021111491	13021060992
	Sample Date	11/07/1994	11/14/1991	06/10/1992	06/12/1992	06/12/1992	11/15/1991	06/10/1992
	Sample Time	10:15			:	:	:	:
	Sample Depth	19.00' - 29.0	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'
	Laboratory	AEL	M&E?	CEIM	CEIM	CEIM	CEIM	CEIM
	Lab. Number	AEL94010309	9100627-02	920297-03	920305-01	920306-01	910637-03	920297-04
Constituent	Units							
Silver	mg/L							
Titanium	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l							
trans-1,2-Dichloroethene	ug/l						750	
cis-1,2-Dichloroethylene	ug/l							
Tetrachloroethylene (PCE)	ug/l		1200	720	140		11000	15000
Trichloroethylene (TCE)	ug/l							
Bromomethane	ug/l							
Methylene Chloride	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
m-Xylene (1,3-Dimethylbenzene)	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
p-Xylene (1,4-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	HA-MW-04	HA-MW-04	HA-MW-05	HA-MW-05	HA-MW-06	HA-MW-07	HA-MW-07
	Sample ID	13041111991	13041061092	13051111891	13051061092	13061061092	13071111891	13071061092
	Sample Date	11/19/1991	06/11/1992	11/19/1991	06/11/1992	06/11/1992	11/19/1991	06/11/1992
	Sample Time			:		:		:
	Sample Depth	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'
	Laboratory	CEIM	CEIM	CEIM	CEIM	CEIM	CEIM	CEIM
	Lab. Number	910646-05	920302-13	910644-05	920302-14	920302-15	910644-07	920302-16
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft							
Water Elevation	Ft							
Date Metals Analyzed	-							
Date Organics Analyzed	-							
Date Physical Analyzed	-							
Aluminum	mg/L							
Arsenic	mg/L			0.010				
Arsenic (unfiltered)	mg/L							
Barium	mg/L					7.00000		7.00000
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Chromium, Total (dissolved)	mg/L							
Chromium, Hexavalent	mg/L							
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L		.016					
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	HA-MW-04	HA-MW-04	HA-MW-05	HA-MW-05	HA-MW-06	HA-MW-07	HA-MW-07
	Sample ID	13041111991	13041061092	13051111891	13051061092	13061061092	13071111891	13071061092
	Sample Date	11/19/1991	06/11/1992	11/19/1991	06/11/1992	06/11/1992	11/19/1991	06/11/1992
	Sample Time			:		:		:
	Sample Depth	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'
	Laboratory	CEIM	CEIM	CEIM	CEIM	CEIM	CEIM	CEIM
	Lab. Number	910646-05	920302-13	910644-05	920302-14	920302-15	910644-07	920302-16
Constituent	Units							
Silver	mg/L							
Titanium	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzene	ug/l						2200	3700
Carbon Tetrachloride	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l			9300	6200	180		
Chloroethane	ug/l				1400			
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l							
trans-1,2-Dichloroethene	ug/l			50000				
cis-1,2-Dichloroethylene	ug/l							
Tetrachloroethylene (PCE)	ug/l				580			
Trichloroethylene (TCE)	ug/l			3100				
Bromomethane	ug/l							
Methylene Chloride	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l	290	56		1200		410	860
m-Xylene (1,3-Dimethylbenzene)	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
p-Xylene (1,4-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	HA-MW-08	HA-MW-08	HA-MW-09	HA-MW-09	HB-MW-01	HB-MW-03	MW-8
	Sample ID	13081111991	13081061192	13091112191	13091061192	2107870	1000894	18081121892
	Sample Date	11/19/1991	06/12/1992	11/22/1991	06/12/1992	07/11/2002	06/10/2003	12/18/1992
	Sample Time			:	:	14:00	14:25	
	Sample Depth	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'	15.00' - 25.0
	Laboratory	CEIM	CEIM	CEIM	CEIM	ACTM	ACTM	CEIM
	Lab. Number	910646-06	920309-04	910652-02	920309-05	M26417-1	M32459-3	920653-02
Constituent	Units							
Depth of Well	Ft						15.40	
Depth To Water	Ft					13	10.29	12.75
Water Elevation	Ft							27.01
Date Metals Analyzed	-							
Date Organics Analyzed	-							
Date Physical Analyzed	-							
Aluminum	mg/L							
Arsenic	mg/L		.007		.02			
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Chromium, Total (dissolved)	mg/L							
Chromium, Hexavalent	mg/L							
Cobalt	mg/L							
Copper	mg/L				.7			
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L				3.04			
Nickel (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	HA-MW-08	HA-MW-08	HA-MW-09	HA-MW-09	HB-MW-01	HB-MW-03	MW-8
	Sample ID	13081111991	13081061192	13091112191	13091061192	2107870	1000894	18081121892
	Sample Date	11/19/1991	06/12/1992	11/22/1991	06/12/1992	07/11/2002	06/10/2003	12/18/1992
	Sample Time			:	:	14:00	14:25	
	Sample Depth	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'	15.00' - 25.0
	Laboratory	CEIM	CEIM	CEIM	CEIM	ACTM	ACTM	CEIM
	Lab. Number	910646-06	920309-04	910652-02	920309-05	M26417-1	M32459-3	920653-02
Constituent	Units							
Silver	mg/L				.02			
Titanium	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l					1440	42.7	
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/l							230
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l				150			
Chloroethane	ug/l						102	
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l			4000				
trans-1,2-Dichloroethene	ug/l			6000				210
cis-1,2-Dichloroethylene	ug/l							
Tetrachloroethylene (PCE)	ug/l			1000				
Trichloroethylene (TCE)	ug/l			8000				
Bromomethane	ug/l							
Methylene Chloride	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l	2300						
m-Xylene (1,3-Dimethylbenzene)	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
p-Xylene (1,4-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	MW-SFP-2D	MW01	MW01	MW01	MW01	MW01	MW02
	Sample ID	m600076-6993	2891976	28921421	289221165	289251258	28927520	2891979
	Sample Date	06/05/2000	03/11/1982	08/28/1984	09/18/1985	09/21/1988	03/26/1990	03/11/1982
	Sample Time		:	:	:	:	:	:
	Sample Depth	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'
	Laboratory	mari	M&E?	M&E?	AEL	AEL	M&E?	M&E?
	Lab. Number	600076-6993	2891976	28921421	289-22-1165	289-25-1258	28927520	2891979
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft		15.3	13.38	15.2	15.8	13.53	16.2
Water Elevation	Ft		11.50	13.42	11.60	11.00	13.27	14.40
Date Metals Analyzed	-							
Date Organics Analyzed	-							
Date Physical Analyzed	-							
Aluminum	mg/L							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Barium	mg/L							8.5
Cadmium	mg/L					0.015		0.056
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L	0.108						
Chromium, Total (unfiltered)	mg/L							
Chromium, Total (dissolved)	mg/L							0.17
Chromium, Hexavalent	mg/L							
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L		4.2	1.1				80
Lead	mg/L		0.028					0.22
Lead (unfiltered)	mg/L							
Manganese	mg/L		0.66		0.17		0.180	2.6
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	MW-SFP-2D	MW01	MW01	MW01	MW01	MW01	MW02
	Sample ID	m600076-6993	2891976	28921421	289221165	289251258	28927520	2891979
	Sample Date	06/05/2000	03/11/1982	08/28/1984	09/18/1985	09/21/1988	03/26/1990	03/11/1982
	Sample Time		:	:	:	:	:	:
	Sample Depth	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'
	Laboratory	mari	M&E?	M&E?	AEL	AEL	M&E?	M&E?
	Lab. Number	600076-6993	2891976	28921421	289-22-1165	289-25-1258	28927520	2891979
Constituent	Units							
Silver	mg/L							0.011
Titanium	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l							
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l							
Tetrachloroethylene (PCE)	ug/l							
Trichloroethylene (TCE)	ug/l							
Bromomethane	ug/l							
Methylene Chloride	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
m-Xylene (1,3-Dimethylbenzene)	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
p-Xylene (1,4-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	MW02	MW02	MW03	MW03	MW03A	MW03A	MW03A
	Sample ID	28920449	28922719	2891978	289221166	28923279	28924831	289241531
	Sample Date	11/23/1983	06/20/1985	03/11/1982	09/18/1985	03/10/1986	06/23/1987	12/01/1987
	Sample Time	:	:	:	:	:	:	:
	Sample Depth	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'
	Laboratory	M&E?	M&E?	M&E?	AEL	M&E?	M&E?	AEL
	Lab. Number	28920449	28922719	2891978	289-22-1166	28923279	28924831	289-24-1531
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft		15.5	20	17.6	8.8	8.2	9.0
Water Elevation	Ft		15.10	6.14	8.54	9.37	9.97	9.17
Date Metals Analyzed	-							
Date Organics Analyzed	-							
Date Physical Analyzed	-							
Aluminum	mg/L							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Barium	mg/L			47				
Cadmium	mg/L							0.014
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Chromium, Total (dissolved)	mg/L			2.1			0.150	
Chromium, Hexavalent	mg/L							
Cobalt	mg/L							
Copper	mg/L		0.06					
Copper (unfiltered)	mg/L							
Iron	mg/L	1.2		1766	1.86			
Lead	mg/L			1.1				
Lead (unfiltered)	mg/L							
Manganese	mg/L			46	0.23	0.18		
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	MW02	MW02	MW03	MW03	MW03A	MW03A	MW03A
	Sample ID	28920449	28922719	2891978	289221166	28923279	28924831	289241531
	Sample Date	11/23/1983	06/20/1985	03/11/1982	09/18/1985	03/10/1986	06/23/1987	12/01/1987
	Sample Time	:	:	:	:	:	:	:
	Sample Depth	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'
	Laboratory	M&E?	M&E?	M&E?	AEL	M&E?	M&E?	AEL
	Lab. Number	28920449	28922719	2891978	289-22-1166	28923279	28924831	289-24-1531
Constituent	Units							
Silver	mg/L			0.044				
Titanium	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l							
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l							
Tetrachloroethylene (PCE)	ug/l							
Trichloroethylene (TCE)	ug/l							
Bromomethane	ug/l							
Methylene Chloride	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
m-Xylene (1,3-Dimethylbenzene)	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
p-Xylene (1,4-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6

SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	MW04	MW04	MW04	MW04	MW04A	MW04A	MW04A
	Sample ID	2891977	28921424	28921662	289241534	28923280	289231399	289241532
	Sample Date	03/11/1982	08/28/1984	11/28/1984	12/01/1987	03/10/1986	09/16/1986	12/01/1987
	Sample Time	:	:	:	:	:	:	:
	Sample Depth	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'
	Laboratory	M&E?	M&E?	M&E?	AEL	M&E?	AEL	AEL
	Lab. Number	2891977	28921424	28921662	289-24-1534	28923280	289-23-1399	289-24-1532
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft	19	17.98	19.54	14.5	39	10.7	9.7
Water Elevation	Ft	6.42	7.44	5.88	10.92	-20.26	8.04	9.04
Date Metals Analyzed	-							
Date Organics Analyzed	-							
Date Physical Analyzed	-							
Aluminum	mg/L							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Barium	mg/L	22						
Cadmium	mg/L	0.020			0.013			0.016
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Chromium, Total (dissolved)	mg/L	0.80						
Chromium, Hexavalent	mg/L							
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L	656	1.6					
Lead	mg/L	0.43						
Lead (unfiltered)	mg/L							
Manganese	mg/L	15	0.19	0.82		0.77	0.18	
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	MW04	MW04	MW04	MW04	MW04A	MW04A	MW04A
	Sample ID	2891977	28921424	28921662	289241534	28923280	289231399	289241532
	Sample Date	03/11/1982	08/28/1984	11/28/1984	12/01/1987	03/10/1986	09/16/1986	12/01/1987
	Sample Time	:	:	:	:	:	:	:
	Sample Depth	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'
	Laboratory	M&E?	M&E?	M&E?	AEL	M&E?	AEL	AEL
	Lab. Number	2891977	28921424	28921662	289-24-1534	28923280	289-23-1399	289-24-1532
Constituent	Units							
Silver	mg/L	0.016						
Titanium	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l							
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l							
Tetrachloroethylene (PCE)	ug/l							
Trichloroethylene (TCE)	ug/l							
Bromomethane	ug/l							
Methylene Chloride	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
m-Xylene (1,3-Dimethylbenzene)	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
p-Xylene (1,4-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6

SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	NT-MW-01S	NT-MW-01S	NT-MW-01S	NT-MW-01S	NT-MW-02	NT-MW-02	NT-MW-02
	Sample ID	31389051917	31389120616	38490051619	31391022520	31389051918	31389081820	31389120617
	Sample Date	05/19/1989	12/06/1989	05/16/1990	02/25/1991	05/19/1989	08/18/1989	12/06/1989
	Sample Time	10:20	14:15	12:35	10:05	12:10	13:10	14:40
	Sample Depth	5.00' - 20.00	5.00' - 20.00	5.00' - 20.00	5.00' - 20.00	5.00' - 20.00	5.00' - 20.00	5.00' - 20.00
	Laboratory	M&E?	M&E?	M&E?	M&E?	M&E?	M&E?	M&E?
	Lab. Number	31389051917	31389120616	5033533NTMW1	28928475	31389051918	31389081820	31389120617
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft	12.31			12.34	12.45	12.02	
Water Elevation	Ft	27.84			27.81	27.89	28.32	
Date Metals Analyzed	-							
Date Organics Analyzed	-							
Date Physical Analyzed	-							
Aluminum	mg/L							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Chromium, Total (dissolved)	mg/L							
Chromium, Hexavalent	mg/L							
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							

Printed on 09/13/2004

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	NT-MW-01S	NT-MW-01S	NT-MW-01S	NT-MW-01S	NT-MW-02	NT-MW-02	NT-MW-02
	Sample ID	31389051917	31389120616	38490051619	31391022520	31389051918	31389081820	31389120617
	Sample Date	05/19/1989	12/06/1989	05/16/1990	02/25/1991	05/19/1989	08/18/1989	12/06/1989
	Sample Time	10:20	14:15	12:35	10:05	12:10	13:10	14:40
	Sample Depth	5.00' - 20.00	5.00' - 20.00	5.00' - 20.00	5.00' - 20.00	5.00' - 20.00	5.00' - 20.00	5.00' - 20.00
	Laboratory	M&E?	M&E?	M&E?	M&E?	M&E?	M&E?	M&E?
	Lab. Number	31389051917	31389120616	5033533NTMW1	28928475	31389051918	31389081820	31389120617
Constituent	Units							
Silver	mg/L							
Titanium	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l					310	411.0	388.0
Chloroethane	ug/l					180		
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l							
trans-1,2-Dichloroethene	ug/l						173.0	202.0
cis-1,2-Dichloroethylene	ug/l							
Tetrachloroethylene (PCE)	ug/l						290.0	
Trichloroethylene (TCE)	ug/l							
Bromomethane	ug/l							
Methylene Chloride	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l				520			
Xylenes	ug/l	7900			94	2300		
m-Xylene (1,3-Dimethylbenzene)	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
p-Xylene (1,4-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l		162.0	53.0				

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	NT-MW-02	NT-MW-02	NT-MW-02	NT-MW-03D	NT-MW-03D	NT-MW-03D	NT-MW-03D
	Sample ID	38490051618	31390112137	31391022521	31389051920	31389081822	31389120719	31390030121
	Sample Date	05/16/1990	11/21/1990	02/25/1991	05/19/1989	08/18/1989	12/07/1989	03/01/1990
	Sample Time	12:35	10:25	10:15	11:05	13:46	11:45	14:40
	Sample Depth	5.00' - 20.00	5.00' - 20.00	5.00' - 20.00	30.00' - 40.0	30.00' - 40.0	30.00' - 40.0	30.00' - 40.0
	Laboratory	M&E?	M&E?	M&E?	M&E?	M&E?	M&E?	M&E?
	Lab. Number	5033533NTMW2	31390112137	28928484	31389051920	31389081822	31389120719	31390030121
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft		12.28	12.48	12.26	12.03		12.04
Water Elevation	Ft		28.06	27.86	27.74	27.97		27.96
Date Metals Analyzed	-							
Date Organics Analyzed	-							
Date Physical Analyzed	-							
Aluminum	mg/L							
Arsenic	mg/L			0.010				
Arsenic (unfiltered)	mg/L		0.043	0.075				
Barium	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L			0.030				
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Chromium, Total (dissolved)	mg/L							
Chromium, Hexavalent	mg/L							
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L			0.340				
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L			0.351				
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L			0.002				
Nickel	mg/L							
Nickel (unfiltered)	mg/L		1.10					

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	NT-MW-02	NT-MW-02	NT-MW-02	NT-MW-03D	NT-MW-03D	NT-MW-03D	NT-MW-03D
	Sample ID	38490051618	31390112137	31391022521	31389051920	31389081822	31389120719	31390030121
	Sample Date	05/16/1990	11/21/1990	02/25/1991	05/19/1989	08/18/1989	12/07/1989	03/01/1990
	Sample Time	12:35	10:25	10:15	11:05	13:46	11:45	14:40
	Sample Depth	5.00' - 20.00	5.00' - 20.00	5.00' - 20.00	30.00' - 40.0	30.00' - 40.0	30.00' - 40.0	30.00' - 40.0
	Laboratory	M&E?	M&E?	M&E?	M&E?	M&E?	M&E?	M&E?
	Lab. Number	5033533NTMW2	31390112137	28928484	31389051920	31389081822	31389120719	31390030121
Constituent	Units							
Silver	mg/L							
Titanium	mg/L							
Zinc (unfiltered)	mg/L		2.50	2.96				
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l	94.0			63	230.0	969.0	720.0
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l					240.0	950.0	241.0
trans-1,2-Dichloroethene	ug/l	80.0			820	6330.0	15446.0	16169.0
cis-1,2-Dichloroethylene	ug/l							
Tetrachloroethylene (PCE)	ug/l						380.0	529.0
Trichloroethylene (TCE)	ug/l					6600.0	6400.0	12451.0
Bromomethane	ug/l							
Methylene Chloride	ug/l							
Dichlorodifluoromethane	ug/l				600			
Trichlorofluoromethane	ug/l	62.0						54.0
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l		108	740				
Xylenes	ug/l			180				
m-Xylene (1,3-Dimethylbenzene)	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l						71.0	172.0
p-Xylene (1,4-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l						125.0	446.0

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	NT-MW-03D	NT-MW-03D	NT-MW-03D	NT-MW-03D	NT-MW-03D	NT-MW-03D	NT-MW-03D
	Sample ID	38490051620	31390083026	31390112139	31391022523	30291052905	19032111891	19032061092
	Sample Date	05/16/1990	08/30/1990	11/21/1990	02/25/1991	05/29/1991	11/19/1991	06/11/1992
	Sample Time	13:26	11:50	10:46	10:55	10:52		
	Sample Depth	30.00' - 40.0	30.00' - 40.0	30.00' - 40.0	30.00' - 40.0	30.00' - 40.0	30.00' - 40.0	30.0' - 40.0'
	Laboratory	M&E?	M&E?	M&E?	M&E?	AEL	CEIM	CEIM
	Lab. Number	38490051620	31390083026	31390112139	28928485	289-28-1358	910644-08	920302-21
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft		12.04	12.06	12.35	11.76		
Water Elevation	Ft		27.96	27.94	27.65	28.24		
Date Metals Analyzed	-							
Date Organics Analyzed	-							
Date Physical Analyzed	-							
Aluminum	mg/L							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L				0.030			
Barium	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L				0.051			
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Chromium, Total (dissolved)	mg/L							
Chromium, Hexavalent	mg/L							
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L				0.395			
Iron	mg/L		6.4					
Lead	mg/L							
Lead (unfiltered)	mg/L				0.106	0.068		
Manganese	mg/L		0.66					
Manganese (unfiltered)	mg/L		0.80					
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	NT-MW-03D	NT-MW-03D	NT-MW-03D	NT-MW-03D	NT-MW-03D	NT-MW-03D	NT-MW-03D
	Sample ID	38490051620	31390083026	31390112139	31391022523	30291052905	19032111891	19032061092
	Sample Date	05/16/1990	08/30/1990	11/21/1990	02/25/1991	05/29/1991	11/19/1991	06/11/1992
	Sample Time	13:26	11:50	10:46	10:55	10:52		:
	Sample Depth	30.00' - 40.0	30.00' - 40.0	30.00' - 40.0	30.00' - 40.0	30.00' - 40.0	30.00' - 40.0	30.0' - 40.0'
	Laboratory	M&E?	M&E?	M&E?	M&E?	AEL	CEIM	CEIM
	Lab. Number	38490051620	31390083026	31390112139	28928485	289-28-1358	910644-08	920302-21
Constituent	Units							
Silver	mg/L							
Titanium	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/l							
1,1,2,2-Tetrachloroethane	ug/l			120				
1,1-Dichloroethane	ug/l	747.0	476.0	680	660	550		160
Chloroethane	ug/l				240	410		
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l		264.0	270	690	560		
trans-1,2-Dichloroethene	ug/l	49393.0	16955.0	16080			4900	
cis-1,2-Dichloroethylene	ug/l				24000	16000		
Tetrachloroethylene (PCE)	ug/l		290.0	120	98	130		
Trichloroethylene (TCE)	ug/l	14300.0	3941.0	2530		5600		
Bromomethane	ug/l				240			
Methylene Chloride	ug/l							
Dichlorodifluoromethane	ug/l					1100		
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l			102	55	52		
m-Xylene (1,3-Dimethylbenzene)	ug/l		141.0					
o-Xylene (1,2-Dimethylbenzene)	ug/l	295.0	101.0					
p-Xylene (1,4-Dimethylbenzene)	ug/l		141.0					
m,p-Xylene (Sum of Isomers)	ug/l	445.0						

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	NT-MW-03D	NT-MW-03S	NT-MW-03S	NT-MW-03S	NT-MW-03S	NT-MW-03S	NT-MW-03S
	Sample ID	1845810	31389051919	31389081821	31389120718	31390030120	38490051621	31390083025
	Sample Date	09/02/1999	05/19/1989	08/18/1989	12/07/1989	03/01/1990	05/16/1990	08/30/1990
	Sample Time		11:30	14:10	11:00	14:05	13:27	11:45
	Sample Depth	30.0' - 40.0'	5.00' - 20.00	5.00' - 20.00	5.00' - 20.00	5.00' - 20.00	5.00' - 20.00	5.00' - 20.00
	Laboratory	QUAN	M&E?	M&E?	M&E?	M&E?	M&E?	M&E?
	Lab. Number	A9I080181003	31389051919	31389081821	31389120718	31390030120	38490051621	31390083025
Constituent	Units							
Depth of Well	Ft	36.46						
Depth To Water	Ft	11.28	12.42	12.06		12.18		12.24
Water Elevation	Ft	28.72	27.82	28.18		28.06		28.00
Date Metals Analyzed	-							
Date Organics Analyzed	-	09/14/1999						
Date Physical Analyzed	-							
Aluminum	mg/L							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Chromium, Total (dissolved)	mg/L							
Chromium, Hexavalent	mg/L							
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	NT-MW-03D	NT-MW-03S	NT-MW-03S	NT-MW-03S	NT-MW-03S	NT-MW-03S	NT-MW-03S
	Sample ID	1845810	31389051919	31389081821	31389120718	31390030120	38490051621	31390083025
	Sample Date	09/02/1999	05/19/1989	08/18/1989	12/07/1989	03/01/1990	05/16/1990	08/30/1990
	Sample Time		11:30	14:10	11:00	14:05	13:27	11:45
	Sample Depth	30.0' - 40.0'	5.00' - 20.00	5.00' - 20.00	5.00' - 20.00	5.00' - 20.00	5.00' - 20.00	5.00' - 20.00
	Laboratory	QUAN	M&E?	M&E?	M&E?	M&E?	M&E?	M&E?
	Lab. Number	A9I080181003	31389051919	31389081821	31389120718	31390030120	38490051621	31390083025
Constituent	Units							
Silver	mg/L							
Titanium	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l		5100	4217.0	5903.0	4095.0	2873.0	3841.0
Chloroethane	ug/l		2200					
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l		600	740.0	817.0	239.0		151.0
trans-1,2-Dichloroethene	ug/l		81000	26958.0	90063.0	46347.0	78591.0	60849.0
cis-1,2-Dichloroethylene	ug/l	550 J						
Tetrachloroethylene (PCE)	ug/l		650	529.0	546.0		681.0	2850.0
Trichloroethylene (TCE)	ug/l		8900		32702.0			
Bromomethane	ug/l							
Methylene Chloride	ug/l							
Dichlorodifluoromethane	ug/l		16000					
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l		1700					
m-Xylene (1,3-Dimethylbenzene)	ug/l							719.0
o-Xylene (1,2-Dimethylbenzene)	ug/l					231.0	1137.0	636.0
p-Xylene (1,4-Dimethylbenzene)	ug/l							719.0
m,p-Xylene (Sum of Isomers)	ug/l					445.0	1103.0	

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	NT-MW-03S	NT-MW-03S	NT-MW-03S	NT-MW-03S			
	Sample ID	31390112138	31391022522	30291052904	19031111891			
	Sample Date	11/21/1990	02/25/1991	05/29/1991	11/19/1991			
	Sample Time	10:46	10:30	10:37				
	Sample Depth	5.00' - 20.00	5.00' - 20.00	5.00' - 20.00	5.00' - 20.00			
	Laboratory	M&E?	M&E?	AEL	CEIM			
	Lab. Number	31390112138	28928476	289-28-1350	910644-09			
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft	12.14	12.58	11.72				
Water Elevation	Ft	28.10	27.66	28.52				
Date Metals Analyzed	-							
Date Organics Analyzed	-							
Date Physical Analyzed	-							
Aluminum	mg/L							
Arsenic	mg/L				0.010			
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Chromium, Total (dissolved)	mg/L							
Chromium, Hexavalent	mg/L							
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	NT-MW-03S	NT-MW-03S	NT-MW-03S	NT-MW-03S
	Sample ID	31390112138	31391022522	30291052904	19031111891
	Sample Date	11/21/1990	02/25/1991	05/29/1991	11/19/1991
	Sample Time	10:46	10:30	10:37	
	Sample Depth	5.00' - 20.00	5.00' - 20.00	5.00' - 20.00	5.00' - 20.00
	Laboratory	M&E?	M&E?	AEL	CEIM
	Lab. Number	31390112138	28928476	289-28-1350	910644-09
Constituent	Units				
Silver	mg/L				
Titanium	mg/L				
Zinc (unfiltered)	mg/L				
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l				
Cyanide	mg/L				
Cyanide (Total)	mg/L				
Benzene	ug/l				
Carbon Tetrachloride	ug/l				
1,1,2,2-Tetrachloroethane	ug/l	1300			
1,1-Dichloroethane	ug/l	4000	4500	3700	5900
Chloroethane	ug/l	1700	4800	1800	
Methyl-tert-butyl-ether	ug/l				
1,1-Dichloroethylene	ug/l			350	
trans-1,2-Dichloroethene	ug/l	34600			
cis-1,2-Dichloroethylene	ug/l		77000		
Tetrachloroethylene (PCE)	ug/l	1300	5000	1800	
Trichloroethylene (TCE)	ug/l	5500	10000	4900	
Bromomethane	ug/l		4800		
Methylene Chloride	ug/l				
Dichlorodifluoromethane	ug/l	800		1300	
Trichlorofluoromethane	ug/l				
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l				
Xylenes	ug/l	1349	1600	2900	
m-Xylene (1,3-Dimethylbenzene)	ug/l				
o-Xylene (1,2-Dimethylbenzene)	ug/l				
p-Xylene (1,4-Dimethylbenzene)	ug/l				
m,p-Xylene (Sum of Isomers)	ug/l				

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	NT-MW-03S	NT-MW-03S	NT-MW-03S	PH-MW-01	PH-MW-01	PH-MW-01	PH-MW-02
	Sample ID	19031061092	1845809	1845809	890302PHMW1	31389081710	15011061192	890302PHMW2
	Sample Date	06/11/1992	09/02/1999	09/02/1999	03/02/1989	08/17/1989	06/12/1992	03/02/1989
	Sample Time		10:10	10:10	15:45	11:56		15:00
	Sample Depth	5.0' - 20.0'	5.0' - 20.0'	5.0' - 20.0'	10.00' - 25.0	10.00' - 25.0	10.00' - 25.0	5.00' - 20.00
	Laboratory	CEIM	QUAN	QUAN	M&E?	M&E?	CEIM	M&E?
	Lab. Number	920302-22	A9I080181001	A9I080181002	890302PHMW1	31389081710	920309-06	890302PHMW2
Constituent	Units							
Depth of Well	Ft		21.31	21.31				
Depth To Water	Ft		11.21	11.21	11.49	10.49		12.07
Water Elevation	Ft		29.03	29.03	25.18	26.18		27.00
Date Metals Analyzed	-		09/15/1999	09/15/1999				
Date Organics Analyzed	-		09/15/1999					
Date Physical Analyzed	-							
Date Semivolatile Organics Analyzed	-							
Arsenic	mg/L	.005	0.0059					
Arsenic (unfiltered)	mg/L			0.0087				
Barium	mg/L						7.00000	
Beryllium (unfiltered)	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							
Silver	mg/L				0.11			0.11
Silver (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	NT-MW-03S	NT-MW-03S	NT-MW-03S	PH-MW-01	PH-MW-01	PH-MW-01	PH-MW-02
	Sample ID	19031061092	1845809	1845809	890302PHMW1	31389081710	15011061192	890302PHMW2
	Sample Date	06/11/1992	09/02/1999	09/02/1999	03/02/1989	08/17/1989	06/12/1992	03/02/1989
	Sample Time		10:10	10:10	15:45	11:56		15:00
	Sample Depth	5.0' - 20.0'	5.0' - 20.0'	5.0' - 20.0'	10.00' - 25.0	10.00' - 25.0	10.00' - 25.0	5.00' - 20.00
	Laboratory	CEIM	QUAN	QUAN	M&E?	M&E?	CEIM	M&E?
	Lab. Number	920302-22	A9I080181001	A9I080181002	890302PHMW1	31389081710	920309-06	890302PHMW2
Constituent	Units							
Zinc	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzo(a)pyrene	ug/L							
Benzo(g,h,i)perylene	ug/L							
Naphthalene	ug/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/L							
1,1,1,2-Tetrachloroethane	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l	4900						
1,2-Dibromoethane (Ethylene Dibromide)	ug/l							
Chloroethane	ug/l		150 J					
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l							
trans-1,2-Dichloroethene	ug/l					247.0		
cis-1,2-Dichloroethylene	ug/l							
Tetrachloroethylene (PCE)	ug/l	620				948.0		
Trichloroethylene (TCE)	ug/l							
Bromomethane	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l	1100	120 J					
o-Xylene (1,2-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	PH-MW-02	PH-MW-02	PH-MW-02	PH-MW-04	PH-MW-08S	PH-MW-11I	PH-MW-13
	Sample ID	31389081708	38490051509	31390083020	31389081711	1845801	1845808	1011285
	Sample Date	08/17/1989	05/15/1990	08/30/1990	08/17/1989	09/01/1999	09/01/1999	03/28/1996
	Sample Time	10:30	13:30	10:25	12:40	09:40	15:10	10:11
	Sample Depth	5.00' - 20.00	5.00' - 20.00	5.00' - 20.00	0.00'	8.0' - 18.0'	23.6' - 33.6'	0.0'
	Laboratory	M&E?	M&E?	M&E?	M&E?	QUAN	QUAN	AEL
	Lab. Number	31389081708	5033533PHMW2	31390083020	31389081711	A9I020183010	A9I020183017	AEL96003224
Constituent	Units							
Depth of Well	Ft					18.00	33.70	
Depth To Water	Ft	10.54		10.59	11.87	10.91	13.40	8.81
Water Elevation	Ft	28.53		28.48	27.20	28.07	28.53	26.56
Date Metals Analyzed	-					09/15/1999	09/15/1999	
Date Organics Analyzed	-							04/09/1996
Date Physical Analyzed	-							
Date Semivolatile Organics Analyzed	-							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L						0.0072	
Barium	mg/L							
Beryllium (unfiltered)	mg/L						0.0097	
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Cobalt	mg/L							
Copper	mg/L		0.08		2.33			
Copper (unfiltered)	mg/L					0.0879	0.966	
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L					0.0400	0.517	
Manganese	mg/L							
Manganese (unfiltered)	mg/L			0.17				
Mercury	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							
Silver	mg/L	0.08						
Silver (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	PH-MW-02	PH-MW-02	PH-MW-02	PH-MW-04	PH-MW-08S	PH-MW-11I	PH-MW-13
	Sample ID	31389081708	38490051509	31390083020	31389081711	1845801	1845808	1011285
	Sample Date	08/17/1989	05/15/1990	08/30/1990	08/17/1989	09/01/1999	09/01/1999	03/28/1996
	Sample Time	10:30	13:30	10:25	12:40	09:40	15:10	10:11
	Sample Depth	5.00' - 20.00	5 00' - 20.00	5.00' - 20.00	0.00'	8.0' - 18.0'	23.6' - 33.6'	0.0'
	Laboratory	M&E?	M&E?	M&E?	M&E?	QUAN	QUAN	AEL
	Lab. Number	31389081708	5033533PHMW2	31390083020	31389081711	A91020183010	A91020183017	AEL96003224
Constituent	Units							
Zinc	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzo(a)pyrene	ug/L							
Benzo(g,h,i)perylene	ug/L							
Naphthalene	ug/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/L							
1,1,1,2-Tetrachloroethane	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							230 J1
1,1-Dichloroethane	ug/l							
1,2-Dibromoethane (Ethylene Dibromide)	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l							
trans-1,2-Dichloroethene	ug/l							810 J
cis-1,2-Dichloroethylene	ug/l							200 J1
Tetrachloroethylene (PCE)	ug/l							
Trichloroethylene (TCE)	ug/l							
Bromomethane	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Printed on 09/13/2004

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	PH-MW-14	PH-MW-17	PH-MW-17	PH-MW-17	PH-MW-18	PH-MW-23	PH-MW-28
	Sample ID	1011286	151710603921	151710603922	1011290	1011282	890302PHRW2	1011291
	Sample Date	03/28/1996	06/04/1992	06/04/1992	03/28/1996	03/27/1996	03/02/1989	03/28/1996
	Sample Time	10:22			12:08	15:40	14:45	13:40
	Sample Depth	0.0'	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'
	Laboratory	AEL	CEIM	CEIM	AEL	AEL	M&E?	AEL
	Lab. Number	AEL96003225	920287-01	920287-02	AEL96003229	AEL96003187	890302PHRW2	AEL96003230
Constituent	Units							
Depth of Well	Ft				9.98	9.88		10.12
Depth To Water	Ft	6.12			28.65	28.53		28.55
Water Elevation	Ft	27.03						
Date Metals Analyzed	-				04/10/1996	04/09/1996		04/10/1996
Date Organics Analyzed	-	04/09/1996						
Date Physical Analyzed	-							
Date Semivolatile Organics Analyzed	-							
Arsenic	mg/L		1.1	1				
Arsenic (unfiltered)	mg/L							
Barium	mg/L		25	18				
Beryllium (unfiltered)	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L		6	9				
Cobalt	mg/L							
Copper	mg/L		12	8				
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L		9.19999	4.8				
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Nickel	mg/L		12	9				
Nickel (unfiltered)	mg/L							
Silver	mg/L						0.06	
Silver (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	PH-MW-14	PH-MW-17	PH-MW-17	PH-MW-17	PH-MW-18	PH-MW-23	PH-MW-28
	Sample ID	1011286	151710603921	151710603922	1011290	1011282	890302PHRW2	1011291
	Sample Date	03/28/1996	06/04/1992	06/04/1992	03/28/1996	03/27/1996	03/02/1989	03/28/1996
	Sample Time	10:22			12:08	15:40	14:45	13:40
	Sample Depth	0.0'	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'
	Laboratory	AEL	CEIM	CEIM	AEL	AEL	M&E?	AEL
	Lab. Number	AEL96003225	920287-01	920287-02	AEL96003229	AEL96003187	890302PHRW2	AEL96003230
Constituent	Units							
Zinc	mg/L		29	20				
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzo(a)pyrene	ug/L							
Benzo(g,h,i)perylene	ug/L							
Naphthalene	ug/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/L							
1,1,1,2-Tetrachloroethane	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l	100 J			1400	400 J1		840
1,2-Dibromoethane (Ethylene Dibromide)	ug/l							
Chloroethane	ug/l	130 J						
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l							
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l				5500 J1	760 J1		7000 J1
Tetrachloroethylene (PCE)	ug/l							
Trichloroethylene (TCE)	ug/l							
Bromomethane	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l				52			
Xylenes	ug/l					56		
o-Xylene (1,2-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	PH-PZ-02	PW-01	PW-01	PW-01	PW-01	PW-02	PW-02
	Sample ID	1011288	860924PW1	PW1890830	17012061592	17012061592	31389021501	31390083018
	Sample Date	03/28/1996	09/24/1986	08/30/1989	06/16/1992	06/16/1992	02/15/1989	08/30/1990
	Sample Time	11:18	:	:			:	14:15
	Sample Depth	0.00'	27.20' - 32.2	27.20' - 32.2	27.20' - 32.2	27.20' - 32.2	25.40' - 30.4	25.40' - 30.4
	Laboratory	AEL	M&E?	M&E?	CEIM	CEIM	M&E?	M&E?
	Lab. Number	AEL96003227	860924PW1	PW1890830	920313-01	920314-01	31389021501	31390083018
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft	8.94					16.7	
Water Elevation	Ft	29.71					22.23	
Date Metals Analyzed	-							
Date Organics Analyzed	-	04/11/1996						
Date Physical Analyzed	-							
Date Semivolatile Organics Analyzed	-							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Beryllium (unfiltered)	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L					.015		
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							
Silver	mg/L							
Silver (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	PH-PZ-02	PW-01	PW-01	PW-01	PW-01	PW-02	PW-02
	Sample ID	1011288	860924PW1	PW1890830	17012061592	17012061592	31389021501	31390083018
	Sample Date	03/28/1996	09/24/1986	08/30/1989	06/16/1992	06/16/1992	02/15/1989	08/30/1990
	Sample Time	11:18	:	:			:	14:15
	Sample Depth	0.00'	27.20' - 32.2	27.20' - 32.2	27.20' - 32.2	27.20' - 32.2	25.40' - 30.4	25.40' - 30.4
	Laboratory	AEL	M&E?	M&E?	CEIM	CEIM	M&E?	M&E?
	Lab. Number	AEL96003227	860924PW1	PW1890830	920313-01	920314-01	31389021501	31390083018
Constituent	Units							
Zinc	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l	9.1						
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzo(a)pyrene	ug/L							
Benzo(g,h,i)perylene	ug/L							
Naphthalene	ug/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/L							
1,1,1,2-Tetrachloroethane	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l	250 J1	120		88			152.0
1,2-Dibromoethane (Ethylene Dibromide)	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l		160				170	
trans-1,2-Dichloroethene	ug/l		12000	608.0				
cis-1,2-Dichloroethylene	ug/l	79						
Tetrachloroethylene (PCE)	ug/l		260					
Trichloroethylene (TCE)	ug/l		5000					
Bromomethane	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l		1000					
o-Xylene (1,2-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	PW-02	PW-04	PW-04	PW-04	PW-04	PW-04	PW-04
	Sample ID	17022061092	PW4890216	PW4890823	PW4891212	31390030232	38490051726	31390083019
	Sample Date	06/11/1992	02/16/1989	08/23/1989	12/12/1989	03/02/1990	05/17/1990	08/30/1990
	Sample Time		:	:	:	11:45	10:30	15:20
	Sample Depth	25.40' - 30.4	23.10' - 28.1	23.10' - 28.1	23.10' - 28.1	23.10' - 28.1	23.10' - 28.1	23.10' - 28.1
	Laboratory	CEIM	M&E?	M&E?	M&E?	M&E?	M&E?	M&E?
	Lab. Number	920301-04	PW4890216	PW4890823	PW4891212	31390030232	5033533PW4	31390083019
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft							
Water Elevation	Ft							
Date Metals Analyzed	-							
Date Organics Analyzed	-							
Date Physical Analyzed	-							
Date Semivolatile Organics Analyzed	-							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Beryllium (unfiltered)	mg/L							
Cadmium	mg/L	.03						
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L							0.06
Manganese	mg/L							
Manganese (unfiltered)	mg/L							2.04
Mercury	mg/L							3.34
Nickel	mg/L							
Nickel (unfiltered)	mg/L							
Silver	mg/L							
Silver (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	PW-02	PW-04	PW-04	PW-04	PW-04	PW-04	PW-04
	Sample ID	17022061092	PW4890216	PW4890823	PW4891212	31390030232	38490051726	31390083019
	Sample Date	06/11/1992	02/16/1989	08/23/1989	12/12/1989	03/02/1990	05/17/1990	08/30/1990
	Sample Time		:	:	:	11:45	10:30	15:20
	Sample Depth	25.40' - 30.4	23.10' - 28.1	23.10' - 28.1	23.10' - 28.1	23.10' - 28.1	23.10' - 28.1	23.10' - 28.1
	Laboratory	CEIM	M&E?	M&E?	M&E?	M&E?	M&E?	M&E?
	Lab. Number	920301-04	PW4890216	PW4890823	PW4891212	31390030232	5033533PW4	31390083019
Constituent	Units							
Zinc	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzo(a)pyrene	ug/L							
Benzo(g,h,i)perylene	ug/L							
Naphthalene	ug/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/L							
1,1,1,2-Tetrachloroethane	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l				97.0	96.0		
1,2-Dibromoethane (Ethylene Dibromide)	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l		580	1524.0	884.0	551.0	640.0	669.0
trans-1,2-Dichloroethene	ug/l			128.0	704.0	620.0	1607.0	839.0
cis-1,2-Dichloroethylene	ug/l							
Tetrachloroethylene (PCE)	ug/l		240	234.0	295.0	259.0	203.0	659.0
Trichloroethylene (TCE)	ug/l							
Bromomethane	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	PW-04	PW-04	PW-04	PW-04	PW-18	PW-32	PW-32
	Sample ID	31390111920	31391022642	30291052911	17041112191	17182060592	EA2-12095	EA2-23PT
	Sample Date	11/19/1990	02/26/1991	05/29/1991	11/22/1991	06/05/1992	01/20/1995	02/03/1995
	Sample Time	12:10	10:20	13:35			:	:
	Sample Depth	23.10' - 28.1	23.10' - 28.1	23.10' - 28.1	23.10' - 28.1	17.00' - 27.0	13.0' - 23.0'	13.0' - 23.0'
	Laboratory	M&E?	M&E?	AEL	CEIM	CEIM	AEL	AEL
	Lab. Number	31390111920	28928507	289-28-1360	910652-06	920287-08	AEL95000594	AEL95001049
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft							
Water Elevation	Ft							
Date Metals Analyzed	-							
Date Organics Analyzed	-							
Date Physical Analyzed	-							
Date Semivolatile Organics Analyzed	-							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Beryllium (unfiltered)	mg/L					7.00000		
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L	0.07						
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Cobalt	mg/L							
Copper	mg/L				0.24			
Copper (unfiltered)	mg/L	0.06						
Iron	mg/L							
Lead	mg/L				0.014	.013		
Lead (unfiltered)	mg/L							
Manganese	mg/L					1.39		1.5
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							
Silver	mg/L							
Silver (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	PW-04	PW-04	PW-04	PW-04	PW-18	PW-32	PW-32
	Sample ID	31390111920	31391022642	30291052911	17041112191	17182060592	EA2-12095	EA2-23PT
	Sample Date	11/19/1990	02/26/1991	05/29/1991	11/22/1991	06/05/1992	01/20/1995	02/03/1995
	Sample Time	12:10	10:20	13:35			:	:
	Sample Depth	23.10' - 28.1	23.10' - 28.1	23.10' - 28.1	23.10' - 28.1	17.00' - 27.0	13.0' - 23.0'	13.0' - 23.0'
	Laboratory	M&E?	M&E?	AEL	CEIM	CEIM	AEL	AEL
	Lab. Number	31390111920	28928507	289-28-1360	910652-06	920287-08	AEL95000594	AEL95001049
Constituent	Units							
Zinc	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzo(a)pyrene	ug/L							
Benzo(g,h,i)perylene	ug/L							
Naphthalene	ug/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/L							
1,1,1,2-Tetrachloroethane	ug/l							
1,1,2,2-Tetrachloroethane	ug/l	231						
1,1-Dichloroethane	ug/l		70	59				
1,2-Dibromoethane (Ethylene Dibromide)	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l		1300	790	2000		340	
trans-1,2-Dichloroethene	ug/l				4000			
cis-1,2-Dichloroethylene	ug/l		2600					
Tetrachloroethylene (PCE)	ug/l	231	530	520				
Trichloroethylene (TCE)	ug/l		6300		5000			
Bromomethane	ug/l							
Dichlorodifluoromethane	ug/l			290				
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	PW-32	PW-32	PW-32	PW-32	PW-32	PW-33	PW-33
	Sample ID	EA2-23PT	PW32-5796	PW32-5796	1025585	1025585	189410808926	189410815921
	Sample Date	02/03/1995	05/07/1996	05/07/1996	01/28/1997	01/28/1997	08/10/1992	08/17/1992
	Sample Time	:	:	:	10:35	10:35	:	:
	Sample Depth	13.0' - 23.0'	13.0' - 23.0'	13.0' - 23.0'	13.0' - 23.0'	13.0' - 23.0'	0.0' - 24.0'	14.0' - 24.0'
	Laboratory	AEL	AEL	AEL	AEL	AEL	CEIM	CEIM
	Lab. Number	AEL95001050	AEL96004841	AEL96004842	AEL97001216	AEL97001217	920400-01	920413-02
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft							
Water Elevation	Ft							
Date Metals Analyzed	-				01/31/1997	01/31/1997		
Date Organics Analyzed	-							
Date Physical Analyzed	-							
Date Semivolatile Organics Analyzed	-							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Beryllium (unfiltered)	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L	1.48 F	2.02	1.82 F	1.29	1.26		
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							
Silver	mg/L							
Silver (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	PW-32	PW-32	PW-32	PW-32	PW-32	PW-33	PW-33
	Sample ID	EA2-23PT	PW32-5796	PW32-5796	1025585	1025585	189410808926	189410815921
	Sample Date	02/03/1995	05/07/1996	05/07/1996	01/28/1997	01/28/1997	08/10/1992	08/17/1992
	Sample Time	:	:	:	10:35	10:35	:	:
	Sample Depth	13.0' - 23.0'	13.0' - 23.0'	13.0' - 23.0'	13.0' - 23.0'	13.0' - 23.0'	0.0' - 24.0'	14.0' - 24.0'
	Laboratory	AEL	AEL	AEL	AEL	AEL	CEIM	CEIM
	Lab. Number	AEL95001050	AEL96004841	AEL96004842	AEL97001216	AEL97001217	920400-01	920413-02
Constituent	Units							
Zinc	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzo(a)pyrene	ug/L							
Benzo(g,h,i)perylene	ug/L							
Naphthalene	ug/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/L							
1,1,1,2-Tetrachloroethane	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l							
1,2-Dibromoethane (Ethylene Dibromide)	ug/l							
Chloroethane	ug/l						4	
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l						54	53
trans-1,2-Dichloroethene	ug/l							230
cis-1,2-Dichloroethylene	ug/l							
Tetrachloroethylene (PCE)	ug/l							
Trichloroethylene (TCE)	ug/l							
Bromomethane	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	PW-33	PW-33	PW-33	PW-33	PW-33	PW-33	PW-34
	Sample ID	EA3-2395	EA3-2395	PW33-5796	PW33-5796	1025584	1025584	EA4-12095
	Sample Date	02/03/1995	02/03/1995	05/07/1996	05/07/1996	01/28/1997	01/28/1997	01/20/1995
	Sample Time					10:20	10:20	
	Sample Depth	14.0' - 24.0'	14.0' - 24.0'	14.0' - 24.0'	14.0' - 24.0'	14.0' - 24.0'	14.0' - 24.0'	15.0' - 35.0'
	Laboratory	AEL	AEL	AEL	AEL	AEL	AEL	AEL
	Lab. Number	AEL95001045	AEL95001046	AEL96004839	AEL96004840	AEL97001214	AEL97001215	AEL95000592
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft							
Water Elevation	Ft							
Date Metals Analyzed	-							
Date Organics Analyzed	-					01/31/1997	01/31/1997	
Date Physical Analyzed	-							
Date Semivolatile Organics Analyzed	-							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Beryllium (unfiltered)	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L			4.92				
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L	1.48	1.41 F	3.64	3.07 F	3.85	3.79	
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							
Silver	mg/L							
Silver (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	PW-33	PW-33	PW-33	PW-33	PW-33	PW-33	PW-34
	Sample ID	EA3-2395	EA3-2395	PW33-5796	PW33-5796	1025584	1025584	EA4-12095
	Sample Date	02/03/1995	02/03/1995	05/07/1996	05/07/1996	01/28/1997	01/28/1997	01/20/1995
	Sample Time					10:20	10:20	
	Sample Depth	14.0' - 24.0'	14.0' - 24.0'	14.0' - 24.0'	14.0' - 24.0'	14.0' - 24.0'	14.0' - 24.0'	15.0' - 35.0'
	Laboratory	AEL	AEL	AEL	AEL	AEL	AEL	AEL
	Lab. Number	AEL95001045	AEL95001046	AEL96004839	AEL96004840	AEL97001214	AEL97001215	AEL95000592
Constituent	Units							
Zinc	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzo(a)pyrene	ug/L							
Benzo(g,h,i)perylene	ug/L							
Naphthalene	ug/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/L							1900
1,1,1,2-Tetrachloroethane	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l							
1,2-Dibromoethane (Ethylene Dibromide)	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l							200
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l							
Tetrachloroethylene (PCE)	ug/l							
Trichloroethylene (TCE)	ug/l							
Bromomethane	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	PW-34	PW-34	PW-34	PW-34	ST-MW-01	ST-MW-02	ST-MW-02
	Sample ID	EA4-2395	EA4-2395	PW34-5796	PW34-5796	12011061192	31389051709	31389120613
	Sample Date	02/03/1995	02/03/1995	05/07/1996	05/07/1996	06/12/1992	05/18/1989	12/06/1989
	Sample Time	:	:	:	:		12:10	11:05
	Sample Depth	15.0' - 35.0'	15.0' - 35.0'	15.0' - 35.0'	15.0' - 35.0'	5.00' - 20.00	5.00' - 20.00	5.00' - 20.00
	Laboratory	AEL	AEL	AEL	AEL	CEIM	M&E?	M&E?
	Lab. Number	AEL95001047	AEL95001048	AEL96004837	AEL96004838	920309-13	31389051709	31389120613
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft						12.74	13.03
Water Elevation	Ft						27.54	27.25
Date Metals Analyzed	-							
Date Organics Analyzed	-							
Date Physical Analyzed	-							
Date Semivolatile Organics Analyzed	-							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Beryllium (unfiltered)	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L			1.84				
Lead	mg/L					8.99999	0.02	
Lead (unfiltered)	mg/L							
Manganese	mg/L	3.79	3.73 F	2.98	2.59 F			
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							
Silver	mg/L							
Silver (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	PW-34	PW-34	PW-34	PW-34	ST-MW-01	ST-MW-02	ST-MW-02
	Sample ID	EA4-2395	EA4-2395	PW34-5796	PW34-5796	12011061192	31389051709	31389120613
	Sample Date	02/03/1995	02/03/1995	05/07/1996	05/07/1996	06/12/1992	05/18/1989	12/06/1989
	Sample Time	:	:	:	:		12:10	11:05
	Sample Depth	15.0' - 35.0'	15.0' - 35.0'	15.0' - 35.0'	15.0' - 35.0'	5.00' - 20.00	5.00' - 20.00	5.00' - 20.00
	Laboratory	AEL	AEL	AEL	AEL	CEIM	M&E?	M&E?
	Lab. Number	AEL95001047	AEL95001048	AEL96004837	AEL96004838	920309-13	31389051709	31389120613
Constituent	Units							
Zinc	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzo(a)pyrene	ug/L							
Benzo(g,h,i)perylene	ug/L							
Naphthalene	ug/L							
Benzene	ug/l			980				
Carbon Tetrachloride	ug/L							
1,1,1,2-Tetrachloroethane	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l							
1,2-Dibromoethane (Ethylene Dibromide)	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l			120				
1,1-Dichloroethylene	ug/l							
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l							
Tetrachloroethylene (PCE)	ug/l							
Trichloroethylene (TCE)	ug/l							
Bromomethane	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l						60	
m,p-Xylene (Sum of Isomers)	ug/l							78.0

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	ST-MW-02	ST-MW-02	ST-MW-02	ST-MW-02	ST-MW-02	ST-MW-02	ST-MW-02
	Sample ID	31390022812	38490051614	31390082907	31390111604	31391022516	12021111991	12021061092
	Sample Date	02/28/1990	05/16/1990	08/29/1990	11/16/1990	02/25/1991	11/19/1991	06/11/1992
	Sample Time	14:10	10:07	12:16	12:09	09:02		
	Sample Depth	5.00' - 20.00	5.00' - 20.00	5.00' - 20.00	5.00' - 20.00	5.00' - 20.00	5.00' - 20.00	5.00' - 20.00
	Laboratory	M&E?	M&E?	M&E?	M&E?	M&E?	CEIM	CEIM
	Lab. Number	31390022812	5033533STMW2	31390082907	31390111604	28928483	910646-17	920302-30
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft	13.12		13.00	13.22	13.60		
Water Elevation	Ft	27.16		27.28	27.06	26.68		
Date Metals Analyzed	-							
Date Organics Analyzed	-							
Date Physical Analyzed	-							
Date Semivolatile Organics Analyzed	-							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Barium	mg/L							7.00000
Beryllium (unfiltered)	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L			1.8				
Lead	mg/L							
Lead (unfiltered)	mg/L					0.026		
Manganese	mg/L			7.20				
Manganese (unfiltered)	mg/L			8.00				
Mercury	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							
Silver	mg/L							
Silver (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	ST-MW-02	ST-MW-02	ST-MW-02	ST-MW-02	ST-MW-02	ST-MW-02	ST-MW-02
	Sample ID	31390022812	38490051614	31390082907	31390111604	31391022516	12021111991	12021061092
	Sample Date	02/28/1990	05/16/1990	08/29/1990	11/16/1990	02/25/1991	11/19/1991	06/11/1992
	Sample Time	14:10	10:07	12:16	12:09	09:02		
	Sample Depth	5.00' - 20.00	5.00' - 20.00	5.00' - 20.00	5.00' - 20.00	5.00' - 20.00	5.00' - 20.00	5.00' - 20.00
	Laboratory	M&E?	M&E?	M&E?	M&E?	M&E?	CEIM	CEIM
	Lab. Number	31390022812	5033533STMW2	31390082907	31390111604	28928483	910646-17	920302-30
Constituent	Units							
Zinc	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzo(a)pyrene	ug/L							
Benzo(g,h,i)perylene	ug/L							
Naphthalene	ug/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/L							
1,1,1,2-Tetrachloroethane	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l							
1,2-Dibromoethane (Ethylene Dibromide)	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l							
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l							
Tetrachloroethylene (PCE)	ug/l							
Trichloroethylene (TCE)	ug/l							
Bromomethane	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l				184	270	310	
o-Xylene (1,2-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l	296.0	396.0					

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	ST-MW-03	ST-MW-03	ST-MW-03	ST-MW-03	WS-01	WS-02	WS-02
	Sample ID	31389051710	31390022813	31390111605	31391022517	34011061092	WS2890216	WS2891212
	Sample Date	05/18/1989	02/28/1990	11/16/1990	02/25/1991	06/11/1992	02/16/1989	12/12/1989
	Sample Time	12:35	14:25	12:38	09:18			
	Sample Depth	5.00' - 20.00	5.00' - 20.00	5.00' - 20.00	5.00' - 20.00	14.50' - 24.5	0.00'	0.00'
	Laboratory	M&E?	M&E?	M&E?	M&E?	CEIM	M&E?	M&E?
	Lab. Number	31389051710	31390022813	31390111605	28928471	920301-05	WS2890216	WS2891212
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft	12.70	13.10	13.17	13.11			
Water Elevation	Ft	27.26	26.86	26.79	26.85			
Date Metals Analyzed	-							
Date Organics Analyzed	-							
Date Physical Analyzed	-							
Date Semivolatile Organics Analyzed	-							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Beryllium (unfiltered)	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L					.02		
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							
Silver	mg/L							
Silver (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	ST-MW-03	ST-MW-03	ST-MW-03	ST-MW-03	WS-01	WS-02	WS-02
	Sample ID	31389051710	31390022813	31390111605	31391022517	34011061092	WS2890216	WS2891212
	Sample Date	05/18/1989	02/28/1990	11/16/1990	02/25/1991	06/11/1992	02/16/1989	12/12/1989
	Sample Time	12:35	14:25	12:38	09:18		:	:
	Sample Depth	5.00' - 20.00	5.00' - 20.00	5.00' - 20.00	5.00' - 20.00	14.50' - 24.5	0.00'	0.00'
	Laboratory	M&E?	M&E?	M&E?	M&E?	CEIM	M&E?	M&E?
	Lab. Number	31389051710	31390022813	31390111605	28928471	920301-05	WS2890216	WS2891212
Constituent	Units							
Zinc	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzo(a)pyrene	ug/L							
Benzo(g,h,i)perylene	ug/L							
Naphthalene	ug/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/L							
1,1,1,2-Tetrachloroethane	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l							
1,2-Dibromoethane (Ethylene Dibromide)	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l							
trans-1,2-Dichloroethene	ug/l		156.0					
cis-1,2-Dichloroethylene	ug/l							
Tetrachloroethylene (PCE)	ug/l							
Trichloroethylene (TCE)	ug/l						460	1153.0
Bromomethane	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l	210		205	56			
o-Xylene (1,2-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Printed on 09/13/2004

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WS-02	WS-02	WS-02	WS-02	WS-02	WS-02	WS-02
	Sample ID	31390030226	38490051728	31390083028	31390111913	31391022635	30291052909	34021061092
	Sample Date	03/02/1990	05/17/1990	08/30/1990	11/19/1990	02/26/1991	05/29/1991	06/11/1992
	Sample Time	10:15	09:40	13:20	10:52	09:45	13:05	
	Sample Depth	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'
	Laboratory	M&E?	M&E?	M&E?	M&E?	M&E?	AEL	CEIM
	Lab. Number	31390030226	5033533WS2	31390083028	31390111913	28928495	289-28-1353	920301-06
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft							
Water Elevation	Ft							
Date Metals Analyzed	-							
Date Organics Analyzed	-							
Date Physical Analyzed	-							
Date Semivolatile Organics Analyzed	-							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Beryllium (unfiltered)	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L							032
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							
Silver	mg/L							
Silver (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WS-02	WS-02	WS-02	WS-02	WS-02	WS-02	WS-02
	Sample ID	31390030226	38490051728	31390083028	31390111913	31391022635	30291052909	34021061092
	Sample Date	03/02/1990	05/17/1990	08/30/1990	11/19/1990	02/26/1991	05/29/1991	06/11/1992
	Sample Time	10:15	09:40	13:20	10:52	09:45	13:05	
	Sample Depth	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'
	Laboratory	M&E?	M&E?	M&E?	M&E?	M&E?	AEL	CEIM
	Lab. Number	31390030226	5033533WS2	31390083028	31390111913	28928495	289-28-1353	920301-06
Constituent	Units							
Zinc	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzo(a)pyrene	ug/L							
Benzo(g,h,i)perylene	ug/L							
Naphthalene	ug/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/L							
1,1,1,2-Tetrachloroethane	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l				534			
1,2-Dibromoethane (Ethylene Dibromide)	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l							
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l							
Tetrachloroethylene (PCE)	ug/l	547.0	714.0	389.0	534	180	330	420
Trichloroethylene (TCE)	ug/l							
Bromomethane	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WS-02	WS-02	WS-02	WS-02 Carb I	WS-02 Carb I	WS-02 Carb I	WS-02 Carb I
	Sample ID	225000717-02	225000717-03	2007876	2009090	2009090	2009100	2009100
	Sample Date	07/17/2000	07/17/2000	04/24/2001	10/31/2001	10/31/2001	11/08/2001	11/08/2001
	Sample Time				12:20	12:20	12:12	12:12
	Sample Depth	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'
	Laboratory	AEL	AEL	AEL	PREM	PREM	PREM	PREM
	Lab. Number	AEL00008009	AEL00008010	AEL01003883	E111039-3A	E111039-3B	534122960	E111386-3B
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft							
Water Elevation	Ft							
Date Metals Analyzed	-	07/24/2000	07/24/2000	04/27/2001	11/06/2001			
Date Organics Analyzed	-	07/20/2000	07/20/2000	05/08/2001		11/05/2001	11/15/2001	11/15/2001
Date Physical Analyzed	-							
Date Semivolatile Organics Analyzed	-							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Beryllium (unfiltered)	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L	0.340	0.339	0.323	0.41			
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							
Silver	mg/L							
Silver (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WS-02	WS-02	WS-02	WS-02 Carb I	WS-02 Carb I	WS-02 Carb I	WS-02 Carb I
	Sample ID	225000717-02	225000717-03	2007876	2009090	2009090	2009100	2009100
	Sample Date	07/17/2000	07/17/2000	04/24/2001	10/31/2001	10/31/2001	11/08/2001	11/08/2001
	Sample Time				12:20	12:20	12:12	12:12
	Sample Depth	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'
	Laboratory	AEL	AEL	AEL	PREM	PREM	PREM	PREM
	Lab. Number	AEL00008009	AEL00008010	AEL01003883	E111039-3A	E111039-3B	534122960	E111386-3B
Constituent	Units							
Zinc	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzo(a)pyrene	ug/L							
Benzo(g,h,i)perylene	ug/L							
Naphthalene	ug/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/L							
1,1,1,2-Tetrachloroethane	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l							
1,2-Dibromoethane (Ethylene Dibromide)	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l							
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l							
Tetrachloroethylene (PCE)	ug/l	110	120	200 H		140	150	150
Trichloroethylene (TCE)	ug/l							
Bromomethane	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WS-02 Carb I	WS-02 Carb I	WS-03	WS-03	WS-03	WS-03	WS-03
	Sample ID	2009358	2009358	WS3891212	31390030227	38490051729	31390083029	31391022636
	Sample Date	11/15/2001	11/15/2001	12/12/1989	03/02/1990	05/17/1990	08/30/1990	02/26/1991
	Sample Time	14:17	14:17	:	10:00	09:45	13:00	09:20
	Sample Depth	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'
	Laboratory	PREM	PREM	M&E?	M&E?	M&E?	M&E?	M&E?
	Lab. Number	534127461	534127464	WS3891212	31390030227	5033533WS3	31390083029	28928496
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft							
Water Elevation	Ft							
Date Metals Analyzed	-	11/20/2001						
Date Organics Analyzed	-		11/20/2001					
Date Physical Analyzed	-							
Date Semivolatile Organics Analyzed	-							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Barium	mg/L							667
Beryllium (unfiltered)	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Cobalt	mg/L							
Copper	mg/L	0.089						
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							
Silver	mg/L							
Silver (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WS-02 Carb I	WS-02 Carb I	WS-03	WS-03	WS-03	WS-03	WS-03
	Sample ID	2009358	2009358	WS3891212	31390030227	38490051729	31390083029	31391022636
	Sample Date	11/15/2001	11/15/2001	12/12/1989	03/02/1990	05/17/1990	08/30/1990	02/26/1991
	Sample Time	14:17	14:17	:	10:00	09:45	13:00	09:20
	Sample Depth	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'
	Laboratory	PREM	PREM	M&E?	M&E?	M&E?	M&E?	M&E?
	Lab. Number	534127461	534127464	WS3891212	31390030227	5033533WS3	31390083029	28928496
Constituent	Units							
Zinc	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzo(a)pyrene	ug/L							
Benzo(g,h,i)perylene	ug/L							
Naphthalene	ug/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/L							
1,1,1,2-Tetrachloroethane	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l							
1,2-Dibromoethane (Ethylene Dibromide)	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l			686.0	330.0	575.0	118.0	
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l							
Tetrachloroethylene (PCE)	ug/l		180	256.0	91.0			
Trichloroethylene (TCE)	ug/l							
Bromomethane	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WS-03	WS-04	WS-04	WS-04	WS-04	WS-04	WS-04
	Sample ID	34031061092	WS4890216	WS4890823	WS4891212	31390030228	38490051730	31390083030
	Sample Date	06/11/1992	02/16/1989	08/23/1989	12/12/1989	03/02/1990	05/17/1990	08/30/1990
	Sample Time		:	:	:	11:20	09:54	14:00
	Sample Depth	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'
	Laboratory	CEIM	M&E?	M&E?	M&E?	M&E?	M&E?	M&E?
	Lab. Number	920301-07	WS4890216	WS4890823	WS4891212	31390030228	5033533WS4	31390083030
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft							
Water Elevation	Ft							
Date Metals Analyzed	-							
Date Organics Analyzed	-							
Date Physical Analyzed	-							
Date Semivolatile Organics Analyzed	-							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Beryllium (unfiltered)	mg/L							
Cadmium	mg/L	.09				0.11		
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Cobalt	mg/L							
Copper	mg/L					0.09		
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L							5.00
Manganese (unfiltered)	mg/L							8.60
Mercury	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							
Silver	mg/L							
Silver (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WS-03	WS-04	WS-04	WS-04	WS-04	WS-04	WS-04
	Sample ID	34031061092	WS4890216	WS4890823	WS4891212	31390030228	38490051730	31390083030
	Sample Date	06/11/1992	02/16/1989	08/23/1989	12/12/1989	03/02/1990	05/17/1990	08/30/1990
	Sample Time		:	:	:	11:20	09:54	14:00
	Sample Depth	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'
	Laboratory	CEIM	M&E?	M&E?	M&E?	M&E?	M&E?	M&E?
	Lab. Number	920301-07	WS4890216	WS4890823	WS4891212	31390030228	5033533WS4	31390083030
Constituent	Units							
Zinc	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzo(a)pyrene	ug/L							
Benzo(g,h,i)perylene	ug/L							
Naphthalene	ug/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/L							
1,1,1,2-Tetrachloroethane	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l		71	184.0	133.0		223.0	
1,2-Dibromoethane (Ethylene Dibromide)	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l		1100	2522.0	3379.0	2886.0	5533.0	1424.0
trans-1,2-Dichloroethene	ug/l		310	660.0	364.0	267.0	822.0	156.0
cis-1,2-Dichloroethylene	ug/l							
Tetrachloroethylene (PCE)	ug/l		760	677.0	1562.0	576.0	1766.0	727.0
Trichloroethylene (TCE)	ug/l							
Bromomethane	ug/l							
Dichlorodifluoromethane	ug/l		360					
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WS-04	WS-04	WS-04	WS-04	WS-04	WS-04	WS-04
	Sample ID	31390111915	31391022637	30291052908	34041061092	225000717-01	2007872	2007873
	Sample Date	11/19/1990	02/26/1991	05/29/1991	06/11/1992	07/17/2000	04/24/2001	04/24/2001
	Sample Time	10:25	09:30	12:49				
	Sample Depth	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'
	Laboratory	M&E?	M&E?	AEL	CEIM	AEL	AEL	AEL
	Lab. Number	31390111915	28928506	289-28-1359	920301-08	AEL00008008	AEL01003881	AEL01003882
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft							
Water Elevation	Ft							
Date Metals Analyzed	-					07/24/2000	04/27/2001	05/07/2001
Date Organics Analyzed	-					07/20/2000	05/16/2001	05/16/2001
Date Physical Analyzed	-							
Date Semivolatile Organics Analyzed	-							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Beryllium (unfiltered)	mg/L							
Cadmium	mg/L		0.013	0.017	.03			
Cadmium (unfiltered)	mg/L		0.013					
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Cobalt	mg/L							
Copper	mg/L							0.126
Copper (unfiltered)	mg/L							
Iron	mg/L					2.90	3.1	6.18
Lead	mg/L							0.0273
Lead (unfiltered)	mg/L							
Manganese	mg/L					2.04	1.96	1.97
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							
Silver	mg/L							
Silver (unfiltered)	mg/L			0.013				

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WS-04	WS-04	WS-04	WS-04	WS-04	WS-04	WS-04
	Sample ID	31390111915	31391022637	30291052908	34041061092	225000717-01	2007872	2007873
	Sample Date	11/19/1990	02/26/1991	05/29/1991	06/11/1992	07/17/2000	04/24/2001	04/24/2001
	Sample Time	10:25	09:30	12:49				
	Sample Depth	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'
	Laboratory	M&E?	M&E?	AEL	CEIM	AEL	AEL	AEL
	Lab. Number	31390111915	28928506	289-28-1359	920301-08	AEL00008008	AEL01003881	AEL01003882
Constituent	Units							
Zinc	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzo(a)pyrene	ug/L							
Benzo(g,h,i)perylene	ug/L							
Naphthalene	ug/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/L							
1,1,1,2-Tetrachloroethane	ug/l							
1,1,2,2-Tetrachloroethane	ug/l	239						
1,1-Dichloroethane	ug/l							58 HJ
1,2-Dibromoethane (Ethylene Dibromide)	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l	471	500	250	240	320 L		230
trans-1,2-Dichloroethene	ug/l	81						
cis-1,2-Dichloroethylene	ug/l		66			3200	2000 H	3400 H
Tetrachloroethylene (PCE)	ug/l	239	190	120	210	310 L		310
Trichloroethylene (TCE)	ug/l					3900		4200 H
Bromomethane	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WS-04 Carb I	WS-04 Carb I	WS-04 Carb I	WS-04 Carb I	WS-04 Carb I	WS-04 Carb I	WS-04 Carb I
	Sample ID	2009089	2009089	2009098	2009098	2009098	2009098	2009356
	Sample Date	10/31/2001	10/31/2001	11/08/2001	11/08/2001	11/08/2001	11/08/2001	11/15/2001
	Sample Time	11:50	11:50	11:05	11:05	11:05	11:05	14:10
	Sample Depth	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'
	Laboratory	PREM	PREM	PREM	PREM	PREM	PREM	PREM
	Lab. Number	E111039-1A	E111039-1B	534122907	534122910	E111386-1A	E111386-1B	534127437
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft							
Water Elevation	Ft							
Date Metals Analyzed	-	11/06/2001		11/14/2001		11/14/2001		11/20/2001
Date Organics Analyzed	-		11/05/2001		11/15/2001		11/15/2001	
Date Physical Analyzed	-							
Date Semivolatile Organics Analyzed	-							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Beryllium (unfiltered)	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Cobalt	mg/L							
Copper	mg/L			0.36		0.36		0.12
Copper (unfiltered)	mg/L							
Iron	mg/L	18						
Lead	mg/L			0.018		0.018		
Lead (unfiltered)	mg/L							
Manganese	mg/L	3.5						
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							
Silver	mg/L							
Silver (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WS-04 Carb I	WS-04 Carb I	WS-04 Carb I	WS-04 Carb I	WS-04 Carb I	WS-04 Carb I	WS-04 Carb I
	Sample ID	2009089	2009089	2009098	2009098	2009098	2009098	2009356
	Sample Date	10/31/2001	10/31/2001	11/08/2001	11/08/2001	11/08/2001	11/08/2001	11/15/2001
	Sample Time	11:50	11:50	11:05	11:05	11:05	11:05	14:10
	Sample Depth	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'
	Laboratory	PREM	PREM	PREM	PREM	PREM	PREM	PREM
	Lab. Number	E111039-1A	E111039-1B	534122907	534122910	E111386-1A	E111386-1B	534127437
Constituent	Units							
Zinc	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzo(a)pyrene	ug/L							
Benzo(g,h,i)perylene	ug/L							
Naphthalene	ug/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/L							
1,1,1,2-Tetrachloroethane	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l							
1,2-Dibromoethane (Ethylene Dibromide)	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l		250		300		300	
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l				6300		6300	
Tetrachloroethylene (PCE)	ug/l		430		420		420	
Trichloroethylene (TCE)	ug/l		5000		7000		7000	
Bromomethane	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WS-04 Carb I	WS-05	WS-05	WS-05	WS-05	WS-05	WS-05
	Sample ID	2009356	WS5890823	WS5891212	38490051731	31390083031	31390111916	31391022638
	Sample Date	11/15/2001	08/23/1989	12/12/1989	05/17/1990	08/30/1990	11/19/1990	02/26/1991
	Sample Time	14:10	:	:	10:10	14:35	11:13	10:25
	Sample Depth	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'
	Laboratory	PREM	M&E?	M&E?	M&E?	M&E?	M&E?	M&E?
	Lab. Number	534127495	WS5890823	WS5891212	5033533WS5	31390083031	31390111916	28928497
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft							
Water Elevation	Ft							
Date Metals Analyzed	-							
Date Organics Analyzed	-	11/19/2001						
Date Physical Analyzed	-							
Date Semivolatile Organics Analyzed	-							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Beryllium (unfiltered)	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							
Silver	mg/L							
Silver (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WS-04 Carb I	WS-05	WS-05	WS-05	WS-05	WS-05	WS-05
	Sample ID	2009356	WS5890823	WS5891212	38490051731	31390083031	31390111916	31391022638
	Sample Date	11/15/2001	08/23/1989	12/12/1989	05/17/1990	08/30/1990	11/19/1990	02/26/1991
	Sample Time	14:10	:	:	10:10	14:35	11:13	10:25
	Sample Depth	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'
	Laboratory	PREM	M&E?	M&E?	M&E?	M&E?	M&E?	M&E?
	Lab. Number	534127495	WS5890823	WS5891212	5033533WS5	31390083031	31390111916	28928497
Constituent	Units							
Zinc	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzo(a)pyrene	ug/L							
Benzo(g,h,i)perylene	ug/L							
Naphthalene	ug/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/L							
1,1,1,2-Tetrachloroethane	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l							
1,2-Dibromoethane (Ethylene Dibromide)	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l		101.0	113.0	97.0	204.0		170
trans-1,2-Dichloroethene	ug/l					312.0	142	
cis-1,2-Dichloroethylene	ug/l	4800						200
Tetrachloroethylene (PCE)	ug/l	400						150
Trichloroethylene (TCE)	ug/l	6100						
Bromomethane	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WS-05	WS-05	WS-05 Carb I	WS-05 Carb I	WS-05 Carb I	WS-05 Carb I	WS-05 Carb I
	Sample ID	30291052912	2007875	2009091	2009091	2009102	2009102	2009362
	Sample Date	05/29/1991	04/24/2001	10/31/2001	10/31/2001	11/08/2001	11/08/2001	11/15/2001
	Sample Time	13:44		13:30	13:30	13:37	13:37	15:30
	Sample Depth	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'
	Laboratory	AEL	AEL	PREM	PREM	PREM	PREM	PREM
	Lab. Number	289-28-1355	AEL01003885	E111039-5A	E111039-5B	534122967	E111386-5A	534127481
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft							
Water Elevation	Ft							
Date Metals Analyzed	-		05/07/2001	11/06/2001		11/14/2001	11/14/2001	11/20/2001
Date Organics Analyzed	-				11/05/2001			
Date Physical Analyzed	-							
Date Semivolatile Organics Analyzed	-							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Beryllium (unfiltered)	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Cobalt	mg/L							
Copper	mg/L		0.0727			0.079	0.079	0.091
Copper (unfiltered)	mg/L							
Iron	mg/L			8.6				
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L			85				
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							
Silver	mg/L							
Silver (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WS-05	WS-05	WS-05 Carb I	WS-05 Carb I	WS-05 Carb I	WS-05 Carb I	WS-05 Carb I
	Sample ID	30291052912	2007875	2009091	2009091	2009102	2009102	2009362
	Sample Date	05/29/1991	04/24/2001	10/31/2001	10/31/2001	11/08/2001	11/08/2001	11/15/2001
	Sample Time	13:44		13:30	13:30	13:37	13:37	15:30
	Sample Depth	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'
	Laboratory	AEL	AEL	PREM	PREM	PREM	PREM	PREM
	Lab. Number	289-28-1355	AEL01003885	E111039-5A	E111039-5B	534122967	E111386-5A	534127481
Constituent	Units							
Zinc	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzo(a)pyrene	ug/L							
Benzo(g,h,i)perylene	ug/L							
Naphthalene	ug/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/L							
1,1,1,2-Tetrachloroethane	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l							
1,2-Dibromoethane (Ethylene Dibromide)	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l	170			130			
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l							
Tetrachloroethylene (PCE)	ug/l	180						
Trichloroethylene (TCE)	ug/l							
Bromomethane	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WS-06	WS-06	WS-06	WS-07	WS-07	WS-07	WS-07
	Sample ID	31390083032	31390111917	34061061292	WS7890216	WS7890823	WS7891212	31390030230
	Sample Date	08/30/1990	11/19/1990	06/13/1992	02/16/1989	08/23/1989	12/12/1989	03/02/1990
	Sample Time	14:45	11:35		:	:	:	12:40
	Sample Depth	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'
	Laboratory	M&E?	M&E?	CEIM	M&E?	M&E?	M&E?	M&E?
	Lab. Number	31390083032	31390111917	920306-02	WS7890216	WS7890823	WS7891212	31390030230
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft							
Water Elevation	Ft							
Date Metals Analyzed	-							
Date Organics Analyzed	-							
Date Physical Analyzed	-							
Date Semivolatile Organics Analyzed	-							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L		0.017					
Barium	mg/L							
Beryllium (unfiltered)	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L		0.11					
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Cobalt	mg/L							
Copper	mg/L			.08				
Copper (unfiltered)	mg/L		0.53					
Iron	mg/L							
Lead	mg/L			.017				
Lead (unfiltered)	mg/L		1.51					
Manganese	mg/L	2.54						
Manganese (unfiltered)	mg/L	2.62						
Mercury	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							
Silver	mg/L							
Silver (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WS-06	WS-06	WS-06	WS-07	WS-07	WS-07	WS-07
	Sample ID	31390083032	31390111917	34061061292	WS7890216	WS7890823	WS7891212	31390030230
	Sample Date	08/30/1990	11/19/1990	06/13/1992	02/16/1989	08/23/1989	12/12/1989	03/02/1990
	Sample Time	14:45	11:35		:	:	:	12:40
	Sample Depth	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'
	Laboratory	M&E?	M&E?	CEIM	M&E?	M&E?	M&E?	M&E?
	Lab. Number	31390083032	31390111917	920306-02	WS7890216	WS7890823	WS7891212	31390030230
Constituent	Units							
Zinc	mg/L							
Zinc (unfiltered)	mg/L		1.54					
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzo(a)pyrene	ug/L							
Benzo(g,h,i)perylene	ug/L							
Naphthalene	ug/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/L							
1,1,1,2-Tetrachloroethane	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l				51	132.0		
1,2-Dibromoethane (Ethylene Dibromide)	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l				150	800.0	376.0	304.0
trans-1,2-Dichloroethene	ug/l				260	341.0	268.0	328.0
cis-1,2-Dichloroethylene	ug/l							
Tetrachloroethylene (PCE)	ug/l							
Trichloroethylene (TCE)	ug/l							
Bromomethane	ug/l							
Dichlorodifluoromethane	ug/l				54			
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WS-07	WS-07	WS-07	WS-07	WS-07	WS-07	WS-07
	Sample ID	38490051733	31390083033	31390111918	31391022640	34071061192	225000717-05	2007874
	Sample Date	05/17/1990	08/30/1990	11/19/1990	02/26/1991	06/12/1992	07/11/2000	04/24/2001
	Sample Time	10:20	15:00	11:45	11:25			
	Sample Depth	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'
	Laboratory	M&E?	M&E?	M&E?	M&E?	CEIM	AEL	AEL
	Lab. Number	5033533WS7	31390083033	31390111918	28928499	920307-08	AEL00008012	AEL01003884
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft							
Water Elevation	Ft							
Date Metals Analyzed	-						07/24/2000	04/27/2001
Date Organics Analyzed	-						07/20/2000	05/08/2001
Date Physical Analyzed	-							
Date Semivolatile Organics Analyzed	-							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Beryllium (unfiltered)	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L						3.31	8.88
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L						3.46	4.36
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							
Silver	mg/L							
Silver (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WS-07	WS-07	WS-07	WS-07	WS-07	WS-07	WS-07
	Sample ID	38490051733	31390083033	31390111918	31391022640	34071061192	225000717-05	2007874
	Sample Date	05/17/1990	08/30/1990	11/19/1990	02/26/1991	06/12/1992	07/11/2000	04/24/2001
	Sample Time	10:20	15:00	11:45	11:25			
	Sample Depth	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'
	Laboratory	M&E?	M&E?	M&E?	M&E?	CEIM	AEL	AEL
	Lab. Number	5033533WS7	31390083033	31390111918	28928499	920307-08	AEL00008012	AEL01003884
Constituent	Units							
Zinc	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzo(a)pyrene	ug/L							
Benzo(g,h,i)perylene	ug/L							
Naphthalene	ug/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/L							
1,1,1,2-Tetrachloroethane	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l					80		
1,2-Dibromoethane (Ethylene Dibromide)	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l		114.0			280	130	100
trans-1,2-Dichloroethene	ug/l	93.0	200.0	176				
cis-1,2-Dichloroethylene	ug/l				530		140	120
Tetrachloroethylene (PCE)	ug/l							
Trichloroethylene (TCE)	ug/l							
Bromomethane	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l				76			
Xylenes	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WS-07 Carb I	WS-07 Carb I	WS-07 Carb I	WS-07 Carb I	WS-08	WS-08	WS-08
	Sample ID	2009104	2009104	2009360	2009360	WS8890823	34081061292	34081061692
	Sample Date	11/08/2001	11/08/2001	11/15/2001	11/15/2001	08/23/1989	06/13/1992	06/16/1992
	Sample Time	10:31	10:31	15:00	15:00	:		
	Sample Depth	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'
	Laboratory	PREM	PREM	PREM	PREM	M&E?	CEIM	CEIM
	Lab. Number	534122980	E111386-7B	534127471	534127474	WS8890823	920306-03	920314-03
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft							
Water Elevation	Ft							
Date Metals Analyzed	-			11/20/2001				
Date Organics Analyzed	-	11/14/2001	11/14/2001		11/20/2001			
Date Physical Analyzed	-							
Date Semivolatile Organics Analyzed	-							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Beryllium (unfiltered)	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Cobalt	mg/L							
Copper	mg/L			0.097				
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L						.054	.027
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							
Silver	mg/L							
Silver (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WS-07 Carb I	WS-07 Carb I	WS-07 Carb I	WS-07 Carb I	WS-08	WS-08	WS-08
	Sample ID	2009104	2009104	2009360	2009360	WS8890823	34081061292	34081061692
	Sample Date	11/08/2001	11/08/2001	11/15/2001	11/15/2001	08/23/1989	06/13/1992	06/16/1992
	Sample Time	10:31	10:31	15:00	15:00	:		
	Sample Depth	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'
	Laboratory	PREM	PREM	PREM	PREM	M&E?	CEIM	CEIM
	Lab. Number	534122980	E111386-7B	534127471	534127474	WS8890823	920306-03	920314-03
Constituent	Units							
Zinc	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzo(a)pyrene	ug/L							
Benzo(g,h,i)perylene	ug/L							
Naphthalene	ug/L							
Benzene	ug/l					18907.0		
Carbon Tetrachloride	ug/L							
1,1,1,2-Tetrachloroethane	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l							
1,2-Dibrumoethane (Ethylene Dibromide)	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l				150			
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l	120	120		150			
Tetrachloroethylene (PCE)	ug/l					307.0		
Trichloroethylene (TCE)	ug/l							
Bromomethane	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l					130.0		
m,p-Xylene (Sum of Isomers)	ug/l					60.0		

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WS-09	WS-10	WS-99	WS-99	WT-GW-06D	WT-GW-06D	WT-GW-08D
	Sample ID	34091061292	34101061292	34991061292	34991061292	1831515	1831514	1831525
	Sample Date	06/13/1992	06/13/1992	06/13/1992	06/13/1992	11/11/1998	11/11/1998	11/12/1998
	Sample Time					15:55	15:55	15:52
	Sample Depth	0.00'	0.00'	0.00'	0.00'	28' - 32'	29.0' - 32'	30.0' - 33'
	Laboratory	CEIM	CEIM	CEIM	CEIM	LANC	LANC	LANC
	Lab. Number	920306-04	920306-05	920305-08	920306-06	3039086	3039085	3039091
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft							
Water Elevation	Ft							
Date Metals Analyzed	-							
Date Organics Analyzed	-					11/19/1998	11/19/1998	11/19/1998
Date Physical Analyzed	-							
Date Semivolatile Organics Analyzed	-							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Barium	mg/L			7.00000				
Beryllium (unfiltered)	mg/L							
Cadmium	mg/L	.03						
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L	.12						
Cobalt	mg/L							
Copper	mg/L	4.53	.09		.26			
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L	1.97	.115		.017			
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L	.0774						
Nickel	mg/L							
Nickel (unfiltered)	mg/L							
Silver	mg/L							
Silver (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WS-09	WS-10	WS-99	WS-99	WT-GW-06D	WT-GW-06D	WT-GW-08D
	Sample ID	34091061292	34101061292	34991061292	34991061292	1831515	1831514	1831525
	Sample Date	06/13/1992	06/13/1992	06/13/1992	06/13/1992	11/11/1998	11/11/1998	11/12/1998
	Sample Time					15:55	15:55	15:52
	Sample Depth	0.00'	0.00'	0.00'	0.00'	28' - 32'	29.0' - 32'	30.0' - 33'
	Laboratory	CEIM	CEIM	CEIM	CEIM	LANC	LANC	LANC
	Lab. Number	920306-04	920306-05	920305-08	920306-06	3039086	3039085	3039091
Constituent	Units							
Zinc	mg/L	1.12						
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzo(a)pyrene	ug/L							
Benzo(g,h,i)perylene	ug/L							
Naphthalene	ug/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/L							
1,1,1,2-Tetrachloroethane	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l							
1,2-Dibromoethane (Ethylene Dibromide)	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l							
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l					86 J	85 J	64
Tetrachloroethylene (PCE)	ug/l							
Trichloroethylene (TCE)	ug/l							
Bromomethane	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-GW-13S	WT-GW-16D	WT-GW-19D	WT-GW-20D	WT-GW-20S	WT-GW-21D	WT-GW-21D
	Sample ID	1831536	1831547	1831549	1831552	1831551	1831475	1831474
	Sample Date	11/16/1998	11/17/1998	11/17/1998	11/18/1998	11/18/1998	11/04/1998	11/04/1998
	Sample Time	10:14	10:55	13:55	10:00	10:00	10:20	09:50
	Sample Depth	12.0' - 15'	32.0' - 35'	27.0' - 30'	26.5' - 30.0'	10.50' - 14.0	28.00' - 32.0	29.0' - 32'
	Laboratory	LANC	LANC	LANC	LANC	LANC	LANC	LANC
	Lab. Number	3040631	3042462	3042464	3043271	3043270	3035986	3035985
Constituent	Units							
Depth of Well	Ft						32.0	32.0
Depth To Water	Ft						9.0	9.0
Water Elevation	Ft							
Date Metals Analyzed	-	11/24/1998		12/02/1998	12/02/1998	11/29/1998	11/11/1998	11/11/1998
Date Organics Analyzed	-		11/24/1998	11/24/1998	11/24/1998	11/24/1998	11/11/1998	11/11/1998
Date Physical Analyzed	-							
Date Semivolatile Organics Analyzed	-							
Arsenic	mg/L	0.0047 B		0.0138 F	0.0070 B		0.0104 F	0.0118 F
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Beryllium (unfiltered)	mg/L							
Cadmium	mg/L					0.0124 P		
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L				0.0042 C			
Nickel	mg/L				3.73 P		1.58 P	1.61 P
Nickel (unfiltered)	mg/L							
Silver	mg/L							
Silver (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-GW-13S	WT-GW-16D	WT-GW-19D	WT-GW-20D	WT-GW-20S	WT-GW-21D	WT-GW-21D
	Sample ID	1831536	1831547	1831549	1831552	1831551	1831475	1831474
	Sample Date	11/16/1998	11/17/1998	11/17/1998	11/18/1998	11/18/1998	11/04/1998	11/04/1998
	Sample Time	10:14	10:55	13:55	10:00	10:00	10:20	09:50
	Sample Depth	12.0' - 15'	32.0' - 35'	27.0' - 30'	26.5' - 30.0'	10.50' - 14.0	28.00' - 32.0	29.0' - 32'
	Laboratory	LANC	LANC	LANC	LANC	LANC	LANC	LANC
	Lab. Number	3040631	3042462	3042464	3043271	3043270	3035986	3035985
Constituent	Units							
Zinc	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzo(a)pyrene	ug/L							
Benzo(g,h,i)perylene	ug/L							
Naphthalene	ug/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/L							
1,1,1,2-Tetrachloroethane	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l				56		73	71
1,2-Dibromoethane (Ethylene Dibromide)	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l							
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l		970	300	860	86 J	680 D	660 D
Tetrachloroethylene (PCE)	ug/l		150					
Trichloroethylene (TCE)	ug/l							
Bromomethane	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-GW-21S	WT-GW-22D	WT-GW-23D	WT-GW-24D	WT-GW-24S	WT-GW-25D	WT-GW-25S
	Sample ID	1831473	1831477	1831479	1831484	1831483	1831482	1831481
	Sample Date	11/04/1998	11/04/1998	11/04/1998	11/06/1998	11/06/1998	11/06/1998	11/04/1998
	Sample Time	13:30	12:00	14:15	13:30	12:45	11:05	15:40
	Sample Depth	9.0' - 12.5'	29.0' - 32'	29.0' - 32'	23.00' - 26.0	17.0' - 20'	23.00' - 26.0	16' - 19'
	Laboratory	LANC	LANC	LANC	LANC	LANC	LANC	LANC
	Lab. Number	3035984	3035988	3035990	3035788	3035787	3035786	3035992
Constituent	Units							
Depth of Well	Ft	12.5	32.0	32	26		20	19.0
Depth To Water	Ft	9.0	9.0	15	16		16	16.0
Water Elevation	Ft							
Date Metals Analyzed	-	11/11/1998	11/16/1998	11/16/1998	11/11/1998		11/11/1998	
Date Organics Analyzed	-		11/11/1998	11/11/1998	11/12/1998	11/11/1998	11/11/1998	11/11/1998
Date Physical Analyzed	-							
Date Semivolatile Organics Analyzed	-							
Arsenic	mg/L	0.0041 B			0.0144 F		0.0155 F	
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Beryllium (unfiltered)	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L			0.13 P				
Chromium, Total (unfiltered)	mg/L							
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Nickel	mg/L		1.6 P	9.21 P	2.62 P		1.47 P	
Nickel (unfiltered)	mg/L							
Silver	mg/L							
Silver (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-GW-21S	WT-GW-22D	WT-GW-23D	WT-GW-24D	WT-GW-24S	WT-GW-25D	WT-GW-25S
	Sample ID	1831473	1831477	1831479	1831484	1831483	1831482	1831481
	Sample Date	11/04/1998	11/04/1998	11/04/1998	11/06/1998	11/06/1998	11/06/1998	11/04/1998
	Sample Time	13:30	12:00	14:15	13:30	12:45	11:05	15:40
	Sample Depth	9.0' - 12.5'	29.0' - 32'	29.0' - 32'	23.00' - 26.0	17.0' - 20'	23.00' - 26.0	16' - 19'
	Laboratory	LANC	LANC	LANC	LANC	LANC	LANC	LANC
	Lab. Number	3035984	3035988	3035990	3035788	3035787	3035786	3035992
Constituent	Units							
Zinc	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzo(a)pyrene	ug/L							
Benzo(g,h,i)perylene	ug/L							
Naphthalene	ug/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/L							
1,1,1,2-Tetrachloroethane	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l		62					
1,2-Dibromoethane (Ethylene Dibromide)	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l							
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l		760 D	100	540 DJ	53 J	290 DR	100
Tetrachloroethylene (PCE)	ug/l							
Trichloroethylene (TCE)	ug/l							
Bromomethane	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l			63				
Xylenes	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-GW-32D	WT-GW-32S	WT-GW-33D	WT-GW-33D	WT-GW-34S	WT-GW-35D	WT-GW-35D
	Sample ID	1998472	1998475	2000984	2000984	1998459	2000987	2000987
	Sample Date	08/01/2001	08/01/2001	08/03/2001	08/03/2001	07/31/2001	08/06/2001	08/06/2001
	Sample Time	09:05	09:35	14:05	14:05	08:45	14:30	14:30
	Sample Depth	17' - 20'	11' - 14'	14' - 18'	14' - 18'	11' - 14'	15.00' - 18.0	15.00' - 18.0
	Laboratory	STLC	STLC	STLC	STLC	STLC	STLC	STLC
	Lab. Number	A1H020176004	A1H020176006	A1H060128015	A1H060128016	A1H010261007	A1H080223005	A1H080223006
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft	12.5	12.5			12.25	14.00	14.00
Water Elevation	Ft							
Date Metals Analyzed	-	08/03/2001	08/03/2001	08/10/2001	08/10/2001	08/02/2001		08/17/2001
Date Organics Analyzed	-						08/14/2001	
Date Physical Analyzed	-							
Date Semivolatile Organics Analyzed	-							
Arsenic	mg/L			0.0044				
Arsenic (unfiltered)	mg/L	0.0047						
Barium	mg/L							
Beryllium (unfiltered)	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L		0.0217		0.0165	0.0128		0.0227
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							
Silver	mg/L							
Silver (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-GW-32D	WT-GW-32S	WT-GW-33D	WT-GW-33D	WT-GW-34S	WT-GW-35D	WT-GW-35D
	Sample ID	1998472	1998475	2000984	2000984	1998459	2000987	2000987
	Sample Date	08/01/2001	08/01/2001	08/03/2001	08/03/2001	07/31/2001	08/06/2001	08/06/2001
	Sample Time	09:05	09:35	14:05	14:05	08:45	14:30	14:30
	Sample Depth	17' - 20'	11' - 14'	14' - 18'	14' - 18'	11' - 14'	15.00' - 18.0	15.00' - 18.0
	Laboratory	STLC	STLC	STLC	STLC	STLC	STLC	STLC
	Lab. Number	A1H020176004	A1H020176006	A1H060128015	A1H060128016	A1H010261007	A1H080223005	A1H080223006
Constituent	Units							
Zinc	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzo(a)pyrene	ug/L							
Benzo(g,h,i)perylene	ug/L							
Naphthalene	ug/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/L							
1,1,1,2-Tetrachloroethane	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l							
1,2-Dibromoethane (Ethylene Dibromide)	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l						140 J	
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l							
Tetrachloroethylene (PCE)	ug/l							
Trichloroethylene (TCE)	ug/l							
Bromomethane	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-GW-35S	WT-GW-37S	WT-GW-38D	WT-GW-38S	WT-GW-39D	WT-GW-39D	WT-GW-39S
	Sample ID	2000988	1998482	1998476	1998477	1998496	1998496	1998497
	Sample Date	08/06/2001	08/01/2001	08/02/2001	08/02/2001	08/02/2001	08/02/2001	08/02/2001
	Sample Time	14:10	10:45	09:45	10:15	13:00	13:00	13:30
	Sample Depth	12.6' - 15.6'	12' - 15'	19' - 22'	12' - 18'	18' - 21'	18' - 21'	13' - 16'
	Laboratory	STLC	STLC	STLC	STLC	STLC	STLC	STLC
	Lab. Number	A1H080223002	A1H020176035	A1H030191007	A1H030191009	A1H030191001	A1H030191002	A1H030191003
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft	11.6	20.5			12.5	12.5	
Water Elevation	Ft							
Date Metals Analyzed	-		08/03/2001	08/10/2001	08/10/2001	08/10/2001	08/10/2001	08/10/2001
Date Organics Analyzed	-	08/14/2001						
Date Physical Analyzed	-							
Date Semivolatile Organics Analyzed	-					08/20/2001		08/20/2001
Arsenic	mg/L					0.0110		0.0069
Arsenic (unfiltered)	mg/L		0.0089	0.0059	0.0067		0.0253	
Barium	mg/L							
Beryllium (unfiltered)	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L				0.0206			
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L						0.136	
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L		0.0626				0.0880	
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L		0.0751		0.0543		0.303	
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							
Silver	mg/L							
Silver (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-GW-35S	WT-GW-37S	WT-GW-38D	WT-GW-38S	WT-GW-39D	WT-GW-39D	WT-GW-39S
	Sample ID	2000988	1998482	1998476	1998477	1998496	1998496	1998497
	Sample Date	08/06/2001	08/01/2001	08/02/2001	08/02/2001	08/02/2001	08/02/2001	08/02/2001
	Sample Time	14:10	10:45	09:45	10:15	13:00	13:00	13:30
	Sample Depth	12.6' - 15.6'	12' - 15'	19' - 22'	12' - 18'	18' - 21'	18' - 21'	13' - 16'
	Laboratory	STLC	STLC	STLC	STLC	STLC	STLC	STLC
	Lab. Number	A1H080223002	A1H020176035	A1H030191007	A1H030191009	A1H030191001	A1H030191002	A1H030191003
Constituent	Units							
Zinc	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzo(a)pyrene	ug/L					1.5 J		3.8 J
Benzo(g,h,i)perylene	ug/L					1.1 J		2.7 J
Naphthalene	ug/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/L							
1,1,1,2-Tetrachloroethane	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l							
1,2-Dibromoethane (Ethylene Dibromide)	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l	400						
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l							
Tetrachloroethylene (PCE)	ug/l							
Trichloroethylene (TCE)	ug/l							
Bromomethane	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-GW-39S	WT-GW-40D	WT-GW-40S	WT-GW-40S	WT-GW-41D	WT-GW-41S	WT-GW-43S
	Sample ID	1998497	2000986	2000989	2000989	2000990	2000991	2010157
	Sample Date	08/02/2001	08/07/2001	08/07/2001	08/07/2001	08/08/2001	08/08/2001	12/12/2001
	Sample Time	13:30	14:20	15:00	15:00	12:20	12:50	14:00
	Sample Depth	13' - 16'	14' - 18'	10' - 14'	10' - 14'	14' - 18'	10' - 14'	16' - 19'
	Laboratory	STLC	STLC	STLC	STLC	STLC	STLC	STLC
	Lab. Number	A1H030191004	A1H080236002	A1H080236003	A1H080236004	A1H090276012	A1H090289004	A1L130227017
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft							
Water Elevation	Ft							
Date Metals Analyzed	-	08/10/2001	08/11/2001	08/11/2001	08/11/2001			
Date Organics Analyzed	-			08/14/2001		08/15/2001	08/15/2001	
Date Physical Analyzed	-							
Date Semivolatile Organics Analyzed	-							12/21/2001
Arsenic	mg/L			0.0043				
Arsenic (unfiltered)	mg/L	0.0474	0.0152					
Barium	mg/L							
Beryllium (unfiltered)	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L	0.112						
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L	0.307						
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L	1.23	0.0586		0.0279			
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							
Silver	mg/L							
Silver (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-GW-39S	WT-GW-40D	WT-GW-40S	WT-GW-40S	WT-GW-41D	WT-GW-41S	WT-GW-43S
	Sample ID	1998497	2000986	2000989	2000989	2000990	2000991	2010157
	Sample Date	08/02/2001	08/07/2001	08/07/2001	08/07/2001	08/08/2001	08/08/2001	12/12/2001
	Sample Time	13:30	14:20	15:00	15:00	12:20	12:50	14:00
	Sample Depth	13' - 16'	14' - 18'	10' - 14'	10' - 14'	14' - 18'	10' - 14'	16' - 19'
	Laboratory	STLC	STLC	STLC	STLC	STLC	STLC	STLC
	Lab. Number	A1H030191004	A1H080236002	A1H080236003	A1H080236004	A1H090276012	A1H090289004	A1L130227017
Constituent	Units							
Zinc	mg/L							
Zinc (unfiltered)	mg/L	0.996						
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzo(a)pyrene	ug/L							1.9 J
Benzo(g,h,i)perylene	ug/L							1.1 J
Naphthalene	ug/L							110 E
Benzene	ug/l							
Carbon Tetrachloride	ug/L							
1,1,1,2-Tetrachloroethane	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l							
1,2-Dibromoethane (Ethylene Dibromide)	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l			130		850	680	
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l							
Tetrachloroethylene (PCE)	ug/l							
Trichloroethylene (TCE)	ug/l							
Bromomethane	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-GW-53	WT-GW-53	WT-GW-54	WT-GW-54	WT-GW-55	WT-GW-55	WT-GW-56
	Sample ID	1030913	1030914	1030969	1030968	1030972	1030971	1030975
	Sample Date	08/13/2003	08/13/2003	08/20/2003	08/20/2003	08/20/2003	08/20/2003	08/20/2003
	Sample Time	15:30	15:30	12:20	11:55	13:00	12:50	14:10
	Sample Depth	0.00'	0.00'	16' - 20'	22' - 26'	16' - 20'	22' - 26'	16' - 20'
	Laboratory	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM
	Lab. Number	M33801-7	M33801-8	M33904-2	M33904-1	M33904-5	M33904-4	M33904-8
Constituent	Units							
Depth of Well	Ft	10.01	10.01					
Depth To Water	Ft	4.72	4.72	11	11	11	11	11
Water Elevation	Ft							
Date Metals Analyzed	-							
Date Organics Analyzed	-			08/26/2003	08/26/2003	08/26/2003	08/27/2003	08/27/2003
Date Physical Analyzed	-							
Date Semivolatile Organics Analyzed	-							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Beryllium (unfiltered)	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							
Silver	mg/L							
Silver (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-GW-53	WT-GW-53	WT-GW-54	WT-GW-54	WT-GW-55	WT-GW-55	WT-GW-56
	Sample ID	1030913	1030914	1030969	1030968	1030972	1030971	1030975
	Sample Date	08/13/2003	08/13/2003	08/20/2003	08/20/2003	08/20/2003	08/20/2003	08/20/2003
	Sample Time	15:30	15:30	12:20	11:55	13:00	12:50	14:10
	Sample Depth	0.00'	0.00'	16' - 20'	22' - 26'	16' - 20'	22' - 26'	16' - 20'
	Laboratory	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM
	Lab. Number	M33801-7	M33801-8	M33904-2	M33904-1	M33904-5	M33904-4	M33904-8
Constituent	Units							
Zinc	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l	62.7	107.6					
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzo(a)pyrene	ug/L							
Benzo(g,h,i)perylene	ug/L							
Naphthalene	ug/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/L							
1,1,1,2-Tetrachloroethane	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l							
1,2-Dibromoethane (Ethylene Dibromide)	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l			98.1	262	100	406	
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l				126	65.2	278	
Tetrachloroethylene (PCE)	ug/l				158	303	1110	104
Trichloroethylene (TCE)	ug/l						4900	
Bromomethane	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-GW-56	WT-GW-57	WT-GW-58	WT-GW-59	WT-MW-01	WT-MW-01	WT-MW-01
	Sample ID	1030974	1030978	1030980	1030983	34389011701	890302WTMW1	31389051701
	Sample Date	08/20/2003	08/20/2003	08/21/2003	08/21/2003	01/17/1989	03/02/1989	05/17/1989
	Sample Time	14:00	15:10	10:50	12:10	:	12:15	12:00
	Sample Depth	22' - 26'	16' - 20'	22' - 26'	22' - 26'	0.00'	0.00'	0.00'
	Laboratory	ACTM	ACTM	ACTM	ACTM	M&E?	M&E?	M&E?
	Lab. Number	M33904-7	M33904-12	M33931-1	M33931-4	34389011701	890302WTMW1	31389051701
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft	11	11	11	11	12.37	11.37	10.92
Water Elevation	Ft					26.94	27.94	28.39
Date Metals Analyzed	-							
Date Organics Analyzed	-	08/28/2003	08/27/2003	08/28/2003	08/29/2003			
Date Physical Analyzed	-							
Date Semivolatile Organics Analyzed	-							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Beryllium (unfiltered)	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							
Silver	mg/L						0.08	
Silver (unfiltered)	mg/L							

Printed on 09/13/2004

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-GW-56	WT-GW-57	WT-GW-58	WT-GW-59	WT-MW-01	WT-MW-01	WT-MW-01
	Sample ID	1030974	1030978	1030980	1030983	34389011701	890302WTMW1	31389051701
	Sample Date	08/20/2003	08/20/2003	08/21/2003	08/21/2003	01/17/1989	03/02/1989	05/17/1989
	Sample Time	14:00	15:10	10:50	12:10	:	12:15	12:00
	Sample Depth	22' - 26'	16' - 20'	22' - 26'	22' - 26'	0.00'	0.00'	0.00'
	Laboratory	ACTM	ACTM	ACTM	ACTM	M&E?	M&E?	M&E?
	Lab. Number	M33904-7	M33904-12	M33931-1	M33931-4	34389011701	890302WTMW1	31389051701
Constituent	Units							
Zinc	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzo(a)pyrene	ug/L							
Benzo(g,h,i)perylene	ug/L							
Naphthalene	ug/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/L							
1,1,1,2-Tetrachloroethane	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l					1100	1300	605
1,2-Dibromoethane (Ethylene Dibromide)	ug/l							
Chloroethane	ug/l						670	2200
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l	340						
trans-1,2-Dichloroethene	ug/l					560	510	110
cis-1,2-Dichloroethylene	ug/l	482	51.3	52.6	56.7			
Tetrachloroethylene (PCE)	ug/l	1490	196					
Trichloroethylene (TCE)	ug/l	6360						
Bromomethane	ug/l							
Dichlorodifluoromethane	ug/l						720	1100
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-01	WT-MW-01	WT-MW-01	WT-MW-01	WT-MW-01	WT-MW-01	WT-MW-01
	Sample ID	31389081715	31389120402	31390022701	38490051401	31390082703	31390111921	37390120605
	Sample Date	08/17/1989	12/04/1989	02/27/1990	05/14/1990	08/27/1990	11/19/1990	12/06/1990
	Sample Time	15:54	13:05	12:10	14:05	14:25	15:22	12:07
	Sample Depth	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'
	Laboratory	M&E?	M&E?	M&E?	M&E?	M&E?	M&E?	M&E?
	Lab. Number	31389081715	31389120402	31390022701	5033533WTMW1	31390082703	31390111921	37390120605
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft	10.85	11.10	10.88		10.77	11.10	9.52
Water Elevation	Ft	28.46	28.21	28.43		28.54	28.21	29.79
Date Metals Analyzed	-							
Date Organics Analyzed	-							
Date Physical Analyzed	-							
Date Semivolatile Organics Analyzed	-							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Beryllium (unfiltered)	mg/L							
Cadmium	mg/L							0.05
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L							0.08
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							
Silver	mg/L							0.07
Silver (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-01	WT-MW-01	WT-MW-01	WT-MW-01	WT-MW-01	WT-MW-01	WT-MW-01
	Sample ID	31389081715	31389120402	31390022701	38490051401	31390082703	31390111921	37390120605
	Sample Date	08/17/1989	12/04/1989	02/27/1990	05/14/1990	08/27/1990	11/19/1990	12/06/1990
	Sample Time	15:54	13:05	12:10	14:05	14:25	15:22	12:07
	Sample Depth	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'
	Laboratory	M&E?	M&E?	M&E?	M&E?	M&E?	M&E?	M&E?
	Lab. Number	31389081715	31389120402	31390022701	5033533WTMW1	31390082703	31390111921	37390120605
Constituent	Units							
Zinc	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzo(a)pyrene	ug/L							
Benzo(g,h,i)perylene	ug/L							
Naphthalene	ug/L							
Benzene	ug/l							310
Carbon Tetrachloride	ug/L						87	
1,1,1,2-Tetrachloroethane	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l	397.0	369.0	152.0	320.0	174.0	150	
1,2-Dibromoethane (Ethylene Dibromide)	ug/l							
Chloroethane	ug/l						526	
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l							
trans-1,2-Dichloroethene	ug/l				83.0			98
cis-1,2-Dichloroethylene	ug/l							
Tetrachloroethylene (PCE)	ug/l							
Trichloroethylene (TCE)	ug/l							
Bromomethane	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l	617.0	176.0			90.0		
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-01	WT-MW-01	WT-MW-02	WT-MW-02	WT-MW-02	WT-MW-02	WT-MW-02
	Sample ID	31391022530	1004752	34389011703	890302WTMW2	31389051702	31389081716	31389120403
	Sample Date	02/25/1991	11/08/1994	01/17/1989	03/02/1989	05/17/1989	08/17/1989	12/04/1989
	Sample Time	13:08	10:45	:	12:35	12:30	16:15	13:31
	Sample Depth	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'
	Laboratory	M&E?	AEL	M&E?	M&E?	M&E?	M&E?	M&E?
	Lab. Number	28928480	AEL94010342	34389011703	890302WTMW2	31389051702	31389081716	31389120403
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft	11.15		12.51	11.52	11.04	10.95	11.21
Water Elevation	Ft	28.16		26.92	27.91	28.39	28.48	28.22
Date Metals Analyzed	-		11/11/1994					
Date Organics Analyzed	-		11/09/1994					
Date Physical Analyzed	-							
Date Semivolatile Organics Analyzed	-							
Arsenic	mg/L		0.012					
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Beryllium (unfiltered)	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							
Silver	mg/L				0.04			
Silver (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-01	WT-MW-01	WT-MW-02	WT-MW-02	WT-MW-02	WT-MW-02	WT-MW-02
	Sample ID	31391022530	1004752	34389011703	890302WTMW2	31389051702	31389081716	31389120403
	Sample Date	02/25/1991	11/08/1994	01/17/1989	03/02/1989	05/17/1989	08/17/1989	12/04/1989
	Sample Time	13:08	10:45	:	12:35	12:30	16:15	13:31
	Sample Depth	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'
	Laboratory	M&E?	AEL	M&E?	M&E?	M&E?	M&E?	M&E?
	Lab. Number	28928480	AEL94010342	34389011703	890302WTMW2	31389051702	31389081716	31389120403
Constituent	Units							
Zinc	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzo(a)pyrene	ug/L							
Benzo(g,h,i)perylene	ug/L							
Naphthalene	ug/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/L							
1,1,1,2-Tetrachloroethane	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l	160	72	720	830	530	339.0	
1,2-Dibromoethane (Ethylene Dibromide)	ug/l							
Chloroethane	ug/l	960				760		
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l							
trans-1,2-Dichloroethene	ug/l			1100	380			
cis-1,2-Dichloroethylene	ug/l							
Tetrachloroethylene (PCE)	ug/l							
Trichloroethylene (TCE)	ug/l							
Bromomethane	ug/l	960						
Dichlorodifluoromethane	ug/l				2600	1400		
Trichlorofluoromethane	ug/l	160					376.0	116.0
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-02	WT-MW-02	WT-MW-02	WT-MW-02	WT-MW-02	WT-MW-03	WT-MW-03
	Sample ID	31390022702	38490051402	31390082704	31390111922	31391022531	34389011704	890302WTMW3
	Sample Date	02/27/1990	05/14/1990	08/27/1990	11/19/1990	02/25/1991	01/17/1989	03/02/1989
	Sample Time	12:30	13:15	14:50	14:40	13:20	:	13:00
	Sample Depth	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'
	Laboratory	M&E?	M&E?	M&E?	M&E?	M&E?	M&E?	M&E?
	Lab. Number	31390022702	5033533WTMW2	31390082704	31390111922	28928487	34389011704	890302WTMW3
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft	11.02		10.94	11.25	11.30	12.52	11.57
Water Elevation	Ft	28.41		28.49	28.18	28.13	27.01	27.96
Date Metals Analyzed	-							
Date Organics Analyzed	-							
Date Physical Analyzed	-							
Date Semivolatile Organics Analyzed	-							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Beryllium (unfiltered)	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L			7.6				
Lead	mg/L							
Lead (unfiltered)	mg/L				0.03			
Manganese	mg/L			3.86				
Manganese (unfiltered)	mg/L			4.02				
Mercury	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							
Silver	mg/L							0.04
Silver (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-02	WT-MW-02	WT-MW-02	WT-MW-02	WT-MW-02	WT-MW-03	WT-MW-03
	Sample ID	31390022702	38490051402	31390082704	31390111922	31391022531	34389011704	890302WTMW3
	Sample Date	02/27/1990	05/14/1990	08/27/1990	11/19/1990	02/25/1991	01/17/1989	03/02/1989
	Sample Time	12:30	13:15	14:50	14:40	13:20	:	13:00
	Sample Depth	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'
	Laboratory	M&E?	M&E?	M&E?	M&E?	M&E?	M&E?	M&E?
	Lab. Number	31390022702	5033533WTMW2	31390082704	31390111922	28928487	34389011704	890302WTMW3
Constituent	Units							
Zinc	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzo(a)pyrene	ug/L							
Benzo(g,h,i)perylene	ug/L							
Naphthalene	ug/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/L							
1,1,1,2-Tetrachloroethane	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l	77.0	227.0		102	98	870	
1,2-Dibromoethane (Ethylene Dibromide)	ug/l							
Chloroethane	ug/l				103	190		170
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l			101.0				690
trans-1,2-Dichloroethene	ug/l						1000	190
cis-1,2-Dichloroethylene	ug/l							
Tetrachloroethylene (PCE)	ug/l							
Trichloroethylene (TCE)	ug/l							
Bromomethane	ug/l					190		
Dichlorodifluoromethane	ug/l							3400
Trichlorofluoromethane	ug/l	184.0	558.0			59		
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-03	WT-MW-03	WT-MW-03	WT-MW-03	WT-MW-03	WT-MW-03	WT-MW-03
	Sample ID	31389051703	31389081817	31389120404	31390022703	38490051403	31390082705	31390111923
	Sample Date	05/17/1989	08/18/1989	12/04/1989	02/27/1990	05/14/1990	08/27/1990	11/19/1990
	Sample Time	12:50	10:17	14:10	12:54	14:50	15:15	14:13
	Sample Depth	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'
	Laboratory	M&E?	M&E?	M&E?	M&E?	M&E?	M&E?	M&E?
	Lab. Number	31389051703	31389081817	31389120404	31390022703	5033533WTMW3	31390082705	31390111923
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft	11.10	12.75	11.28	11.08		11.05	11.35
Water Elevation	Ft	28.43	26.78	28.25	28.45		28.48	28.18
Date Metals Analyzed	-							
Date Organics Analyzed	-							
Date Physical Analyzed	-							
Date Semivolatile Organics Analyzed	-							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Beryllium (unfiltered)	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							
Silver	mg/L							
Silver (unfiltered)	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-03	WT-MW-03	WT-MW-03	WT-MW-03	WT-MW-03	WT-MW-03	WT-MW-03
	Sample ID	31389051703	31389081817	31389120404	31390022703	38490051403	31390082705	31390111923
	Sample Date	05/17/1989	08/18/1989	12/04/1989	02/27/1990	05/14/1990	08/27/1990	11/19/1990
	Sample Time	12:50	10:17	14:10	12:54	14:50	15:15	14:13
	Sample Depth	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'
	Laboratory	M&E?	M&E?	M&E?	M&E?	M&E?	M&E?	M&E?
	Lab. Number	31389051703	31389081817	31389120404	31390022703	5033533WTMW3	31390082705	31390111923
Constituent	Units							
Zinc	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzo(a)pyrene	ug/L							
Benzo(g,h,i)perylene	ug/L							
Naphthalene	ug/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/L							
1,1,1,2-Tetrachloroethane	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l	330	91.0		71.0	124.0	60.0	76
1,2-Dibromoethane (Ethylene Dibromide)	ug/l							
Chloroethane	ug/l	600						
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l							
trans-1,2-Dichloroethene	ug/l					117.0	69.0	
cis-1,2-Dichloroethylene	ug/l							
Tetrachloroethylene (PCE)	ug/l							
Trichloroethylene (TCE)	ug/l							
Bromomethane	ug/l							
Dichlorodifluoromethane	ug/l	400						
Trichlorofluoromethane	ug/l		266.0	88.0				
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-03	WT-MW-04I	WT-MW-04I	WT-MW-04I	WT-MW-04I	WT-MW-04S	WT-MW-04S
	Sample ID	31391022532	37390120604	31391022863	30291053022	1004742	37390120603	31391022864
	Sample Date	02/25/1991	12/06/1990	02/28/1991	05/30/1991	11/04/1994	12/06/1990	02/28/1991
	Sample Time	13:30	11:36	10:05	13:04	12:00	10:50	10:17
	Sample Depth	0.00'	22.00' - 32.0	22.00' - 32.0	22.00' - 32.0	22.0' - 32.0'	8.00' - 18.00	8.00' - 18.00
	Laboratory	M&E?	M&E?	M&E?	AEL	AEL	M&E?	M&E?
	Lab. Number	28928481	37390120604	28928524	289-28-1363	AEL94010288	37390120603	28928523
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft	11.35	9.62	9.55	9.25		9.62	8.77
Water Elevation	Ft	28.18	27.69	27.76	28.06		27.75	28.60
Date Metals Analyzed	-					11/15/1994		
Date Organics Analyzed	-					11/08/1994		
Date Physical Analyzed	-					11/18/1994		
Date Semivolatile Organics Analyzed	-							
Arsenic	mg/L					0.011		
Arsenic (unfiltered)	mg/L							
Barium	mg/L							
Beryllium (unfiltered)	mg/L							
Cadmium	mg/L		0.05		0.015	0.0445		
Cadmium (unfiltered)	mg/L							
Chromium, Total	mg/L							
Chromium, Total (unfiltered)	mg/L							
Cobalt	mg/L							
Copper	mg/L				0.290	0.310		
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L		0.07					
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Nickel	mg/L				2.90	2.041		
Nickel (unfiltered)	mg/L				3.00			
Silver	mg/L		0.03		0.025			
Silver (unfiltered)	mg/L				0.020			

Printed on 09/13/2004

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-03	WT-MW-041	WT-MW-041	WT-MW-041	WT-MW-041	WT-MW-04S	WT-MW-04S
	Sample ID	31391022532	37390120604	31391022863	30291053022	1004742	37390120603	31391022864
	Sample Date	02/25/1991	12/06/1990	02/28/1991	05/30/1991	11/04/1994	12/06/1990	02/28/1991
	Sample Time	13:30	11:36	10:05	13:04	12:00	10:50	10:17
	Sample Depth	0.00'	22.00' - 32.0	22.00' - 32.0	22.00' - 32.0	22.0' - 32.0'	8.00' - 18.00	8.00' - 18.00
	Laboratory	M&E?	M&E?	M&E?	AEL	AEL	M&E?	M&E?
	Lab. Number	28928481	37390120604	28928524	289-28-1363	AEL94010288	37390120603	28928523
Constituent	Units							
Zinc	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L		0.060			0.255		
Cyanide (Total)	mg/L							
Benzo(a)pyrene	ug/L							
Benzo(g,h,i)perylene	ug/L							
Naphthalene	ug/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/L		410			370		
1,1,1,2-Tetrachloroethane	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l	58						
1,2-Dibromoethane (Ethylene Dibromide)	ug/l							
Chloroethane	ug/l	151						
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l							
trans-1,2-Dichloroethene	ug/l		100					
cis-1,2-Dichloroethylene	ug/l			150	74	64		60
Tetrachloroethylene (PCE)	ug/l					100	140	91
Trichloroethylene (TCE)	ug/l							
Bromomethane	ug/l	151						
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-04S	WT-MW-05D	WT-MW-05D	WT-MW-05D
	Sample ID	30291053023	1004735	1845796	1845796
	Sample Date	05/30/1991	11/07/1994	08/31/1999	08/31/1999
	Sample Time	12:54	16:30	10:50	10:50
	Sample Depth	8.00' - 18.00	0.0'	0.00'	0.00'
	Laboratory	AEL	AEL	QUAN	QUAN
	Lab. Number	289-28-1364	AEL94010234	A9I010151003	A9I010151009
Constituent	Units				
Depth of Well	Ft			42.98	42.98
Depth To Water	Ft	9.41		12.36	12.36
Water Elevation	Ft	27.96		27.30	27.30
Date Metals Analyzed	-		11/03/1994	09/15/1999	09/15/1999
Date Organics Analyzed	-				
Date Physical Analyzed	-		11/03/1994	09/12/1999	
Date Semivolatile Organics Analyzed	-				
Arsenic	mg/L		0.036	0.0201	
Arsenic (unfiltered)	mg/L				0.0200
Barium	mg/L				
Beryllium (unfiltered)	mg/L				
Cadmium	mg/L				
Cadmium (unfiltered)	mg/L				
Chromium, Total	mg/L				
Chromium, Total (unfiltered)	mg/L				
Cobalt	mg/L		0.584		
Copper	mg/L				
Copper (unfiltered)	mg/L				
Iron	mg/L				
Lead	mg/L				
Lead (unfiltered)	mg/L	0.045			
Manganese	mg/L				
Manganese (unfiltered)	mg/L				
Mercury	mg/L				
Nickel	mg/L		3.595	3.14	
Nickel (unfiltered)	mg/L				3.13
Silver	mg/L				
Silver (unfiltered)	mg/L	0.039			

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-04S	WT-MW-05D	WT-MW-05D	WT-MW-05D			
	Sample ID	30291053023	1004735	1845796	1845796			
	Sample Date	05/30/1991	11/07/1994	08/31/1999	08/31/1999			
	Sample Time	12:54	16:30	10:50	10:50			
	Sample Depth	8.00' - 18.00	0.0'	0.00'	0.00'			
	Laboratory	AEL	AEL	QUAN	QUAN			
	Lab. Number	289-28-1364	AEL94010234	A9I010151003	A9I010151009			
Constituent	Units							
Zinc	mg/L							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L		0.466					
Cyanide (Total)	mg/L			0.19				
Benzo(a)pyrene	ug/L							
Benzo(g,h,i)perylene	ug/L							
Naphthalene	ug/L							
Benzene	ug/l							
Carbon Tetrachloride	ug/L							
1,1,1,2-Tetrachloroethane	ug/l							
1,1,2,2-Tetrachloroethane	ug/l							
1,1-Dichloroethane	ug/l							
1,2-Dibromoethane (Ethylene Dibromide)	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l							
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l							
Tetrachloroethylene (PCE)	ug/l	160						
Trichloroethylene (TCE)	ug/l							
Bromomethane	ug/l							
Dichlorodifluoromethane	ug/l							
Trichlorofluoromethane	ug/l							
Methyl Isobutyl ketone (4-Methyl-2-Pentanone)	ug/l							
Xylenes	ug/l							
o-Xylene (1,2-Dimethylbenzene)	ug/l							
m,p-Xylene (Sum of Isomers)	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-06	WT-MW-07D	WT-MW-07D	WT-MW-07D	WT-MW-08	WT-MW-08	WT-MW-08
	Sample ID	37390120601	1004757	1845792	1845792	10081061192	10081061192	10082061192
	Sample Date	12/06/1990	11/08/1994	08/30/1999	08/30/1999	06/12/1992	06/12/1992	06/12/1992
	Sample Time	09:30	15:15	13:30	13:30			
	Sample Depth	9.00' - 19.00	24.0' - 34.0'	24.0' - 34.0'	24.0' - 34.0'	5.80' - 15.80	5.80' - 15.80	5.8' - 15.8'
	Laboratory	M&E?	AEL	QUAN	QUAN	CEIM	CEIM	CEIM
	Lab. Number	37390120601	AEL94010347	A9H310189005	A9H310189011	920309-14	920309-16	920309-15
Constituent	Units							
Depth of Well	Ft			35.00	35.00			
Depth To Water	Ft	11.64		11.21	11.21			
Water Elevation	Ft	28.15		27.55	27.55			
Date Metals Analyzed	-		11/15/1994	09/14/1999	09/14/1999			
Date Organics Analyzed	-			09/07/1999				
Date Physical Analyzed	-		11/14/1994	09/12/1999				
Date Semivolatile Organics Analyzed	-							
Arsenic	mg/L			0.0146			.006	
Arsenic (unfiltered)	mg/L				0.0147			
Cadmium	mg/L	0.09		0.0202				
Cadmium (unfiltered)	mg/L				0.0210			
Chromium, Total (unfiltered)	mg/L							
Cobalt	mg/L							
Copper	mg/L		0.160	0.48				.79
Copper (unfiltered)	mg/L				0.553			
Iron	mg/L							
Lead	mg/L					.017		
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L		1.121	2.18				3.65
Nickel (unfiltered)	mg/L				2.27			
Silver	mg/L							.02
Silver (unfiltered)	mg/L				0.0341			
Titanium	mg/L							
Zinc	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-06	WT-MW-07D	WT-MW-07D	WT-MW-07D	WT-MW-08	WT-MW-08	WT-MW-08
	Sample ID	37390120601	1004757	1845792	1845792	10081061192	10081061192	10082061192
	Sample Date	12/06/1990	11/08/1994	08/30/1999	08/30/1999	06/12/1992	06/12/1992	06/12/1992
	Sample Time	09:30	15:15	13:30	13:30			
	Sample Depth	9.00' - 19.00	24.0' - 34.0'	24.0' - 34.0'	24.0' - 34.0'	5.80' - 15.80	5.80' - 15.80	5.8' - 15.8'
	Laboratory	M&E?	AEL	QUAN	QUAN	CEIM	CEIM	CEIM
	Lab. Number	37390120601	AEL94010347	A9H310189005	A9H310189011	920309-14	920309-16	920309-15
Constituent	Units							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L		0.159					
Cyanide (Total)	mg/L			0.12				
Benzo(b)fluoranthene	ug/l							
Benzo(a)pyrene	ug/l							
Benzo(g,h,i)perylene	ug/l							
Naphthalene	ug/l							
Pentachlorophenol	ug/l							
bis(2-Ethylhexyl) Phthalate	ug/l							
Acenaphthene	ug/l							
1,1-Dichloroethane	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l							
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l			57				
Tetrachloroethylene (PCE)	ug/l							
Trichloroethylene (TCE)	ug/l							
Methylene Chloride	ug/L							
Dichlorodifluoromethane	ug/l							
2-Methylnaphthalene	ug/l							
Xylenes	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-08	WT-MW-09I	WT-MW-09I	WT-MW-09S	WT-MW-09S	WT-MW-11D	WT-MW-11D
	Sample ID	10082061192	10092111991	1004762	10091111991	1004761	WT-MW-11I	WT-MW-11ID
	Sample Date	06/12/1992	11/19/1991	11/09/1994	11/19/1991	11/09/1994	10/28/1992	10/28/1992
	Sample Time	:	:	10:45		10:15	08:15	08:15
	Sample Depth	5.8' - 15.8'	24.0' - 34.0'	24.0' - 34.0'	7.00' - 17.00	7.00' - 17.00	30' - 40'	30' - 40'
	Laboratory	M&E?	CEIM	AEL	CEIM	AEL	CEIM	CEIM
	Lab. Number	20309-15	910646-21	AEL94010405	910646-22	AEL94010404	920598-10	920598-08
Constituent	Units							
Depth of Well	Ft							
Depth To Water	Ft						12.90	12.90
Water Elevation	Ft							
Date Metals Analyzed	-			11/15/1994		11/14/1994	11/20/1992	
Date Organics Analyzed	-			11/11/1994			11/03/1992	11/04/1992
Date Physical Analyzed	-			11/21/1994				
Date Semivolatile Organics Analyzed	-							
Arsenic	mg/L		0.008	0.018	0.005	0.012	0.039	
Arsenic (unfiltered)	mg/L							
Cadmium	mg/L						0.02	
Cadmium (unfiltered)	mg/L							
Chromium, Total (unfiltered)	mg/L							
Cobalt	mg/L			1.194				
Copper	mg/L		0.50	0.529				
Copper (unfiltered)	mg/L							
Iron	mg/L						21.4	
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L						7.10	
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L		3.23	2.725			1.58	
Nickel (unfiltered)	mg/L							
Silver	mg/L			0.011			0.03	
Silver (unfiltered)	mg/L							
Titanium	mg/L							
Zinc	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-08	WT-MW-091	WT-MW-091	WT-MW-09S	WT-MW-09S	WT-MW-11D	WT-MW-11D
	Sample ID	10082061192	10092111991	1004762	10091111991	1004761	WT-MW-111	WT-MW-11ID
	Sample Date	06/12/1992	11/19/1991	11/09/1994	11/19/1991	11/09/1994	10/28/1992	10/28/1992
	Sample Time	:	:	10:45		10:15	08:15	08:15
	Sample Depth	5.8' - 15.8'	24.0' - 34.0'	24.0' - 34.0'	7.00' - 17.00	7.00' - 17.00	30' - 40'	30' - 40'
	Laboratory	M&E?	CEIM	AEL	CEIM	AEL	CEIM	CEIM
	Lab. Number	20309-15	910646-21	AEL94010405	910646-22	AEL94010404	920598-10	920598-08
Constituent	Units							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L			0.580				
Cyanide (Total)	mg/L							
Benzo(b)fluoranthene	ug/l							
Benzo(a)pyrene	ug/l							
Benzo(g,h,i)perylene	ug/l							
Naphthalene	ug/l							
Pentachlorophenol	ug/l							
bis(2-Ethylhexyl) Phthalate	ug/l							
Acenaphthene	ug/l							
1,1-Dichloroethane	ug/l	100		130				
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l							
trans-1,2-Dichloroethene	ug/l		2000					
cis-1,2-Dichloroethylene	ug/l			1500				
Tetrachloroethylene (PCE)	ug/l							
Trichloroethylene (TCE)	ug/l							
Methylene Chloride	ug/L						110000	130000
Dichlorodifluoromethane	ug/l							
2-Methylnaphthalene	ug/l							
Xylenes	ug/l							
.								
.								
.								
.								
.								

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-11D	WT-MW-11M	WT-MW-11M	WT-MW-11M	WT-MW-11M	WT-MW-11S	WT-MW-11S
	Sample ID	1004738	WT-MW-11M	1004737	1992877	1992877	WT-MW-11S	1004736
	Sample Date	11/04/1994	10/28/1992	11/04/1994	04/11/2001	04/11/2001	10/28/1992	11/04/1994
	Sample Time	09:45	08:30	09:00	13:45	13:45	08:40	08:30
	Sample Depth	30.00' - 40.0	17' - 27'	17.00' - 27.0	17.00' - 27.0	17.00' - 27.0	6.6' - 16.6'	6.60' - 16.60
	Laboratory	AEL	CEIM	AEL	STLC	STLC	CEIM	AEL
	Lab. Number	AEL94010284	920598-11	AEL94010283	A1D120189011	A1D120189012	920598-12	AEL94010282
Constituent	Units							
Depth of Well	Ft				26.11	26.11		
Depth To Water	Ft		10.40		9.66	9.66	10.84	
Water Elevation	Ft						27.38	
Date Metals Analyzed	-	11/15/1994	11/20/1992			04/22/2001	11/20/1992	
Date Organics Analyzed	-	11/09/1994		11/08/1994	04/17/2001		11/03/1992	11/08/1994
Date Physical Analyzed	-			11/18/1994				
Date Semivolatile Organics Analyzed	-							
Arsenic	mg/L	0.037	0.006					
Arsenic (unfiltered)	mg/L							
Cadmium	mg/L	0.0266	0.02					
Cadmium (unfiltered)	mg/L							
Chromium, Total (unfiltered)	mg/L							
Cobalt	mg/L	0.738						
Copper	mg/L							
Copper (unfiltered)	mg/L					0.0748		
Iron	mg/L		13.3				70.9	
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L		6.55				9.25	
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L	1.720						
Nickel (unfiltered)	mg/L							
Silver	mg/L							
Silver (unfiltered)	mg/L					0.0195		
Titanium	mg/L							
Zinc	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-11D	WT-MW-11M	WT-MW-11M	WT-MW-11M	WT-MW-11M	WT-MW-11S	WT-MW-11S
	Sample ID	1004738	WT-MW-11M	1004737	1992877	1992877	WT-MW-11S	1004736
	Sample Date	11/04/1994	10/28/1992	11/04/1994	04/11/2001	04/11/2001	10/28/1992	11/04/1994
	Sample Time	09:45	08:30	09:00	13:45	13:45	08:40	08:30
	Sample Depth	30.00' - 40.0	17' - 27'	17.00' - 27.0	17.00' - 27.0	17.00' - 27.0	6.6' - 16.6'	6.60' - 16.60
	Laboratory	AEL	CEIM	AEL	STLC	STLC	CEIM	AEL
	Lab. Number	AEL94010284	920598-11	AEL94010283	A1D120189011	A1D120189012	920598-12	AEL94010282
Constituent	Units							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L			0.351				
Cyanide (Total)	mg/L							
Benzo(b)fluoranthene	ug/l							
Benzo(a)pyrene	ug/l							
Benzo(g,h,i)perylene	ug/l							
Naphthalene	ug/l							
Pentachlorophenol	ug/l							
bis(2-Ethylhexyl) Phthalate	ug/l							
Acenaphthene	ug/l							
1,1-Dichloroethane	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l							
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l							250
Tetrachloroethylene (PCE)	ug/l			130	2400		110	1400
Trichloroethylene (TCE)	ug/l							
Methylene Chloride	ug/L	98000						
Dichlorodifluoromethane	ug/l							
2-Methylnaphthalene	ug/l							
Xylenes	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-11S	WT-MW-11S	WT-MW-12I	WT-MW-12I	WT-MW-13I	WT-MW-13I	WT-MW-13S
	Sample ID	1992876	1992878	WT-MW-12I	1004740	WT-MW-13I	1004744	WT-MW-13S
	Sample Date	04/11/2001	04/11/2001	10/28/1992	11/04/1994	10/28/1992	11/04/1994	10/28/1992
	Sample Time	13:25	13:20	08:00	10:45	08:20	14:20	08:45
	Sample Depth	6.60' - 16.60	6.60' - 16.60	29.5' - 39.5'	29.50' - 39.5	30' - 40'	30.00' - 40.0	8' - 18'
	Laboratory	STLC	STLC	CEIM	AEL	CEIM	AEL	CEIM
	Lab. Number	A1D120189007	A1D120189009	920598-13	AEL94010286	920598-15	AEL94010290	920598-16
Constituent	Units							
Depth of Well	Ft	16.57	16.57					
Depth To Water	Ft	10.10	10.10	12.78		17.82		11.44
Water Elevation	Ft	28.12	28.12	27.46		20.94		27.00
Date Metals Analyzed	-			11/20/1992	11/16/1994	11/20/1992	11/08/1994	
Date Organics Analyzed	-	04/18/2001	04/18/2001	11/03/1992	11/09/1994			11/02/1992
Date Physical Analyzed	-				11/18/1994		11/11/1994	
Date Semivolatile Organics Analyzed	-							
Arsenic	mg/L			0.027	0.031	0.035	0.026	
Arsenic (unfiltered)	mg/L							
Cadmium	mg/L				0.0134			
Cadmium (unfiltered)	mg/L							
Chromium, Total (unfiltered)	mg/L							
Cobalt	mg/L				0.761			
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L					91.5		
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L					7.74		
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L			0.92		3.14	3.731	
Nickel (unfiltered)	mg/L							
Silver	mg/L							
Silver (unfiltered)	mg/L							
Titanium	mg/L							
Zinc	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-11S	WT-MW-11S	WT-MW-12I	WT-MW-12I	WT-MW-13I	WT-MW-13I	WT-MW-13S
	Sample ID	1992876	1992878	WT-MW-12I	1004740	WT-MW-13I	1004744	WT-MW-13S
	Sample Date	04/11/2001	04/11/2001	10/28/1992	11/04/1994	10/28/1992	11/04/1994	10/28/1992
	Sample Time	13:25	13:20	08:00	10:45	08:20	14:20	08:45
	Sample Depth	6.60' - 16.60	6.60' - 16.60	29.5' - 39.5'	29.50' - 39.5	30' - 40'	30.00' - 40.0	8' - 18'
	Laboratory	STLC	STLC	CEIM	AEL	CEIM	AEL	CEIM
	Lab. Number	A1D120189007	A1D120189009	920598-13	AEL94010286	920598-15	AEL94010290	920598-16
Constituent	Units							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L				1.74		0.323	
Cyanide (Total)	mg/L							
Benzo(b)fluoranthene	ug/l							
Benzo(a)pyrene	ug/l							
Benzo(g,h,i)perylene	ug/l							
Naphthalene	ug/l							
Pentachlorophenol	ug/l							
bis(2-Ethylhexyl) Phthalate	ug/l							
Acenaphthene	ug/l							
1,1-Dichloroethane	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l							
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l	280 J	290 J		81			
Tetrachloroethylene (PCE)	ug/l	1600	1600					530
Trichloroethylene (TCE)	ug/l							
Methylene Chloride	ug/L			110000	110000			
Dichlorodifluoromethane	ug/l							
2-Methylnaphthalene	ug/l							
Xylenes	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-13S	WT-MW-14I	WT-MW-14S	WT-MW-14S	WT-MW-15I	WT-MW-15I	WT-MW-15I
	Sample ID	1004743	1845794	1004733	1845793	1004755	1845790	1845790
	Sample Date	11/04/1994	08/30/1999	11/08/1994	08/30/1999	11/08/1994	08/30/1999	08/30/1999
	Sample Time	13:30	15:20	08:50	15:00	13:30	10:20	10:20
	Sample Depth	8.00' - 18.00	37.0' - 47.0'	0.0'	0.00'	35.0' - 45.0'	35.0' - 45.0'	35.0' - 45.0'
	Laboratory	AEL	QUAN	AEL	QUAN	AEL	QUAN	QUAN
	Lab. Number	AEL94010289	A9H310189007	AEL94010339	A9H310189006	AEL94010345	A9H310189003	A9H310189009
Constituent	Units							
Depth of Well	Ft		47.70		19.47		45.63	45.63
Depth To Water	Ft		10.02		10.21		11.45	11.45
Water Elevation	Ft				28.09		27.94	27.94
Date Metals Analyzed	-					11/15/1994	09/14/1999	09/14/1999
Date Organics Analyzed	-	11/08/1994	09/07/1999	11/09/1994	09/07/1999	11/10/1994	09/07/1999	
Date Physical Analyzed	-					11/14/1994	09/12/1999	
Date Semivolatile Organics Analyzed	-							
Arsenic	mg/L						0.0064	
Arsenic (unfiltered)	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total (unfiltered)	mg/L							
Cobalt	mg/L							
Copper	mg/L					0.957	0.957	
Copper (unfiltered)	mg/L							0.699
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L					0.919	0.995	
Nickel (unfiltered)	mg/L							
Silver	mg/L							
Silver (unfiltered)	mg/L							
Titanium	mg/L							
Zinc	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-13S	WT-MW-14I	WT-MW-14S	WT-MW-14S	WT-MW-15I	WT-MW-15I	WT-MW-15I
	Sample ID	1004743	1845794	1004733	1845793	1004755	1845790	1845790
	Sample Date	11/04/1994	08/30/1999	11/08/1994	08/30/1999	11/08/1994	08/30/1999	08/30/1999
	Sample Time	13:30	15:20	08:50	15:00	13:30	10:20	10:20
	Sample Depth	8.00' - 18.00	37.0' - 47.0'	0.0'	0.00'	35.0' - 45.0'	35.0' - 45.0'	35.0' - 45.0'
	Laboratory	AEL	QUAN	AEL	QUAN	AEL	QUAN	QUAN
	Lab. Number	AEL94010289	A9H310189007	AEL94010339	A9H310189006	AEL94010345	A9H310189003	A9H310189009
Constituent	Units							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L					0.954		
Cyanide (Total)	mg/L						0.24	
Benzo(b)fluoranthene	ug/l							
Benzo(a)pyrene	ug/l							
Benzo(g,h,i)perylene	ug/l							
Naphthalene	ug/l							
Pentachlorophenol	ug/l							
bis(2-Ethylhexyl) Phthalate	ug/l							
Acenaphthene	ug/l							
1,1-Dichloroethane	ug/l					100		
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l							
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l		110			700	220	
Tetrachloroethylene (PCE)	ug/l	630		180	160			
Trichloroethylene (TCE)	ug/l							
Methylene Chloride	ug/L							
Dichlorodifluoromethane	ug/l							
2-Methylnaphthalene	ug/l							
Xylenes	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-15S	WT-MW-15S	WT-MW-15S	WT-MW-16S	WT-MW-19I	WT-MW-20I	WT-MW-20I
	Sample ID	1004734	1845789	1845789	1004732	1845819	1845822	1845822
	Sample Date	11/08/1994	08/30/1999	08/30/1999	11/07/1994	09/03/1999	09/03/1999	09/03/1999
	Sample Time	13:30	10:45	10:45	16:30	12:00	13:45	13:45
	Sample Depth	0.0'	0.00'	0.00'	0.0'	23.0' - 26.0'	31.0' - 34.0'	31.0' - 34.0'
	Laboratory	AEL	QUAN	QUAN	AEL	QUAN	QUAN	QUAN
	Lab. Number	AEL94010340	A9H310189002	A9H310189008	AEL94010314	A9I080204008	A9I080204014	A9I080204015
Constituent	Units							
Depth of Well	Ft		18.68	18.68		25.27	29.98	29.98
Depth To Water	Ft		11.39	11.39		8.53	10.02	10.02
Water Elevation	Ft		27.80	27.80		27.10	26.93	26.93
Date Metals Analyzed	-	11/15/1994	09/14/1999	09/14/1999	11/08/1994	09/16/1999	09/16/1999	09/16/1999
Date Organics Analyzed	-				11/10/1994		09/15/1999	
Date Physical Analyzed	-	11/18/1994					09/16/1999	
Date Semivolatile Organics Analyzed	-				11/11/1994			
Arsenic	mg/L					0.0049	0.0172	
Arsenic (unfiltered)	mg/L							0.0171
Cadmium	mg/L	0.0327	0.0308					
Cadmium (unfiltered)	mg/L			0.0312				
Chromium, Total (unfiltered)	mg/L							
Cobalt	mg/L							
Copper	mg/L	0.054	0.0605				0.317	
Copper (unfiltered)	mg/L			0.108				0.314
Iron	mg/L							
Lead	mg/L				0.046			
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L	2.704	1.98				1.43	
Nickel (unfiltered)	mg/L			1.95				1.43
Silver	mg/L							
Silver (unfiltered)	mg/L							0.0166
Titanium	mg/L							
Zinc	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-15S	WT-MW-15S	WT-MW-15S	WT-MW-16S	WT-MW-19I	WT-MW-20I	WT-MW-20I
	Sample ID	1004734	1845789	1845789	1004732	1845819	1845822	1845822
	Sample Date	11/08/1994	08/30/1999	08/30/1999	11/07/1994	09/03/1999	09/03/1999	09/03/1999
	Sample Time	13:30	10:45	10:45	16:30	12:00	13:45	13:45
	Sample Depth	0.0'	0.00'	0.00'	0.0'	23.0' - 26.0'	31.0' - 34.0'	31.0' - 34.0'
	Laboratory	AEL	QUAN	QUAN	AEL	QUAN	QUAN	QUAN
	Lab. Number	AEL94010340	A9H310189002	A9H310189008	AEL94010314	A9I080204008	A9I080204014	A9I080204015
Constituent	Units							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L	0.086						
Cyanide (Total)	mg/L						0.069	
Benzo(b)fluoranthene	ug/l							
Benzo(a)pyrene	ug/l							
Benzo(g,h,i)perylene	ug/l							
Naphthalene	ug/l				180			
Pentachlorophenol	ug/l							
bis(2-Ethylhexyl) Phthalate	ug/l							
Acenaphthene	ug/l							
1,1-Dichloroethane	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l							
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l						630	
Tetrachloroethylene (PCE)	ug/l							
Trichloroethylene (TCE)	ug/l							
Methylene Chloride	ug/L							
Dichlorodifluoromethane	ug/l							
2-Methylnaphthalene	ug/l							
Xylenes	ug/l				6600			

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-20I	WT-MW-20S	WT-MW-20S	WT-MW-20S	WT-MW-20S	WT-MW-20S	WT-MW-21I
	Sample ID	1992857	1845821	1845821	1845821	1992856	1992856	1845825
	Sample Date	04/10/2001	09/03/1999	09/03/1999	09/03/1999	04/10/2001	04/10/2001	09/03/1999
	Sample Time	13:35	13:30	13:30	13:30	13:18	13:18	15:00
	Sample Depth	31.00' - 34.0	7.0' - 16.0'	7.0' - 16.0'	7.0' - 16.0'	7.00' - 16.00	7.00' - 16.00	22.0' - 25.0'
	Laboratory	STLC	AEL	QUAN	QUAN	STLC	STLC	QUAN
	Lab. Number	A1D110171050	AEL99009658	A9I080204012	A9I080204013	A1D110171048	A1D110171049	29I080204020
Constituent	Units							
Depth of Well	Ft	33.00	15.59	15.59	15.59	15.63	15.63	24.37
Depth To Water	Ft	9.67	10.19	10.19	10.19	9.63	9.63	11.15
Water Elevation	Ft	27.28	26.57	26.57	26.57	27.13	27.13	27.64
Date Metals Analyzed	-		09/10/1999	09/16/1999	09/16/1999	04/20/2001	04/20/2001	
Date Organics Analyzed	-	04/17/2001		09/15/1999				
Date Physical Analyzed	-			09/16/1999				09/22/1999
Date Semivolatile Organics Analyzed	-							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L							
Cadmium	mg/L			0.0139		0.0127		
Cadmium (unfiltered)	mg/L				0.0333		0.0128	
Chromium, Total (unfiltered)	mg/L		0.120		0.145			
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L				0.145			
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							
Silver	mg/L							
Silver (unfiltered)	mg/L				0.153			
Titanium	mg/L							
Zinc	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-20I	WT-MW-20S	WT-MW-20S	WT-MW-20S	WT-MW-20S	WT-MW-20S	WT-MW-21I
	Sample ID	1992857	1845821	1845821	1845821	1992856	1992856	1845825
	Sample Date	04/10/2001	09/03/1999	09/03/1999	09/03/1999	04/10/2001	04/10/2001	09/03/1999
	Sample Time	13:35	13:30	13:30	13:30	13:18	13:18	15:00
	Sample Depth	31.00' - 34.0	7.0' - 16.0'	7.0' - 16.0'	7.0' - 16.0'	7.00' - 16.00	7.00' - 16.00	22.0' - 25.0'
	Laboratory	STLC	AEL	QUAN	QUAN	STLC	STLC	QUAN
	Lab. Number	A1D110171050	AEL99009658	A91080204012	A91080204013	A1D110171048	A1D110171049	291080204020
Constituent	Units							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L			0.071				0.079
Benzo(b)fluoranthene	ug/l							
Benzo(a)pyrene	ug/l							
Benzo(g,h,i)perylene	ug/l							
Naphthalene	ug/l							
Pentachlorophenol	ug/l							
bis(2-Ethylhexyl) Phthalate	ug/l							
Acenaphthene	ug/l							
1,1-Dichloroethane	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l							
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l	72		73				
Tetrachloroethylene (PCE)	ug/l							
Trichloroethylene (TCE)	ug/l							
Methylene Chloride	ug/L							
Dichlorodifluoromethane	ug/l							
2-Methylnaphthalene	ug/l							
Xylenes	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-21I	WT-MW-21I	WT-MW-21I	WT-MW-21I	WT-MW-21S	WT-MW-21S	WT-MW-21S
	Sample ID	1845825	1845825	1992855	1992855	1845824	1845824	1845824
	Sample Date	09/03/1999	09/03/1999	04/10/2001	04/10/2001	09/03/1999	09/03/1999	09/03/1999
	Sample Time	15:00	15:00	11:50	11:50	14:45	14:45	14:45
	Sample Depth	22.0' - 25.0'	22.0' - 25.0'	22.00' - 25.0	22.00' - 25.0	6.0' - 15.0'	6.0' - 15.0'	6.0' - 15.0'
	Laboratory	QUAN	QUAN	STLC	STLC	AEL	QUAN	QUAN
	Lab. Number	A9I080204020	A9I080204021	A1D110171046	A1D110171047	AEL99009661	A9I080204018	A9I080204019
Constituent	Units							
Depth of Well	Ft	24.37	24.37	24.26	24.26	15.28	15.28	15.28
Depth To Water	Ft	11.15	11.15	10.82	10.82	11.14	11.14	11.14
Water Elevation	Ft	27.64	27.64	27.97	27.97	27.75	27.75	27.75
Date Metals Analyzed	-	09/16/1999	09/16/1999	04/20/2001	04/20/2001	09/10/1999	09/16/1999	09/16/1999
Date Organics Analyzed	-	09/15/1999		04/16/2001				
Date Physical Analyzed	-	09/17/1999					09/17/1999	
Date Semivolatile Organics Analyzed	-			04/18/2001				
Arsenic	mg/L	0.0138		0.0071				
Arsenic (unfiltered)	mg/L		0.0140		0.0064			
Cadmium	mg/L	0.0371		0.0322			0.0294	
Cadmium (unfiltered)	mg/L		0.0402		0.0311			0.0479
Chromium, Total (unfiltered)	mg/L					0.106		0.108
Cobalt	mg/L							
Copper	mg/L	1.12		0.755			0.251	
Copper (unfiltered)	mg/L		1.16		0.78			0.333
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L	1.57		1.12				
Nickel (unfiltered)	mg/L		1.58		1.14			0.916
Silver	mg/L							
Silver (unfiltered)	mg/L							0.0108
Titanium	mg/L							
Zinc	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-21I	WT-MW-21I	WT-MW-21I	WT-MW-21I	WT-MW-21S	WT-MW-21S	WT-MW-21S
	Sample ID	1845825	1845825	1992855	1992855	1845824	1845824	1845824
	Sample Date	09/03/1999	09/03/1999	04/10/2001	04/10/2001	09/03/1999	09/03/1999	09/03/1999
	Sample Time	15:00	15:00	11:50	11:50	14:45	14:45	14:45
	Sample Depth	22.0' - 25.0'	22.0' - 25.0'	22.00' - 25.0	22.00' - 25.0	6.0' - 15.0'	6.0' - 15.0'	6.0' - 15.0'
	Laboratory	QUAN	QUAN	STLC	STLC	AEL	QUAN	QUAN
	Lab. Number	A9I080204020	A9I080204021	A1D110171046	A1D110171047	AEL99009661	A9I080204018	A9I080204019
Constituent	Units							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L	0.069					0.35 M	
Benzo(b)fluoranthene	ug/l							
Benzo(a)pyrene	ug/l							
Benzo(g,h,i)perylene	ug/l							
Naphthalene	ug/l							
Pentachlorophenol	ug/l			21				
bis(2-Ethylhexyl) Phthalate	ug/l							
Acenaphthene	ug/l							
1,1-Dichloroethane	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l							
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l	200		160				
Tetrachloroethylene (PCE)	ug/l							
Trichloroethylene (TCE)	ug/l							
Methylene Chloride	ug/L							
Dichlorodifluoromethane	ug/l							
2-Methylnaphthalene	ug/l							
Xylenes	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-21S	WT-MW-21S	WT-MW-21S	WT-MW-21S	WT-MW-22I	WT-MW-22I	WT-MW-22I
	Sample ID	1845824	1845824	1992854	1992854	1845830	1992858	1992858
	Sample Date	09/03/1999	09/03/1999	04/10/2001	04/10/2001	09/07/1999	04/10/2001	04/10/2001
	Sample Time	14:45	14:45	11:15	11:15	11:15	14:45	14:45
	Sample Depth	6.0' - 15.0'	6.0' - 15.0'	6.00' - 15.00	6.00' - 15.00	28.0' - 31.0'	28.00' - 31.0	28.00' - 31.0
	Laboratory	QUAN	QUAN	STLC	STLC	QUAN	STLC	STLC
	Lab. Number	D91080204018	S91080204018	A1D110171044	A1D110171045	A91080236005	A1D110171052	A1D110171053
Constituent	Units							
Depth of Well	Ft	15.28	15.28	15.22	15.22	30.20	30.25	30.25
Depth To Water	Ft	11.14	11.14	10.61	10.61	9.58	9.20	9.20
Water Elevation	Ft	27.75	27.75	28.28	28.28	28.21	28.59	28.59
Date Metals Analyzed	-			04/20/2001	04/20/2001	09/20/1999		04/20/2001
Date Organics Analyzed	-					09/15/1999	04/17/2001	
Date Physical Analyzed	-	09/17/1999	09/17/1999					
Date Semivolatile Organics Analyzed	-							
Arsenic	mg/L					0.0041		
Arsenic (unfiltered)	mg/L							0.0042
Cadmium	mg/L			0.0644				
Cadmium (unfiltered)	mg/L				0.0933			
Chromium, Total (unfiltered)	mg/L				0.125			
Cobalt	mg/L							
Copper	mg/L			0.311				
Copper (unfiltered)	mg/L				0.392			
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L			1.27				
Nickel (unfiltered)	mg/L				1.24			
Silver	mg/L							
Silver (unfiltered)	mg/L				0.0249			
Titanium	mg/L							
Zinc	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-21S	WT-MW-21S	WT-MW-21S	WT-MW-21S	WT-MW-22I	WT-MW-22I	WT-MW-22I
	Sample ID	1845824	1845824	1992854	1992854	1845830	1992858	1992858
	Sample Date	09/03/1999	09/03/1999	04/10/2001	04/10/2001	09/07/1999	04/10/2001	04/10/2001
	Sample Time	14:45	14:45	11:15	11:15	11:15	14:45	14:45
	Sample Depth	6.0' - 15.0'	6.0' - 15.0'	6.00' - 15.00	6.00' - 15.00	28.0' - 31.0'	28.00' - 31.0	28.00' - 31.0
	Laboratory	QUAN	QUAN	STLC	STLC	QUAN	STLC	STLC
	Lab. Number	D91080204018	S91080204018	A1D110171044	A1D110171045	A91080236005	A1D110171052	A1D110171053
Constituent	Units							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L	0.34 NMS	0.38 NMS					
Benzo(b)fluoranthene	ug/l							
Benzo(a)pyrene	ug/l							
Benzo(g,h,i)perylene	ug/l							
Naphthalene	ug/l							
Pentachlorophenol	ug/l							
bis(2-Ethylhexyl) Phthalate	ug/l							
Acenaphthene	ug/l							
1,1-Dichloroethane	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l							
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l					1500	980	
Tetrachloroethylene (PCE)	ug/l							
Trichloroethylene (TCE)	ug/l							
Methylene Chloride	ug/L							
Dichlorodifluoromethane	ug/l							
2-Methylnaphthalene	ug/l							
Xylenes	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-24I	WT-MW-24I	WT-MW-24I	WT-MW-24I	WT-MW-24S	WT-MW-24S	WT-MW-24S
	Sample ID	1845814	1845814	1992882	1992882	1845813	1845813	1992881
	Sample Date	09/02/1999	09/02/1999	04/11/2001	04/11/2001	09/02/1999	09/02/1999	04/11/2001
	Sample Time	15:15	15:15	12:30	12:30	14:40	14:40	12:30
	Sample Depth	22.00' - 25.0	22.00' - 25.0	22.00' - 25.0	22.00' - 25.0	9.6' - 18.6'	9.6' - 18.6'	9.60' - 18.60
	Laboratory	QUAN	QUAN	STLC	STLC	QUAN	QUAN	STLC
	Lab. Number	A9I080187008	A9I080187009	A1D120189022	A1D120189023	A9I080187006	A9I080187007	A1D120189020
Constituent	Units							
Depth of Well	Ft	23.95	23.95	23.93	23.93	18.47	18.47	18.50
Depth To Water	Ft	13.80	13.80	12.52	12.52	13.78	13.78	12.35
Water Elevation	Ft	24.47	24.47	25.75	25.75	24.31	24.31	25.74
Date Metals Analyzed	-	09/16/1999	09/16/1999	04/22/2001	04/22/2001	09/16/1999	09/16/1999	04/22/2001
Date Organics Analyzed	-	09/15/1999		04/18/2001				
Date Physical Analyzed	-	09/16/1999		04/17/2001		09/16/1999		
Date Semivolatile Organics Analyzed	-			04/19/2001				
Arsenic	mg/L	0.0198		0.0177				
Arsenic (unfiltered)	mg/L		0.0231		0.0161			
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total (unfiltered)	mg/L							
Cobalt	mg/L							
Copper	mg/L	0.424		0.439		0.0923		0.0652
Copper (unfiltered)	mg/L		0.494		0.428		0.104	
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L	1.35		1.46				
Nickel (unfiltered)	mg/L		1.42		1.42			
Silver	mg/L							
Silver (unfiltered)	mg/L		0.0644					
Titanium	mg/L							
Zinc	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-24I	WT-MW-24I	WT-MW-24I	WT-MW-24I	WT-MW-24S	WT-MW-24S	WT-MW-24S
	Sample ID	1845814	1845814	1992882	1992882	1845813	1845813	1992881
	Sample Date	09/02/1999	09/02/1999	04/11/2001	04/11/2001	09/02/1999	09/02/1999	04/11/2001
	Sample Time	15:15	15:15	12:30	12:30	14:40	14:40	12:30
	Sample Depth	22.00' - 25.0	22.00' - 25.0	22.00' - 25.0	22.00' - 25.0	9.6' - 18.6'	9.6' - 18.6'	9.60' - 18.60
	Laboratory	QUAN	QUAN	STLC	STLC	QUAN	QUAN	STLC
	Lab. Number	A9I080187008	A9I080187009	A1D120189022	A1D120189023	A9I080187006	A9I080187007	A1D120189020
Constituent	Units							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L	0.22		0.12		0.054		
Benzo(b)fluoranthene	ug/l							
Benzo(a)pyrene	ug/l							
Benzo(g,h,i)perylene	ug/l							
Naphthalene	ug/l							
Pentachlorophenol	ug/l			41				
bis(2-Ethylhexyl) Phthalate	ug/l							
Acenaphthene	ug/l							
1,1-Dichloroethane	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l							
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l	330		350				
Tetrachloroethylene (PCE)	ug/l							
Trichloroethylene (TCE)	ug/l							
Methylene Chloride	ug/L							
Dichlorodifluoromethane	ug/l							
2-Methylnaphthalene	ug/l							
Xylenes	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-24S	WT-MW-25I	WT-MW-25I	WT-MW-25I	WT-MW-25I	WT-MW-25S	WT-MW-25S
	Sample ID	1992881	1845817	1845817	1992879	1992879	1845816	1845816
	Sample Date	04/11/2001	09/03/1999	09/03/1999	04/11/2001	04/11/2001	09/03/1999	09/03/1999
	Sample Time	12:30	10:25	10:25	11:05	11:05	10:00	10:00
	Sample Depth	9.60' - 18.60	22.0' - 25.0'	22.0' - 25.0'	22.00' - 25.0	22.00' - 25.0	6.5' - 15.5'	6.5' - 15.5'
	Laboratory	STLC	QUAN	QUAN	STLC	STLC	QUAN	QUAN
	Lab. Number	A1D120189021	A9I080204003	A9I080204004	A1D120189016	A1D120189017	A9I080204001	A9I080204002
Constituent	Units							
Depth of Well	Ft	18.50	24.00	24.00	23.98	23.98	14.53	14.53
Depth To Water	Ft	12.35	12.02	12.02	10.95	10.95	12.03	12.03
Water Elevation	Ft	25.74	24.66	24.66	25.73	25.73	25.13	25.13
Date Metals Analyzed	-	04/22/2001	09/16/1999	09/16/1999	04/22/2001	04/22/2001	09/16/1999	09/16/1999
Date Organics Analyzed	-		09/15/1999		04/18/2001			
Date Physical Analyzed	-		09/16/1999		04/17/2001			
Date Semivolatile Organics Analyzed	-				04/19/2001			
Arsenic	mg/L		0.0292		0.0204		0.0070	
Arsenic (unfiltered)	mg/L			0.0301		0.0209		0.0068
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total (unfiltered)	mg/L							
Cobalt	mg/L							
Copper	mg/L		1.76		1.25			
Copper (unfiltered)	mg/L	0.0737		2.03		1.23		
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L							0.0230
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L		0.0025					
Mercury (unfiltered)	mg/L			0.0046		0.0017		
Nickel	mg/L		3.23		2.68			
Nickel (unfiltered)	mg/L			3.52		2.58		
Silver	mg/L							
Silver (unfiltered)	mg/L			0.0936		0.0143		
Titanium	mg/L							
Zinc	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-24S	WT-MW-25I	WT-MW-25I	WT-MW-25I	WT-MW-25I	WT-MW-25S	WT-MW-25S
	Sample ID	1992881	1845817	1845817	1992879	1992879	1845816	1845816
	Sample Date	04/11/2001	09/03/1999	09/03/1999	04/11/2001	04/11/2001	09/03/1999	09/03/1999
	Sample Time	12:30	10:25	10:25	11:05	11:05	10:00	10:00
	Sample Depth	9.60' - 18.60	22.0' - 25.0'	22.0' - 25.0'	22.00' - 25.0	22.00' - 25.0	6.5' - 15.5'	6.5' - 15.5'
	Laboratory	STLC	QUAN	QUAN	STLC	STLC	QUAN	QUAN
	Lab. Number	A1D120189021	A9I080204003	A9I080204004	A1D120189016	A1D120189017	A9I080204001	A9I080204002
Constituent	Units							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L		0.16		0.17			
Benzo(b)fluoranthene	ug/l							
Benzo(a)pyrene	ug/l							
Benzo(g,h,i)perylene	ug/l							
Naphthalene	ug/l							
Pentachlorophenol	ug/l				39			
bis(2-Ethylhexyl) Phthalate	ug/l							
Acenaphthene	ug/l							
1,1-Dichloroethane	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l							
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l		650		450			
Tetrachloroethylene (PCE)	ug/l							
Trichloroethylene (TCE)	ug/l							
Methylene Chloride	ug/L							
Dichlorodifluoromethane	ug/l							
2-Methylnaphthalene	ug/l							
Xylenes	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-25S	WT-MW-25S	WT-MW-27	WT-MW-27	WT-MW-27	WT-MW-27	WT-MW-27
	Sample ID	1992880	1992880	34389011702	890302WTRW1	31389051704	31389081818	31390022704
	Sample Date	04/11/2001	04/11/2001	01/17/1989	03/02/1989	05/17/1989	08/18/1989	02/27/1990
	Sample Time	11:55	11:55	:	13:40	13:00	09:58	11:15
	Sample Depth	6.50' - 15.50	6.50' - 15.50	0.00'	0.00'	0.00'	0.00'	0.00'
	Laboratory	STLC	STLC	M&E?	M&E?	M&E?	M&E?	M&E?
	Lab. Number	A1D120189018	A1D120189019	34389011702	890302WTRW1	31389051704	31389081818	31390022704
Constituent	Units							
Depth of Well	Ft	14.45	14.45					
Depth To Water	Ft	10.51	10.51	12.25		10.72	11.46	
Water Elevation	Ft	26.65	26.65					
Date Metals Analyzed	-	04/22/2001	04/22/2001					
Date Organics Analyzed	-							
Date Physical Analyzed	-							
Date Semivolatile Organics Analyzed	-							
Arsenic	mg/L	0.0050						
Arsenic (unfiltered)	mg/L		0.0048					
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total (unfiltered)	mg/L							
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							
Silver	mg/L				0.05			
Silver (unfiltered)	mg/L							
Titanium	mg/L							
Zinc	mg/L						1.17	

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-25S	WT-MW-25S	WT-MW-27	WT-MW-27	WT-MW-27	WT-MW-27	WT-MW-27
	Sample ID	1992880	1992880	34389011702	890302WTRW1	31389051704	31389081818	31390022704
	Sample Date	04/11/2001	04/11/2001	01/17/1989	03/02/1989	05/17/1989	08/18/1989	02/27/1990
	Sample Time	11:55	11:55	:	13:40	13:00	09:58	11:15
	Sample Depth	6.50' - 15.50	6.50' - 15.50	0.00'	0.00'	0.00'	0.00'	0.00'
	Laboratory	STLC	STLC	M&E?	M&E?	M&E?	M&E?	M&E?
	Lab. Number	A1D120189018	A1D120189019	34389011702	890302WTRW1	31389051704	31389081818	31390022704
Constituent	Units							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzo(b)fluoranthene	ug/l							
Benzo(a)pyrene	ug/l							
Benzo(g,h,i)perylene	ug/l							
Naphthalene	ug/l							
Pentachlorophenol	ug/l							
bis(2-Ethylhexyl) Phthalate	ug/l							
Acenaphthene	ug/l							
1,1-Dichloroethane	ug/l			810	170	530		106.0
Chloroethane	ug/l					730		
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l							
trans-1,2-Dichloroethene	ug/l			430		110		
cis-1,2-Dichloroethylene	ug/l							
Tetrachloroethylene (PCE)	ug/l							
Trichloroethylene (TCE)	ug/l							
Methylene Chloride	ug/L							
Dichlorodifluoromethane	ug/l				140	340		
2-Methylnaphthalene	ug/l							
Xylenes	ug/l			64				

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-27	WT-MW-27	WT-MW-27	WT-MW-29D	WT-MW-29S	WT-MW-33D	WT-MW-33S
	Sample ID	38490051404	31390111924	31391022533	1998513	1998512	1998525	1998524
	Sample Date	05/14/1990	11/19/1990	02/25/1991	08/14/2001	08/14/2001	08/15/2001	08/15/2001
	Sample Time	15:05	14:55	13:43	11:05	11:30	10:55	10:41
	Sample Depth	0.00'	0.00'	0.00'	13.50' - 16.5	1.50' - 10.50	15.50' - 18.5	7.00' - 16.00
	Laboratory	M&E?	M&E?	M&E?	STLC	STLC	STLC	STLC
	Lab. Number	5033533WTRW1	31390111924	28928488	A1H150222005	A1H150222003	A1H160236008	A1H160236006
Constituent	Units							
Depth of Well	Ft				16.16	10.05	17.92	14.95
Depth To Water	Ft				4.60	4.43	11.39	10.30
Water Elevation	Ft				26.82	26.79	20.01	21.04
Date Metals Analyzed	-				08/17/2001	08/17/2001		
Date Organics Analyzed	-							
Date Physical Analyzed	-						08/27/2001	08/27/2001
Date Semivolatile Organics Analyzed	-							
Arsenic	mg/L				0.0046	0.0049		
Arsenic (unfiltered)	mg/L							
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total (unfiltered)	mg/L							
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L				0.0126	0.0209		
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L		1.81					
Nickel (unfiltered)	mg/L							
Silver	mg/L							
Silver (unfiltered)	mg/L							
Titanium	mg/L							
Zinc	mg/L	3.89		0.669				

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-27	WT-MW-27	WT-MW-27	WT-MW-29D	WT-MW-29S	WT-MW-33D	WT-MW-33S
	Sample ID	38490051404	31390111924	31391022533	1998513	1998512	1998525	1998524
	Sample Date	05/14/1990	11/19/1990	02/25/1991	08/14/2001	08/14/2001	08/15/2001	08/15/2001
	Sample Time	15:05	14:55	13:43	11:05	11:30	10:55	10:41
	Sample Depth	0.00'	0.00'	0.00'	13.50' - 16.5	1.50' - 10.50	15.50' - 18.5	7.00' - 16.00
	Laboratory	M&E?	M&E?	M&E?	STLC	STLC	STLC	STLC
	Lab. Number	5033533WTRW1	31390111924	28928488	A1H150222005	A1H150222003	A1H160236008	A1H160236006
Constituent	Units							
Zinc (unfiltered)	mg/L		25.1	2.02				
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzo(b)fluoranthene	ug/l							
Benzo(a)pyrene	ug/l							
Benzo(g,h,i)perylene	ug/l							
Naphthalene	ug/l							
Pentachlorophenol	ug/l							
bis(2-Ethylhexyl) Phthalate	ug/l						13	27
Acenaphthene	ug/l			120				
1,1-Dichloroethane	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l							
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l							
Tetrachloroethylene (PCE)	ug/l							
Trichloroethylene (TCE)	ug/l							
Methylene Chloride	ug/L							
Dichlorodifluoromethane	ug/l							
2-Methylnaphthalene	ug/l							
Xylenes	ug/l							
.								
.								
.								
.								
.								

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-34D	WT-MW-34D	WT-MW-34S	WT-MW-34S	WT-MW-36D	WT-MW-36D	WT-MW-38D
	Sample ID	1992865	1998521	1992866	1998522	2000997	2000997	1998515
	Sample Date	04/10/2001	08/15/2001	04/10/2001	08/15/2001	08/15/2001	08/15/2001	08/14/2001
	Sample Time	10:05	09:35	10:15	09:30	01:53	01:53	13:30
	Sample Depth	15.50' - 18.5	15.50' - 18.5	7.00' - 16.00	7.00' - 16.00	32.3' - 35.3'	32.3' - 35.3'	17.50' - 20.5
	Laboratory	STLC	STLC	STLC	STLC	STLC	STLC	STLC
	Lab. Number	A1D110171028	A1H160230003	A1D110171030	A1H160230001	A1H160236002	A1H160236004	A1H150229008
Constituent	Units							
Depth of Well	Ft	18.09	18.15	15.04	15.30	34.52	34.52	20.38
Depth To Water	Ft	10.42	10.85	10.25	10.65	12.26	12.26	12.03
Water Elevation	Ft	23.16	22.73	23.33	22.93	23.65	23.65	20.65
Date Metals Analyzed	-						08/26/2001	
Date Organics Analyzed	-	04/13/2001	08/21/2001	04/13/2001	08/21/2001			
Date Physical Analyzed	-					08/23/2001		
Date Semivolatile Organics Analyzed	-							08/29/2001
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L						0.0378	
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total (unfiltered)	mg/L						0.366	
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L						0.211	
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L						0.0660	
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							
Silver	mg/L							
Silver (unfiltered)	mg/L							
Titanium	mg/L							
Zinc	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-34D	WT-MW-34D	WT-MW-34S	WT-MW-34S	WT-MW-36D	WT-MW-36D	WT-MW-38D
	Sample ID	1992865	1998521	1992866	1998522	2000997	2000997	1998515
	Sample Date	04/10/2001	08/15/2001	04/10/2001	08/15/2001	08/15/2001	08/15/2001	08/14/2001
	Sample Time	10:05	09:35	10:15	09:30	01:53	01:53	13:30
	Sample Depth	15.50' - 18.5	15.50' - 18.5	7.00' - 16.00	7.00' - 16.00	32.3' - 35.3'	32.3' - 35.3'	17.50' - 20.5
	Laboratory	STLC	STLC	STLC	STLC	STLC	STLC	STLC
	Lab. Number	A1D110171028	A1H160230003	A1D110171030	A1H160230001	A1H160236002	A1H160236004	A1H150229008
Constituent	Units							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L					0.058		
Benzo(b)fluoranthene	ug/l							4.8 J
Benzo(a)pyrene	ug/l							3.7 J
Benzo(g,h,i)perylene	ug/l							2.6 J
Naphthalene	ug/l							
Pentachlorophenol	ug/l							
bis(2-Ethylhexyl) Phthalate	ug/l							
Acenaphthene	ug/l							
1,1-Dichloroethane	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l	270	700	150	210			
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l							
Tetrachloroethylene (PCE)	ug/l							
Trichloroethylene (TCE)	ug/l							
Methylene Chloride	ug/L							
Dichlorodifluoromethane	ug/l							
2-Methylnaphthalene	ug/l							
Xylenes	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-38D	WT-MW-38S	WT-MW-39	WT-MW-40	WT-MW-43	WT-MW-45	WT-MW-45
	Sample ID	1998515	1998514	1998519	2215739	2215736	2112615	2213472
	Sample Date	08/14/2001	08/14/2001	08/14/2001	03/28/2003	03/28/2003	09/23/2002	12/23/2002
	Sample Time	13:30	13:35	14:21	13:40	11:45	14:30	10:30
	Sample Depth	17.50' - 20.5	8.00' - 17.00	9.00' - 18.00	10.00' - 19.0	3.00' - 12.00	2.50' - 11.50	2.50' - 11.50
	Laboratory	STLC	STLC	STLC	ACTM	ACTM	ACTM	ACTM
	Lab. Number	A1H150229009	A1H150229007	A1H150229012	M31082-1	M31082-16	M27878-7	M29531-4A
Constituent	Units							
Depth of Well	Ft	20.38	16.52	17.56	18.61	11.89	13.66	13.6
Depth To Water	Ft	12.03	11.61	13.25	10.99	6.86	8.26	7.42
Water Elevation	Ft	20.65	20.97	20.94	21.11	24.28	27.46	28.30
Date Metals Analyzed	-	08/26/2001	08/26/2001	08/26/2001			10/02/2002	12/30/2002
Date Organics Analyzed	-							
Date Physical Analyzed	-							
Date Semivolatile Organics Analyzed	-							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L	0.0567		0.0138		0.0149	0.0050	0.0128
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total (unfiltered)	mg/L	0.564						
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L	0.317		0.408				
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L	0.923	0.0158	0.129				
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L	0.0037						
Nickel	mg/L							
Nickel (unfiltered)	mg/L							
Silver	mg/L							
Silver (unfiltered)	mg/L							
Titanium	mg/L							
Zinc	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-38D	WT-MW-38S	WT-MW-39	WT-MW-40	WT-MW-43	WT-MW-45	WT-MW-45
	Sample ID	1998515	1998514	1998519	2215739	2215736	2112615	2213472
	Sample Date	08/14/2001	08/14/2001	08/14/2001	03/28/2003	03/28/2003	09/23/2002	12/23/2002
	Sample Time	13:30	13:35	14:21	13:40	11:45	14:30	10:30
	Sample Depth	17.50' - 20.5	8.00' - 17.00	9.00' - 18.00	10.00' - 19.0	3.00' - 12.00	2.50' - 11.50	2.50' - 11.50
	Laboratory	STLC	STLC	STLC	ACTM	ACTM	ACTM	ACTM
	Lab. Number	A1H150229009	A1H150229007	A1H150229012	M31082-1	M31082-16	M27878-7	M29531-4A
Constituent	Units							
Zinc (unfiltered)	mg/L	2.59						
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzo(b)fluoranthene	ug/l							
Benzo(a)pyrene	ug/l							
Benzo(g,h,i)perylene	ug/l							
Naphthalene	ug/l							
Pentachlorophenol	ug/l							
bis(2-Ethylhexyl) Phthalate	ug/l							
Acenaphthene	ug/l							
1,1-Dichloroethane	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l							
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l				61.5			
Tetrachloroethylene (PCE)	ug/l							
Trichloroethylene (TCE)	ug/l							
Methylene Chloride	ug/L							
Dichlorodifluoromethane	ug/l							
2-Methylnaphthalene	ug/l							
Xylenes	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-45	WT-MW-45	WT-MW-45	WT-MW-45	WT-MW-45	WT-MW-45	WT-MW-45
	Sample ID	2215732	1001077	1031836	1038372	1038387	1045069	1045089
	Sample Date	03/28/2003	06/30/2003	09/03/2003	12/03/2003	12/03/2003	03/24/2004	03/24/2004
	Sample Time	09:50	10:45	11:00	12:15	12:15	13:50	13:50
	Sample Depth	2.50' - 11.50	2.50' - 11.50	2.50' - 11.50	2.50' - 11.50	2.50' - 11.50	2.50' - 11.50	2.50' - 11.50
	Laboratory	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM
	Lab. Number	M31082-8	M32928-14	M34194-2	M36162-6	M36162-29	M38455-12	M38455-26
Constituent	Units							
Depth of Well	Ft	13.69	14.44	13.67	14.04	14.04	13.65	13.65
Depth To Water	Ft	7.26	7.78	7.45	8.23	8.23	7.91	7.91
Water Elevation	Ft	28.46	27.94	28.27	27.49	27.49	27.81	27.81
Date Metals Analyzed	-			09/09/2003	12/10/2003	12/10/2003	03/31/2004	03/31/2004
Date Organics Analyzed	-							
Date Physical Analyzed	-							
Date Semivolatile Organics Analyzed	-							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L	0.0152	0.0199	0.0170	0.0210	0.0221	0.0073	0.0076
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total (unfiltered)	mg/L							
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							
Silver	mg/L							
Silver (unfiltered)	mg/L							
Titanium	mg/L							
Zinc	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-45	WT-MW-45	WT-MW-45	WT-MW-45	WT-MW-45	WT-MW-45	WT-MW-45
	Sample ID	2215732	1001077	1031836	1038372	1038387	1045069	1045089
	Sample Date	03/28/2003	06/30/2003	09/03/2003	12/03/2003	12/03/2003	03/24/2004	03/24/2004
	Sample Time	09:50	10:45	11:00	12:15	12:15	13:50	13:50
	Sample Depth	2.50' - 11.50	2.50' - 11.50	2.50' - 11.50	2.50' - 11.50	2.50' - 11.50	2.50' - 11.50	2.50' - 11.50
	Laboratory	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM
	Lab. Number	M31082-8	M32928-14	M34194-2	M36162-6	M36162-29	M38455-12	M38455-26
Constituent	Units							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzo(b)fluoranthene	ug/l							
Benzo(a)pyrene	ug/l							
Benzo(g,h,i)perylene	ug/l							
Naphthalene	ug/l							
Pentachlorophenol	ug/l							
bis(2-Ethylhexyl) Phthalate	ug/l							
Acenaphthene	ug/l							
1,1-Dichloroethane	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l							
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l							
Tetrachloroethylene (PCE)	ug/l							
Trichloroethylene (TCE)	ug/l							
Methylene Chloride	ug/L							
Dichlorodifluoromethane	ug/l							
2-Methylnaphthalene	ug/l							
Xylenes	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-45	WT-MW-45	WT-MW-48	WT-MW-48	WT-MW-48	WT-MW-48	WT-MW-48
	Sample ID	1048184	1048197	2213471	2215730	1001076	1031837	1038377
	Sample Date	06/08/2004	06/08/2004	12/23/2002	03/28/2003	06/30/2003	09/03/2003	12/03/2003
	Sample Time	14:05	14:05	09:45	09:50	09:45	10:20	13:45
	Sample Depth	2.50' - 11.50	2.50' - 11.50	0.00'	0.00'	0.00'	0.00'	0.00'
	Laboratory	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM
	Lab. Number	M39880-10	M39880-12	M29531-1A	M31082-6	M32928-12	M34194-3	M36162-16
Constituent	Units							
Depth of Well	Ft	13.65	13.65	7.55	7.53	8.35	7.60	7.95
Depth To Water	Ft	7.71	7.71	2.59	2.59	3.3	3.29	3.64
Water Elevation	Ft	28.01	28.01	27.29	27.29	26.58	26.59	26.24
Date Metals Analyzed	-	06/18/2004	06/18/2004	12/30/2002			09/09/2003	12/10/2003
Date Organics Analyzed	-							
Date Physical Analyzed	-							
Date Semivolatile Organics Analyzed	-							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L	0.0229	0.0237	0.0041	0.0071	0.0059	0.0094	0.0095
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total (unfiltered)	mg/L							
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							
Silver	mg/L							
Silver (unfiltered)	mg/L							
Titanium	mg/L							
Zinc	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-45	WT-MW-45	WT-MW-48	WT-MW-48	WT-MW-48	WT-MW-48	WT-MW-48
	Sample ID	1048184	1048197	2213471	2215730	1001076	1031837	1038377
	Sample Date	06/08/2004	06/08/2004	12/23/2002	03/28/2003	06/30/2003	09/03/2003	12/03/2003
	Sample Time	14:05	14:05	09:45	09:50	09:45	10:20	13:45
	Sample Depth	2.50' - 11.50	2.50' - 11.50	0.00'	0.00'	0.00'	0.00'	0.00'
	Laboratory	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM
	Lab. Number	M39880-10	M39880-12	M29531-1A	M31082-6	M32928-12	M34194-3	M36162-16
Constituent	Units							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzo(b)fluoranthene	ug/l							
Benzo(a)pyrene	ug/l							
Benzo(g,h,i)perylene	ug/l							
Naphthalene	ug/l							
Pentachlorophenol	ug/l							
bis(2-Ethylhexyl) Phthalate	ug/l							
Acenaphthene	ug/l							
1,1-Dichloroethane	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l							
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l							
Tetrachloroethylene (PCE)	ug/l							
Trichloroethylene (TCE)	ug/l							
Methylene Chloride	ug/L							
Dichlorodifluoromethane	ug/l							
2-Methylnaphthalene	ug/l							
Xylenes	ug/l							
.								
.								
.								
.								
.								

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-48	WT-MW-48	WT-MW-49	WT-MW-49	WT-MW-49	WT-MW-49	WT-MW-49
	Sample ID	1045076	1048191	2213482	1001078	1031839	1038375	1045077
	Sample Date	03/24/2004	06/08/2004	12/23/2002	06/30/2003	09/03/2003	12/03/2003	03/24/2004
	Sample Time	14:45	15:50	11:20	11:30	12:00	13:05	13:28
	Sample Depth	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'
	Laboratory	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM
	Lab. Number	M38455-18	M39880-18	M29531-13A	M32928-16	M34194-5	M36162-12	M38455-20
Constituent	Units							
Depth of Well	Ft	7.54	7.50	9.84	8.00	8.25	7.77	7.47
Depth To Water	Ft	3.11	3.10	1.25	1.96	2.44	2.30	1.55
Water Elevation	Ft	26.77	26.78	27.49	26.78	26.30	26.44	27.19
Date Metals Analyzed	-	03/31/2004	06/18/2004	12/30/2002		09/09/2003	12/10/2003	03/31/2004
Date Organics Analyzed	-							
Date Physical Analyzed	-							
Date Semivolatile Organics Analyzed	-							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L	0.0042	0.0110	0.0047	0.0076	0.0101	0.0124	0.0083
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total (unfiltered)	mg/L							
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							
Silver	mg/L							
Silver (unfiltered)	mg/L							
Titanium	mg/L							
Zinc	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-48	WT-MW-48	WT-MW-49	WT-MW-49	WT-MW-49	WT-MW-49	WT-MW-49
	Sample ID	1045076	1048191	2213482	1001078	1031839	1038375	1045077
	Sample Date	03/24/2004	06/08/2004	12/23/2002	06/30/2003	09/03/2003	12/03/2003	03/24/2004
	Sample Time	14:45	15:50	11:20	11:30	12:00	13:05	13:28
	Sample Depth	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'	0.00'
	Laboratory	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM
	Lab. Number	M38455-18	M39880-18	M29531-13A	M32928-16	M34194-5	M36162-12	M38455-20
Constituent	Units							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzo(b)fluoranthene	ug/l							
Benzo(a)pyrene	ug/l							
Benzo(g,h,i)perylene	ug/l							
Naphthalene	ug/l							
Pentachlorophenol	ug/l							
bis(2-Ethylhexyl) Phthalate	ug/l							
Acenaphthene	ug/l							
1,1-Dichloroethane	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l							
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l							
Tetrachloroethylene (PCE)	ug/l							
Trichloroethylene (TCE)	ug/l							
Methylene Chloride	ug/L							
Dichlorodifluoromethane	ug/l							
2-Methylnaphthalene	ug/l							
Xylenes	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-49	WT-MW-50	WT-MW-50	WT-MW-50	WT-MW-50	WT-MW-50	WT-MW-50
	Sample ID	1048192	2213475	2215738	1001089	1031844	1038373	1045079
	Sample Date	06/08/2004	12/23/2002	03/28/2003	06/30/2003	09/03/2003	12/03/2003	03/24/2004
	Sample Time	15:15	14:00	12:20	13:30	14:35	14:40	10:45
	Sample Depth	0.00'	16.0' - 26.0'	16.0' - 26.0'	16.0' - 26.0'	16.0' - 26.0'	16.0' - 26.0'	16.0' - 26.0'
	Laboratory	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM
	Lab. Number	M39880-16	M29531-3A	M31082-20	M32928-26	M34194-10	M36162-8	M38455-22
Constituent	Units							
Depth of Well	Ft	7.50	5.16	5.21	5.49	5.18	5.66	5.70
Depth To Water	Ft	1.55	3.25	3.28	3.66	2.85	3.75	4.1
Water Elevation	Ft	27.19	20.27	20.24	19.86	20.67	19.77	19.42
Date Metals Analyzed	-	06/18/2004	12/30/2002			09/09/2003	12/10/2003	03/31/2004
Date Organics Analyzed	-							
Date Physical Analyzed	-							
Date Semivolatile Organics Analyzed	-							
Arsenic	mg/L							
Arsenic (unfiltered)	mg/L	0.0132	0.0154	0.0162	0.0246	0.0158	0.0147	0.0079
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total (unfiltered)	mg/L							
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L		0.0128					
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							
Silver	mg/L							
Silver (unfiltered)	mg/L							
Titanium	mg/L							
Zinc	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-49	WT-MW-50	WT-MW-50	WT-MW-50	WT-MW-50	WT-MW-50	WT-MW-50
	Sample ID	1048192	2213475	2215738	1001089	1031844	1038373	1045079
	Sample Date	06/08/2004	12/23/2002	03/28/2003	06/30/2003	09/03/2003	12/03/2003	03/24/2004
	Sample Time	15:15	14:00	12:20	13:30	14:35	14:40	10:45
	Sample Depth	0.00'	16.0' - 26.0'	16.0' - 26.0'	16.0' - 26.0'	16.0' - 26.0'	16.0' - 26.0'	16.0' - 26.0'
	Laboratory	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM
	Lab. Number	M39880-16	M29531-3A	M31082-20	M32928-26	M34194-10	M36162-8	M38455-22
Constituent	Units							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l							
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzo(b)fluoranthene	ug/l							
Benzo(a)pyrene	ug/l							
Benzo(g,h,i)perylene	ug/l							
Naphthalene	ug/l							
Pentachlorophenol	ug/l							
bis(2-Ethylhexyl) Phthalate	ug/l							
Acenaphthene	ug/l							
1,1-Dichloroethane	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l							
1,1-Dichloroethylene	ug/l							
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l							
Tetrachloroethylene (PCE)	ug/l							
Trichloroethylene (TCE)	ug/l							
Methylene Chloride	ug/L							
Dichlorodifluoromethane	ug/l							
2-Methylnaphthalene	ug/l							
Xylenes	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-50	WT-MW-54	WT-PZ-05	WT-PZ-05	WT-PZ-05	WT-PZ-09	WT-PZ-09
	Sample ID	1048194	1050304	1832698	1832698	1832699	1832692	1834780
	Sample Date	06/08/2004	07/15/2004	12/04/1998	12/04/1998	12/04/1998	12/04/1998	02/10/1999
	Sample Time	17:05	15:19	16:10	16:10	13:10	14:00	12:55
	Sample Depth	16.0' - 26.0'	14.50' - 24.5	8.0' - 17.0'	8.0' - 17.0'	8.0' - 17.0'	7.0' - 17.0'	7.0' - 17.0'
	Laboratory	ACTM	ACTM	accu	accu	accu	accu	accu
	Lab. Number	M39880-22	M40673-18	E42930-10	E42930-20	E42930-11	E42930-4	E45488-3
Constituent	Units							
Depth of Well	Ft	5.15	24.43	16.98	16.98	16.98	15.20	15.20
Depth To Water	Ft	3.24	11.36	9.45	9.45	9.45	8.42	8.01
Water Elevation	Ft	20.28		26.87	26.87	26.87	28.84	29.25
Date Metals Analyzed	-	06/18/2004			12/14/1998			
Date Organics Analyzed	-		07/26/2004				12/16/1998	
Date Physical Analyzed	-							
Date Semivolatile Organics Analyzed	-			12/21/1998		12/21/1998		
Arsenic	mg/L				0.0043			
Arsenic (unfiltered)	mg/L	0.0166						
Cadmium	mg/L							
Cadmium (unfiltered)	mg/L							
Chromium, Total (unfiltered)	mg/L							
Cobalt	mg/L							
Copper	mg/L							
Copper (unfiltered)	mg/L							
Iron	mg/L							
Lead	mg/L							
Lead (unfiltered)	mg/L							
Manganese	mg/L							
Manganese (unfiltered)	mg/L							
Mercury	mg/L							
Mercury (unfiltered)	mg/L							
Nickel	mg/L							
Nickel (unfiltered)	mg/L							
Silver	mg/L							
Silver (unfiltered)	mg/L							
Titanium	mg/L							
Zinc	mg/L							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-MW-50	WT-MW-54	WT-PZ-05	WT-PZ-05	WT-PZ-05	WT-PZ-09	WT-PZ-09
	Sample ID	1048194	1050304	1832698	1832698	1832699	1832692	1834780
	Sample Date	06/08/2004	07/15/2004	12/04/1998	12/04/1998	12/04/1998	12/04/1998	02/10/1999
	Sample Time	17:05	15:19	16:10	16:10	13:10	14:00	12:55
	Sample Depth	16.0' - 26.0'	14.50' - 24.5	8.0' - 17.0'	8.0' - 17.0'	8.0' - 17.0'	7.0' - 17.0'	7.0' - 17.0'
	Laboratory	ACTM	ACTM	accu	accu	accu	accu	accu
	Lab. Number	M39880-22	M40673-18	E42930-10	E42930-20	E42930-11	E42930-4	E45488-3
Constituent	Units							
Zinc (unfiltered)	mg/L							
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l						8.5	7.9
Cyanide	mg/L							
Cyanide (Total)	mg/L							
Benzo(b)fluoranthene	ug/l							
Benzo(a)pyrene	ug/l							
Benzo(g,h,i)perylene	ug/l							
Naphthalene	ug/l							
Pentachlorophenol	ug/l							
bis(2-Ethylhexyl) Phthalate	ug/l			668		681		
Acenaphthene	ug/l							
1,1-Dichloroethane	ug/l							
Chloroethane	ug/l							
Methyl-tert-butyl-ether	ug/l						76	
1,1-Dichloroethylene	ug/l		1560					
trans-1,2-Dichloroethene	ug/l							
cis-1,2-Dichloroethylene	ug/l		61.7					
Tetrachloroethylene (PCE)	ug/l		365					
Trichloroethylene (TCE)	ug/l		4550					
Methylene Chloride	ug/L							
Dichlorodifluoromethane	ug/l							
2-Methylnaphthalene	ug/l							
Xylenes	ug/l							

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-PZ-10	WT-SB-145	WT-SB-147	XT-MW-01	XT-SB-01	XT-SB-08
	Sample ID	1834782	1989354	1995417	31390082913	1969157	1995649
	Sample Date	02/10/1999	02/12/2001	04/20/2001	08/29/1990	08/23/2000	05/16/2001
	Sample Time	13:40	15:30	14:20	13:35	15:20	09:30
	Sample Depth	5.0' - 10.0'		10' - 12'	5.00' - 20.00	13' - 15'	7' - 12'
	Laboratory	accu	STLC	STLC	M&E?	AEL	STLC
	Lab. Number	E45488-5	A1B140167004	A1D250283001	31390082913	AEL00009637	A1E170190026
Constituent	Units						
Depth of Well	Ft	11.35	6				
Depth To Water	Ft	3.64	5		12.57		
Water Elevation	Ft	28.88			27.25		
Date Metals Analyzed	-	02/24/1999	02/17/2001			08/28/2000	
Date Organics Analyzed	-			04/26/2001			05/21/2001
Date Physical Analyzed	-						
Date Semivolatile Organics Analyzed	-						05/20/2001
Arsenic	mg/L	0.0041					
Arsenic (unfiltered)	mg/L						
Cadmium	mg/L						
Cadmium (unfiltered)	mg/L						
Chromium, Total (unfiltered)	mg/L						
Cobalt	mg/L						
Copper	mg/L						
Copper (unfiltered)	mg/L						
Iron	mg/L						
Lead	mg/L						
Lead (unfiltered)	mg/L						
Manganese	mg/L						
Manganese (unfiltered)	mg/L		9.77		0.94		
Mercury	mg/L						
Mercury (unfiltered)	mg/L						
Nickel	mg/L						
Nickel (unfiltered)	mg/L						
Silver	mg/L						
Silver (unfiltered)	mg/L						
Titanium	mg/L					0.184	
Zinc	mg/L						

Table 6
SUMMARY OF CONSTITUENTS EXCEEDING TABLE 3-7 CRITERIA IN GROUNDWATER
MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS

Loureiro Engineering Associates, Inc.

	Location ID	WT-PZ-10	WT-SB-145	WT-SB-147	XT-MW-01	XT-SB-01	XT-SB-08
	Sample ID	1834782	1989354	1995417	31390082913	1969157	1995649
	Sample Date	02/10/1999	02/12/2001	04/20/2001	08/29/1990	08/23/2000	05/16/2001
	Sample Time	13:40	15:30	14:20	13:35	15:20	09:30
	Sample Depth	5.0' - 10.0'		10' - 12'	5.00' - 20.00	13' - 15'	7' - 12'
	Laboratory	accu	STLC	STLC	M&E?	AEL	STLC
	Lab. Number	E45488-5	A1B140167004	A1D250283001	31390082913	AEL00009637	A1E170190026
Constituent	Units						
Zinc (unfiltered)	mg/L						
Polychlorinated Biphenyls (PCBs) (calc.)	ug/l						
Cyanide	mg/L						
Cyanide (Total)	mg/L						
Benzo(b)fluoranthene	ug/l						
Benzo(a)pyrene	ug/l						
Benzo(g,h,i)perylene	ug/l						
Naphthalene	ug/l						260
Pentachlorophenol	ug/l						
bis(2-Ethylhexyl) Phthalate	ug/l						
Acenaphthene	ug/l						
1,1-Dichloroethane	ug/l						
Chloroethane	ug/l						
Methyl-tert-butyl-ether	ug/l						
1,1-Dichloroethylene	ug/l						
trans-1,2-Dichloroethene	ug/l						
cis-1,2-Dichloroethylene	ug/l						
Tetrachloroethylene (PCE)	ug/l			220			
Trichloroethylene (TCE)	ug/l						
Methylene Chloride	ug/L						
Dichlorodifluoromethane	ug/l						
2-Methylnaphthalene	ug/l						240
Xylenes	ug/l						440

Table 7
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION - MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS UPGRADIENT OF WILLOW BROOK & WILLOW POND

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class	Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
ET-MW-18S	1992850	04/09/2001	7.00 - 16.00	GW	x				x	X	x
ET-MW-18S	2003530	08/16/2001	7.00 - 16.00	GW	x	x		x	x	X	x
ET-MW-19S	1992852	04/09/2001	7.0 - 16.0	GW	x				x	X	x
ET-MW-19S	2003534	08/16/2001	7.00 - 16.00	GW	x	x		x	x	X	x
ET-MW-21S	2003532	08/16/2001	7.50 - 16.50	GW	x	x		x	x	X	x
WT-GW-03D	1831508	11/11/1998	15.0 - 18	GW	X				X	X	
WT-GW-03S	1831507	11/11/1998	11.0 - 14	GW	X				X	X	
WT-GW-04D	1831510	11/11/1998	15.0 - 18	GW	X				X	X	
WT-GW-04S	1831509	11/11/1998	11.0 - 14	GW	x				x	X	
WT-GW-05D	1831512	11/11/1998	29.0 - 32	GW	X				x	X	
WT-GW-05S	1831511	11/11/1998	11.0 - 14	GW	x				X	X	
WT-GW-06D	1831515	11/11/1998	28 - 32	GW	X				x	X	
WT-GW-06D	1831514	11/11/1998	29.0 - 32	GW	X				x	X	
WT-GW-07D	1831500	11/10/1998	21.0 - 24	GW	X				x	X	
WT-GW-08D	1831525	11/12/1998	30.0 - 33	GW	X				x	X	
WT-GW-08S	1831524	11/12/1998	12.0 - 15	GW	x				x	X	
WT-GW-12D	1831531	11/13/1998	30.0 - 33	GW	X				X	X	
WT-GW-12S	1831530	11/13/1998	11 - 15	GW	x				X	X	
WT-GW-12S	1831529	11/13/1998	12.0 - 15	GW	x				X	X	
WT-GW-13D	1831537	11/16/1998	29.0 - 32	GW	x				x	X	
WT-GW-13S	1831536	11/16/1998	12.0 - 15	GW	x				x	X	
WT-GW-14D	1831541	11/16/1998	33.0 - 36	GW	x				x	X	
WT-GW-14S	1831540	11/16/1998	10.5 - 14.0	GW	x				x	X	
WT-GW-15D	1831543	11/16/1998	33.0 - 36	GW	X				x	X	
WT-GW-15S	1831542	11/16/1998	11.0 - 14	GW	X				x	X	
WT-GW-16D	1831547	11/17/1998	32.0 - 35	GW	X				X	X	
WT-GW-16S	1831546	11/17/1998	12.0 - 15	GW	X				X	X	
WT-GW-19D	1831549	11/17/1998	27.0 - 30	GW	X				X	X	
WT-GW-19S	1831548	11/17/1998	11.0 - 14	GW	X				X	X	
WT-GW-20D	1831552	11/18/1998	26.5 - 30.0	GW	X				X	X	
WT-GW-20S	1831551	11/18/1998	10.50 - 14.00	GW	X				X	X	
WT-GW-21D	1831475	11/04/1998	28.00 - 32.00	GW	X				X	X	

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/14/2004

Table 7
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION - MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS UPGRADIENT OF WILLOW BROOK & WILLOW POND

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
WT-GW-21D	1831474	11/04/1998	29.0 - 32	GW		X				X	X	
WT-GW-21S	1831473	11/04/1998	9.0 - 12.5	GW		x				X	X	
WT-GW-22D	1831477	11/04/1998	29.0 - 32	GW		X				X	X	
WT-GW-22S	1831476	11/04/1998	9.5 - 12.5	GW		X				X	X	
WT-GW-23D	1831479	11/04/1998	29.0 - 32	GW		X				X	X	
WT-GW-23S	1831478	11/04/1998	14.5 - 17.5	GW		x				x	X	
WT-GW-24D	1831484	11/06/1998	23.00 - 26.00	GW		X				X	X	
WT-GW-24S	1831483	11/06/1998	17.0 - 20	GW		X				X	X	
WT-GW-25D	1831482	11/06/1998	23.00 - 26.00	GW		X				X	X	
WT-GW-25S	1831481	11/04/1998	16 - 19	GW		X				X	X	
WT-GW-26D	1831486	11/06/1998	23.0 - 26	GW		X				X	X	
WT-GW-26S	1831485	11/06/1998	17.0 - 20	GW		X				x	X	
WT-GW-27D	1831488	11/06/1998	23.0 - 26	GW		X				X	X	
WT-GW-27S	1831487	11/06/1998	17.0 - 20	GW		X				X	X	
WT-GW-28D	1831491	11/09/1998	21.0 - 24	GW		X				X	X	
WT-GW-28S	1831490	11/09/1998	16.0 - 19	GW		X				X	X	
WT-GW-29D	1831494	11/09/1998	21.0 - 24	GW		X				x	X	
WT-GW-29S	1831493	11/09/1998	16.0 - 19	GW		X				x	X	
WT-GW-31D	2000982	08/03/2001	14 - 18	GWG	X	X	X		x	x	X	x
WT-GW-31S	2000983	08/03/2001	10 - 14	GWG	X	X	X		x	x	X	x
WT-GW-32D	1998469	08/01/2001	17 - 20	GWG	x							
WT-GW-32D	1998470	08/01/2001	17 - 20	GWG	x							
WT-GW-32D	1998471	08/01/2001	17 - 20	GWG		x	X		x	x	X	x
WT-GW-32D	1998472	08/01/2001	17 - 20	GWG		x	x		x	X	X	x
WT-GW-32D	2000945	08/09/2001	16 - 20	GWG		x						
WT-GW-32S	1998474	08/01/2001	11 - 14	GWG	X							
WT-GW-32S	1998475	08/01/2001	11 - 14	GWG		X	X		x	X	X	x
WT-GW-32S	2000942	08/07/2001	10 - 14	GWG		X						
WT-GW-33D	2000984	08/03/2001	14 - 18	GWG	X	X	x		x	x	X	x
WT-GW-33S	2000985	08/03/2001	10 - 13	GWG	X	X	x		x	x	X	x
WT-GW-34D	1998455	07/30/2001	21.5 - 24.5	GWG	X						x	
WT-GW-34S	1998459	07/31/2001	11 - 14	GWG		X	X		x	x	X	x

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/14/2004

Table 7
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION - MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS UPGRADIENT OF WILLOW BROOK & WILLOW POND

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
WT-GW-34S	1998461	07/31/2001	11 - 14	GWG	X							
WT-GW-35D	2000987	08/06/2001	15.00 - 18.00	GWG	X	X	x		x	x	X	x
WT-GW-35S	2000988	08/06/2001	12.6 - 15.6	GWG	X	X	x		x	x	X	x
WT-GW-36D	1998463	07/31/2001	21 - 22	GWG		x	X		x	x	X	x
WT-GW-36D	1998465	07/31/2001	21 - 22	GWG	x							
WT-GW-36S	1998464	07/31/2001	11 - 14	GWG		X	X		x	x	X	x
WT-GW-36S	1998466	07/31/2001	11 - 14	GWG	X							
WT-GW-37D	1998481	08/01/2001	17.5 - 20.5	GWG	x	X	x		x	x	X	x
WT-GW-37S	1998482	08/01/2001	12 - 15	GWG	x	X	X		x	x	X	x
WT-GW-38D	1998476	08/02/2001	19 - 22	GWG	x	X	X		x	x	X	x
WT-GW-38S	1998477	08/02/2001	12 - 18	GWG	x	X	X		x	X	X	X
WT-GW-38S	2000963	08/09/2001	10 - 14	GWG		X						
WT-GW-38S	2000962	08/09/2001	14 - 15	GWG		X						
WT-GW-39D	1998496	08/02/2001	18 - 21	GWG	x	X	X		x	X	X	x
WT-GW-39D	2000943	08/07/2001	16 - 20	GWG		X						
WT-GW-40D	2000986	08/07/2001	14 - 18	GWG	X	X	x		x	x	X	x
WT-GW-40S	2000989	08/07/2001	10 - 14	GWG	X	X	x		x	X	X	x
WT-GW-41D	2000990	08/08/2001	14 - 18	GWG	X	X	x		x	x	X	x
WT-GW-41S	2000991	08/08/2001	10 - 14	GWG	X	X	X		x	x	X	x
WT-GW-42	2000923	08/07/2001	11 - 12	GWG	X							
WT-GW-42	2000924	08/07/2001	12 - 13	GWG	X							
WT-GW-42	2000925	08/07/2001	13 - 14	GWG	X							
WT-GW-42	2000926	08/07/2001	14 - 15	GWG	X							
WT-GW-42	2000927	08/07/2001	15 - 16	GWG	X							
WT-GW-42	2000928	08/07/2001	16 - 17	GWG	X							
WT-GW-42	2000929	08/07/2001	17 - 18	GWG	X							
WT-GW-42	2000930	08/07/2001	18 - 19	GWG	X							
WT-GW-43S	2010157	12/12/2001	16 - 19	GWG		X	X		x	x	X	x
WT-GW-44S	2010158	12/13/2001		GWG		X	X		x	x	X	x
WT-GW-45S	2010167	12/14/2001	16 - 19	GWG		X	x		x	x	X	x
WT-MW-02	34389011703	01/17/1989	0.00	GW		X					X	
WT-MW-02	890302WTMW2	03/02/1989	0.00	GW		X	x				X	

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/14/2004

Table 7

SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION - MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS UPGRADIENT OF WILLOW BROOK & WILLOW POND

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information						
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class	Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
WT-MW-02	31389051702	05/17/1989	0.00	GW	X	x				X	X
WT-MW-02	31389081716	08/17/1989	0.00	GW	X	x				x	X
WT-MW-02	31389120403	12/04/1989	0.00	GW	X	x				x	X
WT-MW-02	31390022702	02/27/1990	0.00	GW	X	x				x	X
WT-MW-02	38490051402	05/14/1990	0.00	GW	X	x				x	
WT-MW-02	31390082704	08/27/1990	0.00	GW	X	x				X f	X
WT-MW-02	31390111922	11/19/1990	0.00	GW	X	x				X f	X
WT-MW-02	31391022531	02/25/1991	0.00	GW	X					X f	X
WT-MW-02	1004753	11/08/1994	0.00	GW	X			x	x	X	x
WT-MW-06	37390120601	12/06/1990	9.00 - 19.00	GW	X	X		x		X F	X
WT-MW-06	1831623	12/04/1998	9.0 - 19.0	GW	X				x	X	
WT-MW-08	10081111891	11/19/1991	5.80 - 15.80	GW	X					X	
WT-MW-08	10081061192	06/12/1992	5.80 - 15.80	GW	x					X	
WT-MW-08	10082061192	06/12/1992	5.8 - 15.8	GW	X					X	
WT-MW-08	1004758	11/08/1994	5.8 - 15.8	GW	X			x	x	X	x
WT-MW-09I	10092111991	11/19/1991	24.0 - 34.0	GW	X					X	
WT-MW-09I	1004762	11/09/1994	24.0 - 34.0	GW	X			x	x	X	X
WT-MW-09S	10091111991	11/19/1991	7.00 - 17.00	GW	x					X	
WT-MW-09S	1004760	11/09/1994	7.00 - 17.00	GW	x			x	x	X	x
WT-MW-09S	1004761	11/09/1994	7.00 - 17.00	GW	x			x	x	X	x
WT-MW-15I	1004755	11/08/1994	35.0 - 45.0	GW	X			x	x	X	X
WT-MW-15I	1845790	08/30/1999	35.0 - 45.0	GW	X				x	X	X
WT-MW-15S	1004734	11/08/1994	0.0	GW	X	x	x	x		X	X
WT-MW-15S	1845789	08/30/1999	0.00	GW	x				x	X	X
WT-MW-17I	1845832	09/07/1999	25.0 - 28.0	GW	X				x	x	x
WT-MW-17S	1845831	09/07/1999	6.0 - 15.0	GW	x				x	x	x
WT-MW-19I	1845819	09/03/1999	23.0 - 26.0	GW	X				x	X	x
WT-MW-19I	1845820	09/03/1999	23.0 - 26.0	GW	X				x	x	x
WT-MW-19S	1845818	09/03/1999	4.0 - 13.0	GW	X				x	X	x
WT-MW-19S	2112618	09/24/2002	4.00 - 13.00	GW	x			x	X	x	
WT-MW-19S	2213474	12/23/2002	4.00 - 13.00	GW	X			x	x	x	
WT-MW-19S	2215737	03/28/2003	4.00 - 13.00	GW	X			x	x	x	

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/14/2004

Table 7

SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION - MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS UPGRADIENT OF WILLOW BROOK & WILLOW POND

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information						
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class	Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
WT-MW-19S	1001075	06/30/2003	4.00 - 13.00	GW	X			x	x	x	
WT-MW-19S	1001090	06/30/2003	4.00 - 13.00	GW	X			x	x	x	
WT-MW-19S	1031841	09/03/2003	4.00 - 13.00	GW	X			x	x	x	
WT-MW-19S	1038370	12/03/2003	4.00 - 13.00	GW	X			x	x	x	
WT-MW-19S	1045080	03/24/2004	4.00 - 13.00	GW	x			x	x	x	
WT-MW-19S	1048195	06/08/2004	4.00 - 13.00	GW	x			x	X	x	
WT-MW-20I	1845822	09/03/1999	31.0 - 34.0	GW	X				x	X	X
WT-MW-20I	1992857	04/10/2001	31.00 - 34.00	GW	X	X		x	x	X	X
WT-MW-20S	1845821	09/03/1999	7.0 - 16.0	GW	X				x	X	X
WT-MW-20S	1992856	04/10/2001	7.00 - 16.00	GW	X	X		x	x	X	X
WT-MW-22I	1845830	09/07/1999	28.0 - 31.0	GW	X				x	X	x
WT-MW-22I	1992858	04/10/2001	28.00 - 31.00	GW	X	x		x	x	X	x
WT-MW-23I	1845828	09/07/1999	26.0 - 29.0	GW	x				x	x	x
WT-MW-23S	1845829	09/07/1999	7.5 - 16.5	GW	x				X	x	x
WT-MW-24I	1845814	09/02/1999	22.00 - 25.00	GW	X				x	X	X
WT-MW-24I	1992882	04/11/2001	22.00 - 25.00	GW	X	X		x	x	X	X
WT-MW-24S	1845813	09/02/1999	9.6 - 18.6	GW	X				x	X	X
WT-MW-24S	1992881	04/11/2001	9.60 - 18.60	GW	X	X		x	x	X	X
WT-MW-25I	1845817	09/03/1999	22.0 - 25.0	GW	X				x	X	X
WT-MW-25I	1992879	04/11/2001	22.00 - 25.00	GW	X	X		x	x	X	X
WT-MW-25S	1845816	09/03/1999	6.5 - 15.5	GW	X				x	X	x
WT-MW-25S	1992880	04/11/2001	6.50 - 15.50	GW	X	x		x	x	X	X
WT-MW-26I	1845834	09/07/1999	21.0 - 24.0	GW	X				X	X	x
WT-MW-26S	1845833	09/07/1999	7.5 - 16.5	GW	x				x	x	x
WT-MW-29D	1992885	04/12/2001	13.50 - 16.50	GW	X	X			x	X	x
WT-MW-29D	1998513	08/14/2001	13.50 - 16.50	GW	x	x		x	x	X	x
WT-MW-29S	1992884	04/12/2001	1.50 - 10.50	GW	x	x			x	X	x
WT-MW-29S	1998512	08/14/2001	1.50 - 10.50	GW	x	x		x	x	X	x
WT-MW-30	1992887	04/12/2001	4.50 - 13.50	GW	x	x			x	X	x
WT-MW-30	2001002	08/14/2001	4.50 - 13.50	GW	X	x		x	x	X	x
WT-MW-31	1992886	04/12/2001	5.00 - 14.00	GW	x	x			x	X	x
WT-MW-31	1998516	08/14/2001	5.00 - 14.00	GW	x	x		x	x	X	X

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/14/2004

Table 7

SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION - MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS UPGRADIENT OF WILLOW BROOK & WILLOW POND

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
WT-MW-32D	1992870	04/10/2001	17.5 - 20.5	GW		X	x		x	x	X	x
WT-MW-32D	2000993	08/15/2001	17.50 - 20.50	GW		X	x		x	x	X	x
WT-MW-32S	1992869	04/10/2001	7.0 - 16.0	GW		X	x		x	x	X	x
WT-MW-32S	2000992	08/15/2001	7.00 - 16.00	GW		X	x		x	x	X	x
WT-MW-33D	1992868	04/10/2001	15.50 - 18.50	GW		x	X		x	x	X	X
WT-MW-33D	1998525	08/15/2001	15.50 - 18.50	GW		x	X		x	x	X	X
WT-MW-33S	1992867	04/10/2001	7.00 - 16.00	GW		x	X		x	X	X	X
WT-MW-33S	1998524	08/15/2001	7.00 - 16.00	GW		X	X		x	x	X	X
WT-MW-34D	1992865	04/10/2001	15.50 - 18.50	GW		X	x		x	x	X	x
WT-MW-34D	1998521	08/15/2001	15.50 - 18.50	GW		X	x		x	x	X	x
WT-MW-34S	1992866	04/10/2001	7.00 - 16.00	GW		X	x		x	x	X	x
WT-MW-34S	1998522	08/15/2001	7.00 - 16.00	GW		X	x		x	x	X	x
WT-MW-35S	1992873	04/11/2001	5.00 - 14.00	GW		X	x		x	X	X	x
WT-MW-35S	2000994	08/15/2001	5.00 - 14.00	GW		X	x		x	x	X	X
WT-MW-36D	1992872	04/10/2001	32.3 - 35.3	GW		x	x		x	x	X	x
WT-MW-36D	2000997	08/15/2001	32.3 - 35.3	GW		x	x		x	x	X	X
WT-MW-37	1998517	08/14/2001	4.00 - 14.00	GW		x	x		x	x	X	x
WT-MW-37	1998518	08/14/2001	4.00 - 14.00	GW		x	x		x	x	X	x
WT-MW-38D	1998515	08/14/2001	17.50 - 20.50	GW		x	X		x	X	X	X
WT-MW-38S	1998514	08/14/2001	8.00 - 17.00	GW		x	X		x	x	X	x
WT-MW-39	1998519	08/14/2001	9.00 - 18.00	GW		x	x		x	x	X	x
WT-MW-39	2010169	12/14/2001	9.00 - 18.00	GW		x	x		x	x	X	x
WT-MW-40	2112623	09/24/2002	10.00 - 19.00	GW		X			x	X	x	
WT-MW-40	2112624	09/24/2002	10.00 - 19.00	GW		X			x	X	x	
WT-MW-40	2213476	12/23/2002	10.00 - 19.00	GW		X			x	x	X	
WT-MW-40	2215739	03/28/2003	10.00 - 19.00	GW		X			x	X	X	
WT-MW-40	1001088	06/30/2003	10.00 - 19.00	GW		X			x	x	X	
WT-MW-40	1031845	09/03/2003	10.00 - 19.00	GW		X			x	x	x	
WT-MW-40	1031847	09/03/2003	10.00 - 19.00	GW		X			x	x	x	
WT-MW-40	1038371	12/03/2003	10.00 - 19.00	GW		X			x	x	x	
WT-MW-40	1045064	03/24/2004	10.00 - 19.00	GW		X			x	x	x	
WT-MW-40	1048179	06/08/2004	10.00 - 19.00	GW		X			x	X	x	

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/14/2004

Table 7

SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION - MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS UPGRADIENT OF WILLOW BROOK & WILLOW POND

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
WT-MW-41	2112611	09/23/2002	1.00 - 10.00	GW		x			x	x		
WT-MW-41	2112627	09/24/2002	1.00 - 10.00	GW							x	
WT-MW-41	2213469	12/23/2002	1.00 - 10.00	GW		x			x	x	x	
WT-MW-41	2215741	03/28/2003	1.00 - 10.00	GW		x			x	x	x	
WT-MW-41	1001081	06/30/2003	1.00 - 10.00	GW		x			x	x	x	
WT-MW-41	1031846	09/03/2003	1.00 - 10.00	GW		x			x	x	x	
WT-MW-41	1038378	12/03/2003	1.00 - 10.00	GW		x			x	x	x	
WT-MW-41	1045065	03/24/2004	1.00 - 10.00	GW		x			x	x	x	
WT-MW-41	1048180	06/08/2004	1.00 - 10.00	GW		x			x	x	x	
WT-MW-42	2112612	09/23/2002	1.00 - 10.00	GW		x			x	x	X	
WT-MW-42	2213468	12/23/2002	1.00 - 10.00	GW		x			x	x	X	
WT-MW-42	2215745	03/31/2003	1.00 - 10.00	GW		x			x	x	x	
WT-MW-42	1001080	06/30/2003	1.00 - 10.00	GW		x			x	x	X	
WT-MW-42	1031843	09/03/2003	1.00 - 10.00	GW		x			x	x	X	
WT-MW-42	1038379	12/03/2003	1.00 - 10.00	GW		x			x	x	X	
WT-MW-42	1045066	03/24/2004	1.00 - 10.00	GW		x			x	x	x	
WT-MW-42	1048181	06/08/2004	1.00 - 10.00	GW		x			x	X	x	
WT-MW-43	2112613	09/23/2002	3.00 - 12.00	GW		x			x	x		
WT-MW-43	2112628	09/24/2002	3.00 - 12.00	GW							x	
WT-MW-43	2213467	12/23/2002	3.00 - 12.00	GW		x			x	x	x	
WT-MW-43	2215736	03/28/2003	3.00 - 12.00	GW		x			x	x	X	
WT-MW-43	1001079	06/30/2003	3.00 - 12.00	GW		x			x	x	x	
WT-MW-43	1031842	09/03/2003	3.00 - 12.00	GW		x			x	x	x	
WT-MW-43	1038380	12/03/2003	3.00 - 12.00	GW		x			x	x	x	
WT-MW-43	1045067	03/24/2004	3.00 - 12.00	GW		x			x	x	x	
WT-MW-43	1048182	06/08/2004	3.00 - 12.00	GW		x			x	x	x	
WT-MW-44	2112614	09/23/2002	5.00 - 14.00	GW		x			x	x	x	
WT-MW-44	2213466	12/23/2002	5.00 - 14.00	GW		x			x	x	x	
WT-MW-44	2215735	03/28/2003	5.00 - 14.00	GW		x			x	x	x	
WT-MW-44	2215749	03/28/2003	5.00 - 14.00	GW		x			x	x	x	
WT-MW-44	1001074	06/30/2003	5.00 - 14.00	GW		x			x	x	x	
WT-MW-44	1031840	09/03/2003	5.00 - 14.00	GW		x			x	x	x	

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/14/2004

Table 7

SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION - MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS UPGRADIENT OF WILLOW BROOK & WILLOW POND

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class		Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
WT-MW-44	1038381	12/03/2003	5.00 - 14.00	GW		x			x	x	x	
WT-MW-44	1045068	03/24/2004	5.00 - 14.00	GW		x			x	x	x	
WT-MW-44	1048183	06/08/2004	5.00 - 14.00	GW		x			x	x	x	
WT-MW-45	2112615	09/23/2002	2.50 - 11.50	GW		X			x	X	X	
WT-MW-45	2213472	12/23/2002	2.50 - 11.50	GW		x			x	X	X	
WT-MW-45	2215732	03/28/2003	2.50 - 11.50	GW		x			x	X	X	
WT-MW-45	1001077	06/30/2003	2.50 - 11.50	GW		X			X	X	X	
WT-MW-45	1028921	07/22/2003	2.50 - 11.50	GW					X			
WT-MW-45	1030702	07/30/2003	2.50 - 11.50	GW						X		
WT-MW-45	1031836	09/03/2003	2.50 - 11.50	GW		X			x	X	X	
WT-MW-45	1038372	12/03/2003	2.50 - 11.50	GW		X			x	X	X	
WT-MW-45	1038387	12/03/2003	2.50 - 11.50	GW		X			x	X	X	
WT-MW-45	1045069	03/24/2004	2.50 - 11.50	GW		X			x	X	X	
WT-MW-45	1045089	03/24/2004	2.50 - 11.50	GW		X			x	X	X	
WT-MW-45	1048184	06/08/2004	2.50 - 11.50	GW		X			x	X	X	
WT-MW-45	1048197	06/08/2004	2.50 - 11.50	GW		X			x	X	X	
WT-MW-46	2112616	09/23/2002	-1.50 - 7.50	GW		x			x	x	x	
WT-MW-46	2213465	12/23/2002	-1.50 - 7.50	GW		x			x	X	x	
WT-MW-46	2215733	03/28/2003	-1.50 - 7.50	GW		x			x	X	x	
WT-MW-46	1001073	06/30/2003	-1.50 - 7.50	GW		x			x	x	x	
WT-MW-46	1031838	09/03/2003	-1.50 - 7.50	GW		x			x	x	x	
WT-MW-46	1038376	12/03/2003	-1.50 - 7.50	GW		x			x	x	x	
WT-MW-46	1045072	03/24/2004	-1.50 - 7.50	GW		x			x	x	x	
WT-MW-46	1048187	06/08/2004	-1.50 - 7.50	GW		X			x	x	x	
WT-MW-47	2112619	09/24/2002	6.00 - 15.00	GW		x			x	X	x	
WT-MW-47	2213464	12/23/2002	6.00 - 15.00	GW		x			x	x	x	
WT-MW-47	2215746	03/31/2003	6.00 - 15.00	GW		x			x	x	x	
WT-MW-47	1001072	06/30/2003	6.00 - 15.00	GW		x			x	x	X	
WT-MW-47	1031835	09/03/2003	6.00 - 15.00	GW		x			x	x	X	
WT-MW-47	1038374	12/03/2003	6.00 - 15.00	GW		x			x	x	X	
WT-MW-47	1045075	03/24/2004	6.00 - 15.00	GW		x			x	x	X	
WT-MW-47	1048190	06/08/2004	6.00 - 15.00	GW		x			x	x	X	

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/14/2004

Table 7
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION - MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS UPGRADIENT OF WILLOW BROOK & WILLOW POND

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information						
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class	Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
WT-MW-48	2112621	09/24/2002	0.00	GW	x			x	X	x	
WT-MW-48	2213471	12/23/2002	0.00	GW	x			x	X	X	
WT-MW-48	2215730	03/28/2003	0.00	GW	X			x	X	X	
WT-MW-48	1001076	06/30/2003	0.00	GW	x			x	x	X	
WT-MW-48	1031837	09/03/2003	0.00	GW	X			x	X	X	
WT-MW-48	1038377	12/03/2003	0.00	GW	x			x	X	X	
WT-MW-48	1045076	03/24/2004	0.00	GW	x			x	X	X	
WT-MW-48	1048191	06/08/2004	0.00	GW	x			x	x	X	
WT-MW-49	2112620	09/24/2002	0.00	GW	x			x	X	x	
WT-MW-49	2213473	12/23/2002	0.00	GW	x			x	x	x	
WT-MW-49	2213482	12/23/2002	0.00	GW	x			x	x	X	
WT-MW-49	2215734	03/28/2003	0.00	GW	x			x	X	x	
WT-MW-49	1001078	06/30/2003	0.00	GW	x			x	x	X	
WT-MW-49	1031839	09/03/2003	0.00	GW	x			x	x	X	
WT-MW-49	1038375	12/03/2003	0.00	GW	x			x	x	X	
WT-MW-49	1045077	03/24/2004	0.00	GW	x			x	x	X	
WT-MW-49	1048192	06/08/2004	0.00	GW	x			x	X	X	
WT-MW-50	2112622	09/24/2002	16.0 - 26.0	GW	x			x	X	x	
WT-MW-50	2213475	12/23/2002	16.0 - 26.0	GW	X			x	X	X	
WT-MW-50	2215738	03/28/2003	16.0 - 26.0	GW	X			x	X	X	
WT-MW-50	1001089	06/30/2003	16.0 - 26.0	GW	X			x	X	X	
WT-MW-50	1031844	09/03/2003	16.0 - 26.0	GW	X			x	X	X	
WT-MW-50	1038373	12/03/2003	16.0 - 26.0	GW	X			x	X	X	
WT-MW-50	1045079	03/24/2004	16.0 - 26.0	GW	X			x	X	X	
WT-MW-50	1048194	06/08/2004	16.0 - 26.0	GW	X			x	X	X	
WT-PZ-05	1832698	12/04/1998	8.0 - 17.0	GW	X	X				X	
WT-PZ-05	1832699	12/04/1998	8.0 - 17.0	GW	x	X		x	X	x	
WT-PZ-05	1834784	02/10/1999	8.0 - 17.0	GW	X	X		x	X	x	
WT-PZ-05	1834785	02/10/1999	8.0 - 17.0	GW	X	X		x	X	x	
WT-PZ-06	1832691	12/04/1998	11.0 - 20.0	GW	X	x		x	X	x	
WT-PZ-06	1834779	02/10/1999	11.0 - 20.0	GW	x			x	X		
WT-PZ-07	1832690	12/04/1998	7.0 - 17.0	GW	x			x	x	x	

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/14/2004

Table 7
SUMMARY OF GROUNDWATER SAMPLING AND ANALYTICAL INFORMATION - MAIN FACILITY AREA GROUNDWATER MONITORING LOCATIONS UPGRADIENT OF WILLOW BROOK & WILLOW POND

Loureiro Engineering Associates, Inc.

Sample Information					Analysis Information						
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class	Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
WT-PZ-07	1834778	02/10/1999	7.0 - 17.0	GW		x		x			
WT-PZ-08	1832694	12/04/1998	6.0 - 16.0	GW	X	x				X	
WT-PZ-08	1834781	02/10/1999	6.0 - 16.0	GW	X			x	X	X	
WT-PZ-09	1832692	12/04/1998	7.0 - 17.0	GW	X	x		X		x	
WT-PZ-09	1834780	02/10/1999	7.0 - 17.0	GW	X			X	X		
WT-PZ-10	1832695	12/04/1998	5.0 - 10.0	GW	x	x		X		x	
WT-PZ-10	1834782	02/10/1999	5.0 - 10.0	GW				X	X	X	
WT-PZ-11	1832696	12/04/1998	3.0 - 12.0	GW	x			x	x	X	
WT-PZ-11	1834783	02/10/1999	3.0 - 12.0	GW		x		x		x	
WT-PZ-12	1832697	12/04/1998	5.0 - 10.0	GW	X	x		x	X	x	
WT-PZ-12	1834786	02/10/1999	5.0 - 10.0	GW	X			x	x		

Legend: x - mass, t - TCLP, s - SPLP, e - EPTOX, z - ZHE, d - Thermal Desorption, r - Charcoal Tube, a - SEM/AVS, m - Methanol, nr - not received; Capitalized - at least one analyte in class detected

Printed on 09/14/2004

Click Here to Continue Viewing Attachment 2