TABLE 1A - 1994-1995 RCRA MONITORING DATA - WELL AW-1
AMERICAN WRITING PAPER CO. UNIT ANALYTICAL DATA

PARAMETER	USEPA MCL	CTDPH DWS	CTDEP GWPC	SAMPLING DATE 6/21/94	9/28/94	12/21/94	3/17/95	6/26/95	9/21/95	12/14/95
INORGANIC mg/l										
Arsenic	0.05+	0.05	0.05	0.014	0.013	0.004	<0.003	0.007	0.14	0.009
Barium	2	1	1	0.07	0.09	0.07	0.05	0.04	0.07	0.05
Cadmium	0.005	0.005	0.005	<0.01	<0.01	<0.01	<0.005	<0.005	<0.01	<0.05
Chloride	250*			11	16	13 B	13	12	19	9
Chromium	0.1	0.05	0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Iron	0.3*			0.17	1.2	3.6	1.4	0.68	0.66	1.0
Lead	0.015	0.015	0.015	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01
Manganese	0.05*	5		0.56	0.6	0.71	0.59	0.45	0.61	0.45
Mercury	0.002	0.002	0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.001
Selenium	0.05	0.01	0.05	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Silver	0.05+	0.05	0.036	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Sodium		20		10	12	9	8	9	15	9
Sulfate	250*			13	18	14	18	9	14	9
Sulfide				<1.0	<1	<1	<1	<4	<4	<1
Phenols mg/l				0.005	0.03	<0.005	<0.005	<0.005	0.008	<0.005
TOC-1 mg/l				20.4	12.4	5.33	7.44	9.49	18.6	17
TOC-2 mg/l					15.5	4.48	4.81	9.35	22.0	15
TOC-3 mg/l					27.7	4.14	7.50	10.9	10.6	14
TOC-4 mg/l					8.9	12.0	4.40	16.3	16.2	16
Mean TOC mg/l					16.13	6.49	6.04	11.51	16.85	15.5
TPH mg/l			0.5	<1	<1	<1	<1	<1	<1	<1
VOCs ug/l										
1,1,1-Trichloroethane	200	200	200	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
1,1,2,2-Tetrachloroethane			0.5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
1,1,2-Trichloroethane	5		5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
1,1-Dichloroethane			70	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
1,1-Dichloroethene	7	7	7	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
1,2,3-Trichloropropane			1	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
1,2-Dichloroethane	5	1	1	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
1,2-Dichloropropane	5	5	5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
1,4-Dichloro-2-butene				<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
2-Butanone				<20	<20	<20	<20	<20	<20	<20
2-Chloroethyl Vinyl Ether				<10	<10	<10	<10	<10	<10	<10
2-Hexanone				<10	<10	<10	<10	<10	<10	<10
4-Methyl-2-Pentanone				<10	<10	<10	<10	<10	<10	<10
Acetone			700	<100	<100	<100	<100	<100	<100	<100
Acrolein				<25	<25	<25	<25	<25	<25	<25
Acrylonitrile		35	0.5	<10	<10	<10	<10	<10	<10	<10
Benzene	5	1	1	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Bromodichloromethane				<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Bromoform			4	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Bromomethane				<10	<10	<10	<10	<10	<10	<10
Carbon Disulfide				<2.0	3.2 B	3.6 B	<2.0	<2.0	<2.0	<2.0
Carbon Tetrachloride	5	5	5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Chlorobenzene	100		100	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Chlorodibromomethane			500	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Chloroethane				<10	<10	<10	<10	<10	<10	<10
Chloroform			6	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Chloromethane				<10	<10	<10	<10	<10	<10	<10
cis-1,3-Dichloropropene		10	0.5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Dibromomethane				<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Dichlorodifluoromethane				<2.0	<2.0	<2.0	<2.0	<10	<10	<10
Ethanol				<5000	<5000	<5000	<5000	<5000	<5000	<5000
Ethyl Methacrylate				<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Ethylbenzene			700	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Iodomethane				<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Methylene Chloride	5	25	5	<2.0	<2.0	12 B	<2.0	<2.0	<2.0	<2.0
Styrene	100		100	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Tetrachloroethene	5	5	5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Toluene	1,000	1,000	1,000	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
trans-1,2-Dichloroethene	100		5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
trans-1,3-Dichloropropene		10	0.5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Trichloroethene	5	5	5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Trichlorofluoromethane				<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Vinyl Acetate				<10	<10	<10	<10	<10	<10	<10
Vinyl Chloride	2	2	2	<10	<10	<10	<10	<10	<10	<10
Xylene	10,000		530	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0

MCL - USEPA Maximum Contaminant Level, secondary MCL (*), or National Drinking Water Regulations (+)

DWS - CT Dept. of Public Health Drinking Water Standard

GWPC - CTDEP GA Groundwater Protection Criteria (1/30/96)

B - Present in trace amounts in blank contamination

<2 and 0.56 exceed MCL and/or DWS.

7/29/99

Click Here to Return to Main Document

TABLE 2A - 1994-1995 RCRA MONITORING DATA - WELL AW-2
AMERICAN WRITING PAPER CO. UNIT ANALYTICAL DATA

PARAMETER	USEPA MCL	CTDPH DWS	CTDEP GWPC	SAMPLING DATE 6/21/94	9/28/94	12/21/94	3/17/95	6/26/95	9/21/95	12/14/95
INORGANIC mg/l										
Arsenic	0.05+	0.05	0.05	<0.003	<0.003	0.003	<0.003	<0.003	<0.003	<0.003
Barium	2	1	1	0.54	0.49	0.66	0.56	0.55	0.58	0.49
Cadmium	0.005	0.005	0.005	<0.01	<0.01	<0.01	<0.005	<0.005	<0.01	<0.005
Chloride	250*			13	18	16 B	17	16	19	17
Chromium	0.1	0.05	0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Iron	0.3*			15.6	26.4	17.6	16.2	11.1	3.8	18.3
Lead	0.015	0.015	0.015	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Manganese	0.05*	5		1.4	0.56	0.61	0.79	0.48	0.26	0.49
Mercury	0.002	0.002	0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.001
Selenium	0.05	0.01	0.05	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Silver	0.05+	0.05	0.036	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Sodium		20		23	20	18	22	24	28	28
Sulfate	250*			<1	<1	6	12	18	1	9
Sulfide				<1.0	<1	<1	<1	<4	<4	<1
Phenols mg/l				0.01	0.008	0.03	<0.005	<0.005	<0.005	<0.005
TOC-1 mg/l				153	112	9.69	28.2	78.5	70.7	29
TOC-2 mg/l					73.1	12.9	14.9	75.1	68.9	24
TOC-3 mg/l					85.4	11.7	28.4	39.5	67.3	50
TOC-4 mg/l					97.1	9.87	17.0	47.3	57.1	58
Mean TOC mg/l					91.9	11.04	22.13	60.1	66	40.25
TPH mg/l			0.5	3	<1	<1	<1	<1	<1	<1
VOCs ug/l										
1,1,1-Trichloroethane	200	200	200	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
1,1,2,2-Tetrachloroethane			0.5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
1,1,2-Trichloroethane	5		5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
1,1-Dichloroethane			70	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
1,1-Dichloroethene	7	7	7	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
1,2,3-Trichloropropane			1	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
1,2-Dichloroethane	5	1	1	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
1,2-Dichloropropane	5	5	5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
1,4-Dichloro-2-butene				<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
2-Butanone				<20	<20	<20	<20	<20	<20	<20
2-Chloroethyl Vinyl Ether				<10	<10	<10	<10	<10	<10	<10
2-Hexanone				<10	<10	<10	<10	<10	<10	<10
4-Methyl-2-Pentanone				<10	<10	<10	<10	<10	<10	<10
Acetone			700	<100	<100	<100	<100	<100	<100	<100
Acrolein				<25	<25	<25	<25	<25	<25	<25
Acrylonitrile		35	0.5	<10	<10	<10	<10	<10	<10	<10
Benzene	5	1	1	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Bromodichloromethane				<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Bromoform			4	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Bromomethane				<10	<10	<10	<10	<10	<10	<10
Carbon Disulfide				<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Carbon Tetrachloride	5	5	5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Chlorobenzene	100		100	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Chlorodibromomethane			500	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Chloroethane				<10	<10	<10	<10	<10	<10	<10
Chloroform			6	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Chloromethane				<10	<10	<10	<10	<10	<10	<10
cis-1,3-Dichloropropene		10	0.5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Dibromomethane				<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Dichlorodifluoromethane				<2.0	<2.0	<2.0	<2.0	<10	<10	<10
Ethanol				<5000	<5000	<5000	<5000	<5000	<5000	<5000
Ethyl Methacrylate				<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Ethylbenzene			700	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Iodomethane				<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Methylene Chloride	5	25	5	<2.0	<2.0	5.6 B	2.1 B	<2.0	<2.0	<2.0
Styrene	100		100	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Tetrachloroethene	5	5	5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Toluene	1,000	1,000	1,000	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
trans-1,2-Dichloroethene	100		5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
trans-1,3-Dichloropropene		10	0.5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Trichloroethene	5	5	5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Trichlorofluoromethane				<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Vinyl Acetate				<10	<10	<10	<10	<10	<10	<10
Vinyl Chloride	2	2	2	<10	<10	<10	<10	<10	<10	<10
Xylene	10,000		530	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0

MCL - USEPA Maximum Contaminant Level, secondary MCL (*), or National Drinking Water Regulations (+)

DWS - CT Dept. of Public Health Drinking Water Standard

GWPC - CTDEP GA Groundwater Protection Criteria (1/30/96)

B - Result indicates presence of blank contamination

<2 and 0.56 exceed MCL and/or DWS.

TABLE 3A - 1994-1995 RCRA MONITORING DATA - WELL AW-3
AMERICAN WRITING PAPER CO. UNIT ANALYTICAL DATA

PARAMETER	USEPA MCL	CTDPH DWS	CTDEP GWPC	SAMPLING DATE 6/21/94	9/28/94	12/21/94	3/17/95	6/26/95	9/21/95	12/14/95
INORGANIC mg/l										
Arsenic	0.05+	0.05	0.05	0.006	<0.003	0.004	<0.003	<0.003	<0.003	<0.003
Barium	2	1	1	0.21	0.28	0.41	0.35	0.30	0.30	0.27
Cadmium	0.005	0.005	0.005	<0.01	<0.01	<0.01	<0.005	<0.005	<0.01	<0.005
Chloride	250*			15	17	18 B	18	15	17	16
Chromium	0.1	0.05	0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Iron	0.3*			8.8	2.0	6.4	4.0	5.1	5.3	6.7
Lead	0.015	0.015	0.015	<0.01	<0.01	0.06	<0.01	<0.01	<0.01	<0.01
Manganese	0.05*	5		1.1	1.2	1.3	1.3	1.2	0.95	0.91
Mercury	0.002	0.002	0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.001
Selenium	0.05	0.01	0.05	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Silver	0.05+	0.05	0.036	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Sodium		20		24	22	16	16	17	20	16
Sulfate	250*			<1	<1	12	<1	<1	1	<1
Sulfide				<1.0	<1	<1	<1	<4	<4	<1
Phenols mg/l				0.02	0.007	<0.005	<0.005	0.007	<0.005	<0.005
TOC-1 mg/l				16.3	19.9	21.5	5.43	38.1	42.2	37
TOC-2 mg/l					28	13.3	6.77	50.0	41.3	38
TOC-3 mg/l					30.9	22.5	6.56	63.1	43.2	36
TOC-4 mg/l					36.6	12.4	15.6	29.0	47.1	37
Mean TOC mg/l					28.85	17.43	8.59	45.05	43.45	27.6
TPH mg/l			0.5	<1	<1	<1	<1	<1	<1	<1
VOCs ug/l										
1,1,1-Trichloroethane	200	200	200	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
1,1,2,2-Tetrachloroethane			0.5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
1,1,2-Trichloroethane	5		5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
1,1-Dichloroethane			70	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
1,1-Dichloroethene	7	7	7	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
1,2,3-Trichloropropane			1	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
1,2-Dichloroethane	5	1	1	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
1,2-Dichloropropane	5	5	5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
1,4-Dichloro-2-butene				<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
2-Butanone				<20	<20	<20	<20	<20	<20	<20
2-Chloroethyl Vinyl Ether				<10	<10	<10	<10	<10	<10	<10
2-Hexanone				<10	<10	<10	<10	<10	<10	<10
4-Methyl-2-Pentanone				<10	<10	<10	<10	<10	<10	<10
Acetone			700	<100	<100	<100	<100	<100	<100	<100
Acrolein				<25	<25	<25	<25	<25	<25	<25
Acrylonitrile		35	0.5	<10	<10	<10	<10	<10	<10	<10
Benzene	5	1	1	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Bromodichloromethane				<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Bromoform			4	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Bromomethane				<10	<10	<10	<10	<10	<10	<10
Carbon Disulfide				5.5	9.6 B	2.4	5.5	<2.0	<2.0	<2.0
Carbon Tetrachloride	5	5	5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Chlorobenzene	100		100	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Chlorodibromomethane			500	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Chloroethane				<10	<10	<10	<10	<10	<10	<10
Chloroform			6	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Chloromethane				<10	<10	<10	<10	<10	<10	<10
cis-1,3-Dichloropropene		10	0.5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Dibromomethane				<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Dichlorodifluoromethane				<2.0	<2.0	<2.0	<2.0	<10	<10	<10
Ethanol				<5000	<5000	<5000	<5000	<5000	<5000	<5000
Ethyl Methacrylate				<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Ethylbenzene			700	<2.0	<2.0	2.1	<2.0	<2.0	<2.0	<2.0
Iodomethane				<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Methylene Chloride	5	25	5	<2.0	<2.0	6.1 B	2.6 B	<2.0	<2.0	<2.0
Styrene	100		100	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Tetrachloroethene	5	5	5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Toluene	1,000	1,000	1,000	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
trans-1,2-Dichloroethene	100		5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
trans-1,3-Dichloropropene		10	0.5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Trichloroethene	5	5	5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Trichlorofluoromethane				<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Vinyl Acetate				<10	<10	<10	<10	<10	<10	<10
Vinyl Chloride	2	2	2	<10	<10	<10	<10	<10	<10	<10
Xylene	10,000		530	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0

MCL - USEPA Maximum Contaminant Level, secondary MCL (*), or National Drinking Water Regulations (+)

DWS - CT Dept. of Public Health Drinking Water Standard

GWPC - CTDEP GA Groundwater Protection Criteria (1/30/96)

B - Reported as trace value of laboratory blank contamination

<2 and 0.56 exceed MCL and/or DWS.

TABLE 4A - 1994-1995 RCRA MONITORING DATA - WELL AW-4
AMERICAN WRITING PAPER CO. UNIT ANALYTICAL DATA

PARAMETER	USEPA MCL	CTDPH DWS	CTDEP GWPC	SAMPLING DATE 6/21/94	9/28/94	12/21/94	3/17/95	6/26/95	9/21/95	12/14/95
INORGANIC mg/l										
Arsenic	0.05+	0.05	0.05	<0.003	<0.003	<0.003	<0.003	<0.003	0.005	<0.003
Barium	2	1	1	0.13	0.12	0.14	0.17	0.13	0.11	0.12
Cadmium	0.005	0.005	0.005	<0.01	<0.01	<0.01	<0.005	<0.005	<0.01	<0.005
Chloride	250*			22	17	17 B	24	22	22	20
Chromium	0.1	0.05	0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Iron	0.3*			9.8	9.6	9.9	17.4	10.5	8.3	8.8
Lead	0.015	0.015	0.015	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01
Manganese	0.05*	5		1.2	0.99	1.6	1.7	1.6	0.92	1.2
Mercury	0.002	0.002	0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.001
Selenium	0.05	0.01	0.05	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Silver	0.05+	0.05	0.036	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Sodium		20		50	33	24	47	49	46	45
Sulfate	250*			146	37	60	15	191	82	133
Sulfide				<1.0	<1	<1	<1	<4	<4	<1
Phenols mg/l				0.006	<0.005	<0.005	<0.005	<0.005	0.008	<0.005
TOC-1 mg/l				9.14	28.3	7.0	17.7	31.0	13.5	75
TOC-2 mg/l					34.1	12.6	10.1	56.9	22.5	49
TOC-3 mg/l					51.8	15.5	34.6	34.5	8.76	57
TOC-4 mg/l					63.6	7.89	15.9	45.8	87	57
Mean TOC mg/l					44.45	10.75	19.58	42.05	32.94	59.5
TPH mg/l			0.5	<1	<1	<1	<1	<1	<1	<1
VOCs ug/l										
1,1,1-Trichloroethane	200	200	200	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
1,1,2,2-Tetrachloroethane			0.5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
1,1,2-Trichloroethane	5		5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
1,1-Dichloroethane			70	2.5	<2.0	<2.0	2.7	<2.0	<2.0	2.9
1,1-Dichloroethene	7	7	7	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
1,2,3-Trichloropropane			1	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
1,2-Dichloroethane	5	1	1	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
1,2-Dichloropropane	5	5	5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
1,4-Dichloro-2-butene				<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
2-Butanone				<20	<20	<20	<20	<20	<20	<20
2-Chloroethyl Vinyl Ether				<10	<10	<10	<10	<10	<10	<10
2-Hexanone				<10	<10	<10	<10	<10	<10	<10
4-Methyl-2-Pentanone				<10	<10	<10	<10	<10	<10	<10
Acetone			700	<100	<100	<100	<100	<100	<100	<100
Acrolein				<25	<25	<25	<25	<25	<25	<25
Acrylonitrile		35	0.5	<10	<10	<10	<10	<10	<10	<10
Benzene	5	1	1	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Bromodichloromethane				<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Bromoform			4	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Bromomethane				<10	<10	<10	<10	<10	<10	<10
Carbon Disulfide				<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Carbon Tetrachloride	5	5	5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Chlorobenzene	100		100	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Chlorodibromomethane			500	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Chloroethane				<10	<10	<10	<10	<10	<10	<10
Chloroform			6	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Chloromethane				<10	<10	<10	<10	<10	<10	<10
cis-1,3-Dichloropropene		10	0.5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Dibromomethane				<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Dichlorodifluoromethane				<2.0	<2.0	<2.0	<2.0	<10	<10	<10
Ethanol				<5000	<5000	<5000	<5000	<5000	<5000	<5000
Ethyl Methacrylate				<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Ethylbenzene			700	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Iodomethane				<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Methylene Chloride	5	25	5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Styrene	100		100	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Tetrachloroethene	5	5	5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Toluene	1,000	1,000	1,000	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
trans-1,2-Dichloroethene	100		5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
trans-1,3-Dichloropropene		10	0.5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Trichloroethene	5	5	5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Trichlorofluoromethane				<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Vinyl Acetate				<10	<10	<10	<10	<10	<10	<10
Vinyl Chloride	2	2	2	<10	<10	<10	<10	<10	<10	<10
Xylene	10,000		530	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0

MCL - USEPA Maximum Contaminant Level, secondary MCL (*), or National Drinking Water Regulations (+)

DWS - CT Dept. of Public Health Drinking Water Standard

GWPC - CTDEP GA Groundwater Protection Criteria (1/30/96)

<2 and 0.56 exceed MCL and/or DWS.

TABLE 5A - 1994-1995 RCRA MONITORING DATA - WELL AW-5
AMERICAN WRITING PAPER CO. UNIT ANALYTICAL DATA

PARAMETER	USEPA MCL	CTDPH DWS	CTDEP GWPC	SAMPLING DATE 6/21/94	9/28/94	12/21/94	3/17/95	6/26/95	9/21/95	12/14/95
INORGANIC mg/l										
Arsenic	0.05+	0.05	0.05	<0.003	<0.003	<0.003	<0.003	<0.003	NA	<0.003
Barium	2	1	1	0.11	0.12	0.14	0.14	0.10	NA	0.10
Cadmium	0.005	0.005	0.005	<0.01	<0.01	<0.01	<0.005	<0.005	NA	<0.005
Chloride	250*			5	14	15 B	19	13	NA	22
Chromium	0.1	0.05	0.05	<0.01	<0.01	<0.01	<0.01	<0.01	NA	<0.01
Iron	0.3*			6.7	9.6	3.9	4.9	1.8	NA	3.0
Lead	0.015	0.015	0.015	<0.01	<0.01	<0.01	<0.01	<0.01	NA	<0.01
Manganese	0.05*	5		1.4	0.99	1.4	0.74	1.3	NA	0.53
Mercury	0.002	0.002	0.002	<0.002	<0.002	<0.002	<0.002	<0.002	NA	<0.001
Selenium	0.05	0.01	0.05	<0.005	<0.005	<0.005	<0.005	<0.005	NA	<0.005
Silver	0.05+	0.05	0.036	<0.01	<0.01	<0.01	<0.01	<0.01	NA	<0.01
Sodium		20		15	16	15	12	13	NA	29
Sulfate	250*			<1	<1	9	16	1	NA	47
Sulfide				<1.0	<1	2	<1	<4	NA	<1
Phenols mg/l				0.02	<0.005	<0.005	<0.005	NA	NA	<0.005
TOC-1 mg/l				30.5	22.3	10.7	31.8	55.8	73.2	59
TOC-2 mg/l					48.2	11.8	34.8	55.9	69.6	55
TOC-3 mg/l					61.5	14.5	16.1	67.6	61.2	61
TOC-4 mg/l					84.6	17.7	39.1	76.6	18.9	63
Mean TOC mg/l					54.15	13.68	30.45	63.98	55.73	59.5
TPH mg/l			0.5	<1	<1	<1	<1	<1	NA	<1
VOCs ug/l										
1,1,1-Trichloroethane	200	200	200	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
1,1,2,2-Tetrachloroethane			0.5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
1,1,2-Trichloroethane	5		5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
1,1-Dichloroethane			70	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
1,1-Dichloroethene	7	7	7	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
1,2,3-Trichloropropane			1	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
1,2-Dichloroethane	5	1	1	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
1,2-Dichloropropane	5	5	5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
1,4-Dichloro-2-butene				<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
2-Butanone				<20	<20	<20	<20	<20	<20	<20
2-Chloroethyl Vinyl Ether				<10	<10	<10	<10	<10	<10	<10
2-Hexanone				<10	<10	<10	<10	<10	<10	<10
4-Methyl-2-Pentanone				<10	<10	<10	<10	<10	<10	<10
Acetone			700	<100	<100	<100	<100	<100	<100	<100
Acrolein				<25	<25	<25	<25	<25	<25	<25
Acrylonitrile		35	0.5	<10	<10	<10	<10	<10	<10	<10
Benzene	5	1	1	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Bromodichloromethane				<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Bromoform			4	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Bromomethane				<10	<10	<10	<10	<10	<10	<10
Carbon Disulfide				<2.0	2 B	<2.0	2.3	<2.0	<2.0	<2.0
Carbon Tetrachloride	5	5	5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Chlorobenzene	100		100	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Chlorodibromomethane			500	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Chloroethane				<10	<10	<10	<10	<10	<10	<10
Chloroform			6	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Chloromethane				<10	<10	<10	<10	<10	<10	<10
cis-1,3-Dichloropropene		10	0.5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Dibromomethane				<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Dichlorodifluoromethane				<2.0	<2.0	<2.0	<2.0	<10	<10	<10
Ethanol				<5000	<5000	<5000	<5000	<5000	<5000	<5000
Ethyl Methacrylate				<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Ethylbenzene			700	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Iodomethane				<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Methylene Chloride	5	25	5	<2.0	2.7 B	<2.0	2.2 B	<2.0	<2.0	<2.0
Styrene	100		100	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Tetrachloroethene	5	5	5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Toluene	1,000	1,000	1,000	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
trans-1,2-Dichloroethene	100		5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
trans-1,3-Dichloropropene		10	0.5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Trichloroethene	5	5	5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Trichlorofluoromethane				<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Vinyl Acetate				<10	<10	<10	<10	<10	<10	<10
Vinyl Chloride	2	2	2	<10	<10	<10	<10	<10	<10	<10
Xylene	10,000		530	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0

MCL - USEPA Maximum Contaminant Level, secondary MCL (*), or National Drinking Water Regulations (+)

DWS - CT Dept. of Public Health Drinking Water Standard

GWPC - CTDEP GA Groundwater Protection Criteria (1/30/96)

B - Result indicates presence of laboratory contamination

<2 and 0.56 exceed MCL and/or DWS.

NA - Not Analyzed

Click Here to Go to Part 2 of Tables