Click Here to Return to Main Document

Table 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
P&W East Hartford Colt Street

	Location ID	CS-MW-05	CS-MW-06	CS-MW-06	CS-MW-06	CS-MW-06	CS-MW-06	CS-MW-06
	Sample ID	1839001	1003438	10004746b	1004900	1005629	1007290	1009523
	Sample Date	05/05/1999	07/01/1994	09/28/1994	12/13/1994	06/14/1995	09/21/1995	12/21/1995
	Sample Time	12:30	16:00	11:30	15:43	12:45	13:15	13:20
	Sample Depth	12.8' - 22.8'	4.50' - 14.50	4.5' - 14.5'	4.50' - 14.50	4.50' - 14.50	4.50' - 14.50	4.50' - 14.50
	Laboratory	LANC	AEL	AEL	AEL	AEL	AEL	AEL
	Lab. Number	3146552	AEL94006197	AEL94009259	AEL94011417	AEL95006569	AEL95010362	AEL95014177
Constituent	Units							
Depth of Well	FT	24.50		15.83		15.85	15.85	15.99
Depth to Water	FT	21.71		12.42		13.89	14.98	12.71
Specific Conductivity (field)	µmhos	467		156		153	306	137
Water Elevation	FT	9.47		12.96		11.49	10.40	12.67
pH (field)	SU	6.42		6.07		5.52	6.10	6.5
Date Metals Analyzed	-	05/10/1999						01/22/1996
Date Organics Analyzed	-							
Date Physical Analyzed	-							01/05/1996
Arsenic	mg/L	<0.0100 U						
Arsenic (Total)	mg/L							
Barium	mg/L	0.0377 B						
Barium (Total)	mg/L							
Beryllium	mg/L	<0.0100 U						
Beryllium (Total)	mg/L							
Cadmium	mg/L	<0.00050 U	<0.001	<0.0010	<0.001	<0.001	<0.001	<0.0010
Cadmium (Total)	mg/L							
Chromium	mg/L		<0.01	<0.010	<0.01	<0.01	<0.01	<0.010
Chromium (Total)	mg/L							
Chromium (Hexavalent)	mg/L							
Copper	mg/L	<0.0250 U						
Copper (Total)	mg/L							
Iron	mg/L	0.0292 B						
Iron (Total)	mg/L							
Lead	mg/L	<0.0030 U J	<0.01	<0.010	<0.01	<0.005	<0.005	<0.0050
Lead (Total)	mg/L							
Manganese	mg/L	<0.0100 U						
Manganese (Total)	mg/L							
Mercury	mg/L	<0.00020 U						

Notes: 1. Printed on 09/12/99

Table 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
P&W East Hartford Colt Street

	Location ID	CS-MW-05	CS-MW-06	CS-MW-06	CS-MW-06	CS-MW-06	CS-MW-06	CS-MW-06
	Sample ID	1839001	1003438	10004746b	1004900	1005629	1007290	1009523
	Sample Date	05/05/1999	07/01/1994	09/28/1994	12/13/1994	06/14/1995	09/21/1995	12/21/1995
	Sample Time	12:30	16:00	11:30	15:43	12:45	13:15	13:20
	Sample Depth	12.8' - 22.8'	4.50' - 14.50	4.5' - 14.5'	4.50' - 14.50	4.50' - 14.50	4.50' - 14.50	4.50' - 14.50
	Laboratory	LANC	AEL	AEL	AEL	AEL	AEL	AEL
	Lab. Number	3146552	AEL94006197	AEL94009259	AEL94011417	AEL95006569	AEL95010362	AEL95014177
Constituent	Units							
Mercury (Total)	mg/L							
Nickel	mg/L	<0.0500 U	<0.02	<0.020	<0.02	<0.02	<0.02	<0.020
Nickel (Total)	mg/L							
Selenium	mg/L	<0.0050 U						
Selenium (Total)	mg/L							
Silver	mg/L	<0.0200 U						
Silver (Total)	mg/L							
Zinc	mg/L	0.0075 B						
Zinc (Total)	mg/L							
Cyanide (Total)	mg/l							
Fluoride	mg/L		<0.23	<0.20	<0.2	<0.2	<0.2	<0.20
Specific Conductivity	µmhos							
Total Petroleum Hydrocarbons	mg/l							
pH	SU							
Acetone	µg/L							
Acrolein	µg/L							
Acrylonitrile	µg/L							
Benzene	µg/L							
Bromobenzene	µg/L							
Bromoform	µg/L							
Carbon Disulfide	µg/L							
Carbon Tetrachloride	µg/L							
Chlorobenzene	µg/L							
Chlorodibromomethane	µg/L							
Chloroethane	µg/L							
Chloroethyl Vinyl Ether,2-	µg/L							
Chloroform	µg/L							
Chlorotoluene,o-	µg/L							

Notes: 1. Printed on 09/12/99

Table 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
P&W East Hartford Colt Street

	Location ID	CS-MW-05	CS-MW-06	CS-MW-06	CS-MW-06	CS-MW-06	CS-MW-06	CS-MW-06
	Sample ID	1839001	1003438	10004746b	1004900	1005629	1007290	1009523
	Sample Date	05/05/1999	07/01/1994	09/28/1994	12/13/1994	06/14/1995	09/21/1995	12/21/1995
	Sample Time	12:30	16:00	11:30	15:43	12:45	13:15	13:20
	Sample Depth	12.8' - 22.8'	4.50' - 14.50	4.5' - 14.5'	4.50' - 14.50	4.50' - 14.50	4.50' - 14.50	4.50' - 14.50
	Laboratory	LANC	AEL	AEL	AEL	AEL	AEL	AEL
	Lab. Number	3146552	AEL94006197	AEL94009259	AEL94011417	AEL95006569	AEL95010362	AEL95014177
Constituent	Units							
Chlorotoluene,p-	µg/L							
Dibromomethane	µg/L							
Dichlorobenzene,1,2-	µg/L							
Dichlorobenzene,1,3-	µg/L							
Dichlorobenzene,1,4-	µg/L							
Dichlorobromomethane	µg/L							
Dichlorodifluoromethane	µg/L							
Dichloroethane,1,1-	µg/L							
Dichloroethane,1,2-	µg/L							
Dichloroethylene,1,1-	µg/L							
Dichloroethylene,1,2-cis-	µg/L							
Dichloroethylene,1,2-trans-	µg/L							
Dichloropropane,1,2-	µg/L							
Dichloropropylene,1,3-cis-	µg/L							
Dichloropropylene,1,3-trans-	µg/L							
Ethylbenzene	µg/L							
Hexanone,2-	µg/L							
Methyl Bromide	µg/L							
Methyl Chloride	µg/L							
Methyl Ethyl Ketone	µg/L							
Methyl-2-pentanone,4-	µg/L							
Methyl-tert-butyl Ether	µg/L							
Methylene Chloride	µg/L							
Styrene	µg/L							
Tetrachloroethane,1,1,1,2-	µg/L							
Tetrachloroethane,1,1,2,2-	µg/L							
Tetrachloroethylene	µg/L							
Toluene	µg/L							

Notes: 1. Printed on 09/12/99

Table 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
P&W East Hartford Colt Street

	Location ID	CS-MW-05	CS-MW-06	CS-MW-06	CS-MW-06	CS-MW-06	CS-MW-06	CS-MW-06
	Sample ID	1839001	1003438	10004746b	1004900	1005629	1007290	1009523
	Sample Date	05/05/1999	07/01/1994	09/28/1994	12/13/1994	06/14/1995	09/21/1995	12/21/1995
	Sample Time	12:30	16:00	11:30	15:43	12:45	13:15	13:20
	Sample Depth	12.8' - 22.8'	4.50' - 14.50	4.5' - 14.5'	4.50' - 14.50	4.50' - 14.50	4.50' - 14.50	4.50' - 14.50
	Laboratory	LANC	AEL	AEL	AEL	AEL	AEL	AEL
	Lab. Number	3146552	AEL94006197	AEL94009259	AEL94011417	AEL95006569	AEL95010362	AEL95014177
Constituent	Units							
Trichloroethane,1,1,1-	µg/L							
Trichloroethane,1,1,2-	µg/L							
Trichloroethylene	µg/L							
Trichloromonofluoromethane	µg/L							
Trichloropropane,1,2,3-	µg/L							
Vinyl Acetate	µg/L							
Vinyl Chloride	µg/L							
Xylenes (Total)	µg/L							

Notes: 1. Printed on 09/12/99

Table 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
P&W East Hartford Colt Street

	Location ID	CS-MW-06	CS-MW-06	CS-MW-06	CS-MW-06	CS-MW-06	CS-MW-06	CS-MW-06
	Sample ID	1012311	1018113	1630976	1643559	1657329	1663493	1831274
	Sample Date	03/21/1996	09/17/1996	03/26/1997	09/22/1997	03/27/1998	09/24/1998	10/30/1998
	Sample Time	13:00	13:33	15:20	12:35	13:35	11:45	14:58
	Sample Depth	4.5' - 14.5'	4.5' - 14.5'	4.50' - 14.50	4.5' - 14.5'	4.5' - 14.5'	4.5' - 14.5'	4.5' - 14.5'
	Laboratory	AEL	AEL	AEL	AEL	AEL	AEL	LANC
	Lab. Number	AEL96002948	AEL96010469	AEL97003644	AEL97010733	AEL98003918	AEL98011805	3031202
Constituent	Units							
Depth of Well	FT	18.88	15.81	15.92	15.90	15.82	15.80	15.80
Depth to Water	FT	10.88	13.28	12.34	14.21	10.30	13.78	13.65
Specific Conductivity (field)	µmhos	151	118	073	217	147	158	138.7
Water Elevation	FT	14.50	12.10	13.04	11.17	15.08	11.60	11.73
pH (field)	SU	6.9	5.80	6.4	5.45	6.00	5.66	5.8
Date Metals Analyzed	-	04/02/1996	09/20/1996	04/04/1997	10/03/1997	04/01/1998	10/06/1998	11/09/1998
Date Organics Analyzed	-	04/04/1996		04/09/1997		04/10/1998		11/06/1998
Date Physical Analyzed	-	03/26/1996	09/24/1996	04/02/1997	09/22/1997	04/13/1998	10/13/1998	11/10/1998
Arsenic	mg/L							<0.0100 U
Arsenic (Total)	mg/L							
Barium	mg/L							0.0203 B
Barium (Total)	mg/L							
Beryllium	mg/L							
Beryllium (Total)	mg/L							
Cadmium	mg/L	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0100 U
Cadmium (Total)	mg/L							
Chromium	mg/L	<0.010	<0.010	<0.010	<0.010	<0.050	<0.050	<0.0300 U
Chromium (Total)	mg/L							
Chromium (Hexavalent)	mg/L							
Copper	mg/L							
Copper (Total)	mg/L							
Iron	mg/L							
Iron (Total)	mg/L							
Lead	mg/L	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0100 U
Lead (Total)	mg/L							
Manganese	mg/L							
Manganese (Total)	mg/L							
Mercury	mg/L							<0.00020 U

Notes: 1. Printed on 09/12/99

Table 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
P&W East Hartford Colt Street

	Location ID	CS-MW-06	CS-MW-06	CS-MW-06	CS-MW-06	CS-MW-06	CS-MW-06	CS-MW-06
	Sample ID	1012311	1018113	1630976	1643559	1657329	1663493	1831274
	Sample Date	03/21/1996	09/17/1996	03/26/1997	09/22/1997	03/27/1998	09/24/1998	10/30/1998
	Sample Time	13:00	13:33	15:20	12:35	13:35	11:45	14:58
	Sample Depth	4.5' - 14.5'	4.5' - 14.5'	4.50' - 14.50	4.5' - 14.5'	4.5' - 14.5'	4.5' - 14.5'	4.5' - 14.5'
	Laboratory	AEL	AEL	AEL	AEL	AEL	AEL	LANC
	Lab. Number	AEL96002948	AEL96010469	AEL97003644	AEL97010733	AEL98003918	AEL98011805	3031202
Constituent	Units							
Mercury (Total)	mg/L							
Nickel	mg/L	<0.020	<0.020	<0.020	<0.020	<0.10	<0.10	
Nickel (Total)	mg/L							
Selenium	mg/L							<0.0100 U
Selenium (Total)	mg/L							
Silver	mg/L							<0.0200 U
Silver (Total)	mg/L							
Zinc	mg/L							
Zinc (Total)	mg/L							
Cyanide (Total)	mg/l							
Fluoride	mg/L	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	
Specific Conductivity	µmhos				210			
Total Petroleum Hydrocarbons	mg/l							<0.50 U
pH	SU				6.0			
Acetone	µg/L	<20		<4.0		<4.0		<20 U
Acrolein	µg/L	<10		<15		<5.0		
Acrylonitrile	µg/L	<0.66 MDL		<0.65		<4.2		
Benzene	µg/L	<1.0		<1.0		<1.0		<5 U
Bromobenzene	µg/L	<4.0		<1.0		<1.0		
Bromoform	µg/L	<4.0		<1.0		<1.0		<5 U
Carbon Disulfide	µg/L	<4.0		<1.0		<1.0		<5 U
Carbon Tetrachloride	µg/L	<4.0		<1.0		<1.0		<5 U
Chlorobenzene	µg/L	<4.0		<1.0		<1.0		<5 U
Chlorodibromomethane	µg/L	<0.50 MDL		<0.50		<0.50		<5 U
Chloroethane	µg/L	<4.0		<1.0		<1.0		<5 U
Chloroethyl Vinyl Ether,2-	µg/L	<4.0		<1.0		<1.0		
Chloroform	µg/L	<4.0		<1.0		<1.0		<5 U
Chlorotoluene,o-	µg/L	<4.0		<1.0		<1.0		

Notes: 1. Printed on 09/12/99

Table 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
P&W East Hartford Colt Street

	Location ID	CS-MW-06	CS-MW-06	CS-MW-06	CS-MW-06	CS-MW-06	CS-MW-06	CS-MW-06
	Sample ID	1012311	1018113	1630976	1643559	1657329	1663493	1831274
	Sample Date	03/21/1996	09/17/1996	03/26/1997	09/22/1997	03/27/1998	09/24/1998	10/30/1998
	Sample Time	13:00	13:33	15:20	12:35	13:35	11:45	14:58
	Sample Depth	4.5' - 14.5'	4.5' - 14.5'	4.50' - 14.50	4.5' - 14.5'	4.5' - 14.5'	4.5' - 14.5'	4.5' - 14.5'
	Laboratory	AEL	AEL	AEL	AEL	AEL	AEL	LANC
	Lab. Number	AEL96002948	AEL96010469	AEL97003644	AEL97010733	AEL98003918	AEL98011805	3031202
Constituent	Units							
Chlorotoluene,p-	µg/L	<4.0		<1.0		<1.0		
Dibromomethane	µg/L	<4.0		<1.0		<2.0		
Dichlorobenzene,1,2-	µg/L	<4.0		<1.0		<1.0		
Dichlorobenzene,1,3-	µg/L	<4.0		<1.0		<1.0		
Dichlorobenzene,1,4-	µg/L	<4.0		<1.0		<1.0		
Dichlorobromomethane	µg/L	<4.0		<1.0		<1.0		<5 U
Dichlorodifluoromethane	µg/L	<4.0		<1.0		<2.0		
Dichloroethane,1,1-	µg/L	<4.0		<1.0		<1.0		<5 U
Dichloroethane,1,2-	µg/L	<1.0		<1.0		<1.0		<5 U
Dichloroethylene,1,1-	µg/L	<1.0 MDL		<1.0		<1.0		<5 U
Dichloroethylene,1,2-cis-	µg/L	<4.0		<1.0		<1.0		<5 U
Dichloroethylene,1,2-trans-	µg/L	<4.0		<1.0		<1.0		<5 U
Dichloropropane,1,2-	µg/L	<4.0		<1.0		<1.0		<5 U
Dichloropropylene,1,3-cis-	µg/L	<0.50 MDL		<0.50		<0.50		<5 U
Dichloropropylene,1,3-trans-	µg/L	<0.50 MDL		<0.50		<0.50		<5 U
Ethylbenzene	µg/L	<4.0		<1.0		<1.0		<5 U
Hexanone,2-	µg/L	<10		<2.0		<2.0		<10 U
Methyl Bromide	µg/L	<4.0		<1.0		<1.0		<5 U
Methyl Chloride	µg/L	<4.0		<1.0		<1.0		<5 U
Methyl Ethyl Ketone	µg/L	<10		<2.0		11		<10 U
Methyl-2-pentanone,4-	µg/L	<10		<2.0		<2.0		<10 U
Methyl-tert-butyl Ether	µg/L	<4.0		<1.0		<1.0		
Methylene Chloride	µg/L	<4.0		<2.0		<2.0		<5 U
Styrene	µg/L	<4.0		<1.0		<1.0		<5 U
Tetrachloroethane,1,1,1,2-	µg/L	<1.0 MDL		<1.0		<1.0		
Tetrachloroethane,1,1,2,2-	µg/L	<0.50 MDL		<0.50		<0.50		<5 U
Tetrachloroethylene	µg/L	<4.0		<1.0		<1.0		<5 U
Toluene	µg/L	<4.0		<1.0		<1.0		<5 U

Notes: 1. Printed on 09/12/99

Table 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
P&W East Hartford Colt Street

	Location ID	CS-MW-06	CS-MW-06	CS-MW-06	CS-MW-06	CS-MW-06	CS-MW-06	CS-MW-06
	Sample ID	1012311	1018113	1630976	1643559	1657329	1663493	1831274
	Sample Date	03/21/1996	09/17/1996	03/26/1997	09/22/1997	03/27/1998	09/24/1998	10/30/1998
	Sample Time	13:00	13:33	15:20	12:35	13:35	11:45	14:58
	Sample Depth	4.5' - 14.5'	4.5' - 14.5'	4.50' - 14.50	4.5' - 14.5'	4.5' - 14.5'	4.5' - 14.5'	4.5' - 14.5'
	Laboratory	AEL	AEL	AEL	AEL	AEL	AEL	LANC
	Lab. Number	AEL96002948	AEL96010469	AEL97003644	AEL97010733	AEL98003918	AEL98011805	3031202
Constituent	Units							
Trichloroethane,1,1,1-	µg/L	<4.0		<1.0		<1.0		<5 U
Trichloroethane,1,1,2-	µg/L	<4.0		<1.0		<1.0		<5 U
Trichloroethylene	µg/L	<4.0		<1.0		<1.0		<5 U
Trichloromonofluoromethane	µg/L	<4.0		<1.0		<1.0		
Trichloropropane,1,2,3-	µg/L	<4.0		<1.0		<1.0		
Vinyl Acetate	µg/L	<4.0		<2.0		<5.0		
Vinyl Chloride	µg/L	<2.0 *		<1.0		<1.0		<5 U
Xylenes (Total)	µg/L	<4.0		<1.0		<2.0		<5 U

Notes: 1. Printed on 09/12/99

Table 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
P&W East Hartford Colt Street

	Location ID	CS-MW-06	CS-MW-06	CS-MW-06	CS-MW-06	CS-MW-06	CS-MW-07	CS-MW-07
	Sample ID	1836143	1839006	1839006	1839006	1839006	1003437	10004753b
	Sample Date	03/25/1999	05/05/1999	05/05/1999	05/05/1999	05/05/1999	07/01/1994	09/28/1994
	Sample Time	16:00	14:10	14:10	14:10	14:10	15:40	14:52
	Sample Depth	4.5' - 14.5'	4.5' - 14.5'	4.5' - 14.5'	4.5' - 14.5'	4.5' - 14.5'	5.00' - 15.00	5.0' - 15.0'
	Laboratory	AEL	AEL	AEL	LANC	LANC	AEL	AEL
	Lab. Number	AEL99002844	AEL99004411	AEL99004420	3146561	3146562	AEL94006196	AEL94009266
Constituent	Units							
Depth of Well	FT	15.80	15.66	15.66	15.66	15.66		16.38
Depth to Water	FT	12.62	12.69	12.69	12.69	12.69		14.21
Specific Conductivity (field)	µmhos	295	106.3	106.3	106.3	106.3		160
Water Elevation	FT	12.76	12.69	12.69	12.69	12.69		12.51
pH (field)	SU	6.0	5.64	5.64	5.64	5.64		6.14
Date Metals Analyzed	-	03/30/1999	05/11/1999	05/10/1999	05/10/1999	05/10/1999		
Date Organics Analyzed	-	04/06/1999						
Date Physical Analyzed	-	04/13/1999			05/14/1999			
Arsenic	mg/L					<0.0100 U		
Arsenic (Total)	mg/L				<0.0100 U			
Barium	mg/L					0.0174 B		
Barium (Total)	mg/L				0.0180 B			
Beryllium	mg/L					<0.0100 U		
Beryllium (Total)	mg/L				<0.0100 U			
Cadmium	mg/L	<0.0010				<0.00050 U	<0.001	<0.0010
Cadmium (Total)	mg/L				0.00021 B			
Chromium	mg/L	<0.010		<0.010 F			<0.01	<0.010
Chromium (Total)	mg/L		0.017					
Chromium (Hexavalent)	mg/L		<0.010					
Copper	mg/L					<0.0250 U		
Copper (Total)	mg/L				<0.0250 U			
Iron	mg/L					<0.1 U J		
Iron (Total)	mg/L				0.169 P J			
Lead	mg/L	<0.0050				<0.0030 U	<0.01	<0.010
Lead (Total)	mg/L				<0.0030 U			
Manganese	mg/L					0.0016 B		
Manganese (Total)	mg/L				0.0061 B			
Mercury	mg/L					<0.00020 U		

Notes: 1. Printed on 09/12/99

Table 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
P&W East Hartford Colt Street

	Location ID	CS-MW-06	CS-MW-06	CS-MW-06	CS-MW-06	CS-MW-06	CS-MW-07	CS-MW-07
	Sample ID	1836143	1839006	1839006	1839006	1839006	1003437	10004753b
	Sample Date	03/25/1999	05/05/1999	05/05/1999	05/05/1999	05/05/1999	07/01/1994	09/28/1994
	Sample Time	16:00	14:10	14:10	14:10	14:10	15:40	14:52
	Sample Depth	4.5' - 14.5'	4.5' - 14.5'	4.5' - 14.5'	4.5' - 14.5'	4.5' - 14.5'	5.00' - 15.00	5.0' - 15.0'
	Laboratory	AEL	AEL	AEL	LANC	LANC	AEL	AEL
	Lab. Number	AEL99002844	AEL99004411	AEL99004420	3146561	3146562	AEL94006196	AEL94009266
Constituent	Units							
Mercury (Total)	mg/L				<0.00020 U			
Nickel	mg/L	<0.020				<0.0500 U	<0.02	<0.020
Nickel (Total)	mg/L				<0.0500 U			
Selenium	mg/L					<0.0050 U		
Selenium (Total)	mg/L				<0.0050 U			
Silver	mg/L					<0.0200 U		
Silver (Total)	mg/L				<0.0200 U			
Zinc	mg/L					0.0045 B		
Zinc (Total)	mg/L				0.0076 B			
Cyanide (Total)	mg/l				<0.0050 U			
Fluoride	mg/L	<0.25					<0.23	<0.20
Specific Conductivity	µmhos							
Total Petroleum Hydrocarbons	mg/l							
pH	SU							
Acetone	µg/L	<20						
Acrolein	µg/L	<6.0						
Acrylonitrile	µg/L	<2.0						
Benzene	µg/L	<1.0						
Bromobenzene	µg/L	<1.0						
Bromoform	µg/L	<1.0						
Carbon Disulfide	µg/L	<1.0						
Carbon Tetrachloride	µg/L	<1.0						
Chlorobenzene	µg/L	<1.0						
Chlorodibromomethane	µg/L	<1.0						
Chloroethane	µg/L	<1.0						
Chloroethyl Vinyl Ether,2-	µg/L	<1.0						
Chloroform	µg/L	<1.0						
Chlorotoluene,o-	µg/L	<1.0						

Notes: 1. Printed on 09/12/99

Table 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
P&W East Hartford Colt Street

	Location ID	CS-MW-06	CS-MW-06	CS-MW-06	CS-MW-06	CS-MW-06	CS-MW-07	CS-MW-07
	Sample ID	1836143	1839006	1839006	1839006	1839006	1003437	10004753b
	Sample Date	03/25/1999	05/05/1999	05/05/1999	05/05/1999	05/05/1999	07/01/1994	09/28/1994
	Sample Time	16:00	14:10	14:10	14:10	14:10	15:40	14:52
	Sample Depth	4.5' - 14.5'	4.5' - 14.5'	4.5' - 14.5'	4.5' - 14.5'	4.5' - 14.5'	5.00' - 15.00	5.0' - 15.0'
	Laboratory	AEL	AEL	AEL	LANC	LANC	AEL	AEL
	Lab. Number	AEL99002844	AEL99004411	AEL99004420	3146561	3146562	AEL94006196	AEL94009266
Constituent	Units							
Chlorotoluene,p-	µg/L	<1.0						
Dibromomethane	µg/L	<2.0						
Dichlorobenzene,1,2-	µg/L	<1.0						
Dichlorobenzene,1,3-	µg/L	<1.0						
Dichlorobenzene,1,4-	µg/L	<1.0						
Dichlorobromomethane	µg/L	<1.0						
Dichlorodifluoromethane	µg/L	<1.0						
Dichloroethane,1,1-	µg/L	<1.0						
Dichloroethane,1,2-	µg/L	<1.0						
Dichloroethylene,1,1-	µg/L	<1.0						
Dichloroethylene,1,2-cis-	µg/L	<1.0						
Dichloroethylene,1,2-trans-	µg/L	<1.0						
Dichloropropane,1,2-	µg/L	<1.0						
Dichloropropylene,1,3-cis-	µg/L	<0.50						
Dichloropropylene,1,3-trans-	µg/L	<0.50						
Ethylbenzene	µg/L	<1.0						
Hexanone,2-	µg/L	<2.0						
Methyl Bromide	µg/L	<1.0						
Methyl Chloride	µg/L	<1.0						
Methyl Ethyl Ketone	µg/L	<3.0						
Methyl-2-pentanone,4-	µg/L	<2.0						
Methyl-tert-butyl Ether	µg/L	<1.0						
Methylene Chloride	µg/L	<2.0						
Styrene	µg/L	<1.0						
Tetrachloroethane,1,1,1,2-	µg/L	<1.0						
Tetrachloroethane,1,1,2,2-	µg/L	<0.50						
Tetrachloroethylene	µg/L	<1.0						
Toluene	µg/L	<1.0						

Notes: 1. Printed on 09/12/99

Table 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
P&W East Hartford Colt Street

	Location ID	CS-MW-06	CS-MW-06	CS-MW-06	CS-MW-06	CS-MW-06	CS-MW-07	CS-MW-07
	Sample ID	1836143	1839006	1839006	1839006	1839006	1003437	10004753b
	Sample Date	03/25/1999	05/05/1999	05/05/1999	05/05/1999	05/05/1999	07/01/1994	09/28/1994
	Sample Time	16:00	14:10	14:10	14:10	14:10	15:40	14:52
	Sample Depth	4.5' - 14.5'	4.5' - 14.5'	4.5' - 14.5'	4.5' - 14.5'	4.5' - 14.5'	5.00' - 15.00	5.0' - 15.0'
	Laboratory	AEL	AEL	AEL	LANC	LANC	AEL	AEL
	Lab. Number	AEL99002844	AEL99004411	AEL99004420	3146561	3146562	AEL94006196	AEL94009266
Constituent	Units							
Trichloroethane,1,1,1-	µg/L	<1.0						
Trichloroethane,1,1,2-	µg/L	<1.0						
Trichloroethylene	µg/L	<1.0						
Trichloromonofluoromethane	µg/L	<1.0						
Trichloropropane,1,2,3-	µg/L	<1.0						
Vinyl Acetate	µg/L	<3.0						
Vinyl Chloride	µg/L	<1.0						
Xylenes (Total)	µg/L	<2.0						

Notes: 1. Printed on 09/12/99

Table 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
P&W East Hartford Colt Street

	Location ID	CS-MW-07	CS-MW-07	CS-MW-07	CS-MW-07	CS-MW-07	CS-MW-07	CS-MW-07
	Sample ID	1004899	1005628	1009522	1012310	1018112	1630975	1643558
	Sample Date	12/13/1994	06/14/1995	12/21/1995	03/21/1996	09/17/1996	03/26/1997	09/22/1997
	Sample Time	15:27	12:30	13:10	12:30	13:10	14:50	12:15
	Sample Depth	5.00' - 15.00	5.00' - 15.00	5.00' - 15.00	5.0' - 15.0'	5.0' - 15.0'	5.00' - 15.00	5.0' - 15.0'
	Laboratory	AEL	AEL	AEL	AEL	AEL	AEL	AEL
	Lab. Number	AEL94011416	AEL95006568	AEL95014176	AEL96002947	AEL96010468	AEL97003643	AEL97010732
Constituent	Units							
Depth of Well	FT		16.48	16.55	16.29	16.37	16.33	16.38
Depth to Water	FT		15.63	14.45	12.75	15.18	14.15	15.97
Specific Conductivity (field)	µmhos		138	164	110	118	084	178
Water Elevation	FT		11.09	12.27	13.97	11.54	12.57	10.75
pH (field)	SU		5.73	6.6	6.5	6.01	5.9	6.07
Date Metals Analyzed	-			01/22/1996	04/02/1996	09/20/1996	04/04/1997	10/03/1997
Date Organics Analyzed	-				04/04/1996		04/09/1997	
Date Physical Analyzed	-			01/05/1996	03/26/1996	09/24/1996	04/02/1997	09/22/1997
Arsenic	mg/L							
Arsenic (Total)	mg/L							
Barium	mg/L							
Barium (Total)	mg/L							
Beryllium	mg/L							
Beryllium (Total)	mg/L							
Cadmium	mg/L	<0.001	<0.001	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Cadmium (Total)	mg/L							
Chromium	mg/L	<0.01	<0.01	<0.010	<0.010	<0.010	<0.010	<0.010
Chromium (Total)	mg/L							
Chromium (Hexavalent)	mg/L							
Copper	mg/L							
Copper (Total)	mg/L							
Iron	mg/L							
Iron (Total)	mg/L							
Lead	mg/L	<0.01	<0.005	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Lead (Total)	mg/L							
Manganese	mg/L							
Manganese (Total)	mg/L							
Mercury	mg/L							

Notes: 1. Printed on 09/12/99

Table 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
P&W East Hartford Colt Street

	Location ID	CS-MW-07	CS-MW-07	CS-MW-07	CS-MW-07	CS-MW-07	CS-MW-07	CS-MW-07
	Sample ID	1004899	1005628	1009522	1012310	1018112	1630975	1643558
	Sample Date	12/13/1994	06/14/1995	12/21/1995	03/21/1996	09/17/1996	03/26/1997	09/22/1997
	Sample Time	15:27	12:30	13:10	12:30	13:10	14:50	12:15
	Sample Depth	5.00' - 15.00	5.00' - 15.00	5.00' - 15.00	5.0' - 15.0'	5.0' - 15.0'	5.00' - 15.00	5.0' - 15.0'
	Laboratory	AEL	AEL	AEL	AEL	AEL	AEL	AEL
	Lab. Number	AEL94011416	AEL95006568	AEL95014176	AEL96002947	AEL96010468	AEL97003643	AEL97010732
Constituent	Units							
Mercury (Total)	mg/L							
Nickel	mg/L	<0.02	<0.02	<0.020	<0.020	<0.020	<0.020	<0.020
Nickel (Total)	mg/L							
Selenium	mg/L							
Selenium (Total)	mg/L							
Silver	mg/L							
Silver (Total)	mg/L							
Zinc	mg/L							
Zinc (Total)	mg/L							
Cyanide (Total)	mg/l							
Fluoride	mg/L	<0.2	<0.2	<0.20	<0.20	<0.20	<0.20	<0.20
Specific Conductivity	µmhos							170
Total Petroleum Hydrocarbons	mg/l							
pH	SU							6.5
Acetone	µg/L				<20		<4.0	
Acrolein	µg/L				<10		<15	
Acrylonitrile	µg/L				<0.66 MDL		<0.65	
Benzene	µg/L				<1.0		<1.0	
Bromobenzene	µg/L				<4.0		<1.0	
Bromoform	µg/L				<4.0		<1.0	
Carbon Disulfide	µg/L				<4.0		<1.0	
Carbon Tetrachloride	µg/L				<4.0		<1.0	
Chlorobenzene	µg/L				<4.0		<1.0	
Chlorodibromomethane	µg/L				<0.50 MDL		<0.50	
Chloroethane	µg/L				<4.0		<1.0	
Chloroethyl Vinyl Ether,2-	µg/L				<4.0		<1.0	
Chloroform	µg/L				<4.0		<1.0	
Chlorotoluene,o-	µg/L				<4.0		<1.0	

Notes: 1. Printed on 09/12/99

Table 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
P&W East Hartford Colt Street

	Location ID	CS-MW-07	CS-MW-07	CS-MW-07	CS-MW-07	CS-MW-07	CS-MW-07	CS-MW-07
	Sample ID	1004899	1005628	1009522	1012310	1018112	1630975	1643558
	Sample Date	12/13/1994	06/14/1995	12/21/1995	03/21/1996	09/17/1996	03/26/1997	09/22/1997
	Sample Time	15:27	12:30	13:10	12:30	13:10	14:50	12:15
	Sample Depth	5.00' - 15.00	5.00' - 15.00	5.00' - 15.00	5.0' - 15.0'	5.0' - 15.0'	5.00' - 15.00	5.0' - 15.0'
	Laboratory	AEL	AEL	AEL	AEL	AEL	AEL	AEL
	Lab. Number	AEL94011416	AEL95006568	AEL95014176	AEL96002947	AEL96010468	AEL97003643	AEL97010732
Constituent	Units							
Chlorotoluene,p-	µg/L				<4.0		<1.0	
Dibromomethane	µg/L				<4.0		<1.0	
Dichlorobenzene,1,2-	µg/L				<4.0		<1.0	
Dichlorobenzene,1,3-	µg/L				<4.0		<1.0	
Dichlorobenzene,1,4-	µg/L				<4.0		<1.0	
Dichlorobromomethane	µg/L				<4.0		<1.0	
Dichlorodifluoromethane	µg/L				<4.0		<1.0	
Dichloroethane,1,1-	µg/L				<4.0		<1.0	
Dichloroethane,1,2-	µg/L				<1.0		<1.0	
Dichloroethylene,1,1-	µg/L				<1.0 MDL		<1.0	
Dichloroethylene,1,2-cis-	µg/L				<4.0		<1.0	
Dichloroethylene,1,2-trans-	µg/L				<4.0		<1.0	
Dichloropropane,1,2-	µg/L				<4.0		<1.0	
Dichloropropylene,1,3-cis-	µg/L				<0.50 MDL		<0.50	
Dichloropropylene,1,3-trans-	µg/L				<0.50 MDL		<0.50	
Ethylbenzene	µg/L				<4.0		<1.0	
Hexanone,2-	µg/L				<10		<2.0	
Methyl Bromide	µg/L				<4.0		<1.0	
Methyl Chloride	µg/L				<4.0		<1.0	
Methyl Ethyl Ketone	µg/L				<10		<2.0	
Methyl-2-pentanone,4-	µg/L				<10		<2.0	
Methyl-tert-butyl Ether	µg/L				<4.0		<1.0	
Methylene Chloride	µg/L				<4.0		<2.0	
Styrene	µg/L				<4.0		<1.0	
Tetrachloroethane,1,1,1,2-	µg/L				<1.0 MDL		<1.0	
Tetrachloroethane,1,1,2,2-	µg/L				<0.50 MDL		<0.50	
Tetrachloroethylene	µg/L				<4.0		<1.0	
Toluene	µg/L				<4.0		<1.0	

Notes: 1. Printed on 09/12/99

Table 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
P&W East Hartford Colt Street

	Location ID	CS-MW-07	CS-MW-07	CS-MW-07	CS-MW-07	CS-MW-07	CS-MW-07	CS-MW-07
	Sample ID	1004899	1005628	1009522	1012310	1018112	1630975	1643558
	Sample Date	12/13/1994	06/14/1995	12/21/1995	03/21/1996	09/17/1996	03/26/1997	09/22/1997
	Sample Time	15:27	12:30	13:10	12:30	13:10	14:50	12:15
	Sample Depth	5.00' - 15.00	5.00' - 15.00	5.00' - 15.00	5.0' - 15.0'	5.0' - 15.0'	5.00' - 15.00	5.0' - 15.0'
	Laboratory	AEL	AEL	AEL	AEL	AEL	AEL	AEL
	Lab. Number	AEL94011416	AEL95006568	AEL95014176	AEL96002947	AEL96010468	AEL97003643	AEL97010732
Constituent	Units							
Trichloroethane,1,1,1-	µg/L				<4.0		<1.0	
Trichloroethane,1,1,2-	µg/L				<4.0		<1.0	
Trichloroethylene	µg/L				<4.0		<1.0	
Trichloromonofluoromethane	µg/L				<4.0		<1.0	
Trichloropropane,1,2,3-	µg/L				<4.0		<1.0	
Vinyl Acetate	µg/L				<4.0		<2.0	
Vinyl Chloride	µg/L				<2.0 *		<1.0	
Xylenes (Total)	µg/L				<4.0		<1.0	

Notes: 1. Printed on 09/12/99

Table 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
P&W East Hartford Colt Street

	Location ID	CS-MW-07	CS-MW-07	CS-MW-07	CS-MW-07	CS-MW-07	CS-MW-07	CS-MW-07
	Sample ID	1657328	1663492	1831273	1836141	1839005	1839005	1839005
	Sample Date	03/27/1998	09/24/1998	10/30/1998	03/25/1999	05/05/1999	05/05/1999	05/05/1999
	Sample Time	13:10	11:25	14:37	15:50	13:50	13:50	13:50
	Sample Depth	5.0' - 15.0'	5.0' - 15.0'	5.0' - 15.0'	5.0' - 15.0'	5.0' - 15.0'	5.0' - 15.0'	5.0' - 15.0'
	Laboratory	AEL	AEL	LANC	AEL	AEL	AEL	LANC
	Lab. Number	AEL98003917	AEL98011804	3031201	AEL99002842	AEL99004410	AEL99004419	3146559
Constituent	Units							
Depth of Well	FT	16.40	16.40	16.40	16.40	16.19	16.19	16.19
Depth to Water	FT	12.01	15.60	15.40	14.21	14.45	14.45	14.45
Specific Conductivity (field)	µmhos	125	152	141	270	113.6	113.6	113.6
Water Elevation	FT	14.71	11.12	11.32	12.51	12.27	12.27	12.27
pH (field)	SU	5.78	6.00	6.0	5.68	5.57	5.57	5.57
Date Metals Analyzed	-	04/01/1998	10/06/1998	11/09/1998	03/30/1999	05/11/1999	06/07/1999	05/10/1999
Date Organics Analyzed	-	04/10/1998		11/06/1998	04/06/1999			
Date Physical Analyzed	-	04/13/1998	10/13/1998	11/10/1998	04/13/1999			05/14/1999
Arsenic	mg/L			<0.0100 U				
Arsenic (Total)	mg/L							<0.0100 U
Barium	mg/L			0.0172 B				
Barium (Total)	mg/L							0.0148 B
Beryllium	mg/L							
Beryllium (Total)	mg/L							<0.0100 U
Cadmium	mg/L	<0.0010	<0.0010	<0.0100 U	<0.0010			
Cadmium (Total)	mg/L							<0.00050 U
Chromium	mg/L	<0.050	<0.050	<0.0300 U	<0.010		<0.010 F	
Chromium (Total)	mg/L					<0.010		
Chromium (Hexavalent)	mg/L					<0.010		
Copper	mg/L							
Copper (Total)	mg/L							<0.0250 U
Iron	mg/L							
Iron (Total)	mg/L							0.0348 B
Lead	mg/L	<0.0050	<0.0050	<0.0100 U	<0.0050			
Lead (Total)	mg/L							<0.0030 U
Manganese	mg/L							
Manganese (Total)	mg/L							<0.0100 U
Mercury	mg/L			<0.00020 U				

Notes: 1. Printed on 09/12/99

Table 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
P&W East Hartford Colt Street

	Location ID	CS-MW-07	CS-MW-07	CS-MW-07	CS-MW-07	CS-MW-07	CS-MW-07	CS-MW-07
	Sample ID	1657328	1663492	1831273	1836141	1839005	1839005	1839005
	Sample Date	03/27/1998	09/24/1998	10/30/1998	03/25/1999	05/05/1999	05/05/1999	05/05/1999
	Sample Time	13:10	11:25	14:37	15:50	13:50	13:50	13:50
	Sample Depth	5.0' - 15.0'	5.0' - 15.0'	5.0' - 15.0'	5.0' - 15.0'	5.0' - 15.0'	5.0' - 15.0'	5.0' - 15.0'
	Laboratory	AEL	AEL	LANC	AEL	AEL	AEL	LANC
	Lab. Number	AEL98003917	AEL98011804	3031201	AEL99002842	AEL99004410	AEL99004419	3146559
Constituent	Units							
Mercury (Total)	mg/L							<0.00020 U
Nickel	mg/L	<0.10	<0.10		<0.020			
Nickel (Total)	mg/L							<0.0500 U
Selenium	mg/L			<0.0100 U				
Selenium (Total)	mg/L							<0.0050 U
Silver	mg/L			<0.0200 U				
Silver (Total)	mg/L							<0.0200 U
Zinc	mg/L							
Zinc (Total)	mg/L							0.0058 B
Cyanide (Total)	mg/l							<0.0050 U
Fluoride	mg/L	<0.20	<0.20		<0.25			
Specific Conductivity	µmhos							
Total Petroleum Hydrocarbons	mg/l			<0.50 U				
pH	SU							
Acetone	µg/L	<4.0		<20 U	<20			
Acrolein	µg/L	<5.0			<6.0			
Acrylonitrile	µg/L	<4.2			<2.0			
Benzene	µg/L	<1.0		<5 U	<1.0			
Bromobenzene	µg/L	<1.0			<1.0			
Bromoform	µg/L	<1.0		<5 U	<1.0			
Carbon Disulfide	µg/L	<1.0		<5 U	<1.0			
Carbon Tetrachloride	µg/L	<1.0		<5 U	<1.0			
Chlorobenzene	µg/L	<1.0		<5 U	<1.0			
Chlorodibromomethane	µg/L	<0.50		<5 U	<1.0			
Chloroethane	µg/L	<1.0		<5 U	<1.0			
Chloroethyl Vinyl Ether,2-	µg/L	<1.0			<1.0			
Chloroform	µg/L	<1.0		<5 U	<1.0			
Chlorotoluene,o-	µg/L	<1.0			<1.0			

Notes: 1. Printed on 09/12/99

Table 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
P&W East Hartford Colt Street

	Location ID	CS-MW-07	CS-MW-07	CS-MW-07	CS-MW-07	CS-MW-07	CS-MW-07	CS-MW-07
	Sample ID	1657328	1663492	1831273	1836141	1839005	1839005	1839005
	Sample Date	03/27/1998	09/24/1998	10/30/1998	03/25/1999	05/05/1999	05/05/1999	05/05/1999
	Sample Time	13:10	11:25	14:37	15:50	13:50	13:50	13:50
	Sample Depth	5.0' - 15.0'	5.0' - 15.0'	5.0' - 15.0'	5.0' - 15.0'	5.0' - 15.0'	5.0' - 15.0'	5.0' - 15.0'
	Laboratory	AEL	AEL	LANC	AEL	AEL	AEL	LANC
	Lab. Number	AEL98003917	AEL98011804	3031201	AEL99002842	AEL99004410	AEL99004419	3146559
Constituent	Units							
Chlorotoluene,p-	µg/L	<1.0			<1.0			
Dibromomethane	µg/L	<2.0			<2.0			
Dichlorobenzene,1,2-	µg/L	<1.0			<1.0			
Dichlorobenzene,1,3-	µg/L	<1.0			<1.0			
Dichlorobenzene,1,4-	µg/L	<1.0			<1.0			
Dichlorobromomethane	µg/L	<1.0		<5 U	<1.0			
Dichlorodifluoromethane	µg/L	<2.0			<1.0			
Dichloroethane,1,1-	µg/L	<1.0		<5 U	<1.0			
Dichloroethane,1,2-	µg/L	<1.0		<5 U	<1.0			
Dichloroethylene,1,1-	µg/L	<1.0		<5 U	<1.0			
Dichloroethylene,1,2-cis-	µg/L	<1.0		<5 U	<1.0			
Dichloroethylene,1,2-trans-	µg/L	<1.0		<5 U	<1.0			
Dichloropropane,1,2-	µg/L	<1.0		<5 U	<1.0			
Dichloropropylene,1,3-cis-	µg/L	<0.50		<5 U	<0.50			
Dichloropropylene,1,3-trans-	µg/L	<0.50		<5 U	<0.50			
Ethylbenzene	µg/L	<1.0		<5 U	<1.0			
Hexanone,2-	µg/L	<2.0		<10 U	<2.0			
Methyl Bromide	µg/L	<1.0		<5 U	<1.0			
Methyl Chloride	µg/L	<1.0		<5 U	<1.0			
Methyl Ethyl Ketone	µg/L	<3.0		<10 U	<3.0			
Methyl-2-pentanone,4-	µg/L	<2.0		<10 U	<2.0			
Methyl-tert-butyl Ether	µg/L	<1.0			<1.0			
Methylene Chloride	µg/L	<2.0		<5 U	<2.0			
Styrene	µg/L	<1.0		<5 U	<1.0			
Tetrachloroethane,1,1,1,2-	µg/L	<1.0			<1.0			
Tetrachloroethane,1,1,2,2-	µg/L	<0.50		<5 U	<0.50			
Tetrachloroethylene	µg/L	<1.0		<5 U	<1.0			
Toluene	µg/L	<1.0		<5 U	<1.0			

Notes: 1. Printed on 09/12/99

Table 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
P&W East Hartford Colt Street

	Location ID	CS-MW-07	CS-MW-07	CS-MW-07	CS-MW-07	CS-MW-07	CS-MW-07	CS-MW-07
	Sample ID	1657328	1663492	1831273	1836141	1839005	1839005	1839005
	Sample Date	03/27/1998	09/24/1998	10/30/1998	03/25/1999	05/05/1999	05/05/1999	05/05/1999
	Sample Time	13:10	11:25	14:37	15:50	13:50	13:50	13:50
	Sample Depth	5.0' - 15.0'	5.0' - 15.0'	5.0' - 15.0'	5.0' - 15.0'	5.0' - 15.0'	5.0' - 15.0'	5.0' - 15.0'
	Laboratory	AEL	AEL	LANC	AEL	AEL	AEL	LANC
	Lab. Number	AEL98003917	AEL98011804	3031201	AEL99002842	AEL99004410	AEL99004419	3146559
Constituent	Units							
Trichloroethane,1,1,1-	µg/L	<1.0		<5 U	<1.0			
Trichloroethane,1,1,2-	µg/L	<1.0		<5 U	<1.0			
Trichloroethylene	µg/L	<1.0		<5 U	<1.0			
Trichloromonofluoromethane	µg/L	<1.0			<1.0			
Trichloropropane,1,2,3-	µg/L	<1.0			<1.0			
Vinyl Acetate	µg/L	<5.0			<3.0			
Vinyl Chloride	µg/L	<1.0		<5 U	<1.0			
Xylenes (Total)	µg/L	<2.0		<5 U	<2.0			

Notes: 1. Printed on 09/12/99

Table 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
P&W East Hartford Colt Street

	Location ID	CS-MW-07	CS-MW-09	CS-MW-09	CS-MW-09	CS-MW-09	CS-MW-09	CS-MW-09
	Sample ID	1839005	1003439	10004754b	1004901	1005630	1007291	1009524
	Sample Date	05/05/1999	07/01/1994	09/28/1994	12/13/1994	06/14/1995	09/21/1995	12/21/1995
	Sample Time	13:50	16:20	15:28	14:00	13:15	13:40	13:45
	Sample Depth	5.0' - 15.0'	7.00' - 17.00	7.0' - 17.0'	7.00' - 17.00	7.00' - 17.00	7.00' - 17.00	7.00' - 17.00
	Laboratory	LANC	AEL	AEL	AEL	AEL	AEL	AEL
	Lab. Number	3146560	AEL94006198	AEL94009267	AEL94011418	AEL95006570	AEL95010363	AEL95014178
Constituent	Units							
Depth of Well	FT	16.19		18.60		18.70	18.65	18.75
Depth to Water	FT	14.45		13.60		15.00	16.21	13.90
Specific Conductivity (field)	µmhos	113.6		250		180	334	263
Water Elevation	FT	12.27		13.40		12.00	10.79	13.10
pH (field)	SU	5.57		6.43		6.10	5.81	6.9
Date Metals Analyzed	-	05/10/1999						01/22/1996
Date Organics Analyzed	-							
Date Physical Analyzed	-							01/05/1996
Arsenic	mg/L	<0.0100 U						
Arsenic (Total)	mg/L							
Barium	mg/L	0.0150 B						
Barium (Total)	mg/L							
Beryllium	mg/L	<0.0100 U						
Beryllium (Total)	mg/L							
Cadmium	mg/L	<0.00050 U	<0.001	<0.0010	<0.001	<0.001	<0.001	<0.0010
Cadmium (Total)	mg/L							
Chromium	mg/L		<0.01	<0.010	<0.01	<0.01	<0.01	<0.010
Chromium (Total)	mg/L							
Chromium (Hexavalent)	mg/L							
Copper	mg/L	<0.0250 U						
Copper (Total)	mg/L							
Iron	mg/L	0.0191 B						
Iron (Total)	mg/L							
Lead	mg/L	<0.0030 U	<0.01	<0.010	<0.01	<0.005	<0.005	<0.0050
Lead (Total)	mg/L							
Manganese	mg/L	<0.0100 U						
Manganese (Total)	mg/L							
Mercury	mg/L	<0.00020 U						

Notes: 1. Printed on 09/12/99

Table 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
P&W East Hartford Colt Street

	Location ID	CS-MW-07	CS-MW-09	CS-MW-09	CS-MW-09	CS-MW-09	CS-MW-09	CS-MW-09
	Sample ID	1839005	1003439	10004754b	1004901	1005630	1007291	1009524
	Sample Date	05/05/1999	07/01/1994	09/28/1994	12/13/1994	06/14/1995	09/21/1995	12/21/1995
	Sample Time	13:50	16:20	15:28	14:00	13:15	13:40	13:45
	Sample Depth	5.0' - 15.0'	7.00' - 17.00	7.0' - 17.0'	7.00' - 17.00	7.00' - 17.00	7.00' - 17.00	7.00' - 17.00
	Laboratory	LANC	AEL	AEL	AEL	AEL	AEL	AEL
	Lab. Number	3146560	AEL94006198	AEL94009267	AEL94011418	AEL95006570	AEL95010363	AEL95014178
Constituent	Units							
Mercury (Total)	mg/L							
Nickel	mg/L	<0.0500 U	<0.02	<0.020	<0.02	<0.02	<0.02	<0.020
Nickel (Total)	mg/L							
Selenium	mg/L	<0.0050 U						
Selenium (Total)	mg/L							
Silver	mg/L	<0.0200 U						
Silver (Total)	mg/L							
Zinc	mg/L	0.0040 B						
Zinc (Total)	mg/L							
Cyanide (Total)	mg/l							
Fluoride	mg/L		<0.23	<0.20	<0.2	<0.2	<0.2	<0.20
Specific Conductivity	µmhos							
Total Petroleum Hydrocarbons	mg/l							
pH	SU							
Acetone	µg/L							
Acrolein	µg/L							
Acrylonitrile	µg/L							
Benzene	µg/L							
Bromobenzene	µg/L							
Bromoform	µg/L							
Carbon Disulfide	µg/L							
Carbon Tetrachloride	µg/L							
Chlorobenzene	µg/L							
Chlorodibromomethane	µg/L							
Chloroethane	µg/L							
Chloroethyl Vinyl Ether,2-	µg/L							
Chloroform	µg/L							
Chlorotoluene,o-	µg/L							

Notes: 1. Printed on 09/12/99

Table 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
P&W East Hartford Colt Street

	Location ID	CS-MW-07	CS-MW-09	CS-MW-09	CS-MW-09	CS-MW-09	CS-MW-09	CS-MW-09
	Sample ID	1839005	1003439	10004754b	1004901	1005630	1007291	1009524
	Sample Date	05/05/1999	07/01/1994	09/28/1994	12/13/1994	06/14/1995	09/21/1995	12/21/1995
	Sample Time	13:50	16:20	15:28	14:00	13:15	13:40	13:45
	Sample Depth	5.0' - 15.0'	7.00' - 17.00	7.0' - 17.0'	7.00' - 17.00	7.00' - 17.00	7.00' - 17.00	7.00' - 17.00
	Laboratory	LANC	AEL	AEL	AEL	AEL	AEL	AEL
	Lab. Number	3146560	AEL94006198	AEL94009267	AEL94011418	AEL95006570	AEL95010363	AEL95014178
Constituent	Units							
Chlorotoluene,p-	µg/L							
Dibromomethane	µg/L							
Dichlorobenzene,1,2-	µg/L							
Dichlorobenzene,1,3-	µg/L							
Dichlorobenzene,1,4-	µg/L							
Dichlorobromomethane	µg/L							
Dichlorodifluoromethane	µg/L							
Dichloroethane,1,1-	µg/L							
Dichloroethane,1,2-	µg/L							
Dichloroethylene,1,1-	µg/L							
Dichloroethylene,1,2-cis-	µg/L							
Dichloroethylene,1,2-trans-	µg/L							
Dichloropropane,1,2-	µg/L							
Dichloropropylene,1,3-cis-	µg/L							
Dichloropropylene,1,3-trans-	µg/L							
Ethylbenzene	µg/L							
Hexanone,2-	µg/L							
Methyl Bromide	µg/L							
Methyl Chloride	µg/L							
Methyl Ethyl Ketone	µg/L							
Methyl-2-pentanone,4-	µg/L							
Methyl-tert-butyl Ether	µg/L							
Methylene Chloride	µg/L							
Styrene	µg/L							
Tetrachloroethane,1,1,1,2-	µg/L							
Tetrachloroethane,1,1,2,2-	µg/L							
Tetrachloroethylene	µg/L							
Toluene	µg/L							

Notes: 1. Printed on 09/12/99

Table 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
P&W East Hartford Colt Street

	Location ID	CS-MW-07	CS-MW-09	CS-MW-09	CS-MW-09	CS-MW-09	CS-MW-09	CS-MW-09
	Sample ID	1839005	1003439	10004754b	1004901	1005630	1007291	1009524
	Sample Date	05/05/1999	07/01/1994	09/28/1994	12/13/1994	06/14/1995	09/21/1995	12/21/1995
	Sample Time	13:50	16:20	15:28	14:00	13:15	13:40	13:45
	Sample Depth	5.0' - 15.0'	7.00' - 17.00	7.0' - 17.0'	7.00' - 17.00	7.00' - 17.00	7.00' - 17.00	7.00' - 17.00
	Laboratory	LANC	AEL	AEL	AEL	AEL	AEL	AEL
	Lab. Number	3146560	AEL94006198	AEL94009267	AEL94011418	AEL95006570	AEL95010363	AEL95014178
Constituent	Units							
Trichloroethane,1,1,1-	µg/L							
Trichloroethane,1,1,2-	µg/L							
Trichloroethylene	µg/L							
Trichloromonofluoromethane	µg/L							
Trichloropropane,1,2,3-	µg/L							
Vinyl Acetate	µg/L							
Vinyl Chloride	µg/L							
Xylenes (Total)	µg/L							

Notes: 1. Printed on 09/12/99

Table 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
P&W East Hartford Colt Street

	Location ID	CS-MW-09	CS-MW-09	CS-MW-09	CS-MW-09	CS-MW-09	CS-MW-09	CS-MW-09
	Sample ID	1012312	1018106	1630977	1643551	1657330	1663494	1831275
	Sample Date	03/21/1996	09/17/1996	03/26/1997	09/22/1997	03/27/1998	09/24/1998	10/30/1998
	Sample Time	13:25	10:10	15:40	10:40	14:00	12:05	15:25
	Sample Depth	7.0' - 17.0'	7.0' - 17.0'	7.00' - 17.00	7.0' - 17.0'	7.0' - 17.0'	7.0' - 17.0'	7.0' - 17.0'
	Laboratory	AEL	AEL	AEL	AEL	AEL	AEL	LANC
	Lab. Number	AEL96002949	AEL96010462	AEL97003645	AEL97010725	AEL98003919	AEL98011806	3031203
Constituent	Units							
Depth of Well	FT	18.63	18.61	18.60	18.64	18.59	18.60	18.60
Depth to Water	FT	12.10	14.20	13.52	15.23	11.79	14.76	14.75
Specific Conductivity (field)	µmhos	220	195	137	216	224	195	137.9
Water Elevation	FT	14.90	12.80	13.48	11.77	15.21	12.24	12.25
pH (field)	SU	6.9	6.30	6.5	6.00	6.00	6.22	6.4
Date Metals Analyzed	-	04/02/1996	09/20/1996	04/04/1997	10/03/1997	04/01/1998	10/06/1998	11/09/1998
Date Organics Analyzed	-	04/04/1996		04/09/1997		04/10/1998		11/06/1998
Date Physical Analyzed	-	03/26/1996	09/24/1996	04/02/1997	09/22/1997	04/13/1998	10/13/1998	11/10/1998
Arsenic	mg/L							<0.0100 U
Arsenic (Total)	mg/L							
Barium	mg/L							0.0108 B
Barium (Total)	mg/L							
Beryllium	mg/L							
Beryllium (Total)	mg/L							
Cadmium	mg/L	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0100 U
Cadmium (Total)	mg/L							
Chromium	mg/L	<0.010	<0.010	<0.010	<0.010	<0.050	<0.050	<0.0300 U
Chromium (Total)	mg/L							
Chromium (Hexavalent)	mg/L							
Copper	mg/L							
Copper (Total)	mg/L							
Iron	mg/L							
Iron (Total)	mg/L							
Lead	mg/L	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0100 U
Lead (Total)	mg/L							
Manganese	mg/L							
Manganese (Total)	mg/L							
Mercury	mg/L							<0.00020 U

Notes: 1. Printed on 09/12/99

Table 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
P&W East Hartford Colt Street

	Location ID	CS-MW-09	CS-MW-09	CS-MW-09	CS-MW-09	CS-MW-09	CS-MW-09	CS-MW-09
	Sample ID	1012312	1018106	1630977	1643551	1657330	1663494	1831275
	Sample Date	03/21/1996	09/17/1996	03/26/1997	09/22/1997	03/27/1998	09/24/1998	10/30/1998
	Sample Time	13:25	10:10	15:40	10:40	14:00	12:05	15:25
	Sample Depth	7.0' - 17.0'	7.0' - 17.0'	7.00' - 17.00	7.0' - 17.0'	7.0' - 17.0'	7.0' - 17.0'	7.0' - 17.0'
	Laboratory	AEL	AEL	AEL	AEL	AEL	AEL	LANC
	Lab. Number	AEL96002949	AEL96010462	AEL97003645	AEL97010725	AEL98003919	AEL98011806	3031203
Constituent	Units							
Mercury (Total)	mg/L							
Nickel	mg/L	<0.020	<0.020	<0.020	<0.020	<0.10	<0.10	
Nickel (Total)	mg/L							
Selenium	mg/L							<0.0100 U
Selenium (Total)	mg/L							
Silver	mg/L							<0.0200 U
Silver (Total)	mg/L							
Zinc	mg/L							
Zinc (Total)	mg/L							
Cyanide (Total)	mg/l							
Fluoride	mg/L	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	
Specific Conductivity	µmhos				210			
Total Petroleum Hydrocarbons	mg/l							<0.50 U
pH	SU				6.5			
Acetone	µg/L	<20		<4.0		<4.0		<20 U
Acrolein	µg/L	<10		<15		<5.0		
Acrylonitrile	µg/L	<0.66 MDL		<0.65		<4.2		
Benzene	µg/L	<1.0		<1.0		<1.0		<5 U
Bromobenzene	µg/L	<4.0		<1.0		<1.0		
Bromoform	µg/L	<4.0		<1.0		<1.0		<5 U
Carbon Disulfide	µg/L	<4.0		<1.0		<1.0		<5 U
Carbon Tetrachloride	µg/L	<4.0		<1.0		<1.0		<5 U
Chlorobenzene	µg/L	<4.0		<1.0		<1.0		<5 U
Chlorodibromomethane	µg/L	<0.50 MDL		<0.50		<0.50		<5 U
Chloroethane	µg/L	<4.0		<1.0		<1.0		<5 U
Chloroethyl Vinyl Ether,2-	µg/L	<4.0		<1.0		<1.0		
Chloroform	µg/L	<4.0		<1.0		<1.0		<5 U
Chlorotoluene,o-	µg/L	<4.0		<1.0		<1.0		

Notes: 1. Printed on 09/12/99

Table 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
P&W East Hartford Colt Street

	Location ID	CS-MW-09	CS-MW-09	CS-MW-09	CS-MW-09	CS-MW-09	CS-MW-09	CS-MW-09
	Sample ID	1012312	1018106	1630977	1643551	1657330	1663494	1831275
	Sample Date	03/21/1996	09/17/1996	03/26/1997	09/22/1997	03/27/1998	09/24/1998	10/30/1998
	Sample Time	13:25	10:10	15:40	10:40	14:00	12:05	15:25
	Sample Depth	7.0' - 17.0'	7.0' - 17.0'	7.00' - 17.00	7.0' - 17.0'	7.0' - 17.0'	7.0' - 17.0'	7.0' - 17.0'
	Laboratory	AEL	AEL	AEL	AEL	AEL	AEL	LANC
	Lab. Number	AEL96002949	AEL96010462	AEL97003645	AEL97010725	AEL98003919	AEL98011806	3031203
Constituent	Units							
Chlorotoluene,p-	µg/L	<4.0		<1.0		<1.0		
Dibromomethane	µg/L	<4.0		<1.0		<2.0		
Dichlorobenzene,1,2-	µg/L	<4.0		<1.0		<1.0		
Dichlorobenzene,1,3-	µg/L	<4.0		<1.0		<1.0		
Dichlorobenzene,1,4-	µg/L	<4.0		<1.0		<1.0		
Dichlorobromomethane	µg/L	<4.0		<1.0		<1.0		<5 U
Dichlorodifluoromethane	µg/L	<4.0		<1.0		<2.0		
Dichloroethane,1,1-	µg/L	<4.0		<1.0		<1.0		<5 U
Dichloroethane,1,2-	µg/L	<1.0		<1.0		<1.0		<5 U
Dichloroethylene,1,1-	µg/L	<1.0 MDL		<1.0		<1.0		<5 U
Dichloroethylene,1,2-cis-	µg/L	<4.0		<1.0		<1.0		<5 U
Dichloroethylene,1,2-trans-	µg/L	<4.0		<1.0		<1.0		<5 U
Dichloropropane,1,2-	µg/L	<4.0		<1.0		<1.0		<5 U
Dichloropropylene,1,3-cis-	µg/L	<0.50 MDL		<0.50		<0.50		<5 U
Dichloropropylene,1,3-trans-	µg/L	<0.50 MDL		<0.50		<0.50		<5 U
Ethylbenzene	µg/L	<4.0		<1.0		<1.0		<5 U
Hexanone,2-	µg/L	<10		<2.0		<2.0		<10 U
Methyl Bromide	µg/L	<4.0		<1.0		<1.0		<5 U
Methyl Chloride	µg/L	<4.0		<1.0		<1.0		<5 U
Methyl Ethyl Ketone	µg/L	<10		<2.0		<3.0		<10 U
Methyl-2-pentanone,4-	µg/L	<10		<2.0		<2.0		<10 U
Methyl-tert-butyl Ether	µg/L	<4.0		<1.0		<1.0		
Methylene Chloride	µg/L	<4.0		<2.0		<2.0		<5 U
Styrene	µg/L	<4.0		<1.0		<1.0		<5 U
Tetrachloroethane,1,1,1,2-	µg/L	<1.0 MDL		<1.0		<1.0		
Tetrachloroethane,1,1,2,2-	µg/L	<0.50 MDL		<0.50		<0.50		<5 U
Tetrachloroethylene	µg/L	<4.0		<1.0		<1.0		<5 U
Toluene	µg/L	<4.0		<1.0		<1.0		<5 U

Notes: 1. Printed on 09/12/99

Table 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
P&W East Hartford Colt Street

	Location ID	CS-MW-09	CS-MW-09	CS-MW-09	CS-MW-09	CS-MW-09	CS-MW-09	CS-MW-09
	Sample ID	1012312	1018106	1630977	1643551	1657330	1663494	1831275
	Sample Date	03/21/1996	09/17/1996	03/26/1997	09/22/1997	03/27/1998	09/24/1998	10/30/1998
	Sample Time	13:25	10:10	15:40	10:40	14:00	12:05	15:25
	Sample Depth	7.0' - 17.0'	7.0' - 17.0'	7.00' - 17.00	7.0' - 17.0'	7.0' - 17.0'	7.0' - 17.0'	7.0' - 17.0'
	Laboratory	AEL	AEL	AEL	AEL	AEL	AEL	LANC
	Lab. Number	AEL96002949	AEL96010462	AEL97003645	AEL97010725	AEL98003919	AEL98011806	3031203
Constituent	Units							
Trichloroethane,1,1,1-	µg/L	<4.0		<1.0		<1.0		<5 U
Trichloroethane,1,1,2-	µg/L	<4.0		<1.0		<1.0		<5 U
Trichloroethylene	µg/L	<4.0		<1.0		<1.0		<5 U
Trichloromonofluoromethane	µg/L	<4.0		<1.0		<1.0		
Trichloropropane,1,2,3-	µg/L	<4.0		<1.0		<1.0		
Vinyl Acetate	µg/L	<4.0		<2.0		<5.0		
Vinyl Chloride	µg/L	<2.0 *		<1.0		<1.0		<5 U
Xylenes (Total)	µg/L	<4.0		<1.0		<2.0		<5 U

Notes: 1. Printed on 09/12/99

Table 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
P&W East Hartford Colt Street

	Location ID	CS-MW-09	CS-MW-09	CS-MW-09	CS-MW-09	CS-MW-09	CS-MW-10	CS-MW-10
	Sample ID	1836142	1839008	1839008	1839008	1839008	1831266	1831278
	Sample Date	03/25/1999	05/05/1999	05/05/1999	05/05/1999	05/05/1999	10/30/1998	11/09/1998
	Sample Time	16:30	15:10	15:10	15:10	15:10	10:00	12:00
	Sample Depth	7.0' - 17.0'	7.0' - 17.0'	7.0' - 17.0'	7.0' - 17.0'	7.0' - 17.0'	7.5' - 16.5'	7.5' - 16.5'
	Laboratory	AEL	AEL	AEL	LANC	LANC	LANC	LANC
	Lab. Number	AEL99002843	AEL99004412	AEL99004421	3146563	3146564	3036451	3036452
Constituent	Units							
Depth of Well	FT	18.60	18.44	18.44	18.44	18.44	18.90	
Depth to Water	FT	16.85	13.90	13.90	13.90	13.90	16.50	
Specific Conductivity (field)	µmhos	357	172.6	172.6	172.6	172.6	688	
Water Elevation	FT	10.15	13.10	13.10	13.10	13.10	11.11	
pH (field)	SU	6.19	6.17	6.17	6.17	6.17	6.8	
Date Metals Analyzed	-	03/30/1999	05/11/1999	06/07/1999	05/10/1999	05/10/1999	11/15/1998	
Date Organics Analyzed	-	04/06/1999						11/17/1998
Date Physical Analyzed	-	04/13/1999			05/14/1999		11/16/1998	
Arsenic	mg/L					<0.0100 U	<0.0100 U	
Arsenic (Total)	mg/L				<0.0100 U			
Barium	mg/L					0.0070 B	0.131 P	
Barium (Total)	mg/L				0.0076 B			
Beryllium	mg/L					<0.0100 U		
Beryllium (Total)	mg/L				<0.0100 U			
Cadmium	mg/L	<0.0010				<0.00050 U	<0.0100 U	
Cadmium (Total)	mg/L				0.00013 B			
Chromium	mg/L	<0.010		<0.010 F			<0.0300 U	
Chromium (Total)	mg/L		<0.010					
Chromium (Hexavalent)	mg/L		<0.010					
Copper	mg/L					<0.0250 U		
Copper (Total)	mg/L				<0.0250 U			
Iron	mg/L					<0.1 U J		
Iron (Total)	mg/L				0.131 P J			
Lead	mg/L	<0.0050				<0.0030 U	<0.0100 U	
Lead (Total)	mg/L				<0.0030 U			
Manganese	mg/L					<0.0100 U		
Manganese (Total)	mg/L				0.0052 B			
Mercury	mg/L					<0.00020 U	<0.00020 U	

Notes: 1. Printed on 09/12/99

Table 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
P&W East Hartford Colt Street

	Location ID	CS-MW-09	CS-MW-09	CS-MW-09	CS-MW-09	CS-MW-09	CS-MW-10	CS-MW-10
	Sample ID	1836142	1839008	1839008	1839008	1839008	1831266	1831278
	Sample Date	03/25/1999	05/05/1999	05/05/1999	05/05/1999	05/05/1999	10/30/1998	11/09/1998
	Sample Time	16:30	15:10	15:10	15:10	15:10	10:00	12:00
	Sample Depth	7.0' - 17.0'	7.0' - 17.0'	7.0' - 17.0'	7.0' - 17.0'	7.0' - 17.0'	7.5' - 16.5'	7.5' - 16.5'
	Laboratory	AEL	AEL	AEL	LANC	LANC	LANC	LANC
	Lab. Number	AEL99002843	AEL99004412	AEL99004421	3146563	3146564	3036451	3036452
Constituent	Units							
Mercury (Total)	mg/L				<0.00020 U			
Nickel	mg/L	<0.020				<0.0500 U	0.0176 B	
Nickel (Total)	mg/L				<0.0500 U			
Selenium	mg/L					<0.0050 U	<0.0100 U	
Selenium (Total)	mg/L				<0.0050 U			
Silver	mg/L					<0.0200 U	<0.0200 U	
Silver (Total)	mg/L				<0.0200 U			
Zinc	mg/L					0.0089 B	0.0386 P	
Zinc (Total)	mg/L				0.0054 B			
Cyanide (Total)	mg/l				<0.0050 U			
Fluoride	mg/L	<0.25						
Specific Conductivity	µmhos							
Total Petroleum Hydrocarbons	mg/l						1.32 J	
pH	SU							
Acetone	µg/L	<20						12 J
Acrolein	µg/L	<6.0						
Acrylonitrile	µg/L	<2.0						
Benzene	µg/L	<1.0						<5 U
Bromobenzene	µg/L	<1.0						
Bromoform	µg/L	<1.0						<5 U
Carbon Disulfide	µg/L	<1.0						<5 U
Carbon Tetrachloride	µg/L	<1.0						<5 U
Chlorobenzene	µg/L	<1.0						<5 U
Chlorodibromomethane	µg/L	<1.0						<5 U
Chloroethane	µg/L	<1.0						<5 U
Chloroethyl Vinyl Ether,2-	µg/L	<1.0						
Chloroform	µg/L	<1.0						<5 U
Chlorotoluene,o-	µg/L	<1.0						

Notes: 1. Printed on 09/12/99

Table 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
P&W East Hartford Colt Street

	Location ID	CS-MW-09	CS-MW-09	CS-MW-09	CS-MW-09	CS-MW-09	CS-MW-10	CS-MW-10
	Sample ID	1836142	1839008	1839008	1839008	1839008	1831266	1831278
	Sample Date	03/25/1999	05/05/1999	05/05/1999	05/05/1999	05/05/1999	10/30/1998	11/09/1998
	Sample Time	16:30	15:10	15:10	15:10	15:10	10:00	12:00
	Sample Depth	7.0' - 17.0'	7.0' - 17.0'	7.0' - 17.0'	7.0' - 17.0'	7.0' - 17.0'	7.5' - 16.5'	7.5' - 16.5'
	Laboratory	AEL	AEL	AEL	LANC	LANC	LANC	LANC
	Lab. Number	AEL99002843	AEL99004412	AEL99004421	3146563	3146564	3036451	3036452
Constituent	Units							
Chlorotoluene,p-	µg/L	<1.0						
Dibromomethane	µg/L	<2.0						
Dichlorobenzene,1,2-	µg/L	<1.0						
Dichlorobenzene,1,3-	µg/L	<1.0						
Dichlorobenzene,1,4-	µg/L	<1.0						
Dichlorobromomethane	µg/L	<1.0						<5 U
Dichlorodifluoromethane	µg/L	<1.0						
Dichloroethane,1,1-	µg/L	<1.0						<5 U
Dichloroethane,1,2-	µg/L	<1.0						<5 U
Dichloroethylene,1,1-	µg/L	<1.0						<5 U
Dichloroethylene,1,2-cis-	µg/L	<1.0						<5 U
Dichloroethylene,1,2-trans-	µg/L	<1.0						<5 U
Dichloropropane,1,2-	µg/L	<1.0						<5 U
Dichloropropylene,1,3-cis-	µg/L	<0.50						<5 U
Dichloropropylene,1,3-trans-	µg/L	<0.50						<5 U
Ethylbenzene	µg/L	<1.0						<5 U
Hexanone,2-	µg/L	<2.0						<10 U
Methyl Bromide	µg/L	<1.0						<5 U
Methyl Chloride	µg/L	<1.0						<5 U
Methyl Ethyl Ketone	µg/L	<3.0						<10 U
Methyl-2-pentanone,4-	µg/L	<2.0						<10 U
Methyl-tert-butyl Ether	µg/L	<1.0						
Methylene Chloride	µg/L	<2.0						<5 U
Styrene	µg/L	<1.0						<5 U
Tetrachloroethane,1,1,1,2-	µg/L	<1.0						
Tetrachloroethane,1,1,2,2-	µg/L	<0.50						<5 U
Tetrachloroethylene	µg/L	<1.0						<5 U
Toluene	µg/L	<1.0						<5 U

Notes: 1. Printed on 09/12/99

Table 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
P&W East Hartford Colt Street

	Location ID	CS-MW-09	CS-MW-09	CS-MW-09	CS-MW-09	CS-MW-09	CS-MW-10	CS-MW-10
	Sample ID	1836142	1839008	1839008	1839008	1839008	1831266	1831278
	Sample Date	03/25/1999	05/05/1999	05/05/1999	05/05/1999	05/05/1999	10/30/1998	11/09/1998
	Sample Time	16:30	15:10	15:10	15:10	15:10	10:00	12:00
	Sample Depth	7.0' - 17.0'	7.0' - 17.0'	7.0' - 17.0'	7.0' - 17.0'	7.0' - 17.0'	7.5' - 16.5'	7.5' - 16.5'
	Laboratory	AEL	AEL	AEL	LANC	LANC	LANC	LANC
	Lab. Number	AEL99002843	AEL99004412	AEL99004421	3146563	3146564	3036451	3036452
Constituent	Units							
Trichloroethane,1,1,1-	µg/L	<1.0						<5 U
Trichloroethane,1,1,2-	µg/L	<1.0						<5 U
Trichloroethylene	µg/L	<1.0						<5 U
Trichloromonofluoromethane	µg/L	<1.0						
Trichloropropane,1,2,3-	µg/L	<1.0						
Vinyl Acetate	µg/L	<3.0						
Vinyl Chloride	µg/L	<1.0						<5 U
Xylenes (Total)	µg/L	<2.0						<5 U

Notes: 1. Printed on 09/12/99

Table 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
P&W East Hartford Colt Street

	Location ID	CS-MW-10	CS-PZ-01	CS-PZ-01	CS-PZ-01	CS-PZ-01	CS-PZ-01	CS-PZ-01
	Sample ID	1839018	1003431	10004747b	1004893	1005622	1005623	1007292
	Sample Date	05/12/1999	07/01/1994	09/28/1994	12/13/1994	06/14/1995	06/14/1995	09/21/1995
	Sample Time	15:00	14:46	12:55	13:55	10:30	10:30	13:28
	Sample Depth	7.5' - 16.5'	10.00' - 20.0	10.0' - 20.0'	10.00' - 20.0	10.0' - 20.0'	10.0' - 20.0'	10.0' - 20.0'
	Laboratory	LANC	AEL	AEL	AEL	AEL	AEL	AEL
	Lab. Number	3152973	AEL94006190	AEL94009260	AEL94011410	AEL95006562	AEL95006563	AEL95010364
Constituent	Units							
Depth of Well	FT			21.80		21.80	21.80	21.70
Depth to Water	FT			18.12		18.82	18.82	20.44
Specific Conductivity (field)	µmhos			496		383	383	577
Water Elevation	FT			10.10		9.40	9.40	7.78
pH (field)	SU			6.67		6.51	6.51	6.34
Date Metals Analyzed	-	05/20/1999						
Date Organics Analyzed	-							
Date Physical Analyzed	-							
Arsenic	mg/L							
Arsenic (Total)	mg/L	<0.0100 U						
Barium	mg/L							
Barium (Total)	mg/L	0.0900 B						
Beryllium	mg/L							
Beryllium (Total)	mg/L	<0.0100 U						
Cadmium	mg/L		<0.001	<0.0010	<0.001	<0.001	<0.001	<0.001
Cadmium (Total)	mg/L	0.0032 S						
Chromium	mg/L		0.029	0.017	<0.01	0.011	0.012	<0.01
Chromium (Total)	mg/L							
Chromium (Hexavalent)	mg/L							
Copper	mg/L							
Copper (Total)	mg/L	0.0135 B						
Iron	mg/L							
Iron (Total)	mg/L							
Lead	mg/L		<0.01	<0.010	<0.01	<0.005	<0.005	<0.005
Lead (Total)	mg/L							
Manganese	mg/L							
Manganese (Total)	mg/L							
Mercury	mg/L							

Notes: 1. Printed on 09/12/99

Table 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
P&W East Hartford Colt Street

	Location ID	CS-MW-10	CS-PZ-01	CS-PZ-01	CS-PZ-01	CS-PZ-01	CS-PZ-01	CS-PZ-01
	Sample ID	1839018	1003431	10004747b	1004893	1005622	1005623	1007292
	Sample Date	05/12/1999	07/01/1994	09/28/1994	12/13/1994	06/14/1995	06/14/1995	09/21/1995
	Sample Time	15:00	14:46	12:55	13:55	10:30	10:30	13:28
	Sample Depth	7.5' - 16.5'	10.00' - 20.0	10.0' - 20.0'	10.00' - 20.0	10.0' - 20.0'	10.0' - 20.0'	10.0' - 20.0'
	Laboratory	LANC	AEL	AEL	AEL	AEL	AEL	AEL
	Lab. Number	3152973	AEL94006190	AEL94009260	AEL94011410	AEL95006562	AEL95006563	AEL95010364
Constituent	Units							
Mercury (Total)	mg/L	<0.00020 U						
Nickel	mg/L		<0.02	<0.020	<0.02	<0.02	<0.02	<0.02
Nickel (Total)	mg/L	0.0194 B						
Selenium	mg/L							
Selenium (Total)	mg/L	<0.0050 U						
Silver	mg/L							
Silver (Total)	mg/L	<0.0200 U						
Zinc	mg/L							
Zinc (Total)	mg/L	0.0246 B						
Cyanide (Total)	mg/l							
Fluoride	mg/L		<0.22	<0.20	<0.2	<0.2	<0.2	<0.2
Specific Conductivity	µmhos							
Total Petroleum Hydrocarbons	mg/l							
pH	SU							
Acetone	µg/L							
Acrolein	µg/L							
Acrylonitrile	µg/L							
Benzene	µg/L							
Bromobenzene	µg/L							
Bromoform	µg/L							
Carbon Disulfide	µg/L							
Carbon Tetrachloride	µg/L							
Chlorobenzene	µg/L							
Chlorodibromomethane	µg/L							
Chloroethane	µg/L							
Chloroethyl Vinyl Ether,2-	µg/L							
Chloroform	µg/L							
Chlorotoluene,o-	µg/L							

Notes: 1. Printed on 09/12/99

Table 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
P&W East Hartford Colt Street

	Location ID	CS-MW-10	CS-PZ-01	CS-PZ-01	CS-PZ-01	CS-PZ-01	CS-PZ-01	CS-PZ-01
	Sample ID	1839018	1003431	10004747b	1004893	1005622	1005623	1007292
	Sample Date	05/12/1999	07/01/1994	09/28/1994	12/13/1994	06/14/1995	06/14/1995	09/21/1995
	Sample Time	15:00	14:46	12:55	13:55	10:30	10:30	13:28
	Sample Depth	7.5' - 16.5'	10.00' - 20.0	10.0' - 20.0'	10.00' - 20.0	10.0' - 20.0'	10.0' - 20.0'	10.0' - 20.0'
	Laboratory	LANC	AEL	AEL	AEL	AEL	AEL	AEL
	Lab. Number	3152973	AEL94006190	AEL94009260	AEL94011410	AEL95006562	AEL95006563	AEL95010364
Constituent	Units							
Chlorotoluene,p-	µg/L							
Dibromomethane	µg/L							
Dichlorobenzene,1,2-	µg/L							
Dichlorobenzene,1,3-	µg/L							
Dichlorobenzene,1,4-	µg/L							
Dichlorobromomethane	µg/L							
Dichlorodifluoromethane	µg/L							
Dichloroethane,1,1-	µg/L							
Dichloroethane,1,2-	µg/L							
Dichloroethylene,1,1-	µg/L							
Dichloroethylene,1,2-cis-	µg/L							
Dichloroethylene,1,2-trans-	µg/L							
Dichloropropane,1,2-	µg/L							
Dichloropropylene,1,3-cis-	µg/L							
Dichloropropylene,1,3-trans-	µg/L							
Ethylbenzene	µg/L							
Hexanone,2-	µg/L							
Methyl Bromide	µg/L							
Methyl Chloride	µg/L							
Methyl Ethyl Ketone	µg/L							
Methyl-2-pentanone,4-	µg/L							
Methyl-tert-butyl Ether	µg/L							
Methylene Chloride	µg/L							
Styrene	µg/L							
Tetrachloroethane,1,1,1,2-	µg/L							
Tetrachloroethane,1,1,2,2-	µg/L							
Tetrachloroethylene	µg/L							
Toluene	µg/L							

Notes: 1. Printed on 09/12/99

Table 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
P&W East Hartford Colt Street

	Location ID	CS-MW-10	CS-PZ-01	CS-PZ-01	CS-PZ-01	CS-PZ-01	CS-PZ-01	CS-PZ-01
	Sample ID	1839018	1003431	10004747b	1004893	1005622	1005623	1007292
	Sample Date	05/12/1999	07/01/1994	09/28/1994	12/13/1994	06/14/1995	06/14/1995	09/21/1995
	Sample Time	15:00	14:46	12:55	13:55	10:30	10:30	13:28
	Sample Depth	7.5' - 16.5'	10.00' - 20.0	10.0' - 20.0'	10.00' - 20.0	10.0' - 20.0'	10.0' - 20.0'	10.0' - 20.0'
	Laboratory	LANC	AEL	AEL	AEL	AEL	AEL	AEL
	Lab. Number	3152973	AEL94006190	AEL94009260	AEL94011410	AEL95006562	AEL95006563	AEL95010364
Constituent	Units							
Trichloroethane,1,1,1-	µg/L							
Trichloroethane,1,1,2-	µg/L							
Trichloroethylene	µg/L							
Trichloromonofluoromethane	µg/L							
Trichloropropane,1,2,3-	µg/L							
Vinyl Acetate	µg/L							
Vinyl Chloride	µg/L							
Xylenes (Total)	µg/L							

Notes: 1. Printed on 09/12/99

Table 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
P&W East Hartford Colt Street

	Location ID	CS-PZ-01	CS-PZ-01	CS-PZ-01	CS-PZ-01	CS-PZ-01	CS-PZ-01	CS-PZ-01
	Sample ID	1009516	1009517	1012304	1018107	1630969	1643552	1643553
	Sample Date	12/21/1995	12/21/1995	03/21/1996	09/17/1996	03/26/1997	09/22/1997	09/22/1997
	Sample Time	11:45	11:45	10:12	10:35	12:55	11:00	11:00
	Sample Depth	10.0' - 20.0'	10.0' - 20.0'	10.0' - 20.0'	10.0' - 20.0'	10.0' - 20.0'	10.0' - 20.0'	10.0' - 20.0'
	Laboratory	AEL	AEL	AEL	AEL	AEL	AEL	AEL
	Lab. Number	AEL95014170	AEL95014171	AEL96002941	AEL96010463	AEL97003637	AEL97010726	AEL97010727
Constituent	Units							
Depth of Well	FT	21.99	21.99	21.63	21.71	21.69	21.68	21.68
Depth to Water	FT	17.89	17.89	15.94	18.52	17.51	19.47	19.47
Specific Conductivity (field)	µmhos	592	592		335	302	367	367
Water Elevation	FT	10.33	10.33	12.28	9.70	10.71	8.75	8.75
pH (field)	SU	7.1	7.1		6.66	6.8	6.21	6.21
Date Metals Analyzed	-	01/22/1996	01/22/1996	04/02/1996	09/20/1996	04/04/1997	10/03/1997	10/03/1997
Date Organics Analyzed	-			04/03/1996		04/04/1997		
Date Physical Analyzed	-	01/05/1996	01/05/1996	03/26/1996	09/24/1996	04/02/1997	09/22/1997	09/22/1997
Arsenic	mg/L							
Arsenic (Total)	mg/L							
Barium	mg/L							
Barium (Total)	mg/L							
Beryllium	mg/L							
Beryllium (Total)	mg/L							
Cadmium	mg/L	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Cadmium (Total)	mg/L							
Chromium	mg/L	0.023	0.019	0.080	0.027	0.040	<0.010	<0.010
Chromium (Total)	mg/L							
Chromium (Hexavalent)	mg/L							
Copper	mg/L							
Copper (Total)	mg/L							
Iron	mg/L							
Iron (Total)	mg/L							
Lead	mg/L	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Lead (Total)	mg/L							
Manganese	mg/L							
Manganese (Total)	mg/L							
Mercury	mg/L							

Notes: 1. Printed on 09/12/99

Table 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
P&W East Hartford Colt Street

	Location ID	CS-PZ-01	CS-PZ-01	CS-PZ-01	CS-PZ-01	CS-PZ-01	CS-PZ-01	CS-PZ-01
	Sample ID	1009516	1009517	1012304	1018107	1630969	1643552	1643553
	Sample Date	12/21/1995	12/21/1995	03/21/1996	09/17/1996	03/26/1997	09/22/1997	09/22/1997
	Sample Time	11:45	11:45	10:12	10:35	12:55	11:00	11:00
	Sample Depth	10.0' - 20.0'	10.0' - 20.0'	10.0' - 20.0'	10.0' - 20.0'	10.0' - 20.0'	10.0' - 20.0'	10.0' - 20.0'
	Laboratory	AEL	AEL	AEL	AEL	AEL	AEL	AEL
	Lab. Number	AEL95014170	AEL95014171	AEL96002941	AEL96010463	AEL97003637	AEL97010726	AEL97010727
Constituent	Units							
Mercury (Total)	mg/L							
Nickel	mg/L	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Nickel (Total)	mg/L							
Selenium	mg/L							
Selenium (Total)	mg/L							
Silver	mg/L							
Silver (Total)	mg/L							
Zinc	mg/L							
Zinc (Total)	mg/L							
Cyanide (Total)	mg/l							
Fluoride	mg/L	<0.20	<0.20	0.56	<0.20	0.21	<0.20	<0.20
Specific Conductivity	µmhos						360	360
Total Petroleum Hydrocarbons	mg/l							
pH	SU						6.6	6.8
Acetone	µg/L			<20		<4.0		
Acrolein	µg/L			<10		<15		
Acrylonitrile	µg/L			<0.66 MDL		<0.65		
Benzene	µg/L			<1.0		<1.0		
Bromobenzene	µg/L			<4.0		<1.0		
Bromoform	µg/L			<4.0		<1.0		
Carbon Disulfide	µg/L			<4.0		<1.0		
Carbon Tetrachloride	µg/L			<4.0		<1.0		
Chlorobenzene	µg/L			<4.0		<1.0		
Chlorodibromomethane	µg/L			<0.50 MDL		<0.50		
Chloroethane	µg/L			<4.0		<1.0		
Chloroethyl Vinyl Ether,2-	µg/L			<4.0		<1.0		
Chloroform	µg/L			<4.0		<1.0		
Chlorotoluene,o-	µg/L			<4.0		<1.0		

Notes: 1. Printed on 09/12/99

Table 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
P&W East Hartford Colt Street

	Location ID	CS-PZ-01	CS-PZ-01	CS-PZ-01	CS-PZ-01	CS-PZ-01	CS-PZ-01	CS-PZ-01
	Sample ID	1009516	1009517	1012304	1018107	1630969	1643552	1643553
	Sample Date	12/21/1995	12/21/1995	03/21/1996	09/17/1996	03/26/1997	09/22/1997	09/22/1997
	Sample Time	11:45	11:45	10:12	10:35	12:55	11:00	11:00
	Sample Depth	10.0' - 20.0'	10.0' - 20.0'	10.0' - 20.0'	10.0' - 20.0'	10.0' - 20.0'	10.0' - 20.0'	10.0' - 20.0'
	Laboratory	AEL	AEL	AEL	AEL	AEL	AEL	AEL
	Lab. Number	AEL95014170	AEL95014171	AEL96002941	AEL96010463	AEL97003637	AEL97010726	AEL97010727
Constituent	Units							
Chlorotoluene,p-	µg/L			<4.0		<1.0		
Dibromomethane	µg/L			<4.0		<1.0		
Dichlorobenzene,1,2-	µg/L			<4.0		<1.0		
Dichlorobenzene,1,3-	µg/L			<4.0		<1.0		
Dichlorobenzene,1,4-	µg/L			<4.0		<1.0		
Dichlorobromomethane	µg/L			<4.0		<1.0		
Dichlorodifluoromethane	µg/L			<4.0		<1.0		
Dichloroethane,1,1-	µg/L			<4.0		<1.0		
Dichloroethane,1,2-	µg/L			<1.0		<1.0		
Dichloroethylene,1,1-	µg/L			<1.0 MDL		<1.0		
Dichloroethylene,1,2-cis-	µg/L			<4.0		<1.0		
Dichloroethylene,1,2-trans-	µg/L			<4.0		<1.0		
Dichloropropane,1,2-	µg/L			<4.0		<1.0		
Dichloropropylene,1,3-cis-	µg/L			<0.50 MDL		<0.50		
Dichloropropylene,1,3-trans-	µg/L			<0.50 MDL		<0.50		
Ethylbenzene	µg/L			<4.0		<1.0		
Hexanone,2-	µg/L			<10		<2.0		
Methyl Bromide	µg/L			<4.0		<1.0		
Methyl Chloride	µg/L			<4.0		<1.0		
Methyl Ethyl Ketone	µg/L			<10		<2.0		
Methyl-2-pentanone,4-	µg/L			<10		<2.0		
Methyl-tert-butyl Ether	µg/L			<4.0		<1.0		
Methylene Chloride	µg/L			<4.0		<2.0		
Styrene	µg/L			<4.0		<1.0		
Tetrachloroethane,1,1,1,2-	µg/L			<1.0 MDL		<1.0		
Tetrachloroethane,1,1,2,2-	µg/L			<0.50 MDL		<0.50		
Tetrachloroethylene	µg/L			<4.0 N1		5.1		
Toluene	µg/L			<4.0		<1.0		

Notes: 1. Printed on 09/12/99

Table 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
P&W East Hartford Colt Street

	Location ID	CS-PZ-01	CS-PZ-01	CS-PZ-01	CS-PZ-01	CS-PZ-01	CS-PZ-01	CS-PZ-01
	Sample ID	1009516	1009517	1012304	1018107	1630969	1643552	1643553
	Sample Date	12/21/1995	12/21/1995	03/21/1996	09/17/1996	03/26/1997	09/22/1997	09/22/1997
	Sample Time	11:45	11:45	10:12	10:35	12:55	11:00	11:00
	Sample Depth	10.0' - 20.0'	10.0' - 20.0'	10.0' - 20.0'	10.0' - 20.0'	10.0' - 20.0'	10.0' - 20.0'	10.0' - 20.0'
	Laboratory	AEL	AEL	AEL	AEL	AEL	AEL	AEL
	Lab. Number	AEL95014170	AEL95014171	AEL96002941	AEL96010463	AEL97003637	AEL97010726	AEL97010727
Constituent	Units							
Trichloroethane,1,1,1-	µg/L			<4.0		<1.0		
Trichloroethane,1,1,2-	µg/L			<4.0		<1.0		
Trichloroethylene	µg/L			<4.0		<1.0		
Trichloromonofluoromethane	µg/L			<4.0		<1.0		
Trichloropropane,1,2,3-	µg/L			<4.0		<1.0		
Vinyl Acetate	µg/L			<4.0		<2.0		
Vinyl Chloride	µg/L			<2.0 *		<1.0		
Xylenes (Total)	µg/L			<4.0		<1.0		

Notes: 1. Printed on 09/12/99

Table 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
P&W East Hartford Colt Street

	Location ID	CS-PZ-01	CS-PZ-01	CS-PZ-01	CS-PZ-01	CS-PZ-01	CS-PZ-01	CS-PZ-01
	Sample ID	1657322	1657322	1663486	1831267	1836135	1836136	1839000
	Sample Date	03/27/1998	03/27/1998	09/24/1998	10/30/1998	03/25/1999	03/25/1999	05/05/1999
	Sample Time	10:25	10:25	09:45	12:08	13:00	13:00	12:05
	Sample Depth	10.0' - 20.0'	10.0' - 20.0'	10.0' - 20.0'	10.0' - 20.0'	10.0' - 20.0'	10.0' - 20.0'	10.0' - 20.0'
	Laboratory	AEL	AEL	AEL	LANC	AEL	AEL	AEL
	Lab. Number	AEL98003911	AEL98003912	AEL98011798	3031195	AEL99002836	AEL99002837	AEL99004405
Constituent	Units							
Depth of Well	FT	21.70	21.70	21.69	21.69	21.69	21.69	21.50
Depth to Water	FT	15.87	15.87	19.15	19.08	16.67	16.67	17.55
Specific Conductivity (field)	µmhos	661	661	378	384	640	640	487
Water Elevation	FT	12.35	12.35	9.07	9.14	11.55	11.55	10.67
pH (field)	SU	6.83	6.83	6.46	6.6	6.50	6.50	6.49
Date Metals Analyzed	-	04/01/1998	04/01/1998	10/06/1998	11/09/1998	03/30/1999	03/30/1999	05/11/1999
Date Organics Analyzed	-	04/10/1998	04/10/1998		11/06/1998	04/05/1999	04/05/1999	
Date Physical Analyzed	-	04/13/1998	04/13/1998	10/13/1998	11/10/1998	04/13/1999	04/13/1999	
Arsenic	mg/L				<0.0100 U			
Arsenic (Total)	mg/L							
Barium	mg/L				0.0246 B			
Barium (Total)	mg/L							
Beryllium	mg/L							
Beryllium (Total)	mg/L							
Cadmium	mg/L	<0.0010	<0.0010	<0.0010	<0.0100 U	<0.0010	<0.0010	
Cadmium (Total)	mg/L							
Chromium	mg/L	0.193	0.140	<0.050	0.0149 B	<0.010	<0.010	
Chromium (Total)	mg/L							0.026
Chromium (Hexavalent)	mg/L							0.024
Copper	mg/L							
Copper (Total)	mg/L							
Iron	mg/L							
Iron (Total)	mg/L							
Lead	mg/L	<0.0050	<0.0050	<0.0050	<0.0100 U	<0.0050	<0.0050	
Lead (Total)	mg/L							
Manganese	mg/L							
Manganese (Total)	mg/L							
Mercury	mg/L				0.000050 B			

Notes: 1. Printed on 09/12/99

Table 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
P&W East Hartford Colt Street

	Location ID	CS-PZ-01	CS-PZ-01	CS-PZ-01	CS-PZ-01	CS-PZ-01	CS-PZ-01	CS-PZ-01
	Sample ID	1657322	1657322	1663486	1831267	1836135	1836136	1839000
	Sample Date	03/27/1998	03/27/1998	09/24/1998	10/30/1998	03/25/1999	03/25/1999	05/05/1999
	Sample Time	10:25	10:25	09:45	12:08	13:00	13:00	12:05
	Sample Depth	10.0' - 20.0'	10.0' - 20.0'	10.0' - 20.0'	10.0' - 20.0'	10.0' - 20.0'	10.0' - 20.0'	10.0' - 20.0'
	Laboratory	AEL	AEL	AEL	LANC	AEL	AEL	AEL
	Lab. Number	AEL98003911	AEL98003912	AEL98011798	3031195	AEL99002836	AEL99002837	AEL99004405
Constituent	Units							
Mercury (Total)	mg/L							
Nickel	mg/L	<0.10	<0.10	<0.10		<0.020	<0.020	
Nickel (Total)	mg/L							
Selenium	mg/L				<0.0100 U			
Selenium (Total)	mg/L							
Silver	mg/L				<0.0200 U			
Silver (Total)	mg/L							
Zinc	mg/L							
Zinc (Total)	mg/L							
Cyanide (Total)	mg/l							
Fluoride	mg/L	0.37	0.32	<0.20		<0.25	<0.25	
Specific Conductivity	µmhos							
Total Petroleum Hydrocarbons	mg/l				<0.50 U			
pH	SU							
Acetone	µg/L	<4.0	<4.0		<20 U	<20	<20	
Acrolein	µg/L	<5.0	<5.0			<6.0	<6.0	
Acrylonitrile	µg/L	<4.2	<4.2			<2.0	<2.0	
Benzene	µg/L	<1.0	<1.0		<5 U	<1.0	<1.0	
Bromobenzene	µg/L	<1.0	<1.0			<1.0	<1.0	
Bromoform	µg/L	<1.0	<1.0		<5 U	<1.0	<1.0	
Carbon Disulfide	µg/L	<1.0	<1.0		<5 U	<1.0	<1.0	
Carbon Tetrachloride	µg/L	<1.0	<1.0		<5 U	<1.0	<1.0	
Chlorobenzene	µg/L	<1.0	<1.0		<5 U	<1.0	<1.0	
Chlorodibromomethane	µg/L	<0.50	<0.50		<5 U	<1.0	<1.0	
Chloroethane	µg/L	<1.0	<1.0		<5 U	<1.0	<1.0	
Chloroethyl Vinyl Ether,2-	µg/L	<1.0	<1.0			<1.0	<1.0	
Chloroform	µg/L	<1.0	<1.0		<5 U	<1.0	<1.0	
Chlorotoluene,o-	µg/L	<1.0	<1.0			<1.0	<1.0	

Notes: 1. Printed on 09/12/99

Table 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
P&W East Hartford Colt Street

	Location ID	CS-PZ-01	CS-PZ-01	CS-PZ-01	CS-PZ-01	CS-PZ-01	CS-PZ-01	CS-PZ-01
	Sample ID	1657322	1657322	1663486	1831267	1836135	1836136	1839000
	Sample Date	03/27/1998	03/27/1998	09/24/1998	10/30/1998	03/25/1999	03/25/1999	05/05/1999
	Sample Time	10:25	10:25	09:45	12:08	13:00	13:00	12:05
	Sample Depth	10.0' - 20.0'	10.0' - 20.0'	10.0' - 20.0'	10.0' - 20.0'	10.0' - 20.0'	10.0' - 20.0'	10.0' - 20.0'
	Laboratory	AEL	AEL	AEL	LANC	AEL	AEL	AEL
	Lab. Number	AEL98003911	AEL98003912	AEL98011798	3031195	AEL99002836	AEL99002837	AEL99004405
Constituent	Units							
Chlorotoluene,p-	µg/L	<1.0	<1.0			<1.0	<1.0	
Dibromomethane	µg/L	<2.0	<2.0			<2.0	<2.0	
Dichlorobenzene,1,2-	µg/L	<1.0	<1.0			<1.0	<1.0	
Dichlorobenzene,1,3-	µg/L	<1.0	<1.0			<1.0	<1.0	
Dichlorobenzene,1,4-	µg/L	<1.0	<1.0			<1.0	<1.0	
Dichlorobromomethane	µg/L	<1.0	<1.0		<5 U	<1.0	<1.0	
Dichlorodifluoromethane	µg/L	<2.0	<2.0			<1.0	<1.0	
Dichloroethane,1,1-	µg/L	<1.0	<1.0		<5 U	<1.0	<1.0	
Dichloroethane,1,2-	µg/L	<1.0	<1.0		<5 U	<1.0	<1.0	
Dichloroethylene,1,1-	µg/L	<1.0	<1.0		<5 U	<1.0	<1.0	
Dichloroethylene,1,2-cis-	µg/L	<1.0	<1.0		<5 U	<1.0	<1.0 N1	
Dichloroethylene,1,2-trans-	µg/L	<1.0	<1.0		<5 U	<1.0	<1.0	
Dichloropropane,1,2-	µg/L	<1.0	<1.0		<5 U	<1.0	<1.0	
Dichloropropylene,1,3-cis-	µg/L	<0.50	<0.50		<5 U	<0.50	<0.50	
Dichloropropylene,1,3-trans-	µg/L	<0.50	<0.50		<5 U	<0.50	<0.50	
Ethylbenzene	µg/L	<1.0	<1.0		<5 U	<1.0	<1.0	
Hexanone,2-	µg/L	<2.0	<2.0		<10 U	<2.0	<2.0	
Methyl Bromide	µg/L	<1.0	<1.0		<5 U	<1.0	<1.0	
Methyl Chloride	µg/L	<1.0	<1.0		<5 U	<1.0	<1.0	
Methyl Ethyl Ketone	µg/L	<3.0	<3.0		<10 U	<3.0	<3.0	
Methyl-2-pentanone,4-	µg/L	<2.0	<2.0		<10 U	<2.0	<2.0	
Methyl-tert-butyl Ether	µg/L	<1.0	<1.0			<1.0	<1.0	
Methylene Chloride	µg/L	<2.0	<2.0		<5 U	<2.0	<2.0	
Styrene	µg/L	<1.0	<1.0		<5 U	<1.0	<1.0	
Tetrachloroethane,1,1,1,2-	µg/L	<1.0	<1.0			<1.0	<1.0	
Tetrachloroethane,1,1,2,2-	µg/L	<0.50	<0.50		<5 U	<0.50	<0.50	
Tetrachloroethylene	µg/L	2.1	2.5		3 J	1.6	1.7	
Toluene	µg/L	<1.0	<1.0		<5 U	<1.0	<1.0	

Notes: 1. Printed on 09/12/99

Table 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
P&W East Hartford Colt Street

	Location ID	CS-PZ-01	CS-PZ-01	CS-PZ-01	CS-PZ-01	CS-PZ-01	CS-PZ-01	CS-PZ-01
	Sample ID	1657322	1657322	1663486	1831267	1836135	1836136	1839000
	Sample Date	03/27/1998	03/27/1998	09/24/1998	10/30/1998	03/25/1999	03/25/1999	05/05/1999
	Sample Time	10:25	10:25	09:45	12:08	13:00	13:00	12:05
	Sample Depth	10.0' - 20.0'	10.0' - 20.0'	10.0' - 20.0'	10.0' - 20.0'	10.0' - 20.0'	10.0' - 20.0'	10.0' - 20.0'
	Laboratory	AEL	AEL	AEL	LANC	AEL	AEL	AEL
	Lab. Number	AEL98003911	AEL98003912	AEL98011798	3031195	AEL99002836	AEL99002837	AEL99004405
Constituent	Units							
Trichloroethane,1,1,1-	µg/L	<1.0	<1.0		<5 U	<1.0	<1.0	
Trichloroethane,1,1,2-	µg/L	<1.0	<1.0		<5 U	<1.0	<1.0	
Trichloroethylene	µg/L	<1.0	<1.0		<5 U	<1.0	<1.0	
Trichloromonofluoromethane	µg/L	<1.0	<1.0			<1.0	<1.0	
Trichloropropane,1,2,3-	µg/L	<1.0	<1.0			<1.0	<1.0	
Vinyl Acetate	µg/L	<5.0	<5.0			<3.0	<3.0	
Vinyl Chloride	µg/L	<1.0	<1.0		<5 U	<1.0	<1.0	
Xylenes (Total)	µg/L	<2.0	<2.0		<5 U	<2.0	<2.0	

Notes: 1. Printed on 09/12/99

Table 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
P&W East Hartford Colt Street

	Location ID	CS-PZ-01	CS-PZ-01	CS-PZ-01				
	Sample ID	1839000	1839000	1839000				
	Sample Date	05/05/1999	05/05/1999	05/05/1999				
	Sample Time	12:05	12:05	12:05				
	Sample Depth	10.0' - 20.0'	10.0' - 20.0'	10.0' - 20.0'				
	Laboratory	AEL	LANC	LANC				
	Lab. Number	AEL99004414	3146549	3146550				
Constituent	Units							
Depth of Well	FT	21.50	21.50	21.50				
Depth to Water	FT	17.55	17.55	17.55				
Specific Conductivity (field)	µmhos	487	487	487				
Water Elevation	FT	10.67	10.67	10.67				
pH (field)	SU	6.49	6.49	6.49				
Date Metals Analyzed	-	05/10/1999	05/10/1999	05/10/1999				
Date Organics Analyzed	-							
Date Physical Analyzed	-		05/14/1999					
Arsenic	mg/L			<0.0100 U				
Arsenic (Total)	mg/L		<0.0100 U					
Barium	mg/L			0.0290 B				
Barium (Total)	mg/L		0.0290 B					
Beryllium	mg/L			<0.0100 U				
Beryllium (Total)	mg/L		<0.0100 U					
Cadmium	mg/L			<0.00050 U				
Cadmium (Total)	mg/L		<0.00050 U					
Chromium	mg/L	<0.010 F						
Chromium (Total)	mg/L							
Chromium (Hexavalent)	mg/L							
Copper	mg/L			<0.0250 U				
Copper (Total)	mg/L		<0.0250 U					
Iron	mg/L			<0.1 U				
Iron (Total)	mg/L		0.0572 B					
Lead	mg/L			<0.0030 U J				
Lead (Total)	mg/L		<0.0030 U					
Manganese	mg/L			<0.0100 U				
Manganese (Total)	mg/L		0.0079 B					
Mercury	mg/L			<0.00020 U				

Notes: 1. Printed on 09/12/99

Table 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
P&W East Hartford Colt Street

	Location ID	CS-PZ-01	CS-PZ-01	CS-PZ-01				
	Sample ID	1839000	1839000	1839000				
	Sample Date	05/05/1999	05/05/1999	05/05/1999				
	Sample Time	12:05	12:05	12:05				
	Sample Depth	10.0' - 20.0'	10.0' - 20.0'	10.0' - 20.0'				
	Laboratory	AEL	LANC	LANC				
	Lab. Number	AEL99004414	3146549	3146550				
Constituent	Units							
Mercury (Total)	mg/L		<0.00020 U					
Nickel	mg/L			<0.0500 U				
Nickel (Total)	mg/L		<0.0500 U					
Selenium	mg/L			<0.0050 U				
Selenium (Total)	mg/L		<0.0050 U					
Silver	mg/L			<0.0200 U				
Silver (Total)	mg/L		<0.0200 U					
Zinc	mg/L			0.0116 B				
Zinc (Total)	mg/L		0.0127 B					
Cyanide (Total)	mg/l		0.0087 J					
Fluoride	mg/L							
Specific Conductivity	µmhos							
Total Petroleum Hydrocarbons	mg/l							
pH	SU							
Acetone	µg/L							
Acrolein	µg/L							
Acrylonitrile	µg/L							
Benzene	µg/L							
Bromobenzene	µg/L							
Bromoform	µg/L							
Carbon Disulfide	µg/L							
Carbon Tetrachloride	µg/L							
Chlorobenzene	µg/L							
Chlorodibromomethane	µg/L							
Chloroethane	µg/L							
Chloroethyl Vinyl Ether,2-	µg/L							
Chloroform	µg/L							
Chlorotoluene,o-	µg/L							

Notes: 1. Printed on 09/12/99

Table 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
P&W East Hartford Colt Street

	Location ID	CS-PZ-01	CS-PZ-01	CS-PZ-01				
	Sample ID	1839000	1839000	1839000				
	Sample Date	05/05/1999	05/05/1999	05/05/1999				
	Sample Time	12:05	12:05	12:05				
	Sample Depth	10.0' - 20.0'	10.0' - 20.0'	10.0' - 20.0'				
	Laboratory	AEL	LANC	LANC				
	Lab. Number	AEL99004414	3146549	3146550				
Constituent	Units							
Chlorotoluene,p-	µg/L							
Dibromomethane	µg/L							
Dichlorobenzene,1,2-	µg/L							
Dichlorobenzene,1,3-	µg/L							
Dichlorobenzene,1,4-	µg/L							
Dichlorobromomethane	µg/L							
Dichlorodifluoromethane	µg/L							
Dichloroethane,1,1-	µg/L							
Dichloroethane,1,2-	µg/L							
Dichloroethylene,1,1-	µg/L							
Dichloroethylene,1,2-cis-	µg/L							
Dichloroethylene,1,2-trans-	µg/L							
Dichloropropane,1,2-	µg/L							
Dichloropropylene,1,3-cis-	µg/L							
Dichloropropylene,1,3-trans-	µg/L							
Ethylbenzene	µg/L							
Hexanone,2-	µg/L							
Methyl Bromide	µg/L							
Methyl Chloride	µg/L							
Methyl Ethyl Ketone	µg/L							
Methyl-2-pentanone,4-	µg/L							
Methyl-tert-butyl Ether	µg/L							
Methylene Chloride	µg/L							
Styrene	µg/L							
Tetrachloroethane,1,1,1,2-	µg/L							
Tetrachloroethane,1,1,2,2-	µg/L							
Tetrachloroethylene	µg/L							
Toluene	µg/L							

Notes: 1. Printed on 09/12/99

Click Here to Go to Table 3

Table 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
P&W East Hartford Colt Street

	Location ID	CS-PZ-01	CS-PZ-01	CS-PZ-01				
	Sample ID	1839000	1839000	1839000				
	Sample Date	05/05/1999	05/05/1999	05/05/1999				
	Sample Time	12:05	12:05	12:05				
	Sample Depth	10.0' - 20.0'	10.0' - 20.0'	10.0' - 20.0'				
	Laboratory	AEL	LANC	LANC				
	Lab. Number	AEL99004414	3146549	3146550				
Constituent	Units							
Trichloroethane,1,1,1-	µg/L							
Trichloroethane,1,1,2-	µg/L							
Trichloroethylene	µg/L							
Trichloromonofluoromethane	µg/L							
Trichloropropane,1,2,3-	µg/L							
Vinyl Acetate	µg/L							
Vinyl Chloride	µg/L							
Xylenes (Total)	µg/L							

Notes: 1. Printed on 09/12/99