



89 Crawford Street
Leominster, Massachusetts 01453
Tel: 774.450.7177
Fax: 888.835.0617
www.lrt-llc.net

February 18, 2016

U.S. Environmental Protection Agency-Region 1
5 Post Office Square, Suite 100
Mail Code OEP06-4
Boston, Massachusetts 02109-3912
Attn.: Dewatering General Permit NOI Processing

**Reference: Notice of Intent (NOI)
Dewatering General Permit (DGP)
Scituate Public Safety Facility
800 Chief Justice Cushing Highway
Scituate, Massachusetts**

To Whom It May Concern:

On behalf of J. Derenzo Company (JDC), Lockwood Remediation Technologies, LLC (LRT) has prepared this Notice of Intent (NOI) for coverage under the National Pollutant Discharge Elimination System (NPDES) Dewatering General Permit (DGP) (MAG070000). This NOI was prepared in accordance with the general requirements of the NPDES and related guidance documentation provided by the US Environmental Protection Agency (EPA). The completed NOI form is provided in Appendix A.

Site Information

This NOI has been prepared for the management of water generated during the construction of a new public safety facility for the Scituate Police and Fire Department in Scituate, Massachusetts (the Site); please refer to Figure 1 for a locus map and an overview of the immediate area surrounding the Site. The work area, located at 800 Chief Justice Cushing Highway, is depicted in Figure 2 along with the proposed treated water discharge location.

Work Summary

The work scope at the site includes the construction of new structures. In order to complete portions of this work, dewatering is required. All water generated from the dewatering of the excavations will be pumped to a water treatment system, depicted in Figure 3, prior to discharge to a catch basin that flows into Tack Factory Pond. To characterize water from the excavation, LRT collected a representative groundwater sample from an excavation pit on February 8, 2016. This sample was analyzed for the parameters in accordance with the NPDES DGP, Appendix VIII. Laboratory data reports for this sample are provided in Appendix B.

Discharge and Receiving Surface Water Information

A groundwater sample collected by LRT on February 8, 2016 was submitted for the following analyses: total suspended solids (TSS), selected metals, hardness, pH and chloride. The results of this sampling are below applicable Remediation General Permit (RGP) standards. Refer to Figure 3 for the water treatment system layout.

Consultation with Federal Services

LRT reviewed online electronic data viewers and databases from the Massachusetts Geographical Information System (MassGIS), the Massachusetts Division of Fisheries and Wildlife (MassWildlife; Natural Heritage and Endangered Species Program), and the U.S. National Parks Service Natural Historic Places (NPS). Based on this review, neither the Site nor the point where the proposed discharge reaches the receiving surface water body are Areas of Critical Environmental Concern (ACEC), Habitats of Rare Wetland Wildlife, Habitats of Rare Species, Estimated Habitats of Rare Wildlife, or listed as a National Historic Place.

Coverage under NPDES DGP

It is our opinion that the proposed discharge is eligible for coverage under the NPDES DGP. On behalf of JDC, we are requesting coverage under the NPDES DGP for the discharge of wastewater during construction activities to Tack Factory Pond.

The enclosed NOI form provides required information on the general site conditions, discharge, treatment system, receiving water, and consultation with federal services. For this project, JDC is the operator that has operational control over the construction plans and specifications, including the ability to make modifications to those plans and specifications.

Please feel free to contact us at 774-450-7177 or at plockwood@lrt-llc.net if you have any questions or if you require additional information.

Sincerely,
Lockwood Remediation Technologies, LLC

Paul Lockwood

Paul Lockwood
President

Attachments:

- Figure 1 Locus Plan
- Figure 2 Discharge Location
- Figure 3 Water Treatment System Layout
- Appendix A – NOI Form
- Appendix B – Laboratory Data
- Appendix C – Supplemental Information

Figures




Site Location:

Latitude: 42.207931
 Longitude: -70.780658



89 Crawford Street
 Leominster, Massachusetts 01453
 Tel: 774.450.7177
 Fax: 888.835.0617
 www.lrt-llc.net

Figure 1 – Locus Map
 Scituate Public Safety Facility
 800 Chief Justice Cushing Highway
 Scituate, Massachusetts



Source: Google Maps


KEY

- Catch Basin ⊕
- Discharge Location ⊕



89 Crawford Street
 Leominster, Massachusetts 01453
 Tel: 774.450.7177
 Fax: 888.835.0617
 www.lrt-llc.net

Figure 2 - Discharge Location
 Scituate Public Safety Facility
 800 Chief Justice Cushing Highway
 Scituate, Massachusetts



Notes:

- 1.) Figure is not to scale.
- 2.) The water treatment system is rated for 50 gallons per minute.
- 3.) All dewatering effluent water shall be routed to the treatment system.



89 Crawford Street
 Leominster, Massachusetts 01453
 Tel: 774.450.7177
 Fax: 888.835.0617
 www.lrt-llc.net

Figure 3 - Water Treatment System Layout
 Scituate Public Safety Facility
 800 Chief Justice Cushing Highway
 Scituate, Massachusetts

Appendix A – NOI Form

II. Suggested Notice of Intent (NOI) Format

1. General facility information. Please provide the following information about the facility.

a) Name of facility:	Mailing Address for the Facility:	
b) Location Address of the Facility (if different from mailing address):	Facility Location	Type of Business:
	longitude: _____ latitude: _____	Facility SIC codes:
c) Name of facility owner: _____ Owner's email: _____ Owner's Tel #: _____ Owner's Fax #: _____ Address of owner (if different from facility address) Town of Scituate 600 Chief Justice Highway Scituate, MA 02066 Owner is (check one): 1. Federal _____ 2. State _____ 3. Private _____ 4. Other _____ (Describe) _____		
Legal name of Operator, if not owner: _____ Operator Contact Name: _____ Operator Tel Number: _____ Fax Number: _____ Operator's email: _____ Operator Address (if different from owner) _____		
d) Attach a topographic map indicating the location of the facility and the outfall(s) to the receiving water. Map attached? _____		
e) Check Yes or No for the following: 1. Has a prior NPDES permit been granted for the discharge? Yes _____ No _____ If Yes, Permit Number: _____ 2. Is the discharge a "new discharger" as defined by 40 CFR Section 122.2? Yes _____ No _____ 3. Is the facility covered by an individual NPDES permit? Yes _____ No _____ If Yes, Permit Number _____ 4. Is there a pending application on file with EPA for this discharge? Yes _____ No _____ If Yes, date of submittal: _____		

2. Discharge information. Please provide information about the discharge, (attaching additional sheets as needed)

a) Name of receiving water into which discharge will occur: _____
State Water Quality Classification: _____ Freshwater: _____ Marine Water: _____

- b) Describe the discharge activities for which the owner/applicant is seeking coverage:
1. Construction dewatering of groundwater intrusion and/or storm water accumulation.
 2. Short-term or long-term dewatering of foundation sumps.
 3. Other.

c) Number of outfalls _____

For each outfall:

d) Estimate the maximum daily and average monthly flow of the discharge (in gallons per day – GPD). Max Daily Flow _____ GPD
Average Monthly Flow _____ GPD

e.) What is the maximum and minimum monthly pH of the discharge (in s.u.)? Max pH _____ Min pH _____

f.) Identify the source of the discharge (i.e. potable water, surface water, or groundwater). If groundwater, the facility shall submit effluent test results, as required in Section 4.4.5 of the General Permit. Groundwater

g.) What treatment does the wastewater receive prior to discharge? Weir tank and bag filtration

h.) Is the discharge continuous? Yes _____ No _____ If no, is the discharge periodic (P) (occurs regularly, i.e., monthly or seasonally, but is not continuous all year) or intermittent (I) (occurs sometimes but not regularly) or both (B) _____
If (P), number of days or months per year of the discharge _____ and the specific months of discharge _____ ;
If (I), number of days/year there is a discharge _____
Is the discharge temporary? Yes _____ No _____
If yes, approximate start date of dewatering _____ approximate end date of dewatering _____

i.) Latitude and longitude of each discharge within 100 feet (See http://www.epa.gov/tri/report/siting_tool): Outfall 1: long. _____ lat. _____ ; Outfall 2: long. _____ lat. _____ ; Outfall 3: long. _____ lat. _____ .

j.) If the source of the discharge is potable water, please provide the reported or calculated seven day-ten year low flow (7Q10) of the receiving water and attach any calculation sheets used to support stream flow and dilution calculations _____ cfs
(See Appendix VII for equations and additional information)

MASSACHUSETTS FACILITIES: See Section 3.4 and Appendix 1 of the General Permit for more information on Areas of Critical Environmental Concern (ACEC):

k.) Does the discharge occur in an ACEC? Yes _____ No _____
If yes, provide the name of the ACEC: _____

3. Contaminant Information

- a) Are any pH neutralization and/or dechlorination chemicals used in the discharge? If so, include the chemical name and manufacturer; maximum and average daily quantity used as well as the maximum and average daily expected concentrations (mg/l) in the discharge, and the vendor's reported aquatic toxicity (NOAEL and/or LC₅₀ in percent for aquatic organism(s)).
- b) Please report any known remediation activities or water-quality issues in the vicinity of the discharge.

4. Determination of Endangered Species Act Eligibility: Provide documentation of ESA eligibility as required at Part 3.4 and Appendix IV. In addition, respond to the following questions.

- a) Which of the three eligibility criteria listed in Appendix IV, Criterion (A, B, or C) have you met? _____
- b) Please attach documentation with your NOI supporting your response. Please see Appendix IV for acceptable documentation

5. Documentation of National Historic Preservation Act requirements: Please respond to the following questions:

- a) See Screening Process in Appendix III and respond to questions regarding your site and any historic properties listed or eligible for listing on the National Register of Historic Places. Question 1: Yes _____ No _____ ; Question 2: No _____ Yes _____
- b) Have any State or Tribal historic preservation officers been consulted in this determination? Yes _____ or No _____ If yes, attach the results of the consultation(s).
- c) Which of the three National Historic Preservation Act eligibility criterion listed in Appendix III, Criterion (A, B, or C) have you met? _____
- d) Is the project located on property of religious or cultural significance to an Indian Tribe? Yes _____ or No _____ If yes, provide that name of the Indian Tribe associated with the property. _____

6. Supplemental Information: Please provide any supplemental information. Attach any analytical data used to support the application. Attach any certification(s) required by the general permit

7. Signature Requirements: The Notice of Intent must be signed by the operator in accordance with the signatory requirements of 40 CFR Section 122.22 (see below) including the following certification:

I certify under penalty of law that (1) no biocides or other chemical additives except for those used for pH adjustment and/or dechlorination are used in the dewatering system; (2) the discharge consists solely of dewatering and authorized pH adjustment and/or dechlorination chemicals; (3) the discharge does not come in contact with any raw materials, intermediate product, water product or finished product; (4) if the discharge of dewatering subsequently mixes with other permitted wastewater (i.e. stormwater) prior to discharging to the receiving water, any monitoring provided under this permit will be only for dewatering discharge; (5) where applicable, the facility has complied with the requirements of this permit specific to the Endangered Species Act and National Historic Preservation Act; and (6) this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted.

Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, I certify that the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I certify that I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Facility Name: Scituate Public Safety Facility

Operator signature:



Print Full Name and Title:

Michael J. McCarthy EVP

Date:

2-10-16

Federal regulations require this application to be signed as follows:

1. For a corporation, by a principal executive officer of at least the level of vice president;
2. For partnership or sole proprietorship, by a general partner or the proprietor, respectively, or,
3. For a municipality, State, Federal or other public facility, by either a principal executive officer or ranking elected official.

Appendix B – Laboratory Data

ANALYTICAL REPORT



Thursday, February 18, 2016

Tammie Hagie
LRT, LLC
89 Crawford Street
Leominster, MA 01453

GeoLabs, Inc.
45 Johnson Lane
Braintree MA 02184
Tele: 781 848 7844
Fax: 781 848 7811

TEL: (774) 450-7177

FAX:

Project: 2-1344
Location: Scituate Police Station

Order No.: 1602055

Dear Tammie Hagie:

GeoLabs, Inc. received 1 sample(s) on 2/9/2016 for the analyses presented in the following report.

The laboratory results in this report relate only to samples submitted.

All data for associated QC met method or laboratory specifications, except when noted in the Case Narrative.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

A handwritten signature in black ink, appearing to read "David Mick", is written over the word "Sincerely," and extends downwards into the name and title below.

David Mick
Laboratory Director

For current certifications, please visit our website at www.geolabs.com

Certifications:

CT (PH-0148) - MA (M-MA015) - NH (2508) - RI (LA000252)

Date: 18-Feb-16

CLIENT: LRT, LLC
Project: 2-1344
Lab Order: 1602055

CASE NARRATIVE

Physical Condition of Samples

The project was received by the laboratory in satisfactory condition. The sample(s) were received undamaged, in appropriate containers with the correct preservation.

Project Documentation

The project was accompanied by satisfactory Chain of Custody documentation.

Analysis of Sample(s)

All extractable samples were extracted and analyzed and any Volatile samples were analyzed within method specified holding times and according to GeoLabs documented Standard Operating Procedure. No analytical anomalies or non-conformances were noted by the laboratory during the processing of these samples.

SIGNATURE:



LAB DIRECTOR

PRINTED NAME: David Mick

DATE: 2/18/16

GeoLabs, Inc.

45 Johnson Lane ~ Braintree MA 02184 ~ 781 848 7844 ~ 781 848 7811

ANALYTICAL REPORT

Reported Date: 18-Feb-16

CLIENT: LRT, LLC
Lab Order: 1602055
Project: 2-1344
Lab ID: 1602055-001

Client Sample ID: EX020816
Collection Date: 2/8/2016 9:30:00 AM
Date Received: 2/9/2016
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

TOTAL SUSPENDED SOLIDS - SM2540D Analyst: WFR

Prep Method: Prep Date:

Total Suspended Solids	5.00	5.00		mg/L	1	2/10/2016 9:30:00 AM
------------------------	------	------	--	------	---	----------------------

TOTAL METALS BY ICP - SW6010B Analyst: ZYZ

Prep Method: (SW3010A) Prep Date: 2/12/2016 2:55:36 PM

Antimony	ND	0.0500		mg/L	1	2/17/2016
Arsenic	ND	0.100		mg/L	1	2/17/2016
Cadmium	ND	0.00500		mg/L	1	2/17/2016
Chromium	ND	0.0500		mg/L	1	2/17/2016
Iron	0.749	0.100		mg/L	1	2/17/2016
Lead	ND	0.0500		mg/L	1	2/17/2016
Nickel	ND	0.0200		mg/L	1	2/17/2016
Selenium	ND	0.0500		mg/L	1	2/17/2016
Zinc	ND	0.0500		mg/L	1	2/17/2016

TOTAL HARDNESS - SM2340B Analyst: Admir

Prep Method: Prep Date:

Hardness, Calcium/Magnesium (As CaCO3)	17.8	1.50		mg/L CaCO3	1	2/17/2017
----------------------------------------	------	------	--	------------	---	-----------

TOTAL MERCURY - E245.1 Analyst: EC

Prep Method: (SW7470A/E245.1) Prep Date: 2/12/2016 4:36:07 PM

Mercury	ND	0.0005		mg/L	1	2/12/2016
---------	----	--------	--	------	---	-----------

CHLORIDE - L-10-117-07-1-B Analyst: RP

Prep Method: Prep Date:

Chloride	5.85	1.00		mg/L	1	2/11/2016
----------	------	------	--	------	---	-----------

Qualifiers:

B	Analyte detected in the associated Method Blank	BRL	Below Reporting Limit
E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
RL	Reporting Limit	S	Spike Recovery outside recovery limits

ANALYTICAL REPORT

Reported Date: 18-Feb-16

CLIENT: LRT, LLC
Lab Order: 1602055
Project: 2-1344
Lab ID: 1602055-001

Client Sample ID: EX020816
Collection Date: 2/8/2016 9:30:00 AM
Date Received: 2/9/2016
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
-----------------	---------------	-----------	-------------	--------------	-----------	----------------------

HEXAVALENT CHROMIUM - SM3500-CR-D

Analyst: RP

Prep Method:

Prep Date:

Chromium, Hexavalent	ND	0.100	H	mg/L	1	2/10/2016 9:10:00 AM
----------------------	----	-------	---	------	---	----------------------

Qualifiers:	B	Analyte detected in the associated Method Blank	BRL	Below Reporting Limit
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	RL	Reporting Limit	S	Spike Recovery outside recovery limits

GeoLabs, Inc.

45 Johnson Lane ~ Braintree MA 02184 ~ 781 848 7844 ~ 781 848 7811

1602055

GeoLabs, Inc. Environmental Laboratories 45 Johnson Lane Braintree, MA 02184 Office: 781-848-7844 Fax: 781-848-7811	Turnaround Time RUSH: 24hrs <input type="checkbox"/> 48hrs <input type="checkbox"/> 72hrs <input checked="" type="checkbox"/>	STANDARD: 5 Days _____ Rush _____ Approved By: _____	Page 1 of 1
	SPECIAL INSTRUCTIONS		

Client: <u>LRT</u>	Project Number: <u>2-1344</u>
Address: <u>89 Crawford Street</u> <u>Leominster, MA 01453</u>	Project Location: <u>Scituate Police Station</u>
Phone: <u>774-450-7177</u>	Purchase Order #: <u>2-1344</u>
Fax: <u>888-835-0617</u>	Collected By: <u>Bryan Watkins</u>
Contact: <u>Tammie Hagie</u>	
E-mail: <u>thagie@lrt-llc.net</u>	

SAMPLE ID	COLLECTION			SAMPLE LOCATION	CONTAINER					GEO LABS SAMPLE NUMBER	ANALYSES REQUESTED								TEMPERATURE	LAB PH
	DATE	TIME	SAMPLED BY		TYPE	QUANT	MATRIX	COMP	GRAB		PRES	Antimony, Arsenic, Cadmium, Total Chromium, Chromium VI, Lead, Mercury, Nickel, Selenium	Zinc, Iron	Hardness	Chloride	TSS				
EX020816	2/8/16	0930	BW		P	4	GW		X	2/7	2055 -001	X	X	X	X	X	X			

pH: 8.87

CONTAINER CODES: A = Amber B = Bag G = Glass P = Plastic S = Summa Canister O = Other V = VOA	MATRIX CODES: GW = Ground Water WW = Wastewater DW = Drinking Water SL = Sludge S = Soil A = Air O = Oil OT = Other	PRESERVATIVE CODES: 1 = HCl 7 = ICE 2 = HNO ₃ 3 = H ₂ SO ₄ 4 = Na ₂ S ₂ O ₃ 5 = NaOH 6 = MeOH	Relinquished By: <u>Bryan Watkins</u> Date/Time: <u>2/8/16</u> Relinquished By: _____ Relinquished By: _____	Received By: <u>William J. Brunel</u> Date/Time: <u>2/8/16</u> Received By: _____ Received By GeoLabs: _____
GEO LABS CHAIN OF CUSTODY				

10:25/16


Appendix C – Supplemental Information

Scituate Public Safety Facility

IPaC Trust Resource Report

Generated February 08, 2016 02:25 PM MST, IPaC v2.3.2

This report is for informational purposes only and should not be used for planning or analyzing project level impacts. For project reviews that require U.S. Fish & Wildlife Service review or concurrence, please return to the IPaC website and request an official species list from the Regulatory Documents page.



US Fish & Wildlife Service

IPaC Trust Resource Report



NAME


Scituate Public Safety Facility

LOCATION

Plymouth County, Massachusetts

IPAC LINK

<http://ecos.fws.gov/ipac/project/L3GY4-P3TQF-EE7P6-3NZR3-FOIJPI>



U.S. Fish & Wildlife Contact Information

Trust resources in this location are managed by:

New England Ecological Services Field Office

70 Commercial Street, Suite 300

Concord, NH 03301-5094

(603) 223-2541

Endangered Species

Proposed, candidate, threatened, and endangered species are managed by the [Endangered Species Program](#) of the U.S. Fish & Wildlife Service.

This USFWS trust resource report is for informational purposes only and should not be used for planning or analyzing project level impacts.

For project evaluations that require FWS concurrence/review, please return to the IPaC website and request an official species list from the Regulatory Documents section.

[Section 7](#) of the Endangered Species Act **requires** Federal agencies to "request of the Secretary information whether any species which is listed or proposed to be listed may be present in the area of such proposed action" for any project that is conducted, permitted, funded, or licensed by any Federal agency.

A letter from the local office and a species list which fulfills this requirement can only be obtained by requesting an official species list from the Regulatory Documents section in IPaC.

The list of species below are those that may occur or could potentially be affected by activities in this location:

Birds

Red Knot *Calidris canutus rufa* Threatened
 CRITICAL HABITAT
No critical habitat has been designated for this species.
https://ecos.fws.gov/tess_public/profile/speciesProfile.action?sPCODE=B0DM

Mammals

Northern Long-eared Bat *Myotis septentrionalis* Threatened
 CRITICAL HABITAT
No critical habitat has been designated for this species.
https://ecos.fws.gov/tess_public/profile/speciesProfile.action?sPCODE=A0JE

Critical Habitats

There are no critical habitats in this location

Migratory Birds

Birds are protected by the [Migratory Bird Treaty Act](#) and the [Bald and Golden Eagle Protection Act](#).

Any activity which results in the take of migratory birds or eagles is prohibited unless authorized by the U.S. Fish and Wildlife Service (1). There are no provisions for allowing the take of migratory birds that are unintentionally killed or injured.

Any person or organization who plans or conducts activities that may result in the take of migratory birds is responsible for complying with the appropriate regulations and implementing appropriate conservation measures.

Additional information can be found using the following links:

- Birds of Conservation Concern
<http://www.fws.gov/birds/management/managed-species/birds-of-conservation-concern.php>
- Conservation measures for birds
<http://www.fws.gov/birds/management/project-assessment-tools-and-guidance/conservation-measures.php>
- Year-round bird occurrence data
<http://www.fws.gov/birds/management/project-assessment-tools-and-guidance/akn-histogram-tools.php>

The following species of migratory birds could potentially be affected by activities in this location:

American Oystercatcher <i>Haematopus palliatus</i>	Bird of conservation concern
Season: Breeding https://ecos.fws.gov/tess_public/profile/speciesProfile.action?sPCODE=B0G8	
American Bittern <i>Botaurus lentiginosus</i>	Bird of conservation concern
Season: Breeding https://ecos.fws.gov/tess_public/profile/speciesProfile.action?sPCODE=B0F3	
Bald Eagle <i>Haliaeetus leucocephalus</i>	Bird of conservation concern
Year-round https://ecos.fws.gov/tess_public/profile/speciesProfile.action?sPCODE=B008	
Black Skimmer <i>Rynchops niger</i>	Bird of conservation concern
Season: Breeding https://ecos.fws.gov/tess_public/profile/speciesProfile.action?sPCODE=B0EO	
Black-billed Cuckoo <i>Coccyzus erythrophthalmus</i>	Bird of conservation concern
Season: Breeding https://ecos.fws.gov/tess_public/profile/speciesProfile.action?sPCODE=B0HI	
Blue-winged Warbler <i>Vermivora pinus</i>	Bird of conservation concern
Season: Breeding	
Canada Warbler <i>Wilsonia canadensis</i>	Bird of conservation concern
Season: Breeding	

Hudsonian Godwit <i>Limosa haemastica</i> Season: Migrating	Bird of conservation concern
Least Bittern <i>Ixobrychus exilis</i> Season: Breeding	Bird of conservation concern
Least Tern <i>Sterna antillarum</i> Season: Breeding	Bird of conservation concern
Olive-sided Flycatcher <i>Contopus cooperi</i> Season: Breeding https://ecos.fws.gov/tess_public/profile/speciesProfile.action?spcode=B0AN	Bird of conservation concern
Peregrine Falcon <i>Falco peregrinus</i> Season: Wintering https://ecos.fws.gov/tess_public/profile/speciesProfile.action?spcode=B0FU	Bird of conservation concern
Pied-billed Grebe <i>Podilymbus podiceps</i> Year-round	Bird of conservation concern
Prairie Warbler <i>Dendroica discolor</i> Season: Breeding	Bird of conservation concern
Purple Sandpiper <i>Calidris maritima</i> Season: Wintering	Bird of conservation concern
Saltmarsh Sparrow <i>Ammodramus caudacutus</i> Season: Breeding	Bird of conservation concern
Seaside Sparrow <i>Ammodramus maritimus</i> Season: Breeding	Bird of conservation concern
Short-eared Owl <i>Asio flammeus</i> Season: Wintering https://ecos.fws.gov/tess_public/profile/speciesProfile.action?spcode=B0HD	Bird of conservation concern
Snowy Egret <i>Egretta thula</i> Season: Breeding	Bird of conservation concern
Upland Sandpiper <i>Bartramia longicauda</i> Season: Breeding https://ecos.fws.gov/tess_public/profile/speciesProfile.action?spcode=B0HC	Bird of conservation concern
Willow Flycatcher <i>Empidonax traillii</i> Season: Breeding https://ecos.fws.gov/tess_public/profile/speciesProfile.action?spcode=B0F6	Bird of conservation concern
Wood Thrush <i>Hylocichla mustelina</i> Season: Breeding	Bird of conservation concern
Worm Eating Warbler <i>Helmitheros vermivorum</i> Season: Breeding	Bird of conservation concern

Refuges

Any activity proposed on [National Wildlife Refuge](#) lands must undergo a 'Compatibility Determination' conducted by the Refuge. Please contact the individual Refuges to discuss any questions or concerns.

There are no refuges in this location

Wetlands in the National Wetlands Inventory

Impacts to [NWI wetlands](#) and other aquatic habitats may be subject to regulation under Section 404 of the Clean Water Act, or other State/Federal Statutes.

For more information please contact the Regulatory Program of the local [U.S. Army Corps of Engineers District](#).

DATA LIMITATIONS

The Service's objective of mapping wetlands and deepwater habitats is to produce reconnaissance level information on the location, type and size of these resources. The maps are prepared from the analysis of high altitude imagery. Wetlands are identified based on vegetation, visible hydrology and geography. A margin of error is inherent in the use of imagery; thus, detailed on-the-ground inspection of any particular site may result in revision of the wetland boundaries or classification established through image analysis.

The accuracy of image interpretation depends on the quality of the imagery, the experience of the image analysts, the amount and quality of the collateral data and the amount of ground truth verification work conducted. Metadata should be consulted to determine the date of the source imagery used and any mapping problems.

Wetlands or other mapped features may have changed since the date of the imagery or field work. There may be occasional differences in polygon boundaries or classifications between the information depicted on the map and the actual conditions on site.

DATA EXCLUSIONS

Certain wetland habitats are excluded from the National mapping program because of the limitations of aerial imagery as the primary data source used to detect wetlands. These habitats include seagrasses or submerged aquatic vegetation that are found in the intertidal and subtidal zones of estuaries and nearshore coastal waters. Some deepwater reef communities (coral or tubercid worm reefs) have also been excluded from the inventory. These habitats, because of their depth, go undetected by aerial imagery.

DATA PRECAUTIONS

Federal, state, and local regulatory agencies with jurisdiction over wetlands may define and describe wetlands in a different manner than that used in this inventory. There is no attempt, in either the design or products of this inventory, to define the limits of proprietary jurisdiction of any Federal, state, or local government or to establish the geographical scope of the regulatory programs of government agencies. Persons intending to engage in activities involving modifications within or adjacent to wetland areas should seek the advice of appropriate federal, state, or local agencies concerning specified agency regulatory programs and proprietary jurisdictions that may affect such activities.

There are no wetlands in this location



Based upon a discussion with Maria Tur of the U.S. Fish & Wildlife Service (USFWS), temporary dewatering activities at the site are not expected to impact the Red Knot and the Northern Long-eared Bat. Northern long-eared bats spend winter hibernating in caves and mines. They use areas in various sized caves or mines with constant temperatures, high humidity, and no air currents. During the summer, northern long-eared bats roost singly or in colonies underneath bark, in cavities or in crevices of both live trees and snags (dead trees). There are no caves and mines located at the site. There are trees in the immediate vicinity of the site; however, tree removal is not part of the scope of work related to this Notice of Intent. Additionally, the developed area is not considered a suitable habitat for the Red Knot. Therefore, temporary dewatering activities at the site are not expected to impact the Red Knot and the Northern Long-eared Bat.


MassDEP - Bureau of Waste Site Cleanup

Site Information:

SCITUATE PUBLIC SAFETY FACILITY
 800 CHIEF JUSTICE CUSHING HWY SCITUATE, MA
NAD83 UTM Meters:
 5192174mN , -7879268mE (Zone: 18)
 February 8, 2016

Phase 1 Site Assessment Map: 500 feet & 0.5 Mile Radii

The information shown is the best available at the date of printing. However, it may be incomplete. The responsible party and LSP are ultimately responsible for ascertaining the true conditions surrounding the site. Metadata for data layers shown on this map can be found at:
<http://www.mass.gov/mgis/>



Roads: Limited Access, Divided, Other Hwy, Major Road, Minor Road, Track, Trail	PWS Protection Areas: Zone II, IWPA, Zone A		
Boundaries: Town, County, DEP Region; Train; Powerline; Pipeline; Aqueduct	Hydrography: Open Water, PWS Reservoir, Tidal Flat		
Basins: Major, PWS; Streams: Perennial, Intermittent, Man Made Shore, Dam	Wetlands: Freshwater, Saltwater, Cranberry Bog		
Aquifers: Medium Yield, High Yield, EPA Sole Source	FEMA 100yr Floodplain; Protected Open Space; ACEC		
Non Potential Drinking Water Source Area: Medium, High (Yield)	Est. Rare Wetland Wildlife Hab; Vernal Pool: Cert., Potential		
	Solid Waste Landfill; PWS: Com. GW, SW, Emerg., Non-Com.		

Massachusetts Cultural Resource Information System

MACRIS

MACRIS Search Results

Search Criteria: Town(s): Scituate; Street No: 800; Street Name: Chief Justice Cushing; Resource Type(s): Area, Building, Burial Ground, Object, Structure;

Inv. No.	Property Name	Street	Town	Year
----------	---------------	--------	------	------