

June 8, 2023

U.S. Environmental Protection Agency, Region 1
ATTN: George Papadopoulos, HYDROGP Coordinator
5 Post Office Square – Mailcode 06-1
Boston, MA 02109-3912

Email: Hydro.GeneralPermit@epa.gov

Subject: Notice of Intent (NOI) Applications for Coverage under the EPA Region 1 Hydroelectric
Generating Facilities General Permit (Hydro GP) for Facilities in New Hampshire

Dear Mr. Papadopoulos:

On behalf of the following FERC licensees, please see the attached NOI applications for the following facilities located along the Androscoggin River in New Hampshire:

Great Lakes Hydro America, LLC

- Cascade Hydro – NPDES Permit No. NHG360010
- Cross Hydro – NPDES Permit No. NHG360009
- Gorham Hydro – NPDES Permit No. NHG360011
- Riverside Hydro – NPDES Permit No. NHG0008
- Sawmill Hydro – NPDES Permit No. NHG360007
- Shelburne Hydro – NPDES Permit No. NHG0012

Errol Hydroelectric Company, LLC

- Errol Hydro – NPDES Permit No. NHG360016

Pontook Operating LP

- Pontook Hydro – NPDES Permit No. NHG36006

Per Section 6.7 of the 2023 Hydro GP, copies of these NOI applications were also provided to the New Hampshire Department of Environmental Services (NHDES).

Should questions arise or additional information be desired, please do not hesitate to contact me at 207.829.5016.

Sincerely,

SEVEE & MAHER ENGINEERS, INC.



Philip H. Gerhardt, P.E.
Principal/Senior Environmental Engineer

cc: Hayley Franz (Hayley.Franz@des.nh.gov), Theresa Ptak (Teresa.Ptak@des.nh.gov), NHDES

**Request for General Permit Authorization to Discharge Wastewater Notice of Intent (NOI) to be covered by
Hydroelectric Generating Facilities General Permit (HYDROGP) No. MAG360000 or NHG360000**

Indicate Applicable General Permit for Discharge(s): MAG360000 NHG360000

A. Facility Information

1. Facility Location	Name: Sawmill Hydro	
	Street: 972 Main Street	
	City: Berlin	State: New Hampshire
	Zip: 03570	SIC Code: 4911
	Latitude: 44° 28' 42" N	Longitude: 71° 10' 8" W
	Type of Business: Hydroelectric Generating Station	
2. Facility Mailing Address (if different from Location)	Street:	
	City:	State:
	Zip:	
3. Facility Owner	Name: Great Lakes Hydro America LLC	Email: Patrick.McDonough@brookfieldrenewable.com
	Street: 972 Main Street	Telephone: 207-376-7063

	City: Berlin	State: New Hampshire	
	Contact Person: Patrick McDonough	Zip: 03570	
4. Facility Operator (if different from above)	Name:	Email:	
	Street:	Telephone:	
	City:	State:	
	Zip:		
5. Current Permit Status	Has prior HYDROGP coverage been granted for the discharge(s) listed in the NOI?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
	Permit number (if yes): NHG360007		
	Is the facility covered under an Individual Permit?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
	Is there a pending NPDES application of file with EPA for the discharge(s)?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
	Date of Submittal (if yes):		Permit Number (if known):
	Attach a topographic map indicating the locations. of the facility and outfall(s) to the receiving water		<input checked="" type="checkbox"/> Map Attached
	Number of turbines: 4		
	Combined turbine discharge (installed capacity) at:		Maximum capacity? 2,480 cfs Minimum capacity? 1,375 (estimated) cfs
	Is this facility operated as a pump storage project?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

B. Discharge Information

1. Name of Receiving Water(s): Androscoggin River		<input checked="" type="checkbox"/> Freshwater <input type="checkbox"/> Marine
2. Waterbody classification: <input type="checkbox"/> Class A <input checked="" type="checkbox"/> Class B <input type="checkbox"/> Class SA <input type="checkbox"/> Class SB		
3. Is the receiving water is listed in the State's Integrated List of Waters (i.e., CWA Section 303(d))?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
4. If the applicant answered yes to B.3, has the applicant identified the designated uses that are impaired, any pollutants indicated, and whether a final TMDL is available for any of the indicated pollutants in a separate attachment to the NOI?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
5. Attach a line drawing or flow schematic showing water flow through the facility including location of intake(s), operations contributing to effluent flow, treatment units, outfalls, and receiving water(s).		<input checked="" type="checkbox"/> Line Drawing Attached
6. List each outfall (numbered sequentially) discharging effluent from the following categories and provide an estimate of the average monthly flow (in gallons per day) for each discharge type. See Parts 1.1 through 1.5 (for MA) or Parts 2.1 through 2.5 (for NH) for descriptions and permit conditions for each discharge type.		
Equipment-related cooling water	Outfalls:	gpd
Equipment and floor drain water	Outfalls: 19-A	Intermittent gpd
Maintenance-related water	Outfalls:	gpd
Facility maintenance-related water during flood/high water events	Outfalls:	gpd
Equipment-related backwash strainer water	Outfalls:	gpd

7. For each outfall listed above, provide the following information (attach additional sheets if necessary). Outfalls may be eligible for alternative pH effluent limits. See Parts 1.7.1. and 2.7.1 of the permit for additional information. Contact MassDEP or NHDES to determine the required information and protocol to request alternative pH effluent limits.

Outfall No. 19-A	Latitude: 44° 28' 42" N	Longitude: 71° 10' 8" W
	Discharge is: <input type="checkbox"/> Continuous <input checked="" type="checkbox"/> Intermittent <input type="checkbox"/> Seasonal	
	Maximum Daily Flow Intermittent MGD	Average Monthly Flow Intermittent MGD
	Maximum Daily Temperature N/A °F	Average Monthly Temperature N/A °F
	Maximum Daily Oil & Grease N/A mg/L	Average Monthly Oil & Grease N/A mg/L
	Maximum Monthly pH N/A s.u.	Minimum Monthly pH N/A s.u.
	Alternative pH limits requested? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	State approval attached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Outfall No.	Latitude:	Longitude:
	Discharge is: <input type="checkbox"/> Continuous <input type="checkbox"/> Intermittent <input type="checkbox"/> Seasonal	
	Maximum Daily Flow MGD	Average Monthly Flow MGD
	Maximum Daily Temperature °F	Average Monthly Temperature °F
	Maximum Daily Oil & Grease mg/L	Average Monthly Oil & Grease mg/L
	Maximum Monthly pH s.u.	Minimum Monthly pH s.u.
	Alternative pH limits requested? <input type="checkbox"/> Yes <input type="checkbox"/> No	State approval attached? <input type="checkbox"/> Yes <input type="checkbox"/> No

Outfall No.	Latitude:	Longitude:		
	Discharge is: <input type="checkbox"/> Continuous <input type="checkbox"/> Intermittent <input type="checkbox"/> Seasonal			
	Maximum Daily Flow	MGD	Average Monthly Flow	MGD
	Maximum Daily Temperature	°F	Average Monthly Temperature	°F
	Maximum Daily Oil & Grease	mg/L	Average Monthly Oil & Grease	mg/L
	Maximum Monthly pH	s.u.	Minimum Monthly pH	s.u.
	Alternative pH limits requested? <input type="checkbox"/> Yes <input type="checkbox"/> No		State approval attached? <input type="checkbox"/> Yes <input type="checkbox"/> No	

C. Best Technology Available for Cooling Water Intake Structures

Facilities that checked “equipment-related cooling” as one of the discharges in Part B. of this NOI are subject to the following requirements.	
1. Does the facility intake water for cooling purposes subject to the BTA Requirements at Part 4 of the HYDROGP?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If no, skip to Part D of this NOI.
2. If yes, indicate which technology employed to comply with the general BTA requirements at Part 4.2.b of the HYDROGP:	
<input type="checkbox"/> An existing technology (e.g., a physical or behavioral barrier, spillway, or guidance device) that directs fish towards a downstream passage that minimizes exposure to the CWIS. Has the applicant attached a narrative description of the barrier to demonstrate that the downstream fish passage effectively transports live fish in a manner that minimizes the likelihood of becoming impinged or entrained at the cooling water intake? <input type="checkbox"/> Yes <input type="checkbox"/> No	
<input type="checkbox"/> An effective intake velocity at the point of cooling water withdrawal, or alternatively, at the point where cooling water enters the penstock (for intakes located within the penstock), not to exceed 0.5 fps. Has the applicant attached a demonstration of compliance with this intake velocity through observation of live fish in the intake or calculation based on the maximum intake volume and minimum bypass flow? <input type="checkbox"/> Yes <input type="checkbox"/> No	

<input type="checkbox"/> For cooling water withdrawn directly from the source waterbody (<i>i.e.</i> , not from within the penstock), a physical screen or other barrier technology with a mesh size no greater than ½-inch that minimizes the potential for adult and juvenile fish to become entrapped in the CWIS. Has the applicant attached a description of the technology? <input type="checkbox"/> Yes <input type="checkbox"/> No If the mesh size of the screen is greater than ½-inch has the applicant demonstrated that the calculated intake velocity is less than 0.5 fps based on the screen dimensions, maximum intake volume, and source water 7Q10 low flow? <input type="checkbox"/> Yes <input type="checkbox"/> No	
3. If the answer to question C.1 is yes, in addition to complying with one of the criteria above, the applicant must submit the following information:	
Maximum daily volume of cooling water withdrawn during previous five (5) years:	gpd
Maximum monthly average volume of cooling water withdrawn during the previous five (5) years:	gpd
Maximum daily and average monthly volume of water used exclusively for cooling: Max:	gpd Avg: gpd
Maximum daily and average monthly volume of water used for another process before or after being used for cooling:	Max: gpd Avg: gpd
Has the applicant attached a narrative description explaining how cooling water is reused? <input type="checkbox"/> Yes <input type="checkbox"/> No	
Volume of total intake water withdrawn and used in facility as a percentage of:	
Installed turbine capacity	% Average daily flow through penstock %
Minimum flow through penstock	%
Source water annual mean flow (<i>e.g.</i> , available from USGS, MassDEP, or NHDES):	cfs
Source water 7-day mean low flow with 10-year recurrence interval (7Q10):	cfs
Volume of total intake water withdrawn and used in facility as a percentage of:	
Source water mean annual flow	cfs
Source water 7Q10 flow	cfs

D. Chemical Additives

1. Does the facility use or plan to use non-toxic chemicals for pH adjustment?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
2. Does the facility use or plan to use chemicals for anti-freeze purposes?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
3. If the answer to D.2 is yes, provide the following for EACH chemical additive used for anti-freeze:	
Chemical Name and Manufacturer:	
Maximum Dosage Concentration Used:	Average Dosage Concentration Used:
Maximum Concentration in Discharge: mg/L	Average Concentration in Discharge: mg/L
Material Safety Data Sheet (MSDS) or other toxicity documentation for each chemical attached? <input type="checkbox"/> Yes <input type="checkbox"/> No	

E. Endangered Species Act Certification

Appendix 2 to the HYDROGP explains the certification requirements related to threatened and endangered species and designated critical habitat. Indicate under which criteria the discharge is eligible for coverage under the HYDROGP:

1. ESA eligibility for species under jurisdiction of USFWS	<input type="checkbox"/> Criterion A: No endangered or threatened species or critical habitat are in proximity to the discharges or related activities or come in contact with the “action area.” See Appendix 2, Part B for documentation requirements. Documentation attached? <input type="checkbox"/> Yes <input type="checkbox"/> No
	<input checked="" type="checkbox"/> Criterion B: Formal or informal consultation with the USFWS under Section 7 of the ESA resulted in either a no jeopardy opinion (formal consultation) or a written concurrence by USFWS on a finding that the discharges and related activities are “not likely to adversely affect” listed species or critical habitat. Has the operator completed consultation with USFWS and attached documentation? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If no, is consultation underway? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
	<input type="checkbox"/> Criterion C: Using the best scientific and commercial data available, the effect of the discharges and related activities on listed species and designated critical habitat have been evaluated. Based on those evaluations, a determination is made by EPA, or by the operator and affirmed by EPA, that the

	discharges and related activities will have “no effect” on any federally threatened or endangered species or designated critical habitat under the jurisdiction of the USFWS. Has the applicant attached documentation of the “no effect” finding? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
2. ESA eligibility for species under jurisdiction of NMFS	Is the facility located on: the Connecticut River between the Massachusetts/Connecticut state line and Turners Falls, MA; the Taunton River; the Merrimack River between Lawrence, MA and the Atlantic Ocean; the Piscataqua River including the Salmon Falls and Cochecho Rivers; or a marine water? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
	If yes, was the applicant authorized to discharge from the facility under the 2009 HYDROGP? <input type="checkbox"/> Yes <input type="checkbox"/> No
	If the discharge is to one of the named rivers above or to a marine water <i>and</i> the facility was not previously covered under the 2009 HYDROGP, has there been any previous formal or informal consultation with NMFS? <input type="checkbox"/> Yes <input type="checkbox"/> No Documentation of consultation attached? <input type="checkbox"/> Yes <input type="checkbox"/> No

F. National Historic Properties Act Eligibility

1. Indicate under which criterion the discharge(s) is eligible for covered under the HYDROGP:
<input type="checkbox"/> Criterion A: No historic properties are present.
<input checked="" type="checkbox"/> Criterion B: Historic properties are present. The discharges and related activities do not have the potential to impact historic properties.
<input type="checkbox"/> Criterion C: Historic properties are present. The discharges and related activities have the potential to impact or adversely impact historic properties.
2. Has the applicant attached supporting documentation for NHPA eligibility described in Appendix 3, Part C of the HYDROGP? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No

3. Does supporting documentation include a written agreement from the State Historic Preservation Officer, Tribal Historic Preservation Officer, or other tribal representative that outlines measures the operation will carry out to mitigate or prevent any adverse effects on historic properties? Yes No

G. Supplemental Information

Please provide any supplemental information, including antidegradation review information applicable to new or increased discharges. Attach any certifications required by the HYDROGP. Supplemental information attached? Yes No

H. Signature Requirements

1. The NOI must be signed by the operator in accordance with the signatory requirements of 40 C.F.R. § 122.22, including the following certification:

I certify under penalty of law that no chemical additives are used in the discharges to be authorized under this General Permit except for those used for pH adjustment or anti-freeze purposes and that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those directly responsible for gathering the information, I certify that the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I certify that I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

2. Notification provided to the appropriate State, including a copy of this NOI, if required? Yes No


Signature: **Stephen Michaud (50794)** Digitally signed by Stephen Michaud (50794)
Date: 2023.06.08 10:06:03 -04'00'

Date:

Print Name and Title: Steve Michaud, Director of Operations

NOI ATTACHMENT 1

SITE AND FACILITY LOCATION MAPS




NOTE:
 AERIAL IMAGE FROM GOOGLE EARTH, DATED JUNE 2, 2018.

DWG: BASE LMN: SITE CTB: SME-STD REV: 5/19/2023



SITE LOCATION MAP
 SAWMILL HYDRO
 972 MAIN STREET
 BERLIN, NEW HAMPSHIRE





BASEMAP ADAPTED FROM 7.5 MIN USGS TOPO QUADS
 BERLIN, NH - 2021




BROOKFIELD FACILITY LOCATIONS
 BERLIN, NEW HAMPSHIRE



NOI ATTACHMENT 2

SITE DIAGRAMS


\\Nserver\dfs\Brookfield\GreatLakes Hydro America\Acad\Figures\SAWMILL.dwg, FLOW, 5/25/2023 1:53:08 PM, bwb



NOT TO SCALE

WATER FLOW DIAGRAM
SAWMILL HYDRO
972 MAIN STREET
BERLIN, NEW HAMPSHIRE

LEGEND

 SUMP PUMPS

NOI ATTACHMENT 3

NEW HAMPSHIRE INTEGRATED LIST OF WATERS AND IMPAIRMENTS

Watershed 305(b) Assessment Summary Report:

Assessment Cycle: 2020/2022

HUC 12: 010400010605

HUC 12 Name: Milan Tributaries

(Locator map on next page only applies to this HUC12)

Good	Meets water quality standards/thresholds by a relatively large margin.
Marginal	Meets water quality standards/thresholds but only marginally.
Likely Good	Limited data available, however, the data that is available suggests that the parameter is Potentially Attaining Standards (PAS).
No Current Data	Insufficient information to make an assessment decision.
Likely Bad	Limited data available, however, the data that is available suggests that the parameter is Potentially Not Supporting (PNS) water quality standards.
Poor	Not meeting water quality standards/thresholds. The impairment is marginal.
Severe	Not meeting water quality standards/thresholds. The impairment is more severe and causes poor water quality.



Assessment Unit ID	Map Label	Assessment Unit Name	Aquatic Life	Fish Consump.	Swimming	Boating
NHIMP400010605-01	I*01	Androscoggin River - D. C. Power Dam		4A-M	4B-M	3-ND
NHIMP400010605-02	I*02	Androscoggin River - Riverside Dam	3-ND	4A-M	4B-M	3-ND
NHIMP400010605-03	I*03	Androscoggin River - Smith Dam	3-ND	4A-M	4B-M	3-ND
NHIMP400010605-04	I*04	Berlin Reservoir	3-ND	4A-M	3-ND	3-ND
NHLAK400010605-01	L*01	Unnamed Pond	3-ND	4A-M	3-ND	3-ND
NHRIV400010605-01	R*01	Leavitt Stream - Unnamed Brook	3-ND	4A-M	3-ND	3-ND
NHRIV400010605-02	R*02	Androscoggin River	5-M	4A-M	3-ND	3-ND
NHRIV400010605-03	R*03	Androscoggin River	3-ND	4A-M	3-ND	3-ND
NHRIV400010605-04	R*04	North Branch Horne Brook - Unnamed Brook	3-ND	4A-M	3-ND	3-ND
NHRIV400010605-05	R*05	South Branch Horne Brook - Unnamed Brook	3-ND	4A-M	3-ND	3-ND
NHRIV400010605-06	R*06	Horne Brook - Red Brook	3-ND	4A-M	3-ND	3-ND
NHRIV400010605-07	R*07	Bean Brook - Unnamed Brook	3-ND	4A-M	3-ND	3-ND

NHRIV400010605-08	R*08	Bean Brook	3-ND	4A-M	3-ND	3-ND
NHRIV400010605-09	R*09	Androscoggin River	3-PAS	4A-M	3-ND	3-ND
NHRIV400010605-10	R*10	Androscoggin River	3-PAS	4A-M	4B-M	3-ND
NHRIV400010605-11	R*11	Androscoggin River	3-PAS	5-P	4B-M	3-ND
NHRIV400010605-12	R*12	Unnamed Brook	3-ND	4A-M	3-ND	3-ND
NHRIV400010605-13	R*13	Unnamed Brook	3-ND	4A-M	3-ND	3-ND
NHRIV400010605-14	R*14	Unnamed Brook	3-ND	4A-M	3-ND	3-ND
NHRIV400010605-15	R*15	Unnamed Brook	3-ND	4A-M	3-ND	3-ND
NHRIV400010605-16	R*16	Unnamed Brook	3-ND	4A-M	3-ND	3-ND
NHRIV400010605-17	R*17	Unnamed Brook	3-ND	4A-M	3-ND	3-ND
NHRIV400010605-18	R*18	Unnamed Brook	3-ND	4A-M	3-ND	3-ND
NHRIV400010605-19	R*19	Unnamed Brook	3-ND	4A-M	3-ND	3-ND
NHRIV400010605-20	R*20	Unnamed Brook	3-ND	4A-M	3-ND	3-ND
NHRIV400010605-21	R*21	Unnamed Brook	3-ND	4A-M	3-ND	3-ND
NHRIV400010605-22	R*22	Unnamed Brook	3-ND	4A-M	3-ND	3-ND
NHRIV400010605-23	R*23	Unnamed Brook	3-ND	4A-M	3-ND	3-ND
NHRIV400010605-24	R*24	Unnamed Brook	3-ND	4A-M	3-ND	3-ND
NHRIV400010605-25	R*25	Unnamed Brook	3-ND	4A-M	3-ND	3-ND
NHRIV400010605-26	R*26	Unnamed Brook	3-ND	4A-M	3-ND	3-ND
NHRIV400010605-27	R*27	Unnamed Brook	3-ND	4A-M	3-ND	3-ND
NHRIV400010605-28	R*28	Unnamed Brook	3-ND	4A-M	3-ND	3-ND

Assessment Unit ID: NHIMP400010605-01

Size: 100 ACRES

2020/2022, 305(b)/303(d) - All

Assessment Unit Name: Androscoggin River - D. C. Power Dam

Assessment Unit Category: 5-M

Reviewed Parameters by Assessment Unit

Town(s) Primary Town is Listed First: Berlin

Beach: N

Designated Use Description	Desig. Use Category	Parameter Name	Parameter Threatened (Y/N)	Last Sample	Last Exceed	Parameter Category	TMDL Priority
Aquatic Life Integrity	5-M	ALUMINUM	N	1998	1998	3-ND	
		AMMONIA (TOTAL)	N	1990	N/A	3-ND	
		ARSENIC	N	1990	N/A	3-ND	
		CADMIUM	N	1990	N/A	3-ND	
		CHLORIDE	N	2018	N/A	3-PAS	
		COPPER	N	2002	1998	3-ND	
		Chlorophyll-a	N	1990	NLV	3-ND	
		DISSOLVED OXYGEN SATURATION	N	2018	N/A	2-G	
		IRON	N	1990	N/A	3-ND	
		LEAD	N	1998	1998	3-ND	
		NICKEL	N	1990	1990	3-ND	
		OXYGEN, DISSOLVED	N	2018	N/A	2-G	
		PH	N	2018	2018	5-M	LOW
		SELENIUM	N	1990	1990	3-ND	
		TURBIDITY	N	2018	N/A	3-PAS	
ZINC	N	1998	1998	3-ND			

<p>Good Meets water quality standards/thresholds by a relatively large margin.</p>	<p>Marginal Meets water quality standards/thresholds but only marginally.</p>	<p>Likely Good Limited data available. The data that is available suggests that the parameter is Potentially Attaining Standards (PAS)</p>	<p>No Current Data Insufficient information to make an assessment decision.</p>	<p>Likely Bad Limited data available The data that is available suggests that the parameter is Potentially Not Supporting (PNS) water quality standards.</p>	<p>Poor Not meeting water quality standards/thresholds. The impairment is marginal.</p>	<p>Severe Not meeting water quality standards/thresholds The impairment is more severe and causes poor water quality.</p>
---	--	---	--	---	--	--

Assessment Unit ID: NHRIV400010605-10
 Assessment Unit Name: Androscoggin River
 Town(s) Primary Town is Listed First: Berlin

Size: 0.1130 MILES
 Assessment Unit Category: 4B-M
 Beach: N

2020/2022, 305(b)/303(d) - All
 Reviewed Parameters by Assessment Unit

Designated Use Description	Desig. Use Category	Parameter Name	Parameter Threatened (Y/N)	Last Sample	Last Exceed	Parameter Category	TMDL Priority
Aquatic Life Integrity	3-PAS	Benthic-Macroinvertebrate Bioassessments (Streams)	N	2009	NA	2-M	
		Dissolved oxygen saturation	N			3-ND	
		Oxygen, Dissolved	N			3-ND	
		pH	N			3-ND	
Fish Consumption	4A-M	Dioxin (including 2,3,7,8-TCDD)	N			4B-M	
		Dioxin (including 2,3,7,8-TCDD)	N			4B-M	
		MERCURY - FISH CONSUMPTION ADVISORY	N			4A-M	
Potential Drinking Water Supply	2-G						
Primary Contact Recreation	4B-M	Escherichia coli	N		SSO	4B-M	
Secondary Contact Recreation	3-ND	Escherichia coli	N			3-ND	
Wildlife	3-ND						

Good Meets water quality standards/thresholds by a relatively large margin.	Marginal Meets water quality standards/thresholds but only marginally.	Likely Good Limited data available. The data that is available suggests that the parameter is Potentially Attaining Standards (PAS)	No Current Data Insufficient information to make an assessment decision.	Likely Bad Limited data available The data that is available suggests that the parameter is Potentially Not Supporting (PNS) water quality standards.	Poor Not meeting water quality standards/thresholds. The impairment is marginal.	Severe Not meeting water quality standards/thresholds The impairment is more severe and causes poor water quality.
---	--	---	--	---	--	--

NOI ATTACHMENT 4

LOW IMPACT HYDROPOWER INSTITUTE CERTIFICATION



Sawmill Hydroelectric Project

Certificate No. 173

This certificate is effective August 31, 2020 for the Sawmill Hydroelectric Project (FERC No. 2422), located on the Androscoggin River in New Hampshire, in recognition of its compliance with the certification criteria of the Low Impact Hydropower Certification Program as administered by the Low Impact Hydropower Institute.

This certificate will expire on August 30, 2025.

Shawn Seaman
Chair, Governing Board

Rick Glick
Secretary, Governing Board

Certifying environmentally Low Impact hydropower facilities nationwide on behalf of green energy consumers.

*Low Impact Hydropower Institute
1167 Massachusetts Ave, #407
Arlington, MA 02476
www.lowimpacthydro.org*

NOI ATTACHMENT 5

USFWS ESA CERTIFICATION LETTERS



United States Department of the Interior



FISH AND WILDLIFE SERVICE
New England Ecological Services Field Office
70 Commercial Street, Suite 300
Concord, NH 03301-5094
Phone: (603) 223-2541 Fax: (603) 223-0104

In Reply Refer To:

March 23, 2023

Project Code: 2023-0059272

Project Name: Sawmill Hydroelectric Facility Endangered Species Act Certification

Subject: List of threatened and endangered species that may occur in your proposed project location or may be affected by your proposed project

To Whom It May Concern:

Updated 3/8/2023 - Please review this letter each time you request an Official Species List, we will continue to update it with additional information and links to websites may change.

About Official Species Lists

The purpose of the Act is to provide a means whereby threatened and endangered species and the ecosystems upon which they depend may be conserved. Federal and non-Federal project proponents have responsibilities under the Act to consider effects on listed species.

The enclosed species list identifies threatened, endangered, proposed, and candidate species, as well as proposed and final designated critical habitat, that may occur within the boundary of your proposed project and/or may be affected by your proposed project. The species list fulfills the requirements of the U.S. Fish and Wildlife Service (Service) under section 7(c) of the Endangered Species Act (Act) of 1973, as amended (16 U.S.C. 1531 et seq.).

New information based on updated surveys, changes in the abundance and distribution of species, changed habitat conditions, or other factors could change this list. Please note that under 50 CFR 402.12(e) of the regulations implementing section 7 of the Act, the accuracy of this species list should be verified after 90 days. The Service recommends that verification be completed by visiting the ECOS-IPaC website at regular intervals during project planning and implementation for updates to species lists and information. An updated list may be requested by returning to an existing project's page in IPaC.

Endangered Species Act Project Review

Please visit the “**New England Field Office Endangered Species Project Review and Consultation**” website for step-by-step instructions on how to consider effects on listed

species and prepare and submit a project review package if necessary:

<https://www.fws.gov/office/new-england-ecological-services/endangered-species-project-review>

NOTE Please do not use the **Consultation Package Builder** tool in IPaC except in specific situations following coordination with our office. Please follow the project review guidance on our website instead and reference your **Project Code** in all correspondence.

Northern Long-eared Bat - (Updated 3/8/2023) The Service published a final rule to reclassify the northern long-eared bat (NLEB) as endangered on November 30, 2022. The final rule will go into effect on **March 31, 2023**. After that date, the current 4(d) rule for NLEB will be invalid, and the 4(d) determination key will no longer be available. New compliance tools will be available in March 2023, and information will be posted in this section on our website and on the northern long-eared bat species page, so please check this site often for updates.

Depending on the type of effects a project has on NLEB, the change in the species' status may trigger the need to re-initiate consultation for any actions that are not completed and for which the Federal action agency retains discretion once the new listing determination becomes effective. If your project may result in incidental take of NLEB after the new listing goes into effect, this will need to be addressed in an updated consultation that includes an Incidental Take Statement. Many of these situations will be addressed through the new compliance tools. If your project may require re-initiation of consultation, please wait for information on the new tools to appear on this site or contact our office for additional guidance.

Additional Info About Section 7 of the Act

Under section 7(a)(2) of the Act and its implementing regulations (50 CFR 402 et seq.), Federal agencies are required to determine whether projects may affect threatened and endangered species and/or designated critical habitat. If a Federal agency, or its non-Federal representative, determines that listed species and/or designated critical habitat may be affected by the proposed project, the agency is required to consult with the Service pursuant to 50 CFR 402. In addition, the Federal agency also may need to consider proposed species and proposed critical habitat in the consultation. 50 CFR 402.14(c)(1) specifies the information required for consultation under the Act regardless of the format of the evaluation. More information on the regulations and procedures for section 7 consultation, including the role of permit or license applicants, can be found in the "Endangered Species Consultation Handbook" at:

<https://www.fws.gov/service/section-7-consultations>

In addition to consultation requirements under Section 7(a)(2) of the ESA, please note that under sections 7(a)(1) of the Act and its implementing regulations (50 CFR 402 et seq.), Federal agencies are required to utilize their authorities to carry out programs for the conservation of threatened and endangered species. Please contact NEFO if you would like more information.

Candidate species that appear on the enclosed species list have no current protections under the ESA. The species' occurrence on an official species list does not convey a requirement to

consider impacts to this species as you would a proposed, threatened, or endangered species. The ESA does not provide for interagency consultations on candidate species under section 7, however, the Service recommends that all project proponents incorporate measures into projects to benefit candidate species and their habitats wherever possible.

Migratory Birds

In addition to responsibilities to protect threatened and endangered species under the Endangered Species Act (ESA), there are additional responsibilities under the Migratory Bird Treaty Act (MBTA) and the Bald and Golden Eagle Protection Act (BGEPA) to protect native birds from project-related impacts. Any activity, intentional or unintentional, resulting in take of migratory birds, including eagles, is prohibited unless otherwise permitted by the U.S. Fish and Wildlife Service (50 C.F.R. Sec. 10.12 and 16 U.S.C. Sec. 668(a)). For more information regarding these Acts see:

<https://www.fws.gov/program/migratory-bird-permit>

<https://www.fws.gov/library/collections/bald-and-golden-eagle-management>

Please feel free to contact us at **newengland@fws.gov** with your **Project Code** in the subject line if you need more information or assistance regarding the potential impacts to federally proposed, listed, and candidate species and federally designated and proposed critical habitat.

Attachment(s): Official Species List

Attachment(s):

- Official Species List
-

OFFICIAL SPECIES LIST

This list is provided pursuant to Section 7 of the Endangered Species Act, and fulfills the requirement for Federal agencies to "request of the Secretary of the Interior information whether any species which is listed or proposed to be listed may be present in the area of a proposed action".

This species list is provided by:

New England Ecological Services Field Office

70 Commercial Street, Suite 300

Concord, NH 03301-5094

(603) 223-2541

PROJECT SUMMARY

Project Code: 2023-0059272
Project Name: Sawmill Hydroelectric Facility Endangered Species Act Certification
Project Type: Power Gen - Hydropower - FERC
Project Description: The Sawmill Hydroelectric Facility is required to undergo an endangered species act certification as part of the notice of intent (NOI) renewal associated with the 2023 NPDES General Permit for Hydroelectric Generating Facilities (NHG360000).

Project Location:

The approximate location of the project can be viewed in Google Maps: <https://www.google.com/maps/@44.4790505,-71.16753583823018,14z>



Counties: Coos County, New Hampshire

ENDANGERED SPECIES ACT SPECIES

There is a total of 3 threatened, endangered, or candidate species on this species list.

Species on this list should be considered in an effects analysis for your project and could include species that exist in another geographic area. For example, certain fish may appear on the species list because a project could affect downstream species.

IPaC does not display listed species or critical habitats under the sole jurisdiction of NOAA Fisheries¹, as USFWS does not have the authority to speak on behalf of NOAA and the Department of Commerce.

See the "Critical habitats" section below for those critical habitats that lie wholly or partially within your project area under this office's jurisdiction. Please contact the designated FWS office if you have questions.

-
1. [NOAA Fisheries](#), also known as the National Marine Fisheries Service (NMFS), is an office of the National Oceanic and Atmospheric Administration within the Department of Commerce.

MAMMALS

NAME	STATUS
Canada Lynx <i>Lynx canadensis</i> Population: Wherever Found in Contiguous U.S. There is final critical habitat for this species. Your location does not overlap the critical habitat. Species profile: https://ecos.fws.gov/ecp/species/3652	Threatened
Northern Long-eared Bat <i>Myotis septentrionalis</i> No critical habitat has been designated for this species. Species profile: https://ecos.fws.gov/ecp/species/9045	Threatened

INSECTS

NAME	STATUS
Monarch Butterfly <i>Danaus plexippus</i> No critical habitat has been designated for this species. Species profile: https://ecos.fws.gov/ecp/species/9743	Candidate

CRITICAL HABITATS

THERE ARE NO CRITICAL HABITATS WITHIN YOUR PROJECT AREA UNDER THIS OFFICE'S JURISDICTION.

IPAC USER CONTACT INFORMATION

Agency: Sevee & Maher Engineers, Inc.

Name: Anthony Pais

Address: 4 Blanchard Road

City: Cumberland

State: ME

Zip: 04021

Email: aep@smemaine.com

Phone: 2078295016



United States Department of the Interior



FISH AND WILDLIFE SERVICE
New England Ecological Services Field Office
70 Commercial Street, Suite 300
Concord, NH 03301-5094
Phone: (603) 223-2541 Fax: (603) 223-0104

In Reply Refer To:

March 30, 2023

Project code: 2023-0059272

Project Name: Sawmill Hydroelectric Facility Endangered Species Act Certification

IPaC Record Locator: 863-124389115

Federal Nexus: yes

Federal Action Agency (if applicable): Environmental Protection Agency

Subject: Technical assistance for 'Sawmill Hydroelectric Facility Endangered Species Act Certification'

Dear Anthony Pais:

This letter records your determination using the Information for Planning and Consultation (IPaC) system provided to the U.S. Fish and Wildlife Service (Service) on March 30, 2023, for “Sawmill Hydroelectric Facility Endangered Species Act Certification” (here forward, Project). This project has been assigned Project Code 2023-0059272 and all future correspondence should clearly reference this number.

The Service developed the IPaC system and associated species’ determination keys in accordance with the Endangered Species Act of 1973 (ESA; 87 Stat. 884, as amended; 16 U.S.C. 1531 et seq.) and based on a standing analysis. All information submitted by the Project proponent into the IPaC must accurately represent the full scope and details of the Project. Failure to accurately represent or implement the Project as detailed in IPaC or the Northeast Determination Key (Dkey), invalidates this letter. To make a no effect determination, the full scope of the proposed project implementation (action) should not have any effects (either positive or negative effect(s)), to a federally listed species or designated critical habitat.

Effects of the action are all consequences to listed species or critical habitat that are caused by the proposed action, including the consequences of other activities that are caused by the proposed action. A consequence is caused by the proposed action if it would not occur but for the proposed action and it is reasonably certain to occur. Effects of the action may occur later in time and may include consequences occurring outside the immediate area involved in the action. (See § 402.17). Under Section 7 of the ESA, if a federal action agency makes a no effect determination, no further consultation with, or concurrence from, the Service is required (ESA §7). If a proposed Federal action may affect a listed species or designated critical habitat, formal

consultation is required (except when the Service concurs, in writing, that a proposed action "is not likely to adversely affect (NLAA)" listed species or designated critical habitat [50 CFR §402.02, 50 CFR§402.13]).

The IPaC results indicated the following species is (are) potentially present in your project area and, based on your responses to the Service's Northeast DKey, you determined the proposed Project will have the following effect determinations:

Species	Listing Status	Determination
Canada Lynx (<i>Lynx canadensis</i>)	Threatened	NLAA

Conclusion

Coordination with the Service is not complete. The project has a federal nexus (e.g., funds, permits); however, you are not the federal action agency. Therefore, the ESA consultation status is incomplete and no project activities on any portion of the parcel should occur until consultation between the Service and the Federal action agency (or designated non-federal representative), is completed. Section 7 consultation is not complete until the federal action agency submits a determination of effects, and the Service concurs with the federal action agency's determination. Please provide this technical assistance letter to the lead federal action agency or its designated non-federal representative with a request for its review.

As the federal agency deems appropriate, they should submit their determination of effects to the appropriate Ecological Services Field Office. The lead federal action agency or designated non-federal representative can log into IPaC system using their agency email account and click "Search by record locator" to find this Project using 863-124389115.

In addition to the species listed above, the following species and/or critical habitats may also occur in your project area and are not covered by this conclusion:

- Monarch Butterfly *Danaus plexippus* Candidate
- Northern Long-eared Bat *Myotis septentrionalis* Threatened

To complete consultation for species that have reached a "May Affect" determination and/or species may occur in your project area and are not covered by this conclusion, please visit the "New England Field Office Endangered Species Project Review and Consultation" website for step-by-step instructions on how to consider effects on these listed species and/or critical habitats, avoid and minimize potential adverse effects, and prepare and submit a project review package if necessary: <https://www.fws.gov/office/new-england-ecological-services/endangered-species-project-review>

If no changes occur with the Project or there are no updates on listed species, no further consultation/coordination for this project is required for the species identified above. However, the Service recommends that project proponents re-evaluate the Project in IPaC if: 1) the scope, timing, duration, or location of the Project changes (includes any project changes or

amendments); 2) new information reveals the Project may impact (positively or negatively) federally listed species or designated critical habitat; or 3) a new species is listed, or critical habitat designated. If any of the above conditions occurs, additional consultation with the Service should take place before project implements any changes which are final or commits additional resources.

Please Note: If the Action may impact bald or golden eagles, additional coordination with the Service under the Bald and Golden Eagle Protection Act (BGEPA) (54 Stat. 250, as amended, 16 U.S.C. 668a-d) by the prospective permittee may be required. Please contact the Migratory Birds Permit Office, (413) 253-8643, or PermitsR5MB@fws.gov, with any questions regarding potential impacts to Eagles.

If you have any questions regarding this letter or need further assistance, please contact the New England Ecological Services Field Office and reference the Project Code associated with this Project.

Action Description

You provided to IPaC the following name and description for the subject Action.

1. Name

Sawmill Hydroelectric Facility Endangered Species Act Certification

2. Description

The following description was provided for the project 'Sawmill Hydroelectric Facility Endangered Species Act Certification':

The Sawmill Hydroelectric Facility is required to undergo an endangered species act certification as part of the notice of intent (NOI) renewal associated with the 2023 NPDES General Permit for Hydroelectric Generating Facilities (NHG360000).

The approximate location of the project can be viewed in Google Maps: <https://www.google.com/maps/@44.4790505,-71.16753583823018,14z>



QUALIFICATION INTERVIEW

1. As a representative of this project, do you agree that all items submitted represent the complete scope of the project details and you will answer questions truthfully?

Yes

2. Does the proposed project include, or is it reasonably certain to cause, intentional take of listed species?

Note: This question could refer to research, direct species management, surveys, and/or studies that include intentional handling/encountering, harassment, collection, or capturing of any individual of a federally listed threatened, endangered, or proposed species.

No

3. Is the action authorized, permitted, licensed, funded, or being carried out by a Federal agency in whole or in part?

Yes

4. Is the Federal Highway Administration (FHWA), Federal Railroad Administration (FRA), or Federal Transit Administration (FTA) the lead agency for this project?

No

5. Are you including in this analysis all impacts to federally listed species that may result from the entirety of the project (not just the activities under federal jurisdiction)?

Note: If there are project activities that will impact listed species that are considered to be outside of the jurisdiction of the federal action agency submitting this key, contact your local Ecological Services Field Office to determine whether it is appropriate to use this key. If your Ecological Services Field Office agrees that impacts to listed species that are outside the federal action agency's jurisdiction will be addressed through a separate process, you can answer yes to this question and continue through the key.

Yes

6. Are you the lead federal action agency or designated non-federal representative requesting concurrence on behalf of the lead Federal Action Agency?

No

7. Will the proposed project involve the use of herbicide?

No

8. Are there any caves or anthropogenic features suitable for hibernating or roosting bats within the area expected to be impacted by the project?

No

9. Does any component of the project associated with this action include structures that may pose a collision risk to birds or bats (e.g., wind turbines, communication towers, transmission lines, any type of towers with or without guy wires)?

NoteFor federal actions, answer 'yes' if the construction or operation of wind power facilities is either (1) part of the federal action or (2) would not occur but for a federal agency action (federal permit, funding, etc.).

Yes

10. Will the proposed project result in permanent changes to water quantity in a stream or temporary changes that would be sufficient to result in impacts to listed species?

For example, will the proposed project include any activities that would alter stream flow, such as water withdrawal, hydropower energy production, impoundments, intake structures, diversion structures, and/or turbines? Projects that include temporary and limited water reductions that will not displace listed species or appreciably change water availability for listed species (e.g. listed species will experience no changes to feeding, breeding or sheltering) can answer "No". Note: This question refers only to the amount of water present in a stream, other water quality factors, including sedimentation and turbidity, will be addressed in following questions.

Yes

11. Will the proposed project affect wetlands?

This includes, for example, project activities within wetlands, project activities within 300 feet of wetlands that may have impacts on wetlands, water withdrawals and/or discharge of contaminants (even with a NPDES).

No

12. Will the proposed project activities (including upland project activities) occur within 0.5 miles of the water's edge of a stream or tributary of a stream where listed species may be present?

Yes

13. Will the proposed project directly affect a streambed (below ordinary high water mark (OHWM)) of the stream or tributary?

No

14. Will the proposed project bore underneath (directional bore or horizontal directional drill) a stream?

No

15. Will the proposed project involve a new point source discharge into a stream or change an existing point source discharge (e.g., outfalls; leachate ponds)?

No

16. Will the proposed project involve the removal of excess sediment or debris, dredging or in-stream gravel mining?

No

17. Will the proposed project involve the creation of a new water-borne contaminant source?

Note New water-borne contaminant sources occur through improper storage, usage, or creation of chemicals. For example: leachate ponds and pits containing chemicals that are not NSF/ANSI 60 compliant have contaminated waterways. Sedimentation will be addressed in a separate question.

No

18. Will the proposed project involve perennial stream loss that would require an individual permit under 404 of the Clean Water Act?

No

19. Will the proposed project involve blasting?

No

20. Will the proposed project include activities that could result in an increase to recreational fishing or potentially affect fish movement temporarily or permanently (including fish stocking, harvesting, or creation of barriers to fish passage)?

Yes

21. Will the proposed project involve earth moving that could cause erosion and sedimentation, and/or contamination along a stream?

Note Answer "Yes" to this question if erosion and sediment control measures will be used to protect the stream.

No

22. Will the proposed project involve vegetation removal within 200 feet of a perennial stream bank?

No

23. Will erosion and sedimentation control Best Management Practices (BMPs) associated with applicable state and/or Federal permits, be applied to the project? If BMPs have been provided by and/or coordinated with and approved by the appropriate Ecological Services Field Office, answer "Yes" to this question.

No

24. [Semantic] Does the project intersect the Virginia big-eared bat critical habitat?

Automatically answered

No

25. [Semantic] Does the project intersect the Indiana bat critical habitat?

Automatically answered

No

26. [Hidden Semantic] Does the project intersect the Canada lynx AOI?

Automatically answered

Yes

27. Will the project involve trapping, poisoning, or broadcasting disease control agents for wild animals (e.g. animal damage control, controlling or managing furbearer wildlife, capturing animals for research projects, rabies baits)?

No

28. Will the project be enclosed by fencing that could unintentionally trap lynx (e.g. wind and solar development, waste treatment settling ponds, impervious fencing along roads)?

No

29. Is this a road or highway project?

No

30. Is the project in a non-forested habitat (fields, towns and urban areas, agricultural fields) and of a nature that will not result in take of lynx?

Yes

31. [Semantic] Does the project intersect the candy darter critical habitat?

Automatically answered

No

32. [Semantic] Does the project intersect the diamond darter critical habitat?

Automatically answered

No

33. [Semantic] Does the project intersect the Big Sandy crayfish critical habitat?

Automatically answered

No

34. [Hidden Semantic] Does the project intersect the Guyandotte River crayfish critical habitat?

Automatically answered

No

35. Do you have any other documents that you want to include with this submission?

No

PROJECT QUESTIONNAIRE

1. Approximately how many acres of trees would the proposed project remove?

0

2. Approximately how many total acres of disturbance are within the disturbance/
construction limits of the proposed project?

10

3. Briefly describe the habitat within the construction/disturbance limits of the project site.

The project involves a hydroelectric facility, including a dam and powerhouse, located on the Androscoggin River.

IPAC USER CONTACT INFORMATION

Agency: Sevee & Maher Engineers, Inc.

Name: Anthony Pais

Address: 4 Blanchard Road

City: Cumberland

State: ME

Zip: 04021

Email: aep@smemaine.com

Phone: 2078295016

LEAD AGENCY CONTACT INFORMATION

Lead Agency: Environmental Protection Agency

Name: George Papadopolous

Email: papadopolous.george@epa.gov

Phone: 6179181579



United States Department of the Interior



FISH AND WILDLIFE SERVICE
New England Ecological Services Field Office
70 Commercial Street, Suite 300
Concord, NH 03301-5094
Phone: (603) 223-2541 Fax: (603) 223-0104

In Reply Refer To:

March 30, 2023

Project code: 2023-0059272

Project Name: Sawmill Hydroelectric Facility Endangered Species Act Certification

IPaC Record Locator: 863-124390298

Federal Action Agency (if applicable): Environmental Protection Agency

Subject: Record of project representative's no effect determination for 'Sawmill Hydroelectric Facility Endangered Species Act Certification'

Dear Anthony Pais:

This letter records your determination using the Information for Planning and Consultation (IPaC) system provided to the U.S. Fish and Wildlife Service (Service) on March 30, 2023, for 'Sawmill Hydroelectric Facility Endangered Species Act Certification' (here forward, Project). This project has been assigned Project Code 2023-0059272 and all future correspondence should clearly reference this number. **Please carefully review this letter.**

Ensuring Accurate Determinations When Using IPaC

The Service developed the IPaC system and associated species' determination keys in accordance with the Endangered Species Act of 1973 (ESA; 87 Stat. 884, as amended; 16 U.S.C. 1531 et seq.) and based on a standing analysis. All information submitted by the Project proponent into the IPaC must accurately represent the full scope and details of the Project. Failure to accurately represent or implement the Project as detailed in IPaC or the Northern Long-eared Bat Rangewide Determination Key (Dkey), invalidates this letter.

Determination for the Northern Long-Eared Bat

Based upon your IPaC submission and a standing analysis, your project has reached the determination of "No Effect" on the northern long-eared bat. To make a no effect determination, the full scope of the proposed project implementation (action) should not have any effects (either positive or negative), to a federally listed species or designated critical habitat. Effects of the action are all consequences to listed species or critical habitat that are caused by the proposed action, including the consequences of other activities that are caused by the proposed action. A consequence is caused by the proposed action if it would not occur but for the proposed action

and it is reasonably certain to occur. Effects of the action may occur later in time and may include consequences occurring outside the immediate area involved in the action. (See § 402.17).

Under Section 7 of the ESA, if a federal action agency makes a no effect determination, no consultation with the Service is required (ESA §7). If a proposed Federal action may affect a listed species or designated critical habitat, formal consultation is required except when the Service concurs, in writing, that a proposed action "is not likely to adversely affect" listed species or designated critical habitat [50 CFR §402.02, 50 CFR§402.13].

Other Species and Critical Habitat that May be Present in the Action Area

The IPaC-assisted determination for the northern long-eared bat does not apply to the following ESA-protected species and/or critical habitat that also may occur in your Action area:

- Canada Lynx *Lynx canadensis* Threatened
- Monarch Butterfly *Danaus plexippus* Candidate

You may coordinate with our Office to determine whether the Action may affect the animal species listed above and, if so, how they may be affected.

Next Steps

Based upon your IPaC submission, your project has reached the determination of “No Effect” on the northern long-eared bat. If there are no updates on listed species, no further consultation/coordination for this project is required with respect to the northern long-eared bat. However, the Service recommends that project proponents re-evaluate the Project in IPaC if: 1) the scope, timing, duration, or location of the Project changes (includes any project changes or amendments); 2) new information reveals the Project may impact (positively or negatively) federally listed species or designated critical habitat; or 3) a new species is listed, or critical habitat designated. If any of the above conditions occurs, additional coordination with the Service should take place to ensure compliance with the Act.

If you have any questions regarding this letter or need further assistance, please contact the New England Ecological Services Field Office and reference Project Code 2023-0059272 associated with this Project.

Action Description

You provided to IPaC the following name and description for the subject Action.

1. Name

Sawmill Hydroelectric Facility Endangered Species Act Certification

2. Description

The following description was provided for the project 'Sawmill Hydroelectric Facility Endangered Species Act Certification':

The Sawmill Hydroelectric Facility is required to undergo an endangered species act certification as part of the notice of intent (NOI) renewal associated with the 2023 NPDES General Permit for Hydroelectric Generating Facilities (NHG360000).

The approximate location of the project can be viewed in Google Maps: <https://www.google.com/maps/@44.4790505,-71.16753583823018,14z>



DETERMINATION KEY RESULT

Based on the information you provided, you have determined that the Proposed Action will have no effect on the Endangered northern long-eared bat (*Myotis septentrionalis*). Therefore, no consultation with the U.S. Fish and Wildlife Service pursuant to Section 7(a)(2) of the Endangered Species Act of 1973 (87 Stat. 884, as amended 16 U.S.C. 1531 *et seq.*) is required for those species.

QUALIFICATION INTERVIEW

1. Does the proposed project include, or is it reasonably certain to cause, intentional take of the northern long-eared bat or any other listed species?

Note: Intentional take is defined as take that is the intended result of a project. Intentional take could refer to research, direct species management, surveys, and/or studies that include intentional handling/encountering, harassment, collection, or capturing of any individual of a federally listed threatened, endangered or proposed species?

No

2. The proposed action does not intersect an area where the northern long-eared bat is likely to occur, based on the information available to U.S. Fish and Wildlife Service as of the most recent update of this key. If you have data that indicates that northern long-eared bats are likely to be present in the action area, answer "NO" and continue through the key.

Do you want to make a no effect determination?

Yes

PROJECT QUESTIONNAIRE

IPAC USER CONTACT INFORMATION

Agency: Sevee & Maher Engineers, Inc.

Name: Anthony Pais

Address: 4 Blanchard Road

City: Cumberland

State: ME

Zip: 04021

Email: aep@smemaine.com

Phone: 2078295016

LEAD AGENCY CONTACT INFORMATION

Lead Agency: Environmental Protection Agency

Name: George Papadopolous

Email: papadopolous.george@epa.gov

Phone: 6179181579

NOI ATTACHMENT 6

NATIONAL REGISTER OF HISTORIC PLACES REVIEW

June 8, 2023

U.S. Environmental Protection Agency, Region 1
ATTN: George Papadopoulos, HYDROGP Coordinator
5 Post Office Square – Mailcode 06-1
Boston, MA 02109-3912

Email: Hydro.GeneralPermit@epa.gov

Subject: Sawmill Hydroelectric Facility – National Register of Historic Places Review

Dear Mr. Papadopoulos:

As requested within Section F of the Hydroelectric Generating Facilities General Permit (Hydro GP) notice of intent (NOI), Sevee & Maher Engineers, Inc. (SME) has completed a review of the National Register of Historic Places near the Sawmill Hydroelectric facility located at 972 Main Street in Berlin, NH on behalf of Brookfield Renewable Great Lakes Hydro America, LLC. As a result of this review, it was determined that there was one historic property present within the vicinity of the Sawmill facility: Congregational Church (Property ID 80000282). While the Congregational Church is within 750 feet of the facility, all discharges and related activities from the facility are unlikely to impact this historic property. Additionally, there are no planned construction or demolition projects at the facility that could reasonably impact the Congregational Church; therefore, the facility should remain eligible for coverage under the Hydro GP in accordance with Criterion B.

Should questions arise or additional information be desired, please do not hesitate to contact me at 207.829.5016.

Sincerely,

SEVEE & MAHER ENGINEERS, INC.



Philip H. Gerhardt, P.E.
Principal/Senior Environmental Engineer

Attachments: 1. National Register of Historic Places Overhead

ATTACHMENT 1

NATIONAL REGISTER OF HISTORIC PLACES OVERHEAD

National Register of Historic Places

National Park Service
U.S. Department of the Interior

Public, non-restricted data depicting National Register spatial data processed by the Cultural Resources GIS facility. ...



200 ft
<https://www.mapbox.com/about/maps/>) © OpenStreetMap (<https://www.openstreetmap.org/copyright>) contributors | Cultural Resources GIS, National Park Service | Geocoding by Esri

Home (<https://www.nps.gov>) | Frequently Asked Questions (<https://www.nps.gov/faqs.htm>) | Website Policies (<https://www.nps.gov/aboutus/website-policies.htm>)