

VIA EMAIL

September 27, 2012
File No. 04.0029307.00



Ms. Amy Daigneault
Pretreatment Coordinator
Lowell Regional Wastewater Utility
451 First St. Blvd. (Rte 110)
Lowell, Massachusetts 01850

Re: Monthly Self Monitoring Report
August 2012
Merrimack Station
Public Service Company of New Hampshire
Bow, New Hampshire

380 Harvey Road
Manchester
New Hampshire
03103-3347
603-623-3600
FAX 603-624-9463
www.gza.com

Dear Ms. Daigneault:

On behalf of Public Service Company of New Hampshire (PSNH), GZA GeoEnvironmental, Inc. (GZA) is pleased to submit the attached **Self-Monitoring Report (SMR)** for the period August 1, 2012 through August 31, 2012. This SMR is intended to satisfy Conditions 7 and 8 of the Interim Discharge Authorization (IDA) issued to PSNH by the Lowell Regional Wastewater Utility (LRWU), dated March 29, 2012. Wastewater flow was approximately 48,000 gallons for the monitoring period and was estimated based on the actual number of tanker trucks sent to LRWU in August and tanker capacity.

The attached **SMR Summary Sheet** summarizes the analytical results for all required parameters as outlined in Condition 8 of the IDA. The attached **Table 1** compares the results to the LRWU's Local Sewer Discharge Limits. The results indicate that pollutant concentrations were within the limits. The analysis of the Softened Stream B samples collected (refer to the attached **Analytical Data Report** for Stream B) on August 1, 2012 was performed in accordance with the United States Environmental Protection Agency (EPA) draft Standard Operating Procedure (SOP) for trace metals analysis of flue gas desulfurization (FGD) wastewater. The SOP is described below.

Also included with this monthly report is the **Analytical Data Report** for the distillate sample collected on August 16, 2012. This waste stream was not transported to LRWU in the month of August 2012, but the analytical data reports are being provided as a courtesy.

ANALYTICAL DISCUSSION

FGD wastewater requires specialized analytical techniques to overcome matrix interferences for analysis of certain trace metals. To assist you in evaluating this issue further, we offer an excerpt below from the EPA web site and a link to their draft SOP for trace metals analysis of FGD wastewater that contains further guidance.

LABORATORY ANALYSIS OF FGD WASTEWATER

Wastewater from FGD systems can contain constituents known to cause matrix interferences. EPA has observed that, during inductively coupled plasma-mass spectrometry (ICP-MS) analysis of FGD wastewater, certain elements commonly present in the wastewater may cause polyatomic interferences that bias the detection and/or quantization of certain elements of interest. These potential interferences may become significant when measuring trace elements at concentrations in the low parts-per-billion range.



As part of a recent sampling effort for the steam electric power generating effluent guidelines rulemaking, EPA developed an SOP that was used in conjunction with EPA Method 200.8 to conduct ICP-MS analyses of FGD wastewater. The SOP describes critical technical and quality assurance procedures that were implemented to mitigate anticipated interferences and generate reliable data for FGD wastewater. EPA regulations at 40 CFR 136.6 already allow the analytical community flexibility to modify approved methods to lower the costs of measurements, overcome matrix interferences, or otherwise improve the analysis. The draft SOP developed for FGD wastewater takes a proactive approach toward looking for and taking steps to mitigate matrix interferences, including using specialized interference check solutions (i.e., a synthetic FGD wastewater matrix). EPA's draft SOP is being made available to laboratories contemplating ICP-MS analysis of FGD wastewater, either for adoption as currently written or to serve as a framework for developing their own laboratory-specific SOPs. For further information, see:

- Standard Operating Procedure: Inductively Coupled Plasma/Mass Spectrometry for Trace Element Analysis in Flue Gas Desulfurization Wastewaters (30 pp, 174K), http://water.epa.gov/scitech/wastetech/guide/upload/steam_draft_sop.pdf, EPA May 2011.

Considering that specialized analytical techniques are necessary to overcome matrix interference for certain analysis of trace metals in FGD wastewater, we recommend any analysis on FGD wastewater be conducted in accordance with the EPA draft SOP for trace metals analysis of FGD wastewater.

Should you have any questions concerning this report, please do not hesitate to contact me at (603) 232-8744.

Very truly yours,

GZA GEOENVIRONMENTAL, INC.

A handwritten signature in black ink that reads 'Ronald A. Breton'.

Ronald A. Breton, P.E.
Senior Principal

RAB:rk1

p:\04jobs\0029300s\04.0029307.00\work\sampling and reporting\reports\lowell\monthly reports\august 2012\final 29307 aug rpt lrwu 092712.docx

Attachments: Self-Monitoring Report
Analytical Data Reports

SELF-MONITORING REPORT

LOWELL REGIONAL WASTEWATER UTILITY
Industrial Sewer User Self-Monitoring Report Summary Sheet

Facility Information: Company Name Public Service of New Hampshire
Facility Address 97 River Road Bow, New Hampshire Permit No. NA (Interim Discharge Authorization)
Facility Contact Brad Owens Telephone (603) 224-4081

-----Use A Separate Summary Sheet For Each Monitoring Point-----

Monitoring Report: Monitoring Point End of pretreatment process Submittal Date September 27, 2012
Reporting Period (circle applicable): Baseline Annually Semi-Annually Quarterly Monthly Re-Sample
Reporting Period Start Date August 1, 2012 Reporting Period End Date August 31, 2012

Sample Analysis: Certified Analytical Lab Eastern Analytical, Inc. (EAI)
Authorized Rep. Lorraine Olashaw Certification No. 1012
Analytical Sub-Contractor Frontier Global Sciences Certification No. E87575

Sample Collection: Sampler (Lab/Self/Other) Paul Pepler, GZA

Sample Type(s) (circle all that apply): Grab Time Composite Flow Composite

Grab Sampling: Sample Date 8/01/2012 Sample Time 16:00

pH (Standard Units) 7.47 Instantaneous Flow Rate (GPM) N/A

Composite Sampling: Start Date/Time N/A Stop Date/Time N/A

No. Aliquots N/A Aliquot Volume N/A Sample Volume N/A

Flow Data: Sampling Interval Volume (Gal) 8,000 Daily Flow Rate (GPD) 12,000 (Average of discharge days)

Monitoring Period Industrial Wastewater Flow (Gal) Stream A: 0, Stream B: 0
Softened Stream B: 48,000 [] Meter [X] Estimate

Monitoring Period Start Date August 1, 2012 Monitoring Period End Date August 31, 2012

Refer to Self-Monitoring Report Instructions for details on completing this SMR Summary Sheet

LOWELL REGIONAL WASTEWATER UTILITY
Industrial Sewer User Self-Monitoring Report Summary Sheet

Submit All Chains of Custody and Laboratory Result Sheets With SMR Summary Sheet

Analytical Results:

| Parameter | Analysis Date | Result (mg/L) | Parameter | Analysis Date | Result (mg/L) |
|---------------------------------|---------------|---------------|---------------------|---------------|---------------|
| BOD | | | Copper | | |
| COD | 8/06/2012 | 330 | Cyanide (Total) | | |
| O & G 413.1 / 1664 | | | Fluoride | | |
| TSS | | | Lead | 8/14/2012 | <0.00796 |
| TOC * | | | Mercury | 8/13/2012 | 0.0000340 |
| TTO ** 624 / 8260B - 625 / 8270 | | | Molybdenum | | |
| Aluminum | | | Nickel | | |
| Antimony | | | Nitrogen (Kjeldahl) | | |
| Arsenic | 08/14/2012 | <0.0299 | Phenols (Total) | | |
| Barium | | | Selenium | | |
| Beryllium | | | Silver | 8/14/2012 | <0.00398 |
| Cadmium | 8/14/2012 | <0.00398 | Thallium | | |
| Chromium (Hexavalent) | | | Zinc | | |
| Chromium (Total) | | | Sodium | 8/14/2012 | 5,960 |

BOD = Biochemical Oxygen Demand COD = Chemical Oxygen Demand O & G = Oil & Grease TSS = Total Suspended Solids TTO = Total Toxic Organics
 *TOC (Total Organic Carbon) = is the amount of carbon bound in an organic compound and is often used as a non-specific indicator of water quality. TOC measures both the total carbon present as well as the inorganic carbon (IC). Subtracting the inorganic carbon from the total carbon yields TOC.
 **TTO's = Summation of all quantifiable values greater than 0.01 mg/L for toxic organics listed in 40 CFR 413.02(j). TTO's include PCB's (Poly-Chlorinated Biphenyls), VOC's (Volatile Organic Compounds), SVOC's (Semi-Volatile Organic Compounds). PCB's, VOC's and SVOC's shall be analyzed using EPA Methods 608, 624, and 625, respectively.

Zero Discharge / Self-Monitoring (initial if applicable):

_____ No industrial wastewater from permitted processes has been discharged to sewer during the monitoring period

_____ No sampling has been conducted on permitted sewer discharges during the monitoring period

Certification Statement:

"I certify, under penalty of law, that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

Brad Owens

Printed Name of Authorized Representative



Signature of Authorized Representative

Station Manager

Title

9/26/2012

Date

TABLE 1
SUMMARY OF SOFTENED STREAM B CONCENTRATIONS
COMPARED TO LOWELL SEWER DISCHARGE LIMITS

Public Service Company of New Hampshire

Merrimack Station

Bow, New Hampshire

| PARAMETER | LOWELL SEWER DISCHARGE LIMITS (mg/L) | SOFTENED STREAM B RESULTS 8/01/2012 (mg/L) |
|-----------|---|---|
| Arsenic | 0.556 | <0.0299 |
| Cadmium | 0.056 | <0.00398 |
| Lead | 0.857 | <0.00796 |
| Mercury | 0.004 | 0.0000340 |
| pH | 5.0-9.5 | 7.47 |
| Silver | 0.053 | <0.00398 |

[Handwritten signature]



ANALYTICAL DATA REPORT

STREAM B

Paul Pepler
GZA GeoEnvironmental, Inc. (NH)
380 Harvey Road
Manchester, NH 03103



Subject: Laboratory Report

Eastern Analytical, Inc. ID: 112823
Client Identification: PSNH-MK
Date Received: 8/2/2012

Dear Mr. Pepler:

Enclosed please find the laboratory report for the above identified project. All analyses were performed in accordance with our QA/QC Program. Unless otherwise stated, holding times, preservation techniques, container types, and sample conditions adhered to EPA Protocol. Samples which were collected by Eastern Analytical, Inc. (EAI) were collected in accordance with approved EPA procedures. Eastern Analytical, Inc. certifies that the enclosed test results meet all requirements of NELAP and other applicable state certifications. Please refer to our website at www.eailabs.com for a copy of our NELAP certificate and accredited parameters.

The following standard abbreviations and conventions apply to all EAI reports:

Solid samples are reported on a dry weight basis, unless otherwise noted
< : "less than" followed by the reporting limit
> : "greater than" followed by the reporting limit
%R : % Recovery

Eastern Analytical Inc. maintains certification in the following states: Connecticut (PH-0492), Maine (NH005), Massachusetts (M-NH005), New Hampshire/NELAP (1012), Rhode Island (269) and Vermont (VT1012).

The following information is contained within this report: Sample Conditions summary, Analytical Results/Data, Quality Control data (if requested) and copies of the Chain of Custody. This report may not be reproduced except in full, without the the written approval of the laboratory.

If you have any questions regarding the results contained within, please feel free to directly contact me or the chemist(s) who performed the testing in question. Unless otherwise requested, we will dispose of the sample(s) 30 days from the sample receipt date.

We appreciate this opportunity to be of service and look forward to your continued patronage.

Sincerely,


Lorraine Olashaw, Lab Director

8.21.12
Date

23
of pages (excluding cover letter)



SAMPLE CONDITIONS PAGE

EAI ID#: 112823

Client: **GZA GeoEnvironmental, Inc. (NH)**

Client Designation: **PSNH-MK**

Temperature upon receipt (°C): **4.1**

Received on ice or cold packs (Yes/No): **Y**

Acceptable temperature range (°C): 0-6

| Lab ID | Sample ID | Date Received | Date Sampled | Sample Matrix | % Dry Weight | Exceptions/Comments (other than thermal preservation) |
|-----------|----------------------|------------------|-----------------|------------------|-----------------|---|
| 112823.01 | Softened Stream B WW | 8/2/12 | 8/1/12 | aqueous | | Adheres to Sample Acceptance Policy |

Samples were properly preserved and the pH measured when applicable unless otherwise noted. Analysis of solids for pH, Flashpoint, Ignitibility, Paint Filter, Corrosivity, Conductivity and Specific Gravity are reported on an "as received" basis.

All results contained in this report relate only to the above listed samples.

References include:

- 1) EPA 600/4-79-020, 1983
- 2) Standard Methods for Examination of Water and Wastewater : Inorganics, 19th Edition, 1995; Microbiology, 20th Edition, 1998
- 3) Test Methods for Evaluating Solid Waste SW 846 3rd Edition including updates IVA and IVB
- 4) Hach Water Analysis Handbook, 2nd edition, 1992



LABORATORY REPORT

EAI ID#: 112823

Client: GZA GeoEnvironmental, Inc. (NH)

Client Designation: PSNH-MK

Sample ID: Softened Stream B
WW

Lab Sample ID: 112823.01

Matrix: aqueous

Date Sampled: 8/1/12

Date Received: 8/2/12

COD 330

Analysis

| Units | Date | Time | Method | Analyst |
|-------|---------|------|--------|---------|
| mg/L | 8/06/12 | 9:00 | H8000 | SCW |

QC REPORT

EAI ID#: 112823

Client: GZA GeoEnvironmental, Inc. (NH)

Client Designation: PSNH-MK

| Parameter Name | Blank | LCS | LCSD | Units | Date of Analysis | Limits | RPD | Method |
|----------------|-------|--------------|----------------------|-------|------------------|----------|-----|--------|
| COD | < 10 | 100 (101 %R) | 100 (105 %R) (4 RPD) | mg/L | 8/6/12 | 85 - 115 | 20 | H8000 |

Samples were analyzed within holding times unless noted on the sample results page.

Instrumentation was calibrated in accordance with the method requirements.

The method blanks were free of contamination at the reporting limits.

The associated matrix spikes and/or Laboratory Control Samples met the above stated criteria.

Exceptions to the above statements are flagged or noted above or on the QC Narrative page.

*! Flagged analyte recoveries deviated from the QA/QC limits.



11720 North Creek Parkway North, Suite 400
Bothell, WA 98011
Ph: 425-686-1996
Fx: 425-686-3096

17 August 2012

Jeff Gagne
Eastern Analytical, Inc
25 Chenell Drive
Concord, NH 03301
RE: Merrimack Station 200.8

Enclosed are the analytical results for samples received by Frontier Global Sciences. All quality control measurements are within established control limits and there were no analytical difficulties encountered with the exception of those listed in the case narrative section of this report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Liz Siska
Project Manager



11720 North Creek Parkway North, Suite 400
Bothell, WA 98011
Ph: 425-686-1996
Fx: 425-686-3096

ANALYTICAL REPORT FOR SAMPLES

Laboratory: Frontier Global Sciences, Inc.

SDG:

Client: Eastern Analytical, Inc

Project: Merrimack Station 200.8

| Sample ID | Lab ID | Matrix | Date Sampled | Date Received |
|----------------------------------|------------|--------|-----------------|-----------------|
| Softened Stream B WW | 1208068-01 | Water | 01-Aug-12 16:00 | 03-Aug-12 09:17 |
| Softened Stream B WW Field Blank | 1208068-02 | Water | 01-Aug-12 16:00 | 03-Aug-12 09:17 |

Frontier Global Sciences, Inc.

The results in this report only apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Liz Siska, Project Manager

Page 1 of 18
1208068 Final Report
08/17/2012



11720 North Creek Parkway North, Suite 400
Bothell, WA 98011
Ph: 425-686-1996
Fx: 425-686-3096

CASE NARRATIVE

SAMPLE RECEIPT

Two (2) water samples were received August 3rd, 2012 at Frontier Global Sciences (FGS). The samples were received intact, on-ice within a cooler at 3.5 degrees Celsius.

SAMPLE PREPARATION AND ANALYSIS

Sample preparation and analysis for trace metals was performed in accordance with EPA Method 200.8.

Sample preparation and analysis for total mercury was performed in accordance with EPA Method 1631E.

ANALYTICAL ISSUES

Liquid spikes were prepared for every preparation as a measure of accuracy. All liquid spikes and certified reference material (if applicable) were within the control limits.

As an additional measure of the accuracy of the methods used and to check for matrix interference, matrix spikes (MS) and matrix spike duplicates (MSD) were digested and analyzed. All of the matrix spike recoveries were within the control limits.

A reasonable measure of the precision of the analytical methods is the relative percent difference (RPD) between a matrix spike recovery and a matrix spike duplicate recovery and between laboratory control sample recovery and laboratory control sample duplicate recoveries. All of the relative percent differences were within the control limits.

Frontier Global Sciences, Inc.

Liz Siska, Project Manager

The results in this report only apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



11720 North Creek Parkway North, Suite 400
Bothell, WA 98011
Ph: 425-686-1996
Fx: 425-686-3096

CHAIN OF CUSTODY FORMS

1208068
FGS Work Order: 1208053 AMB 8-13-12 **Sample Receipt Checklist** Frontier Global Sciences

Client: Eastern Analy. Date & Time Received: 8/13/12 10:05 Date Logged In: 8/13/12 Date Labeled: 8/13/12

Project: _____ Received By: AMB Logged By: AMB Labeled By: AMB

of Coolers Received: _____ Samples Arrived By: ☒ Shipping Service _____ Courier _____ Hand _____ Other (Specify: _____)

Tracking/Airbill Number(s): 1Z X46599 01 9300 1775 UPS

Thermal Preservation: _____ None (Ambient) ☒ Loose Ice _____ Gel/Blue Ice _____ Other (Specify: _____) Thermal Preservation Required ☒ N

| Cooler Information: | Y/N | Comments | Thermometer ID: | CF: |
|--|-------------------------------------|-----------------|------------------------|---------------|
| The coolers do not appear to be tampered with: | <input checked="" type="checkbox"/> | | <u>3155</u> | <u>0.7°C</u> |
| Custody Seals are present and intact: | <u>N/A</u> | <u>not used</u> | Cooler 1: <u>3.5°C</u> | Cooler 4: °C |
| Custody seals signed by: | <u>N/A</u> | | Cooler 2: °C | Cooler 5: °C |
| | | | Cooler 3: °C | Cooler 6: °C |
| | | | Cooler 7: °C | Cooler 8: °C |
| | | | Cooler 9: °C | Cooler 10: °C |
| | | | Cooler 11: °C | Cooler 12: °C |
| | | | Cooler 13: °C | Cooler 14: °C |
| | | | Cooler 15: °C | Cooler 16: °C |
| | | | Cooler 17: °C | Cooler 18: °C |

| Chain of Custody: | Y/N | Comments | Sample Condition/Integrity: | Y/N | Comments |
|--------------------------|-------------------------------------|----------|---|-------------------------------------|----------|
| Sample ID/Description: | <u>Y(N) * SEE BELOW</u> | | Sample containers intact: | <input checked="" type="checkbox"/> | |
| Date/Time of collection: | <input checked="" type="checkbox"/> | | Sample labels are present and legible: | <input checked="" type="checkbox"/> | |
| Sampled by: | <u>N</u> | | Sample ID on container matches COC: | <input checked="" type="checkbox"/> | |
| Preservation type: | <u>N/A</u> | | Correct sample containers used: | <input checked="" type="checkbox"/> | |
| Requested analyses: | <input checked="" type="checkbox"/> | | Samples received within holding times: | <input checked="" type="checkbox"/> | |
| Required signatures: | <input checked="" type="checkbox"/> | | Sample volume sufficient for requested analyses: | <input checked="" type="checkbox"/> | |
| Internal COC required: | <u>N</u> | | Correct preservative used for requested analyses: | <u>N/A</u> | |
| | | | pH of preserved samples verified and recorded: | <input checked="" type="checkbox"/> | |

Client Contacted: _____ Date/Time: _____ Method: _____

Anomalies/Non-conformances (attach additional pages if needed): _____ Discussion/Resolution: _____

Temperature blank that client sent
had ice cubes in it instead of water.
Temp of cooler was taken without it.

Client requests "ASAP" but "without
rush surcharge" in COC. AMB 8-3-12

* Field blank not listed on COC. I will put

FGS Sample Receipt Checklist Revision 2; 07/09/2012 It in LIMS using the info on the sample label. AMB 8-3-12
✓ NORMD notes AMB 8-3-12

Frontier Global Sciences, Inc.

Liz Siska

Liz Siska, Project Manager

The results in this report only apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



11720 North Creek Parkway North, Suite 400
Bothell, WA 98011
Ph: 425-686-1996
Fx: 425-686-3096

CHAIN OF CUSTODY FORMS

1208068 CHAIN-OF-CUSTODY RECORD eastern analytical professional laboratory services

EAI SRB# 112823

| Sample ID | Date Sampled | Matrix | Parameters | Sample Notes |
|----------------------|-------------------|---------|---|--------------|
| Softened Stream B WW | 8/1/2012 18:00 | aqueous | Surface Water Low Level Metals - As, Ag, Cd, Na, Pb, Hg | 1208068 |

EAI SRB# 112823 Project State: NH
Project ID: 3902

Company Frontier Global Sciences, Inc.
Address 11720 North Creek Pkwy
Address Bothell, WA, 98011 USA
Account #
Phone # 1.425.686.1996
Fax Number 1.425.686.3096

Results Needed by: Preferred date Sat. *

QC Deliverables

☐ A ☐ A+ ☒ B ☐ B+ ☐ C ☐ P

Notes about project:

Email pdf of results and invoice to
customerservice@eailabs.com.
Please test for metals (see below) via Method
200.8 MOD (ICP-MS with Collision cell)

Test for - As, Ag, Cd, Na, Pb, Hg

* ASAP without rush surcharge.

Eastern Analytical, Inc. 25 Chenell Dr. Concord, NH 03301

Phone: (603) 228-0525

Eastern Analytical Inc. PO Number: 39222

Please call prior to analyzing, if RUSH surcharges will be applied.

Samples Collected by: [Signature] 8/2/12 17:15 UPS
Relinquished by Date/Time Received by

Relinquished by Date/Time Received by

1-800-287-0525 Fax: (603) 228-4591

As a subcontract lab to EAI, you will defend, indemnify and hold Eastern Analytical, Inc., its officers, employees, and agents harmless from and against any and all liability, loss, expense or claims for injury or damages arising out of the performance against this chain of custody but only in proportion to and to the extent such liability, loss, expense, or claims for injury or damages are caused by or result from the negligent or intentional acts or omissions of you as a subcontract lab, your officers, agents or employees

VTS R: 09:17 TEMP: 35°C w/out seals. 8-3-12
11:00-12:44 CQA at 02:17:25 2 lbs. A. BAHM, #65 10:05

Frontier Global Sciences, Inc.

Liz Siska

Liz Siska, Project Manager

The results in this report only apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Page 4 of 18
1208068 Final Report
08/17/2012



11720 North Creek Parkway North, Suite 400
Bothell, WA 98011
Ph: 425-686-1996
Fx: 425-686-3096

ANALYTICAL RESULTS

Softened Stream B WW

Matrix: Water

Laboratory ID: 1208068-01

| Analyte | Result | MDL | MRL | Units | Dilution | Batch | Sequence | Analyzed | Method | Notes |
|---------|---------|-------|-------|-------|----------|---------|----------|----------|-----------|-------|
| Arsenic | ND | 8.50 | 29.9 | µg/L | 200 | F208109 | 2H15005 | 08/14/12 | EPA 200.8 | U |
| Cadmium | ND | 0.637 | 3.98 | µg/L | 200 | F208109 | 2H15005 | 08/14/12 | EPA 200.8 | U |
| Lead | ND | 0.637 | 7.96 | µg/L | 200 | F208109 | 2H15005 | 08/14/12 | EPA 200.8 | U |
| Mercury | 34.0 | 0.84 | 5.05 | ng/L | 10 | F208138 | 2H13012 | 08/13/12 | EPA 1631E | |
| Silver | ND | 0.398 | 3.98 | µg/L | 200 | F208109 | 2H15005 | 08/14/12 | EPA 200.8 | U |
| Sodium | 5960000 | 4960 | 99500 | µg/L | 5000 | F208109 | 2H15005 | 08/14/12 | EPA 200.8 | QB-01 |

Frontier Global Sciences, Inc.

Liz Siska, Project Manager

The results in this report only apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



11720 North Creek Parkway North, Suite 400
Bothell, WA 98011
Ph: 425-686-1996
Fx: 425-686-3096

ANALYTICAL RESULTS

Softened Stream B WW Field Blank

Matrix: Water

Laboratory ID: 1208068-02

| Analyte | Result | MDL | MRL | Units | Dilution | Batch | Sequence | Analyzed | Method | Notes |
|---------|--------|-------|-------|-------|----------|---------|----------|----------|-----------|----------|
| Arsenic | ND | 0.04 | 0.15 | µg/L | 1 | F208109 | 2H15005 | 08/14/12 | EPA 200.8 | U |
| Cadmium | ND | 0.003 | 0.020 | µg/L | 1 | F208109 | 2H15005 | 08/14/12 | EPA 200.8 | U |
| Lead | ND | 0.003 | 0.040 | µg/L | 1 | F208109 | 2H15005 | 08/14/12 | EPA 200.8 | U |
| Mercury | ND | 0.08 | 0.50 | ng/L | 1 | F208138 | 2H13012 | 08/13/12 | EPA 1631E | U |
| Silver | ND | 0.002 | 0.020 | µg/L | 1 | F208109 | 2H15005 | 08/14/12 | EPA 200.8 | U |
| Sodium | ND | 1 | 20 | µg/L | 1 | F208109 | 2H15005 | 08/14/12 | EPA 200.8 | QB-02, U |

Frontier Global Sciences, Inc.

Liz Siska, Project Manager

The results in this report only apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Page 6 of 18
1208068 Final Report
08/17/2012

for AR-1529



11720 North Creek Parkway North, Suite 400
Bothell, WA 98011
Ph: 425-686-1996
Fx: 425-686-3096

MATRIX DUPLICATES/TRIPPLICATES

SOURCE: 1208068-01

Batch: F208138

Sequence: 2H13012

Preparation: BrCl Oxidation

Lab Number: F208138-DUP2

| Analyte | Sample Concentration ng/L | Duplicate Concentration ng/L | MRL | % RPD | RPD Limit | Method | Notes |
|---------|---------------------------------|------------------------------------|------|----------|--------------|-----------|-------|
| Mercury | 34.01 | 41.75 | 5.00 | 20.4 | 24 | EPA 1631E | |

Frontier Global Sciences, Inc.

A handwritten signature in cursive script that reads "Liz Siska".

Liz Siska, Project Manager

The results in this report only apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



11720 North Creek Parkway North, Suite 400
Bothell, WA 98011
Ph: 425-686-1996
Fx: 425-686-3096

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY AND RPD

SOURCE: 1208068-01

Batch: F208109

Sequence: 2H15005

Preparation: Closed Vessel Nitric Oven Digestion

Lab Number: F208109-MS/MSD1

| Analyte | Sample Concentration (µg/L) | Spike Added (µg/L) | MS Concentration (µg/L) | MS % Recovery | Recovery Limits | Method | Notes |
|---------|-----------------------------|--------------------|-------------------------|---------------|-----------------|-----------|-------|
| Arsenic | ND | 15.150 | 24.36 | 161 | 70 - 130 | EPA 200.8 | QM-07 |
| Silver | ND | 1.5150 | 1.770 | 117 | 70 - 130 | EPA 200.8 | |
| Cadmium | 0.808 | 0.80800 | 2.157 | 167 | 70 - 130 | EPA 200.8 | QM-07 |
| Lead | ND | 1.5150 | 1.911 | 126 | 70 - 130 | EPA 200.8 | |

| Analyte | Spike Added (µg/L) | MSD Concentration (µg/L) | MSD % Recovery | % RPD | Recovery Limits | RPD Limit | Method | Notes |
|---------|--------------------|--------------------------|----------------|-------|-----------------|-----------|-----------|-------|
| Arsenic | 15.150 | 19.31 | 127 | 23.2 | 70 - 130 | 20 | EPA 200.8 | QR-08 |
| Silver | 1.5150 | 1.620 | 107 | 8.82 | 70 - 130 | 20 | EPA 200.8 | |
| Cadmium | 0.80800 | 2.321 | 187 | 7.31 | 70 - 130 | 20 | EPA 200.8 | QM-07 |
| Lead | 1.5150 | 1.913 | 126 | 0.106 | 70 - 130 | 20 | EPA 200.8 | |

Frontier Global Sciences, Inc.

Liz Siska, Project Manager

The results in this report only apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



11720 North Creek Parkway North, Suite 400
Bothell, WA 98011
Ph: 425-686-1996
Fx: 425-686-3096

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY AND RPD

SOURCE: 1208068-01

Batch: F208109

Sequence: 2H15005

Preparation: Closed Vessel Nitric Oven Digestion

Lab Number: F208109-MS/MSD2

| Analyte | Sample Concentration (µg/L) | Spike Added (µg/L) | MS Concentration (µg/L) | MS % Recovery | Recovery Limits | Method | Notes |
|---------|-----------------------------|--------------------|-------------------------|---------------|-----------------|-----------|-------|
| Arsenic | ND | 4040.0 | 4115 | 102 | 70 - 130 | EPA 200.8 | AS |
| Silver | ND | 202.00 | 210.6 | 104 | 70 - 130 | EPA 200.8 | AS |
| Cadmium | 0.808 | 404.00 | 414.5 | 102 | 70 - 130 | EPA 200.8 | AS |
| Lead | ND | 1010.0 | 992.7 | 98.3 | 70 - 130 | EPA 200.8 | AS |

| Analyte | Spike Added (µg/L) | MSD Concentration (µg/L) | MSD % Recovery | % RPD | Recovery Limits | RPD Limit | Method | Notes |
|---------|--------------------|--------------------------|----------------|-------|-----------------|-----------|-----------|-------|
| Arsenic | 4040.0 | 4097 | 101 | 0.439 | 70 - 130 | 20 | EPA 200.8 | AS |
| Silver | 202.00 | 210.1 | 104 | 0.219 | 70 - 130 | 20 | EPA 200.8 | AS |
| Cadmium | 404.00 | 412.0 | 102 | 0.587 | 70 - 130 | 20 | EPA 200.8 | AS |
| Lead | 1010.0 | 997.6 | 98.8 | 0.496 | 70 - 130 | 20 | EPA 200.8 | AS |

Frontier Global Sciences, Inc.

The results in this report only apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Liz Siska, Project Manager

Page 9 of 18
1208068 Final Report
08/17/2012



11720 North Creek Parkway North, Suite 400
Bothell, WA 98011
Ph: 425-686-1996
Fx: 425-686-3096

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY AND RPD

SOURCE: 1208068-01RE1

Batch: F208109

Sequence: 2H15005

Preparation: Closed Vessel Nitric Oven Digestion

Lab Number: F208109-MS/MSD3

| Analyte | Sample Concentration (µg/L) | Spike Added (µg/L) | MS Concentration (µg/L) | MS % Recovery | Recovery Limits | Method | Notes |
|---------|-----------------------------------|--------------------------|-------------------------------|---------------------|--------------------|-----------|-------|
| Sodium | 5961000 | 505.00 | 5911000 | -9890 | 70 - 130 | EPA 200.8 | QM-02 |

| Analyte | Spike Added (µg/L) | MSD Concentration (µg/L) | MSD % Recovery | % RPD | Recovery Limits | RPD Limit | Method | Notes |
|---------|--------------------------|--------------------------------|----------------------|----------|--------------------|--------------|-----------|-------|
| Sodium | 505.00 | 5932000 | -5770 | 0.352 | 70 - 130 | 20 | EPA 200.8 | QM-02 |

Frontier Global Sciences, Inc.

Liz Siska, Project Manager

The results in this report only apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



11720 North Creek Parkway North, Suite 400
Bothell, WA 98011
Ph: 425-686-1996
Fx: 425-686-3096

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY AND RPD

SOURCE: 1208068-01RE1

Batch: F208109

Sequence: 2H15005

Preparation: Closed Vessel Nitric Oven Digestion

Lab Number: F208109-MS/MSD4

| Analyte | Sample Concentration (µg/L) | Spike Added (µg/L) | MS Concentration (µg/L) | MS % Recovery | Recovery Limits | Method | Notes |
|---------|-----------------------------------|--------------------------|-------------------------------|---------------------|--------------------|-----------|-------|
| Sodium | 5961000 | 10100000 | 16360000 | 103 | 70 - 130 | EPA 200.8 | AS |

| Analyte | Spike Added (µg/L) | MSD Concentration (µg/L) | MSD % Recovery | % RPD | Recovery Limits | RPD Limit | Method | Notes |
|---------|--------------------------|--------------------------------|----------------------|----------|--------------------|--------------|-----------|-------|
| Sodium | 10100000 | 16270000 | 102 | 0.549 | 70 - 130 | 20 | EPA 200.8 | AS |

Frontier Global Sciences, Inc.

Liz Siska, Project Manager

The results in this report only apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



11720 North Creek Parkway North, Suite 400
Bothell, WA 98011
Ph: 425-686-1996
Fx: 425-686-3096

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY AND RPD

SOURCE: 1208068-01

Batch: F208138

Sequence: 2H13012

Preparation: BrCl Oxidation

Lab Number: F208138-MS/MSD1

| Analyte | Sample Concentration (ng/L) | Spike Added (ng/L) | MS Concentration (ng/L) | MS % Recovery | Recovery Limits | Method | Notes |
|---------|-----------------------------------|--------------------------|-------------------------------|---------------------|--------------------|-----------|-------|
| Mercury | 34.01 | 102.00 | 104.3 | 68.9 | 71 - 125 | EPA 1631E | QM-05 |

| Analyte | Spike Added (ng/L) | MSD Concentration (ng/L) | MSD % Recovery | % RPD | Recovery Limits | RPD Limit | Method | Notes |
|---------|--------------------------|--------------------------------|----------------------|----------|--------------------|--------------|-----------|-------|
| Mercury | 102.00 | 103.9 | 68.6 | 0.340 | 71 - 125 | 24 | EPA 1631E | QM-05 |

Frontier Global Sciences, Inc.

Liz Siska, Project Manager

The results in this report only apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Page 12 of 18
1208068 Final Report
08/17/2012



11720 North Creek Parkway North, Suite 400
Bothell, WA 98011
Ph: 425-686-1996
Fx: 425-686-3096

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY AND RPD

SOURCE: 1207386-31

Batch: F208138

Sequence: 2H13012

Preparation: BrCl Oxidation

Lab Number: F208138-MS/MSD3

| Analyte | Sample Concentration (ng/L) | Spike Added (ng/L) | MS Concentration (ng/L) | MS % Recovery | Recovery Limits | Method | Notes |
|---------|-----------------------------------|--------------------------|-------------------------------|---------------------|--------------------|-----------|-------|
| Mercury | 223.5 | 656.25 | 807.9 | 89.1 | 71 - 125 | EPA 1631E | |

| Analyte | Spike Added (ng/L) | MSD Concentration (ng/L) | MSD % Recovery | % RPD | Recovery Limits | RPD Limit | Method | Notes |
|---------|--------------------------|--------------------------------|----------------------|----------|--------------------|--------------|-----------|-------|
| Mercury | 656.25 | 786.1 | 85.7 | 2.73 | 71 - 125 | 24 | EPA 1631E | |

Frontier Global Sciences, Inc.

Liz Siska, Project Manager

The results in this report only apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



11720 North Creek Parkway North, Suite 400
Bothell, WA 98011
Ph: 425-686-1996
Fx: 425-686-3096

LABORATORY CONTROL SAMPLE/ LABORATORY CONTROL SAMPLE DUPLICATE

RECOVERY AND RPD

Batch: F208109

Sequence: 2H15005

Preparation: Closed Vessel Nitric Oven Digestion

Lab Number: F208109-BS/BSD1

LCS Source: Blank Spike

| Analyte | Spike Added (µg/L) | LCS Concentration (µg/L) | LCS % Recovery | Recovery Limits | Method | Notes |
|---------|--------------------|--------------------------|----------------|-----------------|-----------|-------|
| Sodium | 500.00 | 481 | 96.3 | 85 - 115 | EPA 200.8 | |
| Arsenic | 15.000 | 14.64 | 97.6 | 85 - 115 | EPA 200.8 | |
| Silver | 1.5000 | 1.570 | 105 | 85 - 115 | EPA 200.8 | |
| Cadmium | 0.80000 | 0.832 | 104 | 85 - 115 | EPA 200.8 | |
| Lead | 1.5000 | 1.584 | 106 | 85 - 115 | EPA 200.8 | |

| Analyte | Spike Added (µg/L) | LCSD Concentration (µg/L) | LCSD % Recovery | % RPD | Recovery Limits | RPD Limit | Method | Notes |
|---------|--------------------|---------------------------|-----------------|-------|-----------------|-----------|-----------|-------|
| Sodium | 500.00 | 470 | 94.0 | 2.36 | 85 - 115 | 20 | EPA 200.8 | |
| Arsenic | 15.000 | 14.46 | 96.4 | 1.23 | 85 - 115 | 20 | EPA 200.8 | |
| Silver | 1.5000 | 1.584 | 106 | 0.879 | 85 - 115 | 20 | EPA 200.8 | |
| Cadmium | 0.80000 | 0.844 | 106 | 1.49 | 85 - 115 | 20 | EPA 200.8 | |
| Lead | 1.5000 | 1.571 | 105 | 0.825 | 85 - 115 | 20 | EPA 200.8 | |

Frontier Global Sciences, Inc.

Liz Siska, Project Manager

The results in this report only apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



11720 North Creek Parkway North, Suite 400
Bothell, WA 98011
Ph: 425-686-1996
Fx: 425-686-3096

LABORATORY CONTROL SAMPLE/ LABORATORY CONTROL SAMPLE DUPLICATE

RECOVERY AND RPD

Batch: F208138

Sequence: 2H13012

Preparation: BrCl Oxidation

Lab Number: F208138-BS/BSD1

LCS Source: NIST 1641 D

| Analyte | Spike Added (ng/L) | LCS Concentration (ng/L) | LCS % Recovery | Recovery Limits | Method | Notes |
|---------|--------------------|--------------------------|----------------|-----------------|-----------|-------|
| Mercury | 15.679 | 15.56 | 99.2 | 80 - 120 | EPA 1631E | |

| Analyte | Spike Added (ng/L) | LCSD Concentration (ng/L) | LCSD % Recovery | % RPD | Recovery Limits | RPD Limit | Method | Notes |
|---------|--------------------|---------------------------|-----------------|-------|-----------------|-----------|-----------|-------|
| Mercury | 15.679 | 15.41 | 98.3 | 0.916 | 80 - 120 | 24 | EPA 1631E | |

Frontier Global Sciences, Inc.

Liz Siska, Project Manager

The results in this report only apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

PREPARATION BLANKS

Instrument: Hg2600-2

Sequence: 2H13012

Preparation: BrCl Oxidation

| Lab Sample ID | Analyte | Found | MRL | Units | Batch | Method | Notes |
|---------------|---------|-------|------|-------|---------|-----------|-------|
| F208138-BLK1 | Mercury | 0.04 | 0.50 | ng/L | F208138 | EPA 1631E | U |
| F208138-BLK2 | Mercury | 0.006 | 0.50 | ng/L | F208138 | EPA 1631E | U |
| F208138-BLK3 | Mercury | 0.002 | 0.50 | ng/L | F208138 | EPA 1631E | U |
| F208138-BLK4 | Mercury | 0.04 | 0.50 | ng/L | F208138 | EPA 1631E | U |
| F208138-BLK5 | Mercury | 3.26 | 9.90 | ng/L | F208138 | EPA 1631E | U |
| F208138-BLK6 | Mercury | 0.12 | 0.52 | ng/L | F208138 | EPA 1631E | U |
| F208138-BLK7 | Mercury | 0.26 | 1.09 | ng/L | F208138 | EPA 1631E | U |

Frontier Global Sciences, Inc.

The results in this report only apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Liz Siska, Project Manager

Page 16 of 18
1208068 Final Report
08/17/2012



11720 North Creek Parkway North, Suite 400
Bothell, WA 98011
Ph: 425-686-1996
Fx: 425-686-3096

PREPARATION BLANKS

Instrument: ICPMS-6

Sequence: 2H15005

Preparation: Closed Vessel Nitric Oven Digestion

| Lab Sample ID | Analyte | Found | MRL | Units | Batch | Method | Notes |
|---------------|---------|--------|-------|-------|---------|-----------|-------|
| F208109-BLK1 | Sodium | 23 | 20 | µg/L | F208109 | EPA 200.8 | QB-10 |
| F208109-BLK1 | Arsenic | -0.06 | 0.15 | µg/L | F208109 | EPA 200.8 | U |
| F208109-BLK1 | Silver | 0.0005 | 0.020 | µg/L | F208109 | EPA 200.8 | U |
| F208109-BLK1 | Cadmium | 0.0002 | 0.020 | µg/L | F208109 | EPA 200.8 | U |
| F208109-BLK1 | Lead | 0.0006 | 0.040 | µg/L | F208109 | EPA 200.8 | U |

Frontier Global Sciences, Inc.

Liz Siska, Project Manager


The results in this report only apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Page 17 of 18
1208068 Final Report
08/17/2012

Notes and Definitions

- U Analyte included in the analysis, but not detected
- QR-08 The RPD value for the MS/MSD was outside of acceptance limits. Batch QC acceptable based on matrix duplicate and/or LCS/LCSD RPD values within control limits.
- QM-07 The spike recovery was outside control limits for the MS and/or MSD. The batch was accepted based on LCS and LCSD recoveries within control limits and, when analysis permits, acceptable AS/ASD.
- QM-05 The spike recovery was outside acceptance limits for the MS/MSD and or AS/ASD due to matrix interference. The LCS and/or LCSD were within acceptance limits showing that the laboratory is in control and the data is acceptable.
- QM-02 The MS and/or MSD recoveries outside acceptance limits, due to spike concentration less than 1 times the sample concentration. The batch was accepted based on LCS and LCSD recoveries within control limits and, when analysis permits, acceptable AS/ASD.
- QB-10 The method blank and/or initial/continuing calibration blank contains analyte at a concentration above the MRL. Only report sample results greater than 10 times the contamination value (QB-01), or samples less than the MRL (QB-02).
- QB-02 The method blank and/or initial/continuing calibration blank contains analyte at a concentration above the MRL. However, the sample concentrations are less than the MRL.
- QB-01 The method blank and/or initial/continuing calibration blank contains analyte at a concentration above the MRL. However, the blank concentration(s) are less than 10% of the sample result.
- AS This MS and/or MSD is an analytical spike and/or an analytical spike duplicate.
- DET Analyte Detected
- MDL Minimum Detection Limit
- MRL Minimum Reporting Limit
- ND Analyte Not Detected at or above the reporting limit
- wet Sample results reported on a wet weight basis
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference
- RSD Relative Standard Deviation

Frontier Global Sciences, Inc.



Liz Siska, Project Manager

The results in this report only apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

MATRIX: A-AIR; S-SOIL; GW-GROUND WATER; SW-SURFACE WATER; DW-DRINKING WATER;
WW-WASTE WATER
PRESERVATIVE: H-HCL; N-HNO₃; S-H₂SO₄; Na-NAOH; M-MEOH

(WHITE: ORIGINAL GREEN: PROJECT MANAGER)

ANALYTICAL DATA REPORT

DISTILLATE



Paul Pepler
GZA GeoEnvironmental, Inc. (NH)
380 Harvey Road
Manchester, NH 03103



Subject: Laboratory Report

Eastern Analytical, Inc. ID: 113295
Client Identification: PSNH-MK
Date Received: 8/17/2012

Dear Mr. Pepler:

Enclosed please find the laboratory report for the above identified project. All analyses were performed in accordance with our QA/QC Program. Unless otherwise stated, holding times, preservation techniques, container types, and sample conditions adhered to EPA Protocol. Samples which were collected by Eastern Analytical, Inc. (EAI) were collected in accordance with approved EPA procedures. Eastern Analytical, Inc. certifies that the enclosed test results meet all requirements of NELAP and other applicable state certifications. Please refer to our website at www.eailabs.com for a copy of our NELAP certificate and accredited parameters.

The following standard abbreviations and conventions apply to all EAI reports:

Solid samples are reported on a dry weight basis, unless otherwise noted
< : "less than" followed by the reporting limit
> : "greater than" followed by the reporting limit
%R : % Recovery


Eastern Analytical Inc. maintains certification in the following states: Connecticut (PH-0492), Maine (NH005), Massachusetts (M-NH005), New Hampshire/NELAP (1012), Rhode Island (269) and Vermont (VT1012).

The following information is contained within this report: Sample Conditions summary, Analytical Results/Data, Quality Control data (if requested) and copies of the Chain of Custody. This report may not be reproduced except in full, without the the written approval of the laboratory.

If you have any questions regarding the results contained within, please feel free to directly contact me or the chemist(s) who performed the testing in question. Unless otherwise requested, we will dispose of the sample(s) 30 days from the sample receipt date.

We appreciate this opportunity to be of service and look forward to your continued patronage.

Sincerely,


Lorraine Olashaw, Lab Director

8.24.12
Date

11
of pages (excluding cover letter)



SAMPLE CONDITIONS PAGE

EAI ID#: 113295

Client: GZA GeoEnvironmental, Inc. (NH)

Client Designation: PSNH-MK

Temperature upon receipt (°C): 12

Received on ice or cold packs (Yes/No): Y

Acceptable temperature range (°C): 0-6

| Lab ID | Sample ID | Date Received | Date Sampled | Sample Matrix | % Dry Weight | Exceptions/Comments (other than thermal preservation) |
|-----------|------------|---------------|--------------|---------------|--------------|---|
| 113295.01 | Distillate | 8/17/12 | 8/16/12 | aqueous | | Adheres to Sample Acceptance Policy |

Samples were properly preserved and the pH measured when applicable unless otherwise noted. Analysis of solids for pH, Flashpoint, Ignitability, Paint Filter, Corrosivity, Conductivity and Specific Gravity are reported on an "as received" basis. All results contained in this report relate only to the above listed samples.

References include:

- 1) EPA 600/4-79-020, 1983
- 2) Standard Methods for Examination of Water and Wastewater: Inorganics, 19th Edition, 1995; Microbiology, 20th Edition, 1998
- 3) Test Methods for Evaluating Solid Waste SW 846 3rd Edition including updates IVA and IVB
- 4) Hach Water Analysis Handbook, 2nd edition, 1992



LABORATORY REPORT

EAI ID#: 113295

Client: **GZA GeoEnvironmental, Inc. (NH)**

Client Designation: **PSNH-MK**

Sample ID: Distillate

Lab Sample ID: 113295.01

Matrix: aqueous

Date Sampled: 8/16/12

Date Received: 8/17/12

Chloride 170

Analysis

| Units | Date | Time | Method | Analyst |
|-------|---------|-------|---------|---------|
| mg/L | 8/17/12 | 11:04 | 4500CIE | KD |



QC REPORT

EAI ID#: 113295

Client: GZA GeoEnvironmental, Inc. (NH)

Client Designation: PSNH-MK

| Parameter Name | Blank | LCS | LCSD | Units | Date of Analysis | Limits | RPD | Method |
|----------------|-------|------------|--------------------|-------|------------------|----------|-----|---------|
| Chloride | < 1 | 25 (98 %R) | 25 (98 %R) (0 RPD) | mg/L | 8/17/12 | 90 - 110 | 20 | 4500CIE |

Samples were analyzed within holding times unless noted on the sample results page.
Instrumentation was calibrated in accordance with the method requirements.
The method blanks were free of contamination at the reporting limits.
The associated matrix spikes and/or Laboratory Control Samples met the above stated criteria.
Exceptions to the above statements are flagged or noted above or on the QC Narrative page.
*/! Flagged analyte recoveries deviated from the QA/QC limits.



LABORATORY REPORT

EAI ID#: 113295

Client: GZA GeoEnvironmental, Inc. (NH)

Client Designation: PSNH-MK

Sample ID: Distillate

Lab Sample ID: 113295.01


Matrix: aqueous

Date Sampled: 8/16/12

Date Received: 8/17/12

Arsenic 0.006
Chromium < 0.001
Lead < 0.001
Selenium 0.022

| Analytical Matrix | Units | Date of Analysis | Method | Analyst |
|-------------------|-------|------------------|--------|---------|
| AqTot | mg/L | 8/17/12 | 200.8 | DS |
| AqTot | mg/L | 8/17/12 | 200.8 | DS |
| AqTot | mg/L | 8/17/12 | 200.8 | DS |
| AqTot | mg/L | 8/17/12 | 200.8 | DS |



QC REPORT

EAI ID#: 113295

Client: GZA GeoEnvironmental, Inc. (NH)

Client Designation: PSNH-MK

| Parameter Name | Blank | LCS | LCSD | Units | Date of Analysis | Limits | RPD | Method |
|----------------|---------|--------------|------|-------|------------------|----------|-----|--------|
| Arsenic | < 0.001 | 1.0 (100 %R) | | mg/L | 8/17/12 | 85 - 115 | 20 | 200.8 |
| Chromium | < 0.001 | 1.1 (111 %R) | | mg/L | 8/17/12 | 85 - 115 | 20 | 200.8 |
| Lead | < 0.001 | 1.1 (108 %R) | | mg/L | 8/17/12 | 85 - 115 | 20 | 200.8 |
| Selenium | < 0.001 | 0.91 (91 %R) | | mg/L | 8/17/12 | 85 - 115 | 20 | 200.8 |

| Parameter Name | MS/MSD Parent ID | MS/MSD Parent | Matrix Spike | MSD | Units | Date of Analysis | Limits | RPD | Method |
|----------------|------------------|---------------|--------------|----------------------|-------|------------------|--------|-----|--------|
| Arsenic | 113235.01 | < 0.001 | 1.1 (107 %R) | 1.0 (101 %R) (6 RPD) | mg/L | 8/17/12 | 70-130 | 20 | 200.8 |
| Chromium | 113235.01 | < 0.001 | 1.1 (108 %R) | 1.1 (106 %R) (2 RPD) | mg/L | 8/17/12 | 70-130 | 20 | 200.8 |
| Lead | 113235.01 | < 0.001 | 1.1 (113 %R) | 1.1 (107 %R) (5 RPD) | mg/L | 8/17/12 | 70-130 | 20 | 200.8 |
| Selenium | 113235.01 | < 0.001 | 0.90 (90 %R) | 0.91 (91 %R) (1 RPD) | mg/L | 8/17/12 | 70-130 | 20 | 200.8 |

Samples were analyzed within holding times unless noted on the sample results page.

Instrumentation was calibrated in accordance with the method requirements.

The method blanks were free of contamination at the reporting limits.

The associated matrix spikes and/or Laboratory Control Samples met the above stated criteria.

Exceptions to the above statements are flagged or noted above or on the QC Narrative page.

*// Flagged analyte recoveries deviated from the QA/QC limits.



Friday, August 24, 2012

Attn: Front Office
Eastern Analytical
25 Chenell Drive
Concord, NH 03301

Project ID: 3902
Sample ID#s: BC57679

This laboratory is in compliance with the NELAC requirements of procedures used except where indicated.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory. All soils and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

A scanned version of the COC form accompanies the analytical report and is an exact duplicate of the original.

If you have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext. 200.

Sincerely yours,

A handwritten signature in cursive script, appearing to read "Phyllis Shiller".

Phyllis Shiller
Laboratory Director

NELAC - #NY11301
CT Lab Registration #PH-0618
MA Lab Registration #MA-CT-007
ME Lab Registration #CT-007
NH Lab Registration #213693-A,B

NJ Lab Registration #CT-003
NY Lab Registration #11301
PA Lab Registration #68-03530
RI Lab Registration #63
VT Lab Registration #VT11301



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

August 24, 2012

FOR: Attn: Front Office
Eastern Analytical
25 Chenell Drive
Concord, NH 03301

Sample Information

Matrix: WATER
Location Code: EASTANAL
Rush Request: Standard
P.O.#: 39277

Custody Information

Collected by:
Received by: LB
Analyzed by: see "By" below

| Date | Time |
|----------|-------|
| 08/16/12 | 12:00 |
| 08/21/12 | 10:00 |

Laboratory Data

SDG ID: GBC57679
Phoenix ID: BC57679

Project ID: 3902
Client ID: DISTILLATE

| Parameter | Result | RL/ PQL | Units | Date/Time | By | Reference |
|-------------------|-----------|------------|-------|-----------|-----|--------------|
| Mercury | < 0.0002 | 0.0002 | mg/L | 08/22/12 | RS | SW7470/245.1 |
| Mercury Digestion | Completed | | | 08/22/12 | X/X | SW7470/245.1 |

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected
BRL=Below Reporting Level

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.
This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director

August 24, 2012

Reviewed and Released by: Johanna Harrington, Project Manager



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



QA/QC Report

August 24, 2012

QA/QC Data

SDG I.D.: GBC57679

| Parameter | Blank | Sample Result | Dup Result | Dup RPD | LCS % | LCSD % | LCS RPD | MS % | MSD % | MS RPD | % Rec Limits | % RPD Limits |
|---|-------|---------------|------------|---------|-------|--------|---------|------|-------|--------|--------------|--------------|
| QA/QC Batch 207658, QC Sample No: BC57454 (BC57679) | | | | | | | | | | | | |
| Mercury - Water | BRL | <0.0002 | <0.0002 | NC | 89.2 | 88.2 | 1.1 | 93.2 | 93.0 | 0.2 | 70 - 130 | 20 |

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference

LCS - Laboratory Control Sample


LCSD - Laboratory Control Sample Duplicate

MS - Matrix Spike

MS Dup - Matrix Spike Duplicate

NC - No Criteria

Intf - Interference


Phyllis Shiller, Laboratory Director
August 24, 2012

Friday, August 24, 2012

Requested Criteria: None

State: NH

Sample Criteria Exceedences Report

GBC57679 - EASTANAL

Page 1 of 1

| SampNo | Acode | Phoenix Analyte | Criteria | Result | RL | Criteria | RL Criteria | Analysis Units |
|--------|-------|-----------------|----------|--------|----|----------|----------------|-------------------|
|--------|-------|-----------------|----------|--------|----|----------|----------------|-------------------|

*** No Data to Display ***

Phoenix Laboratories does not assume responsibility for the data contained in this report. It is provided as an additional tool to identify requested criteria exceedences. All efforts are made to ensure the accuracy of the data (obtained from appropriate agencies). A lack of exceedence information does not necessarily suggest conformance to the criteria. It is ultimately the site professional's responsibility to determine appropriate compliance.

CHAIN-OF-CUSTODY RECORD eastern analytical professional laboratory services

EAI SRB# 113295

| Sample ID | Date Sampled | Matrix | aParameters | Sample Notes |
|------------|--------------------|---------|------------------------------|--------------|
| Distillate | 8/16/2012 12:00 | aqueous | Mercury Cold Vapor (Phoenix) | 57679 |

100%
10

EAI SRB# 113295 Project State: NH

Project ID: 3902

Company Phoenix Environmental Labs

Address 587 East Middle Turnpike

Address Manchester, CT 06040

Account #

Phone # (860) 645-1102

Fax Number 860 645-0823

Results Needed by: Preferred date 5 day

QC Deliverables

☒ A ☐ A+ ☐ B ☐ B+ ☐ C ☐ P

Notes about project:

Email pdf of results and invoice to customerservice@eailabs.com.

Eastern Analytical Inc. PO Number: 39277

Please call prior to analyzing, if RUSH surcharges will be applied.

Samples Collected by:

Amelia 8/20/12 1530 UPS

Relinquished by UPS Date/Time 8/20/12 10100 Received by

Relinquished by Date/Time Received by

Eastern Analytical, Inc. 25 Chenell Dr. Concord, NH 03301 - Phone: (603)228-0525 1-800-287-0525 Fax: (603)228-4591

As a subcontract lab to EAI, you will defend, indemnify and hold Eastern Analytical, Inc., its officers, employees, and agents harmless from and against any and all liability, loss, expense or claims for injury or damages arising out of the performance against this chain of custody but only in proportion to and to the extent such liability, loss, expense, or claims for injury or damages are caused by or result from the negligent or intentional acts or omissions of you as a subcontract lab, your officers, agents or employees

CHAIN-OF-CUSTODY RECORD

113295

BOLD FIELDS REQUIRED. PLEASE CIRCLE REQUESTED ANALYSIS.

| SAMPLE I.D. | SAMPLING DATE/TIME *If COMPOSITE, INDICATE BOTH START & FINISH DATE/TIME | MATRIX (SEE BELOW) GRAB/*COMPOSITE | VOC | | SVOC | | TCLP | METALS | INORGANICS | | MICRO | OTHER | NOTES MeOH Vial # |
|-------------|---|---------------------------------------|--|--|---|---|---|---|---|---|---|---|----------------------|
| | | | 5242 BTEX 5242 BTEX 8260B 624 I, 4 Dioxine EDB DBCP | 8018 BTEX 8018 BTEX 8018B 624 I, 4 Dioxine EDB DBCP | 82700 425 SVOC A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z | 82700 425 SVOC A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z | 82700 425 SVOC A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z | 82700 425 SVOC A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z | 82700 425 SVOC A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z | 82700 425 SVOC A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z | 82700 425 SVOC A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z | 82700 425 SVOC A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z | |
| Distillate | 08/18/2012 12:00 PM | WW G | | | | | | | | | | | 23 |

MATRIX: A-Air; S-Soil; GW-Ground Water; SW-Surface Water; DW-Drinking Water; WW-Waste Water
PRESERVATIVE: H-HCL; N-HNO₃; S-H₂SO₄; Na-NaOH; M-MEOL

PROJECT MANAGER: Paul Pepler
 COMPANY: GZA GeoEnvironmental, Inc.
 ADDRESS: 380 Hanley Road
 CITY: Manchester STATE: NH ZIP: 03103
 PHONE: 603-232-8717 EXT.:
 FAX:
 E-MAIL: paul.pepler@gza.com
 SITE NAME: PSNH- MK
 PROJECT #:
 STATE: NH MA ME VT OTHER:
 REGULATORY PROGRAM: NPDES: RGP POTW Stormwater OR
 GWP: Oil Fund, Brownfield OR OTHER:
 QUOTE #:
 PO #:

DATE NEEDED: Standard TAT

QA/QC

REPORTING LEVEL

A B C

OR

PRESUMPTIVE CERTAINTY

SAMPLER(S): Paul Pepler, GZA

RELINQUISHED BY: DATE: TIME: RECEIVED BY:

RELINQUISHED BY: DATE: TIME: RECEIVED BY:

RELINQUISHED BY: DATE: TIME: RECEIVED BY:

TEMP. 12°C
ICE? YES NO

REPORTING OPTIONS

PRELIMS: YES OR NO

If YES: FAX OR PDF

ELECTRONIC OPTIONS

No FAX E-MAIL PDF EQUIS

METALS: 8 RCRA 13 PP Fe, Mn Pb, Cu
As, Cr, Pb, Se, Hg (cv)

OTHER METALS:

DISSOLVED METALS FIELD FILTERED? YES NO

NOTES: (IE: SPECIAL DETECTION LIMITS, BILLING INFO, IF DIFFERENT)

FIELD pH: 9.64 SU

PLEASE PERFORM METALS ANALYSIS
INHOUSE (As, Cr, Pb, Se)

★ Date change per P. Pepler, 8/17

SITE HISTORY: Jh

SUSPECTED CONTAMINATION:

FIELD READINGS:



eastern analytical, inc.

professional laboratory services

25 CHENELL DRIVE | CONCORD, NH 03301 | TEL: 603.228.0525 | 1.800.287.0525 | FAX: 603.228.4591 | E-MAIL: CUSTOMER_SERVICE@EAILABS.COM | WWW.EAILABS.COM

(WHITE: ORIGINAL GREEN: PROJECT MANAGER)