

NOTE

Only the cover page of this document is being provided/posted on the EPA Region 1's Merrimack Station NPDES Draft Permit Web page.

For further viewing, the full document is available at EPA Region 1.

The full document may contain a Table of Contents, Executive Summary, List of Figures, List of Tables, etc.

Admin #
168

Reference

28

(Gomez & Sullivan 2003)

**BEFORE THE
UNITED STATES OF AMERICA
FEDERAL ENERGY REGULATORY COMMISSION**


**MERRIMACK RIVER PROJECT
(AMOSKEAG, HOOKSETT & GARVINS FALLS)
FERC NO. 1893 - NH**

**APPLICATION FOR
NEW LICENSE FOR MAJOR PROJECT
EXISTING DAMS**

**PUBLIC SERVICE COMPANY OF NEW HAMPSHIRE
MANCHESTER, NEW HAMPSHIRE**

VOLUME III

DECEMBER, 2003



Public Service of New Hampshire

WATER QUALITY REPORT OF THE MERRIMACK RIVER HYDROELECTRIC PROJECT

(Amoskeag, Hooksett and Garvins Falls)

FERC Project No. 1893

FINAL REPORT

NOVEMBER 2003

Prepared for:

PUBLIC SERVICE COMPANY OF NEW HAMPSHIRE

Manchester, NH

Prepared by:

GOMEZ AND SULLIVAN ENGINEERS, P.C.

Engineers and Environmental Scientists

Weare, NH

Table of Contents

Table of Contents	1
Executive Summary	2
List of Figures	5
List of Tables	8
Acronyms and Conversions	9
Glossary of Terms	10
1.0 Introduction.....	12
1.1 Purpose and Scope of Report.....	12
1.2 Project Description	12
1.3 Scope of Monitoring.....	13
1.4 Tributaries and Discharges in the Project Area	13
1.5 Water Quality Classification	14
2.0 Monthly Water Quality Sampling.....	16
2.1 Field Methods.....	16
2.2 Laboratory Methods	17
2.3 Results	17
2.3.1 Dissolved Oxygen and Temperature Profiles.....	18
2.3.2 Water Column Parameters	19
2.4 Conclusions	20
3.0 Diurnal Surveys	42
3.1 Methods	42
3.2 Results	42
3.3 Conclusions	46
4.0 Continuous Dissolved Oxygen and Temperature Monitoring	62
4.1 Methods	62
4.2 Results	63
4.2.1 Stream Flow and Climatological Conditions	63
4.2.2 Water Temperature.....	64
4.2.3 Dissolved Oxygen	64
4.2.4 Average Daily Dissolved Oxygen Levels	66
4.3 Conclusions	67
5.0 Quality Assurance/Quality Control.....	103
5.1 Water Column Parameters.....	103
5.2 Diurnal Survey Field Data Collection	104
5.3 Continuous Dissolved Oxygen and Temperature Monitoring.....	104
6.0 Summary and Conclusions	108
7.0 References.....	111

Appendices

APPENDIX A-MONTHLY WATER QUALITY REPORTS

APPENDIX B-DIURNAL SURVEY DATA

APPENDIX C-CONTINUOUS DISSOLVED OXYGEN AND TEMPERATURE DATA

APPENDIX D-GENERATION DATA

APPENDIX E-CORRESPONDENCE

List of Figures

Figure 1.3-1: Merrimack River Sampling Locations, Dams and NPDES Discharge Points	15
Figure 2.1-1: Topographic Map of Sewalls Falls Sampling Locations.....	21
Figure 2.1-2: Overhead View of Garvins Falls Sampling Locations.....	22
Figure 2.1-3: Overhead View of Hooksett Sampling Locations.....	23
Figure 2.1-4: Overhead View of Amoskeag Sampling Locations	24
Figure 2.3.1-1: Temperature and Dissolved Oxygen Profiles for May 31, 2002.....	25
Figure 2.3.1-2: Temperature and Dissolved Oxygen Profiles for June 26, 2002.....	26
Figure 2.3.1-3: Temperature and Dissolved Oxygen Profiles for July 30, 2002	27
Figure 2.3.1-4: Temperature and Dissolved Oxygen Profiles for August 21, 2002	28
Figure 2.3.1-5: Temperature and Dissolved Oxygen Profiles for September 23, 2002	29
Figure 2.3.1-6: Temperature and Dissolved Oxygen Profiles for October 15, 2002	30
Figure 2.3.1-7: Temperature and Dissolved Oxygen Profiles for November 11, 2002	31
Figure 2.3.1-8: Temperature and Dissolved Oxygen for December 18, 2002.....	32
Figure 2.3.1-9: Temperature and Dissolved Oxygen for January 21, 2003	33
Figure 2.3.1-10: Temperature and Dissolved Oxygen for February 19, 2003	34
Figure 2.3.1-11: Temperature and Dissolved Oxygen for March 25, 2003	35
Figure 2.3.1-12: Temperature and Dissolved Oxygen for April 22, 2003	36
Figure 2.3.2-1: Monthly Water Quality Data, Total Suspended Solids, March 25, 2003	37
Figure 2.3.2-2: Monthly Water Quality Data, Chlorophyll a, 2002-2003	38
Figure 2.3.2-3: Monthly Water Quality Data, Ammonia, 2002-2003.....	39
Figure 2.3.2-4: Monthly Water Quality Data, Total Kjeldahl Nitrogen (TKN), 2002-2003	40
Figure 2.3.2-5: Monthly Water Quality Data, Total Phosphorus, 2002-2003	41
Figure 3.2-1: Air Temperature Every Fifteen Minutes at USGS Gage (No. 01089100) on the Suncook River, near Concord, NH during July 25-26, 2002	48
Figure 3.2-2: Diurnal Temperature Profiles at Garvins Falls Headpond (Station #2), July 25-26, 2002 ..	49
Figure 3.2-3: Diurnal Temperature Profiles at Hooksett Headpond (Station #4), July 25-26, 2002	50
Figure 3.2-4: Diurnal Temperature Profiles at Amoskeag Headpond (Station #6), July 25-26, 2002.....	51
Figure 3.2-5: Diurnal Dissolved Oxygen Profiles at Garvins Falls Headpond (Station #2), July 25-26, 2002	52
Figure 3.2-6: Diurnal Dissolved Oxygen Profiles at Hooksett Headpond (Station #4), July 25-26, 2002 ..	53
Figure 3.2-7: Diurnal Dissolved Oxygen Profiles at Amoskeag Headpond (Station #6), July 25-26, 2002	54
Figure 3.2-8: Air Temperature Every Fifteen Minutes at USGS Gage (No. 01089100) on the Suncook River, near Concord, NH during August 22-23, 2002	55
Figure 3.2-9: Diurnal Temperature Profiles at Garvins Falls Headpond (Station #2), August 22-23, 2002	56
Figure 3.2-10: Diurnal Temperature Profiles at Hooksett Headpond (Station #4), August 22-23, 2002 ..	57
Figure 3.2-11: Diurnal Temperature Profiles at Amoskeag Headpond (Station #6), August 22-23, 2002 ..	58
Figure 3.2-12: Diurnal Dissolved Oxygen Profiles at Garvins Falls Headpond (Station #2), August 22-23, 2002	59
Figure 3.2-13: Diurnal Dissolved Oxygen Profiles at Hooksett Headpond (Station #4), August 22-23, 2002	60
Figure 3.2-14: Diurnal Dissolved Oxygen Profiles at Amoskeag Headpond (Station #6), August 22-23, 2002	61
Figure 4.1-1: Station #1, Sewalls Falls Photograph (looking upstream)	70
Figure 4.1-2: Station #3, Garvins Falls Tailrace Photograph.....	71
Figure 4.1-3: Station #5, Hooksett Tailrace Photograph.....	72

Figure 4.1-4: Station #7, Amoskeag Tailrace Photograph (looking downstream).....	73
Figure 4.1-5: Protective casing used to house the datasonde.....	74
Figure 4.2.1-1: Hydrograph of Merrimack River at Franklin Junction, NH (USGS Gage No. 01081500, Drainage Area = 1,507 square miles), May 15 – October 15, 2002	75
Figure 4.2.1-2: Hydrograph of Merrimack River near Goffs Falls, below Manchester, NH (USGS Gage No. 01092000, Drainage Area = 3,092 square miles), May 15 – October 15, 2002.....	76
Figure 4.2.2-1: Water Temperature Every Fifteen Minutes at Sewalls Falls, Garvins Falls, Hooksett and Amoskeag Stations, May 24 – June 30, 2002	77
Figure 4.2.2-2: Water Temperature Every Fifteen Minutes at Sewalls Falls, Garvins Falls, Hooksett and Amoskeag Stations, July - August 2002	78
Figure 4.2.2-3: Water Temperature Every Fifteen Minutes at Sewalls Falls, Garvins Falls, Hooksett and Amoskeag Stations, September - October 2002	79
Figure 4.2.3-1: Example of the Drift Adjustment Applied to the Dissolved Oxygen Raw Data.....	80
Figure 4.2.3-2: Dissolved Oxygen Percent Saturation Every Fifteen Minutes at Sewalls Falls (Station #1) May – June 2002.....	81
Figure 4.2.3-3: Dissolved Oxygen Percent Saturation Every Fifteen Minutes at Sewalls Falls (Station #1) July - August 2002	82
Figure 4.2.3-4: Dissolved Oxygen Percent Saturation Every Fifteen Minutes at Sewalls Falls (Station #1) September - October 2002	83
Figure 4.2.3-5: Dissolved Oxygen Percent Saturation Every Fifteen Minutes below Garvins Falls dam (Station #3) May – June 2002.....	84
Figure 4.2.3-6: Dissolved Oxygen Percent Saturation Every Fifteen Minutes below Garvins Falls dam (Station #3) July - August 2002	85
Figure 4.2.3-7: Dissolved Oxygen Percent Saturation Every Fifteen Minutes below Garvins Falls dam (Station #3) September - October 2002	86
Figure 4.2.3-8: Dissolved Oxygen Percent Saturation Every Fifteen Minutes below Hooksett dam (Station #5) May – June 2002.....	87
Figure 4.2.3-9: Dissolved Oxygen Percent Saturation Every Fifteen Minutes below Hooksett dam (Station #5) July - August 2002.....	88
Figure 4.2.3-10: Dissolved Oxygen Percent Saturation Every Fifteen Minutes below Hooksett dam (Station #5) September - October 2002	89
Figure 4.2.3-11: Dissolved Oxygen Percent Saturation Every Fifteen Minutes below Amoskeag dam (Station #7) May – June 2002.....	90
Figure 4.2.3-12: Dissolved Oxygen Percent Saturation Every Fifteen Minutes below Amoskeag dam (Station #7) July - August 2002	91
Figure 4.2.3-13: Dissolved Oxygen Percent Saturation Every Fifteen Minutes below Amoskeag dam (Station #7) September - October 2002	92
Figure 4.2.4-1: Average Daily Dissolved Oxygen Percent Saturation at Sewalls Falls (Station #1), Sampling Period: May 24 - October 15, 2002	93
Figure 4.2.4-2: Average Daily Dissolved Oxygen Percent Saturation below Garvins Falls dam (Station #3), Sampling Period: May 24 - October 15, 2002	94
Figure 4.2.4-3: Average Daily Dissolved Oxygen Percent Saturation below Hooksett dam (Station #5), Sampling Period: May 24 - October 15, 2002	95
Figure 4.2.4-4: Average Daily Dissolved Oxygen Percent Saturation below Amoskeag dam (Station #7), Sampling Period: May 24 - October 15, 2002	96
Figure 4.3-1: Dissolved Oxygen and Hourly Generation Data at the Garvins Falls tailrace (Station #3) during High Flow	97
Figure 4.3-2: Dissolved Oxygen and Hourly Generation Data at the Garvins Falls tailrace (Station #3) during Low Flow.....	98
Figure 4.3-3: Dissolved Oxygen and Hourly Generation Data at the Hooksett tailrace (Station #5) during High Flow	99

Figure 4.3-4: Dissolved Oxygen and Hourly Generation Data at the Hooksett tailrace (Station #5) during Low Flow	100
Figure 4.3-5: Dissolved Oxygen and Hourly Generation Data at the Amoskeag tailrace (Station #7) during High Flow	101
Figure 4.3-6: Dissolved Oxygen and Hourly Generation Data at the Amoskeag tailrace (Station #7) during Low Flow	102

List of Tables

Table 2.2-1: Laboratory Methods Used in Water Quality Analyses.....	17
Table 2.3-1: Weather Characteristics during Monthly Sampling Events 2002-2003.	17
Table 3.2-1: Mean Daily Streamflow for July 25-26, 2002 and long term Mean Daily Flow for two streamflow gages located on the Merrimack River.....	43
Table 3.2-2: Mean Daily Streamflow for August 22-23, 2002 and long term Mean Daily Flow for two streamflow gages located on the Merrimack River.....	45
Table 4.2.1-1: Preliminary average monthly air temperatures and precipitation for 2002 at the Concord, NH Airport and departures from normal based on the period 1971-2000.	64
Table 5.2-1: Average dissolved oxygen readings when meter placed in zero oxygen standard.	104
Table 5.3-1: Average Absolute Difference in °C between Hydrolab temperature readings compared to an independent meter.	104
Table 5.3-2: Sewalls Falls, differences in dissolved oxygen readings: spot check versus datasonde readings, and spot check versus drift-adjusted datasonde readings.	105
Table 5.3-3: Garvins Falls, differences in dissolved oxygen readings: spot check versus datasonde readings, and spot check versus drift-adjusted datasonde readings.	106
Table 5.3-4: Hooksett, differences in dissolved oxygen readings: spot check versus datasonde readings, and spot check versus drift-adjusted datasonde readings.....	106
Table 5.3-5: Amoskeag, differences in dissolved oxygen readings: spot check versus datasonde readings, and spot check versus drift-adjusted datasonde readings.....	107
Table 6-1: NPDES permit measurements at Concord Hall Street WWTP (May – October, 2002).	109
Table 6-2: NPDES permit measurements at Suncook WWTP (May – October, 2002).	109
Table 6-3: NPDES permit measurements at Hooksett Street WWTP (May – October, 2002).....	109
Table 6-4: NPDES permit measurements at Merrimack Station (May – October, 2002).....	110