

Message

---

**From:** DeMeo, Sharon M. [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=DB64C991FA6C4C879459CF07245B47AA-DEMEO, SHARON M.]  
**Sent:** 11/3/2017 3:50:04 PM  
**To:** Shakun, Eli [eli.shakun@nera.com]  
**CC:** Webster, David [Webster.David@epa.gov]  
**Subject:** RE: Merrimack Station - Data Request for 316(b) Social Cost Analysis  
**Attachments:** MS\_FTEs.xlsx

Hi Eli,

It was nice speaking with you today. As we discussed, please see the attached spread sheets that include the estimated permitting time in hours for each scenario that was proposed for Merrimack Station going forward. Feel free to let us know if you have further questions or need additional information. I'll be returning to the office on November 14<sup>th</sup>.

Regards,

Sharon

---

Sharon DeMeo  
US EPA – Region 1  
Phone: 617-918-1995  
Fax: 617-918-0995



Go Green! Print this email only when necessary.

---

**From:** Shakun, Eli [mailto:eli.shakun@nera.com]  
**Sent:** Thursday, November 02, 2017 4:17 PM  
**To:** DeMeo, Sharon M.  
**Cc:** Harrison, David {NERA}  
**Subject:** RE: Merrimack Station - Data Request for 316(b) Social Cost Analysis

Privileged and Confidential. Prepared at Request of Counsel.

Hi Sharon,

Thanks very much for taking the time to speak with me last week. I am just following up to see if there is any update on the public admin cost estimates we have requested for Merrimack Station. Please let me know if there is any additional information I can provide that would be helpful for your team as you develop these estimates.

Thanks again,  
Eli

---

**Eli Shakun**

**NERA**  
ECONOMIC CONSULTING  
Tel: +1 617 927 4590  
Mobile: +1 860 550 0428

**From:** Shakun, Eli  
**Sent:** Friday, October 20, 2017 4:14 PM  
**To:** 'Demeo.Sharon@epa.gov'  
**Cc:** Harrison, David {NERA}  
**Subject:** Merrimack Station - Data Request for 316(b) Social Cost Analysis

Privileged and Confidential. Prepared at Request of Counsel.

Ms. DeMeo,

I hope this finds you well. NERA Economic Consulting is working with PSNH to develop a social cost analysis of alternative cooling water intake structures at Merrimack Station in relation to the Merrimack Station NPDES Permit. In compliance with EPA's Final Regulations to Establish Requirements for Cooling Water Intake Structures at Existing Facilities ("Final Rule"), the social cost analysis must include estimates of the administrative costs EPA Region 1 would incur in association with the installation and operation of each of cooling water intake structures considered. I have attached a document that outlines the specific data we request to ensure our analysis is consistent with the final rule.

We would be very grateful for your help in providing these estimates to ensure the completeness of PSNH's submittal. Please do not hesitate to reach out to me or David Harrison (CC'd above) (617-927-4512) with any questions.

Thanks,  
Eli

---

**Eli Shakun**  
Associate Analyst

**NERA**  
ECONOMIC CONSULTING  
200 Clarendon Street, 11th Floor  
Boston, Massachusetts 02116  
Tel: +1 617 927 4590  
Mobile: +1 860 550 0428  
[eli.shakun@nera.com](mailto:eli.shakun@nera.com)  
[www.nera.com](http://www.nera.com)

---

---

This e-mail and any attachments may be confidential or legally privileged. If you received this message in error or are not the intended recipient, you should destroy the e-mail message and any attachments or copies, and you are prohibited from retaining, distributing, disclosing or using any information contained herein. Please inform us of the erroneous delivery by return e-mail. Thank you for your cooperation.