

Re: Merrimack Station
Mark Stein to: landilt

Sorry, Linda. Yes, I'll use the call-in number. Talk to you at 11:00...

Mark A. Stein
U.S. Environmental Protection Agency
New England Region
5 Post Office Square – Suite 100 (ORA 18-1)
Boston, MA 02109-3912

Tel.: (617) 918-1077
E- Fax: (617) 918-0077

From: landilt@nu.com
To: Mark Stein/R1/USEPA/US@EPA
Date: 01/03/2011 09:14 AM
Subject: Re: Merrimack Station

Will you use the call-in number or do you want me to call you directly?

Linda T. Landis, Senior Counsel
Legal Department
Public Service Company of NH
780 No. Commercial Street
Manchester, NH 03101
(603)634-2700
Fax (603)634-2438

From: Stein.Mark@epamail.epa.gov
To: Linda T. Landis/NUS@NU
Date: 01/03/2011 09:02 AM
Subject: Re: Merrimack Station

Yes. I'll expect your call at 11:00.

Mark A. Stein
U.S. Environmental Protection Agency
New England Region

5 Post Office Square - Suite 100 (ORA 18-1)
Boston, MA 02109-3912

Tel.: (617) 918-1077
E- Fax: (617) 918-0077

|----->
| From: |
|----->

>-----

|landilt@nu.com
|

>-----

|----->
| To: |
|----->

>-----

|Mark Stein/R1/USEPA/US@EPA
|

>-----

|----->
| Date: |
|----->

>-----

|01/03/2011 08:53 AM
|

>-----

|----->
| Subject: |
|----->

>-----

|Re: Merrimack Station
|

>-----

Happy New Year, Mark. I hope you had a good time last week away from the office. Are you still available this morning for a brief discussion with Bill and me re the scrubber wastewater treatment system? Does 11:00 work okay for you? We can use our call-in number: 603-634-2376. Let me know. Thanks. Linda

Linda T. Landis, Senior Counsel
Legal Department
Public Service Company of NH
780 No. Commercial Street
Manchester, NH 03101
(603)634-2700
Fax (603)634-2438

From: Stein.Mark@epamail.epa.gov
To: Linda T. Landis/NUS@NU
Date: 12/23/2010 03:54 PM
Subject: Re: Merrimack Station

Hi Linda - Actually, I'm not in next week. The kids are off, so I am, too. I'll be back in on Jan. 3 and would be glad to talk with you then. The morning is better for me on Jan. 3, as I have a meeting in the pm. Let me know.

And Happy Holidays to you and yours!

Mark A. Stein
U.S. Environmental Protection Agency
New England Region
5 Post Office Square - Suite 100 (ORA 18-1)
Boston, MA 02109-3912

Tel.: (617) 918-1077
E- Fax: (617) 918-0077

|----->
| From: |
|----->

>-----
-----|

|landilt@nu.com
|

>-----
-----|

|----->
| To: |
|----->

>-----
-----|

|Mark Stein/R1/USEPA/US@EPA
|

>-----
-----|

|----->
| Date: |
|----->

>-----
-----|

|12/23/2010 01:44 PM
|

>-----
-----|

|----->
| Subject: |
|----->

>-----
-----|

|Re: Merrimack Station
|

>-----
-----|

Hi Mark. I wondered if you might have some time next week for a brief discussion with me (and perhaps Bill Smagula or Barry Needleman) regarding the status of the scrubber wastewater treatment system. Of course I realize you may not even be in next week since many folks seem to be taking the week off. Please let me know what works for you. We promise to keep it brief! Wishing you a happy holiday. Linda

Linda T. Landis, Senior Counsel
Legal Department
Public Service Company of NH
780 No. Commercial Street
Manchester, NH 03101
(603)634-2700
Fax (603)634-2438

This e-mail, including any files or attachments transmitted with it, is confidential and/or proprietary and is intended for a specific purpose and for use only by the individual or entity to whom it is addressed. Any disclosure, copying or distribution of this e-mail or the taking of any action based on its contents, other than for its intended purpose, is strictly prohibited. If you have received this e-mail in error, please notify the sender immediately and delete it from your system. Any views or opinions expressed in this e-mail are not necessarily those of Northeast Utilities, its subsidiaries and affiliates (NU). E-mail transmission cannot be guaranteed to be error-free or secure or free from viruses, and NU disclaims all liability for any resulting damage, errors, or omissions.
