

Fw: FGD BAT Analysis  
John King  
to:  
Mark Stein  
10/13/2010 09:28 AM  
Hide Details  
From: John King/R1/USEPA/US  
  
To: Mark Stein/R1/USEPA/US@EPA

History: This message has been forwarded.

----- Forwarded by John King/R1/USEPA/US on 10/13/2010 09:29 AM -----  
From: palmeag@nu.com  
To: John King/R1/USEPA/US@EPA  
Date: 10/12/2010 04:49 PM  
Subject: Re: FGD BAT Analysis

What, EPA can't scan?

Your email was very professionally presented; are you being monitored now?

Sorry it wasn't 200 pages; but we didn't see the need and you didn't provide the time. Hope it passes EPA's muster.

From: king.john@epamail.epa.gov  
To: Allan G. Palmer/NUS@NU  
Date: 10/12/2010 01:29 PM

Subject: FGD BAT Analysis

Allen,

The subject analysis was just placed in my hands .... Thank you for getting this document produced in a timely manner.

I will need an electronic version of this document. If the analysis is accepted by EPA, it will go into the Merrimack Determination Document. An electronic copy would expedite that process.

Thank you, John

\*\*\*\*\*  
This e-mail, including any files or attachments transmitted with it, is confidential and/or proprietary and is intended for a specific purpose and for use only by the individual or entity to whom it is addressed. Any disclosure, copying or distribution of this e-mail or the taking of any action based on its contents, other than for its intended purpose, is strictly prohibited. If you have received this e-mail in error, please notify the sender immediately and delete it from your system. Any views or opinions expressed in this e-mail are not necessarily those of Northeast Utilities, its subsidiaries and affiliates (NU). E-mail transmission cannot be guaranteed to be error-free or secure or free from viruses, and NU disclaims all liability for any resulting damage, errors, or omissions.  
\*\*\*\*\*