

NOTE

Only the cover page of this document is being provided/posted on the EPA Region 1's Merrimack Station NPDES Draft Permit Web page.

For further viewing, the full document is available at EPA Region 1.

The full document may contain a Table of Contents, Executive Summary, List of Figures, List of Tables, etc.



**Public Service
of New Hampshire**

PSNH Energy Park
780 North Commercial Street, Manchester, NH 03101

701

December 20, 2004

Public Service Company of New Hampshire
P.O. Box 330
Manchester, NH 03105-0330
(603) 634-3000
Fax (603) 634-2213

D 21800

The Northeast Utilities System

Mr. Harry Stewart, P.E.
State of New Hampshire
Department of Environmental Services
Water Division
29 Hazen Drive, P.O. Box 95
Concord, N. H. 03301

Gary A. Long
President and Chief Operating Officer

Reference: NPDES Permit No. NH0001465, Merrimack Station,
Public Service Company of New Hampshire, issued June 25, 1992
and modified October 2, 1992.

Dear Mr. Stewart:

Merrimack Station

Environmental Monitoring Program Annual Report

This correspondence is being provided to transmit Merrimack Station's dissolved oxygen, pH, and water temperature data in accordance with annual requirements of Merrimack Generating Station's NPDES permit.

Public Service Company of New Hampshire (PSNH), in accordance with section 6(a) and 7 of the referenced permit, submits the environmental monitoring program annual report for its, Merrimack Station. The report covers the period June 1, 2003 through May 31, 2004. It presents the data collected explains outages that occurred and summaries of remedial actions taken to keep the systems in service.

If you have any questions, please contact Mr. Paul Basiliere, PSNH Production Operations Services at (603) 634-2684.

Very Truly Yours,

PUBLIC SERVICE COMPANY OF NEW HAMPSHIRE

Gary A. Long- President, and COO

Enclosure

CC: See Page 2

Mr. Harry Stewart, P.E.

D21800 / Page 2

December 20, 2004

cc: w/Enclosure

Mr. Michael Nolan, Commissioner
Department of Environmental Services
29 Hazen Drive
Concord, N. H. 03301

Mr. Thomas J. Croteau, Environmental Inspector
Department of Environmental Services
Water Division
29 Hazen Drive, P. O. Box 95
Concord, NH 03301

Mr. Lee E. Perry, Executive Director
N. H. Fish and Game Department
25 Hazen Drive
Concord, N. H. 03301

NPDES Program Operations Section (WCP-2109)
U.S. Environmental Protection Agency
P. O. Box 8127
Boston, MA. 02114

Mr. John King (CPE)
U.S. Environmental Protection Agency- Region I
1 Congress Street, Suite 1100
Boston, MA. 02114-2023

701

ANNUAL REPORT

2003-2004

PUBLIC SERVICE COMPANY OF NEW HAMPSHIRE

MERRIMACK GENERATING STATION

ENVIRONMENTAL MONITORING PROGRAM

(NPDES PERMIT NO. NH0001465)

TABLE OF CONTENTS

- I. EXECUTIVE SUMMARY
- II. GENERAL BACKGROUND
- III. SYSTEM DESCRIPTION
 - Figure I - Station Locations
- IV. MAINTENANCE PROGRAM
- V. ANNUAL SUMMARY
 - Table 1 - Summary of Monthly Average Data
 - Table 2 - Summary of Major Equipment Malfunctions
 - Table 3 - Summary of Station S-0 pH Data
- VI. MONTHLY SUMMARY REPORTS