

NOTE

Only the cover page of this document is being provided/posted on the EPA Region 1's Merrimack Station NPDES Draft Permit Web page.

For further viewing, the full document is available at EPA Region 1.

The full document may contain a Table of Contents, Executive Summary, List of Figures, List of Tables, etc.

#8

✓



CLIENT DRAFT

**AN EXAMINATION OF FISH CATCH BETWEEN
TRAP NETS WITH 0.75-IN AND 2.00-IN MESH SIZES
DEPLOYED IN HOOKSETT POOL
OF THE MERRIMACK RIVER (BOW, NH)
DURING 2004 AND 2005.**

*Privileged and Confidential
Attorney Work Product
Prepared at the Direction of Counsel
Prepared in Anticipation of Litigation*

JUNE 2006

NORMANDEAU ASSOCIATES
ENVIRONMENTAL CONSULTANTS



CLIENT DRAFT

**AN EXAMINATION OF FISH CATCH BETWEEN
TRAP NETS WITH 0.75-IN AND 2.00-IN MESH SIZES
DEPLOYED IN HOOKSETT POOL
OF THE MERRIMACK RIVER (BOW, NH)
DURING 2004 AND 2005.**

*Privileged and Confidential
Attorney Work Product
Prepared at the Direction of Counsel
Prepared in Anticipation of Litigation*

**Prepared for
PUBLIC SERVICE OF NEW HAMPSHIRE
Environmental Services
780 North Commercial Street
Manchester, NH 03105**

**Prepared by
NORMANDEAU ASSOCIATES, INC.
25 Nashua Road
Bedford, NH 03110**

R-20410.003

June 2006



Public Service
of New Hampshire

PSNH Energy Park
780 North Commercial Street, Manchester, NH 03101

Public Service Company of New Hampshire
P.O. Box 330
Manchester, NH 03105-0330
(603) 669-4000
www.psnh.com

January 24, 2007

The Northeast Utilities System

D25615

Mr. John P. King
U.S. Environmental Protection Agency
Region 1: New England
Office of Ecosystem Protection (OEP)
NPDES Industrial Permits Branch (CPE)
1 Congress Street, Suite 1100
Boston, MA 02114-2023

RE: Release of Confidential Business Information

Dear Mr. King:

In response to your concerns and in the spirit of cooperation, Public Service Company of New Hampshire ("PSNH") has determined that the "Confidential Business Information" label may be removed from the following reports submitted to the EPA in order to facilitate review and to move the process along.

1. Merrimack Station, Proposal for Information Collection, April 2005
2. Merrimack Station, Proposal for Information Collection Revisions, October 2006
3. Newington Station, Proposal for Information Collection, September 2006
4. Schiller Station, Proposal for Information Collection, October 2006
5. Merrimack Station, Draft Report, Thermal Discharge Effects on Downstream Salmon Smolt Migration, May 2006
- AR-8 6. Merrimack Station, Draft Report, An Examination of Fish Catch between Trap Nets with 0.75-In and 2.00-In Mesh Sizes Deployed in Hooksett Pool of the Merrimack River (Bow, NH) During 2004 and 2005, June 2006
7. Merrimack Station, Draft Report, Fisheries Survey Results of 2004 and 2005 and Historic Trends Analysis of 1967 to 2005 Surveys, May 2006

PSNH plans to submit a final version of the Salmon Smolt Migration Study later this month, along with the Hydrothermal Modeling Report that was discussed during our meeting this past October. We also expect to submit a final version of the Historic Trends Analysis and a 316(a) Summary Report by March 15, 2007.

Mr. John P. King
D25615/Page 2
January 23, 2007

However, I would like to emphasize that by releasing the documents specifically listed herein, PSNH is not waiving its right to assert a business confidentiality claim, as appropriate, on other 316 documents and reports.

We hope this action by PSNH demonstrates our desire to work with EPA to resolve all 316 issues at our three power stations. Please contact Allan Palmer at (603) 634-2439 if you have any other concerns.

Very truly yours,



William H. Smagula, P.E.
Director - Generation

cc: David Webster, USEPA
Harry Stewart, NHDES
Linda Landis, PSNH

Table of Contents

	Page
EXECUTIVE SUMMARY.....	1
1.0 INTRODUCTION	2
2.0 METHODS.....	3
3.0 RESULTS AND DISCUSSION	4
3.1 GENERAL CATCH CHARACTERISTICS	4
3.2 DERIVATION OF MESH SELECTIVITY ADJUSTMENT FACTORS.....	6
4.0 REFERENCES	6

List of Figures

	Page
Figure 1-1. The 0.75-in mesh trap net used during the 1970s for Merrimack Station Fisheries Assessment (top photo) versus the 2.00-in mesh trap nets used during the 1994-1995 Merrimack Station Fisheries Assessment (lower photo).....	7
Figure 2-1. Location of trap net sampling stations, Merrimack Station Fisheries Monitoring Program, Hooksett Pool, Bow (NH), during 2004 and 2005. Station 1 was located in the Ambient Zone. Stations 2 and 3 were in the Mixing Zone and Stations 4 and 5 were in the Discharge Canal.	8
Figure 3-1. Monthly length-frequency distributions of total catch (adjusted to 48-h soak time) caught by 0.75-in (TOP) and 2.00-in mesh (BOTTOM) trap nets in paired samples over eight months in 2004. Four spottail shiners caught in 2004 did not have length data.....	9
Figure 3-2. Monthly length-frequency distributions of total catch (adjusted to 48-h soak time) caught by 0.75-in (TOP) and 2.00-in mesh (BOTTOM) trap nets in paired samples from May through September, 2005.....	10
Figure 3-3. Length-frequency distribution of compressiform fishes (adjusted to 48-h soak time) caught by 0.75-in mesh (TOP) and 2.00-in mesh (BOTTOM) trap nets in paired samples from May through September 2004 and 2005.	11
Figure 3-4. Length-frequency distribution of compressiform fishes (adjusted to 48-h soak time) caught by 0.75-in mesh (TOP) and 2.00-in mesh (BOTTOM) trap nets in paired samples from May through September 2004 to 2005.	12
Figure 3-5. Length-frequency distribution of fusiform fishes (adjusted to 48-h soak time) caught by 0.75-in mesh (TOP) and 2.00-in mesh (BOTTOM) trap nets in paired samples from May through September 2004 and 2005.....	13

List of Tables

	Page
Table 2-1. Randomly selected locations for trap net mesh comparison samples fished in Hooksett Pool of the Merrimack River near Bow, New Hampshire, during 2004.....	14
Table 2-2. Randomly selected upstream or downstream locations for trap net mesh comparison samples fished in Hooksett Pool of the Merrimack River near Bow, New Hampshire, during 2005.....	14
Table 3-1. Raw catch statistics for eight months in 2004, sorted by species and gear.	15
Table 3-2. Raw catch statistics by species for 2005 (May to September) sorted by gear type.....	16
Table 3-3. Raw catch statistics pooled across 2004 and 2005, only months of May to September, sorted by month, gear type, and species.	17
Table 3-4. Raw catch statistics for five months in 2004, comparable to 2005, sorted by species and gear type.	18
Table 3-5. Summary of catch statistics for 2004 (eight months) and 2005 (five months). The total catch for 2004 in this table includes four spotail shiner that did not have length data and are not shown on catch summary figures or tables dealing with length-frequency data.	20

List of Appendix Tables

	Page
APPENDIX TABLE 1. TOTAL CATCH FOR 0.75-IN MESH TRAP NETS SORTED BY YEAR, MONTH, BODY SHAPE, SPECIES AND LENGTH CLASS. AN ADDITIONAL FOUR SPOTTAIL SHINER CAPTURED IN 2004 ARE NOT SHOWN BECAUSE THEY DID NOT HAVE LENGTH DATA.	A-1
APPENDIX TABLE 2. TOTAL CATCH FOR 2.00-IN MESH TRAP NET SORTED BY YEAR, MONTH, BODY SHAPE, SPECIES AND LENGTH CLASS.	A-9