

NH PUC Transcript Cite re PSNH confirming ZLD at MK

Melissa Hoffer to: Mark Stein

From: Melissa Hoffer <MHoffer@clf.org>

To: Mark Stein/R1/USEPA/US@EPA

History:

This message has been forwarded.



2012-03-19 TRANSCRIPT OF HEARING HELD ON MARCH 12, 2012.pdf

11-250

Hi Mark: See the attached transcript of a March 12, 2012, hearing in NH PUC DE 11-250 at pages 123-129, wherein PSNH's William Smagula publicly confirms that PSNH is installing scrubber wastewater treatment equipment at Merrimack Station that will include options to greatly reduce and eliminate all liquid discharge.

Immediately following this e-mail, I will send copies of the referenced data response.

Thanks.

Melissa

Melissa A. Hoffer, Esq.
VP, Director, Healthy Communities and Environmental Justice Program
Conservation Law Foundation

62 Summer Street
Boston MA 02110

P: 617.350.0990
C: 978.505.8545
E: mhoffer@clf.org<UrlBlockedError.aspx>

For a thriving New England

[cid:image001.jpg@01CD1414.F5B1E3F0]

This email message and any attachments are being sent by Conservation Law Foundation, are confidential, and may be privileged. If you are not the intended recipient, please notify us immediately by replying to this message and destroy all copies of this message and any attachments. Thank you.

***** ATTACHMENT NOT DELIVERED *****

This Email message contained an attachment named
image001.jpg
which may be a computer program. This attached computer program could contain a computer virus which could cause harm to EPA's computers, network, and data. The attachment has been deleted.

This was done to limit the distribution of computer viruses introduced into the EPA network. EPA is deleting all computer program attachments sent from the Internet into the agency via Email.

If the message sender is known and the attachment was legitimate, you should contact the sender and request that they rename the file name extension and resend the Email with the renamed attachment. After receiving the revised Email, containing the renamed attachment, you can rename the file extension to its correct name.

For further information, please contact the EPA Call Center at (866) 411-4EPA (4372). The TDD number is (866) 489-4900.

***** ATTACHMENT NOT DELIVERED *****

***** ATTACHMENT NOT DELIVERED *****

This Email message contained an attachment named
image001.jpg
which may be a computer program. This attached computer program could contain a computer virus which could cause harm to EPA's computers, network, and data. The attachment has been deleted.

This was done to limit the distribution of computer viruses introduced into the EPA network. EPA is deleting all computer program attachments sent from the Internet into the agency via Email.

If the message sender is known and the attachment was legitimate, you should contact the sender and request that they rename the file name extension and resend the Email with the renamed attachment. After receiving the revised Email, containing the renamed attachment, you can rename the file extension to its correct name.

For further information, please contact the EPA Call Center at (866) 411-4EPA (4372). The TDD number is (866) 489-4900.

***** ATTACHMENT NOT DELIVERED *****