

Attachment E - List of Eligible Facilities
MAG590000

Facility Name	Current Permit Number	Watershed	Class	Expiration Date	Address	City or Town	Co-permittee(s)	Ambient TP Monitoring (see Part II.A footnote 19)	Collection System Mapping Due Date (Part III.A.4)	Collection System O&M Plan Due Date (Parts III.A.5.a & b)	Pretreatment Program (Parts III.C & D)	Design Flow (MGD)	Upstream 7Q10 Flow (cfs)	Dilution Factor
Northbridge WTP	MA0100722	Blackstone (Unnamed tributary)	B	8/31/2018	644 Providence Road	Whitinsville	None	No	Done	Done	No	2	0.0319	1.01
Grafton WWTP	MA0101311	Blackstone River	B	7/31/2018	9 Depot Street	Grafton	None	Yes	Done	Done	No	2.4	41.8	12.27
Uxbridge WWTF	MA0102440	Blackstone River	B	8/31/2018	80 River Road	Uxbridge	None	Yes	Done	Done	No	1.25	51.3	27.58
Dartmouth WPCF	MA0101605	Buzzards Bay	SA	8/31/2014	759 Russells Mills Road	Dartmouth	None	No	30 months from effective date	6 months (for Part III.A.5.a) & 24 months (for Part III.A.5.b) from effective date	No	4.2	N/A (tidal)	8.5
Wareham WPCF	MA0101893	Buzzards Bay (Agawam River)	SB	6/30/2013	6 Tony's Lane	Wareham	None	No	30 months from effective date	6 months (for Part III.A.5.a) & 24 months (for Part III.A.5.b) from effective date	No	1.56	10.8	5.48
Fairhaven WPCF	MA0100765	Buzzards Bay (Acushnet River)	SB	12/31/2022	Arsene Street	Fairhaven	None	No	30 months from effective date	6 months (for Part III.A.5.a) & 24 months (for Part III.A.5.b) from effective date	No	5	N/A (tidal)	8.20
Milford WWTF	MA0100579	Charles River	B	10/31/2024	230 South Main Street, Route	Hopedale	None	No	Done	Done	No	4.3	0	1
Medfield WWTF	MA0100978	Charles River	B	2/28/2017	101 West Street	Medfield	None	No	Done	Done	No	1.52	4.95	3.1
Adams WWTP	MA0100315	Hudson (Hoosic River)	B	7/31/2022	273 Columbia Street	Adams	None	Yes	Done	Done	Yes	4.6 & 3.5	16.87	3.37 & 4.11
Spencer WWTP	MA0100919	Long Island Sound - Chicopee (Cranberry River)	B	4/30/2024	Route 9	Spencer	None	No	Done	Done	No	1.08	0.122	1.07
Warren WWTF	MA0101567	Long Island Sound - Chicopee (Quaboag River)	B	11/30/2021	2527 Main Street	West Warren	None	Yes	Done	Done	No	1.5	10.71	5.62
Ware WWTP	MA0100889	Long Island Sound - Chicopee (Ware River)	B	11/30/2018	30 Robbins Road	Ware	None	Yes	Done	Done	Yes	1	14.31	10.23
Gardner WWTF	MA0100994	Long Island Sound - Connecticut (Otter River)	B	3/31/2026	52 Plant Road	East Templeton	Ashburnham	Yes	October 2023	Done (for Part III.A.5.a) and April 2023 (for Part III.A.5.b)	Yes	5	2.25	1.29
Greenfield WPCF	MA0101214	Long Island Sound - Connecticut (Deerfield River)	B	11/30/2016	384 Deerfield Street	Greenfield	None	Yes	30 months from effective date	6 months (for Part III.A.5.a) & 24 months (for Part III.A.5.b) from effective date	No	3.4	232.4	45.18
Belchertown WWTP	MA0102148	Long Island Sound - Connecticut (Lampson Brook)	B	9/30/2019	175 George Hannum Road	Belchertown	None	No	Done	Done	No	1	0.0166	1.01
Athol WWTP	MA0100005	Long Island Sound - Connecticut (Millers River)	B	3/31/2026	Jones Street	Athol	None	Yes	October 2023	Done (for Part III.A.5.a) and April 2023 (for Part III.A.5.b)	No	1.75	31.7	12.7
Winchendon WPCF	MA0100862	Long Island Sound - Connecticut (Millers River)	B	10/31/2026	637 River Street	Winchendon	None	Yes	May 2024	Done (for Part III.A.5.a) and November 2023 (for Part III.A.5.b)	No	1.1	4.3	3.55
Erving Center WWTP 2	MA0101052	Long Island Sound - Connecticut (Millers River)	B	11/30/2026	Route 2	Erving	None	Yes	June 2024	Done (for Part III.A.5.a) and December 2024 (for Part III.A.5.b)	Yes	2.7	40.6	10.7
Orange WWTF	MA0101257	Long Island Sound - Connecticut (Millers River)	B	3/31/2026	295 West Main Street	Orange	None	Yes	October 2023	Done (for Part III.A.5.a) and April 2023 (for Part III.A.5.b)	No	1.1	36.4	22.4
Erving POTW 1	MA0101516	Long Island Sound - Connecticut (Millers River)	B	11/30/2026	16 Public Works Boulevard	Erving	None	Yes	June 2024	Done (for Part III.A.5.a) and December 2024 (for Part III.A.5.b)	No	1.02	43.7	28.7
South Hadley WWTP	MA0100455	Long Island Sound - Connecticut River	B	9/30/2017	2 James Street	Chicopee	Granby	No	Done	Done	Yes	4.2	2077.1	320.55
Easthampton WWTF	MA0101478	Long Island Sound - Connecticut River and Manhan River	B	10/31/2018	10 Gosselin Drive	Easthampton	Southampton (new)	No	Easthampton: Done Southampton: 30 months from effective date	Easthampton: Done Southampton: 6 months (for Part III.A.5.a) & 24 months (for Part III.A.5.b) from effective date	Yes	3.8	2177.6	371.34
Lee WWTF	MA0100153	Long Island Sound - Housatonic River	B	11/30/2024	379 Pleasant Street	Lee	None	Yes	Done	Done	No	1.25	38.8	21.1
Lenox WWTP	MA0100935	Long Island Sound - Housatonic River	B	11/30/2024	239 Crystal Street	Lenox Dale	None	Yes	Done	Done	No	1.19	40	22.7
Great Barrington WWTF	MA0101524	Long Island Sound - Housatonic River	B	11/30/2024	100 Bentley Street	Great Barrington	None	Yes	Done	Done	Yes	3.2	78.9	16.9
Sturbridge WPCF	MA0100421	Long Island Sound - Thames (Quinebaug River)	B	11/30/2019	1 New Boston Road Extension	Sturbridge	None	Yes	Done	Done	No	1.3	7.78	4.87
Southbridge WWTP	MA0100901	Long Island Sound - Thames (Quinebaug River)	B	2/28/2020	83 Dresser Hill Road	Southbridge	None	Yes	Done	Done	Yes	3.77	11.07	2.9
Maynard WWTF	MA0101001	Merrimack (Assabet River to Concord River)	B	9/30/2024	18 Pine Hill Road	Maynard	None	No	Done	Done	No	1.45	12.67	6.64
Hudson WWTF	MA0101788	Merrimack (Assabet River to Concord River)	B	4/30/2024	One Municipal Drive	Hudson	None	No	Done	Done	Yes	3	12	3.4
Concord WWTF	MA0100668	Merrimack (Concord River)	B	9/30/2018	509 Bedford Street	Concord	None	Yes	30 months from effective date	6 months (for Part III.A.5.a) & 24 months (for Part III.A.5.b) from effective date	No	1.2	25.02	14
Ayer WWTP	MA0100013	Merrimack (Nashua River)	B	2/29/2020	Brook Street	Ayer	None	Yes	Done	Done	Yes	1.79	30.6	12.05
Pepperell WWTP	MA0100064	Merrimack (Nashua River)	B	11/30/2021	47 Nashua Road, Route 111	Pepperell	Groton	Yes	Done	Done	No	1.1	44.7	27.31
MWRA-Clinton STP	MA0100404	Merrimack (South Branch Nashua River)	B	2/28/2022	677 High Street	Clinton	Clinton, Lancaster	Yes	Done	Done	Yes	3.01	2.63	1.56
Amesbury WPAF	MA0101745	Merrimack River	SB	10/31/2015	19 Merrimack Street	Amesbury	None	No	30 months from effective date	6 months (for Part III.A.5.a) & 24 months (for Part III.A.5.b) from effective date	Yes	2.4	896	242.51
Newburyport	MA0101427	Merrimack River	SB	6/30/2025	115B Water Street	Newburyport	None	No	Done	Done	Yes	3.4	N/A	30
Ipswich WWTF	MA0100609	North Coastal (Greenwood Creek)	SA	9/30/2021	20 Fowlers Lane Street	Ipswich	None	No	Done	Done	No	1.8	0	1
Hull WPCF	MA0101231	South Coastal (Boston Harbor)	SB	8/31/2014	1111 Nantasket Avenue	Hull	Hingham	No	30 months from effective date	6 months (for Part III.A.5.a) & 24 months (for Part III.A.5.b) from effective date	No	3.07	N/A (tidal)	94
Rockland WWTP	MA0101923	South Coastal (French Stream)	B	1/31/2027	587R Summer Street	Rockland	None	No	August 2024	Done	Yes	2.5	0.18	1.05
Marshfield WWTF	MA0101737	South Coastal (Massachusetts Bay)	SA	2/28/2020	200 Joseph Driebeek Way	Marshfield	Duxbury (new)	No	Marshfield: Done Duxbury: 30 months from effective date	Marshfield: Done Duxbury: 6 months (for Part III.A.5.a) & 24 months (for Part III.A.5.b) from effective date	No	2.1	N/A (tidal)	45
Plymouth WWTP	MA0100587	South Coastal (Plymouth Harbor)	SA	8/31/2021	131 Camelot Street	Plymouth	None	No	Done	Done	Yes	1.75	N/A (tidal)	10
Scituate WWTP	MA0102695	South Coastal (Tidal Creek to Herring River)	SA	11/30/2017	161 Driftway	Scituate	None	No	Done	Done	No	1.6	0	1
Middleborough STP	MA0101591	Taunton (Nemasket River)	B	7/31/2019	Joe Ciaglo Way	Middleborough	None	Yes	Done	Done	Yes	2.16	5.4	2.62
MFN Regional WPCF	MA0101702	Taunton (Three Mile River)	B	11/30/2019	Hill Street and Crane Street	Norton	Mansfield, Norton, Foxboro	Yes	Done	Done	Yes	3.14	3.68	1.76
Bridgewater WWTF	MA0100641	Taunton (Town River)	B	4/30/2022	100 Morris Avenue	Bridgewater	None	Yes	Done	Done	No	1.44	2.22	2

Attachment E - List of Eligible Facilities
MAG590000

Facility Name	Modified Limit(s) if new WQS <u>not</u> approved before issuance	New Limit(s) if new WQS <u>not</u> approved before issuance	Modified Limit(s) if new WQS approved before issuance	New Limit(s) if new WQS approved before issuance
Northbridge WTP	Ammonia: 6 mg/L (monthly ave, November 1 - April 30); Al: 756 µg/L (daily max); Cd: 0.9 µg/L (daily max), 0.14 µg/L (monthly ave); C-NOEC ≥ 100%	None	Ammonia: 4.4 mg/L (monthly ave, November 1 - April 30), 1.4 mg/L (monthly ave, May 1 - October 31); Al: 540 µg/L (daily max); Cd: 0.8 µg/L (daily max); C-NOEC ≥ 100%	None
Grafton WWTP	TRC: 0.135 mg/L (monthly average), 0.233 mg/L (daily max)	C-NOEC ≥ 8%	TRC: 0.135 mg/L (monthly average), 0.233 mg/L (daily max)	C-NOEC ≥ 8%
Uxbridge WWTF	None	None	None	None
Dartmouth WPCF	None	None	None	None
Wareham WPCF	None	None	None	None
Fairhaven WPCF	None	Ammonia: 11 mg/L (monthly ave, April 1 - October 31); Cu: 30.6 µg/L (monthly ave); Cu: 47.4 µg/L (daily max)	None	Ammonia: 11 mg/L (monthly ave, April 1 - October 31); Cu: 30.6 µg/L (monthly ave); Cu: 47.4 µg/L (daily max)
Milford WWTF	None	None	None	None
Medfield WWTF	Al: 0.14 mg/L (monthly ave); C-NOEC ≥ 32%	None	C-NOEC ≥ 32%; Ammonia: 5.1 mg/L (monthly ave, June 1 - October 31)	Ammonia: 16.2 mg/L (monthly ave, November 1 - May 31)
Adams WWTP	TP: 0.36 mg/L (monthly ave, April 1 - October 31); Al: 162 µg/L (monthly ave); C-NOEC ≥ 29%; TRC: 37 µg/L (monthly average), 64 µg/L (daily max)	None	TP: 0.36 mg/L (monthly ave, April 1 - October 31); C-NOEC ≥ 29%; TRC: 37 µg/L (monthly average), 64 µg/L (daily max)	None
Spencer WWTP	None	TN: 90 lb/day	None	TN: 90 lb/day
Warren WWTF	C-NOEC ≥ 17.8%; TRC: 62 µg/L (monthly average), 107 µg/L (daily max)	TN: 125 lb/day	C-NOEC ≥ 17.8%; TRC: 62 µg/L (monthly average), 107 µg/L (daily max)	TN: 125 lb/day
Ware WWTP	Al: 87 µg/L (monthly ave); TRC: 113 µg/L (monthly average), 195 µg/L (daily max)	TN: 83 lb/day	TRC: 113 µg/L (monthly average), 195 µg/L (daily max)	TN: 83 lb/day
Gardner WWTF	None	None	None	None
Greenfield WPCP	None	TN: 283 lb/day; Al: 87 µg/L (monthly ave); TP: 3.7 mg/L (monthly ave, April 1 - October 31)	None	TN: 283 lb/day; TP: 3.7 mg/L (monthly ave, April 1 - October 31)
Belchertown WWTP	Ammonia: 8.7 mg/L (daily max, May), 1.7 mg/L (monthly ave, May), 8.7 mg/L (daily max, November 1 - April 30), 3.3 mg/L (monthly ave, November 1 - April 30); Al: 0.76 mg/L (daily max); TP: 0.1 mg/L (monthly ave, April 1 - October 31); Cu: 8.5 µg/L (monthly ave); Cu: 12.7 µg/L (daily max); C-NOEC ≥ 99%	TN: 83 lb/day	Ammonia: 4 mg/L (daily max, May), 0.8 mg/L (monthly ave, May), 8.7 mg/L (daily max, November 1 - April 30), 2.5 mg/L (monthly ave, November 1 - April 30), 0.8 mg/L (monthly ave, June 1 - October 31); Al: 0.61 mg/L (daily max); TP: 0.1 mg/L (monthly ave, April 1 - October 31); Cu: 8.5 µg/L (monthly ave); Cu: 12.7 µg/L (daily max); C-NOEC ≥ 99%	TN: 83 lb/day
Athol WWTP	None	None	None	None
Winchendon WPCF	None	None	None	None
Erving Center WWTP 2	None	None	None	None
Orange WWTF	None	None	None	None
Erving POTW 1	None	None	None	None
South Hadley WWTP	None	TN: 350 lb/day	None	TN: 350 lb/day
Easthampton WWTF	None	TN: 317 lb/day	None	TN: 317 lb/day
Lee WWTF	None	None	None	None
Lenox WWTP	None	None	None	None
Great Barrington WWTF	None	None	None	None
Sturbridge WPCF	None	TN: 108 lb/day	None	TN: 108 lb/day
Southbridge WWTP	C-NOEC ≥ 34.5%; TRC: 33 µg/L (monthly average), 56 µg/L (daily max)	TN: 314 lb/day	C-NOEC ≥ 34.5%; TRC: 33 µg/L (monthly average), 56 µg/L (daily max)	TN: 314 lb/day
Maynard WWTF	None	None	None	None
Hudson WWTF	None	None	None	None
Concord WWTF	None	Al: 0.56 mg/L (monthly average); C-NOEC ≥ 7.3%	None	C-NOEC ≥ 7.3%
Ayer WWTP	C-NOEC ≥ 8.3%; TRC: 124 µg/L (monthly average), 222 µg/L (daily max)	None	C-NOEC ≥ 8.3%; TRC: 124 µg/L (monthly average), 222 µg/L (daily max)	None
Pepperell WWTP	Cu: 3.4 µg/L (monthly ave); Cu: 4.6 µg/L (daily max)	Al: 507 µg/L (monthly average)	Cu: 3.4 µg/L (monthly ave); Cu: 4.6 µg/L (daily max)	None
MWRA-Clinton STP	Ammonia: 8.6 mg/L (monthly ave, April), 8.9 mg/L (monthly ave, November 1 - March 31)	None	Ammonia: 3.9 mg/L (monthly ave, April), 2.1 mg/L (monthly ave, May), 6.6 mg/L (monthly ave, November 1 - March 31), 35 mg/L (daily max, November 1 - March 31)	None
Amesbury WPAF	None	None	None	None
Newburyport	None	None	None	None
Ipswich WWTF	Cu: 18 µg/L (monthly ave); Cu: 26 µg/L (daily max)	Zn: 85.6 µg/L (monthly ave); Zn: 95.1 µg/L (daily max)	Cu: 18 µg/L (monthly ave); Cu: 26 µg/L (daily max)	Zn: 85.6 µg/L (monthly ave); Zn: 95.1 µg/L (daily max)
Hull WPCF	None	None	None	None
Rockland WWTP	None	None	None	None
Marshfield WWTF	None	None	None	None
Plymouth WWTP	Cu: 22 µg/L (monthly ave); Cu: 43 µg/L (daily max)	None	Cu: 22 µg/L (monthly ave); Cu: 43 µg/L (daily max)	None
Scituate WWTP	None	None	None	None
Middleborough STP	None	None	None	None
MFN Regional WPCF	TP: 0.16 mg/L (monthly ave, April 1 - October 31); Ammonia: 11.1 mg/L (monthly ave, November 1 - March 31); C-NOEC ≥ 57%	None	TP: 0.16 mg/L (monthly ave, April 1 - October 31); Ammonia: 8.2 mg/L (monthly ave, November 1 - March 31), 4.9 mg/L (monthly ave, April 1 - April 30), 2.6 mg/L (monthly ave, May 1 - May 31); C-NOEC ≥ 57%	None
Bridgewater WWTF	Cu: 34 µg/L (monthly ave); TP: 0.12 mg/L (monthly ave, April 1 - October 31); C-NOEC ≥ 50%	Ammonia: 13.1 mg/L (monthly ave, November 1 - March 31)	Cu: 34 µg/L (monthly ave); TP: 0.12 mg/L (monthly ave, April 1 - October 31); C-NOEC ≥ 50%	Ammonia: 9.7 mg/L (monthly ave, November 1 - March 31)