

Rec'd 8/29/08

**APPENDIX 5**

**Suggested Form for Notice of Intent (NOI) for the Noncontact Cooling Water General Permit**

1. General facility information. Please provide the following information about the facility.

a) Name of facility: SCOTIA TECHNOLOGY		Type of Business: MFG (LITE)
Facility Location Address :	Facility SIC codes:	Facility Mailing Address (if not location address)
longitude: 71°27'34"		P O Box 1190
latitude: 43°30'58"		Laconia NH 03247-1190
b) Name of facility owner: Donald D & Gail R Brewer Real Estate, LLC		Email address of owner: dbonisteel@scotia-tech.com
Owner's Tel #: 603-528-2838		Owner is (check one): 1. Federal ___ 2. State ___ 3. Tribal ___
Owner's Fax #: 603-528-4184		4. Private <input checked="" type="checkbox"/> 4. Other ___ (Describe)
Address of owner (if different from facility address)		
Scotia Acquisition Co., LRPT, Inc., Laconia NH 03247-1190		
Legal name of Operator, if not owner: _____		
Operator Contact Name: David Bonisteel		
Operator Tel Number: 603-528-2838 Fax Number: 603-528-4184		
Operator's email: EMOSHER@SCOTIA-TECH.COM		
Operator Address (if different from owner)		
d) Attach topographic map indicating the locations of the facility and the receiving water; all NCCW discharge points; upstream and downstream monitoring points. Map attached? <input checked="" type="checkbox"/>		
e) Check Yes or No for the following:		
1. Has a prior NPDES permit been granted for the discharge? Yes <input checked="" type="checkbox"/> No ___ If Yes, Permit Number: NHG250350		
2. Is the discharge a "new discharge" as defined by 40 CFR Section 122.22? Yes ___ No <input checked="" type="checkbox"/>		
3. Is the facility covered by an individual NPDES permit? Yes ___ No <input checked="" type="checkbox"/> If Yes, Permit Number ___		
4. Is there a pending application on file with EPA for this discharge? Yes ___ No <input checked="" type="checkbox"/> If Yes, date of submittal: _____		

2. Discharge information. Please provide information about the discharge, (attaching additional sheets as needed)

a) Name of receiving water into which discharge will occur: Durkee Brook (seasonal)  
State Water Quality Classification: \_\_\_\_\_ Freshwater:  Marine Water: \_\_\_\_\_

b) Describe the discharge activities for which the owner/applicant is seeking coverage: non-contact cooling of equipment from drilled well water then discharge to ground

c) FOR MASSACHUSETTS FACILITIES ONLY: Engineering Calculations: Submit the completed engineering calculation of the surface water temperature rise as shown in Attachment A of the General Permit. Check if attached: \_\_\_\_\_

d) Number of outfalls 2880 gal/day

For each outfall:

e) What is the maximum daily and average monthly flow of the discharge? Note that EPA will use the flow reported here as the facility's permitted effluent flow limit. Max Daily Flow 2880 GPD Average Flow 2880 GPD

f) What is the maximum daily and average monthly temperature of the discharge (in degrees F)? Max Temp. 58° Average Temp. 54.13°

g) What is the maximum and minimum monthly pH of the discharge (in s.u.)? Max pH 7.62 Min pH 7.06

h) FOR MASSACHUSETTS FACILITIES ONLY: Is the source water of the NCCW potable water? Yes \_\_\_\_\_ No \_\_\_\_\_ If Yes, EPA will calculate the Total Residual Chlorine limit for facilities located in Massachusetts.

i) Is the discharge continuous? Yes  No \_\_\_\_\_ If no, is the discharge periodic (P) (occurs regularly, i.e., monthly or seasonally, but is not continuous all year) or intermittent (I) (occurs sometimes but not regularly) or both (B) \_\_\_\_\_  
If (P), number of days or months per year of the discharge \_\_\_\_\_ and the specific months of discharge \_\_\_\_\_;  
If (I), number of days/year there is a discharge \_\_\_\_\_

j) Latitude and longitude of each discharge within 100 feet: outfall 1: long. 71°27'34" lat. 43°30'58"; outfall 2: long. 71°27'34" lat. 43°30'58"  
outfall 3: long. \_\_\_\_\_ lat. \_\_\_\_\_ (See [http://www.epa.gov/tri/report/siting\\_tool](http://www.epa.gov/tri/report/siting_tool))  
71°27'34" 43°30'58"

k) Provide the reported or calculated seven day-ten year low flow (7Q10) of the receiving water NA cfs  
Please attach any calculation sheets used to support stream flow and dilution calculations. See General Permit Attachment B for equations and additional information.

MASSACHUSETTS FACILITIES: See Part 3.4 and Appendix 1 of the General Permit for more information on ACEC.

Areas of Critical Environmental Concern (ACEC): Does the discharge occur in an ACEC? Yes \_\_\_\_\_ No \_\_\_\_\_

If yes, provide the name of the ACEC: \_\_\_\_\_

**3. NCCW Source Water Information. Please provide information about the NCCW source water, using separate sheets as necessary:**

<p>a) Indicate source of the NCCW (i.e., municipal water supply, private well, surface water withdrawal, groundwater):                  Source: <u>well</u>                  Name of Source Water: <u>private well</u>                  _____                  Is the source registered/permitted under MA Water Management Act or NHDES Water User Registration Rule (Env Wq 2202)?                  Yes _____ No <u>X</u>                  If yes, registration number: _____</p>	<p>b) If source water is surface water:                  i) Is it a freshwater river or stream Yes _____ No <u>X</u>                  ii) Is it a lake? _____ reservoir? _____                  iii) Is it tidal river? _____ estuary? _____ ocean? _____                  c) Is the source water groundwater? Yes <u>X</u> No _____ If yes, see Appendix 8 and submit effluent and surface water test results, as required in Part 5.4 of the General Permit.                  d) Does the facility use both a primary and backup source of noncontact cooling water?                  Yes _____ No <u>X</u>                  If yes, attach information that identifies and explains the primary and backup sources of noncontact cooling water for and how often the backup supply was used in last three years.</p>
---	---

**4. Best Technology Available for CWIS**

Are you subject to BTA requirements at Part 4.2 of the General Permit? (Facility's discharge is covered by this General Permit and the facility withdraws noncontact cooling water from surface source water). Yes \_\_\_\_\_ No X If No, explain: not surface water

If YES, attach the facility-specific BTA description as required in Part 4.3 of the General Permit. For additional information and guidance, see Questions 13-23 of the NCCW Fact Sheet, posted at <http://www.epa.gov/region1/npdes/nccwgp.html>. Provide a map showing the location of each CWIS intake structure; NCCW outfall(s) and any CWIS feature referred to in the BTA description.

Include in your description:

- \_\_\_\_\_ Measures to meet the General Permit Part 4.3.a general BTA requirements, including documentation that describes the facility's monitoring program for impinged fish and/or invertebrate; or the required alternative monitoring plan frequency and/or protocol
- \_\_\_\_\_ A characterization of the source water body's aquatic life habitat in the vicinity of each CWIS during the seasons when the CWIS may be in use
- \_\_\_\_\_ The attributes of the current CWIS
- \_\_\_\_\_ Design measures of the CWIS
- \_\_\_\_\_ Operation measures of the CWIS
- \_\_\_\_\_ Historical occurrence of impinged fish for the past five years
- \_\_\_\_\_ If applicable, a demonstration that the facility's intake rate is commensurate with a closed-cycle recirculation system
- \_\_\_\_\_ Other components to reduce impingement and/or entrainment of aquatic life

**4. BTA FOR CWIS CONTINUED:**

Provide the following information for each CWIS to support your attached facility-specific BTA description.

Design capacity of the of the CWIS \_\_\_\_\_MGD

Maximum monthly average intake of the CWIS during the previous five years \_\_\_\_\_MGD Month in which this flow occurred \_\_\_\_\_

Maximum through-screen design intake velocity \_\_\_\_\_feet/second (fps)

For facilities where the CWIS is located on a freshwater river or stream, provide the following information:

The source water's annual mean flow \_\_\_\_\_cubic feet/second (cfs) as available from USGS or other appropriate source

The design intake flow as a % of the source water's annual mean flow \_\_\_\_\_ Attach calculations if equal to or less than 5% of annual mean flow.

The source water's 7Q10 \_\_\_\_\_cfs. See Attachment B of the General Permit for more information on 7Q10 determinations.

The design intake flow as a percent of the source water's 7Q10 \_\_\_\_\_

**5. Contaminant Information**

If applicable, attach a listing of all non-toxic pH neutralization and/or dechlorination chemicals used, including chemical name and manufacturer; maximum and average daily quantity used as well as the maximum and average daily expected concentrations (mg/l) in the NCCW discharge, and the vendor's reported aquatic toxicity (NOAEL and/or LC<sub>50</sub> in percent for aquatic organism(s)).

**6. Determination of Endangered Species Act Eligibility:** Provide documentation of ESA eligibility as required at Part 3.4 and Appendix 2, Part C, Step 4, of the General Permit. In addition, respond to the following questions.

- a) Are any listed threatened or endangered species, or designated critical habitat, in proximity to the discharge? Yes \_\_\_ No X
- b) Has any consultation with the federal services been completed? Yes \_\_\_ No X
- c) Is consultation underway? Yes \_\_\_ No X
- d) What were the results of the consultation with the U.S. Fish and Wildlife Service and/or NOAA Fisheries Service (check one):  
a "no jeopardy" opinion X or written concurrence \_\_\_ on a finding that the discharges are not likely to adversely affect any endangered species or
- e) Which of the five eligibility criteria listed in Appendix 2, Section B (A,B,C,D or E) have you met? A
- f) Attach a copy of the most current federal listing of endangered and threatened species from the USF&W web site listed in Appendices 2, 2.1 and 4

**7. Documentation of National Historic Preservation Act requirements:** Please respond to the following questions:

- a) Are any historic properties listed or eligible for listing on the National Register of Historic Places located on the facility site or in proximity to the discharge? Yes \_\_\_ No X
- b) Have any State or Tribal historic preservation officers been consulted in this determination? Yes \_\_\_ or No X If yes, attach the results of the consultation(s).
- c) Which of the three National Historic Preservation Act requirements listed in Appendix 3, Section C (1,2 o3) have you met? 1

8. Supplemental Information: Please provide any supplemental information. Attach any analytical data used to support the application. Attach any certification(s) required by the general permit

9. Signature Requirements: The Notice of Intent must be signed by the operator in accordance with the signatory requirements of 40 CFR Section 122.22 (see below) including the following certification:

I certify under penalty of law that (1) no biocides or other chemical additives except for those used for pH adjustment and/or dechlorination are used in the noncontact cooling water (NCCW) system; (2) the discharge consists solely of NCCW (to reduce temperature) and authorized pH adjustment and/or dechlorination chemicals; (3) the discharge does not come in contact with any raw materials, intermediate product, water product (other than heat) or finished product; (4) if the discharge of noncontact cooling water subsequently mixes with other wastewater (i.e. stormwater) prior to discharging to the receiving water, any monitoring provided under this permit will be only for noncontact cooling water; (5) where applicable, the facility has complied with the requirements of this permit specific to the Endangered Species Act and National Historic Preservation Act; and (6) this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted.

Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, I certify that the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I certify that I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Facility Name:	SCOTIA TECHNOLOGY
Operator signature:	
Title:	President
Date:	25 Nov 08

Federal regulations require this application to be signed as follows:

1. For a corporation, by a principal executive officer of at least the level of vice president;
2. For a partnership or sole proprietorship, by a general partner or the proprietor, respectively, or,
3. For a municipality, State, Federal or other public facility, by either a principal executive officer or ranking elected official.



# United States Department of the Interior

FISH AND WILDLIFE SERVICE  
New England Field Offices  
22 Bridge Street, Unit #1  
Concord, New Hampshire 03301-4986

**RECEIVED**

FEB 1 1995

**SCOTIA TECH**

January 31, 1995

Gail R. Brewer  
Scotia Technology  
Rt. 107, P.O. Box 1190  
Laconia, NH 03247

Dear Ms. Brewer:


This responds to your January 6, 1995 letter requesting information on the presence of federally listed and proposed endangered or threatened species in relation to the proposed non-contact cooling water discharge into Durkee Brook and Winnisquam Lake, New Hampshire.

Based on information currently available to us, no federally listed or proposed threatened and endangered species or designated critical habitat under the jurisdiction of the U.S. Fish and Wildlife Service are known to occur in the project area, with the exception of occasional transient endangered bald eagles (*Haliaeetus leucocephalus*) or peregrine falcons (*Falco peregrinus anatum*). However, we suggest that you contact Corey Craig, New Hampshire Natural Heritage Inventory Program, DRED, P.O. Box 1856, Concord, New Hampshire 03302-0856, (603) 271-3623, for information on state listed species that may be present.

Preparation of a Biological Assessment or further consultation with us under Section 7 of the Endangered Species Act is not required. Should project plans change, or additional information on listed or proposed species becomes available, this determination may be reconsidered. This response relates only to endangered species under our jurisdiction. It does not address other legislation or our responsibilities under the Fish and Wildlife Coordination Act and the Federal Power Act.

A list of federally designated endangered and threatened species in New Hampshire is included for your information. Thank you for your cooperation and please contact Susi von Oettingen of this office at (603) 225-1411 if we can be of further assistance.

Sincerely yours,

A handwritten signature in cursive script that reads "Kenneth C. Carr". The signature is written in dark ink and is positioned above the typed name.

Kenneth C. Carr  
Acting Supervisor  
New England Field Offices

Enclosure



1° 30' 299 550000 FEET 300 301 27' 30" 302 303 304

1:24 000

