



STATE OF MAINE
Department of Environmental Protection

Paul R. LePage
GOVERNOR

Patricia W. Aho
COMMISSIONER

October 7, 2013

Mr. Michael Harris
Ellsworth Water Pollution Control Facility
One City Hall Plaza
Ellsworth, ME. 04605

RE: Maine Pollutant Discharge Elimination System (MEPDES) Permit #ME0102865
Maine Waste Discharge License (WDL) Application #W009082-6D-B-M
Final Minor Revision

Dear Mr. Harris:

Enclosed please find a copy of your **final** MEPDES permit and Maine WDL **minor revision** which was approved by the Department of Environmental Protection. Please read the permit/license and its attached conditions carefully. You must follow the conditions in the permit/license to satisfy the requirements of law. Any discharge not receiving adequate treatment is in violation of State Law and is subject to enforcement action.

Any interested person aggrieved by a Department determination made pursuant to applicable regulations, may appeal the decision following the procedures described in the attached DEP FACT SHEET entitled "*Appealing a Commissioner's Licensing Decision.*"

If you have any questions regarding the matter, please feel free to call me at 287-7693.

Sincerely,

Gregg Wood
Division of Water Quality Management
Bureau of Land and Water Quality

Enc.

cc: Clarissa Trasko, DEP/EMRO Lori Mitchell, DEP/CMRO
Kohl Kanwit, DMR Megan Dwyer, DMR Sandy Mojica, USEPA

| | | | |
|---|---|---|---|
| AUGUSTA 17 STATE HOUSE STATION AUGUSTA, MAINE 04333-0017 (207) 287-3901 FAX: (207) 287-3435 RAY BLDG., HOSPITAL ST. | BANGOR 106 HOGAN ROAD BANGOR, MAINE 04401 (207) 941-4570 FAX: (207) 941-4584 | PORTLAND 312 CANCO ROAD PORTLAND, MAINE 04103 (207) 822-6300 FAX: (207) 822-6303 | PRESQUE ISLE 1235 CENTRAL DRIVE, SKYWAY PARK PRESQUE ISLE, MAINE 04769-2094 (207) 764-6477 FAX: (207) 764-1507 |
|---|---|---|---|



STATE OF MAINE
DEPARTMENT OF ENVIRONMENTAL PROTECTION
17 STATE HOUSE STATION
AUGUSTA, ME 04333

DEPARTMENT ORDER

IN THE MATTER OF

| | | |
|----------------------------------|---|---------------------------|
| CITY OF ELLSWORTH |) | MAINE POLLUTANT DISCHARGE |
| ELLSWORTH, HANCOCK COUNTY, MAINE |) | ELIMINATION SYSTEM PERMIT |
| PUBLICLY OWNED TREATMENT WORKS |) | AND |
| ME0102865 |) | WASTE DISCHARGE LICENSE |
| W009082-6D-B-M |) | MINOR REVISION |
| APPROVAL |) | |

Pursuant to the provisions of the Federal Water Pollution Control Act, Title 33 USC, Section 1251, *et. seq.* and *Conditions of Licenses*, 38 M.R.S.A., Section 414-A *et seq.*, and applicable regulations, the Department of Environmental Protection (Department hereinafter) has considered a request by the CITY OF ELLSWORTH (City/permittee hereinafter) to modify combination Maine Pollutant Discharge Elimination System (MEPDES) permit #ME0102865/Maine Waste Discharge License (WDL) #W009082-6D-A-N (permit hereinafter) issued by the Department on November 7, 2012, for a five-year term. With its supportive data, agency review comments, and other related material on file, the Department FINDS THE FOLLOWING FACTS:

MODIFICATION SUMMARY

The City is requesting the Department modify the aforementioned permit to have the water quality based fecal coliform bacteria limits apply on a seasonal basis (May 15 – September 30) rather than on a year-round basis. Since issuance of the permit, the City and the Maine Department of Marine Resources (DMR) have been sampling influent, pre-chlorinated effluent and final effluent to determine bacteria counts as well as the fate and transport of non-disinfected waste water being discharge into the Union River estuary and the impact (or lack thereof) on the areas associated with existing prohibited and conditional shellfish harvesting areas.

Based on the testing to date, the DMR has determined that the prohibited and conditional areas that surround the plant are sufficient to account for non-chlorinated effluent. Therefore, this minor revision is eliminating the imposition of fecal coliform bacteria limits on a year-round basis and establishing seasonal limitations, May 15th – September 30th of each year, to be consistent with the timeframe in Maine law 38 M.R.S.A., §465-B(2)

CONCLUSIONS

BASED on the findings on page 1 of this minor revision and subject to the Conditions listed below, the Department makes the following CONCLUSIONS:

1. The discharge, either by itself or in combination with other discharges, will not lower the quality of any classified body of water below such classification.
2. The discharge, either by itself or in combination with other discharges, will not lower the quality of any unclassified body of water below the classification which the Department expects to adopt in accordance with state law.
3. The provisions of the State's antidegradation policy, 38 M.R.S.A., Section 464(4)(F), will be met, in that:
 - a. Existing in-stream water uses and the level of water quality necessary to protect and maintain those existing uses will be maintained and protected;
 - b. Where high quality waters of the State constitute an outstanding natural resource, that water quality will be maintained and protected;
 - c. Where, the standards of classification of the receiving water body are met or, where the standards of classification of the receiving water body are not met, the discharge will not cause or contribute to the failure of the water body to meet the standards of classification;
 - d. Where the actual quality of any classified receiving water body exceeds the minimum standards of the next highest classification, that higher water quality will be maintained and protected; and
 - e. The discharge will be subject to effluent limitations that require application of best practicable treatment.
4. The discharge will be subject to effluent limitations that require application of best practicable treatment.

ACTION

THEREFORE, the Department APPROVES the above noted request by the CITY OF ELLSWORTH to modify the time of the year in which fecal coliform bacteria limitations are applicable in MEPDES permit #ME0102865/WDL #W009082-6D-A-N, issued by the Department on November 7, 2012, SUBJECT TO THE ATTACHED CONDITIONS, and all applicable standards and regulations, including:

1. "Maine Pollutant Discharge Elimination System Permit Standard Conditions Applicable To All Permits," revised July 1, 2002, copy attached to MEPDES permit #ME0102865/WDL #W009082-6D-A-N, issued by the Department on November 7, 2012.
2. The attached Special Conditions, including any effluent limitations and monitoring requirements.
3. All terms and conditions of MEPDES permit #ME0102865/WDL #W009082-6D-A-N, issued by the Department on November 7, 2012, not modified by this permitting action remain in effect and enforceable.
4. This minor revision becomes effective upon the date of signature below and expires on November 7, 2017, concurrent with MEPDES permit #ME0102865/WDL #W009082-6D-A-N, issued by the Department on November 7, 2012. If a renewal application is timely submitted and accepted as complete for processing prior to the expiration of the this minor revision, the terms and conditions of the this permit and all subsequent modifications and minor revisions thereto remain in effect until a final Department decision on the renewal application becomes effective. [Maine Administrative Procedure Act, 5 M.R.S.A. § 10002 and Rules Concerning the Processing of Applications and Other Administrative Matters, 06-096 CMR 2(21)(A) (effective April 1, 2003)]

PLEASE NOTE ATTACHED FACT SHEET FOR GUIDANCE ON APPEAL PROCEDURES


DONE AND DATED AT AUGUSTA, MAINE, THIS 7th DAY OF October, 2013.

DEPARTMENT OF ENVIRONMENTAL PROTECTION

BY: Michael Kuhn
For Patricia W. Aho, Commissioner

Date of initial receipt of application: September 23, 2013

Date of application acceptance: September 23, 2013



Date filed with Board of Environmental Protection _____

SPECIAL CONDITIONS

A. EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS

1. Beginning the effective date of the permit, the permittee is authorized to discharge secondary treated waste waters from **Outfall #001**, to the Union River. Such discharges shall be limited and monitored by the permittee as specified below:

| Effluent Characteristic | Discharge Limitations | | | | | | Minimum Monitoring Requirements | |
|---|--------------------------|--------------------------|---------------------------|---|------------------------|--------------------------|---------------------------------|--------------------------|
| | Monthly Average | Weekly Average | Daily Maximum Report MGD | Monthly Average | Weekly Average | Daily Maximum | Measurement Frequency | Sample Type |
| Flow, MGD <i>[50050]</i> | 1.65 MGD <i>[03]</i> | --- | Report MGD <i>[03]</i> | --- | --- | --- | Continuous <i>[9999]</i> | Recorder <i>[RC]</i> |
| Biochemical oxygen demand (BOD) ₅ <i>[003101]</i> | 413 #/Day <i>[26]</i> | 619 #/Day <i>[26]</i> | 688 #/Day <i>[26]</i> | 30 mg/L <i>[19]</i> | 45 mg/L <i>[19]</i> | 50 mg/L <i>[19]</i> | 3/Week <i>[0307]</i> | Composite <i>[24]</i> |
| BOD ₅ % Removal ⁽¹⁾ <i>[81010]</i> | --- | --- | --- | 85 % <i>[23]</i> | --- | --- | 1/Month <i>[0130]</i> | Calculate <i>[CA]</i> |
| Total suspended solids (TSS) <i>[00530]</i> | 413 #/Day <i>[26]</i> | 619 #/Day <i>[26]</i> | 688 #/Day <i>[26]</i> | 30 mg/L <i>[19]</i> | 45 mg/L <i>[19]</i> | 50 mg/L <i>[19]</i> | 3/Week <i>[0307]</i> | Composite <i>[24]</i> |
| TSS % Removal ⁽¹⁾ <i>[81011]</i> | --- | --- | --- | 85 % <i>[23]</i> | --- | --- | 1/Month <i>[0130]</i> | Calculate <i>[CA]</i> |
| Settleable Solids <i>[00545]</i> | --- | --- | --- | --- | --- | 0.3 ml/L <i>[25]</i> | 1/Day <i>[0101]</i> | Grab <i>[GR]</i> |
| Fecal Coliform ⁽²⁾ <i>[319616]</i> (May 15 - September 30) | --- | --- | --- | 15/100 ml ⁽³⁾ <i>[13]</i> | --- | 50/100 ml <i>[13]</i> | 3/Week <i>[0307]</i> | Grab <i>[GR]</i> |
| Total Residual Chlorine ⁽⁴⁾ <i>[50060]</i> | --- | --- | --- | 0.1 mg/L | --- | 0.3 mg/L <i>[19]</i> | 1/Day <i>[0101]</i> | Grab <i>[GR]</i> |
| Mercury (Total) ⁽⁵⁾ | --- | --- | --- | 32.9 ng/L <i>[3M]</i> | --- | 49.3 ng/L <i>[3M]</i> | 1/Year <i>[01YR]</i> | Grab <i>[GR]</i> |
| pH (Standard Units) <i>[00400]</i> | --- | --- | --- | --- | --- | 6.0-9.0 <i>[12]</i> | 1/Day <i>[0101]</i> | Grab <i>[GR]</i> |

Footnotes: For applicable footnotes not modified by this minor revision, see MEPDES permit #ME0102865/WDL #W009082-6D-A-N, issued by the Department on November 7, 2013.

SPECIAL CONDITIONS

A. EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS (cont'd)

Footnotes:

2. **Fecal coliform bacteria** - Limits are seasonal and apply between May 15th and September 30th inclusively of each year. The Department reserves the right to require year-round disinfection to protect the health, safety and welfare of the public.



DEP INFORMATION SHEET

Appealing a Department Licensing Decision

Dated: March 2012

Contact: (207) 287-2811

SUMMARY

There are two methods available to an aggrieved person seeking to appeal a licensing decision made by the Department of Environmental Protection's ("DEP") Commissioner: (1) in an administrative process before the Board of Environmental Protection ("Board"); or (2) in a judicial process before Maine's Superior Court. An aggrieved person seeking review of a licensing decision over which the Board had original jurisdiction may seek judicial review in Maine's Superior Court.

A judicial appeal of final action by the Commissioner or the Board regarding an application for an expedited wind energy development (35-A M.R.S.A. § 3451(4)) or a general permit for an offshore wind energy demonstration project (38 M.R.S.A. § 480-HH(1)) or a general permit for a tidal energy demonstration project (38 M.R.S.A. § 636-A) must be taken to the Supreme Judicial Court sitting as the Law Court.

This INFORMATION SHEET, in conjunction with a review of the statutory and regulatory provisions referred to herein, can help a person to understand his or her rights and obligations in filing an administrative or judicial appeal.

I. ADMINISTRATIVE APPEALS TO THE BOARD

LEGAL REFERENCES

The laws concerning the DEP's *Organization and Powers*, 38 M.R.S.A. §§ 341-D(4) & 346, the *Maine Administrative Procedure Act*, 5 M.R.S.A. § 11001, and the DEP's *Rules Concerning the Processing of Applications and Other Administrative Matters* ("Chapter 2"), 06-096 CMR 2 (April 1, 2003).

HOW LONG YOU HAVE TO SUBMIT AN APPEAL TO THE BOARD

The Board must receive a written appeal within 30 days of the date on which the Commissioner's decision was filed with the Board. Appeals filed after 30 calendar days of the date on which the Commissioner's decision was filed with the Board will be rejected.

HOW TO SUBMIT AN APPEAL TO THE BOARD

Signed original appeal documents must be sent to: Chair, Board of Environmental Protection, c/o Department of Environmental Protection, 17 State House Station, Augusta, ME 04333-0017; faxes are acceptable for purposes of meeting the deadline when followed by the Board's receipt of mailed original documents within five (5) working days. Receipt on a particular day must be by 5:00 PM at DEP's offices in Augusta; materials received after 5:00 PM are not considered received until the following day. The person appealing a licensing decision must also send the DEP's Commissioner a copy of the appeal documents and if the person appealing is not the applicant in the license proceeding at issue the applicant must also be sent a copy of the appeal documents. All of the information listed in the next section must be submitted at the time the appeal is filed. Only the extraordinary circumstances described at the end of that section will justify evidence not in the DEP's record at the time of decision being added to the record for consideration by the Board as part of an appeal.

WHAT YOUR APPEAL PAPERWORK MUST CONTAIN

Appeal materials must contain the following information at the time submitted:

1. *Aggrieved Status.* The appeal must explain how the person filing the appeal has standing to maintain an appeal. This requires an explanation of how the person filing the appeal may suffer a particularized injury as a result of the Commissioner's decision.
2. *The findings, conclusions or conditions objected to or believed to be in error.* Specific references and facts regarding the appellant's issues with the decision must be provided in the notice of appeal.
3. *The basis of the objections or challenge.* If possible, specific regulations, statutes or other facts should be referenced. This may include citing omissions of relevant requirements, and errors believed to have been made in interpretations, conclusions, and relevant requirements.
4. *The remedy sought.* This can range from reversal of the Commissioner's decision on the license or permit to changes in specific permit conditions.
5. *All the matters to be contested.* The Board will limit its consideration to those arguments specifically raised in the written notice of appeal.
6. *Request for hearing.* The Board will hear presentations on appeals at its regularly scheduled meetings, unless a public hearing on the appeal is requested and granted. A request for public hearing on an appeal must be filed as part of the notice of appeal.
7. *New or additional evidence to be offered.* The Board may allow new or additional evidence, referred to as supplemental evidence, to be considered by the Board in an appeal only when the evidence is relevant and material and that the person seeking to add information to the record can show due diligence in bringing the evidence to the DEP's attention at the earliest possible time in the licensing process or that the evidence itself is newly discovered and could not have been presented earlier in the process. Specific requirements for additional evidence are found in Chapter 2.

OTHER CONSIDERATIONS IN APPEALING A DECISION TO THE BOARD

1. *Be familiar with all relevant material in the DEP record.* A license application file is public information, subject to any applicable statutory exceptions, made easily accessible by DEP. Upon request, the DEP will make the material available during normal working hours, provide space to review the file, and provide opportunity for photocopying materials. There is a charge for copies or copying services.
2. *Be familiar with the regulations and laws under which the application was processed, and the procedural rules governing your appeal.* DEP staff will provide this information on request and answer questions regarding applicable requirements.
3. *The filing of an appeal does not operate as a stay to any decision.* If a license has been granted and it has been appealed the license normally remains in effect pending the processing of the appeal. A license holder may proceed with a project pending the outcome of an appeal but the license holder runs the risk of the decision being reversed or modified as a result of the appeal.

WHAT TO EXPECT ONCE YOU FILE A TIMELY APPEAL WITH THE BOARD

The Board will formally acknowledge receipt of an appeal, including the name of the DEP project manager assigned to the specific appeal. The notice of appeal, any materials accepted by the Board Chair as supplementary evidence, and any materials submitted in response to the appeal will be sent to Board members with a recommendation from DEP staff. Persons filing appeals and interested persons are notified in advance of the date set for Board consideration of an appeal or request for public hearing. With or without holding a public hearing, the Board may affirm, amend, or reverse a Commissioner decision or remand the matter to the Commissioner for further proceedings. The Board will notify the appellant, a license holder, and interested persons of its decision.

II. JUDICIAL APPEALS

Maine law generally allows aggrieved persons to appeal final Commissioner or Board licensing decisions to Maine's Superior Court, see 38 M.R.S.A. § 346(1); 06-096 CMR 2; 5 M.R.S.A. § 11001; & M.R. Civ. P 80C. A party's appeal must be filed with the Superior Court within 30 days of receipt of notice of the Board's or the Commissioner's decision. For any other person, an appeal must be filed within 40 days of the date the decision was rendered. Failure to file a timely appeal will result in the Board's or the Commissioner's decision becoming final.

An appeal to court of a license decision regarding an expedited wind energy development, a general permit for an offshore wind energy demonstration project, or a general permit for a tidal energy demonstration project may only be taken directly to the Maine Supreme Judicial Court. See 38 M.R.S.A. § 346(4).

Maine's Administrative Procedure Act, DEP statutes governing a particular matter, and the Maine Rules of Civil Procedure must be consulted for the substantive and procedural details applicable to judicial appeals.

ADDITIONAL INFORMATION

If you have questions or need additional information on the appeal process, for administrative appeals contact the Board's Executive Analyst at (207) 287-2452 or for judicial appeals contact the court clerk's office in which your appeal will be filed.

Note: The DEP provides this INFORMATION SHEET for general guidance only; it is not intended for use as a legal reference. Maine law governs an appellant's rights.
