



STATE OF MAINE
DEPARTMENT OF ENVIRONMENTAL PROTECTION

PAUL R. LEPAGE
GOVERNOR

AVERY T. DAY
ACTING COMMISSIONER

December 17, 2015

Patrick Gere
Bath Iron Works Corporation
700 Washington Street
Bath, ME 04530
patrick.gere@gdbwi.com

**RE: Waste Snow Discharge General Permit # MEG2200000
APPROVAL – Notice of Intent for Discharge of Waste Snow**

*Sent via electronic mail
Delivery confirmation requested*

Dear Mr. Gere:

Enclosed, please find a Department Order approving coverage for Bath Iron Works Corporation under the Waste Snow Discharge General Permit #MEG220000, which was issued on February 28, 2014 for a five-year term.

A copy of the final Waste Discharge license #MEG220000 is available to view and download at: http://www.maine.gov/dep/water/wd/snow_discharge/index.html. Please read the General Permit and its attached conditions carefully.

Any interested person aggrieved by a Department determination made pursuant to applicable regulations, may appeal the decision following the procedures described in the attached DEP FACT SHEET entitled "*Appealing a Commissioner's Licensing Decision.*"

AUGUSTA
17 STATE HOUSE STATION
AUGUSTA, MAINE 04333-0017
(207) 287-7688 FAX: (207) 287-7826
RAY BLDG., HOSPITAL ST.

BANGOR
106 HOGAN ROAD, SUITE 6
BANGOR, MAINE 04401
(207) 941-4570 FAX: (207) 941-4584

PORTLAND
312 CANCO ROAD
PORTLAND, MAINE 04103
(207) 822-6300 FAX: (207) 822-6303

PRESQUE ISLE
1235 CENTRAL DRIVE, SKYWAY PARK
PRESQUE ISLE, MAINE 04679-2094
(207) 764-0477 FAX: (207) 760-3143

Letter to BIW
December 17, 2015
Page 2 of 2

Sincerely,

A handwritten signature in black ink that reads "Bill Hinkel". The signature is written in a cursive, slightly slanted style.

Bill Hinkel
Division of Water Quality Management
Bureau of Water Quality
bill.hinkel@maine.gov
ph: 207.485.2281

Enc.

cc: Sterling Pierce, MDEP
Lori Mitchell, MDEP
Olga Vergara, USEPA
Marelyn Vega, USEPA
Sandy Mojica, USEPA



DEP INFORMATION SHEET

Appealing a Department Licensing Decision

Dated: March 2012

Contact: (207) 287-2811

SUMMARY

There are two methods available to an aggrieved person seeking to appeal a licensing decision made by the Department of Environmental Protection's ("DEP") Commissioner: (1) in an administrative process before the Board of Environmental Protection ("Board"); or (2) in a judicial process before Maine's Superior Court. An aggrieved person seeking review of a licensing decision over which the Board had original jurisdiction may seek judicial review in Maine's Superior Court.

A judicial appeal of final action by the Commissioner or the Board regarding an application for an expedited wind energy development (35-A M.R.S.A. § 3451(4)) or a general permit for an offshore wind energy demonstration project (38 M.R.S.A. § 480-HH(1)) or a general permit for a tidal energy demonstration project (38 M.R.S.A. § 636-A) must be taken to the Supreme Judicial Court sitting as the Law Court.

This INFORMATION SHEET, in conjunction with a review of the statutory and regulatory provisions referred to herein, can help a person to understand his or her rights and obligations in filing an administrative or judicial appeal.

I. ADMINISTRATIVE APPEALS TO THE BOARD

LEGAL REFERENCES

The laws concerning the DEP's *Organization and Powers*, 38 M.R.S.A. §§ 341-D(4) & 346, the *Maine Administrative Procedure Act*, 5 M.R.S.A. § 11001, and the DEP's *Rules Concerning the Processing of Applications and Other Administrative Matters* ("Chapter 2"), 06-096 CMR 2 (April 1, 2003).

HOW LONG YOU HAVE TO SUBMIT AN APPEAL TO THE BOARD

The Board must receive a written appeal within 30 days of the date on which the Commissioner's decision was filed with the Board. Appeals filed after 30 calendar days of the date on which the Commissioner's decision was filed with the Board will be rejected.

HOW TO SUBMIT AN APPEAL TO THE BOARD

Signed original appeal documents must be sent to: Chair, Board of Environmental Protection, c/o Department of Environmental Protection, 17 State House Station, Augusta, ME 04333-0017; faxes are acceptable for purposes of meeting the deadline when followed by the Board's receipt of mailed original documents within five (5) working days. Receipt on a particular day must be by 5:00 PM at DEP's offices in Augusta; materials received after 5:00 PM are not considered received until the following day. The person appealing a licensing decision must also send the DEP's Commissioner a copy of the appeal documents and if the person appealing is not the applicant in the license proceeding at issue the applicant must also be sent a copy of the appeal documents. All of the information listed in the next section must be submitted at the time the appeal is filed. Only the extraordinary circumstances described at the end of that section will justify evidence not in the DEP's record at the time of decision being added to the record for consideration by the Board as part of an appeal.

WHAT YOUR APPEAL PAPERWORK MUST CONTAIN

Appeal materials must contain the following information at the time submitted:

1. *Aggrieved Status.* The appeal must explain how the person filing the appeal has standing to maintain an appeal. This requires an explanation of how the person filing the appeal may suffer a particularized injury as a result of the Commissioner's decision.
2. *The findings, conclusions or conditions objected to or believed to be in error.* Specific references and facts regarding the appellant's issues with the decision must be provided in the notice of appeal.
3. *The basis of the objections or challenge.* If possible, specific regulations, statutes or other facts should be referenced. This may include citing omissions of relevant requirements, and errors believed to have been made in interpretations, conclusions, and relevant requirements.
4. *The remedy sought.* This can range from reversal of the Commissioner's decision on the license or permit to changes in specific permit conditions.
5. *All the matters to be contested.* The Board will limit its consideration to those arguments specifically raised in the written notice of appeal.
6. *Request for hearing.* The Board will hear presentations on appeals at its regularly scheduled meetings, unless a public hearing on the appeal is requested and granted. A request for public hearing on an appeal must be filed as part of the notice of appeal.
7. *New or additional evidence to be offered.* The Board may allow new or additional evidence, referred to as supplemental evidence, to be considered by the Board in an appeal only when the evidence is relevant and material and that the person seeking to add information to the record can show due diligence in bringing the evidence to the DEP's attention at the earliest possible time in the licensing process or that the evidence itself is newly discovered and could not have been presented earlier in the process. Specific requirements for additional evidence are found in Chapter 2.

OTHER CONSIDERATIONS IN APPEALING A DECISION TO THE BOARD

1. *Be familiar with all relevant material in the DEP record.* A license application file is public information, subject to any applicable statutory exceptions, made easily accessible by DEP. Upon request, the DEP will make the material available during normal working hours, provide space to review the file, and provide opportunity for photocopying materials. There is a charge for copies or copying services.
2. *Be familiar with the regulations and laws under which the application was processed, and the procedural rules governing your appeal.* DEP staff will provide this information on request and answer questions regarding applicable requirements.
3. *The filing of an appeal does not operate as a stay to any decision.* If a license has been granted and it has been appealed the license normally remains in effect pending the processing of the appeal. A license holder may proceed with a project pending the outcome of an appeal but the license holder runs the risk of the decision being reversed or modified as a result of the appeal.

WHAT TO EXPECT ONCE YOU FILE A TIMELY APPEAL WITH THE BOARD

The Board will formally acknowledge receipt of an appeal, including the name of the DEP project manager assigned to the specific appeal. The notice of appeal, any materials accepted by the Board Chair as supplementary evidence, and any materials submitted in response to the appeal will be sent to Board members with a recommendation from DEP staff. Persons filing appeals and interested persons are notified in advance of the date set for Board consideration of an appeal or request for public hearing. With or without holding a public hearing, the Board may affirm, amend, or reverse a Commissioner decision or remand the matter to the Commissioner for further proceedings. The Board will notify the appellant, a license holder, and interested persons of its decision.

II. JUDICIAL APPEALS

Maine law generally allows aggrieved persons to appeal final Commissioner or Board licensing decisions to Maine's Superior Court, see 38 M.R.S.A. § 346(1); 06-096 CMR 2; 5 M.R.S.A. § 11001; & M.R. Civ. P 80C. A party's appeal must be filed with the Superior Court within 30 days of receipt of notice of the Board's or the Commissioner's decision. For any other person, an appeal must be filed within 40 days of the date the decision was rendered. Failure to file a timely appeal will result in the Board's or the Commissioner's decision becoming final.

An appeal to court of a license decision regarding an expedited wind energy development, a general permit for an offshore wind energy demonstration project, or a general permit for a tidal energy demonstration project may only be taken directly to the Maine Supreme Judicial Court. See 38 M.R.S.A. § 346(4).

Maine's Administrative Procedure Act, DEP statutes governing a particular matter, and the Maine Rules of Civil Procedure must be consulted for the substantive and procedural details applicable to judicial appeals.

ADDITIONAL INFORMATION

If you have questions or need additional information on the appeal process, for administrative appeals contact the Board's Executive Analyst at (207) 287-2452 or for judicial appeals contact the court clerk's office in which your appeal will be filed.

Note: The DEP provides this INFORMATION SHEET for general guidance only; it is not intended for use as a legal reference. Maine law governs an appellant's rights.



STATE OF MAINE
DEPARTMENT OF ENVIRONMENTAL PROTECTION
17 STATE HOUSE STATION AUGUSTA, MAINE 04333-0017

DEPARTMENT ORDER

IN THE MATTER OF

BATH IRON WORKS CORPORATION) GENERAL PERMIT #MEG220000
BRUNSWICK, CUMBERLAND COUNTY, MAINE) WASTE SNOW DISCHARGE
#W009137-5Y-A-N)
#MEG220002)
GENERAL PERMIT COVERAGE APPROVAL) **NEW**

In compliance with the applicable provisions of *Pollution Control*, 38 M.R.S.A. §§ 411 – 424-B, *Water Classification Program*, 38 M.R.S.A. §§ 464 – 470, applicable rules of the Maine Department of Environmental Protection (Department), and in consideration of supportive data, agency review comments and other related materials on file, the Department has considered the Notice of Intent submitted by the BATH IRON WORKS CORPORATION (BIW) for coverage under *General Permit – Waste Snow Discharge*, #MEG220000, issued by the Department on February 28, 2014, and FINDS THE FOLLOWING FACTS.

APPLICATION SUMMARY

On December 15, 2015, the Department accepted, as complete for processing, a Notice of Intent form from BIW for coverage under *General Permit – Waste Snow Discharge*, #MEG220000, February 28, 2014. BIW proposes to discharge waste snow collected from an estimated 815,000 square feet of streets and roads associated with its Hardings Facility located off Bridle Road in Brunswick, Maine (see Attachment A of this license) and an estimated 530,000 square feet of streets and roads associated with its East Brunswick Manufacturing Facility located off Bath Road in Brunswick, Maine (see Attachment B of this license). BIW proposes to deposit the waste snow on the surface of the land at these two locations. The snow disposal areas are on land that is located wholly or partially within a significant sand and gravel aquifer location. *Snow Dumps: Best Management Practices for Pollution Prevention*, 06-096 CMR 573(3) (effective July 29, 2012) states that a waste discharge license is required for “[d]ischarges of meltwater to ground water from snow dumps that are located wholly or partially within a significant sand and gravel aquifer.”

AUTHORIZED DISCHARGES

BIW is authorized to discharge only: 1) in accordance with BIW’s Notice of Intent accepted for processing on December 15, 2015; and 2) in accordance with the terms and conditions of *General Permit – Waste Snow Discharge*, #MEG220000, February 28, 2014. Discharges of pollutants other than waste snow or from any other point source are not authorized under this General Permit, and must be reported in accordance with Standard Condition D(1)(F), *Twenty-four hour reporting*, of *Maine Pollutant Discharge Elimination System Permit Standard Conditions Applicable To All Permits*, revised July 1, 2002, attached to General Permit #MEG220000 and incorporated herein by reference.

CONCLUSIONS

1. The discharge of waste snow in accordance with General Permit #MEG220000, either by itself or in combination with other discharges, will not lower the quality of any classified body of water below such classification.
2. The discharge of waste snow in accordance with General Permit #MEG220000, either by itself or in combination with other discharges, will not lower the quality of any unclassified body of water below the classification which the Department expects to adopt in accordance with State law.
3. The provisions of the State's antidegradation policy, *Classification of Maine waters*, 38 M.R.S.A. § 464(4)(F) will be met.
4. The discharge of waste snow in accordance with General Permit #MEG220000 is subject to effluent limitations that require application of best practicable treatment as defined in *Conditions of licenses*, 38 M.R.S.A. § 414-A(1)(D).

ACTION


Based on the findings and conclusions as stated above, the Department APPROVES the Department Bath Iron Works Corporation to discharge an unspecified quantity of waste snow in accordance with *General Permit – Waste Snow Discharge*, #MEG220000, February 28, 2014, subject to the terms and conditions therein.

Authorization to discharge under this approval becomes effective upon the date of signature below and expires at midnight on February 28, 2019, concurrent with the expiration date of #MEG220000. Prior to expiration of General Permit #MEG220000, the Department must make a determination if it is to be renewed, and, if so, must commence renewal proceedings. If the General Permit is to be renewed, the General Permit and this approval under it shall remain in effect until the Department takes final action on the renewal. [*Maine Administrative Procedure Act*, 5 M.R.S.A. § 10002, *Rules Concerning the Processing of Applications and Other Administrative Matters*, 06-096 CMR 2(21)(A) (last amended October 19, 2015), and *General Permits for Certain Wastewater Discharges*, 06-096 CMR 529(3)(c) (last amended June 27, 2007)]

DONE AND DATED AT AUGUSTA, MAINE THIS 18th DAY OF December, 2015.

DEPARTMENT OF ENVIRONMENTAL PROTECTION

BY: Michael Kuhus
for AVERY T. DAY, Acting Commissioner



Date filed with Board of Environmental Protection _____


PLEASE NOTE ATTACHED SHEET FOR GUIDANCE ON APPEAL PROCEDURES

Notice of Intent was received by the Department on: December 3, 2015
Notice of Intent was accepted as complete for processing by the Department on: December 15, 2015
This Order prepared by Bill Hinkel, BUREAU OF WATER QUALITY

ATTACHMENT A

GENERAL DYNAMICS
Bath Iron Works

Bath Iron Works Hardings Facility



Source: Google Maps 2015

Areas highlighted in blue are proposed snow storage/discharge points. Snow will be collected from approximately 815,000 square feet of paved and dirt roadways, parking lots, and walking paths at BIW's Hardings Facility.

700 Washington Street
Bath, ME 04530
Tel: 207.442.1142
patrick.gere@gdbiw.com
www.gdbiw.com

ATTACHMENT B

GENERAL DYNAMICS

Bath Iron Works

Bath Iron Works East Brunswick Manufacturing Facility



Source: Google Maps 2015

Areas highlighted in blue are proposed snow storage/discharge points. Snow will be collected from approximately 530,000 square feet of paved and dirt roadways, parking lots, and walking paths at BIW's East Brunswick Manufacturing Facility.

700 Washington Street
Bath, ME 04530
Tel: 207.442.1142
patrick.gere@gdbiw.com
www.gdbiw.com