



STATE OF MAINE
DEPARTMENT OF ENVIRONMENTAL PROTECTION



PAUL R. LEPAGE
GOVERNOR

PATRICIA W. AHO
COMMISSIONER

June 18, 2015

Ms. Anitra Firmenich
US Fish and Wildlife Service
One Hatchery Way, Route 180
Ellsworth, Maine 04605
Anitra_firmenich@fws.gov

*Transmitted via electronic mail
Delivery confirmation requested*

RE: Maine Pollutant Discharge Elimination System (MEPDES) Permit #ME0002623
Maine Waste Discharge License (WDL) Application #W000721- 6F-G-R
Proposed Draft Permit

Dear Ms. Firmenich,

Enclosed is a **proposed draft** MEPDES permit and Maine WDL (permit hereinafter) which the Department proposes to issue as a final document after opportunity for your review and comment. By transmittal of this letter you are provided with an opportunity to comment on the proposed draft permit and its conditions (special conditions specific to this permit are enclosed; standard conditions applicable to all permits are available upon request). If it contains errors or does not accurately reflect present or proposed conditions, please respond to this Department so that changes can be considered.

By copy of this letter, the Department is requesting comments on the proposed draft permit from various state and federal agencies, as required by our new regulations, and from any other parties who have notified the Department of their interest in this matter.

All comments must be received in the Department of Environmental Protection office on or before the close of business **Monday, July 20, 2015**. Failure to submit comments in a timely fashion will result in the final document being issued as drafted. Comments in writing should be submitted to my attention at the following address:

Maine Department of Environmental Protection
Bureau of Land & Water Quality
Division of Water Quality Management
17 State House Station
Augusta, ME 04333

If you have any questions regarding the matter, please feel free to call me at 215-1579.

Sincerely,



Yvette M. Meunier
Division of Water Quality Management
Bureau of Land and Water Quality

Enc.

cc: Matt Young, DEP/EMRO
David Webster, EPA
Alex Rosenberg, EPA
David Pincumbe, EPA
Lori Mitchell, DEP/CMRO
Pam Parker, DEP/CMRO
Barry Mower, DEP/CMRO
Environmental Reviewer, MeDMR
Laury Zicari, MeDMR
Max Tritt, NOAA
Environmental Reviewer, MeDIFW
Olga Vergara, EPA
Ivy Frignoca, CLF

AUGUSTA
17 STATE HOUSE STATION
AUGUSTA, MAINE 04333-0017
(207) 287-3901 FAX: (207) 287-3435
RAY BLDG., HOSPITAL ST.

BANGOR
106 HOGAN ROAD
BANGOR, MAINE 04401
(207) 941-4570 FAX: (207) 941-4584

PORTLAND
312 CANCO ROAD
PORTLAND, MAINE 04103
(207) 822-6300 FAX: (207) 822-6303

PRESQUE ISLE
1235 CENTRAL DRIVE, SKYWAY PARK
PRESQUE ISLE, MAINE 04769-2094
(207) 764-6477 FAX: (207) 764-1507



DEPARTMENT ORDER

IN THE MATTER OF

U.S. FISH AND WILDLIFE SERVICE)	MAINE POLLUTANT DISCHARGE
GREEN LAKE HATCHERY)	ELIMINATION SYSTEM PERMIT
ELLSWORTH, HANCOCK COUNTY, MAINE)	AND
#ME0002623)	WASTE DISCHARGE LICENSE
#W000721-6F-G-R)	RENEWAL
APPROVAL)	

In compliance with the applicable provisions of *Pollution Control*, 38 M.R.S.A. §§ 411 – 424-B, *Water Classification Program*, 38 M.R.S.A. §§ 464 – 470 and *Federal Water Pollution Control Act*, Title 33 U.S.C. § 1251, and applicable rules of the Department of Environmental Protection (Department), the Department has considered the application of the U.S. FISH AND WILDLIFE SERVICE (USFWS), with its supportive data, agency review comments, and other related materials on file, and FINDS THE FOLLOWING FACTS:

APPLICATION SUMMARY

On May 16, 2014, the Department accepted as complete for processing, a renewal application from USFWS for Waste Discharge License (WDL) #W000721-5Q-E-R / Maine Pollutant Discharge Elimination System (MEPDES) permit #ME0002623, which was issued on September 9, 2009 for a five-year term. The 9/9/09 MEPDES permit authorized USFWS to discharge a monthly average of 13.3 million gallons per day (MGD) and a daily maximum of 19.4 MGD of fish hatchery and rearing facility wastewater via Outfall #001A, as well as 0.288 MGD of influent filter backwash wastewater via Outfall #002A from the Green Lake Hatchery to Reed’s Brook, Class B and Graham Lake, Class GPA in Ellsworth, Maine.

The Department issued a minor permit revision on August 7, 2012 to remove the pH monitoring and reporting requirements.

PERMIT SUMMARY

This permitting action is carrying forward all the terms and conditions of the previous permitting actions except that it (please see Fact Sheet for more information on these summary items):

1. Eliminates the biochemical oxygen demand (BOD₅) limits and monitoring requirements;
2. Revises the monitoring frequency for total suspended solids (TSS);
3. Amends language in the “Footnotes” section of Special Condition A;
4. Establishes additional requirements to be included in the facility Operations and Monitoring Plan;

PERMIT SUMMARY (cont'd)

5. Eliminates the Special Conditions H. *Settling Pond Cleaning*, J. *Therapeutic Agents*, and K. *Disinfecting/Sanitizing Agents* as contained in the 2009 permit;
6. Establishes Conditions G. *Use of Drugs for Disease Control* and H. *Spills*;
7. Replaces Special Condition L. *Salmon Genetic Testing and Escape Prevention* in the 2010 permit with Special Condition I. *Protection of Atlantic Salmon*;
8. Revises the total phosphorous concentration limit to report only;
9. Revises the total phosphorous annual maximum mass limitation based on new facility information;
10. Revises the monitoring frequency for formalin from 1/2weeks to once per occurrence (01/OC), to clarify that formalin is to be reported at each use;
11. Establishes Special Condition H. *Pesticides and Other Compounds* to replace Special Conditions J. *Therapeutic Agents* and K. *Disinfecting/Sanitizing Agents* from the 2009 permit;
12. Revises the monitoring frequency for total phosphorus to allow for increased monitoring flexibility;
13. Eliminates the reporting requirement for monthly average Fish on Hand and revises the monitoring frequency 2/month to 1/month, to allow for increased monitoring flexibility; and
14. Eliminates the formalin concentration limit and establishes a mass-based limit to allow for increased facility flexibility and management.

CONCLUSIONS

Based on the findings summarized in the attached **PROPOSED DRAFT** Fact Sheet dated **June 18, 2015**, and subject to the special and standard conditions that follow, the Department makes the following CONCLUSIONS:

1. The discharge, either by itself or in combination with other discharges, will not lower the quality of any classified body of water below such classification.
2. The discharge, either by itself or in combination with other discharges, will not lower the quality of any unclassified body of water below the classification which the Department expects to adopt in accordance with state law.
3. The provisions of the State's antidegradation policy, *Classification of Maine waters*, 38 M.R.S.A. § 464(4)(F), will be met, in that:
 - (a) Existing in-stream water uses and the level of water quality necessary to protect and maintain those existing uses will be maintained and protected;

CONCLUSIONS (cont'd)

- (b) Where high quality waters of the State constitute an outstanding natural resource, that water quality will be maintained and protected;
 - (c) Where the standards of classification of the receiving water body are not met, the discharge will not cause or contribute to the failure of the water body to meet the standards of classification;
 - (d) Where the actual quality of any classified receiving water body exceeds the minimum standards of the next highest classification that higher water quality will be maintained and protected; and
 - (e) Where a discharge will result in lowering the existing water quality of any water body, the Department has made the finding, following opportunity for public participation, that this action is necessary to achieve important economic or social benefits to the State.
4. The discharges will be subject to effluent limitations that require application of best practicable treatment as defined in *Conditions of license*, 38 M.R.S.A. § 414-A(1)(D).
 5. The applicant has objectively demonstrated to the Department's satisfaction that the discharge is necessary and that there are no other reasonable alternatives available, as required by *Standards for classification of lakes and ponds*, 38 M.R.S.A. § 465-A.

ACTION

Based on the findings and conclusions as stated above, the Department APPROVES the above noted application of U.S. FISH AND WILDLIFE SERVICES discharge a monthly average of 13.3 million gallons per day (MGD) and a daily maximum of 19.4 MGD of fish hatchery and rearing facility wastewater via Outfall #001A, as well as 0.288 MGD of influent filter backwash wastewater via Outfall #002A, from the Green Lake National Fish Hatchery to Reeds Brook, Class B and Graham Lake, Class GPA, in Ellsworth, Maine, SUBJECT TO THE ATTACHED CONDITIONS, and all applicable standards and regulations including:

1. *Maine Pollutant Discharge Elimination System Permit Standard Conditions Applicable To All Permits*, revised July 1, 2002, copy attached.
2. The attached Special Conditions, including any effluent limitations and monitoring requirements.
3. This permit and the authorization to discharge become effective upon the date of signature below and expire at midnight five (5) years from the effective date. If a renewal application is timely submitted and accepted as complete for processing prior to the expiration of this permit, the authorization to discharge and the terms and conditions of this permit and all modifications and minor revisions thereto remain in effect until a final Department decision on the renewal application becomes effective. [*Maine Administrative Procedure Act*, 5 M.R.S.A. § 10002 and *Rules Concerning the Processing of Applications and Other Administrative Matters*, 06-096 CMR 2(21)(A) (amended August 25, 2013)]

PLEASE NOTE ATTACHED SHEET FOR GUIDANCE ON APPEAL PROCEDURES

DONE AND DATED AT AUGUSTA, MAINE, THIS _____ DAY OF _____ 2015.

DEPARTMENT OF ENVIRONMENTAL PROTECTION

BY: _____
PATRICIA W. AHO, Commissioner

Date filed with Board of Environmental Protection _____

Date of initial receipt of application: May 15, 2014

Date of application acceptance: May 16, 2014

This Order prepared by Yvette Meunier, BUREAU OF LAND & WATER QUALITY

SPECIAL CONDITIONS

A. EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS

1. The permittee is authorized to discharge **fish hatchery wastewater from Outfall #001A (fish hatchery and rearing station)** to Reeds Brook. Such discharges are limited and must be monitored by the permittee as specified below⁽¹⁾:

Effluent Characteristic	Discharge Limitations					Minimum	
	Monthly Average	Daily Maximum	Monthly Average	Daily Maximum	Daily Minimum	Monitoring Requirements Measurement Frequency	Sample Type
Flow [50050]	13.3 MGD [03]	19.4 MGD [03]	---	---	---	Daily [01/01]	Measured [MS]
TSS [00530]	665 lbs./day [26]	1,618 lbs./day [26]	6 mg/L [19]	10 mg/L [19]	---	1/Month [01/30]	Composite ⁽²⁾ [CP]
Total Phosphorus ⁽³⁾ [00665] (January – November)	Report total lbs./month [76]	Report total lbs./month [76]	Report mg/L [19]	Report mg/L [19]	---	1/Week [01/07]	Composite ⁽²⁾ [CP]
Total Phosphorus ⁽³⁾ [00665] (December)	Report total lbs./month [76]	1,780 lbs./year [50]	Report mg/L [19]	Report mg/L [19]	---	1/Week [01/07]	Composite ⁽²⁾ [CP]
Fish on Hand [45604]	---	Report lbs./day [26]	---	---	---	1/Month [01/30]	Calculate [CA]
Formalin ⁽⁴⁾ [51064]	Report lbs./day [26]	46 lbs./day [26]	---	---	---	1/Occurrence [01/OC]	Calculate [CA]

The italicized numeric values bracketed in the table and in subsequent text are code numbers that Department personnel utilize to code the monthly Discharge Monitoring Reports.

FOOTNOTES: See Pages 6 through 7 of this permit for applicable footnotes.

SPECIAL CONDITIONS

A. EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS (cont'd)

FOOTNOTES

1. **Sampling** – All effluent monitoring must be conducted at a location following the last treatment unit in the treatment process, as to be representative of end-of-pipe effluent characteristics. Any change in sampling location must be approved by the Department in writing. The permittee must conduct sampling and analysis in accordance with; a) methods approved by 40 Code of Federal Regulations (CFR) Part 136, b) alternative methods approved by the Department in accordance with the procedures in 40 CFR Part 136, or c) as otherwise specified by the Department. Samples that are sent out for analysis must be analyzed by a laboratory certified by the State of Maine's Department of Health and Human Services for wastewater. Samples that are sent to a publicly owned treatment works (POTW) licensed pursuant to *Waste discharge licenses*, 38 M.R.S.A. § 413 are subject to the provisions and restrictions of *Maine Comprehensive and Limited Environmental Laboratory Certification Rules*, 10-144 CMR 263 (effective date April 1, 2010). If the permittee monitors any pollutant more frequently than required by the permit using test procedures approved under 40 CFR Part 136 or as specified in this permit, the results of this monitoring must be included in the calculation and reporting of the data submitted in the Discharge Monitoring Report (DMR).
2. **Composite Samples** – Samples must consist of 24-hour composites collected with an automatic composite sampler. Alternatively, when weather conditions and/or equipment prevents automatic compositing and upon Department approval, the permittee may manually composite a minimum of four grab samples collected at two-hour intervals during the working day at the facility. The permittee must indicate the type of sample collected on the DMR.
3. **Total Phosphorus** – See **Attachment A** of this permit for sample protocols.
4. **Formalin** – Formalin monitoring must be conducted when in use at the facility and must consist of a calculated effluent mass value. Therefore, the following calculation must be applied to assess the total mass of formalin discharged per occurrence (lbs./day or lbs./hr.):

$$\text{Formalin applied (gallons)} \times 9.03^1 \text{ (lbs./gallon)} = \text{Total formalin in effluent}$$

The permittee must provide this information and calculations to the Department in a document accompanying the monthly DMR. The formalin limit corresponds to two types of treatments:

1. One hour per day treatment typical of hatchery and rearing facility discharges; and
2. Maximum of up to 24 hours of treatment and discharge for addressing emergency conditions at the facility.

Formalin treatments greater than 1-hour in duration must be conducted no more frequently than once every four days. The permittee must provide a list of dates on which treatments

¹ Per Material Safety Data Sheet, Parasite-S has a specific gravity of 1.0775-1.0865 giving it an average density of 9.03 lbs./gallon.

SPECIAL CONDITIONS

A. EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS (cont'd)

FOOTNOTES (cont'd)

greater than 1-hour were performed, and the length of time of each such treatment, with each monthly DMR.

For instances when a permittee has not used formalin for an entire reporting period, the permittee must report "NODI-9" for this parameter on the monthly DMR or "N9" if the submittal is an electronic DMR.

B. NARRATIVE EFFLUENT LIMITATIONS

1. The permittee must not discharge effluent that contains a visible oil sheen, foam or floating solids at any time which would impair the uses designated for the classification of the receiving waters.
2. The permittee must not discharge effluent that contains materials in concentrations or combinations which are hazardous or toxic to aquatic life, or which would impair the uses designated for the classification of the receiving waters.
3. The permittee must not discharge effluent that causes visible discoloration or turbidity in the receiving waters that causes those waters to be unsuitable for the designated uses and characteristics ascribed to their class.
4. The permittee must not discharge effluent that lowers the quality of any classified body of water below such classification, or lowers the existing quality of any body of water if the existing quality is higher than the classification.

C. AUTHORIZED DISCHARGES

The permittee is authorized to discharge only in accordance with: 1) the permittee's General Application for Waste Discharge Permit, accepted for processing on June 30, 2011; 2) the terms and conditions of this permit; and 3) only from Outfall #001A. Discharges of wastewater from any other point source(s) are not authorized under this permit, and must be reported in accordance with Standard Condition B(5), *Bypasses*, of this permit.

D. NOTIFICATION REQUIREMENT

In accordance with Standard Condition D, the permittee must notify the Department of the following:

1. Any substantial change in the volume or character of pollutants being introduced into the wastewater collection and treatment system.
2. For the purposes of this section, adequate notice must include information on:
 - a. The quality or quantity of wastewater introduced to the wastewater collection and treatment system; and

SPECIAL CONDITIONS

D. NOTIFICATION REQUIREMENT (cont'd)

- b. Any anticipated impact of the change in the quantity or quality of the wastewater to be discharged from the treatment system.

E. MONITORING AND REPORTING

Monitoring results obtained during the previous month must be summarized for each month and reported on separate DMR forms provided by the Department and **postmarked on or before the thirteenth (13th) day of the month or hand-delivered to the Department's Regional Office such that the DMRs are received by the Department on or before the fifteenth (15th) day of the month** following the completed reporting period. A signed copy of the DMR and all other reports required herein must be submitted to the Department assigned inspector (unless otherwise specified by the Department) at the following address:

Department of Environmental Protection
Bureau of Land and Water Quality
Division of Water Quality Management
106 Hogan Road
Bangor, Maine 04401

Alternatively, if the permittee submits an electronic DMR (eDMR), the completed eDMR must be electronically submitted to the Department by a facility authorized DMR Signatory not later than close of business on the **15th day of the month** following the completed reporting period. Hard copy documentation submitted in support of the eDMR must be postmarked on or before the **thirteenth (13th) day of the month or hand-delivered** to the Department's Regional Office such that it is received by the Department on or before the fifteenth (15th) day of the month following the completed reporting period. Electronic documentation in support of the eDMR must be submitted not later than close of business on the 15th day of the month following the completed reporting period.

F. OPERATIONS AND MAINTENANCE (O&M) PLAN

The permittee must have a current written Operation & Maintenance (O&M) Plan for the facility. The plan must provide a systematic approach by which the permittee must at all times, properly operate and maintain all facilities and systems of treatment and control (and related appurtenances) which are installed or used by the permittee to achieve compliance with the conditions of this permit.

An acceptable O&M plan must ensure the following items are adequately addressed:

1. Solids Control
 - a. Methods and practices to ensure efficient feed management and feeding strategies that limit feed input to the minimum amount reasonably necessary to achieve production goals and sustain targeted rates of aquatic animal growth in order to minimize potential discharges to waters of the State.
 - b. In order to minimize the discharge of accumulated solids from the settling basin, settling tanks, and production systems, identify and implement procedures for routine cleaning of rearing units and settling tanks, and procedures to minimize any

SPECIAL CONDITIONS

F. OPERATIONS AND MAINTENANCE (O&M) PLAN (cont'd)

discharge of accumulated solids during the inventorying, grading, and harvesting of aquatic animals in the production system.

- c. Procedure for removal and disposal of mortalities to prevent discharge to waters of the State.
2. Materials Storage
 - a. Ensure proper storage of drugs¹, pesticides², feed, and any petroleum and/or hazardous waste products in a manner designed to prevent spills that may result in the discharge of drugs, pesticides, or feed to waters of the State.
 - b. Implement procedures for properly containing, cleaning, and disposing of any spilled material that has the potential to enter waters of the State.
3. Structural Maintenance
 - a. Inspect the production system and the wastewater treatment system on a routine basis in order to identify and promptly repair any damage.
 - b. Conduct regular maintenance of the production system and the wastewater treatment system in order to ensure that they are properly functioning.
4. Recordkeeping
 - a. Maintain records for fish rearing units documenting the feed amounts and estimates of the numbers and weight of fish.
 - b. Maintain records that document the frequency of cleaning, inspections, repairs and maintenance made to ensure the proper operation of the treatment system.
5. Training
 - a. In order to ensure the proper clean-up and disposal of spilled material adequately, train all relevant personnel in spill prevention and how to respond in the event of a spill.
 - b. Train staff on the proper operation and cleaning of production and wastewater treatment systems including training in feeding procedures and proper use of equipment to prevent unauthorized discharges.

¹ **Drug.** “Drug” means any substance defined as a drug in section 201(g)(1) of the *Federal Food, Drug and Cosmetic Act* [21 U.S.C. § 321].

² **Pesticide.** “Pesticide” means any substance defined as a “pesticide” in section 2(u) of the *Federal Insecticide, Fungicide, and Rodenticide Act* [7 U.S.C. § 136 (u)].

SPECIAL CONDITIONS

F. OPERATIONS AND MAINTENANCE (O&M) PLAN (cont'd)

By December 31 of each year, or within 90 days of any process changes or minor equipment upgrades, the permittee must evaluate and modify the O&M Plan including site plan(s) and schematic(s) for the wastewater treatment facility to ensure that it is up-to-date. The O&M Plan must be kept on-site at all times and made available to Department and USEPA personnel upon request.

Within 90 days of completion of new and or substantial upgrades of the wastewater treatment facility, the permittee must submit the updated O&M Plan to their Department inspector for review and comment.

G. USE OF DRUGS FOR DISEASE CONTROL

1. **General requirements.** All drugs used for disease prevention or control must be approved or authorized by the U.S. Food and Drug Administration (FDA), and all applications must comply with applicable FDA requirements.

2. **FDA-approved drugs.** Drugs approved by the FDA for fish culture purposes may be used in accordance with label instructions.

a) Preventative treatments. The discharge of any approved drug administered as a preventative measure is not authorized by this permit, unless the following conditions are met: the drug must be approved by FDA, and the treatment and route of administration must be consistent with the drug's intended use. Discharges may occur through direct application of a drug or indirectly through feed, injection, ingestion, or immersion at the facility.

b) Drugs identified in the permittee's application. The following drugs were identified in the permittee's application as currently being in use:

<u>Name</u>	<u>Purpose</u>	<u>Freq. of Use</u>	<u>Concentration</u>	<u>Qty. Used/Year</u>
Parasite-S (formalin)	Egg treatment	60 Days	1,667 ppm	108 gal.
Parasite-S (formalin)	Parasite control	Intermittent	250 ppm	<60 gal.
Tricaine-S	Fish anesthetic	Intermittent	60 to 200 ppm	<8 lbs.

c) Drugs not identified in the permittee's application. When the need to treat or control diseases requires the use of a FDA-approved drug not identified in an application, the permittee must notify the Department orally or by electronic mail prior to initial use of the drug.

1) The notification must include a description of the drug, its intended purpose, the method of application, the amount, the concentration, the duration of the use, and information on aquatic toxicity.

2) **Within seven (7) days of** the initial notification the permittee must submit a written report that includes all of the information outlined in Section G.2.c)1) above.

3) The Department may require submission of an application for permit modification, including public notice requirements, if the drug is to be used for more than a 30 consecutive day period.

SPECIAL CONDITIONS

G. USE OF DRUGS FOR DISEASE CONTROL (cont'd)

- 4) If, upon review of information regarding the use of a drug pursuant to this section, the Department determines that significant adverse effects are likely to occur, it may restrict or limit use of the drug.
3. **Extralabel drug use.** Extralabel drug use is not authorized by this permit, unless in accordance with a specific prescription written for that use by a licensed veterinarian.
 - a) Notification. The permittee must notify the Department orally or by e-mail prior to initial extralabel use of a drug.
 - 1) The notification must include a description of the drug, its intended purpose, the method of application, the amount, concentration, and duration of the use, information on aquatic toxicity, and a description of how and why the use qualifies as an extralabel drug use under FDA requirements.
 - 2) ***Within seven (7) days of*** the initial notification the permittee must submit a written report that includes all of the information outlined in Section G.3.a) 1) above. Notice must include documentation that a veterinarian has prescribed the drug for the proposed use. A copy of the veterinarian's prescription must be maintained on-site during treatment for Department review.
 - 3) If, upon review of information regarding the extralabel use of a drug pursuant to this section, the Department determines that significant adverse effects are likely to occur, it may deny, restrict or limit use of the drug.
 4. **Investigational New Animal Drug (INAD).** The discharge of drugs authorized by the FDA for use during studies conducted under the INAD program is not authorized by this permit, unless in accordance with specific prior consent given in writing by the Department.
 - a) Initial report. The permittee must provide a written report to the Department for the proposed use of an INAD ***within seven (7) days*** of agreeing or signing up to participate in an INAD study. The written report must identify the INAD to be used, method of use, dosage, and disease or condition the INAD is intended to treat.
 - b) Evaluation and monitoring. ***At least ninety (90) days prior to initial use*** of an INAD at a facility, the permittee must submit for Department review and approval a study plan for the use of the drug that:
 - 1) Indicates the date the facility agreed or signed up to participate in the INAD study.
 - 2) Demonstrates that the minimum amount of drug necessary to evaluate its safety, efficacy, and possible environmental impacts will be used.
 - 3) Includes an environmental monitoring and evaluation program that at a minimum describes sampling strategies, analytical procedures, evaluation techniques and a timetable for completion of the program. Currently available data or literature that adequately

SPECIAL CONDITIONS

G. USE OF DRUGS FOR DISEASE CONTROL (cont'd)

characterize the environmental fate of the INAD and its metabolite(s) may be proposed for consideration in determinations of environmental monitoring and evaluation programs required by the Department pursuant to this section.

- c) Notification. The permittee must notify the Department orally or by electronic mail *no more than forty-eight (48) hours after* beginning the first use of the INAD under the approved plan.

H. PESTICIDES AND OTHER COMPOUNDS

1. **General requirements.** All pesticides used at the facility must be applied in compliance with federal labeling restrictions and in compliance with applicable statute, Board of Pesticides Control rules and best management practices (BMPs). Chemicals or compounds not registered as pesticides and proposed for use at the facility must be identified in the permittee’s application and may only be discharged to waters of the State with express approval in this permitting action. In accordance with Standard Condition D, and Special Condition D of this permit, the permittee must notify the Department of any substantial change in the volume or character of pollutants being introduced into the wastewater collection and treatment system.

- a) Other compounds identified in the permittee’s application. The following compounds were identified in the permittee’s application as currently being in use. The permittee is authorized to discharge the following compounds. It is the Department’s Best Professional Judgment (BPJ) that the incidental discharge of these chemicals will not cause or contribute to non-attainment of applicable water quality standards.

<u>Name</u>	<u>Freq. of Use</u>	<u>Concentration</u>	<u>Qty. Used/Year</u>
Salt	Intermittent	5.5 ppm	<30,000 lbs.
Baking soda	Intermittent	60-80 mg/L	<8 lbs.
Lysol no-rinse sanitizer	Intermittent	800 ppm	<10 gal.
PVP Iodine 1	Seasonal	50-250 ppm	<40 gal.

I. SPILLS

In the event of a spill of drugs, pesticides, feed, petroleum and/or hazardous waste products that results in a discharge to waters of the State of Maine, the permittee must provide an oral report of the spill to the Department within 24 hours of its occurrence and a written report within 5 days to the Department. The report must include the identity and quantity of the material spilled.

J. PROTECTION OF ATLANTIC SALMON

The permittee is required to employ a fully functional Containment Management System (CMS) designed, constructed, operated, and audited so as to prevent the accidental or consequential escape of fish from the facility.

Each CMS plan must include:

- 1. a site plan or schematic;

SPECIAL CONDITIONS

J. PROTECTION OF ATLANTIC SALMON (cont'd)

2. site plan description;
3. procedures for inventory control, predator control, escape response; unusual event management, and severe weather;
4. provisions for employee training, auditing methods, and record keeping requirements; and
5. the CMS must identify critical control points where escapes could potentially occur, specific control mechanisms for each of these points, and monitoring procedures to verify the effectiveness of controls.

The CMS site specific plan must also describe the use of effective containment barriers appropriate to the life history of the fish. The facility must have in place both a three-barrier system for fish up to 5 grams in size and a two barrier system for fish 5 grams in size or larger. The three-barrier system must include one barrier at the incubation/rearing unit, one barrier at the effluent from the hatch house/fry rearing area and a third barrier placed in line with the entire effluent from the facility. Each barrier must be appropriate to the size of fish being contained. The two-barrier system must include one barrier at the individual rearing unit drain and one barrier in line with the total effluent from the facility. Each barrier must be appropriate to the size of fish being contained. Barriers installed in the system may be of the screen type or some other similarly effective device used to contain fish of a specific size in a designated area. Barriers installed in the system for compliance with these requirements must be monitored daily.

Facility personnel responsible for routine operation shall be properly trained and qualified to implement the CMS. Prior to any containment system assessment associated with this permit, the permittee must provide to the Department documentation of the employee's or contractor's demonstrated capabilities to conduct such work.

The permittee must submit the CMS plan to the Department for review and approval **on or before six months following the effective date of this permit** and must maintain a current copy of the plan at the facility.

The CMS must be audited at least once per year and within 30 days of a reportable escape (more than 50 fish) by a party other than the facility operator or owner qualified to conduct such audits and approved by the Department. A written report of these audits must be provided to the facility and the Department for review and approval within 30 days of the audit being conducted. Any time that a CMS audit identifies deficiencies, the written report must contain a corrective action plan, including a timetable for implementation and provisions for re-auditing, unless waived by the Department, to verify completion of all corrective actions.

Additional third party audits to verify correction of deficiencies must be conducted in accordance with the corrective action plan or upon request of the Department. The facility must notify the Department upon completion of corrective actions.

The permittee must maintain for a period of at least five (5) years complete records, logs, reports of internal and third party audits and documents related to the CMS for each facility.

SPECIAL CONDITIONS

J. PROTECTION OF ATLANTIC SALMON (cont'd)

Escape reporting. The permittee must notify by electronic mail (e-mail) the Escape Reporting Contact List (provided in this subsection) of any known or suspected escape of more than 50 fish within 24 hours of becoming aware of the known or suspected loss to the following persons listed under “Escape Reporting Contact List.”

The permittee must include in its e-mail notification the following information: 1) site location (town and waterbody); 2) date of event (or window of possible dates if exact date is unknown); 3) time of event (if known or specify “unknown”); 4) species (including strain); 5) estimated average weight; 6) age of escaped fish; 7) number of escaped fish (or if exact number is not possible, an estimate); 8) medication profile; 9) details of the escape; 10) corrective action(s) taken or planned; 11) and a contact person (including phone number) for the facility which is subject of the known or suspected escape.

Escape Reporting Contact List:

The agency contacts on this list may be revised by the state and/or federal agencies by provision of written notification to the permittee and the other agencies. Upon notice of any such change the permittee must notify all persons on the revised list in the same manner as provided in this protocol.

Army Corps of Engineers

Maine Project Office; Jay Clement; Jay.L.Clement@usace.army.mil

Maine Department of Environmental Protection

Commissioner, Patricia Aho, Patricia.aho@maine.gov, or current Commissioner

Maine Department Marine Resources

Policy Development Specialist; Chris Vonderweidt; Chris.vonderweidt@maine.gov

Secretary to the Commissioner; Jessica McKay; Jessica.mckay@maine.gov

Sea-Run Fisheries and Habitat Division Director; Oliver Cox; Oliver.n.cox@maine.gov

Maine Department of Inland Fisheries and Wildlife

Commissioner, Chandler Woodcock, Chandler.Woodcock@maine.gov, or current Commissioner

National Marine Fisheries Service

Maine Field Station; David Bean; David.bean@noaa.gov

United States Fish & Wildlife Service

Maine Field Office; Wende Mahaney; Wende_mahaney@fws.gov

SPECIAL CONDITIONS

K. ALTERNATIVE DISCHARGE STUDY:

On or before six-months prior to expiration of this permit, GLNFH is required to submit to the Department for review, an Alternative Discharge Study (ADS) report for the GLNFH facility to determine if practical alternatives to the discharge exist. The ADS report shall evaluate wastewater treatment infrastructure, technologies, practices or other modifications that will result in the elimination of the discharge to the receiving water or improvement in the effluent quality, pursuant to guidance in Fact Sheet Section 7. [34099]

L. REOPENING OF PERMIT FOR MODIFICATION

In accordance with 38 M.R.S.A. § 414-A(5) and upon evaluation of the tests results or monitoring requirements specified in Special Conditions of this permitting action, new site specific information, or any other pertinent test results or information obtained during the term of this permit, the Department may, at any time and with notice to the permittee, modify this permit to: 1) include effluent limits necessary to control specific pollutants or whole effluent toxicity where there is a reasonable potential that the effluent may cause water quality criteria to be exceeded, (2) require additional monitoring if results on file are inconclusive; or (3) change monitoring requirements or limitations based on new information.

M. SEVERABILITY

In the event that any provision(s), or part thereof, of this permit is declared to be unlawful by a reviewing court, the remainder of the permit must remain in full force and effect, and must be construed and enforced in all aspects as if such unlawful provision, or part thereof, had been omitted, unless otherwise ordered by the court.

ATTACHMENT A

Attachment A

Protocol for Total Phosphorus Sample Collection and Analysis for Waste Water and Receiving Water Monitoring Required by Permits

Approved Analytical Methods: EPA 200.7 (Rev. 44), 365.1 (Rev. 2.0), (Lachat), 365.3, 365.4; SM 3120 B, 4500-P B.5, 4500-P E, 4500-P F, 4500-P G, 4500-P H; ASTM D515-88(A), D515-88(B); USGS I-4471-97, I-4600-85, I-4610-91; OMAAOAC 973.55, 973.56

Sample Collection: The Maine DEP is requesting that total phosphorus analysis be conducted on composite effluent samples, unless a facility's Permit specifically designates grab sampling for this parameter. Facilities can use individual collection bottles or a single jug made out of glass or polyethylene. Bottles and/or jugs should be cleaned prior to each use with dilute HCL. This cleaning should be followed by several rinses with distilled water. Commercially purchased, pre-cleaned sample containers are an acceptable alternative. The sampler hoses should be cleaned, as needed.

Sample Preservation: During compositing the sample must be at 0-6 degrees C (without freezing). If the sample is being sent to a commercial laboratory or analysis cannot be performed the day of collection then the sample must be preserved using H₂SO₄ to obtain a sample pH of <2 su and refrigerated at 0-6 degrees C (without freezing). The holding time for a preserved sample is 28 days.

Note: Ideally, Total P samples are preserved as described above. However, if a facility is using a commercial laboratory then that laboratory may choose to add acid to the sample once it arrives at the laboratory. The Maine DEP will accept results that use either of these preservation methods.

Laboratory QA/QC: Laboratories must follow the appropriate QA/QC procedures that are described in each of the approved methods.

Sampling QA/QC: If a composite sample is being collected using an automated sampler, then once per month run a blank on the composite sampler. Automatically, draw distilled water into the sample jug using the sample collection line. Let this water set in the jug for 24 hours and then analyze for total phosphorus. Preserve this sample as described above.

**MAINE POLLUTANT DISCHARGE ELIMINATION SYSTEM PERMIT
MAINE WASTE DISCHARGE LICENSE**

PROPOSED DRAFT
FACT SHEET

DATE: **JUNE 18, 2015**

PERMIT NUMBER: **#ME0002623**

WASTE DISCHARGE LICENSE: **#W000721-6F-G-R**

NAME AND ADDRESS OF APPLICANT:
**U.S. FISH AND WILDLIFE SERVICE
300 WESTGATE CENTER DRIVE
HADLEY, MA 01035-9589**

COUNTY: **HANCOCK**

NAME AND ADDRESS WHERE DISCHARGE(S) OCCUR(S):
**GREEN LAKE NATIONAL FISH HATCHERY
ONE HATCHERY WAY
ELLSWORTH, MAINE 04605**

RECEIVING WATER CLASSIFICATION: **REED'S BROOK/CLASS B;
GRAHAM LAKE/CLASS GPA**

COGNIZANT OFFICIAL CONTACT INFORMATION:
**ANITRA FIRMENICH
(207) 667-9531
anitra_firmenich@fws.gov**

1. APPLICATION SUMMARY

Application: On May 16, 2014, the Department of Environmental Protection (Department) accepted as complete for processing, a renewal application from U.S. Fish and Wildlife Service (USFWS) for Waste Discharge License (WDL) #W000721-5Q-E-R / Maine Pollutant Discharge Elimination System (MEPDES) permit #ME0002623, which was issued on September 9, 2009 for a five-year term. The 9/9/09 MEPDES permit authorized USFWS to discharge a monthly average of 13.3 million gallons per day (MGD) and a daily maximum of 19.4 MGD of fish hatchery and rearing facility wastewater via Outfall #001A, as well as 0.288 MGD of influent filter backwash wastewater via Outfall #002A from the Green Lake National Fish Hatchery (GLNFH) to Reed's Brook, Class B, and Graham Lake, Class GPA, in Ellsworth, Maine.

1. APPLICATION SUMMARY (cont'd)

The Department issued a minor permit revision on August 7, 2012 to remove the pH monitoring and reporting requirements.

2. PERMIT SUMMARY

- a. Terms and Conditions: This permitting action is carrying forward all the terms and conditions of the previous permitting actions except it:
1. Eliminates the biochemical oxygen demand (BOD₅) limits and monitoring requirements;
 2. Revises the monitoring frequency for total suspended solids (TSS);
 3. Amends language in the "Footnotes" section of Special Condition A;
 4. Establishes additional requirements to be included in the facility Operations and Monitoring Plan;
 5. Eliminates the Special Conditions H *Settling Pond Cleaning*, J. *Therapeutic Agents*, and K. *Disinfecting/Sanitizing Agents* as contained in the 2009 permit;
 6. Establishes Conditions G. *Use of Drugs for Disease Control* and H. *Spills*;
 7. Replaces Special Condition L. *Salmon Genetic Testing and Escape Prevention* in the 2010 permit with Special Condition I. *Protection of Atlantic Salmon*;
 8. Revises the total phosphorous concentration limit to report only;
 9. Revises the total phosphorous annual maximum mass limitation based on new facility information;
 10. Revises the monitoring frequency for formalin from 1/2weeks to once per occurrence (01/OC), to clarify that formalin is to be reported at each use;
 11. Establishes Special Condition H. *Pesticides and Other Compounds* to replace Special Conditions J. *Therapeutic Agents* and K. *Disinfecting/Sanitizing Agents* from the 2009 permit;
 12. Revises the monitoring frequency for total phosphorus to allow for increased monitoring flexibility;
 13. Eliminates the reporting requirement for monthly average Fish on Hand and revises the monitoring frequency 2/month to 1/month, to allow for increased monitoring flexibility; and
 14. Eliminates the formalin concentration limit and establishes a mass-based limit to allow for increased facility flexibility and management.
- b. History: The most current relevant regulatory actions include:

August 24, 1999 – The Department issued WDL #W-000721-5Q-B-R for a two-year term. The WDL authorized GLNFH to discharge 19.4 MGD of hatchery wastewater to Graham Lake and 0.228 MGD of influent filter backwash to Reeds Brook in Ellsworth. The WDL replaced WDL #W-000721-41-A-R, issued on June 20, 1985.

2. PERMIT SUMMARY (cont'd)

September 28, 2000 – The Department administratively modified WDL #W-000721-5Q-B-R by suspending monitoring requirements and an effluent flow limit for Outfall #002A, an influent filter backwash wastewater discharge to Reeds Brook, based on a request from GLNFH and review of previous monitoring results.

January 12, 2001 – The Department received authorization from the U.S. Environmental Protection Agency (USEPA) to administer the National Pollutant Discharge Elimination System (NPDES) permitting program in Maine, excluding areas of special interest to Maine Indian Tribes. From this point forward, the program has been referred to as the MEPDES program, and MEPDES permit #ME0002623 has been utilized for this facility. On March 26, 2011, the USEPA authorized the Department to administer the MEPDES program in Indian territories of the Penobscot Nation and Passamaquoddy Tribe.

December 11, 2001 - GLNFH submitted to the Department an Alternative Discharge Study report entitled, “*Effluent Water/Waste Treatment Options Green Lake National Fish Hatchery, Ellsworth, Maine*”.

February 6, 2004 – The Department issued WDL #W-000721-5Q-C-R / MEPDES Permit #ME0002623 for the discharge of up to a monthly average of 13.3 MGD and up to a daily maximum of 19.4 MGD of fish hatchery wastewater, as well as 0.288 MGD of influent filter backwash wastewater, to Reed’s Brook, Class B and Graham Lake, Class GPA, from a federal salmon hatchery in Ellsworth, Maine. The Permit/WDL incorporated the terms and conditions of the MEPDES permit program and was issued for a five-year term.

August 2, 2006 – The Department issued an Administrative Modification of WDL #W-000721-5Q-C-R / MEPDES Permit #ME0002623 to revise the annual maximum phosphorus mass limit based on data from ambient water quality monitoring, effluent monitoring, and a reevaluation of the Department’s lake water quality model based on receiving water-specific conditions.

October 6, 2008 – The Department issued Minor Revision #W-000721-5Q-D-M / MEPDES Permit #ME0002623 to revise effluent formalin limitations based on newly obtained toxicity data and a revision of the Department’s best professional judgment of ambient water quality criteria.

January 23, 2009 – GLNFH submitted a timely application for renewal of its WDL / MEPDES Permit. The application was assigned WDL #W-000721-5Q-E-R / MEPDES Permit #ME0002623.

May 14, 2009 – GLNFH submitted a Practical Alternative Study entitled, Green Lake National Fish Hatchery Effluent Treatment Review, which verified earlier findings of no practical discharge alternative for GLNFH as well as identified options to upgrade wastewater treatment infrastructure and processes to affect improvements in effluent quality.

September 9, 2009 – The Department issued #ME0002623 / #W-000721-5Q-E-M for a five-year term.

August 7, 2012 – The Department issued minor revision #ME0002623 / #W-000721-5Q-F-M for the removal of monitoring and reporting requirements for pH.

2. PERMIT SUMMARY (cont'd)

March 2014 – USFWS submitted an Alternative Discharge Review report for their Green Lake facility.

May 2014 – USFWS submitted a report titled “Review of Lake Monitoring Data for Graham Lake in Ellsworth, Maine.”

May 15, 2014 – USFWS submitted a timely and complete General Application to the Department for renewal of the 9/9/09 MEPDES permit. The application was accepted for processing on May 16, 2014 and was assigned WDL #W000721-6F-G-R / MEPDES #ME0002623.

- c. Source Description/ Facility Operation: GLNFH is a federal Atlantic salmon fish hatchery and rearing facility operated by USFWS. GLNFH is located on a 129-acre parcel of land on Route 180 in Ellsworth, Maine, between Green Lake and Graham Lake, at latitude N 44 37.432 and longitude W 68 26.360. GLNFH was established to propagate sea run Atlantic salmon for rivers within the Gulf of Maine Ecosystem as part of the USFWS Atlantic salmon restoration/recovery program.

GLNFH extracts its source water from Green Lake at three depths, 0 feet, 35 feet, and 65 feet deep relative to the lake surface through 30-inch, 30-inch, and 20-inch diameter intake lines respectively. The surface level intake is privately owned and operated for hydroelectric generation as well as for hatchery production. The depth of water withdrawal is determined by season and the need for a particular water temperature. GLNFH blends the water from different depths to equalize seasonal temperature variations in the source water in order to create optimal fish culture conditions. Intake water is blended into two supply lines, 20 inches and 30 inches in diameter, leading to GLNFH’s water treatment facility. The water treatment facility was designed to treat a flow of 12,000 gallons per minute (GPM). The blended influent water is initially filtered through three 15-20-micron micro-screen filters to remove filterable solids and particulate matter. The drum filters undergo a continual rotation and backwashing of filtered matter resulting in a discharge of 0.228 MGD of associated wastewater through a 14-inch diameter pipe to Reed’s Brook, previously designated as Outfall #002A. The filtered influent water then passes through 2 ultraviolet (UV) treatment units of 168 UV bulbs per unit and then into 6 UV treatment units with 32 UV bulbs per unit for disinfection and pathogen treatment. The UV treated water then flows through the two supply lines to the hatchery.

The hatchery is divided into discrete culture units: the main hatchery building and the outside rearing area.

Main Hatchery Building.

The main hatchery building consists of 3 indoor rearing units:

1. broodstock holding area.
2. broodstock rearing/ambient temperature rearing unit.
3. egg incubation area and main fry rearing area.

Broodstock Holding Area. GLNFH obtains approximately 1.1 to 1.3 million “eyed” eggs per year from the Craig Brook National Fish Hatchery (CBNFH) in Orland, Maine. CBNFH supplies GLNFH with Gulf of Maine endangered strain salmon eggs.

2. PERMIT SUMMARY (cont'd)

Broodstock Rearing/Ambient Temperature Rearing Unit. The GLNFH broodstock rearing/ambient temperature rearing unit consists of six 30-foot concrete raceways, seven 5-foot fiberglass circular rearing tanks, and four 6-foot fiberglass semicircular rearing tanks. Most production units are used intermittently for research conducted at this facility, tagging operations, and rearing broodstock.

Egg Incubation Area and Main Fry Rearing Area. Following the water treatment facility, flow passes through an additional in-line UV treatment unit prior to the egg incubation room, which consists of a total of 350 Heath style fiberglass egg incubation trays arranged in four sections. Two sections discharge water that is part of a heat exchange loop. GLNFH adds formalin in the egg incubation trays for up to 5 months from November to March.

GLNFH incubates a total of 2.4 million eggs annually. The fish begin being fed by approximately April 1.

Beginning the last week in May and extending for approximately four weeks, the fish are transferred from the fry rearing area to the outside rearing area.

Outside Rearing Area. As the fish grow, they are subsequently moved outside to 102 circular concrete grow out pools. GLNFH stocks approximately 350,000 salmon parr each fall and approximately 650,000 salmon smolts each spring. Seventy percent of all stocked adult Atlantic salmon "returns" in the United States originate from GLNFH.

- d. Wastewater Treatment. When tagging fish prior to stocking, GLNFH uses approximately 1 kilogram of anaesthetic MS222, which is discharged in the wastewater flow. GLNFH also utilizes lysol and iodine as disinfectants and formalin and sodium chloride as therapeutic agents. Effluent from the Main Hatchery Building and the Outside Rearing Area flow to a distribution box to the facility wastewater settling ponds and is discharged through Outfall #001A to a section of Reed's Brook directly influenced by Graham Lake. Facility wastewater is treated and discharged as outlined below. Schematic drawings of the physical layout of the facility are included as Fact Sheet **Attachment A**.

Flow-through and cleaning wastewaters from the hatchery and rearing facility processes described above are presently routed to six parallel flow 170-foot by 52-foot earthen settling ponds with 3:1 side slopes (horizontal:vertical). The settling ponds provide a total capacity of 969,000 gallons with a retention time of 107 minutes at a flow of 9,000 GPM. Supernatant from the settling ponds is discharged through Outfall #001A, a 30-inch diameter discharge pipe, to a section of Reed's Brook directly influenced by Graham Lake and historically considered by the Department to be part of Graham Lake. GLNFH reports that the maximum feeding periods at the facility occur during September and October each year. GLNFH further reports that the largest amount of feeding waste occurs during May through July when the newly hatched fish are being started on a diet, a critical developmental period.

As outlined in Section 2c, Source Description/ Facility Operation, above, GLNFH filters the facility's influent source water to remove large material that may be present. The drum filters undergo a continual rotation and backwashing of filtered matter, resulting in a discharge of 0.228 MGD of associated wastewater through a 14-inch pipe to Reed's Brook, previously designated as Outfall

2. PERMIT SUMMARY (cont'd)

#002A. On September 28, 2000, based on review of effluent data, the Department suspended the previous flow limit and monitoring requirements for Outfall #002A, considering the discharge of pollutants de minimus.

The permittee's application states that three UV units were replaced in the treatment process since the last permit application was filed. However, the permittee stated that it is pursuing the construction of a wastewater treatment plant to assist in the phosphorous removal.

3. CONDITIONS OF PERMIT

Conditions of licenses, 38 M.R.S.A. § 414-A, requires that the effluent limitations prescribed for discharges, including, but not limited to, effluent toxicity, require application of best practicable treatment (BPT), be consistent with the U.S. Clean Water Act, and ensure that the receiving waters attain the State water quality standards as described in Maine's Surface Water Classification System. In addition, *Certain deposits and discharges prohibited*, 38 M.R.S.A. § 420 and *Surface Water Toxics Control Program*, 06-096 CMR 530 (effective March 21, 2012) require the regulation of toxic substances not to exceed levels set forth in *Surface Water Quality Criteria for Toxic Pollutants*, 06-096 CMR 584 (effective July 29, 2012), and that ensure safe levels for the discharge of toxic pollutants such that existing and designated uses of surface waters are maintained and protected.

4. RECEIVING WATER QUALITY STANDARDS

Classification of minor drainages, 38 M.R.S.A. § 467(18)(B)(2) classifies the outlet of Green Lake as Class B waters. Reed's Brook drains directly into Graham Lake. Pursuant to *Standards for classification of lakes and ponds*, 38 M.R.S.A. § 465-A, Graham Lake is a Class GPA waterbody.

Standards for classification of fresh surface waters, 38 M.R.S.A. § 465(3) describes the standards for Class B waters. 38 M.R.S.A. § 465-A describes the standards for Class GPA waters.

38 M.R.S.A. § 465-A states "Discharges into [Class GPA] waters licensed prior to January 1, 1986 are allowed to continue only until practical alternatives exist."

Classification of Maine waters, 38 M.R.S.A. § 464(4)(A)(3) states, "Any discharge into a tributary of GPA waters that by itself or in combination with other activities causes water quality degradation that would impair the characteristics and designated uses of downstream GPA waters or causes an increase in the trophic state of those GPA waters...."

USFWS submitted an Alternative Discharge Review report for their Green Lake facility in March of 2014. The Alternative Discharge Study performed by USFWS indicates that there are no practical alternatives to the current discharge. The Department has determined that the conclusion that no reasonable alternative exists and the supporting report satisfies 38 M.R.S.A. § 465-A.

5. RECEIVING WATER QUALITY CONDITIONS

The State of Maine 2012 Integrated Water Quality Monitoring and Assessment Report (Report), prepared by the Department pursuant to Sections 303(d) and 305(b) of the Federal Water Pollution Control Act, lists Graham Lake (ADB Assessment Unit ID ME0105000212_517R) as “Category 4-C: Lake Waters with Impairment not Caused by a Pollutant.” This impairment to aquatic life is caused by lake level draw down.

The Report lists all of Maine’s fresh waters as, “Category 4-A: Waters Impaired by Atmospheric Deposition of Mercury.” Impairment in this context refers to a statewide fish consumption advisory due to elevated levels of mercury in some fish tissues. The Report states, “All freshwaters are listed in Category 4A (TMDL Completed) due to USEPA approval of a Regional Mercury TMDL. Maine has a fish consumption advisory for fish taken from all freshwaters due to mercury. Many waters, and many fish from any given water, do not exceed the action level for mercury. However, because it is impossible for someone consuming a fish to know whether the mercury level exceeds the action level, the Maine Department of Health and Human Services decided to establish a statewide advisory for all freshwater fish that recommends limits on consumption. Maine has already instituted statewide programs for removal and reduction of mercury sources.”

6. EFFLUENT LIMITATIONS, MONITORING REQUIREMENTS, AND CONTROLS

- a. Flow: The previous permitting action established, and this permitting action is carrying forward, monthly average and daily maximum discharge flow limitations of 13.3 MGD and 19.4 MGD, respectively, for Outfall #001A which are based on the design capacity of the facility.

The following table summarizes effluent data reported on Discharge Monitoring Reports (DMRs) for the period of January 2009 through November 2014.

Flow (DMRs=62) Outfall #001A

Value	Limit (MGD)	Range (MGD)	Mean (MGD)
Monthly Average	13.3	4.2 – 4.9	9.0
Daily Maximum	19.4	4.9 – 13.1	9.7

- b. Dilution Factors: The Green Lake Hydropower Project’s Water Quality Certification Order (MEDEP #L-8582), dated July 13, 1983, requires a minimum flow to Reeds Brook of 1 cubic foot per second (cfs). Therefore, the minimum flow requirement of 1 cfs constitutes low flow conditions in Reeds Brook. Acute and chronic dilution factors associated with the permitted discharge flow of 19.4 MGD from the facility low flow value for Reeds Brook were derived in accordance with 06-096 CMR 530(4)(A) as follows:

$$\text{Acute: } 1Q_{10} = 1.0 \text{ cfs} \quad \Rightarrow \frac{(1.0 \text{ cfs})(0.6464) + 19.4 \text{ MGD}}{19.4 \text{ MGD}} = 1.03:1$$

$$\text{Chronic: } 7Q_{10} = 1.0 \text{ cfs} \quad \Rightarrow \frac{(1.0 \text{ cfs})(0.6464) + 19.4 \text{ MGD}}{19.4 \text{ MGD}} = 1.03:1$$

6. EFFLUENT LIMITATIONS, MONITORING REQUIREMENTS, AND CONTROLS (cont'd)

$$\text{Harmonic Mean}^1 = 3.0 \text{ cfs} \quad \Rightarrow \frac{(3.0 \text{ cfs})(0.6464) + 19.4 \text{ MGD}}{19.4 \text{ MGD}} = 1.10:1$$

- c. **BOD₅ and TSS:** In the 7/5/06 permit, TSS and BOD₅ concentration limits of 6 mg/L and 10 mg/L for monthly average and daily maximum, respectively, were established as best professional judgment (BPJ) of best practicable treatment (BPT) technology.

The Department reviewed 62 DMRs that were submitted for the period of October 2009 through November 2014. A review of data indicates the following:

BOD₅ mass

Value	Limit (lbs./day)	Range (lbs./day)	Mean (lbs./day)
Monthly Average	665	43 – 229	50
Daily Maximum	1,618	75 – 1,618	304

BOD₅ concentration

Value	Limit (mg/L)	Range (mg/L)	Mean (mg/L)
Monthly Average	6	1 – 3	2
Daily Maximum	10	1 – 4	2

TSS mass

Value	Limit (lbs./day)	Range (lbs./day)	Mean (lbs./day)
Monthly Average	665	14 – 245	62
Daily Maximum	1,618	38 – 1,618	368

TSS concentration

Value	Limit (mg/L)	Range (mg/L)	Mean (mg/L)
Monthly Average	6	1 – 3	2
Daily Maximum	10	1 – 4	2

The Department’s Division of Environmental Assessment (DEA) reviewed hatchery information in consideration of using TSS as a surrogate for BOD₅. It should be noted that TSS is more closely related to problems most commonly encountered at aquatic animal facilities such as phosphorous enrichment and solids control. After reviewing approximately 6 years of TSS and BOD₅ data, the Department concluded that the results of the two parameters showed a strong correlation. Therefore, the Department concluded that TSS could be relied upon to reflect BOD₅ conditions. Consequently, this permitting action is carrying forward the mass and concentration limits for TSS. This permit is revising the previously established monitoring frequency of 2/Month to 1/Month for TSS as has been established, and carried forward in MEPDES permits for other fish hatcheries.

¹ The harmonic mean dilution factor is approximated by multiplying the chronic dilution factor by three (3). This multiplying factor is based on guidelines for estimation of human health dilution presented in the U.S. EPA publication, “*Technical Support Document for Water Quality-Based Toxics Control*” (Office of Water; EPA/505/2-90-001, page 88), and represents an estimation of harmonic mean flow on which human health dilutions are based in a riverine 7Q10 flow situation.

6. EFFLUENT LIMITATIONS, MONITORING REQUIREMENTS, AND CONTROLS (cont'd)

BOD can cause depressed DO in the receiving waters and increased carbon levels may create a favorable environment for nuisance bacterial/fungal growth such as *Sphaerotilus natans* that may result in non-attainment of narrative water quality standards. The Department has not observed nuisance bacterial/fungal growth below discharges from the GLNFH in the last permitting cycle in quantities that would constitute a violation of narrative water quality standards. Therefore, the Department concludes that Reeds Brook does not exhibit BOD-related impacts.

Given that 1) hatchery operations and processes are not likely to change; 2) that the Department has a statistically significant BOD₅ data set from this and multiple similar hatcheries; 3) that neither the USEPA nor Department have promulgated numeric effluent guidelines for BOD₅ for Concentrated Aquatic Animal Production (CAAPs) facilities (including fish hatcheries); and 4) that in the best professional judgment of the Department's Division of Environmental Assessment effluent limitations for BOD₅ are not necessary to ensure compliance with water quality standards, this permitting action is eliminating the effluent limitations and monitoring requirements for BOD₅ based on this new information that was not available at the time the previous permit was issued.

Section 402(o) of the Clean Water Act contains prohibitions for anti-backsliding. Generally, anti-backsliding prohibits the issuance of a renewed permit with less stringent limitations than were established in the previous permit. The Clean Water Act contains certain exceptions to anti-backsliding at Section 402(o)(2). In the case of Green Lake facility and the concentration and mass limitations for BOD₅, the Department has determined that these limitations would not have been established at the time the previous permit was issued based on the new information that has been obtained since issuance of the September 9, 2009 MEPDES permit. Section 402(o)(2)(B)(i) of the Clean Water Act contains an exception to anti-backsliding for information is available which was not available at the time of permit issuance (other than revised regulations, guidance, or test methods) and which would have justified the application of a less stringent effluent limitation at the time of permit issuance. Therefore, this permitting action is eliminating the limitations for BOD₅. [It is noted that anti-backsliding prohibitions and exceptions are mirrored in Chapter 523 of the Department's rules at 40 CFR 122.44(l)(2)(i)(B)(1).]

- d. Total Phosphorus: The previous permitting action established a water quality-based annual total phosphorous mass limitation of 1,426 lbs./year. This limitation was established to ensure compliance with water quality standards for Class GPA. "Any discharge into a tributary of GPA waters that by itself or in combination with other activities causes water quality degradation that would impair the characteristics and designated uses of downstream GPA waters or causes an increase in the trophic state of those GPA waters..." 38 M.R.S.A. § 464(4)(A)(3). "Class GPA waters must have a stable or decreasing trophic state, subject only to natural fluctuations and must be free of culturally induced algal blooms that impair their use and enjoyment." 38 M.R.S.A. § 465-A(1)(B).

The fact sheet associated with the September 9, 2009 MEPDES permit discussed phosphorous in considerable detail (see pages 11-14 of the 9/9/2009 fact sheet). The Department determined that the historic effluent levels of phosphorous from the GLNFH at that time were not causing or contributing to non-attainment of Class GPA water quality standards, including increases in the trophic state of Graham Lake. At that time, the historical average annual phosphorus mass discharge from GLNFH was estimated by the USFWS to be 1,426 lbs./year.

6. EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS (cont'd)

In a report entitled, Review of Lake Monitoring Data for Graham Lake in Ellsworth, Maine, prepared by Frederick Trasko, Fisheries Biologist USFWS, May 2014, the USFWS summarizes that the annual phosphorous limitation of 1,426 lbs. was modeled using inconsistent and inaccurate sampling techniques. Using more reliable and accurate data from calendar years 2009-2013, the USFWS concludes that the average annual loading from the existing GLNFH facility to Graham Lake is actually 1,780 lbs.

The Department's Division of Environmental Assessment evaluated GLNFH's request to modify the annual phosphorous limitation based on this new data and evaluation of effluent loading to Graham Lake. The Department's Division of Environmental Assessment concluded that the Green Lake National Fish Hatchery's request to modify the current annual phosphorus discharge from 1,426 pounds per year to 1,780 pounds per year is acceptable. The basis for the Division of Environmental Assessment's decision is entirely based on the more accurate recent characterization of the discharge by moving from once-monthly grab samples, on which the 1,426 lbs./year limitation was based, to weekly results from a 24-hour compositor, which is thought to more accurately characterize annual discharge levels. The Division of Environmental Assessment concluded that the revised limitation is not expected to result in any additional impact to the lake environment, as it is thought to better characterize the actual discharge that has been occurring over the past decade.

Section 402(o) of the Clean Water Act contains prohibitions for anti-backsliding. Generally, anti-backsliding prohibits the issuance of a renewed permit with less stringent limitations than were established in the previous permit. The Clean Water Act contains certain exceptions to anti-backsliding at Section 402(o)(2). In the case of the GLNFH and the limitations for total phosphorous, the Department has determined that the limitations established in the previous permit would not have been established at the time the previous permit was issued based on the new information¹ that has been obtained since issuance of the 2009 permit. Section 402(o)(2)(B)(i) of the Clean Water Act contains an exception to anti-backsliding for information is available which was not available at the time of permit issuance (other than revised regulations, guidance, or test methods) and which would have justified the application of a less stringent effluent limitation at the time of permit issuance. Therefore, the Department concludes that the anti-backsliding provisions have been satisfied and adjustment of the total phosphorous limitation to be less stringent than that established in the previous permit is permissible. [It is noted that anti-backsliding prohibitions and exceptions are mirrored in Chapter 523 of the Department's rules and at 40 CFR 122.44(l)(2)(i)(B)(1).]

Therefore, this permitting action is revising the annual total phosphorous limitation from 1,426 lbs. to 1,780 lbs. This permitting action is carrying forward the reporting requirement of total pounds of phosphorus per month, and the monthly average and daily maximum concentration reporting requirements. The minimum required monitoring frequency of once per week is also being carried forward.

¹ New and more accurate characterization of the effluent phosphorous levels that was provided to the Department by GLNFH during development of the reissued permit constitutes new information that was not available at the time the previous permit was issued.

6. EFFLUENT LIMITATIONS, MONITORING REQUIREMENTS, AND CONTROLS (cont'd)

The Department reviewed 62 DMRs that were submitted for the period October 2009 – November 2014. A review of data indicates the following:

Total-P mass

Value	Limit	Maximum	Minimum	Average
Monthly Total	Report lbs.	410 lbs./mo	58 lbs./mo	146 lbs./mo
Annual Total	1,426 lbs.	2,030 lbs./yr	1,483 lbs./yr	1,776 lbs./yr

Total-P concentration

Value	Limit	Maximum	Minimum	Average
Monthly Total	Report mg/L	0.18 mg/L	0.02 mg/L	0.07 mg/L
Daily Max Total	Report mg/L	0.26 mg/L	0.03 mg/L	0.09 mg/L

- f. Fish on Hand: Previous permitting action established a 1/Week reporting requirement for daily maximum and monthly average mass of fish stocked in the facility. However, after review of the data, the Department believes that a 1/Month daily maximum mass reporting requirement is appropriate. Therefore, this permit is establishing a 1/Month reporting requirement of daily maximum mass for fish on hand.

The Department reviewed 62 DMRs that were submitted for the period October 2009 – November 2014. A review of data indicates the following:

Fish on Hand

Value	Limit (lbs.)	Range (lbs.)	Mean (lbs.)
Monthly Average	Report	3,277 – 117,280	59,561
Daily Maximum	Report	3,464– 120,937	65,448

- g. Formalin: The October 10, 2008 minor revision amended the formalin limits based on the Department’s BPJ after reviewing the January 2008 report titled “*Meeting Maine Clean Water Standards during Fish Therapeutic Treatments: Determining the Acute No Effect Concentration (ANOEC) Discharge Concentrations in Hatchery Effluents after Fish Therapeutic Treatments with Formalin, Hydrogen Peroxide, Potassium Permanganate and Sodium Chloride*” by G. Russell Danner and Thora Maltais. The formalin concentration limits were based on the ambient water quality criteria (AWQC) of 25 mg/L and 45 mg/L for a 24-hour application and a 1-hour application, respectively and multiplied by the ¼ 1Q10 dilution factor of 1.03.

The Department is identifying in this permitting action that concentration limits are not necessary to ensure water quality standards are achieved and that limitations were established in error. Section 402(o) of the Clean Water Act contains prohibitions for anti- backsliding. Generally, anti-backsliding prohibits the issuance of a renewed permit with less stringent limitations than were established in the previous permit. The Clean Water Act contains certain exceptions to anti-backsliding at Section 402(o)(2). In the case of GLNFH and the concentration limitation for formalin, the Department has determined that establishing a concentration limitation for formalin constitutes a technical mistake in issuing the permit. Section 402(o)(2)(B)(ii) of the Clean Water Act contains an

6. EFFLUENT LIMITATIONS, MONITORING REQUIREMENTS, AND CONTROLS (cont'd)

exception to anti-backsliding for this reason. Therefore, this permitting action is eliminating the concentration limitation for formalin. (It is noted that anti-backsliding prohibitions and exceptions are mirrored in Chapter 523 of the Department's rules.

Since issuance of the September 9, 2009 MEPDES permit, mass limits have been carried forward based on the following language:

“The daily maximum mass limit is calculated based on the permittee's projected maximum amount of formalin used per day (3.6 gallons) times the weight of formalin (9.03 lbs/gal), resulting in a value of 33 lbs/day. This method was used to provide for flexibility in management of necessary treatments and to ensure that formalin is not discharged in toxic amounts.”

Based on the Department's best professional judgment of AWQC, the 24-Hour treatment maximum mass limit established in the September 9, 2009 MEPDES permit (and carried forward since that time) is protective of aquatic life in the receiving water. Therefore, the 24-Hour treatment maximum mass limit established in the previous permit, now referred to as a daily maximum mass limit, is being carried forward in this permitting action. In maintaining consistency with other hatchery permits, this permitting action is eliminating the 1-hour treatment maximum mass and concentration limitations to allow for increased facility flexibility and management.

This permitting action is carrying forward at the previously established 1/Occurrence formalin monitoring frequency. The Department reviewed 23 DMRs that were submitted for the period October 2009 – November 2014. A review of data indicates the following:

Formalin mass

Value	Limit (lbs./day)	Range (lbs./day)	Average (lbs./day)
Monthly Average	Report	6– 25	11
Daily Maximum	46	7 – 37	12

Formalin concentration

Value	Limit (mg/L)	Range (mg/L)	Average (mg/L)	# Values
Monthly Average	Report	1 – 3	1	23
1-Hour Maximum	46	1 – 4	1	22
24-Hour Maximum	26	1	n/a	1

- h. Containment Management System: In November, 2000, NMFS and USFWS requested that the Department include provisions for a Containment Management System for all Atlantic Salmon rearing facilities. The National Pollutant Discharge Elimination System Memorandum of Agreement Between the State of Maine and the United States Environmental Protection Agency, finalized on January 12, 2001, at Section III.10 and *Waste Discharge License Conditions*, 06-096 CMR 523(10)(b) (effective January 12, 2001) provides that if the Department is advised in writing by NMFS or USFWS that imposition of specific conditions in a permit is necessary to avoid substantial impairment of fish, shellfish or wildlife resources, the Department has included the specific conditions in the permit to the

6. EFFLUENT LIMITATIONS, MONITORING REQUIREMENTS, AND CONTROLS (cont'd)

extent that they are determined necessary to carry out the provisions of the Clean Water Act, which include the establishment of a CMS requirement.

7. DISCHARGE IMPACT ON RECEIVING WATER QUALITY

As permitted, the Department has determined the existing water uses will be maintained and protected and the discharge will not cause or contribute to the failure of the water body to meet standards for Class B and GPA classifications.

8. ALTERNATIVE DISCHARGE STUDY

38 M.R.S.A. § 465(2)(C) regarding Class A waters states “Discharges into waters of this classification licensed prior to January 1, 1986 are allowed to continue only until practical alternatives exist.” In 2002, FishPro prepared an Alternative Discharge Study (ADS). Seven active hatcheries were evaluated for alternatives to discharging water to their current waterbodies. Based on the ADS report “the combination of high implementation costs, probable environmental impacts, and physical limitations,” FishPro concluded that “there is no practical and cost-effective option available” for all of the proposed alternatives (re-routing to another discharge waterbody, discharging to an established wastewater treatment facility, storage pond and irrigation system discharge). Communication from DIFW at the time of this permitting action indicates that the conclusion reached in the ADS of “no practical alternative” is still valid and applicable.

9. PUBLIC COMMENTS

Public notice of this application was made in the *Ellsworth American* newspaper on or about April 15, 2014. The Department receives public comments on an application until the date a final agency action is taken on the application. Those persons receiving copies of draft permits shall have at least 30 days in which to submit comments on the draft or to request a public hearing, pursuant to *Application Processing Procedures for Waste Discharge Licenses*, 06-096 CMR 522 (effective January 12, 2001).

10. DEPARTMENT CONTACTS

Additional information concerning this permitting action may be obtained from, and written comments sent to:


Yvette Meunier
Division of Water Quality Management
Bureau of Land & Water Quality
Department of Environmental Protection
17 State House Station
Augusta, Maine 04333-0017
Telephone: (207) 215-1579
e-mail: yvette.meunier@maine.gov

11. RESPONSE TO COMMENTS


Reserved until the end of the public comment period.

ATTACHMENT A


Fish Rearing Facilities #9: Attach a drawing showing the number, size and arrangement of all rearing tanks.




9A: Green Lake National Fish Hatchery egg incubation and fry tank room.



9B. Green Lake National Fish Hatchery future broodstock, ambient rearing and research area.



9C. Green Lake National Fish Hatchery broodstock rearing area.



9D. Green Lake National Fish Hatchery outside rearing area.

MAINE POLLUTANT DISCHARGE ELIMINATION SYSTEM PERMIT

STANDARD CONDITIONS APPLICABLE TO ALL PERMITS

CONTENTS

SECTION	TOPIC	PAGE
A	GENERAL PROVISIONS	
1	General compliance	2
2	Other materials	2
3	Duty to Comply	2
4	Duty to provide information	2
5	Permit actions	2
6	Reopener clause	2
7	Oil and hazardous substances	2
8	Property rights	3
9	Confidentiality	3
10	Duty to reapply	3
11	Other laws	3
12	Inspection and entry	3
B	OPERATION AND MAINTENANCE OF FACILITIES	
1	General facility requirements	3
2	Proper operation and maintenance	4
3	Need to halt reduce not a defense	4
4	Duty to mitigate	4
5	Bypasses	4
6	Upsets	5
C	MONITORING AND RECORDS	
1	General requirements	6
2	Representative sampling	6
3	Monitoring and records	6
D	REPORTING REQUIREMENTS	
1	Reporting requirements	7
2	Signatory requirement	8
3	Availability of reports	8
4	Existing manufacturing, commercial, mining, and silvicultural dischargers	8
5	Publicly owned treatment works	9
E	OTHER PROVISIONS	
1	Emergency action - power failure	9
2	Spill prevention	10
3	Removed substances	10
4	Connection to municipal sewer	10
F	DEFINITIONS	10

MAINE POLLUTANT DISCHARGE ELIMINATION SYSTEM PERMIT

STANDARD CONDITIONS APPLICABLE TO ALL PERMITS

A. GENERAL PROVISIONS

1. General compliance. All discharges shall be consistent with the terms and conditions of this permit; any changes in production capacity or process modifications which result in changes in the quantity or the characteristics of the discharge must be authorized by an additional license or by modifications of this permit; it shall be a violation of the terms and conditions of this permit to discharge any pollutant not identified and authorized herein or to discharge in excess of the rates or quantities authorized herein or to violate any other conditions of this permit.

2. Other materials. Other materials ordinarily produced or used in the operation of this facility, which have been specifically identified in the application, may be discharged at the maximum frequency and maximum level identified in the application, provided:

- (a) They are not
 - (i) Designated as toxic or hazardous under the provisions of Sections 307 and 311, respectively, of the Federal Water Pollution Control Act; Title 38, Section 420, Maine Revised Statutes; or other applicable State Law; or
 - (ii) Known to be hazardous or toxic by the licensee.
- (b) The discharge of such materials will not violate applicable water quality standards.

3. Duty to comply. The permittee must comply with all conditions of this permit. Any permit noncompliance constitutes a violation of State law and the Clean Water Act and is grounds for enforcement action; for permit termination, revocation and reissuance, or modification; or denial of a permit renewal application.

- (a) The permittee shall comply with effluent standards or prohibitions established under section 307(a) of the Clean Water Act, and 38 MRSA, §420 or Chapter 530.5 for toxic pollutants within the time provided in the regulations that establish these standards or prohibitions, even if the permit has not yet been modified to incorporate the requirement.
- (b) Any person who violates any provision of the laws administered by the Department, including without limitation, a violation of the terms of any order, rule license, permit, approval or decision of the Board or Commissioner is subject to the penalties set forth in 38 MRSA, §349.

4. Duty to provide information. The permittee shall furnish to the Department, within a reasonable time, any information which the Department may request to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit or to determine compliance with this permit. The permittee shall also furnish to the Department upon request, copies of records required to be kept by this permit.

5. Permit actions. This permit may be modified, revoked and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance does not stay any permit condition.

6. Reopener clause. The Department reserves the right to make appropriate revisions to this permit in order to establish any appropriate effluent limitations, schedule of compliance or other provisions which may be authorized under 38 MRSA, §414-A(5).

MAINE POLLUTANT DISCHARGE ELIMINATION SYSTEM PERMIT

STANDARD CONDITIONS APPLICABLE TO ALL PERMITS

7. Oil and hazardous substances. Nothing in this permit shall be construed to preclude the institution of any legal action or relieve the permittee from any responsibilities, liabilities or penalties to which the permittee is or may be subject under section 311 of the Federal Clean Water Act; section 106 of the Federal Comprehensive Environmental Response, Compensation and Liability Act of 1980; or 38 MRSA §§ 1301, et. seq.

8. Property rights. This permit does not convey any property rights of any sort, or any exclusive privilege.

9. Confidentiality of records. 38 MRSA §414(6) reads as follows. "Any records, reports or information obtained under this subchapter is available to the public, except that upon a showing satisfactory to the department by any person that any records, reports or information, or particular part or any record, report or information, other than the names and addresses of applicants, license applications, licenses, and effluent data, to which the department has access under this subchapter would, if made public, divulge methods or processes that are entitled to protection as trade secrets, these records, reports or information must be confidential and not available for public inspection or examination. Any records, reports or information may be disclosed to employees or authorized representatives of the State or the United States concerned with carrying out this subchapter or any applicable federal law, and to any party to a hearing held under this section on terms the commissioner may prescribe in order to protect these confidential records, reports and information, as long as this disclosure is material and relevant to any issue under consideration by the department."

10. Duty to reapply. If the permittee wishes to continue an activity regulated by this permit after the expiration date of this permit, the permittee must apply for and obtain a new permit.

11. Other laws. The issuance of this permit does not authorize any injury to persons or property or invasion of other property rights, nor does it relieve the permittee of its obligation to comply with other applicable Federal, State or local laws and regulations.

12. Inspection and entry. The permittee shall allow the Department, or an authorized representative (including an authorized contractor acting as a representative of the EPA Administrator), upon presentation of credentials and other documents as may be required by law, to:

- (a) Enter upon the permittee's premises where a regulated facility or activity is located or conducted, or where records must be kept under the conditions of this permit;
- (b) Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit;
- (c) Inspect at reasonable times any facilities, equipment (including monitoring and control equipment), practices, or operations regulated or required under this permit; and
- (d) Sample or monitor at reasonable times, for the purposes of assuring permit compliance or as otherwise authorized by the Clean Water Act, any substances or parameters at any location.

B. OPERATION AND MAINTENANCE OF FACILITIES

1. General facility requirements.

- (a) The permittee shall collect all waste flows designated by the Department as requiring treatment and discharge them into an approved waste treatment facility in such a manner as to

MAINE POLLUTANT DISCHARGE ELIMINATION SYSTEM PERMIT

STANDARD CONDITIONS APPLICABLE TO ALL PERMITS

- maximize removal of pollutants unless authorization to the contrary is obtained from the Department.
- (b) The permittee shall at all times maintain in good working order and operate at maximum efficiency all waste water collection, treatment and/or control facilities.
 - (c) All necessary waste treatment facilities will be installed and operational prior to the discharge of any wastewaters.
 - (d) Final plans and specifications must be submitted to the Department for review prior to the construction or modification of any treatment facilities.
 - (e) The permittee shall install flow measuring facilities of a design approved by the Department.
 - (f) The permittee must provide an outfall of a design approved by the Department which is placed in the receiving waters in such a manner that the maximum mixing and dispersion of the wastewaters will be achieved as rapidly as possible.

2. Proper operation and maintenance. The permittee shall at all times properly operate and maintain all facilities and systems of treatment and control (and related appurtenances) which are installed or used by the permittee to achieve compliance with the conditions of this permit. Proper operation and maintenance also includes adequate laboratory controls and appropriate quality assurance procedures. This provision requires the operation of back-up or auxiliary facilities or similar systems which are installed by a permittee only when the operation is necessary to achieve compliance with the conditions of the permit.

3. Need to halt or reduce activity not a defense. It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit.

4. Duty to mitigate. The permittee shall take all reasonable steps to minimize or prevent any discharge or sludge use or disposal in violation of this permit which has a reasonable likelihood of adversely affecting human health or the environment.

5. Bypasses.

- (a) Definitions.
 - (i) Bypass means the intentional diversion of waste streams from any portion of a treatment facility.
 - (ii) Severe property damage means substantial physical damage to property, damage to the treatment facilities which causes them to become inoperable, or substantial and permanent loss of natural resources which can reasonably be expected to occur in the absence of a bypass. Severe property damage does not mean economic loss caused by delays in production.
- (b) Bypass not exceeding limitations. The permittee may allow any bypass to occur which does not cause effluent limitations to be exceeded, but only if it also is for essential maintenance to assure efficient operation. These bypasses are not subject to the provisions of paragraphs (c) and (d) of this section.
- (c) Notice.
 - (i) Anticipated bypass. If the permittee knows in advance of the need for a bypass, it shall submit prior notice, if possible at least ten days before the date of the bypass.

MAINE POLLUTANT DISCHARGE ELIMINATION SYSTEM PERMIT

STANDARD CONDITIONS APPLICABLE TO ALL PERMITS

- (ii) Unanticipated bypass. The permittee shall submit notice of an unanticipated bypass as required in paragraph D(1)(f), below. (24-hour notice).
- (d) Prohibition of bypass.
 - (i) Bypass is prohibited, and the Department may take enforcement action against a permittee for bypass, unless:
 - (A) Bypass was unavoidable to prevent loss of life, personal injury, or severe property damage;
 - (B) There were no feasible alternatives to the bypass, such as the use of auxiliary treatment facilities, retention of untreated wastes, or maintenance during normal periods of equipment downtime. This condition is not satisfied if adequate back-up equipment should have been installed in the exercise of reasonable engineering judgment to prevent a bypass which occurred during normal periods of equipment downtime or preventive maintenance; and
 - (C) The permittee submitted notices as required under paragraph (c) of this section.
 - (ii) The Department may approve an anticipated bypass, after considering its adverse effects, if the Department determines that it will meet the three conditions listed above in paragraph (d)(i) of this section.

6. Upsets.

- (a) Definition. Upset means an exceptional incident in which there is unintentional and temporary noncompliance with technology based permit effluent limitations because of factors beyond the reasonable control of the permittee. An upset does not include noncompliance to the extent caused by operational error, improperly designed treatment facilities, inadequate treatment facilities, lack of preventive maintenance, or careless or improper operation.
- (b) Effect of an upset. An upset constitutes an affirmative defense to an action brought for noncompliance with such technology based permit effluent limitations if the requirements of paragraph (c) of this section are met. No determination made during administrative review of claims that noncompliance was caused by upset, and before an action for noncompliance, is final administrative action subject to judicial review.
- (c) Conditions necessary for a demonstration of upset. A permittee who wishes to establish the affirmative defense of upset shall demonstrate, through properly signed, contemporaneous operating logs, or other relevant evidence that:
 - (i) An upset occurred and that the permittee can identify the cause(s) of the upset;
 - (ii) The permitted facility was at the time being properly operated; and
 - (iii) The permittee submitted notice of the upset as required in paragraph D(1)(f) , below. (24 hour notice).
 - (iv) The permittee complied with any remedial measures required under paragraph B(4).
- (d) Burden of proof. In any enforcement proceeding the permittee seeking to establish the occurrence of an upset has the burden of proof.

MAINE POLLUTANT DISCHARGE ELIMINATION SYSTEM PERMIT

STANDARD CONDITIONS APPLICABLE TO ALL PERMITS

C. MONITORING AND RECORDS

1. General Requirements. This permit shall be subject to such monitoring requirements as may be reasonably required by the Department including the installation, use and maintenance of monitoring equipment or methods (including, where appropriate, biological monitoring methods). The permittee shall provide the Department with periodic reports on the proper Department reporting form of monitoring results obtained pursuant to the monitoring requirements contained herein.

2. Representative sampling. Samples and measurements taken as required herein shall be representative of the volume and nature of the monitored discharge. If effluent limitations are based wholly or partially on quantities of a product processed, the permittee shall ensure samples are representative of times when production is taking place. Where discharge monitoring is required when production is less than 50%, the resulting data shall be reported as a daily measurement but not included in computation of averages, unless specifically authorized by the Department.

3. Monitoring and records.

- (a) Samples and measurements taken for the purpose of monitoring shall be representative of the monitored activity.
- (b) Except for records of monitoring information required by this permit related to the permittee's sewage sludge use and disposal activities, which shall be retained for a period of at least five years, the permittee shall retain records of all monitoring information, including all calibration and maintenance records and all original strip chart recordings for continuous monitoring instrumentation, copies of all reports required by this permit, and records of all data used to complete the application for this permit, for a period of at least 3 years from the date of the sample, measurement, report or application. This period may be extended by request of the Department at any time.
- (c) Records of monitoring information shall include:
 - (i) The date, exact place, and time of sampling or measurements;
 - (ii) The individual(s) who performed the sampling or measurements;
 - (iii) The date(s) analyses were performed;
 - (iv) The individual(s) who performed the analyses;
 - (v) The analytical techniques or methods used; and
 - (vi) The results of such analyses.
- (d) Monitoring results must be conducted according to test procedures approved under 40 CFR part 136, unless other test procedures have been specified in the permit.
- (e) State law provides that any person who tampers with or renders inaccurate any monitoring devices or method required by any provision of law, or any order, rule license, permit approval or decision is subject to the penalties set forth in 38 MRSA, §349.

MAINE POLLUTANT DISCHARGE ELIMINATION SYSTEM PERMIT

STANDARD CONDITIONS APPLICABLE TO ALL PERMITS

D. REPORTING REQUIREMENTS

1. Reporting requirements.

- (a) Planned changes. The permittee shall give notice to the Department as soon as possible of any planned physical alterations or additions to the permitted facility. Notice is required only when:
 - (i) The alteration or addition to a permitted facility may meet one of the criteria for determining whether a facility is a new source in 40 CFR 122.29(b); or
 - (ii) The alteration or addition could significantly change the nature or increase the quantity of pollutants discharged. This notification applies to pollutants which are subject neither to effluent limitations in the permit, nor to notification requirements under Section D(4).
 - (iii) The alteration or addition results in a significant change in the permittee's sludge use or disposal practices, and such alteration, addition, or change may justify the application of permit conditions that are different from or absent in the existing permit, including notification of additional use or disposal sites not reported during the permit application process or not reported pursuant to an approved land application plan;
- (b) Anticipated noncompliance. The permittee shall give advance notice to the Department of any planned changes in the permitted facility or activity which may result in noncompliance with permit requirements.
- (c) Transfers. This permit is not transferable to any person except upon application to and approval of the Department pursuant to 38 MRSA, § 344 and Chapters 2 and 522.
- (d) Monitoring reports. Monitoring results shall be reported at the intervals specified elsewhere in this permit.
 - (i) Monitoring results must be reported on a Discharge Monitoring Report (DMR) or forms provided or specified by the Department for reporting results of monitoring of sludge use or disposal practices.
 - (ii) If the permittee monitors any pollutant more frequently than required by the permit using test procedures approved under 40 CFR part 136 or as specified in the permit, the results of this monitoring shall be included in the calculation and reporting of the data submitted in the DMR or sludge reporting form specified by the Department.
 - (iii) Calculations for all limitations which require averaging of measurements shall utilize an arithmetic mean unless otherwise specified by the Department in the permit.
- (e) Compliance schedules. Reports of compliance or noncompliance with, or any progress reports on, interim and final requirements contained in any compliance schedule of this permit shall be submitted no later than 14 days following each schedule date.
- (f) Twenty-four hour reporting.
 - (i) The permittee shall report any noncompliance which may endanger health or the environment. Any information shall be provided orally within 24 hours from the time the permittee becomes aware of the circumstances. A written submission shall also be provided within 5 days of the time the permittee becomes aware of the circumstances. The written submission shall contain a description of the noncompliance and its cause; the period of noncompliance, including exact dates and times, and if the noncompliance

MAINE POLLUTANT DISCHARGE ELIMINATION SYSTEM PERMIT

STANDARD CONDITIONS APPLICABLE TO ALL PERMITS

has not been corrected, the anticipated time it is expected to continue; and steps taken or planned to reduce, eliminate, and prevent reoccurrence of the noncompliance.

(ii) The following shall be included as information which must be reported within 24 hours under this paragraph.

(A) Any unanticipated bypass which exceeds any effluent limitation in the permit.

(B) Any upset which exceeds any effluent limitation in the permit.

(C) Violation of a maximum daily discharge limitation for any of the pollutants listed by the Department in the permit to be reported within 24 hours.

(iii) The Department may waive the written report on a case-by-case basis for reports under paragraph (f)(ii) of this section if the oral report has been received within 24 hours.

(g) Other noncompliance. The permittee shall report all instances of noncompliance not reported under paragraphs (d), (e), and (f) of this section, at the time monitoring reports are submitted. The reports shall contain the information listed in paragraph (f) of this section.

(h) Other information. Where the permittee becomes aware that it failed to submit any relevant facts in a permit application, or submitted incorrect information in a permit application or in any report to the Department, it shall promptly submit such facts or information.

2. Signatory requirement. All applications, reports, or information submitted to the Department shall be signed and certified as required by Chapter 521, Section 5 of the Department's rules. State law provides that any person who knowingly makes any false statement, representation or certification in any application, record, report, plan or other document filed or required to be maintained by any order, rule, permit, approval or decision of the Board or Commissioner is subject to the penalties set forth in 38 MRSA, §349.

3. Availability of reports. Except for data determined to be confidential under A(9), above, all reports prepared in accordance with the terms of this permit shall be available for public inspection at the offices of the Department. As required by State law, effluent data shall not be considered confidential. Knowingly making any false statement on any such report may result in the imposition of criminal sanctions as provided by law.

4. Existing manufacturing, commercial, mining, and silvicultural dischargers. In addition to the reporting requirements under this Section, all existing manufacturing, commercial, mining, and silvicultural dischargers must notify the Department as soon as they know or have reason to believe:

(a) That any activity has occurred or will occur which would result in the discharge, on a routine or frequent basis, of any toxic pollutant which is not limited in the permit, if that discharge will exceed the highest of the following "notification levels":

(i) One hundred micrograms per liter (100 ug/l);

(ii) Two hundred micrograms per liter (200 ug/l) for acrolein and acrylonitrile; five hundred micrograms per liter (500 ug/l) for 2,4-dinitrophenol and for 2-methyl-4,6-dinitrophenol; and one milligram per liter (1 mg/l) for antimony;

(iii) Five (5) times the maximum concentration value reported for that pollutant in the permit application in accordance with Chapter 521 Section 4(g)(7); or

(iv) The level established by the Department in accordance with Chapter 523 Section 5(f).

MAINE POLLUTANT DISCHARGE ELIMINATION SYSTEM PERMIT

STANDARD CONDITIONS APPLICABLE TO ALL PERMITS

- (b) That any activity has occurred or will occur which would result in any discharge, on a non-routine or infrequent basis, of a toxic pollutant which is not limited in the permit, if that discharge will exceed the highest of the following "notification levels":
- (i) Five hundred micrograms per liter (500 ug/l);
 - (ii) One milligram per liter (1 mg/l) for antimony;
 - (iii) Ten (10) times the maximum concentration value reported for that pollutant in the permit application in accordance with Chapter 521 Section 4(g)(7); or
 - (iv) The level established by the Department in accordance with Chapter 523 Section 5(f).

5. Publicly owned treatment works.

- (a) All POTWs must provide adequate notice to the Department of the following:
- (i) Any new introduction of pollutants into the POTW from an indirect discharger which would be subject to section 301 or 306 of CWA or Chapter 528 if it were directly discharging those pollutants.
 - (ii) Any substantial change in the volume or character of pollutants being introduced into that POTW by a source introducing pollutants into the POTW at the time of issuance of the permit.
 - (iii) For purposes of this paragraph, adequate notice shall include information on (A) the quality and quantity of effluent introduced into the POTW, and (B) any anticipated impact of the change on the quantity or quality of effluent to be discharged from the POTW.
- (b) When the effluent discharged by a POTW for a period of three consecutive months exceeds 80 percent of the permitted flow, the permittee shall submit to the Department a projection of loadings up to the time when the design capacity of the treatment facility will be reached, and a program for maintaining satisfactory treatment levels consistent with approved water quality management plans.

E. OTHER REQUIREMENTS

1. Emergency action - power failure. Within thirty days after the effective date of this permit, the permittee shall notify the Department of facilities and plans to be used in the event the primary source of power to its wastewater pumping and treatment facilities fails as follows.

- (a) For municipal sources. During power failure, all wastewaters which are normally treated shall receive a minimum of primary treatment and disinfection. Unless otherwise approved, alternate power supplies shall be provided for pumping stations and treatment facilities. Alternate power supplies shall be on-site generating units or an outside power source which is separate and independent from sources used for normal operation of the wastewater facilities.
- (b) For industrial and commercial sources. The permittee shall either maintain an alternative power source sufficient to operate the wastewater pumping and treatment facilities or halt, reduce or otherwise control production and or all discharges upon reduction or loss of power to the wastewater pumping or treatment facilities.

MAINE POLLUTANT DISCHARGE ELIMINATION SYSTEM PERMIT

STANDARD CONDITIONS APPLICABLE TO ALL PERMITS

2. Spill prevention. (applicable only to industrial sources) Within six months of the effective date of this permit, the permittee shall submit to the Department for review and approval, with or without conditions, a spill prevention plan. The plan shall delineate methods and measures to be taken to prevent and or contain any spills of pulp, chemicals, oils or other contaminants and shall specify means of disposal and or treatment to be used.

3. Removed substances. Solids, sludges trash rack cleanings, filter backwash, or other pollutants removed from or resulting from the treatment or control of waste waters shall be disposed of in a manner approved by the Department.

4. Connection to municipal sewer. (applicable only to industrial and commercial sources) All wastewaters designated by the Department as treatable in a municipal treatment system will be cosigned to that system when it is available. This permit will expire 90 days after the municipal treatment facility becomes available, unless this time is extended by the Department in writing.

F. DEFINITIONS. For the purposes of this permit, the following definitions shall apply. Other definitions applicable to this permit may be found in Chapters 520 through 529 of the Department's rules

Average means the arithmetic mean of values taken at the frequency required for each parameter over the specified period. For bacteria, the average shall be the geometric mean.

Average monthly discharge limitation means the highest allowable average of daily discharges over a calendar month, calculated as the sum of all daily discharges measured during a calendar month divided by the number of daily discharges measured during that month. Except, however, bacteriological tests may be calculated as a geometric mean.

Average weekly discharge limitation means the highest allowable average of daily discharges over a calendar week, calculated as the sum of all daily discharges measured during a calendar week divided by the number of daily discharges measured during that week.

Best management practices ("BMPs") means schedules of activities, prohibitions of practices, maintenance procedures, and other management practices to prevent or reduce the pollution of waters of the State. BMPs also include treatment requirements, operating procedures, and practices to control plant site runoff, spillage or leaks, sludge or waste disposal, or drainage from raw material storage.

Composite sample means a sample consisting of a minimum of eight grab samples collected at equal intervals during a 24 hour period (or a lesser period as specified in the section on monitoring and reporting) and combined proportional to the flow over that same time period.

Continuous discharge means a discharge which occurs without interruption throughout the operating hours of the facility, except for infrequent shutdowns for maintenance, process changes, or other similar activities.

Daily discharge means the discharge of a pollutant measured during a calendar day or any 24-hour period that reasonably represents the calendar day for purposes of sampling. For pollutants with limitations expressed in units of mass, the daily discharge is calculated as the total mass of the pollutant discharged over the day. For pollutants with limitations expressed in other units of measurement, the daily discharge is calculated as the average measurement of the pollutant over the day.

MAINE POLLUTANT DISCHARGE ELIMINATION SYSTEM PERMIT

STANDARD CONDITIONS APPLICABLE TO ALL PERMITS

Discharge Monitoring Report ("DMR") means the EPA uniform national form, including any subsequent additions, revisions, or modifications for the reporting of self-monitoring results by permittees. DMRs must be used by approved States as well as by EPA. EPA will supply DMRs to any approved State upon request. The EPA national forms may be modified to substitute the State Agency name, address, logo, and other similar information, as appropriate, in place of EPA's.

Flow weighted composite sample means a composite sample consisting of a mixture of aliquots collected at a constant time interval, where the volume of each aliquot is proportional to the flow rate of the discharge.

Grab sample means an individual sample collected in a period of less than 15 minutes.

Interference means a Discharge which, alone or in conjunction with a discharge or discharges from other sources, both:

- (1) Inhibits or disrupts the POTW, its treatment processes or operations, or its sludge processes, use or disposal; and
- (2) Therefore is a cause of a violation of any requirement of the POTW's NPDES permit (including an increase in the magnitude or duration of a violation) or of the prevention of sewage sludge use or disposal in compliance with the following statutory provisions and regulations or permits issued thereunder (or more stringent State or local regulations): Section 405 of the Clean Water Act, the Solid Waste Disposal Act (SWDA) (including title II, more commonly referred to as the Resource Conservation and Recovery Act (RCRA), and including State regulations contained in any State sludge management plan prepared pursuant to subtitle D of the SWDA), the Clean Air Act, the Toxic Substances Control Act, and the Marine Protection, Research and Sanctuaries Act.

Maximum daily discharge limitation means the highest allowable daily discharge.

New source means any building, structure, facility, or installation from which there is or may be a discharge of pollutants, the construction of which commenced:

- (a) After promulgation of standards of performance under section 306 of CWA which are applicable to such source, or
- (b) After proposal of standards of performance in accordance with section 306 of CWA which are applicable to such source, but only if the standards are promulgated in accordance with section 306 within 120 days of their proposal.

Pass through means a discharge which exits the POTW into waters of the State in quantities or concentrations which, alone or in conjunction with a discharge or discharges from other sources, is a cause of a violation of any requirement of the POTW's NPDES permit (including an increase in the magnitude or duration of a violation).

Permit means an authorization, license, or equivalent control document issued by EPA or an approved State to implement the requirements of 40 CFR parts 122, 123 and 124. Permit includes an NPDES general permit (Chapter 529). Permit does not include any permit which has not yet been the subject of final agency action, such as a draft permit or a proposed permit.

Person means an individual, firm, corporation, municipality, quasi-municipal corporation, state agency, federal agency or other legal entity.

MAINE POLLUTANT DISCHARGE ELIMINATION SYSTEM PERMIT

STANDARD CONDITIONS APPLICABLE TO ALL PERMITS

Point source means any discernible, confined and discrete conveyance, including, but not limited to, any pipe, ditch, channel, tunnel, conduit, well, discrete fissure, container, rolling stock, concentrated animal feeding operation or vessel or other floating craft, from which pollutants are or may be discharged.

Pollutant means dredged spoil, solid waste, junk, incinerator residue, sewage, refuse, effluent, garbage, sewage sludge, munitions, chemicals, biological or radiological materials, oil, petroleum products or byproducts, heat, wrecked or discarded equipment, rock, sand, dirt and industrial, municipal, domestic, commercial or agricultural wastes of any kind.

Process wastewater means any water which, during manufacturing or processing, comes into direct contact with or results from the production or use of any raw material, intermediate product, finished product, byproduct, or waste product.

Publicly owned treatment works ("POTW") means any facility for the treatment of pollutants owned by the State or any political subdivision thereof, any municipality, district, quasi-municipal corporation or other public entity.

Septage means, for the purposes of this permit, any waste, refuse, effluent sludge or other material removed from a septic tank, cesspool, vault privy or similar source which concentrates wastes or to which chemicals have been added. Septage does not include wastes from a holding tank.

Time weighted composite means a composite sample consisting of a mixture of equal volume aliquots collected over a constant time interval.

Toxic pollutant includes any pollutant listed as toxic under section 307(a)(1) or, in the case of sludge use or disposal practices, any pollutant identified in regulations implementing section 405(d) of the CWA. Toxic pollutant also includes those substances or combination of substances, including disease causing agents, which after discharge or upon exposure, ingestion, inhalation or assimilation into any organism, including humans either directly through the environment or indirectly through ingestion through food chains, will, on the basis of information available to the board either alone or in combination with other substances already in the receiving waters or the discharge, cause death, disease, abnormalities, cancer, genetic mutations, physiological malfunctions, including malfunctions in reproduction, or physical deformations in such organism or their offspring.

Wetlands means those areas that are inundated or saturated by surface or ground water at a frequency and duration sufficient to support, and that under normal circumstances do support, a prevalence of vegetation typically adapted for life in saturated soil conditions. Wetlands generally include swamps, marshes, bogs, and similar areas.

Whole effluent toxicity means the aggregate toxic effect of an effluent measured directly by a toxicity test.



DEP INFORMATION SHEET

Appealing a Department Licensing Decision

Dated: March 2012

Contact: (207) 287-2811

SUMMARY

There are two methods available to an aggrieved person seeking to appeal a licensing decision made by the Department of Environmental Protection's ("DEP") Commissioner: (1) in an administrative process before the Board of Environmental Protection ("Board"); or (2) in a judicial process before Maine's Superior Court. An aggrieved person seeking review of a licensing decision over which the Board had original jurisdiction may seek judicial review in Maine's Superior Court.

A judicial appeal of final action by the Commissioner or the Board regarding an application for an expedited wind energy development (35-A M.R.S.A. § 3451(4)) or a general permit for an offshore wind energy demonstration project (38 M.R.S.A. § 480-HH(1)) or a general permit for a tidal energy demonstration project (38 M.R.S.A. § 636-A) must be taken to the Supreme Judicial Court sitting as the Law Court.

This INFORMATION SHEET, in conjunction with a review of the statutory and regulatory provisions referred to herein, can help a person to understand his or her rights and obligations in filing an administrative or judicial appeal.

I. ADMINISTRATIVE APPEALS TO THE BOARD

LEGAL REFERENCES

The laws concerning the DEP's *Organization and Powers*, 38 M.R.S.A. §§ 341-D(4) & 346, the *Maine Administrative Procedure Act*, 5 M.R.S.A. § 11001, and the DEP's *Rules Concerning the Processing of Applications and Other Administrative Matters* ("Chapter 2"), 06-096 CMR 2 (April 1, 2003).

HOW LONG YOU HAVE TO SUBMIT AN APPEAL TO THE BOARD

The Board must receive a written appeal within 30 days of the date on which the Commissioner's decision was filed with the Board. Appeals filed after 30 calendar days of the date on which the Commissioner's decision was filed with the Board will be rejected.

HOW TO SUBMIT AN APPEAL TO THE BOARD

Signed original appeal documents must be sent to: Chair, Board of Environmental Protection, c/o Department of Environmental Protection, 17 State House Station, Augusta, ME 04333-0017; faxes are acceptable for purposes of meeting the deadline when followed by the Board's receipt of mailed original documents within five (5) working days. Receipt on a particular day must be by 5:00 PM at DEP's offices in Augusta; materials received after 5:00 PM are not considered received until the following day. The person appealing a licensing decision must also send the DEP's Commissioner a copy of the appeal documents and if the person appealing is not the applicant in the license proceeding at issue the applicant must also be sent a copy of the appeal documents. All of the information listed in the next section must be submitted at the time the appeal is filed. Only the extraordinary circumstances described at the end of that section will justify evidence not in the DEP's record at the time of decision being added to the record for consideration by the Board as part of an appeal.

WHAT YOUR APPEAL PAPERWORK MUST CONTAIN

Appeal materials must contain the following information at the time submitted:

1. *Aggrieved Status.* The appeal must explain how the person filing the appeal has standing to maintain an appeal. This requires an explanation of how the person filing the appeal may suffer a particularized injury as a result of the Commissioner's decision.
2. *The findings, conclusions or conditions objected to or believed to be in error.* Specific references and facts regarding the appellant's issues with the decision must be provided in the notice of appeal.
3. *The basis of the objections or challenge.* If possible, specific regulations, statutes or other facts should be referenced. This may include citing omissions of relevant requirements, and errors believed to have been made in interpretations, conclusions, and relevant requirements.
4. *The remedy sought.* This can range from reversal of the Commissioner's decision on the license or permit to changes in specific permit conditions.
5. *All the matters to be contested.* The Board will limit its consideration to those arguments specifically raised in the written notice of appeal.
6. *Request for hearing.* The Board will hear presentations on appeals at its regularly scheduled meetings, unless a public hearing on the appeal is requested and granted. A request for public hearing on an appeal must be filed as part of the notice of appeal.
7. *New or additional evidence to be offered.* The Board may allow new or additional evidence, referred to as supplemental evidence, to be considered by the Board in an appeal only when the evidence is relevant and material and that the person seeking to add information to the record can show due diligence in bringing the evidence to the DEP's attention at the earliest possible time in the licensing process or that the evidence itself is newly discovered and could not have been presented earlier in the process. Specific requirements for additional evidence are found in Chapter 2.

OTHER CONSIDERATIONS IN APPEALING A DECISION TO THE BOARD

1. *Be familiar with all relevant material in the DEP record.* A license application file is public information, subject to any applicable statutory exceptions, made easily accessible by DEP. Upon request, the DEP will make the material available during normal working hours, provide space to review the file, and provide opportunity for photocopying materials. There is a charge for copies or copying services.
2. *Be familiar with the regulations and laws under which the application was processed, and the procedural rules governing your appeal.* DEP staff will provide this information on request and answer questions regarding applicable requirements.
3. *The filing of an appeal does not operate as a stay to any decision.* If a license has been granted and it has been appealed the license normally remains in effect pending the processing of the appeal. A license holder may proceed with a project pending the outcome of an appeal but the license holder runs the risk of the decision being reversed or modified as a result of the appeal.

WHAT TO EXPECT ONCE YOU FILE A TIMELY APPEAL WITH THE BOARD

The Board will formally acknowledge receipt of an appeal, including the name of the DEP project manager assigned to the specific appeal. The notice of appeal, any materials accepted by the Board Chair as supplementary evidence, and any materials submitted in response to the appeal will be sent to Board members with a recommendation from DEP staff. Persons filing appeals and interested persons are notified in advance of the date set for Board consideration of an appeal or request for public hearing. With or without holding a public hearing, the Board may affirm, amend, or reverse a Commissioner decision or remand the matter to the Commissioner for further proceedings. The Board will notify the appellant, a license holder, and interested persons of its decision.

II. JUDICIAL APPEALS

Maine law generally allows aggrieved persons to appeal final Commissioner or Board licensing decisions to Maine's Superior Court, see 38 M.R.S.A. § 346(1); 06-096 CMR 2; 5 M.R.S.A. § 11001; & M.R. Civ. P 80C. A party's appeal must be filed with the Superior Court within 30 days of receipt of notice of the Board's or the Commissioner's decision. For any other person, an appeal must be filed within 40 days of the date the decision was rendered. Failure to file a timely appeal will result in the Board's or the Commissioner's decision becoming final.

An appeal to court of a license decision regarding an expedited wind energy development, a general permit for an offshore wind energy demonstration project, or a general permit for a tidal energy demonstration project may only be taken directly to the Maine Supreme Judicial Court. See 38 M.R.S.A. § 346(4).

Maine's Administrative Procedure Act, DEP statutes governing a particular matter, and the Maine Rules of Civil Procedure must be consulted for the substantive and procedural details applicable to judicial appeals.

ADDITIONAL INFORMATION

If you have questions or need additional information on the appeal process, for administrative appeals contact the Board's Executive Analyst at (207) 287-2452 or for judicial appeals contact the court clerk's office in which your appeal will be filed.

Note: The DEP provides this INFORMATION SHEET for general guidance only; it is not intended for use as a legal reference. Maine law governs an appellant's rights.
