

MA6910329

B. Suggested Form for Notice of Intent (NOI) for the Remediation General Permit

1. General site information. Please provide the following information about the site:

| | | | |
|--|---|--|--------------------|
| a) Name of facility/site: Admiral Metals | | Facility/site address: | |
| Location of facility/site: longitude: <u>-71.09</u> latitude: <u>41.90</u> | Facility SIC code(s): Not applicable | Street: 14-17 Park Street | |
| b) Name of facility/site owner: Admiral Metals | | Town: Taunton | |
| Email address of owner: Not applicable | State: MA | Zip: 02780 | County: Bristol |
| Telephone no. of facility/site owner: 580-824-1148 | Owner is (check one): 1. Federal ___ 2. State/Tribal ___ 3. Private <input checked="" type="checkbox"/> 4. other, if so, describe: | | |
| Fax no. of facility/site owner: 508-824-3058 | | | |
| Address of owner (if different from site): | | | |
| Street: 11 Forbes Road | | | |
| Town: Woburn | State: MA | Zip: 01801 | County: Middlesex |
| c) Legal name of operator: Resource Control Associates, Inc. | Operator telephone no: (401) 728-6860 | | |
| | Operator fax no.: (401) 727-1849 | Operator email: ratwood@resourcecontrols.com | |
| Operator contact name and title: Mr. Robert C. Atwood, PE, LSP, President and CEO | | | |
| Address of operator (if different from owner): | | Street: 474 Broadway | |
| Town: Pawtucket | State: RI | Zip: 02860 | County: Providence |
| d) Check "yes" or "no" for the following: | | | |
| 1. Has a prior NPDES permit exclusion been granted for the discharge? Yes ___ No <input checked="" type="checkbox"/> , if "yes," number: | | | |
| 2. Has a prior NPDES application (Form 1 & 2C) ever been filed for the discharge? Yes ___ No <input checked="" type="checkbox"/> , if "yes," date and tracking #: | | | |
| 3. Is the discharge a "new discharge" as defined by 40 CFR 122.2? Yes <input checked="" type="checkbox"/> No ___ | | | |
| 4. For sites in Massachusetts, is the discharge covered under the MA Contingency Plan (MCP) and exempt from state permitting? Yes ___ No <input checked="" type="checkbox"/> | | | |

| | |
|--|--|
| <p>e) Is site/facility subject to any State permitting or other action which is causing the generation of discharge? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/></p> <p>If "yes," please list:</p> <ol style="list-style-type: none"> 1. site identification # assigned by the state of NH or MA: RTN 4-20172 & 4-20173 2. permit or license # assigned: 3. state agency contact information: name, location, and telephone number: | <p>f) Is the site/facility covered by any other EPA permit, including:</p> <ol style="list-style-type: none"> 1. multi-sector storm water general permit? Y <input type="checkbox"/> N <input checked="" type="checkbox"/>, if Y, number: 2. phase I or II construction storm water general permit? Y <input type="checkbox"/> N <input checked="" type="checkbox"/>, if Y, number: 3. individual NPDES permit? Y <input type="checkbox"/> N <input checked="" type="checkbox"/>, if Y, number: 4. any other water quality related permit? Y <input type="checkbox"/> N <input checked="" type="checkbox"/>, if Y, number: |
|--|--|

2. Discharge information. Please provide information about the discharge, (attaching additional sheets as needed) including:

| | | | |
|---|--|--|--|
| <p>a) Describe the discharge activities for which the owner/applicant is seeking coverage: Operation and maintenance of a construction dewatering treatment system.</p> | | | |
| <p>b) Provide the following information about each discharge:</p> | <table border="1"> <tr> <td style="width: 15%;"> <p>1) Number of discharge points:</p> <p>One (1)</p> </td> <td> <p>2) What is the maximum and average flow rate of discharge (in cubic feet per second, ft³/s)? Max. flow <u>0.446</u></p> <p>Average flow _____ Is maximum flow a design value? Y <input checked="" type="checkbox"/> N <input type="checkbox"/></p> <p>For average flow, include the units and appropriate notation if this value is a design value or estimate if not available.</p> <p>Max design is 200 gallons per minute and may periodically run 24 hrs per day.</p> </td> </tr> </table> | <p>1) Number of discharge points:</p> <p>One (1)</p> | <p>2) What is the maximum and average flow rate of discharge (in cubic feet per second, ft³/s)? Max. flow <u>0.446</u></p> <p>Average flow _____ Is maximum flow a design value? Y <input checked="" type="checkbox"/> N <input type="checkbox"/></p> <p>For average flow, include the units and appropriate notation if this value is a design value or estimate if not available.</p> <p>Max design is 200 gallons per minute and may periodically run 24 hrs per day.</p> |
| <p>1) Number of discharge points:</p> <p>One (1)</p> | <p>2) What is the maximum and average flow rate of discharge (in cubic feet per second, ft³/s)? Max. flow <u>0.446</u></p> <p>Average flow _____ Is maximum flow a design value? Y <input checked="" type="checkbox"/> N <input type="checkbox"/></p> <p>For average flow, include the units and appropriate notation if this value is a design value or estimate if not available.</p> <p>Max design is 200 gallons per minute and may periodically run 24 hrs per day.</p> | | |
| <p>3) Latitude and longitude of each discharge within 100 feet: pt.1: long. <u>-71.09</u> lat. <u>41.90</u>; pt.2: long. _____ lat. _____; pt.3: long. _____ lat. _____; pt.4: long. _____ lat. _____; pt.5: long. _____ lat. _____; pt.6: long. _____ lat. _____; pt.7: long. _____ lat. _____; pt.8: long. _____ lat. _____; etc.</p> | | | |
| <p>4) If hydrostatic testing, total volume of the discharge (gals):</p> | <p>5) Is the discharge intermittent Yes <input type="checkbox"/> or seasonal No <input type="checkbox"/> ?</p> <p>Is discharge ongoing Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> ?</p> | | |
| <p>c) Expected dates of discharge (mm/dd/yy): start <u>07/01/08</u> end <u>10/31/08</u></p> | | | |
| <p>d) Please attach a line drawing or flow schematic showing water flow through the facility including: See Figure 2</p> <p>1. sources of intake water, 2. contributing flow from the operation, 3. treatment units, and 4. discharge points and receiving waters(s).</p> | | | |

3. Contaminant information. In order to complete this section, the applicant will need to take a minimum of one sample of the untreated water and have it analyzed for **all** of the parameters listed in Appendix III. Historical data, (i.e., data taken no more than 2 years prior to the effective date of the permit) may be used if obtained pursuant to: i. Massachusetts' regulations 310 CMR 40.0000, the Massachusetts Contingency Plan ("Chapter 21E"); ii. New Hampshire's Title 50 RSA 485-A: Water Pollution and Waste Disposal or Title 50 RSA 485-C: Groundwater Protection Act; or iii. an EPA permit exclusion letter issued pursuant to 40 CFR 122.3, provided the data was analyzed with test methods that meet the requirements of this permit. Otherwise, a new sample shall be taken and analyzed.

a) Based on the analysis of the sample(s) of the untreated influent, the applicant must check the box of the sub-categories that the potential discharge falls within.

| | | | | | | |
|---------------------------------|-----------------------------|---|---------------------------|---------------------------------|--|------------------------------------|
| Gasoline Only | VOC Only | Primarily Metals | Urban Fill Sites | Contaminated Sumps | Mixed Contaminants | Aquifer Testing |
| Fuel Oils (and Other Oils) only | VOC with Other Contaminants | Petroleum with Other Contaminants <input checked="" type="checkbox"/> | Listed Contaminated Sites | Contaminated Dredge Condensates | Hydrostatic Testing of Pipelines/Tanks | Well Development or Rehabilitation |

b) Based on the analysis of the untreated influent, the applicant must indicate whether each listed chemical is **believed present** or **believed absent** in the potential discharge. Attach additional sheets as needed.

| PARAMETER | Believe Absent | Believe Present | # of Samples (1 minimum) | Type of Sample (e.g., grab) | Analytical Method Used (method #) | Minimum Level (ML) of Test Method | Maximum daily value | | Avg. daily value | |
|---------------------------------|-------------------------------------|-------------------------------------|--------------------------|-----------------------------|-----------------------------------|-----------------------------------|----------------------|-----------|----------------------|-----------|
| | | | | | | | concentration (ug/l) | mass (kg) | concentration (ug/l) | mass (kg) |
| 1. Total Suspended Solids | | <input checked="" type="checkbox"/> | 1 | Grab | SM 2540 D | 5,000 ug/l | NA | NA | 92,000 | 100,685 |
| 2. Total Residual Chlorine | <input checked="" type="checkbox"/> | | 1 | Grab | SM 4500- Cl G | 200 ug/l | NA | NA | < 200 | NA |
| 3. Total Petroleum Hydrocarbons | | <input checked="" type="checkbox"/> | 1 | Grab | MOD 8015 | 1,200 ug/l | NA | NA | 1,700 | 1,860.5 |
| 4. Cyanide | <input checked="" type="checkbox"/> | | 1 | Grab | SM 4500 Cl | 10 ug/l | NA | NA | < 10 | NA |
| 5. Benzene | <input checked="" type="checkbox"/> | | 1 | Grab | EPA 8260B | 1 ug/l | NA | NA | < 1 | NA |
| 6. Toluene | <input checked="" type="checkbox"/> | | 1 | Grab | EPA 8260B | 1 ug/l | NA | NA | < 1 | NA |
| 7. Ethylbenzene | <input checked="" type="checkbox"/> | | 1 | Grab | EPA 8260B | 1 ug/l | NA | NA | < 1 | NA |
| 8. (m,p,o) Xylenes | | <input checked="" type="checkbox"/> | 1 | Grab | EPA 8260B | 2 ug/l | NA | NA | 3 | 0.00328 |
| 9. Total BTEX ⁴ | | <input checked="" type="checkbox"/> | 1 | Grab | EPA 8260B | 2 ug/l | NA | NA | 3 | 0.00328 |

⁴BTEX = Sum of Benzene, Toluene, Ethylbenzene, total Xylenes.

| PARAMETER | Believe Absent | Believe Present | # of Samples (1 minimum) | Type of Sample (e.g., grab) | Analytical Method Used (method #) | Minimum Level (ML) of Test Method | Maximum daily value | | Avg. daily value | |
|--|----------------|-----------------|--------------------------|-----------------------------|-----------------------------------|-----------------------------------|----------------------|-----------|----------------------|-----------|
| | | | | | | | concentration (ug/l) | mass (kg) | concentration (ug/l) | mass (kg) |
| 10. Ethylene Dibromide ⁵ (1,2- Dibromo-methane) | ✓ | | 1 | Grab | EPA 8260B | 1 ug/l | NA | NA | < 1 | NA |
| 11. Methyl-tert-Butyl Ether (MtBE) | ✓ | | 1 | Grab | EPA 8260B | 1 ug/l | NA | NA | < 1 | NA |
| 12. tert-Butyl Alcohol (TBA) | ✓ | | 1 | Grab | EPA 8260B | 25 ug/l | NA | NA | < 25 | NA |
| 13. tert-Amyl Methyl Ether (TAME) | ✓ | | 1 | Grab | EPA 8260B | 0.5 ug/l | NA | NA | < 1 | NA |
| 14. Naphthalene | | ✓ | 1 | Grab | EPA 8260B | 2 ug/l | NA | NA | 14.1 | |
| 15. Carbon Tetrachloride | ✓ | | 1 | Grab | EPA 8260B | 1 ug/l | NA | NA | < 1 | NA |
| 16. 1,4 Dichlorobenzene | ✓ | | 1 | Grab | EPA 8260B | 1 ug/l | NA | NA | < 1 | NA |
| 17. 1,2 Dichlorobenzene | ✓ | | 1 | Grab | EPA 8260B | 1 ug/l | NA | NA | < 1 | NA |
| 18. 1,3 Dichlorobenzene | ✓ | | 1 | Grab | EPA 8260B | 1 ug/l | NA | NA | < 1 | NA |
| 19. 1,1 Dichloroethane | ✓ | | 1 | Grab | EPA 8260B | 1 ug/l | NA | NA | < 1 | NA |
| 20. 1,2 Dichloroethane | ✓ | | 1 | Grab | EPA 8260B | 1 ug/l | NA | NA | < 1 | NA |
| 21. 1,1 Dichloroethylene | ✓ | | 1 | Grab | EPA 8260B | 1 ug/l | NA | NA | < 1 | NA |
| 22. cis-1,2 Dichloroethylene | ✓ | | 1 | Grab | EPA 8260B | 1 ug/l | NA | NA | < 1 | NA |
| 23. Dichloromethane (Methylene Chloride) | ✓ | | 1 | Grab | EPA 8260B | 5 ug/l | NA | NA | < 1 | NA |
| 24. Tetrachloroethylene | ✓ | | 1 | Grab | EPA 8260B | 1 ug/l | NA | NA | < 1 | NA |

⁵EDB is a groundwater contaminant at fuel spill and pesticide application sites in New England.

| PARAMETER | Believe Absent | Believe Present | # of Samples (1 minimum) | Type of Sample (e.g., grab) | Analytical Method Used (method #) | Minimum Level (ML) of Test Method | Maximum daily value | | Avg. daily Value | |
|--|----------------|-----------------|--------------------------|-----------------------------|-----------------------------------|-----------------------------------|----------------------|-----------|----------------------|-----------|
| | | | | | | | concentration (ug/l) | mass (kg) | concentration (ug/l) | mass (kg) |
| 25. 1,1,1 Trichloroethane | ✓ | | 1 | Grab | EPA 8260B | 1 ug/l | NA | NA | < 1 | NA |
| 26. 1,1,2 Trichloroethane | ✓ | | 1 | Grab | EPA 8260B | 1 ug/l | NA | NA | < 1 | NA |
| 27. Trichloroethylene | ✓ | | 1 | Grab | EPA 8260B | 1 ug/l | NA | NA | < 1 | NA |
| 28. Vinyl Chloride | ✓ | | 1 | Grab | EPA 8260B | 1 ug/l | NA | NA | < 1 | NA |
| 29. Acetone | ✓ | | 1 | Grab | EPA 8260B | 20 ug/l | NA | NA | < 20 | NA |
| 30. 1,4 Dioxane | ✓ | | 1 | Grab | EPA 8260B | 50 ug/l | NA | NA | < 1,000 | NA |
| 31. Total Phenols | ✓ | | 1 | Grab | EPA 8270C | 1430 ug/l | NA | NA | < 1430 | NA |
| 32. Pentachlorophenol | ✓ | | 1 | Grab | EPA 8270C | 110 ug/l | NA | NA | < 110 | NA |
| 33. Total Phthalates ⁶ (Phthalate esters) | ✓ | | 1 | Grab | EPA 8270C | 550 ug/l | NA | NA | < 514 | NA |
| 34. Bis (2-Ethylhexyl) Phthalate [Di-(ethylhexyl) Phthalate] | ✓ | | 1 | Grab | EPA 8270C | 110 ug/l | NA | NA | < 1 | NA |
| 35. Total Group I Polycyclic Aromatic Hydrocarbons (PAH) | ✓ | | 1 | Grab | EPA 8270C | 770 ug/l | NA | NA | < 770 | NA |
| a. Benzo(a) Anthracene | ✓ | | 1 | Grab | EPA 8270C | 110 ug/l | NA | NA | <110 | NA |
| b. Benzo(a) Pyrene | ✓ | | 1 | Grab | EPA 8270C | 110 ug/l | NA | NA | <110 | NA |
| c. Benzo(b)Fluoranthene | ✓ | | 1 | Grab | EPA 8270C | 110 ug/l | NA | NA | <110 | NA |
| d. Benzo(k) Fluoranthene | ✓ | | 1 | Grab | EPA 8270C | 110 ug/l | NA | NA | <110 | NA |
| e. Chrysene | ✓ | | 1 | Grab | EPA 8270C | 110 ug/l | NA | NA | <110 | NA |

* Indicates an estimated value detected below the reporting limit for the analyte.

⁶The sum of individual phthalate compounds.

| PARAMETER | Believe Absent | Believe Present | # of Samples (1 minimum) | Type of Sample (e.g., grab) | Analytical Method Used (method #) | Minimum Level (ML) of Test Method | Maximum daily value | | Average daily value | |
|---|----------------|-----------------|--------------------------|-----------------------------|-----------------------------------|-----------------------------------|----------------------|-----------|----------------------|-----------|
| | | | | | | | concentration (ug/l) | mass (kg) | concentration (ug/l) | mass (kg) |
| f. Dibenzo(a,h) anthracene | ✓ | | 1 | Grab | EPA 8270C | 0.5 ug/L | NA | NA | < 0.5 | NA |
| g. Indeno(1,2,3-cd) Pyrene | ✓ | | 1 | Grab | EPA 8270C | 0.5 ug/L | NA | NA | < 0.5 | NA |
| 36. Total Group II Polycyclic Aromatic Hydrocarbons (PAH) | ✓ | | 1 | Grab | EPA 8270C | 5.3 ug/l | NA | NA | < 5.3 | NA |
| h. Acenaphthene | ✓ | | 1 | Grab | EPA 8270C | 0.3 ug/L | NA | NA | < 0.5 | NA |
| i. Acenaphthylene | ✓ | | 1 | Grab | EPA 8270C | 0.3 ug/L | NA | NA | < 0.5 | NA |
| j. Anthracene | ✓ | | 1 | Grab | EPA 8270C | 0.2 ug/L | NA | NA | < 0.2 | NA |
| k. Benzo(ghi) Perylene | ✓ | | 1 | Grab | EPA 8270C | 0.5 ug/L | NA | NA | < 0.5 | NA |
| l. Fluoranthene | ✓ | | 1 | Grab | EPA 8270C | 0.5 ug/L | NA | NA | < 0.5 | NA |
| m. Fluorene | ✓ | | 1 | Grab | EPA 8270C | 1.0 ug/L | NA | NA | < 1 | NA |
| n. Naphthalene- | ✓ | | 1 | Grab | EPA 8270C | 1.0 ug/L | NA | NA | < 1 | NA |
| o. Phenanthrene | ✓ | | 1 | Grab | EPA 8270C | .05 ug/l | NA | NA | < 0.05 | NA |
| p. Pyrene | ✓ | | 1 | Grab | EPA 8270C | 1.0 ug/l | NA | NA | < 1 | NA |
| 37. Total Polychlorinated Biphenyls (PCBs) | ✓ | | 1 | Grab | EPA 608 | 1.8 ug/l | NA | NA | < 1.8 | NA |
| 38. Antimony | ✓ | | 1 | Grab | EPA 7041 | 1.5 ug/l | NA | NA | < 1.5 | NA |
| 39. Arsenic | | ✓ | 1 | Grab | EPA 6010B | 1 ug/l | NA | NA | 42.5 | 0.04651 |
| 40. Cadmium | ✓ | | 1 | Grab | EPA 6010B | 2.5 ug/l | NA | NA | < 2.5 | NA |
| 41. Chromium (TOTAL) | | ✓ | 1 | Grab | EPA 6010B | 5 ug/l | NA | NA | 8 | 0.00876 |
| 42. Chromium VI | ✓ | | 1 | Grab | EPA 7196A | 4 ug/l | NA | NA | < 4 | NA |

* Indicates an estimated value detected below the reporting limit for the analyte.

| PARAMETER | Believe Absent | Believe Present | # of Samples (1 minimum) | Type of Sample (e.g., grab) | Analytical Method Used (method #) | Minimum Level (ML) of Test Method | Maximum daily value | | Avg. daily value | |
|-------------------|----------------|-----------------|--------------------------|-----------------------------|-----------------------------------|-----------------------------------|----------------------|-----------|----------------------|-----------|
| | | | | | | | concentration (ug/l) | mass (kg) | concentration (ug/l) | mass (kg) |
| 43. Copper | ✓ | ✓ | 1 | Grab | EPA 6010B | 5 ug/l | NA | NA | 70.5 | 0.07716 |
| 44. Lead | ✓ | | 1 | Grab | EPA 7421 | 7.5 ug/l | NA | NA | < 7.5 | NA |
| 45. Mercury | ✓ | | 1 | Grab | EPA 7470A | 0.04 ug/l | NA | NA | < 0.04 | NA |
| 46. Nickel | | ✓ | 1 | Grab | EPA 6010B | 5 ug/l | NA | NA | 82 | 0.08974 |
| 47. Selenium | ✓ | | 1 | Grab | EPA 7740 | 5 ug/l | NA | NA | < 5 | NA |
| 48. Silver | ✓ | | 1 | Grab | EPA 6010B | 5 ug/l | NA | NA | < 7 | NA |
| 49. Zinc | | ✓ | 1 | Grab | EPA 6010B | 10 ug/l | NA | NA | 2,100 | 2.29824 |
| 50. Iron | | ✓ | 1 | Grab | EPA 6010B | 30 ug/l | NA | NA | 21,400 | 23.4202 |
| Other (describe): | | | | | | | | | | |

c) For discharges where **metals** are believed present, please fill out the following:

| | |
|---|--|
| <p><i>Step 1:</i> Do any of the metals in the influent have a reasonable potential to exceed the effluent limits in Appendix III (i.e., the limits set at zero to five dilutions)? Y <input checked="" type="checkbox"/> N</p> | <p>If yes, which metals? Ar, Chromium, Copper, Nickel, Zinc, Fe</p> |
| <p><i>Step 2:</i> For any metals which have reasonable potential to exceed the Appendix III limits, calculate the dilution factor (DF) using the formula in Part I.A.3.c) (step 2) of the NOI instructions or as determined by the State prior to the submission of this NOI. What is the dilution factor for applicable metals? Metals: Arsenic, Chromium, Copper, Nickel, Zinc, Iron DF: <u>16.6</u></p> | <p>Look up the limit calculated at the corresponding dilution factor in Appendix IV. Do any of the metals in the influent have the potential to exceed the corresponding effluent limits in Appendix IV (i.e., is the influent concentration above the limit set at the calculated dilution factor)? Y <input checked="" type="checkbox"/> N <input type="checkbox"/> If "Yes," list which metals: Zinc, Iron</p> |

4. Treatment system information. Please describe the treatment system using separate sheets as necessary, including:

| | | | | | | |
|--|--------------|----------------|--------------------------|--------------------|------------|------------|
| a) A description of the treatment system, including a schematic of the proposed or existing treatment system: See Figure 2 (Site Plan) | | | | | | |
| b) Identify each applicable treatment unit (check all that apply): | Frac. tank | Air stripper | Oil/water separator | Equalization tanks | Bag filter | GAC filter |
| | ✓ | | | | ✓ | ✓ |
| | Chlorination | Dechlorination | Other (please describe): | | | |
| c) Proposed average and maximum flow rates (gallons per minute) for the discharge and the design flow rate(s) (gallons per minute) of the treatment system: Average flow rate of discharge <u>200</u> Maximum flow rate of treatment system <u>200</u> Design flow rate of treatment system <u>200</u> | | | | | | |
| d) A description of chemical additives being used or planned to be used (attach MSDS sheets): | | | | | | |

5. Receiving surface water(s). Please provide information about the receiving water(s), using separate sheets as necessary:

| | | | | | | |
|---|--|--|--------------------------------------|---|-----------------------------------|-------------------|
| a) Identify the discharge pathway: | Direct <input checked="" type="checkbox"/> | Within facility <input type="checkbox"/> | Storm drain <input type="checkbox"/> | River/brook <input checked="" type="checkbox"/> | Wetlands <input type="checkbox"/> | Other (describe): |
| b) Provide a narrative description of the discharge pathway, including the name(s) of the receiving waters: Flexile hose running directly from the treatment system into the Mill River approximately 75 feet downstream of the southern extent of the excavation. | | | | | | |

c) Attach a detailed map(s) indicating the site location and location of the outfall to the receiving water:
1. For multiple discharges, number the discharges sequentially.
2. For indirect dischargers, indicate the location of the discharge to the indirect conveyance and the discharge to surface water
The map should also include the location and distance to the nearest sanitary sewer as well as the locus of nearby sensitive receptors (based on USGS topographical mapping), such as surface waters, drinking water supplies, and wetland areas.

d) Provide the state water quality classification of the receiving water B

e) Provide the reported or calculated seven day-ten year low flow (7Q10) of the receiving water 6.96 cfs
Please attach any calculation sheets used to support stream flow and dilution calculations.

f) Is the receiving water a listed 303(d) water quality impaired or limited water? Yes No If yes, for which pollutant(s)?

Is there a TMDL? Yes No If yes, for which pollutant(s)?

6. Results of Consultation with Federal Services: Please provide the following information according to requirements of Part I.B.4 and Appendices II and VII.

a) Are any listed threatened or endangered species, or designated critical habitat, in proximity to the discharge? Yes No
Has any consultation with the federal services been completed? No or is consultation underway? No
What were the results of the consultation with the U.S. Fish and Wildlife Service and/or National Marine Fisheries Service (check one):
a "no jeopardy" opinion? or written concurrence on a finding that the discharges are not likely to adversely affect any endangered species or critical habitat?

b) Are any historic properties listed or eligible for listing on the National Register of Historic Places located on the facility or site or in proximity to the discharge?
Yes No Have any state or tribal historic preservation officer been consulted in this determination (Massachusetts only)? Yes No

7. Supplemental information. :

Please provide any supplemental information. Attach any analytical data used to support the application. Attach any certification(s) required by the general permit.

Attachment B - Laboratory Analytical Report (ID# LIMIT-07884)

Figure 1 - USGS Topographic Locus Map

Figure 2 - Site Plan

8. Signature Requirements: The Notice of Intent must be signed by the operator in accordance with the signatory requirements of 40 CFR Section 122.22, including the following certification:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, I certify that the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I certify that I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Facility/Site Name: Admiral Metals

Operator signature: 

Title: PE, LSP, President and CEO of Resource Control Associates, Inc.

Date: 8/29/07