

MAG. 910372

B. Suggested Form for Notice of Intent (NOI) for the Remediation General Permit

1. General site information. Please provide the following information about the site:

a) Name of facility/site: Gregory Road Sewer Replacement Project		Facility/site address:	
Location of facility/site: longitude: <u>71 24' 08"</u> latitude: <u>41 19'34"</u>	Facility SIC code(s):	Street: Water Street	
b) Name of facility/site owner: Town Of Framingham		Town: Framingham	
Email address of owner: katherine.weeks@framinghamma.gov		State:	Zip:
Telephone no. of facility/site owner: 508-532-6010		MA	01701
Fax no. of facility/site owner:		Owner is (check one): 1. Federal ___ 2. State/Tribal ___	
Address of owner (if different from site):		3. Private ___ 4. other, if so, describe: Municipal	
Street: 100 Western Avenue			
Town: Framingham	State: MA	Zip: 01701	County: Middlesex
c) Legal name of operator: P. Gioioso & Sons, Inc.		Operator telephone no: 617-364-5800	
		Operator fax no.: 617-364-9462	Operator email:
Operator contact name and title: Mario Romano			
Address of operator (if different from owner):		Street: 50 Sprague Street	
Town: Hyde Park	State: MA	Zip: 02136	County: Suffolk
d) Check "yes" or "no" for the following:			
1. Has a prior NPDES permit exclusion been granted for the discharge? Yes ___ No <input checked="" type="checkbox"/> , if "yes," number:			
2. Has a prior NPDES application (Form 1 & 2C) ever been filed for the discharge? Yes ___ No <input checked="" type="checkbox"/> , if "yes," date and tracking #:			
3. Is the discharge a "new discharge" as defined by 40 CFR 122.2? Yes <input checked="" type="checkbox"/> No ___			
4. For sites in Massachusetts, is the discharge covered under the MA Contingency Plan (MCP) and exempt from state permitting? Yes ___ No <input checked="" type="checkbox"/>			

<p>e) Is site/facility subject to any State permitting or other action which is causing the generation of discharge? Yes ___ No <input checked="" type="checkbox"/></p> <p>If "yes," please list:</p> <ol style="list-style-type: none"> 1. site identification # assigned by the state of NH or MA: 2. permit or license # assigned: 3. state agency contact information: name, location, and telephone number: 	<p>f) Is the site/facility covered by any other EPA permit, including:</p> <ol style="list-style-type: none"> 1. multi-sector storm water general permit? Y ___ N <input checked="" type="checkbox"/>, if Y, number: 2. phase I or II construction storm water general permit? Y <input checked="" type="checkbox"/> N ___ , if Y, number: 3. individual NPDES permit? Y ___ N <input checked="" type="checkbox"/>, if Y, number: 4. any other water quality related permit? Y ___ N <input checked="" type="checkbox"/>, if Y, number:
---	---

2. Discharge information. Please provide information about the discharge, (attaching additional sheets as needed) including:

a) Describe the discharge activities for which the owner/applicant is seeking coverage:

Construction dewatering during the replacement of a sewer line.

<p>b) Provide the following information about each discharge:</p>	<p>1) Number of discharge points:</p> <p style="font-size: 2em; text-align: center;">1</p>	<p>2) What is the maximum and average flow rate of discharge (in cubic feet per second, ft³/s)? Max. flow <u>0.89</u></p> <p>Average flow <u>0.67</u> Is maximum flow a design value? Y <input checked="" type="checkbox"/> N ___</p> <p>For average flow, include the units and appropriate notation if this value is a design value or estimate if not available.</p>
<p>3) Latitude and longitude of each discharge within 100 feet: pt.1: long. <u>71°24'14"</u> lat. <u>42°19'32"</u>; pt.2: long. _____ lat. _____; pt.3: long. _____ lat. _____; pt.4: long. _____ lat. _____; pt.5: long. _____ lat. _____; pt.6: long. _____ lat. _____; pt.7: long. _____ lat. _____; pt.8: long. _____ lat. _____; etc.</p>		
<p>4) If hydrostatic testing, total volume of the discharge (gals):</p>		<p>5) Is the discharge intermittent <input checked="" type="checkbox"/> or seasonal _____?</p> <p>Is discharge ongoing Yes <input checked="" type="checkbox"/> No _____?</p>
<p>c) Expected dates of discharge (mm/dd/yy): start <u>08/01/08</u> end <u>08/01/09</u></p>		
<p>d) Please attach a line drawing or flow schematic showing water flow through the facility including:</p> <p>1. sources of intake water, 2. contributing flow from the operation, 3. treatment units, and 4. discharge points and receiving waters(s).</p>		

3. Contaminant information. In order to complete this section, the applicant will need to take a minimum of one sample of the untreated water and have it analyzed for all of the parameters listed in Appendix III. Historical data, (i.e., data taken no more than 2 years prior to the effective date of the permit) may be used if obtained pursuant to: i. Massachusetts' regulations 310 CMR 40.0000, the Massachusetts Contingency Plan ("Chapter 21E"); ii. New Hampshire's Title 50 RSA 485-A: Water Pollution and Waste Disposal or Title 50 RSA 485-C: Groundwater Protection Act; or iii. an EPA permit exclusion letter issued pursuant to 40 CFR 122.3, provided the data was analyzed with test methods that meet the requirements of this permit. Otherwise, a new sample shall be taken and analyzed.

a) Based on the analysis of the sample(s) of the untreated influent, the applicant must check the box of the sub-categories that the potential discharge falls within.

Gasoline Only ✓	VOC Only	Primarily Metals	Urban Fill Sites	Contaminated Sumps	Mixed Contaminants	Aquifer Testing
Fuel Oils (and Other Oils) only	VOC with Other Contaminants	Petroleum with Other Contaminants	Listed Contaminated Sites	Contaminated Dredge Condensates	Hydrostatic Testing of Pipelines/Tanks	Well Development or Rehabilitation

b) Based on the analysis of the untreated influent, the applicant must indicate whether each listed chemical is **believed present** or **believed absent** in the potential discharge. Attach additional sheets as needed.

PARAMETER	Believe Absent	Believe Present	# of Samples (1 minimum)	Type of Sample (e.g., grab)	Analytical Method Used (method #)	Minimum Level (ML) of Test Method	Maximum daily value		Avg. daily value	
							concentration (ug/l)	mass (kg)	concentration (ug/l)	mass (kg)
1. Total Suspended Solids		✓	1	Grab	SM2540D	50,000	1.4×10^8 ug/L	305,455	1.4×10^8 ug/L	229,091
2. Total Residual Chlorine	✓									
3. Total Petroleum Hydrocarbons	✓									
4. Cyanide	✓									
5. Benzene		✓	1	Grab	E624	10 ug/L	18 ug/L	0.039	18 ug/L	0.029
6. Toluene		✓	1	Grab	E624	10 ug/L	20 ug/L	0.044	20 ug/L	0.033
7. Ethylbenzene		✓	1	Grab	E624	10 ug/L	630 ug/L	1.37	630 ug/L	1.03
8. (m,p,o) Xylenes		✓	1	Grab	E624	200 ug/L	4,790 ug/L	10.5	4,790 ug/L	7.84
9. Total BTEX ⁴		✓	1	Grab	E624	NA	5,458 ug/L	11.9	5,458 ug/L	8.93

⁴BTEX = Sum of Benzene, Toluene, Ethylbenzene, total Xylenes.

PARAMETER	Believe Absent	Believe Present	# of Samples (1 minimum)	Type of Sample (e.g., grab)	Analytical Method Used (method #)	Minimum Level (ML) of Test Method	Maximum daily value		Avg. daily value	
							concentration (ug/l)	mass (kg)	concentration (ug/l)	mass (kg)
10. Ethylene Dibromide ⁵ (1,2- Dibromo-methane)	✓									
11. Methyl-tert-Butyl Ether (MtBE)	*✓									
12. tert-Butyl Alcohol (TBA)	*✓									
13. tert-Amyl Methyl Ether (TAME)	*✓									
14. Naphthalene		✓	1	Grab	E624	10 ug/L	490 ug/L	1.07 kg	490 ug/L	0.08 kg
15. Carbon Tetrachloride	✓									
16. 1,4 Dichlorobenzene	✓									
17. 1,2 Dichlorobenzene	✓									
18. 1,3 Dichlorobenzene	✓									
19. 1,1 Dichloroethane	✓									
20. 1,2 Dichloroethane	✓									
21. 1,1 Dichloroethylene	✓									
22. cis-1,2 Dichloroethylene	✓									
23. Dichloromethane (Methylene Chloride)	✓									
24. Tetrachloroethylene	✓									

⁵EDB is a groundwater contaminant at fuel spill and pesticide application sites in New England.

* Although these compounds were not present in the initial testing, we believe that they may be present in the groundwater and should be tested for.

PARAMETER	Believe Absent	Believe Present	# of Samples (1 minimum)	Type of Sample (e.g., grab)	Analytical Method Used (method #)	Minimum Level (ML) of Test Method	Maximum daily value		Avg. daily Value	
							concentration (ug/l)	mass (kg)	concentration (ug/l)	mass (kg)
25. 1,1,1 Trichloroethane	✓									
26. 1,1,2 Trichloroethane	✓									
27. Trichloroethylene	✓									
28. Vinyl Chloride	✓									
29. Acetone	✓									
30. 1,4 Dioxane	✓									
31. Total Phenols	✓									
32. Pentachlorophenol	✓									
33. Total Phthalates ⁶ (Phthalate esters)	✓									
34. Bis (2-Ethylhexyl) Phthalate [Di-(ethylhexyl) Phthalate]	✓									
35. Total Group I Polycyclic Aromatic Hydrocarbons (PAH)	✓									
a. Benzo(a) Anthracene	✓									
b. Benzo(a) Pyrene	✓									
c. Benzo(b)Fluoranthene	✓									
d. Benzo(k) Fluoranthene	✓									
e. Chrysene	✓									

⁶The sum of individual phthalate compounds.

PARAMETER	Believe Absent	Believe Present	# of Samples (1 minimum)	Type of Sample (e.g., grab)	Analytical Method Used (method #)	Minimum Level (ML) of Test Method	Maximum daily value		Average daily value	
							concentration (ug/l)	mass (kg)	concentration (ug/l)	mass (kg)
f. Dibenzo(a,h) anthracene	✓									
g. Indeno(1,2,3-cd) Pyrene	✓									
36. Total Group II Polycyclic Aromatic Hydrocarbons (PAH)	✓									
h. Acenaphthene										
i. Acenaphthylene										
j. Anthracene										
k. Benzo(ghi) Perylene										
l. Fluoranthene										
m. Fluorene										
n. Naphthalene-										
o. Phenanthrene										
p. Pyrene										
37. Total Polychlorinated Biphenyls (PCBs)	✓									
38. Antimony										
39. Arsenic										
40. Cadmium										
41. Chromium III										
42. Chromium VI										

PARAMETER	Believe Absent	Believe Present	# of Samples (1 minimum)	Type of Sample (e.g., grab)	Analytical Method Used (method #)	Minimum Level (ML) of Test Method	Maximum daily value		Avg. daily value	
							concentration (ug/l)	mass (kg)	concentration (ug/l)	mass (kg)
43. Copper	<input checked="" type="checkbox"/>	<input type="checkbox"/>								
44. Lead	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1	Grab	7421/53113B	10 ug/L	142 ug/L	0.31	142 ug/L	0.23
45. Mercury	<input checked="" type="checkbox"/>	<input type="checkbox"/>								
46. Nickel	<input checked="" type="checkbox"/>	<input type="checkbox"/>								
47. Selenium	<input checked="" type="checkbox"/>	<input type="checkbox"/>								
48. Silver	<input checked="" type="checkbox"/>	<input type="checkbox"/>								
49. Zinc	<input checked="" type="checkbox"/>	<input type="checkbox"/>								
50. Iron	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1	Grab	6000/200.7	20 ug/L	164,000 ug/L	357.8	164,000 ug/L	265.5
Other (describe):	<input type="checkbox"/>	<input type="checkbox"/>								

c) For discharges where **metals** are believed present, please fill out the following:

<p><i>Step 1:</i> Do any of the metals in the influent have a reasonable potential to exceed the effluent limits in Appendix III (i.e., the limits set at zero to five dilutions)? Y <input checked="" type="checkbox"/> N <input type="checkbox"/></p>	<p>If yes, which metals? Lead, Iron</p>
<p><i>Step 2:</i> For any metals which have reasonable potential to exceed the Appendix III limits, calculate the dilution factor (DF) using the formula in Part I.A.3.c) (step 2) of the NOI instructions or as determined by the State prior to the submission of this NOI. What is the dilution factor for applicable metals? Metals: <u>Lead, Iron</u> DF: <u>5.84</u></p>	<p>Look up the limit calculated at the corresponding dilution factor in Appendix IV. Do any of the metals in the influent have the potential to exceed the corresponding effluent limits in Appendix IV (i.e., is the influent concentration above the limit set at the calculated dilution factor)? Y <input checked="" type="checkbox"/> N <input type="checkbox"/> If "Yes," list which metals: Lead, Iron</p>

4. Treatment system information. Please describe the treatment system using separate sheets as necessary, including:

a) A description of the treatment system, including a schematic of the proposed or existing treatment system:						
b) Identify each applicable treatment unit (check all that apply):	Frac. tank <input checked="" type="checkbox"/>	Air stripper	Oil/water separator	Equalization tanks	Bag filter <input checked="" type="checkbox"/>	GAC filter <input checked="" type="checkbox"/>
	Chlorination	Dechlorination	Other (please describe):			
c) Proposed average and maximum flow rates (gallons per minute) for the discharge and the design flow rate(s) (gallons per minute) of the treatment system: Average flow rate of discharge <u>300</u> Maximum flow rate of treatment system <u>400</u> Design flow rate of treatment system <u>400</u>						
d) A description of chemical additives being used or planned to be used (attach MSDS sheets):						

5. Receiving surface water(s). Please provide information about the receiving water(s), using separate sheets as necessary:

a) Identify the discharge pathway:	Direct <input type="checkbox"/>	Within facility <input type="checkbox"/>	Storm drain <input checked="" type="checkbox"/>	River/brook <input type="checkbox"/>	Wetlands <input type="checkbox"/>	Other (describe):
b) Provide a narrative description of the discharge pathway, including the name(s) of the receiving waters: Effluent will be pumped into a catch basin that discharges into the Sudbury River						
c) Attach a detailed map(s) indicating the site location and location of the outfall to the receiving water: 1. For multiple discharges, number the discharges sequentially. 2. For indirect dischargers, indicate the location of the discharge to the indirect conveyance and the discharge to surface water The map should also include the location and distance to the nearest sanitary sewer as well as the locus of nearby sensitive receptors (based on USGS topographical mapping), such as surface waters, drinking water supplies, and wetland areas.						
d) Provide the state water quality classification of the receiving water <u>B</u> ,						
e) Provide the reported or calculated seven day-ten year low flow (7Q10) of the receiving water <u>4.89</u> cfs Please attach any calculation sheets used to support stream flow and dilution calculations.						
f) Is the receiving water a listed 303(d) water quality impaired or limited water? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> If yes, for which pollutant(s)? Is there a TMDL? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> If yes, for which pollutant(s)?						

6. Results of Consultation with Federal Services: Please provide the following information according to requirements of Part I.B.4 and Appendices II and VII.

a) Are any listed threatened or endangered species, or designated critical habitat, in proximity to the discharge? Yes ___ No <input checked="" type="checkbox"/> Has any consultation with the federal services been completed? Yes ___ No <input checked="" type="checkbox"/> or is consultation underway? Yes ___ No ___ What were the results of the consultation with the U.S. Fish and Wildlife Service and/or National Marine Fisheries Service (check one): a "no jeopardy" opinion? ___ or written concurrence ___ on a finding that the discharges are not likely to adversely affect any endangered species or critical habitat?
b) Are any historic properties listed or eligible for listing on the National Register of Historic Places located on the facility or site or in proximity to the discharge? Yes ___ No <input checked="" type="checkbox"/> Have any state or tribal historic preservation officer been consulted in this determination (Massachusetts only)? Yes ___ No <input checked="" type="checkbox"/>

7. Supplemental information. :

Please provide any supplemental information. Attach any analytical data used to support the application. Attach any certification(s) required by the general permit.

8. Signature Requirements: The Notice of Intent must be signed by the operator in accordance with the signatory requirements of 40 CFR Section 122.22, including the following certification:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, I certify that the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I certify that I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Facility/Site Name:	
Operator signature:	<i>Min Ransoin Jr.</i>
Title:	<i>PROJECT Manager.</i>
Date:	<i>7-25-08.</i>