



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region 1

**5 Post Office Square, Suite 100
BOSTON, MA 02109-3912**

VIA EMAIL

August 16, 2017

Keith Buchanan
National Response Corporation
19 National Drive
Franklin, MA 02038
kbuchanan@nrcc.com

Re: Authorization to discharge under the Remediation General Permit (RGP) – Authorization # MAG910737, for the 89 Spring Bars Road site located in Falmouth, MA

Dear Mr. Buchanan:

Based on the review of a Notice of Intent (NOI) dated July 14, 2017 submitted by Lockwood Remediation Technologies, LLC. for the site referenced above, the U.S. Environmental Protection Agency, Region 1 (EPA) hereby authorizes National Response Corporation, as the named operator, to discharge in accordance with the provisions of the RGP from this site to Little Pond (MA96-56). The authorization number is listed above. The effective date of coverage is the date of this authorization letter.

Enclosed with this RGP authorization to discharge is a summary of the applicable parameters and effluent limitations for your activity category I, petroleum-related site remediation discharge. A dilution factor of zero (i.e., 1:1) was used in calculating effluent limits applicable to the proposed discharge from this site. Please note that this summary does not represent the complete requirements of the RGP. Operators must comply with all of the applicable requirements of the RGP, including influent and effluent monitoring, record keeping, and reporting requirements. Please ensure that sufficiently sensitive test methods are used for all sample analyses conducted for this permit. For the complete general permit, see EPA's RGP website.¹

This EPA general permit and authorization to discharge will expire on **April 8, 2022**, or upon Notice of Termination (NOT), whichever occurs first. However, in accordance with Part 5.3 of the general permit, your permit coverage will be administratively continued until issuance of a new RGP. Please note that you must submit a NOT within thirty (30) days of the termination of the discharge. You have reported your discharges will terminate in September 2017. Because your discharge is not expected to last twelve (12) months or more, EPA expects you will not to be subject to NetDMR reporting requirements. See Part 4.6 and 5.2 of the RGP, and Appendix IV, Part 3 for more information regarding reporting requirements.

¹ <http://www.epa.gov/region1/npdes/rgp.html>.

Please ensure that sufficiently sensitive test methods are used for all sample analyses conducted for this permit. To be considered sufficiently sensitive, test methods must achieve minimum levels for analysis for a given parameter that is no greater than the effluent limitation for that parameter, unless otherwise specified in the RGP for that parameter. Where no effluent limitation applies, EPA has provided the ML required with the enclosed summary.

Thank you in advance for your cooperation in this matter. Please contact Shauna Little at (617) 918-1989 or little.shauna@epa.gov, if you have any questions.

Sincerely,



Thelma Murphy, Chief
Storm Water and Construction Permits Section

Enclosure

cc: James McLoughlin, Town of Falmouth
Kim Gravelle, Lockwood Remediation Technologies, LLC., via email
Paul Lockwood, Lockwood Remediation Technologies, LLC., via email
Xiaodan Ruan, MassDEP, via email

GENERAL PERMIT FOR REMEDIATION ACTIVITY DISCHARGES

Table 1: Authorization Information

Permit Number	MAG910737
Receiving Water	Little Pond
Outfall Number	Outfall 001
Monitoring Frequency	See Part 4.1.2 of the RGP
Reporting Requirement	See Part 4.6.1 of the RGP; NetDMR not required

Table 2: Chemical-Specific Effluent Limitations and Monitor-Only Requirements¹

Parameter	Effluent Limitation
A. Inorganics	
Ammonia ²	Report mg/L
Chloride ³	Report µg/L
Total Suspended Solids	30 mg/L
Antimony ⁴	206 µg/L
Arsenic ⁴	104 µg/L
Cadmium ⁴	10.2 µg/L
Chromium III ⁴	100 µg/L
Chromium VI ⁴	50 µg/L
Copper ⁴	3.7 µg/L
Iron ⁴	5,000 µg/L
Lead ⁴	8.5 µg/L
Mercury ⁴	0.739 µg/L
Nickel ⁴	8.3 µg/L
Selenium ⁴	235.8 µg/L
Silver ⁴	35.1 µg/L
Zinc ⁴	86 µg/L
Cyanide ⁵	1.0 µg/L
B. Non-Halogenated Volatile Organic Compounds	
Total BTEX	100 µg/L
Benzene	5.0 µg/L
Acetone	7.97 mg/L
Phenol	1,080 µg/L
D. Non-Halogenated Semi-Volatile Organic Compounds	
Total Phthalates	190 µg/L
Diethylhexyl Phthalate	101 µg/L
Total Group I Polycyclic Aromatic Hydrocarbons ⁶	1.0 µg/L
Benzo(a)anthracene ⁶	Report µg/L
Benzo(a)pyrene ⁶	Report µg/L
Benzo(b)fluoranthene ⁶	Report µg/L
Benzo(k)fluoranthene ⁶	Report µg/L
Chrysene ⁶	Report µg/L
Dibenzo(a,h)anthracene ⁶	Report µg/L
Indeno(1,2,3-cd)pyrene ⁶	Report µg/L

Total Group II Polycyclic Aromatic Hydrocarbons	100 µg/L
Naphthalene	20 µg/L
F. Fuels Parameters	
Total Petroleum Hydrocarbons	5.0 mg/L
tert-Butyl Alcohol	120 µg/L

Table 2 Notes:

¹ The following abbreviations are used in Table 2, above:

^a mg/L = milligrams per liter

^b µg/L = micrograms per liter

² The minimum level (ML) for analysis of ammonia must be less than or equal to 0.1 mg/L.

³ The ML for analysis of chloride must be less than or equal to 230 mg/L.

⁴ The limitation for this parameter is on the basis of total recoverable metal in the water column.

⁵ The compliance level for total cyanide is 5.0 µg/L. The ML for analysis of total cyanide must be less than or equal to 5.0 µg/L.

⁶ The ML for analysis of group I PAHs must be less than or equal to 0.1 µg/L.

Table 3: Effluent Flow Limitation

Effluent Flow	Effluent Limitation
	0.144 MGD

Table 3 Notes

¹ The following abbreviations are used in Table 3, above:

^a MGD = million gallons per day

Table 4: pH Limitations for Discharges in Massachusetts

Receiving Water Class	Effluent Limitation
Saltwater	6.5 to 8.5 SU

Table 4 Notes

¹ The following abbreviations are used in Table 4, above:

^a SU = standard units