

## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

## Region 1 5 Post Office Square, Suite 100 BOSTON, MA 02109-3912

#### **VIA EMAIL**

October 20, 2017

Steven Forrest
CertainTeed Roofing
1077 Pleasant Street
Norwood, MA 02062
steven.forrest@saintgobain.com

Re: Authorization to discharge under the Remediation General Permit (RGP) – Authorization #MAG910726, for the CertainTeed Roofing site located in Norwood, MA

Dear Mr. Forrest:

Based on the review of a Notice of Intent (NOI) dated September 26, 2017 submitted by Ramboll Environ for the site referenced above, the U.S. Environmental Protection Agency, Region 1 (EPA) hereby authorizes Bird Incorporated d.b.a. CertainTeed Roofing, as the named operator, to discharge in accordance with the provisions of the RGP from this site to the Neponset River (MA73-01). The authorization number is listed above. The effective date of coverage is the date of this authorization letter.

Enclosed with this RGP authorization to discharge is a summary of the applicable parameters and effluent limitations for your activity category I, petroleum-related site remediation and activity category VIII, dredge-related dewatering discharges. A dilution factor of 8.29, approved by the Massachusetts Department of Environmental Protection, was used in calculating effluent limits applicable to the proposed discharge from this site. Please note that this summary does not represent the complete requirements of the RGP. Operators must comply with all of the applicable requirements of the RGP, including influent and effluent monitoring, record keeping, and reporting requirements. For the complete general permit, see EPA's RGP website.<sup>1</sup>

This EPA general permit and authorization to discharge will expire on **April 8, 2022**, or upon Notice of Termination (NOT), whichever occurs first. However, in accordance with Part 5.3 of the general permit, your permit coverage will be administratively continued until issuance of a new RGP. Please note that you must submit a NOT within thirty (30) days of the termination of the discharge. You have reported your discharges will terminate in July, 2018. Because your discharge is not expected to last twelve (12) months or more, EPA expects you will not to be subject to NetDMR reporting requirements. See Part 4.6 and 5.2 of the RGP, and Appendix IV, Part 3 for more information regarding reporting requirements.

\_

<sup>&</sup>lt;sup>1</sup> https://www.epa.gov/npdes-permits/remediation-general-permit-rgp-massachusetts-new-hampshire.

Please ensure that sufficiently sensitive test methods are used for all sample analyses conducted for this permit. To be considered sufficiently sensitive, test methods must achieve minimum levels for analysis for a given parameter that is no greater than the effluent limitation for that parameter, unless otherwise specified in the RGP for that parameter. Where no effluent limitation applies, EPA has provided the ML required with the enclosed summary. Where a compliance level applies, EPA has specified the compliance level and provided the ML required with the enclosed summary.

Thank you in advance for your cooperation in this matter. Please contact Shauna Little at (617) 918-1989 or <a href="mailto:little.shauna@epa.gov">little.shauna@epa.gov</a>, if you have any questions.

Sincerely,

Thelma Murphy, Chief

Storm Water and Construction Permits Section

Shelma Murphy

Enclosure

cc: Russell Parkman, PE, Ramboll Environ, via email

Cathy Vakalopoulos, MassDEP, via email

#### GENERAL PERMIT FOR REMEDIATION ACTIVITY DISCHARGES

**Table 1: Authorization Information** 

Permit Number	MAG910726
Receiving Water	Neponset River
Outfall Number	Outfall 001
Monitoring Frequency	See Part 4.1.2 of the RGP
Reporting Requirement	See Part 4.6.1 of the RGP;
	NetDMR not required

Table 2: Chemical-Specific Effluent Limitations and Monitor-Only Requirements<sup>1</sup>

Parameter	Effluent Limitation
A. Inorganics	
Ammonia <sup>2</sup>	Report mg/L
Chloride <sup>3</sup>	Report μg/L
Total Suspended Solids	30 mg/L
Antimony <sup>4</sup>	206 μg/L
Arsenic <sup>4</sup>	104 μg/L
Cadmium <sup>4</sup>	10.2 µg/L
Chromium III <sup>4</sup>	323 μg/L
Chromium VI <sup>4</sup>	323 µg/L
Copper <sup>4</sup>	242 μg/L
Iron <sup>4</sup>	5,000 μg/L
Lead <sup>4</sup>	160 μg/L
Mercury <sup>4</sup>	0.739 μg/L
Nickel <sup>4</sup>	1,450 µg/L
Selenium <sup>4</sup>	235.8 μg/L
Silver <sup>4</sup>	35.1 µg/L
Zinc <sup>4</sup>	420 μg/L
D. Non-Halogenated Volatile Organic Compounds	
Total BTEX	100 μg/L
D. Non-Halogenated Semi-Volatile Organic Compounds	· •
Total Group I Polycyclic Aromatic Hydrocarbons <sup>5</sup>	1.0 μg/L
Total Group II Polycyclic Aromatic Hydrocarbons	100 µg/L
F. Fuels Parameters	· •
Total Petroleum Hydrocarbons	5.0 mg/L

# **Table 2 Notes:**

<sup>&</sup>lt;sup>1</sup> The following abbreviations are used in Table 2, above:

<sup>&</sup>lt;sup>a</sup> mg/L = milligrams per liter

 $<sup>^{</sup>b}$  µg/L = micrograms per liter

<sup>&</sup>lt;sup>2</sup> The minimum level (ML) for analysis of ammonia must be less than or equal to 0.1 mg/L.

<sup>&</sup>lt;sup>3</sup> The ML for analysis of chloride must be less than or equal to 230 mg/L.

## **Table 3: Effluent Flow Limitation**

Effluent Flow	Effluent Limitation
	0.144 MGD

#### **Table 3 Notes**

**Table 4: pH Limitations for Discharges in Massachusetts** 

Receiving Water Class	Effluent Limitation
Freshwater	6.5 to 8.3 SU

#### **Table 4 Notes**

<sup>&</sup>lt;sup>4</sup> The limitation for this parameter is on the basis of total recoverable metal in the water column.

 $<sup>^5</sup>$  The ML for analysis of group I polycyclic aromatic hydrocarbons (PAHs) must be less than or equal to  $0.1 \,\mu\text{g/L}$ .

<sup>&</sup>lt;sup>1</sup> The following abbreviations are used in Table 3, above:

<sup>&</sup>lt;sup>a</sup> MGD = million gallons per day

<sup>&</sup>lt;sup>1</sup> The following abbreviations are used in Table 4, above:

<sup>&</sup>lt;sup>a</sup> SU = standard units