

### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

# Region 1 5 Post Office Square, Suite 100 BOSTON, MA 02109-3912

#### **VIA EMAIL**

September 7, 2017

Allen Morris CITGO Petroleum Corporation 385 Quincy Avenue Braintree, MA 02184 AMorri1@CITGO.com

Re: Authorization to discharge under the Remediation General Permit (RGP) – Authorization # MAG910741, for the CITGO Terminal Bulkhead Project site located in Braintree, MA

Dear Mr. Morris:

Based on the review of a Notice of Intent (NOI) dated July 27, 2017 submitted by ES&M Environmental & Engineering Solutions, Inc. for the site referenced above, the U.S. Environmental Protection Agency, Region 1 (EPA) hereby authorizes CITGO Petroleum Corporation, as the named operator, to discharge in accordance with the provisions of the RGP from this site to Weymouth-Fore River (MA74-14). The authorization number is listed above. The effective date of coverage is the date of this authorization letter.

Enclosed with this RGP authorization to discharge is a summary of the applicable parameters and effluent limitations for your activity category III, contaminated site dewatering discharge. A dilution factor of zero (i.e., 1:1) was used in calculating effluent limits applicable to the proposed discharge from this site. Please note that this summary does not represent the complete requirements of the RGP. Operators must comply with all of the applicable requirements of the RGP, including influent and effluent monitoring, record keeping, and reporting requirements. Please ensure that sufficiently sensitive test methods are used for all sample analyses conducted for this permit. For the complete general permit, see EPA's RGP website.<sup>1</sup>

This EPA general permit and authorization to discharge will expire on **April 8, 2022**, or upon Notice of Termination (NOT), whichever occurs first. However, in accordance with Part 5.3 of the general permit, your permit coverage will be administratively continued until issuance of a new RGP. Please note that you must submit a NOT within thirty (30) days of the termination of the discharge. You have reported your discharges will terminate in December 2017. Because your discharge is not expected to last twelve (12) months or more, EPA expects you will not to be subject to NetDMR reporting requirements. See Part 4.6 and 5.2 of the RGP, and Appendix IV, Part 3 for more information regarding reporting requirements.

-

<sup>&</sup>lt;sup>1</sup> https://www.epa.gov/npdes-permits/remediation-general-permit-rgp-massachusetts-new-hampshire.

Please ensure that sufficiently sensitive test methods are used for all sample analyses conducted for this permit. To be considered sufficiently sensitive, test methods must achieve minimum levels for analysis for a given parameter that is no greater than the effluent limitation for that parameter, unless otherwise specified in the RGP for that parameter. Where no effluent limitation applies, EPA has provided the ML required with the enclosed summary.

Thank you in advance for your cooperation in this matter. Please contact Shauna Little at (617) 918-1989 or <a href="mailto:little.shauna@epa.gov">little.shauna@epa.gov</a>, if you have any questions.

Sincerely,

Thelma Murphy, Chief

Milma Murphy

Storm Water and Construction Permits Section

Enclosure

cc: Xiaodan Ruan, MassDEP, via email

#### GENERAL PERMIT FOR REMEDIATION ACTIVITY DISCHARGES

**Table 1: Authorization Information** 

Permit Number	MAG910741
Receiving Water	Weymouth-Fore River
Outfall Number	Outfall 001
Monitoring Frequency	See Part 4.1.2 of the RGP
Reporting Requirement	See Part 4.6.1 of the RGP;
	NetDMR not required

Table 2: Chemical-Specific Effluent Limitations and Monitor-Only Requirements<sup>1</sup>

Parameter	Effluent Limitation
A. Inorganics	Diffuent Diffuention
Ammonia <sup>2</sup>	Report mg/L
Chloride <sup>3</sup>	Report µg/L
Total Suspended Solids	30 mg/L
Antimony <sup>4</sup>	206 μg/L
Arsenic <sup>4</sup>	104 μg/L
Cadmium <sup>4</sup>	10.2 μg/L
Chromium III <sup>4</sup>	323 µg/L
Chromium VI <sup>4</sup>	323 µg/L
Copper <sup>4</sup>	3.7 µg/L
Iron <sup>4</sup>	5,000 μg/L
Lead <sup>4</sup>	8.5 μg/L
Mercury <sup>4</sup>	0.739 μg/L
Nickel <sup>4</sup>	1,450 μg/L
Selenium <sup>4</sup>	235.8 μg/L
Silver <sup>4</sup>	35.1 μg/L
Zinc <sup>4</sup>	420 μg/L

#### **Table 2 Notes:**

<sup>&</sup>lt;sup>1</sup> The following abbreviations are used in Table 2, above:

<sup>&</sup>lt;sup>a</sup> mg/L = milligrams per liter

 $<sup>^{</sup>b}$  µg/L = micrograms per liter

<sup>&</sup>lt;sup>2</sup> The minimum level (ML) for analysis of ammonia must be less than or equal to 0.1 mg/L.

<sup>&</sup>lt;sup>3</sup> The ML for analysis of chloride must be less than or equal to 230 mg/L.

<sup>&</sup>lt;sup>4</sup> The limitation for this parameter is on the basis of total recoverable metal in the water column.

## **Table 3: Effluent Flow Limitation**

Efficient Flore	Effluent Limitation
<b>Effluent Flow</b>	1.0 MGD

## **Table 3 Notes**

Table 4: pH Limitations for Discharges in Massachusetts

Receiving Water Class	Effluent Limitation
Saltwater	6.5 to 8.5 SU

## **Table 4 Notes**

<sup>&</sup>lt;sup>1</sup> The following abbreviations are used in Table 3, above:

<sup>&</sup>lt;sup>a</sup> MGD = million gallons per day

<sup>&</sup>lt;sup>1</sup> The following abbreviations are used in Table 4, above:

<sup>&</sup>lt;sup>a</sup> SU = standard units