



**UNITED STATES ENVIRONMENTAL PROTECTION AGENCY**

**Region 1**

**5 Post Office Square, Suite 100  
BOSTON, MA 02109-3912**

**VIA EMAIL**

August 2, 2017

John Harmon, Senior Project Manager  
Bond Brothers  
145 Spring Street  
Everett, MA 02149  
[jharmon@bondbrothers.com](mailto:jharmon@bondbrothers.com)

Re: Authorization to discharge under the Remediation General Permit (RGP) – Authorization # MAG910724, for the Western Avenue Utility Crossing site located in Allston, MA

Dear Mr. Harmon:

Based on the review of a Notice of Intent (NOI) dated July 3, 2017 submitted by Haley & Aldrich, Inc. for the site referenced above, the U.S. Environmental Protection Agency, Region 1 (EPA) hereby authorizes Bond Brothers, as a named operator and co-permittee with President and Fellows of Harvard College (Harvard) acting by and through Harvard Engineering and Utilities, to discharge in accordance with the provisions of the RGP from this site via the Commonwealth of Massachusetts Department of Conservation and Recreation drainage system and the City of Boston storm sewer system<sup>1</sup> to the Charles River (MA72-36). The authorization number is listed above. The effective date of coverage is the date of this authorization letter.

Enclosed with this RGP authorization to discharge is a summary of the applicable parameters and effluent limitations for your activity category III, contaminated site dewatering discharge. A dilution factor of 74.3, approved by the Massachusetts Department of Environmental Protection, was used in calculating effluent limits applicable to the proposed discharge from this site. Please note that this summary does not represent the complete requirements of the RGP. Operators must comply with all of the applicable requirements of the RGP, including influent and effluent monitoring, record keeping, and reporting requirements. Please ensure that sufficiently sensitive test methods are used for all sample analyses conducted for this permit. For the complete general permit, see EPA's RGP website.<sup>2</sup>

This EPA general permit and authorization to discharge will expire on **April 8, 2022**, or upon Notice of Termination (NOT), whichever occurs first. However, in accordance with Part 5.3 of the general permit, your permit coverage will be administratively continued until issuance of a new RGP. Please note that you must submit a NOT within thirty (30) days of the termination of the discharge. You have reported your discharges will terminate in June 2018. Because your discharge is not expected to last twelve (12)

---

<sup>1</sup> The operator is responsible for obtaining permission to discharge to these systems, prior to initiating discharges. EPA's authorization to discharge does not convey any such permission.

<sup>2</sup> <http://www.epa.gov/region1/npdes/rgp.html>.

months or more, EPA expects you will not to be subject to NetDMR reporting requirements. See Part 4.6 and 5.2 of the RGP, and Appendix IV, Part 3 for more information regarding reporting requirements.

Please ensure that sufficiently sensitive test methods are used for all sample analyses conducted for this permit. To be considered sufficiently sensitive, test methods must achieve minimum levels for analysis for a given parameter that is no greater than the effluent limitation for that parameter, unless otherwise specified in the RGP for that parameter. Where no effluent limitation applies, EPA has provided the ML required with the enclosed summary.

Thank you in advance for your cooperation in this matter. Please contact Shauna Little at (617) 918-1989 or [little.shauna@epa.gov](mailto:little.shauna@epa.gov), if you have any questions.

Sincerely,



Thelma Murphy, Chief  
Storm Water and Construction Permits Section

Enclosure

cc: Susyrati Bunanta, Principal Engineer, Harvard Engineering and Utilities, via email  
Katherine L. Dilawari, PE, LSP, Haley & Aldrich, Inc., via email  
Lindsey R. Howard, EIT, Haley & Aldrich, Inc., via email  
Sandhya N. Potana, Haley & Aldrich, Inc., via email  
Cathy Vakalopoulos, MassDEP, via email  
Boston Water & Sewer Commission

## GENERAL PERMIT FOR REMEDIATION ACTIVITY DISCHARGES

**Table 1: Authorization Information**

|                              |   |
|------------------------------|---|
| <b>Permit Number</b>         | MAG910724   |
| <b>Receiving Water</b>       | Charles River                                     |
| <b>Outfall Number</b>        | Outfall 001 to City of Boston SDO038 or SD001     |
| <b>Monitoring Frequency</b>  | See Part 4.1.2 of the RGP                         |
| <b>Reporting Requirement</b> | See Part 4.6.1 of the RGP;<br>NetDMR not required |

**Table 2: Chemical-Specific Effluent Limitations and Monitor-Only Requirements<sup>1</sup>**

| <b>Parameter</b>          | <b>Effluent Limitation</b> |
|---------------------------|----------------------------|
| <b>A. Inorganics</b>      |                            |
| Ammonia <sup>2</sup>      | Report mg/L                |
| Chloride <sup>3</sup>     | Report µg/L                |
| Total Suspended Solids    | 30 mg/L                    |
| Antimony <sup>4</sup>     | 206 µg/L                   |
| Arsenic <sup>4</sup>      | 104 µg/L                   |
| Cadmium <sup>4</sup>      | 10.2 µg/L                  |
| Chromium III <sup>4</sup> | 323 µg/L                   |
| Chromium VI <sup>4</sup>  | 323 µg/L                   |
| Copper <sup>4</sup>       | 242 µg/L                   |
| Iron <sup>4</sup>         | 1,000 µg/L                 |
| Lead <sup>4</sup>         | 160 µg/L                   |
| Mercury <sup>4</sup>      | 0.739 µg/L                 |
| Nickel <sup>4</sup>       | 1,450 µg/L                 |
| Selenium <sup>4</sup>     | 235.8 µg/L                 |
| Silver <sup>4</sup>       | 35.1 µg/L                  |
| Zinc <sup>4</sup>         | 420 µg/L                   |
| Cyanide                   | 178 mg/L                   |

**Table 2 Notes:**

<sup>1</sup> The following abbreviations are used in Table 2, above:

<sup>a</sup> mg/L = milligrams per liter

<sup>b</sup> µg/L = micrograms per liter

<sup>2</sup> The minimum level (ML) for analysis of ammonia must be less than or equal to 0.1 mg/L.

<sup>3</sup> The ML for analysis of chloride must be less than or equal to 230 mg/L.

<sup>4</sup> The limitation for this parameter is on the basis of total recoverable metal in the water column.

**Table 3: Effluent Flow Limitation**

| <b>Effluent Flow</b> | <b>Effluent Limitation</b> |
|----------------------|----------------------------|
|                      | 0.216 MGD                  |

**Table 3 Notes**

<sup>1</sup> The following abbreviations are used in Table 3, above:

<sup>a</sup> MGD = million gallons per day

**Table 4: pH Limitations for Discharges in Massachusetts**

| <b>Receiving Water Class</b> | <b>Effluent Limitation</b> |
|------------------------------|----------------------------|
| Freshwater                   | 6.5 to 8.3 SU              |

**Table 4 Notes**

<sup>1</sup> The following abbreviations are used in Table 4, above:

<sup>a</sup> SU = standard units